
The MINOR PLANET CIRCULARS/MINOR PLANETS AND COMETS are published, on behalf of
Commission 20 of the International Astronomical Union, usually in batches

on the date of each full moon, by:

Minor Planet Center, Smithsonian Astrophysical Observatory, Cambridge, MA 02138, U.S.A.

IAUSUBS@CFA.HARVARD.EDU or FAX 617-495-7231 (subscriptions)

BMARSDEN@CFA.HARVARD.EDU or GWILLIAMS@CFA.HARVARD.EDU (science)

Phone 617-495-7244/7440/7444 (for emergency use only)

Brian G. Marsden, Director

Gareth V. Williams, Associate Director

EDITORIAL NOTICE

The current batch of *MPCs* contains the one-millionth astrometric observation to be archived in the Minor Planet Center's files.

Anyone interested in obtaining the eighth edition of the magnetic tape of observations announced on *MPC* 25457 is advised to place an order immediately. As a result of changes in the facilities offered by the central Computation Facility at the Harvard-Smithsonian Center for Astrophysics, the production of copies of the tape after the end of 1995 will not be possible.

The Minor Planet Center is issuing a new edition—the fourth—of its annual volume of high-precision orbits of unnumbered minor planets. In a departure from previous editions, the new volume includes data for the minor planets numbered too recently to allow inclusion in the 1996 edition of *Efemeridy Malykh Planet (EMP)*. This necessitates a change in the title of the publication to *Catalogue of High-Precision Orbits of Minor Planets (HPOMP)*. As in the *EMP*, orbital elements are given for the epoch 1996 Nov. 13 TT. Opposition positions and motions are given for objects that reach opposition between 1995 Dec. 1 and 1997 Jan. 31; more extensive ephemerides are given for unusual minor planets. The *HPOMP* is complete for orbits published through this current batch of *MPCs* and thus includes data for minor planets (6161) through (6678). Intended as a companion to the *EMP* (which is published by the Institute for Theoretical Astronomy, Naberezhnaya Kutuzova 10, St. Petersburg 191187, Russia), the *HPOMP* costs \$30.00 (\$40.00 for airmail delivery). The orbits are also being issued on an MS-DOS diskette for \$120.00; ephemerides are not included on this diskette, but there is a computer program for generating them.

Observations made by the automatic meridian circle at the Observatoire de l'Université de Bordeaux, replacing 2260 observations published to lower precision on *MPC* 11016–11035, 12104–12116 and 14443–14459, are being inserted in the Minor Planet Center's files without being republished in these *Circulars*.

There has been an increase in the number of observations reported to the Minor Planet Center in printed form via the mail or FAX. Contributors are *very strongly* urged to submit their data by e-mail. Those who do submit observations in printed form are warned that there will be delays, possibly amounting to several months, in processing them. Submission of observations on diskettes may be a possible alternative, but contributors should check with the Minor Planet Center before doing so.

Further features have been added to the Minor Planet Center's homepage on the World Wide Web (<http://cfa-www.harvard.edu/cfa/ps/mpc.html>). These include a facility for correlating permanent, provisional and temporary designations of minor planets, continually-updated listings of the dates of the most recent observations of unusual and critical-list minor planets, and a selection of orbit diagrams. These new features may be found via the "Various Lists and Plots" link.

ERRATUM

MPC Line
25715 6 For +7.6827171 read a 17.6827171

CORRECTED OBSERVATIONS

The following observations correct those previously published.

Object	Date	UT	α_{2000}	δ_{2000}	Reference	Mag.	N Obs.
(86)	1974 09	10.05382	20 32 23.13	-24 20 53.8	<i>MPC</i> 4295		1 839
(86)	1974 09	10.07118	20 32 22.74	-24 20 54.4	<i>MPC</i> 4295		1 839
(88)	1981 07	29.79517	17 57 22.35	-22 21 49.3	<i>MPC</i> 7532		2 073
(88)	1981 07	29.81249	17 57 21.85	-22 21 46.9	<i>MPC</i> 7532		2 073
(109)	1971 12	03.78058	02 40 45.82	+29 11 28.7	<i>MPC</i> 5108		1 073
(109)	1971 12	03.78993	02 40 45.51	+29 11 27.4	<i>MPC</i> 5108		1 073
(122)	1971 11	09.73890	01 29 24.36	+08 06 27.4	<i>MPC</i> 5108		3 073
(122)	1971 11	09.74513	01 29 24.12	+08 06 25.8	<i>MPC</i> 5108		3 073
(137)	1967 02	17.32567	10 38 29.51	-05 00 53.9	<i>MPC</i> 2908		2 808
(137)	1967 02	18.14980	10 37 56.37	-04 56 58.8	<i>MPC</i> 2908		2 808
(145)	1964 11	24.56913	02 11 14.46	+01 12 49.4	<i>MPC</i> 2596		2 334
(145)	1976 08	20.14236	19 43 29.39	-34 07 50.6	<i>MPC</i> 4297		1 839
(145)	1976 08	20.15347	19 43 28.98	-34 07 50.6	<i>MPC</i> 4297		1 839
(148)	1971 07	04.21051	16 41 22.52	+10 21 42.4	<i>MPC</i> 3305		1 822
(148)	1971 07	04.21848	16 41 22.13	+10 21 38.7	<i>MPC</i> 3305		1 822
(148)	1975 05	08.82608	14 14 53.97	+20 47 30.8	<i>MPC</i> 5338		1 073
(148)	1975 05	08.83855	14 14 53.40	+20 47 32.1	<i>MPC</i> 5338		1 073
(148)	1975 05	12.84494	14 12 00.81	+20 53 17.7	<i>MPC</i> 5338		1 073
(148)	1975 05	12.85314	14 12 00.46	+20 53 18.2	<i>MPC</i> 5338		1 073
(148)	1975 05	29.79991	14 02 09.17	+20 33 45.6	<i>MPC</i> 5338		1 073
(148)	1975 05	29.81099	14 02 08.89	+20 33 44.9	<i>MPC</i> 5338		1 073
(148)	1976 06	30.97812	18 57 54.45	+03 40 22.5	<i>MPC</i> 4523		1 029
(148)	1976 06	30.98541	18 57 54.07	+03 40 20.4	<i>MPC</i> 4523		1 029
(148)	1980 08	12.51545	15 39 00.25	+07 16 19.1	<i>MPC</i> 9907		1 323
(148)	1980 08	12.52170	15 39 00.45	+07 16 16.3	<i>MPC</i> 9907		1 323
(148)	1980 08	12.52674	15 39 00.58	+07 16 12.0	<i>MPC</i> 9907		1 323
(148)	1980 08	12.53090	15 39 00.68	+07 16 10.6	<i>MPC</i> 9907		1 323
(155)	1971 12	18.06500	00 25 21.58	+00 08 54.6	<i>MPC</i> 3583		4 805
(155)	1971 12	18.08375	00 25 22.21	+00 09 05.8	<i>MPC</i> 3583		4 805
(156)	1993 12	14.67313	06 44 04.25	+15 16 22.5	<i>MPC</i> 23014	12.5 R	1 381
(156)	1993 12	14.67699	06 44 04.04	+15 16 22.0	<i>MPC</i> 23166	12.5 R	1 381
(158)	1971 08	26.93832	23 05 20.57	-04 22 25.5	<i>MPC</i> 5109		1 073

(158)	1971 08 26.95702	23 05 19.73	-04 22 30.4	<i>MPC</i>	5109	1 073
(162)	1975 02 08.98757	07 06 50.96	+31 45 11.0	<i>MPC</i>	3880	4 012
(162)	1975 02 09.00488	07 06 50.49	+31 45 10.5	<i>MPC</i>	3880	4 012
(162)	1975 02 09.02220	07 06 49.86	+31 45 08.8	<i>MPC</i>	3880	4 012
(170)	1971 03 16.78216	08 55 14.68	+06 23 41.3	<i>MPC</i>	5109	1 073
(170)	1971 03 16.80398	08 55 14.17	+06 23 40.6	<i>MPC</i>	5109	1 073
(172)	1963 10 13.63070	00 44 18.42	+19 16 44.3	<i>MPC</i>	2467	2 334
(173)	1972 06 12.92765	18 52 04.75	-05 12 40.2	<i>MPC</i>	5159	2 073
(173)	1972 06 12.94012	18 52 04.15	-05 12 41.0	<i>MPC</i>	5159	2 073
(194)	1977 05 08.67156	17 07 42.14	+07 16 02.1	<i>MPC</i>	4625	4 390
(194)	1977 05 08.69274	17 07 41.48	+07 16 14.3	<i>MPC</i>	4625	4 390
(194)	1981 05 08.92708	14 46 58.26	+11 16 38.6	<i>MPC</i>	6593	4 560
(194)	1981 05 08.96180	14 46 56.24	+11 16 52.7	<i>MPC</i>	6593	4 560
(194)	1981 05 29.90625	14 31 13.97	+12 20 54.7	<i>MPC</i>	6593	4 560
(197)	1989 12 01.81753	02 41 26.47	+08 23 32.8	<i>MPC</i>	15783	1 046
(197)	1989 12 01.80347	02 41 26.89	+08 23 33.7	<i>MPC</i>	15783	1 046

Note 1: Pairs of observations interchanged. 2: Time adjusted. 3: Time corrected by -4 hours. 4: Time corrected by -1 hour.

DELETED OBSERVATIONS

The following observations are to be deleted.

Object	Date	UT	α_{2000}	δ_{2000}	Reference	Obs.
1995 QP ₆	* 1995 08 22.38156	00 54 47.67	+09 41 06.8	<i>MPC</i>	25701	691
1995 QP ₆	1995 08 22.40324	00 54 47.22	+09 41 09.8	<i>MPC</i>	25701	691
1995 QP ₆	1995 08 22.42454	00 54 46.76	+09 41 12.9	<i>MPC</i>	25701	691
1995 QP ₆	1995 08 28.38122	00 52 20.36	+09 52 47.4	<i>MPC</i>	25701	691
1995 QP ₆	1995 08 28.42374	00 52 19.00	+09 52 51.0	<i>MPC</i>	25701	691
(93)	1977 10 16.89826	01 18 35.75	+12 50 00.8	<i>MPC</i>	16667	553
(104)	1936 12 21.07213	06 39 59.79	+26 41 29.5	<i>MPC</i>	3205	020
(104)	1936 12 21.10814	06 39 57.67	+26 41 34.9	<i>MPC</i>	3205	020
(105)	1981 08 31.80700	20 44 41.14	+08 34 49.8	<i>MPC</i>	7532	073
(105)	1981 08 31.81878	20 44 40.70	+08 34 57.9	<i>MPC</i>	7532	073
(106)	1978 03 12.92919	11 16 52.07	+11 24 51.0	<i>MPC</i>	4701	057
(119)	1977 09 13.89688	23 18 46.40	+01 28 34.4	<i>MPC</i>	16667	553
(121)	1941 04 03.99133	11 15 06.28	+15 29 28.4	<i>RI</i>	2275	028
(128)	1942 01 27.15324	09 02 16.62	+24 46 38.5	<i>RI</i>	2398	028
(129)	1942 06 03.95738	17 49 05.31	-05 19 51.0	<i>RI</i>	2398	028
(129)	1942 06 04.92572	17 48 25.03	-05 20 25.8	<i>RI</i>	2398	028
(134)	1968 12 16.97218	06 23 09.65	+42 40 05.2	<i>MPC</i>	16645	012
(135)	1951 10 31.57153	00 33 15.50	+06 23 40.4	<i>MPC</i>	2156	388
(135)	1951 10 31.63021	00 33 13.69	+06 23 29.8	<i>MPC</i>	2156	388
(135)	1957 01 23.66528	10 13 32.70	+12 22 55.1	<i>MPC</i>	3060	388
(153)	1980 11 26.80417	09 24 41.00	+06 24 10.8	<i>MPC</i>	9907	323
(164)	1942 01 16.80231	05 47 11.86	+37 48 50.7	<i>RI</i>	2354	028
(177)	1980 02 11.25000	08 05 54.40	+21 43 32.4	<i>MPC</i>	5260	688
(185)	1943 07 04.90625	19 24 55.41	+04 53 30.3	<i>RI</i>	2522	028
(185)	1943 07 05.00000	19 24 51.14	+04 53 01.7	<i>RI</i>	2522	028
(187)	1941 04 03.99133	10 42 46.87	+17 56 22.7	<i>RI</i>	2275	028

IDENTIFICATION CHANGES

Continuation to *MPC* 25673.

Object	Date	UT	α_{2000}	δ_{2000}	Originally	Mag.	Obs.
1953 FZ ₁	* 1953 03 20.00833	12 00 05.51	+02 54 49.4	1953 FO			024
1974 VL ₃	* 1974 11 15.89948	03 05 52.17	+16 16 20.3	1974 VT	17.0		095
1974 VL ₃	1974 11 17.88940	03 04 08.26	+16 12 37.5	1974 VT	17.0		095
1976 YC ₈	* 1976 12 20.79558	03 36 25.65	+15 55 16.1	1976 YK ₄	17.5		095
1982 SH ₁₃	* 1982 09 28.01043	01 02 13.80	+02 57 03.2	1982 SS ₆	17.5		095
1993 HY ₇	* 1993 04 17.43889	12 09 14.39	+01 21 01.5	1993 FL ₄₅	17.5		413

NUMBERING OF PERIODIC COMETS

Continuation to the list on *MPC* 25673.

123P/1989 E3 = 1995 S2 (West-Hartley)

124P/1991 F1 = 1995 S3 (Mrkos)

OBSERVATIONS OF COMETS

Observations are published here for the following observatory codes:

046	Kleť. 0.57-m <i>f</i> /2 reflector + CCD. Observers J. Tichá, M. Tichý and Z. Moravec. Measured by M. Tichý and J. Tichá.
108	Montelupo. 0.30-m <i>f</i> /5.7 Schmidt-Cassegrain + CCD. Observer M. Tombelli.
118	Modra. 0.6-m <i>f</i> /5.5 reflector + CCD. Observers Š. Gajdoš, D. Kalmančok, A. Galád, A. Pravda, L. Kornoš, P. Kolény and P. Zigo.
327	Xinglong. 0.6-m Schmidt. Observers T. G. Wang, J. Zhu and Y. J. Chen.
355	Hadano. 0.20-m <i>f</i> /4.0 reflector + CCD. Observer A. Asami.
360	Kuma Kogen. 0.60-m <i>f</i> /6.0 Ritchey-Chrétien + CCD. Observer A. Nakamura.
367	Yatsuka. 0.26-m <i>f</i> /4.8 reflector + CCD. Observer H. Abe.
372	Geisei. 0.60-m <i>f</i> /3.5 reflector. Observer T. Seki.
410	Sengamine. 0.20-m <i>f</i> /6.0 reflector + CCD. Observer K. Ito.
411	Oizumi. 0.25-m <i>f</i> /4.4 reflector + CCD. Observer T. Kobayashi.
413	Siding Spring. 1.0-m reflector + CCD. Observers R. H. McNaught, D. I. Steel and G. J. Garradd.
415	Kambah. Observer D. Herald.
422	Loomberah. 0.25-m <i>f</i> /4.1 reflector + CCD. Observer G. J. Garradd.
540	Linz. 0.3-m <i>f</i> /5.2 Schmidt-Cassegrain + CCD. Observers E. Meyer and H. Raab.
596	Colleferde di Guidonia. 0.31-m Baker-Schmidt + CCD. Observer V. S. Casulli.
605	Marl. 0.2-m reflector + CCD. Observer E. Jung.
608	Haleakala-AMOS. 1.2-m reflector + CCD. Observers J. Africano, D. O'Connell, D. Nishimoto, W. Hada and P. Sydney.
658	Dominion Astrophysical Observatory, Victoria. 1.82-m Plaskett telescope + CCD. Observer D. D. Balam.
691	Kitt Peak. 0.9-m Spacewatch reflector + CCD. Observers T. Gehrels and J. V. Scotti.
709	Cloudcroft. 0.60-m <i>f</i> /7 Ritchey-Chrétien. Observer W. Offutt.
801	Oak Ridge. 1.5-m reflector + CCD. Observer R. E. McCrosky.

809	European Southern Observatory. 1.0-m Schmidt. Observer H. Debehogne. Measured by E. W. Elst.					
834	Buenos Aires-AAAA. 0.3-m $f/6.0$ reflector + CCD. Observers G. D. Rodriguez and J. R. Carozza. Measured by G. D. Rodriguez, S. Fortin, J. Pastini and P. Arroyo.					
897	YGCO Chiyoda Observatory. 0.25-m $f/6.0$ reflector + CCD. Observer T. Kojima.					
900	Ohtsu. 0.25-m $f/6.3$ reflector + CCD. Observer Y. Ikari.					
966	Church Stretton. 0.25-m Schmidt-Cassegrain + CCD. Observer S. P. Laurie.					
Object	Date	UT	α_{2000}	δ_{2000}	Mag.	N Obs.
P/1993 K2 (Helin-Lawrence)						
P/1993 K2	1995 10 17.42118		01 16 17.69	-04 52 40.7		608
P/1993 K2	1995 10 17.56563		01 16 12.83	-04 53 04.0	19.1 T	360
P/1993 K2	1995 10 17.57188		01 16 12.57	-04 53 05.2		360
P/1993 K2	1995 10 17.57691		01 16 12.48	-04 53 06.4		360
P/1993 K2	1995 10 18.45910		01 15 42.67	-04 55 21.1		608
P/1993 K2	1995 10 18.51376		01 15 40.73	-04 55 28.4		608
C/1994 G1 (Takamizawa-Levy)						
C/1994 G1	1995 01 30.94433		09 49 31.13	+29 03 21.6	16.1 T	605
C/1994 G1	1995 01 30.95204		09 49 30.05	+29 03 21.8	16.0 T	605
C/1994 G1	1995 01 30.95850		09 49 29.03	+29 03 24.1	16.0 T	605
C/1994 J2 (Takamizawa)						
C/1994 J2	1995 09 24.76675		07 34 15.14	-14 50 58.3	16.0 T	897
C/1994 J2	1995 09 24.78184		07 34 15.09	-14 51 02.8		897
C/1994 J2	1995 10 13.80665		07 30 43.15	-16 22 42.7		897
C/1994 J2	1995 10 13.82189		07 30 42.83	-16 22 47.2		897
C/1994 J2	1995 10 22.80521		07 27 20.33	-17 05 32.4	15.1 T	360
C/1994 J2	1995 10 22.80833		07 27 20.26	-17 05 33.4		360
C/1994 J2	1995 10 27.75001		07 24 58.90	-17 28 04.9	15.9 T	410
C/1994 J2	1995 10 27.75366		07 24 58.82	-17 28 05.8		410
C/1994 J2	1995 10 27.75862		07 24 58.68	-17 28 06.5		410
C/1994 J2	1995 10 27.78872		07 24 57.76	-17 28 14.9	14.9 T	360
C/1994 J2	1995 10 27.79184		07 24 57.64	-17 28 16.0		360
C/1994 J2	1995 10 27.79497		07 24 57.55	-17 28 16.8		360
C/1994 J2	1995 10 29.35412		07 24 08.50	-17 35 10.3		801
C/1994 J2	1995 10 29.40716		07 24 06.73	-17 35 24.0		801
C/1994 T1 (Machholz)						
C/1994 T1	1995 01 16.79236		02 57 25.44	-01 06 18.4	14.6 T	605
C/1994 T1	1995 01 16.80370		02 57 25.12	-01 06 30.3	14.7 T	605
C/1994 T1	1995 01 16.82024		02 57 24.73	-01 06 49.0	14.7 T	605
C/1995 O1 (Hale-Bopp)						
C/1995 O1	1995 08 02.60378		18 36 55.51	-31 52 24.4		372
C/1995 O1	1995 08 04.54931		18 35 39.42	-31 48 30.2		372
C/1995 O1	1995 08 04.55747		18 35 39.05	-31 48 28.5		372
C/1995 O1	1995 08 04.57500		18 35 38.43	-31 48 26.7		372
C/1995 O1	1995 08 16.53559		18 28 32.84	-31 21 37.6		372
C/1995 O1	1995 08 17.54861		18 28 00.48	-31 19 12.2		372
C/1995 O1	1995 08 19.19367		18 27 09.06	-31 15 05.8		834
C/1995 O1	1995 08 21.10581		18 26 11.87	-31 10 20.5		834

C/1995 O1	1995 08 22.51875	18 25 31.19	-31 06 45.4		372
C/1995 O1	1995 08 22.53125	18 25 30.72	-31 06 43.2		372
C/1995 O1	1995 08 24.51972	18 24 35.54	-31 01 34.6		372
C/1995 O1	1995 08 24.52733	18 24 35.31	-31 01 34.5		372
C/1995 O1	1995 08 27.51749	18 23 17.41	-30 53 41.8		372
C/1995 O1	1995 08 30.14442	18 22 14.20	-30 46 37.4	10.5 T	834
C/1995 O1	1995 09 01.45174	18 21 22.57	-30 40 23.1		372
C/1995 O1	1995 09 02.20933	18 21 06.41	-30 38 16.0	11.3 T	834
C/1995 O1	1995 09 10.06538	18 18 44.85	-30 16 37.7	10.3 T	834
C/1995 O1	1995 09 15.09751	18 17 37.87	-30 02 31.7	10.6 T	834
C/1995 O1	1995 09 15.12162	18 17 37.63	-30 02 25.6	10.5 T	834
C/1995 O1	1995 09 15.46622	18 17 33.76	-30 01 26.4		410
C/1995 O1	1995 09 15.46915	18 17 33.76	-30 01 26.3		410
C/1995 O1	1995 09 15.47597	18 17 33.64	-30 01 24.8		410
C/1995 O1	1995 09 16.17225	18 17 26.17	-29 59 29.2	10.7 T	834
C/1995 O1	1995 09 16.17630	18 17 26.09	-29 59 27.0		834
C/1995 O1	1995 09 16.18123	18 17 26.05	-29 59 25.6		834
C/1995 O1	1995 09 17.48500	18 17 12.63	-29 55 40.6		372
C/1995 O1	1995 09 24.81252	18 16 22.07	-29 35 08.1	11.0 T	540
C/1995 O1	1995 09 24.81380	18 16 22.02	-29 35 06.2		540
C/1995 O1	1995 09 24.81519	18 16 22.02	-29 35 06.7		540
C/1995 O1	1995 10 02.39796	18 16 10.73	-29 13 46.9		897
C/1995 O1	1995 10 02.42575	18 16 10.68	-29 13 44.4		897
C/1995 O1	1995 10 05.73167	18 16 18.58	-29 04 31.9		046
C/1995 O1	1995 10 05.73251	18 16 18.59	-29 04 31.8		046
C/1995 O1	1995 10 05.73345	18 16 18.59	-29 04 31.9		046
C/1995 O1	1995 10 12.42951	18 16 57.07	-28 46 04.8		372
C/1995 O1	1995 10 13.41563	18 17 05.19	-28 43 22.0		372
C/1995 O1	1995 10 13.41771	18 17 05.27	-28 43 21.1	10.4 T	360
C/1995 O1	1995 10 13.42448	18 17 05.32	-28 43 20.1		360
C/1995 O1	1995 10 13.42743	18 17 05.33	-28 43 19.4		372
C/1995 O1	1995 10 13.43869	18 17 05.42	-28 43 16.3		900
C/1995 O1	1995 10 13.44509	18 17 05.44	-28 43 15.0		900
C/1995 O1	1995 10 13.46062	18 17 05.61	-28 43 12.7		900
C/1995 O1	1995 10 14.38665	18 17 13.92	-28 40 40.9		897
C/1995 O1	1995 10 14.41715	18 17 14.26	-28 40 36.6		897
C/1995 O1	1995 10 14.43865	18 17 14.45	-28 40 32.4		410
C/1995 O1	1995 10 14.44095	18 17 14.36	-28 40 33.1		410
C/1995 O1	1995 10 14.44296	18 17 14.48	-28 40 31.6		410
C/1995 O1	1995 10 17.41302	18 17 44.70	-28 32 26.4	10.1 T	360
C/1995 O1	1995 10 17.41892	18 17 44.75	-28 32 25.3		360
C/1995 O1	1995 10 18.07697	18 17 52.23	-28 30 37.7	12.8 T	709
C/1995 O1	1995 10 18.08160	18 17 52.24	-28 30 36.5	12.8 T	709
C/1995 O1	1995 10 18.08623	18 17 52.29	-28 30 35.8	12.8 T	709
C/1995 O1	1995 10 18.09085	18 17 52.39	-28 30 36.3	12.8 T	709
C/1995 O1	1995 10 18.09547	18 17 52.37	-28 30 35.3	12.8 T	709
C/1995 O1	1995 10 18.10473	18 17 52.46	-28 30 33.9	12.8 T	709
C/1995 O1	1995 10 18.10936	18 17 52.58	-28 30 33.4	12.8 T	709
C/1995 O1	1995 10 18.11399	18 17 52.67	-28 30 31.5	12.8 T	709
C/1995 O1	1995 10 18.11862	18 17 52.66	-28 30 31.1	12.8 T	709
C/1995 O1	1995 10 18.12325	18 17 52.77	-28 30 29.9	12.7 T	709
C/1995 O1	1995 10 18.12788	18 17 52.80	-28 30 29.2	12.7 T	709

C/1995 O1	1995 10 18.13251	18 17 52.83	-28 30 29.3	12.8 T	709
C/1995 O1	1995 10 19.10879	18 18 04.42	-28 27 49.1	13.5 T	709
C/1995 O1	1995 10 19.11341	18 18 04.55	-28 27 49.2	13.7 T	709
C/1995 O1	1995 10 19.11806	18 18 04.48	-28 27 48.3	13.6 T	709
C/1995 O1	1995 10 19.12267	18 18 04.62	-28 27 47.9	13.7 T	709
C/1995 O1	1995 10 19.12730	18 18 04.68	-28 27 46.2	13.6 T	709
C/1995 O1	1995 10 19.13194	18 18 04.76	-28 27 45.8	13.6 T	709
C/1995 O1	1995 10 19.13656	18 18 04.81	-28 27 45.3	13.6 T	709
C/1995 O1	1995 10 20.43419	18 18 21.18	-28 24 14.0		410
C/1995 O1	1995 10 20.43657	18 18 21.24	-28 24 13.4		410
C/1995 O1	1995 10 20.44237	18 18 21.37	-28 24 11.0		410
C/1995 O1	1995 10 21.12304	18 18 30.17	-28 22 24.1	14.6 T	709
C/1995 O1	1995 10 21.12634	18 18 30.20	-28 22 24.1	14.7 T	709
C/1995 O1	1995 10 21.13097	18 18 30.30	-28 22 21.9	14.5 T	709
C/1995 O1	1995 10 21.13560	18 18 30.32	-28 22 21.4	14.6 T	709
C/1995 O1	1995 10 21.14023	18 18 30.46	-28 22 20.4	14.6 T	709
C/1995 O1	1995 10 23.38941	18 19 02.06	-28 16 17.2		897
C/1995 O1	1995 10 23.39262	18 19 02.21	-28 16 17.2		897

C/1995 Q1 (Bradfield)

C/1995 Q1	1995 10 02.81796	11 10 23.39	+22 43 40.0		411
C/1995 Q1	1995 10 02.82251	11 10 23.39	+22 43 49.6		411
C/1995 Q1	1995 10 02.83829	11 10 23.36	+22 44 25.1		367
C/1995 Q1	1995 10 02.83926	11 10 23.35	+22 44 27.9		367
C/1995 Q1	1995 10 06.82003	11 10 06.41	+25 17 42.1		410
C/1995 Q1	1995 10 06.82167	11 10 06.44	+25 17 45.7		410
C/1995 Q1	1995 10 06.82331	11 10 06.48	+25 17 49.6		410
C/1995 Q1	1995 10 09.14089	11 09 57.47	+26 48 54.0		2 046
C/1995 Q1	1995 10 09.14211	11 09 57.43	+26 48 59.3		2 046
C/1995 Q1	1995 10 09.14369	11 09 57.45	+26 49 01.7		2 046
C/1995 Q1	1995 10 10.09149	11 09 54.04	+27 26 51.5	9.9 T	540
C/1995 Q1	1995 10 10.09306	11 09 54.07	+27 26 56.7	9.9 T	540
C/1995 Q1	1995 10 10.09444	11 09 54.00	+27 26 58.9	9.9 T	540
C/1995 Q1	1995 10 10.10696	11 09 54.01	+27 27 28.8		046
C/1995 Q1	1995 10 10.10774	11 09 54.03	+27 27 30.7		046
C/1995 Q1	1995 10 10.10852	11 09 54.02	+27 27 32.6		046
C/1995 Q1	1995 10 10.10936	11 09 53.98	+27 27 34.6		046
C/1995 Q1	1995 10 11.09912	11 09 49.95	+28 07 28.8		046
C/1995 Q1	1995 10 11.10069	11 09 49.91	+28 07 33.4		046
C/1995 Q1	1995 10 11.10262	11 09 49.92	+28 07 37.1		046
C/1995 Q1	1995 10 11.10627	11 09 49.85	+28 07 46.1		046
C/1995 Q1	1995 10 12.11172	11 09 45.55	+28 48 46.0		046
C/1995 Q1	1995 10 12.11250	11 09 45.52	+28 48 47.7		046
C/1995 Q1	1995 10 12.11336	11 09 45.53	+28 48 50.1		046
C/1995 Q1	1995 10 12.11414	11 09 45.52	+28 48 51.8		046
C/1995 Q1	1995 10 12.77206	11 09 42.41	+29 16 01.4	11.6 T	355
C/1995 Q1	1995 10 12.77488	11 09 42.62	+29 16 05.6	11.6 T	355
C/1995 Q1	1995 10 12.81111	11 09 42.39	+29 17 36.2		3 360
C/1995 Q1	1995 10 12.81319	11 09 42.38	+29 17 41.2		3 360
C/1995 Q1	1995 10 12.81493	11 09 42.39	+29 17 45.5		3 360
C/1995 Q1	1995 10 13.10297	11 09 40.92	+29 29 40.1		046
C/1995 Q1	1995 10 13.10432	11 09 40.92	+29 29 43.4		046
C/1995 Q1	1995 10 13.10512	11 09 40.91	+29 29 45.4		046

C/1995 Q1	1995 10 13.10593	11 09 40.91	+29 29 47.4		046
C/1995 Q1	1995 10 13.78603	11 09 37.50	+29 58 09.1		897
C/1995 Q1	1995 10 13.79721	11 09 37.51	+29 58 38.3		897
C/1995 Q1	1995 10 14.81022	11 09 32.00	+30 41 21.5	12.0 T	355
C/1995 Q1	1995 10 16.12725	11 09 23.86	+31 37 42.7	9.0 T	046
C/1995 Q1	1995 10 16.13083	11 09 23.83	+31 37 51.2		046
C/1995 Q1	1995 10 16.13314	11 09 23.84	+31 37 58.1		046
C/1995 Q1	1995 10 16.77986	11 09 19.41	+32 06 06.7		372
C/1995 Q1	1995 10 16.78663	11 09 19.41	+32 06 25.1		372
C/1995 Q1	1995 10 16.80561	11 09 19.11	+32 07 14.2	11.7 T	355
C/1995 Q1	1995 10 16.80844	11 09 19.00	+32 07 21.8		355
C/1995 Q1	1995 10 17.78958	11 09 11.89	+32 50 29.8		372
C/1995 Q1	1995 10 17.79331	11 09 11.62	+32 50 42.1	12.6 T	355
C/1995 Q1	1995 10 17.79410	11 09 11.79	+32 50 42.5		372
C/1995 Q1	1995 10 17.79973	11 09 11.57	+32 50 57.6		355
C/1995 Q1	1995 10 19.81875	11 08 53.70	+34 21 51.0		3 360
C/1995 Q1	1995 10 19.82153	11 08 53.67	+34 21 58.8		3 360
C/1995 Q1	1995 10 19.82361	11 08 53.63	+34 22 04.5		3 360
C/1995 Q1	1995 10 20.77716	11 08 43.39	+35 06 04.6		355
C/1995 Q1	1995 10 20.77838	11 08 43.35	+35 06 06.0		355
C/1995 Q1	1995 10 20.78856	11 08 43.42	+35 06 33.9		897
C/1995 Q1	1995 10 20.79477	11 08 43.23	+35 06 52.5		897
C/1995 Q1	1995 10 22.15571	11 08 26.74	+36 10 51.4		596
C/1995 Q1	1995 10 22.15899	11 08 26.67	+36 11 01.1		596
C/1995 Q1	1995 10 22.17782	11 08 26.16	+36 11 55.3	11.2 T	540
C/1995 Q1	1995 10 22.17917	11 08 26.16	+36 11 57.3	11.0 T	540
C/1995 Q1	1995 10 22.18027	11 08 26.25	+36 12 01.6	10.9 T	540
C/1995 Q1	1995 10 22.82674	11 08 17.51	+36 42 59.0		360
C/1995 Q1	1995 10 22.82917	11 08 17.45	+36 43 06.1		360
C/1995 Q1	1995 10 22.83160	11 08 17.41	+36 43 13.2		360
C/1995 Q1	1995 10 25.80514	11 07 26.95	+39 10 10.0		897
C/1995 Q1	1995 10 25.80951	11 07 26.73	+39 10 23.7		897
C/1995 Q1	1995 10 25.82465	11 07 26.48	+39 11 10.1		372
C/1995 Q1	1995 10 26.17458	11 07 19.31	+39 28 57.3	11.4 T	540
C/1995 Q1	1995 10 26.17578	11 07 19.20	+39 29 00.9	11.4 T	540
C/1995 Q1	1995 10 26.17684	11 07 19.13	+39 29 03.0	11.4 T	540
C/1995 Q1	1995 10 26.79167	11 07 06.07	+40 00 36.7		372
C/1995 Q1	1995 10 26.81482	11 07 05.52	+40 01 51.9		355
C/1995 Q1	1995 10 26.81593	11 07 05.64	+40 01 55.2		355
C/1995 Q1	1995 10 27.77229	11 06 43.15	+40 51 42.8	11.2 T	410
C/1995 Q1	1995 10 27.77710	11 06 42.93	+40 51 58.1		410
C/1995 Q1	1995 10 27.78137	11 06 42.83	+40 52 12.0		410
C/1995 Q1	1995 10 27.81476	11 06 42.08	+40 53 57.5		360
C/1995 Q1	1995 10 27.81753	11 06 42.00	+40 54 06.5		360
C/1995 Q1	1995 10 27.82205	11 06 41.89	+40 54 20.5		360

C/1995 Q2 (Hartley-Drinkwater)

C/1995 Q2	1995 09 09.49565	20 50 37.31	-27 45 46.5		413
C/1995 Q2	1995 09 09.49825	20 50 36.23	-27 45 47.5		413
C/1995 Q2	1995 09 09.50207	20 50 34.63	-27 45 48.4		413
C/1995 Q2	1995 09 11.43164	20 37 40.30	-27 53 30.7		413
C/1995 Q2	1995 09 11.43319	20 37 39.66	-27 53 30.5		413
C/1995 Q2	1995 09 12.42255	20 31 25.97	-27 55 18.9		413

M.P.C. 25749

1995 NOV. 7

C/1995 Q2	1995 09 12.42573	20 31 24.80	-27 55 19.2		413	6P	1995 10 14.54438	00 49 21.42	-34 40 15.3		897
C/1995 Q2	1995 09 29.47288	19 20 03.53	-26 37 05.0		4 413	6P	1995 10 17.58281	00 49 29.38	-34 20 48.7	11.4 T	360
C/1995 Q2	1995 09 29.47596	19 20 03.14	-26 37 04.7		4 413	6P	1995 10 17.58802	00 49 29.37	-34 20 46.6		360
C/1995 Q2	1995 10 13.43802	18 54 48.03	-25 06 38.6	17.8 T	3 360	6P	1995 10 20.59254	00 49 43.58	-33 56 47.2		410
C/1995 Q2	1995 10 13.44219	18 54 47.82	-25 06 38.1		3 360	6P	1995 10 20.59505	00 49 43.53	-33 56 45.6		410
C/1995 Q2	1995 10 13.44722	18 54 47.41	-25 06 34.5		3 360	6P	1995 10 20.59704	00 49 43.45	-33 56 44.6		410
6P/d'Arrest						6P	1995 10 25.50749	00 50 23.89	-33 08 31.1		897
6P	1995 06 22.01139	21 39 07.46	+09 30 27.2	15.5 T	605	6P	1995 10 25.52641	00 50 24.03	-33 08 19.0		897
6P	1995 06 22.01678	21 39 08.35	+09 30 25.2	15.6 T	605	6P	1995 10 27.58519	00 50 47.86	-32 45 08.1	13.8 T	410
6P	1995 06 24.02002	21 44 39.03	+09 20 29.8	15.4 T	605	6P	1995 10 27.58758	00 50 47.89	-32 45 07.2	13.5 T	410
6P	1995 06 24.04084	21 44 42.35	+09 20 22.6	15.3 T	605	6P	1995 10 27.58998	00 50 47.94	-32 45 04.0		410
6P	1995 06 26.00466	21 50 09.86	+09 07 50.2	15.1 T	605	19P/Borrelly					
6P	1995 06 26.01583	21 50 11.64	+09 07 44.0	15.0 T	605	19P	1995 01 16.84201	09 50 22.34	+66 03 38.7	11.7 T	605
6P	1995 06 26.02425	21 50 13.11	+09 07 40.9	14.9 T	605	19P	1995 01 16.85605	09 50 22.10	+66 03 53.9	11.6 T	605
6P	1995 06 26.02949	21 50 13.94	+09 07 39.3	15.2 T	605	19P	1995 01 30.91809	09 35 09.55	+68 47 14.8	12.0 T	605
6P	1995 06 27.99669	21 55 45.08	+08 52 10.9	15.2 T	605	19P	1995 01 30.92367	09 35 08.93	+68 47 17.8	12.1 T	605
6P	1995 06 28.00347	21 55 46.16	+08 52 07.3	15.2 T	605	19P	1995 01 30.93147	09 35 08.15	+68 47 18.9	12.1 T	605
6P	1995 06 28.01071	21 55 47.28	+08 52 03.7	15.1 T	605	19P	1995 02 12.81936	09 18 18.54	+68 48 44.4	12.6 T	605
6P	1995 06 29.99841	22 01 24.90	+08 33 18.2	15.0 T	605	19P	1995 02 12.82963	09 18 17.79	+68 48 43.0	12.6 T	605
6P	1995 06 30.00628	22 01 26.19	+08 33 13.4	14.9 T	605	19P	1995 02 12.84009	09 18 17.04	+68 48 40.5	12.6 T	605
6P	1995 07 08.01544	22 24 32.39	+06 43 02.1	14.4 T	605	19P	1995 02 18.94204	09 12 28.12	+68 10 32.0	12.9 T	605
6P	1995 07 08.02102	22 24 33.55	+06 42 57.3	14.5 T	605	19P	1995 02 18.95170	09 12 27.61	+68 10 27.0	12.9 T	605
6P	1995 07 08.02905	22 24 34.85	+06 42 47.2	14.4 T	605	19P	1995 02 22.85177	09 09 51.27	+67 35 58.6	12.8 T	605
6P	1995 07 08.03262	22 24 35.41	+06 42 43.9	14.5 T	605	19P	1995 02 22.86226	09 09 50.68	+67 35 51.8	12.8 T	605
6P	1995 07 10.99362	22 33 16.66	+05 46 47.8	14.1 T	605	19P	1995 02 22.86961	09 09 50.47	+67 35 48.7	12.8 T	605
6P	1995 07 11.00200	22 33 18.05	+05 46 37.5	14.1 T	605	19P	1995 02 26.97328	09 08 03.62	+66 52 22.1	13.5 T	605
6P	1995 07 20.02583	22 59 53.14	+02 02 03.1	14.2 T	605	19P	1995 03 01.97185	09 07 23.64	+66 16 34.9	13.2 T	605
6P	1995 07 20.03322	22 59 54.46	+02 01 50.6	14.2 T	605	19P	1995 03 01.98000	09 07 23.66	+66 16 28.9	13.2 T	605
6P	1995 07 20.04061	22 59 55.69	+02 01 37.3	14.2 T	605	19P	1995 03 03.86920	09 07 14.98	+65 52 25.1	13.3 T	605
6P	1995 07 23.01721	23 08 36.60	+00 29 33.0	13.4 T	605	19P	1995 03 03.87582	09 07 15.00	+65 52 20.1	13.3 T	605
6P	1995 07 23.02162	23 08 37.34	+00 29 24.6	13.7 T	605	19P	1995 03 03.88418	09 07 14.79	+65 52 13.2	13.4 T	605
6P	1995 07 23.08191	23 08 47.55	+00 27 28.2	13.6 T	605	19P	1995 03 04.85351	09 07 14.78	+65 39 27.0	13.3 T	605
6P	1995 07 25.02024	23 14 23.06	-00 37 13.6	14.0 T	605	19P	1995 03 04.86160	09 07 14.73	+65 39 20.7	13.2 T	605
6P	1995 07 25.02669	23 14 24.18	-00 37 26.4	14.1 T	605	19P	1995 03 09.87438	09 08 01.60	+64 29 21.0	13.5 T	605
6P	1995 07 25.03155	23 14 24.96	-00 37 36.0	14.1 T	605	19P	1995 03 09.88524	09 08 01.88	+64 29 12.2	13.5 T	605
6P	1995 07 25.66875	23 16 14.66	-00 59 29.7		372	19P	1995 03 11.88628	09 08 41.13	+63 59 38.0	13.3 T	605
6P	1995 07 31.02323	23 31 14.05	-04 18 03.1	13.6 T	605	19P	1995 03 11.89593	09 08 41.13	+63 59 28.4	13.3 T	605
6P	1995 07 31.02714	23 31 14.64	-04 18 12.8	13.9 T	605	19P	1995 03 13.85091	09 09 29.93	+63 29 50.3	14.0 T	605
6P	1995 07 31.03655	23 31 16.15	-04 18 34.8	13.6 T	605	19P	1995 03 13.86227	09 09 30.30	+63 29 40.8	14.3 T	605
6P	1995 07 31.99500	23 33 52.85	-04 56 22.9	13.6 T	605	19P	1995 03 19.85762	09 12 56.09	+61 54 43.7	14.3 T	605
6P	1995 08 01.00028	23 33 53.65	-04 56 35.6	13.5 T	605	19P	1995 03 19.86675	09 12 56.50	+61 54 34.8	14.3 T	605
6P	1995 08 01.00459	23 33 54.27	-04 56 46.0	13.7 T	605	19P	1995 03 27.88223	09 19 20.62	+59 40 35.2	14.2 T	605
6P	1995 08 05.04319	23 44 34.39	-07 42 06.1	13.2 T	605	19P	1995 03 27.89004	09 19 20.91	+59 40 28.8	14.5 T	605
6P	1995 08 05.04792	23 44 35.13	-07 42 17.1	13.2 T	605	19P	1995 04 02.84443	09 25 09.41	+57 57 17.2	14.5 T	605
6P	1995 08 05.05502	23 44 35.59	-07 42 43.9	12.4 T	605	19P	1995 04 02.86138	09 25 10.57	+57 56 58.9	14.5 T	605
6P	1995 08 08.74375	23 53 50.02	-10 19 40.6		372	19P	1995 04 02.87450	09 25 11.22	+57 56 45.5	14.5 T	605
6P	1995 08 08.74931	23 53 50.75	-10 19 55.4		372	19P	1995 04 14.84630	09 38 45.45	+54 24 36.3	15.8 T	605
6P	1995 08 09.77639	23 56 18.79	-11 04 18.0		372	19P	1995 04 14.85476	09 38 46.05	+54 24 27.6	15.8 T	605
6P	1995 08 09.80521	23 56 22.68	-11 05 32.9		372	19P	1995 04 14.86126	09 38 45.94	+54 24 19.0	15.2 T	605
6P	1995 10 03.57937	00 49 19.51	-35 02 54.8	13.2 T	900	19P	1995 04 14.86500	09 38 46.83	+54 24 17.0	15.4 T	605
6P	1995 10 13.64299	00 49 19.58	-34 45 01.7	12.6 T	900	19P	1995 04 24.86522	09 51 20.38	+51 25 36.4	14.5 T	605
6P	1995 10 14.53230	00 49 21.47	-34 40 19.9		897	19P	1995 04 24.86904	09 51 20.72	+51 25 33.6	14.9 T	605

19P	1995 04 24.87750	09 51 21.35	+51 25 24.1	14.9 T	605
19P	1995 05 01.85125	10 00 31.15	+49 21 13.8	15.0 T	605
19P	1995 05 01.85870	10 00 31.79	+49 21 06.7	15.0 T	605
19P	1995 05 01.86418	10 00 32.19	+49 21 01.4	15.1 T	605
19P	1995 05 02.85707	10 01 51.85	+49 03 23.3	15.2 T	605
19P	1995 05 02.86603	10 01 52.36	+49 03 16.1	15.1 T	605
19P	1995 05 02.87301	10 01 52.87	+49 03 07.5	15.3 T	605
19P	1995 05 03.89091	10 03 14.71	+48 45 05.7	15.2 T	605
19P	1995 05 03.90120	10 03 15.53	+48 44 55.2	15.0 T	605
19P	1995 05 04.85484	10 04 32.54	+48 28 05.1	14.8 T	605
19P	1995 05 04.86142	10 04 33.13	+48 27 55.7	15.1 T	605
19P	1995 05 04.86875	10 04 33.54	+48 27 48.8	14.8 T	605
19P	1995 05 05.85627	10 05 52.42	+48 10 23.7	14.9 T	605
19P	1995 05 05.86884	10 05 53.46	+48 10 09.6	14.8 T	605
19P	1995 05 05.87450	10 05 54.91	+48 10 02.3	14.9 T	605
19P	1995 05 06.87279	10 07 15.75	+47 52 27.9	14.6 T	605
19P	1995 05 06.88580	10 07 16.59	+47 52 14.0	14.5 T	605
19P	1995 05 06.89796	10 07 17.49	+47 51 59.9	14.5 T	605

29P/Schwassmann-Wachmann 1

29P	1995 01 30.88009	09 09 30.56	+16 03 33.4	14.8 T	605
29P	1995 01 30.89259	09 09 30.14	+16 03 28.6	15.0 T	605
29P	1995 01 30.89989	09 09 29.92	+16 03 29.3	15.0 T	605
29P	1995 01 30.90470	09 09 29.78	+16 03 29.1	14.9 T	605
29P	1995 10 02.82069	10 22 25.49	+07 35 03.4	15.9 T	897
29P	1995 10 20.80022	10 32 45.33	+06 19 49.4	13.4 T	897
29P	1995 10 20.80997	10 32 45.74	+06 19 45.6		897
29P	1995 10 25.82467	10 35 21.34	+05 59 51.9	13.2 T	897

32P/Comas Solá

32P	1995 10 03.70213	01 45 02.64	-03 25 41.6	15.6 T	900
32P	1995 10 04.99282	01 44 04.60	-03 29 48.1		966
32P	1995 10 05.00677	01 44 04.03	-03 29 51.1		966
32P	1995 10 13.61180	01 37 00.76	-03 54 42.2	15.7 T	900
32P	1995 10 13.62117	01 37 00.24	-03 54 43.9	15.5 T	900
32P	1995 10 14.51913	01 36 13.35	-03 56 58.8	15.8 T	410
32P	1995 10 14.52219	01 36 13.11	-03 56 59.0		410
32P	1995 10 14.52525	01 36 13.02	-03 56 59.2		410
32P	1995 10 17.62257	01 33 27.41	-04 04 07.9	15.7 T	360
32P	1995 10 17.62604	01 33 27.21	-04 04 08.4		360
32P	1995 10 20.55524	01 30 47.66	-04 09 50.1	16.1 T	897
32P	1995 10 20.56234	01 30 47.23	-04 09 51.4		897
32P	1995 10 20.56276	01 30 47.25	-04 09 51.6	15.1 T	410
32P	1995 10 20.56571	01 30 47.07	-04 09 50.9		410
32P	1995 10 20.56814	01 30 46.94	-04 09 51.7		410
32P	1995 10 20.62153	01 30 43.94	-04 09 58.3	15.7 T	360
32P	1995 10 20.62500	01 30 43.75	-04 09 58.6		360
32P	1995 10 26.62951	01 25 13.74	-04 17 56.2	15.5 T	360
32P	1995 10 26.63299	01 25 13.55	-04 17 56.5		360
32P	1995 10 27.62113	01 24 19.65	-04 18 42.0	15.2 T	410
32P	1995 10 27.62478	01 24 19.41	-04 18 42.5		410
32P	1995 10 27.62740	01 24 19.27	-04 18 42.3		410

41P/Tuttle-Giacobini-Kresák

41P	1995 09 07.39285	13 58 33.54	-05 17 16.0		413
41P	1995 09 07.39461	13 58 33.95	-05 17 19.3		413
41P	1995 09 12.36859	14 18 23.15	-07 10 03.8		413
41P	1995 09 12.37071	14 18 23.62	-07 10 06.4		413

58P/Jackson-Neujmin

58P	1995 07 22.95778	21 22 54.87	+03 07 44.2	17.1 T	605
58P	1995 07 22.97168	21 22 55.31	+03 07 39.5	17.1 T	605
58P	1995 07 22.97865	21 22 55.47	+03 07 38.7	17.1 T	605
58P	1995 07 22.99468	21 22 55.76	+03 07 35.2	17.2 T	605
58P	1995 07 24.94450	21 23 50.08	+02 58 23.8	16.7 T	605
58P	1995 07 24.95256	21 23 50.03	+02 58 21.9	16.6 T	605
58P	1995 07 24.99507	21 23 51.14	+02 58 08.0	17.9 T	605
58P	1995 07 25.00516	21 23 51.55	+02 58 03.9	17.8 T	605
58P	1995 07 25.92840	21 24 15.92	+02 52 54.7	16.9 T	605
58P	1995 07 25.94100	21 24 16.74	+02 52 51.7	17.1 T	605
58P	1995 07 25.95391	21 24 16.74	+02 52 50.5	17.0 T	605
58P	1995 07 30.95486	21 26 24.25	+02 15 53.6	17.0 T	605
58P	1995 07 30.96845	21 26 24.49	+02 15 47.3	16.8 T	605
58P	1995 07 30.97849	21 26 24.47	+02 15 41.4	16.4 T	605
58P	1995 07 30.99198	21 26 24.78	+02 15 34.1	16.4 T	605
58P	1995 07 31.94042	21 26 48.00	+02 06 45.6	16.8 T	605
58P	1995 07 31.96139	21 26 48.43	+02 06 33.0	16.8 T	605
58P	1995 07 31.97024	21 26 48.69	+02 06 28.5	16.7 T	605
58P	1995 08 01.93310	21 27 11.91	+01 56 52.4	16.0 T	605
58P	1995 08 01.95042	21 27 12.33	+01 56 42.9	16.3 T	605
58P	1995 08 04.95270	21 28 23.72	+01 22 43.4	16.4 T	605
58P	1995 08 04.95977	21 28 23.82	+01 22 39.0	16.6 T	605
58P	1995 08 04.97197	21 28 24.08	+01 22 29.0	16.6 T	605
58P	1995 08 08.94139	21 29 58.66	+00 27 47.1	16.5 T	605
58P	1995 08 08.94647	21 29 58.77	+00 27 44.5	16.6 T	605
58P	1995 08 14.96979	21 32 30.27	-01 16 58.3	16.4 T	605
58P	1995 08 14.97768	21 32 30.52	-01 17 08.8	16.5 T	605
58P	1995 08 14.98291	21 32 30.47	-01 17 15.2	16.5 T	605
58P	1995 08 17.97691	21 33 53.47	-02 19 01.4	16.4 T	605
58P	1995 08 17.99036	21 33 53.83	-02 19 20.8	16.4 T	605
58P	1995 08 17.99836	21 33 54.01	-02 19 30.3	16.4 T	605
58P	1995 10 03.46293	22 31 54.28	-22 41 07.1	13.8 T	900
58P	1995 10 03.49031	22 31 57.71	-22 41 36.7		900
58P	1995 10 13.50590	22 55 11.96	-24 47 14.4	13.5 T	360
58P	1995 10 13.51059	22 55 12.61	-24 47 16.5		360
58P	1995 10 14.46479	22 57 32.33	-24 54 33.8		897
58P	1995 10 14.46951	22 57 32.98	-24 54 36.9		897
58P	1995 10 14.49724	22 57 36.97	-24 54 49.3	14.7 T	410
58P	1995 10 14.49964	22 57 37.28	-24 54 50.7		410
58P	1995 10 14.50193	22 57 37.56	-24 54 50.5		410
58P	1995 10 20.48594	23 12 28.74	-25 22 34.9	13.1 T	360
58P	1995 10 20.48889	23 12 29.18	-25 22 35.5		360
58P	1995 10 20.51436	23 12 32.82	-25 22 38.4	13.4 T	410
58P	1995 10 20.51704	23 12 33.19	-25 22 38.5		410
58P	1995 10 20.51902	23 12 33.52	-25 22 39.0		410

58P	1995 10 25.52865	23 25 11.84	-25 23 06.2	13.0 T	3 360
58P	1995 10 25.53247	23 25 12.41	-25 23 05.9		3 360

65P/Gunn

65P	1995 06 16.51771	10 38 54.13	+18 48 18.4	17 T	372
-----	------------------	-------------	-------------	------	-----

67P/Churyumov-Gerasimenko

67P	1995 10 03.51430	22 21 05.73	-23 24 04.0	14.0 T	900
67P	1995 10 13.48958	22 15 45.90	-22 42 34.5	14.0 T	360
67P	1995 10 13.49340	22 15 45.81	-22 42 33.1		360
67P	1995 10 13.53658	22 15 44.87	-22 42 17.0	14.0 T	900
67P	1995 10 13.54610	22 15 44.64	-22 42 13.7	13.8 T	900
67P	1995 10 14.42274	22 15 29.44	-22 36 52.0		897
67P	1995 10 14.44335	22 15 29.05	-22 36 44.3		897
67P	1995 10 14.48401	22 15 28.30	-22 36 28.2		410
67P	1995 10 14.48604	22 15 28.22	-22 36 28.1		410
67P	1995 10 14.48799	22 15 28.18	-22 36 26.5	12.9 T	410
67P	1995 10 20.46806	22 14 40.79	-21 52 38.5	14.0 T	360
67P	1995 10 20.47083	22 14 40.79	-21 52 37.0		360
67P	1995 10 20.49944	22 14 40.70	-21 52 22.0		410
67P	1995 10 20.50173	22 14 40.64	-21 52 21.3	13.7 T	410
67P	1995 10 20.50368	22 14 40.66	-21 52 20.3		410
67P	1995 10 23.03797	22 14 52.03	-21 30 11.2		801
67P	1995 10 23.06142	22 14 52.17	-21 29 58.2		801
67P	1995 10 24.02978	22 15 01.62	-21 20 55.3		5 801
67P	1995 10 24.04644	22 15 01.76	-21 20 45.8		5 801

71P/Clark

71P	1995 06 05.78333	20 16 10.35	-32 01 26.8		372
71P	1995 06 21.73888	20 33 10.87	-35 33 01.2		372
71P	1995 06 29.70278	20 37 21.47	-37 15 56.9		372
71P	1995 07 08.71701	20 38 44.41	-38 58 13.2		372
71P	1995 07 09.68438	20 38 42.51	-39 07 50.7		372
71P	1995 07 25.65938	20 34 42.39	-40 55 15.8		372
71P	1995 07 31.66250	20 32 30.10	-41 06 45.3		372
71P	1995 09 11.02920	20 37 48.19	-36 40 32.7	15.5 T	834
71P	1995 10 13.47708	21 11 18.79	-30 11 20.9	14.5 T	3 360
71P	1995 10 13.48472	21 11 19.35	-30 11 15.0		3 360
71P	1995 10 14.46666	21 12 34.83	-29 58 52.4	15.2 T	410
71P	1995 10 14.46932	21 12 35.14	-29 58 50.1		410
71P	1995 10 14.47175	21 12 35.25	-29 58 49.8		410
71P	1995 10 20.43299	21 20 26.05	-28 43 11.8	14.8 T	3 360
71P	1995 10 20.43576	21 20 26.30	-28 43 10.1		3 360
71P	1995 10 20.46422	21 20 28.58	-28 42 49.9	14.7 T	410
71P	1995 10 20.48332	21 20 30.07	-28 42 34.0		410
71P	1995 10 20.48626	21 20 30.25	-28 42 31.0		410
71P	1995 10 25.09934	21 26 47.16	-27 43 39.9		691
71P	1995 10 25.10310	21 26 47.46	-27 43 37.4		691
71P	1995 10 25.42517	21 27 14.26	-27 39 30.6	15.2 T	3 360
71P	1995 10 25.42830	21 27 14.53	-27 39 27.6		3 360

73P/Schwassmann-Wachmann 3

73P	1995 10 06.37214	15 38 56.1	-24 37 09	6 T	897
73P	1995 10 07.42229	15 44 22.92	-25 05 49.8		422

73P	1995 10 07.42363	15 44 23.32	-25 05 52.2		422
73P	1995 10 09.39146	15 54 45.86	-25 58 08.8		422
73P	1995 10 09.39365	15 54 46.58	-25 58 11.6		422
73P	1995 10 09.44007	15 55 01.30	-25 59 25.1		415
73P	1995 10 09.44893	15 55 04.22	-25 59 39.2		415
73P	1995 10 09.45924	15 55 07.48	-25 59 53.9		415
73P	1995 10 12.39495	16 10 58.47	-27 12 52.2		422
73P	1995 10 12.39569	16 10 58.70	-27 12 53.4		422
73P	1995 10 12.40313	16 11 01.39	-27 13 10.9		372
73P	1995 10 13.39253	16 16 27.11	-27 36 17.7		372
73P	1995 10 13.39601	16 16 28.45	-27 36 23.2		372
73P	1995 10 13.39911	16 16 29.58	-27 36 27.9		367
73P	1995 10 13.40053	16 16 30.05	-27 36 30.1		367
73P	1995 10 13.40162	16 16 30.37	-27 36 32.1		367
73P	1995 10 13.40277	16 16 30.82	-27 36 33.4		367
73P	1995 10 14.37412	16 21 53.64	-27 58 28.5		897
73P	1995 10 14.37597	16 21 54.30	-27 58 32.3		897
73P	1995 10 14.41394	16 22 06.72	-27 59 15.7		422
73P	1995 10 14.41576	16 22 07.35	-27 59 18.5		422
73P	1995 10 14.41640	16 22 07.56	-27 59 19.2		422
73P	1995 10 16.44403	16 33 29.25	-28 42 34.0		422
73P	1995 10 16.44480	16 33 29.52	-28 42 34.8		422
73P	1995 10 23.38007	17 13 25.19	-30 42 24.5		897
73P	1995 10 23.38305	17 13 26.16	-30 42 27.3		897
73P	1995 10 27.35950	17 36 47.76	-31 29 40.8		897
73P	1995 10 27.36113	17 36 48.29	-31 29 41.3		897
73P	1995 10 27.42579	17 37 11.02	-31 30 10.6		422
73P	1995 10 27.42790	17 37 11.78	-31 30 11.8		422

74P/Smirnova-Chernykh

74P	1994 06 09.07187	17 21 34.32	-23 38 48.3	18 T	809
74P	1994 06 09.08924	17 21 33.76	-23 38 48.4		809
74P	1994 06 10.04965	17 20 53.82	-23 39 15.4		809
74P	1994 06 10.06701	17 20 53.02	-23 39 15.3		809
74P	1994 06 10.08438	17 20 52.21	-23 39 15.4		809
74P	1994 06 10.10660	17 21 33.24	-23 38 50.9		809
74P	1995 10 13.45313	20 06 21.87	-26 02 57.5	17.9 T	3 360
74P	1995 10 13.46337	20 06 22.08	-26 02 56.5		3 360
74P	1995 10 13.46840	20 06 22.16	-26 02 56.2		3 360

87P/Bus

87P	1995 10 22.12702	20 33 19.40	-16 56 21.5	21.5 T	691
87P	1995 10 22.13383	20 33 19.60	-16 56 19.1	21.5 T	691
87P	1995 10 22.13981	20 33 19.79	-16 56 18.8	21.2 T	691

94P/Russell 4

94P	1995 10 21.45593	03 54 55.06	+17 31 45.5	21.4 T	691
94P	1995 10 21.47900	03 54 54.27	+17 31 43.8	21.4 T	691
94P	1995 10 21.48663	03 54 54.04	+17 31 43.1	21.4 T	691
94P	1995 10 24.49732	03 53 13.82	+17 28 31.5	20.8 T	691
94P	1995 10 24.50293	03 53 13.65	+17 28 31.2	20.6 T	691
94P	1995 10 24.51503	03 53 13.17	+17 28 30.2	20.7 T	691
94P	1995 10 26.23553	03 52 11.92	+17 26 31.3	20.0 T	709
94P	1995 10 26.24942	03 52 11.46	+17 26 30.9	20.2 T	709

M.P.C. 25752

1995 NOV. 7

94P	1995 10 26.26331	03 52 10.94	+17 26 29.4	20.0 T	709	119P	1995 10 21.98652	00 32 34.49	+09 26 20.5		046
94P	1995 10 26.27720	03 52 10.46	+17 26 28.7	20.4 T	709	119P	1995 10 21.99066	00 32 34.30	+09 26 19.5		046
94P	1995 10 26.29109	03 52 09.92	+17 26 27.4	20.7 T	709	119P	1995 10 22.89502	00 32 05.32	+09 21 46.9		118
94P	1995 10 26.30498	03 52 09.38	+17 26 26.7	20.9 T	709	119P	1995 10 25.54028	00 30 43.45	+09 08 40.2	16.9 T	360
94P	1995 10 26.33275	03 52 08.30	+17 26 24.4	20.5 T	709	119P	1995 10 25.54306	00 30 43.38	+09 08 39.3		360
94P	1995 10 26.34664	03 52 07.86	+17 26 23.8	20.3 T	709	119P	1995 10 26.93681	00 30 02.03	+09 01 48.0		108
94P	1995 10 26.36053	03 52 07.21	+17 26 23.1	20.4 T	709	119P	1995 10 26.96456	00 30 01.39	+09 01 42.0		108
94P	1995 10 26.37442	03 52 06.66	+17 26 21.9	20.4 T	709	119P	1995 10 27.53681	00 29 44.96	+08 58 55.7	16.5 T	897
111P/Helin-Roman-Crockett						119P	1995 10 27.57965	00 29 43.68	+08 58 43.2		897
111P	1995 10 21.44836	03 13 55.76	+13 36 27.8	22.7 N	691	119P	1995 10 27.60339	00 29 43.01	+08 58 36.5	15.9 T	410
111P	1995 10 21.46726	03 13 55.08	+13 36 25.3	20.1 T	691	119P	1995 10 27.60628	00 29 42.86	+08 58 34.9		410
116P/Wild 4						119P	1995 10 27.60903	00 29 42.84	+08 58 34.7		410
116P	1995 09 20.79618	07 19 04.95	+25 27 33.3		1 360	120P/Mueller 1					
116P	1995 09 20.80052	07 19 05.24	+25 27 33.0	17.8 T	360	120P	1995 10 22.11849	22 29 47.98	-12 30 50.0	21.1 T	691
116P	1995 09 20.80521	07 19 05.62	+25 27 32.7		360	120P	1995 10 22.14722	22 29 47.90	-12 30 44.1	21.1 T	691
116P	1995 10 22.79271	07 53 12.47	+24 50 23.8	17.0 T	360	122P/de Vico					
116P	1995 10 22.79618	07 53 12.62	+24 50 23.7		360	122P	1995 09 19.82089	09 10 47.86	-00 30 12.2		411
116P	1995 10 22.79948	07 53 12.80	+24 50 23.6		360	122P	1995 09 26.83134	09 41 10.61	+07 00 14.9		372
116P	1995 10 26.50514	07 56 19.55	+24 47 36.6	19.5 N	691	122P	1995 09 30.13095	09 59 00.70	+10 52 52.0	7 T	540
116P	1995 10 26.51123	07 56 19.82	+24 47 36.2	16.6 T	691	122P	1995 09 30.13216	09 59 01.17	+10 52 57.4		540
116P	1995 10 26.51730	07 56 20.11	+24 47 36.2	16.7 T	691	122P	1995 09 30.13715	09 59 02.78	+10 53 19.9		540
116P	1995 10 27.72810	07 57 18.40	+24 46 49.6	16.5 T	410	122P	1995 09 30.16870	09 59 13.87	+10 55 38.3	9.1 T	596
116P	1995 10 27.73679	07 57 18.80	+24 46 49.5		410	122P	1995 09 30.17289	09 59 15.37	+10 55 57.0		596
116P	1995 10 27.77622	07 57 20.68	+24 46 47.5	16.8 T	360	122P	1995 10 02.79383	10 15 24.95	+14 05 32.5	7.4 T	355
116P	1995 10 27.77917	07 57 20.82	+24 46 47.5		360	122P	1995 10 02.79589	10 15 25.90	+14 05 41.8		897
118P/Shoemaker-Levy 4						122P	1995 10 02.79661	10 15 26.05	+14 05 43.5	7.4 T	355
118P	1995 10 22.11064	21 41 03.30	-14 52 10.2	21.2 T	691	122P	1995 10 02.79720	10 15 26.37	+14 05 47.9		897
118P	1995 10 22.15383	21 41 03.28	-14 52 12.4	21.2 T	691	122P	1995 10 02.80356	10 15 28.7	+14 06 17		372
119P/Parker-Hartley						122P	1995 10 02.80598	10 15 29.74	+14 06 26.2		411
119P	1995 10 03.60653	00 43 32.83	+10 57 02.5	14.9 T	900	122P	1995 10 02.80771	10 15 30.42	+14 06 33.9		411
119P	1995 10 04.92495	00 42 44.04	+10 50 59.1	16.1 T	2 118	122P	1995 10 02.81649	10 15 33.79	+14 07 10.5		897
119P	1995 10 05.94693	00 42 06.05	+10 46 11.7	16.4 T	118	122P	1995 10 02.81716	10 15 34.19	+14 07 15.1		367
119P	1995 10 14.00058	00 37 09.56	+10 06 45.9	17.0 T	108	122P	1995 10 02.81862	10 15 34.79	+14 07 21.7		367
119P	1995 10 14.83108	00 36 40.00	+10 02 30.6	16.8 T	108	122P	1995 10 03.79741	10 22 06.20	+15 18 18.5	7.5 T	355
119P	1995 10 14.87147	00 36 38.33	+10 02 18.0		108	122P	1995 10 03.79983	10 22 07.24	+15 18 30.2	7.4 T	355
119P	1995 10 14.89563	00 36 37.45	+10 02 11.0		108	122P	1995 10 04.15402	10 24 32.84	+15 44 04.8	6.1 T	046
119P	1995 10 16.90023	00 35 26.70	+09 52 04.6		108	122P	1995 10 04.15843	10 24 34.69	+15 44 23.8		046
119P	1995 10 16.96504	00 35 24.16	+09 51 42.9	16.8 T	108	122P	1995 10 04.16102	10 24 35.81	+15 44 35.1		046
119P	1995 10 17.54410	00 35 04.06	+09 48 48.5	16.5 T	360	122P	1995 10 04.16218	10 24 36.24	+15 44 40.0		046
119P	1995 10 17.55122	00 35 03.82	+09 48 46.6		360	122P	1995 10 05.16595	10 31 40.72	+16 56 51.0	6.2 T	046
119P	1995 10 19.81757	00 33 46.31	+09 37 16.6	16.2 T	118	122P	1995 10 05.17082	10 31 42.83	+16 57 11.8		046
119P	1995 10 20.51232	00 33 23.15	+09 33 47.1		897	122P	1995 10 05.17309	10 31 43.81	+16 57 21.5		046
119P	1995 10 20.52438	00 33 22.64	+09 33 42.6		897	122P	1995 10 05.17394	10 31 44.16	+16 57 25.4		046
119P	1995 10 20.53024	00 33 22.34	+09 33 41.2		410	122P	1995 10 06.83024	10 44 02.42	+18 54 38.0	5.8 T	410
119P	1995 10 20.53302	00 33 22.31	+09 33 40.2		410	122P	1995 10 06.83199	10 44 03.17	+18 54 45.7		410
119P	1995 10 20.53564	00 33 22.18	+09 33 39.7		410	122P	1995 10 06.83351	10 44 03.89	+18 54 52.0		410
119P	1995 10 20.55054	00 33 21.66	+09 33 34.8	16.7 T	897	122P	1995 10 08.17397	10 54 35.48	+20 26 58.0		596
119P	1995 10 20.61233	00 33 19.59	+09 33 16.8	16.6 T	360	122P	1995 10 08.17828	10 54 37.57	+20 27 14.8		596
119P	1995 10 20.61563	00 33 19.48	+09 33 15.7		360	122P	1995 10 09.13240	11 02 25.03	+21 30 46.2	6.0 T	2 046
119P	1995 10 21.98405	00 32 34.50	+09 26 21.7	16.0 T	046	122P	1995 10 09.13721	11 02 27.42	+21 31 05.2	10.4 N	2 046
						122P	1995 10 09.13911	11 02 28.35	+21 31 12.3		2 046

122P	1995 10 09.79358	11 07 57.32	+22 13 40.2	7.4 T	355	122P	1995 10 25.83777	13 37 54.68	+31 35 18.8		897
122P	1995 10 09.79955	11 08 00.47	+22 14 02.7		355	122P	1995 10 25.83994	13 37 55.93	+31 35 20.5		897
122P	1995 10 09.80421	11 08 02.72	+22 14 20.2		355	122P	1995 10 26.18684	13 41 00.20	+31 36 36.6	8.0 T	540
122P	1995 10 09.80716	11 08 04.26	+22 14 33.9		355	122P	1995 10 26.19128	13 41 02.49	+31 36 38.4		540
122P	1995 10 10.10133	11 10 34.21	+22 33 13.2	7.4 T	540	122P	1995 10 26.83076	13 46 38.71	+31 38 00.2		355
122P	1995 10 10.10381	11 10 35.57	+22 33 22.1	7.4 T	540	122P	1995 10 26.83251	13 46 39.33	+31 37 58.1		355
122P	1995 10 10.10506	11 10 36.35	+22 33 26.7	7.4 T	540	123P/West-Hartley					
122P	1995 10 10.11089	11 10 39.27	+22 33 48.9		046	123P	1995 09 21.47215	06 27 02.97	+30 44 31.6	21.1 N	691
122P	1995 10 10.11531	11 10 41.52	+22 34 05.7		046	123P	1995 09 21.48218	06 27 03.78	+30 44 34.7	18.8 T	691
122P	1995 10 10.11771	11 10 42.75	+22 34 14.8		046	123P	1995 09 21.48956	06 27 04.37	+30 44 36.6	19.1 T	691
122P	1995 10 11.10889	11 19 18.01	+23 35 36.6	5.7 T	046	123P	1995 10 19.78090	07 01 24.27	+33 11 52.5	19 T	372
122P	1995 10 11.11149	11 19 19.39	+23 35 46.1	10.5 N	046	123P	1995 10 21.50215	07 03 09.03	+33 22 31.0	20.3 N	691
122P	1995 10 11.11308	11 19 20.22	+23 35 51.8		046	123P	1995 10 21.51065	07 03 09.52	+33 22 33.8	18.2 T	691
122P	1995 10 12.12661	11 28 20.96	+24 35 37.4		2 046	123P	1995 10 22.10670	07 03 45.08	+33 26 18.1	17.8 T	046
122P	1995 10 12.12966	11 28 22.68	+24 35 47.4		2 046	123P	1995 10 22.10933	07 03 45.09	+33 26 19.2		046
122P	1995 10 12.13046	11 28 23.10	+24 35 50.4		2 046	123P	1995 10 22.11405	07 03 45.48	+33 26 20.5		046
122P	1995 10 12.13125	11 28 23.94	+24 35 52.8		2 046	123P	1995 10 22.11796	07 03 45.69	+33 26 22.3		046
122P	1995 10 12.79883	11 34 26.89	+25 13 29.9	7.8 T	355	123P	1995 10 22.73906	07 04 22.31	+33 30 19.7	18.2 T	360
122P	1995 10 12.80164	11 34 28.47	+25 13 38.7	7.9 T	355	123P	1995 10 22.74340	07 04 22.56	+33 30 21.3		360
122P	1995 10 12.83906	11 34 49.15	+25 15 43.2		3 360	123P	1995 10 22.74861	07 04 22.86	+33 30 23.7		360
122P	1995 10 12.84115	11 34 50.31	+25 15 49.6		3 360	123P	1995 10 23.78391	07 05 22.74	+33 37 02.8		327
122P	1995 10 13.11421	11 37 20.62	+25 30 40.9	5.4 T	2 046	123P	1995 10 23.83155	07 05 25.36	+33 37 20.9	18.3 T	327
122P	1995 10 13.11640	11 37 21.85	+25 30 47.9	9.8 N	2 046	123P	1995 10 23.85863	07 05 26.91	+33 37 32.0	18.3 T	327
122P	1995 10 13.11809	11 37 22.70	+25 30 53.4		2 046	123P	1995 10 24.80891	07 06 20.85	+33 43 43.5	18.2 T	327
122P	1995 10 13.12051	11 37 24.07	+25 31 01.5		2 046	123P	1995 10 24.84273	07 06 22.67	+33 43 56.6		327
122P	1995 10 13.12294	11 37 25.35	+25 31 09.5		2 046	123P	1995 10 24.88541	07 06 25.08	+33 44 13.7	18.2 T	327
122P	1995 10 13.82649	11 43 56.25	+26 08 20.3		897	123P	1995 10 26.76875	07 08 08.63	+33 56 48.1	18.5 T	372
122P	1995 10 13.82959	11 43 57.91	+26 08 27.8		897	123P	1995 10 27.75851	07 09 01.46	+34 03 31.4	18.0 T	360
122P	1995 10 14.82969	11 53 21.62	+26 58 04.7		355	123P	1995 10 27.76302	07 09 01.69	+34 03 33.1		360
122P	1995 10 14.83207	11 53 22.92	+26 58 10.2	7.9 T	355	124P/Mrkos					
122P	1995 10 16.14197	12 05 53.08	+27 57 09.6	6.2 T	046	124P	1995 09 20.42429	03 14 55.23	+45 29 58.7	21.7 N	691
122P	1995 10 16.14451	12 05 54.57	+27 57 16.0		046	124P	1995 09 20.42696	03 14 55.26	+45 29 59.3	22.3 N	691
122P	1995 10 16.14916	12 05 57.24	+27 57 28.0		046	124P	1995 09 20.43059	03 14 54.97	+45 30 02.0		691
122P	1995 10 16.15263	12 05 59.21	+27 57 36.7		046	124P	1995 09 20.43899	03 14 54.96	+45 30 07.5		691
122P	1995 10 16.82066	12 12 25.29	+28 25 02.4		372	124P	1995 09 28.37233	03 11 15.29	+46 42 59.7		709
122P	1995 10 16.83212	12 12 31.78	+28 25 30.8		372	124P	1995 09 28.39525	03 11 14.59	+46 43 05.5		709
122P	1995 10 17.81598	12 22 03.65	+29 02 22.7	9.0 T	355	124P	1995 10 21.22968	02 49 33.84	+49 29 10.2	20.9 T	6 709
122P	1995 10 17.82072	12 22 06.40	+29 02 31.2		355	124P	1995 10 21.23677	02 49 33.20	+49 29 12.3	21.0 T	6 709
122P	1995 10 19.83618	12 41 40.62	+30 05 13.8		372	124P	1995 10 21.24789	02 49 32.45	+49 29 16.4	20.4 T	6 709
122P	1995 10 20.79863	12 50 58.26	+30 29 08.0		355	124P	1995 10 21.29030	02 49 28.86	+49 29 28.8	22.0 T	6 709
122P	1995 10 20.79988	12 50 58.85	+30 29 09.8		355	124P	1995 10 28.45378	02 39 36.37	+49 59 16.9		658
122P	1995 10 20.82021	12 51 10.93	+30 29 38.1		897	124P	1995 10 28.46925	02 39 35.04	+49 59 20.1		658
122P	1995 10 20.83625	12 51 20.25	+30 30 00.6		897	Note 1: involved with star. 2: poor distribution of reference stars. 3: bad seeing.					
122P	1995 10 22.16846	13 04 04.86	+30 56 36.9	7.5 T	540	4: faint image. 5: only three reference stars. 6: these positions replace those					
122P	1995 10 22.16985	13 04 05.52	+30 56 37.4	7.5 T	540	on <i>IAUC</i> 6250.					
122P	1995 10 22.17083	13 04 06.13	+30 56 40.5	7.4 T	540	OBSERVATIONS OF MINOR PLANETS					
122P	1995 10 22.18855	13 04 16.27	+30 56 56.2	11.2 N	046	The observations are listed separately for each observatory code. Alphabetic					
122P	1995 10 22.18950	13 04 16.62	+30 56 57.0		046	note codes shown with some of the observations are defined according to the scheme					
122P	1995 10 24.17685	13 22 52.62	+31 23 43.0	7.6 T	046	below. Numeric codes are defined in the headings for the individual observatories.					
122P	1995 10 24.17814	13 22 53.32	+31 23 43.8		046						
122P	1995 10 24.17965	13 22 54.18	+31 23 45.3		046						
122P	1995 10 25.83549	13 37 53.45	+31 35 20.9		372						

A	earlier approximate position inferior	1987 SQ ₁₀	1995 06 25.96319	17 21 14.80	-17 54 21.1		V	033
a	sense of motion ambiguous	1988 CA ₁	1995 06 25.94688	17 11 47.83	-16 22 19.6	18.5		033
B	black or dark plate	1988 CA ₁	1995 06 25.98090	17 11 45.81	-16 22 23.3		V	033
b	bad seeing	1989 GF ₈	1995 08 24.06076	01 30 18.76	+03 15 49.7	19.6		033
C	correction to earlier position	1991 OM ₁	1994 03 04.94167	10 52 27.58	+05 06 47.5	18.2		033
c	crowded star field	1991 OM ₁	1994 03 04.98333	10 52 25.05	+05 07 01.6			033
D	declination uncertain	1991 XR ₁	1995 07 24.02014	22 19 08.24	-13 23 34.1	18.1		033
d	diffuse image	1991 XR ₁	1995 07 25.04306	22 18 37.63	-13 26 50.0		V	033
E	at or near edge of plate	1991 XR ₁	1995 07 26.03681	22 18 06.66	-13 30 09.0			033
F	faint image	1991 XR ₁	1995 08 22.98924	21 57 53.10	-15 21 15.0	17.4	V	033
f	involved with emulsion or plate flaw	1995 BC ₁₆	1995 02 22.87292	08 38 08.23	+18 05 42.2	18.9		033
G	poor guiding	1995 BC ₁₆	1995 02 22.91875	08 38 05.82	+18 05 44.5			033
g	no guiding	1995 GV	1995 04 24.00625	14 59 36.84	-14 01 22.8	17.4		033
I	involved with star	1995 GV	1995 04 24.04931	14 59 34.55	-14 01 06.7			033
i	inkdot measured	1995 MX ₄	* 1995 06 19.95208	17 13 28.79	-17 22 51.5			033
J	J2000.0 rerduction of previously-reported position	1995 MX ₄	1995 06 19.98264	17 13 26.85	-17 22 56.7			033
M	measurement difficult	1995 MX ₄	1995 06 25.94688	17 07 42.65	-17 43 55.9	17.4		033
N	near edge of plate, measurement uncertain	1995 MX ₄	1995 06 25.98090	17 07 40.75	-17 44 04.1			033
O	image out of focus	(318)	1995 08 23.09618	01 32 06.84	+03 06 53.8			033
o	plate measured in one direction only	(318)	1995 08 24.06076	01 32 06.46	+03 02 53.3	16		033
P	position uncertain	(1076)	1995 06 25.93090	17 27 24.69	-18 53 34.1	17.3		033
p	poor image	(1076)	1995 06 25.96319	17 27 22.88	-18 53 33.9			033
R	right ascension uncertain	(1855)	1995 06 19.93542	17 20 33.21	-17 42 50.2			033
r	poor distribution of reference stars	(1855)	1995 06 19.95208	17 20 32.17	-17 42 49.6			033
S	poor sky	(1855)	1995 06 19.96597	17 20 31.25	-17 42 48.3			033
s	streaked image	(1855)	1995 06 19.98264	17 20 30.26	-17 42 46.8			033
T	time uncertain	(1855)	1995 06 20.97882	17 19 29.43	-17 41 47.9			033
t	trailed image	(1855)	1995 06 25.93090	17 14 39.28	-17 37 52.6	16.2		033
U	uncertain image	(1855)	1995 06 25.94688	17 14 38.40	-17 37 51.5	16.1		033
u	unconfirmed image	(1855)	1995 06 25.96319	17 14 37.51	-17 37 51.0			033
V	very faint image	(1855)	1995 06 25.98090	17 14 36.44	-17 37 50.3			033
W	weak image	(3533)	1995 06 19.95208	17 21 06.04	-15 36 13.8			033
w	weak solution	(3533)	1995 06 19.98264	17 21 04.17	-15 36 11.4			033
Object	Date	UT	α_{2000}	δ_{2000}	Mag.	N Obs.		
010 Caussols								
E. W. Elst, Royal Observatory, B-1180 Brussels, Belgium [elst@atmos.oma.be]								
Observer D. Albanese								
Measurer E. W. Elst								
0.9-m Schmidt telescope								
1995 QM ₂	1993 02 20.96806	09 18 27.72	+19 23 50.6	18.4		010		
1995 QM ₂	1993 02 20.97986	09 18 27.16	+19 23 53.7			010		
1995 QM ₂	1993 02 20.99167	09 18 26.57	+19 23 55.5			010		
033 Tautenburg								
F. Börngen, Thüringer Landessternwarte, Sternwarte 5, D-07778 Tautenburg,								
Germany [vib@rz.uni-jena.de]								
1.3-m Schmidt telescope								
PPM								
1976 DJ ₁	1995 07 24.02014	22 14 33.43	-14 55 02.1	18.8		033		
1976 DJ ₁	1995 07 25.04306	22 14 06.37	-14 58 55.1			033		
1987 SQ ₁₀	1995 06 20.97882	17 25 36.29	-17 49 34.0			V	033	
1987 SQ ₁₀	1995 06 25.93090	17 21 16.49	-17 54 19.8	18.5		V	033	

(6554)	1995 06 19.98264	17 15 13.12	-15 10 38.6		U 033
(6554)	1995 06 25.94688	17 09 01.45	-14 59 43.0	17.7	033
(6554)	1995 06 25.98090	17 08 59.42	-14 59 39.9		033

046 Klet

J. Tichá, Hvězdárna Klet, Zátkovo nábreží 4, CZ-37001 České Budějovice, Czech Republic [klet@jcu.cz]

Observers J. Tichá, Z. Moravec, M. Tichý

0.57-m reflector + CCD, 0.63-m Maksutov telescope

GSC, PPM

1953 GN	1995 10 25.85163	01 56 06.57	+04 45 03.0	17.5 V	046
1953 GN	1995 10 25.85473	01 56 06.39	+04 45 01.8		046
1953 GN	1995 10 25.85684	01 56 06.25	+04 45 01.1		046
1953 GN	1995 10 25.85957	01 56 06.10	+04 45 00.1		046
1953 GN	1995 10 26.90606	01 55 05.26	+04 37 53.7	17.3 V	046
1953 GN	1995 10 26.90736	01 55 05.19	+04 37 53.2		046
1953 GN	1995 10 26.90866	01 55 05.11	+04 37 52.7		046
1953 GN	1995 10 26.91038	01 55 05.01	+04 37 52.1		046
1953 GN	1995 10 26.91169	01 55 04.93	+04 37 51.5		046
1978 VG ₁₁	1995 10 23.92083	02 00 16.35	+04 24 49.1	E	046
1978 VG ₁₁	1995 10 23.94167	02 00 14.99	+04 24 50.0	E	046
1980 PZ	1995 10 15.75723	19 11 44.57	-23 40 50.9	17.5 R	046
1980 PZ	1995 10 15.75958	19 11 44.78	-23 40 49.8		046
1980 PZ	1995 10 15.76172	19 11 45.01	-23 40 48.9		046
1980 PZ	1995 10 22.71681	19 24 27.53	-22 44 30.7	18.1 R	046
1980 PZ	1995 10 22.71897	19 24 27.80	-22 44 29.2		046
1980 PZ	1995 10 22.72109	19 24 27.98	-22 44 28.2		046
1980 SG	1995 10 15.78139	20 46 34.14	-25 03 04.7	17.8 R	046
1980 SG	1995 10 15.78573	20 46 34.39	-25 03 02.2		046
1980 SG	1995 10 15.78853	20 46 34.54	-25 03 01.0		046
1980 SG	1995 10 16.81623	20 47 29.77	-24 54 15.2	18.0 R	046
1980 SG	1995 10 16.81815	20 47 29.88	-24 54 14.1		046
1980 SG	1995 10 16.82007	20 47 29.93	-24 54 13.4		046
1980 TA ₄	1995 10 23.96111	01 54 35.85	+14 20 52.4		046
1980 TA ₄	1995 10 23.98194	01 54 34.42	+14 20 50.3		046
1981 FT	1995 10 10.98689	00 12 51.64	-04 30 16.1	17.5 R	046
1981 FT	1995 10 10.99093	00 12 51.43	-04 30 16.5		046
1981 FT	1995 10 10.99350	00 12 51.28	-04 30 17.6		046
1981 FT	1995 10 11.96938	00 11 56.50	-04 34 04.7	17.5 R	046
1981 FT	1995 10 11.97514	00 11 56.12	-04 34 06.2		046
1981 FT	1995 10 11.97897	00 11 55.93	-04 34 06.8		046
1981 TJ	1995 09 24.90139	00 35 28.46	+09 15 50.4		046
1981 TJ	1995 09 24.91875	00 35 27.68	+09 15 44.2		046
1981 TJ	1995 10 11.02538	00 23 07.35	+07 30 24.1	16.8 R	r 046
1981 TJ	1995 10 11.02924	00 23 07.19	+07 30 22.6		r 046
1981 TJ	1995 10 11.03116	00 23 07.02	+07 30 21.8		r 046
1981 TJ	1995 10 11.99347	00 22 25.41	+07 23 50.1	17.0 R	046
1981 TJ	1995 10 11.99749	00 22 25.20	+07 23 48.5		046
1981 TJ	1995 10 12.00047	00 22 25.07	+07 23 47.3		046
1982 CE	1995 09 23.13278	07 11 01.34	+19 14 09.0	18.8 R	F 046
1982 CE	1995 09 23.13480	07 11 01.73	+19 14 07.7		F 046
1982 CE	1995 09 23.13715	07 11 01.84	+19 14 08.1		F 046

1982 CE	1995 10 05.15111	07 29 09.89	+18 29 44.6	18.9 R	F 046
1982 CE	1995 10 05.15323	07 29 09.98	+18 29 45.4		F 046
1982 CE	1995 10 05.15581	07 29 10.23	+18 29 44.2		F 046
1982 SO ₅	1995 10 22.93194	02 29 35.59	+16 46 00.2	16.8	046
1982 SO ₅	1995 10 22.95139	02 29 34.40	+16 45 56.5		046
1982 SO ₅	1995 10 24.02137	02 28 37.41	+16 42 53.5	16.2 V	r 046
1982 SO ₅	1995 10 24.02296	02 28 37.32	+16 42 53.2		r 046
1982 SO ₅	1995 10 24.02484	02 28 37.22	+16 42 52.9		r 046
1982 SO ₅	1995 10 24.02688	02 28 37.10	+16 42 52.5		r 046
1982 SO ₅	1995 10 24.02832	02 28 37.03	+16 42 52.3		r 046
1983 TE ₁	1995 10 10.00524	05 47 41.35	+19 22 58.1	17.3 R	046
1983 TE ₁	1995 10 10.01073	05 47 41.57	+19 22 56.9		046
1983 TE ₁	1995 10 10.01623	05 47 41.83	+19 22 56.1		046
1983 TE ₁	1995 10 11.05694	05 48 26.12	+19 19 04.2	17.2 R	046
1983 TE ₁	1995 10 11.06080	05 48 26.30	+19 19 03.2		046
1983 TE ₁	1995 10 11.06272	05 48 26.38	+19 19 02.4		046
1985 CJ ₁	1995 10 10.07102	06 50 01.90	+24 06 54.3	17.5 R	046
1985 CJ ₁	1995 10 10.07468	06 50 02.17	+24 06 55.0		046
1985 CJ ₁	1995 10 10.08016	06 50 02.58	+24 06 55.1		046
1985 CJ ₁	1995 10 11.06979	06 51 19.48	+24 07 19.7	17.4 R	I 046
1985 CJ ₁	1995 10 11.08089	06 51 20.25	+24 07 20.0		046
1985 CJ ₁	1995 10 11.08296	06 51 20.46	+24 07 19.5		046
1985 HL	1995 10 06.00042	02 20 33.11	+07 57 08.4	18.8 R	F 046
1985 HL	1995 10 06.00258	02 20 32.99	+07 57 07.5		F 046
1985 HL	1995 10 15.95065	02 13 00.81	+06 56 37.4	18.6 R	046
1985 HL	1995 10 15.95257	02 13 00.69	+06 56 37.3		046
1985 HL	1995 10 15.95449	02 13 00.67	+06 56 36.3		046
1987 HM ₁	1995 10 22.93194	02 34 13.96	+15 43 29.3		046
1987 HM ₁	1995 10 22.95139	02 34 12.84	+15 43 26.9		046
1987 QW ₇	1995 10 23.96111	01 54 48.84	+12 52 43.5		E 046
1987 QW ₇	1995 10 23.98194	01 54 47.83	+12 52 34.8		E 046
1987 VB ₁	1995 10 16.85762	23 13 34.79	-07 43 33.6	17.4 R	046
1987 VB ₁	1995 10 16.85964	23 13 34.72	-07 43 33.1		046
1987 VB ₁	1995 10 16.86162	23 13 34.67	-07 43 32.7		046
1987 VB ₁	1995 10 21.84039	23 12 13.98	-07 24 12.8	17.3 R	046
1987 VB ₁	1995 10 21.84488	23 12 13.86	-07 24 11.9		046
1987 VB ₁	1995 10 21.84809	23 12 13.75	-07 24 10.9		046
1988 AO ₁	1995 10 06.03056	03 33 47.47	+11 41 30.2	17.1 R	046
1988 AO ₁	1995 10 06.03374	03 33 47.40	+11 41 29.7		046
1988 AO ₁	1995 10 06.03907	03 33 47.29	+11 41 29.1		046
1988 AO ₁	1995 10 07.04029	03 33 29.94	+11 39 40.8	17.0 R	046
1988 AO ₁	1995 10 07.04466	03 33 29.84	+11 39 40.1		046
1988 AO ₁	1995 10 07.04709	03 33 29.77	+11 39 40.0		046
1988 AW ₁	1995 10 05.13727	05 52 08.98	+37 44 31.1	17.7 R	046
1988 AW ₁	1995 10 05.14174	05 52 09.17	+37 44 32.2		046
1988 AW ₁	1995 10 05.14653	05 52 09.39	+37 44 33.0		046
1988 AW ₁	1995 10 07.11954	05 53 36.12	+37 51 32.5	17.6 R	046
1988 AW ₁	1995 10 07.12175	05 53 36.20	+37 51 33.0		046
1988 AW ₁	1995 10 07.12384	05 53 36.29	+37 51 33.6		046
1989 AC ₂	1995 10 06.01941	03 18 00.29	+18 37 38.9	17.3 R	046
1989 AC ₂	1995 10 06.02234	03 18 00.21	+18 37 38.7		046
1989 AC ₂	1995 10 06.02500	03 18 00.19	+18 37 38.5		046

1989 AC ₂	1995 10 07.02690	03 17 44.08	+18 36 34.2	17.0 R	046	1995 SE	1995 09 28.92770	23 36 29.56	−09 12 05.9	19.1 R	046
1989 AC ₂	1995 10 07.03149	03 17 43.96	+18 36 34.0		046	1995 SE	1995 09 28.93012	23 36 29.36	−09 12 05.9		046
1989 AC ₂	1995 10 07.03494	03 17 43.91	+18 36 33.8		046	1995 SE	1995 09 28.93218	23 36 29.26	−09 12 06.9		046
1990 DM ₁	1995 10 12.03291	01 10 35.69	+10 34 40.0	16.6 R	r 046	1995 SE	1995 10 15.83189	23 24 13.82	−09 54 41.9	19.6 R	046
1990 DM ₁	1995 10 12.03675	01 10 35.45	+10 34 38.7		r 046	1995 SE	1995 10 15.83381	23 24 13.78	−09 54 42.8		046
1990 DM ₁	1995 10 12.04130	01 10 35.17	+10 34 37.1		r 046	1995 SE	1995 10 15.83715	23 24 13.63	−09 54 41.1		046
1990 DM ₁	1995 10 12.88550	01 09 44.08	+10 29 47.8	16.5 R	046	1995 SE	1995 10 16.86619	23 23 43.42	−09 55 03.1	19.5 R	046
1990 DM ₁	1995 10 12.88950	01 09 43.84	+10 29 46.1		046	1995 SE	1995 10 16.87024	23 23 43.29	−09 55 03.1		046
1990 DM ₁	1995 10 12.89242	01 09 43.68	+10 29 45.3		046	1995 SE	1995 10 16.87846	23 23 43.02	−09 55 02.6		046
1990 DS ₁	1995 10 10.96718	23 47 40.96	+00 18 17.0	18.4 R	r 046	1995 SE	1995 10 22.81325	23 21 30.27	−09 51 53.8	19.5 V	r 046
1990 DS ₁	1995 10 10.97266	23 47 40.62	+00 18 16.2		r 046	1995 SE	1995 10 22.81682	23 21 30.21	−09 51 53.9		r 046
1990 DS ₁	1995 10 10.97633	23 47 40.50	+00 18 14.7		r 046	1995 SE	1995 10 22.82097	23 21 30.16	−09 51 53.5		r 046
1990 DS ₁	1995 10 11.95065	23 46 57.44	+00 13 13.9	18.4 R	r 046	1995 SF	1995 09 24.86074	00 01 39.38	+01 46 09.2	18.8 R	046
1990 DS ₁	1995 10 11.95257	23 46 57.25	+00 13 12.8		r 046	1995 SF	1995 09 24.86469	00 01 39.14	+01 46 07.6		046
1990 DS ₁	1995 10 11.95641	23 46 57.05	+00 13 12.0		r 046	1995 SF	1995 09 24.86711	00 01 38.99	+01 46 06.5		046
1990 SU ₁₀	1995 10 24.95139	02 19 39.99	+19 15 18.1		046	1995 SF	1995 09 28.95979	23 58 07.51	+01 16 57.3	18.9 R	046
1990 SU ₁₀	1995 10 24.97222	02 19 38.76	+19 15 12.9		046	1995 SF	1995 09 28.96388	23 58 07.32	+01 16 55.9		046
1990 VY ₆	1995 10 22.97292	02 37 18.18	+04 27 22.7		046	1995 SF	1995 09 28.96775	23 58 07.06	+01 16 54.7		046
1990 VY ₆	1995 10 22.99306	02 37 16.72	+04 27 24.0		046	1995 SF	1995 10 03.04867	23 54 43.58	+00 48 09.4	18.9 R	046
1992 LC	1995 10 13.03782	02 09 46.80	−07 48 52.8	18.1 R	r 046	1995 SF	1995 10 03.05072	23 54 43.48	+00 48 09.3		046
1992 LC	1995 10 13.03975	02 09 46.69	−07 48 53.9		r 046	1995 SF	1995 10 03.05270	23 54 43.42	+00 48 07.5		046
1992 LC	1995 10 13.04167	02 09 46.51	−07 48 54.8		r 046	1995 SF	1995 10 15.85965	23 46 05.01	−00 30 55.7	19.5 R	r 046
1992 LC	1995 10 13.04359	02 09 46.34	−07 48 55.2		r 046	1995 SF	1995 10 15.86542	23 46 04.88	−00 30 56.8		r 046
1995 PA	1995 10 15.79587	21 09 11.69	−21 36 37.1	19.2 R	F 046	1995 SF	1995 10 15.87118	23 46 04.68	−00 30 59.2		r 046
1995 PA	1995 10 15.80738	21 09 12.23	−21 36 33.2		F 046	1995 SF	1995 10 22.84125	23 43 19.01	−01 01 35.0	19.4 V	046
1995 PA	1995 10 15.80931	21 09 12.30	−21 36 31.5		F 046	1995 SF	1995 10 22.84595	23 43 18.86	−01 01 36.0		046
1995 PB	1995 10 05.07917	01 23 13.05	+06 23 44.3	17.3 R	046	1995 SF	1995 10 22.84804	23 43 18.78	−01 01 36.4		046
1995 PB	1995 10 05.08297	01 23 12.89	+06 23 42.6		046	1995 SD ₁	1995 10 13.00975	00 49 19.43	−12 34 07.8	18.4 R	046
1995 PB	1995 10 05.08535	01 23 12.77	+06 23 41.3		046	1995 SD ₁	1995 10 13.01167	00 49 19.85	−12 34 11.3		046
1995 PB	1995 10 12.04815	01 17 57.03	+05 27 22.1	17.0 R	046	1995 SD ₁	1995 10 13.01359	00 49 20.22	−12 34 13.1		046
1995 PB	1995 10 12.05012	01 17 56.99	+05 27 21.3		046	1995 SD ₁	1995 10 13.01686	00 49 20.80	−12 34 17.0		046
1995 PB	1995 10 12.05481	01 17 56.73	+05 27 19.0		r 046	1995 SL ₃	1995 10 02.84752	00 23 44.69	+03 38 21.7	17.7 R	046
1995 SD	1995 09 19.85792	23 45 16.17	−08 23 17.1	18.7 R	046	1995 SL ₃	1995 10 02.84943	00 23 44.60	+03 38 21.3		046
1995 SD	1995 09 19.86008	23 45 16.14	−08 23 18.0		046	1995 SL ₃	1995 10 02.98078	00 23 37.36	+03 37 33.2		046
1995 SD	1995 09 19.90299	23 45 13.80	−08 23 26.1		046	1995 SL ₃	1995 10 03.00944	00 23 35.72	+03 37 23.7		046
1995 SD	1995 09 24.84812	23 40 58.43	−08 38 51.0	19.0 R	r 046	1995 SL ₃	1995 10 03.01355	00 23 35.45	+03 37 21.2		046
1995 SD	1995 09 24.85012	23 40 58.31	−08 38 51.2		r 046	1995 SL ₃	1995 10 03.02986	00 23 34.58	+03 37 15.6		046
1995 SD	1995 09 28.94556	23 37 35.78	−08 49 00.6	19.0 R	046	1995 SL ₃	1995 10 04.96486	00 21 51.73	+03 25 36.3		046
1995 SD	1995 09 28.94963	23 37 35.58	−08 49 00.6		046	1995 SL ₃	1995 10 04.96744	00 21 51.59	+03 25 35.5		046
1995 SD	1995 09 28.95257	23 37 35.37	−08 49 00.3		046	1995 SL ₃	1995 10 04.97455	00 21 51.19	+03 25 32.4		046
1995 SD	1995 10 15.84237	23 26 58.02	−08 58 57.8	19.2 R	046	1995 SL ₃	1995 10 05.89618	00 21 03.06	+03 20 04.2	17.6 R	046
1995 SD	1995 10 15.84622	23 26 57.92	−08 58 57.1		046	1995 SL ₃	1995 10 05.89826	00 21 02.90	+03 20 02.0		046
1995 SD	1995 10 15.84995	23 26 57.76	−08 58 57.3		046	1995 SL ₃	1995 10 05.90119	00 21 02.77	+03 20 01.0		046
1995 SD	1995 10 16.88409	23 26 32.52	−08 57 44.7	19.7 R	r 046	1995 SL ₃	1995 10 12.96150	00 15 14.23	+02 39 48.9	18.0 R	046
1995 SD	1995 10 16.88601	23 26 32.44	−08 57 44.9		r 046	1995 SL ₃	1995 10 12.96535	00 15 14.10	+02 39 47.1		046
1995 SD	1995 10 16.88793	23 26 32.32	−08 57 45.3		r 046	1995 SL ₃	1995 10 12.97112	00 15 13.79	+02 39 45.7		046
1995 SD	1995 10 22.82624	23 24 43.68	−08 46 48.3	19.5 V	r 046	1995 SL ₃	1995 10 22.90240	00 08 40.33	+01 52 42.2	18.7 R	046
1995 SD	1995 10 22.83088	23 24 43.60	−08 46 48.0		r 046	1995 SL ₃	1995 10 22.90439	00 08 40.26	+01 52 41.6		046
1995 SD	1995 10 22.83307	23 24 43.58	−08 46 47.6		r 046	1995 SL ₃	1995 10 22.90853	00 08 40.09	+01 52 41.0		046
1995 SE	1995 09 24.83081	23 40 14.71	−08 52 46.2	19.1 R	r 046	1995 SL ₃	1995 10 28.84657	00 05 56.08	+01 31 55.2	19.0 V	046
1995 SE	1995 09 24.83483	23 40 14.52	−08 52 47.4		r 046	1995 SL ₃	1995 10 28.85062	00 05 55.99	+01 31 54.7		046
1995 SE	1995 09 24.84260	23 40 14.06	−08 52 50.5		r 046	1995 SL ₃	1995 10 28.85299	00 05 55.90	+01 31 54.4		046

1995 SH ₅	* 1995 09 29.87090	00 25 28.53	+03 50 47.7	17.0 R	r	046	1995 TE	1995 10 03.07299	00 16 01.51	-02 05 22.9		046
1995 SH ₅	1995 09 29.87289	00 25 28.46	+03 50 47.2		r	046	1995 TE	1995 10 03.08037	00 16 01.18	-02 05 24.3		046
1995 SH ₅	1995 09 29.88193	00 25 28.03	+03 50 44.5		r	046	1995 TE	1995 10 04.83178	00 14 47.30	-02 13 40.3	18.3 R	046
1995 SH ₅	1995 09 29.88773	00 25 27.76	+03 50 42.8			046	1995 TE	1995 10 04.83388	00 14 47.18	-02 13 41.7		046
1995 SH ₅	1995 09 29.88979	00 25 27.67	+03 50 42.2			046	1995 TE	1995 10 04.83656	00 14 47.09	-02 13 41.8		046
1995 SH ₅	1995 09 29.89259	00 25 27.53	+03 50 41.4			046	1995 TE	1995 10 04.83867	00 14 47.03	-02 13 43.1		046
1995 SH ₅	1995 10 02.74559	00 23 15.03	+03 36 41.2	16.9 R		046	1995 TF	* 1995 10 05.10000	01 47 43.19	+17 31 48.4	17.5 R	046
1995 SH ₅	1995 10 02.74962	00 23 14.88	+03 36 40.3			046	1995 TF	1995 10 05.10294	01 47 42.98	+17 31 48.6		046
1995 SH ₅	1995 10 02.75253	00 23 14.77	+03 36 39.5			046	1995 TF	1995 10 05.10580	01 47 42.82	+17 31 49.3		046
1995 SH ₅	1995 10 02.76010	00 23 14.37	+03 36 37.2			046	1995 TF	1995 10 05.12568	01 47 41.55	+17 31 52.6		046
1995 SH ₅	1995 10 02.76200	00 23 14.29	+03 36 36.9			046	1995 TF	1995 10 05.13042	01 47 41.25	+17 31 53.6		046
1995 SH ₅	1995 10 02.76390	00 23 14.20	+03 36 36.0			046	1995 TF	1995 10 05.82538	01 46 58.01	+17 33 54.6	17.4 R	046
1995 SH ₅	1995 10 04.94959	00 21 33.22	+03 25 53.2	17.3 R	r	046	1995 TF	1995 10 05.82747	01 46 57.88	+17 33 54.9		046
1995 SH ₅	1995 10 04.95434	00 21 32.99	+03 25 51.3		r	046	1995 TF	1995 10 05.82983	01 46 57.75	+17 33 55.1		046
1995 SH ₅	1995 10 04.95649	00 21 32.90	+03 25 50.7		r	046	1995 TF	1995 10 05.83508	01 46 57.39	+17 33 56.2		046
1995 SH ₅	1995 10 05.89618	00 20 50.00	+03 21 15.2	17.4 R		046	1995 TN	* 1995 10 12.06027	01 38 16.49	+16 55 58.7	17.8 R	046
1995 SH ₅	1995 10 05.89826	00 20 49.85	+03 21 14.6			046	1995 TN	1995 10 12.06219	01 38 16.41	+16 55 58.8		046
1995 SH ₅	1995 10 05.90119	00 20 49.73	+03 21 14.1			046	1995 TN	1995 10 12.06411	01 38 16.32	+16 55 58.9		046
1995 SH ₅	1995 10 12.00663	00 16 19.23	+02 52 03.4	17.9 R		046	1995 TN	1995 10 12.06726	01 38 16.14	+16 55 58.2		046
1995 SH ₅	1995 10 12.00924	00 16 19.07	+02 52 01.8			046	1995 TN	1995 10 12.07196	01 38 15.88	+16 55 58.6		046
1995 SH ₅	1995 10 12.01368	00 16 18.85	+02 52 01.2			046	1995 TN	1995 10 12.07495	01 38 15.74	+16 55 57.9		046
1995 SH ₅	1995 10 21.95390	00 09 54.23	+02 09 31.8	18.3 R		046	1995 TN	1995 10 12.89772	01 37 32.78	+16 54 52.3	18.1 R	046
1995 SH ₅	1995 10 21.95793	00 09 54.06	+02 09 31.7			046	1995 TN	1995 10 12.89964	01 37 32.74	+16 54 51.7		046
1995 SH ₅	1995 10 21.95992	00 09 54.00	+02 09 31.0			046	1995 TN	1995 10 12.90156	01 37 32.59	+16 54 52.0		046
1995 SH ₅	1995 10 28.85925	00 06 27.42	+01 45 58.2	18.0 V		046	1995 TN	1995 10 12.90451	01 37 32.36	+16 54 51.3		046
1995 SH ₅	1995 10 28.86326	00 06 27.37	+01 45 57.6			046	1995 TN	1995 10 12.90660	01 37 32.30	+16 54 51.4		046
1995 SH ₅	1995 10 28.86560	00 06 27.25	+01 45 57.4			046	1995 TT	1995 10 24.04931	02 10 56.79	+14 35 42.7	16.2	046
1995 TB	* 1995 10 03.03413	00 23 59.45	+03 31 13.6	18.2 R		046	1995 TT	1995 10 24.07014	02 10 55.73	+14 35 41.0		046
1995 TB	1995 10 03.03860	00 23 59.11	+03 31 12.8			046	1995 TT	1995 10 25.04920	02 10 00.30	+14 35 03.9	16.4 V	046
1995 TB	1995 10 03.04058	00 23 59.04	+03 31 12.3			046	1995 TT	1995 10 25.05050	02 10 00.22	+14 35 03.7		046
1995 TB	1995 10 03.04338	00 23 58.83	+03 31 11.1			046	1995 TT	1995 10 25.05206	02 10 00.12	+14 35 03.6		046
1995 TB	1995 10 03.08459	00 23 56.21	+03 31 02.6			046	1995 TT	1995 10 25.05590	02 09 59.90	+14 35 03.5		046
1995 TB	1995 10 03.08859	00 23 55.98	+03 31 02.1			046	1995 TT	1995 10 25.05716	02 09 59.82	+14 35 03.3		046
1995 TB	1995 10 03.84975	00 23 09.29	+03 28 24.9		S	046	1995 TT	1995 10 26.95214	02 08 12.07	+14 33 44.4	16.3 V	046
1995 TB	1995 10 03.85359	00 23 09.17	+03 28 25.2		S	046	1995 TT	1995 10 26.95355	02 08 11.98	+14 33 44.4		046
1995 TB	1995 10 03.85720	00 23 08.86	+03 28 24.5		S	046	1995 TT	1995 10 26.95480	02 08 11.91	+14 33 44.3		046
1995 TB	1995 10 03.87086	00 23 08.00	+03 28 21.3		S	046	1995 TT	1995 10 26.95836	02 08 11.71	+14 33 44.1		046
1995 TC	* 1995 10 02.74559	00 22 51.10	+03 40 16.6	18.0 R		046	1995 TV	* 1995 10 15.84045	23 26 33.70	-08 58 48.9	17.2 R	046
1995 TC	1995 10 02.74962	00 22 50.85	+03 40 14.7			046	1995 TV	1995 10 15.84237	23 26 33.67	-08 58 48.7		046
1995 TC	1995 10 02.76010	00 22 50.36	+03 40 11.6			046	1995 TV	1995 10 15.84429	23 26 33.64	-08 58 48.8		046
1995 TC	1995 10 02.77678	00 22 49.57	+03 40 07.4			046	1995 TV	1995 10 15.84622	23 26 33.62	-08 58 48.8		046
1995 TC	1995 10 02.78038	00 22 49.42	+03 40 06.0			046	1995 TV	1995 10 15.84995	23 26 33.57	-08 58 48.8		046
1995 TC	1995 10 02.78448	00 22 49.24	+03 40 04.7			046	1995 TV	1995 10 15.85303	23 26 33.53	-08 58 48.5		046
1995 TC	1995 10 02.78653	00 22 49.11	+03 40 03.6			046	1995 TV	1995 10 16.75759	23 26 25.18	-08 58 35.1	17.4 R	046
1995 TC	1995 10 03.92520	00 21 55.49	+03 34 27.1	18.2 R		046	1995 TV	1995 10 16.76043	23 26 25.16	-08 58 34.9		046
1995 TC	1995 10 03.92731	00 21 55.36	+03 34 26.9			046	1995 TV	1995 10 16.76275	23 26 25.14	-08 58 35.1		046
1995 TC	1995 10 03.93053	00 21 55.24	+03 34 26.0			046	1995 TV	1995 10 16.76476	23 26 25.11	-08 58 35.0		046
1995 TC	1995 10 03.93432	00 21 55.05	+03 34 25.1			046	1995 TV	1995 10 16.76748	23 26 25.09	-08 58 34.7		046
1995 TE	* 1995 10 03.06054	00 16 02.08	-02 05 19.3	18.4 R		046	1995 TY	* 1995 10 15.93098	02 05 48.71	+04 48 04.9	18.9 R	r 046
1995 TE	1995 10 03.06245	00 16 02.01	-02 05 19.0			046	1995 TY	1995 10 15.93291	02 05 48.66	+04 48 04.4		r 046
1995 TE	1995 10 03.06801	00 16 01.73	-02 05 21.3			046	1995 TY	1995 10 15.93483	02 05 48.62	+04 48 03.0		r 046
1995 TE	1995 10 03.07002	00 16 01.67	-02 05 21.3			046	1995 TY	1995 10 15.94203	02 05 48.26	+04 48 00.1		r 046

1995 TY	1995 10 16.90731	02 05 08.00	+04 42 03.2	18.7 R	046	1995 UL ₁	1995 10 23.93499	01 50 22.44	+07 58 57.4	16.2 V	r	046
1995 TY	1995 10 16.91149	02 05 07.81	+04 42 02.6		046	1995 UL ₁	1995 10 23.93650	01 50 22.39	+07 58 56.8		r	046
1995 TY	1995 10 16.99525	02 05 04.26	+04 41 31.3		046	1995 UL ₁	1995 10 23.93778	01 50 22.34	+07 58 56.4		r	046
1995 TY	1995 10 17.00454	02 05 03.82	+04 41 29.1		046	1995 UM ₁	* 1995 10 22.84653	01 51 47.00	+08 27 02.0	15.8		046
1995 TY	1995 10 17.01193	02 05 03.49	+04 41 26.6		046	1995 UM ₁	1995 10 22.86736	01 51 45.72	+08 27 00.3			046
1995 UD ₁	* 1995 10 21.99944	01 27 42.62	+16 08 03.5	18.4 R	046	1995 UM ₁	1995 10 23.95174	01 50 35.36	+08 25 32.8	14.8 V	r	046
1995 UD ₁	1995 10 22.00501	01 27 42.25	+16 08 03.0		046	1995 UM ₁	1995 10 23.95435	01 50 35.19	+08 25 32.6		r	046
1995 UD ₁	1995 10 22.02417	01 27 40.86	+16 08 03.2		046	1995 UM ₁	1995 10 23.95620	01 50 35.07	+08 25 32.5		r	046
1995 UD ₁	1995 10 22.02616	01 27 40.74	+16 08 03.4		046	1995 UN ₁	* 1995 10 22.84653	01 54 17.59	+11 17 16.3	16.6		046
1995 UD ₁	1995 10 22.02811	01 27 40.57	+16 08 03.1		046	1995 UN ₁	1995 10 22.86736	01 54 16.18	+11 17 11.6			046
1995 UD ₁	1995 10 22.86742	01 26 43.38	+16 08 12.7	18.5 V	046	1995 UN ₁	1995 10 23.96052	01 53 14.32	+11 13 45.6	15.8 V	r	046
1995 UD ₁	1995 10 22.86943	01 26 43.19	+16 08 12.7		046	1995 UN ₁	1995 10 23.96420	01 53 14.09	+11 13 45.0			046
1995 UD ₁	1995 10 22.87346	01 26 42.92	+16 08 12.8		046	1995 UN ₁	1995 10 23.96567	01 53 14.00	+11 13 44.7			046
1995 UD ₁	1995 10 22.87553	01 26 42.77	+16 08 12.9		046	1995 UN ₁	1995 10 23.96700	01 53 13.93	+11 13 44.5			046
1995 UE ₁	* 1995 10 22.02417	01 27 09.22	+16 14 43.0	16.4 R	046	1995 UO ₁	* 1995 10 22.88889	02 11 25.16	+10 22 15.3	16.5	W	046
1995 UE ₁	1995 10 22.03013	01 27 08.88	+16 14 42.3		046	1995 UO ₁	1995 10 22.90972	02 11 23.90	+10 22 14.3			046
1995 UE ₁	1995 10 22.05921	01 27 07.20	+16 14 38.2		046	1995 UO ₁	1995 10 23.97130	02 10 22.54	+10 19 30.1	16.2 V	r	046
1995 UE ₁	1995 10 22.06566	01 27 06.84	+16 14 37.3		046	1995 UO ₁	1995 10 23.97414	02 10 22.37	+10 19 29.8			046
1995 UE ₁	1995 10 22.86128	01 26 23.44	+16 12 50.6	16.2 V	046	1995 UO ₁	1995 10 23.97567	02 10 22.27	+10 19 29.5			046
1995 UE ₁	1995 10 22.86450	01 26 23.26	+16 12 50.1		046	1995 UO ₁	1995 10 23.97737	02 10 22.17	+10 19 29.2			046
1995 UE ₁	1995 10 22.86742	01 26 23.10	+16 12 49.6		046	1995 UP ₁	* 1995 10 22.88889	02 15 36.44	+11 54 59.9	16.0		046
1995 UE ₁	1995 10 22.86943	01 26 22.97	+16 12 49.5		046	1995 UP ₁	1995 10 22.90972	02 15 35.10	+11 55 02.5			046
1995 UE ₁	1995 10 22.87346	01 26 22.75	+16 12 48.7		046	1995 UP ₁	1995 10 23.98370	02 14 33.80	+11 57 02.9	15.4 V		046
1995 UE ₁	1995 10 22.87553	01 26 22.61	+16 12 48.4		046	1995 UP ₁	1995 10 23.98583	02 14 33.67	+11 57 03.2			046
1995 UF ₁	* 1995 10 22.89127	00 08 42.39	+02 09 52.3	19.4 V	046	1995 UP ₁	1995 10 23.98725	02 14 33.58	+11 57 03.2			046
1995 UF ₁	1995 10 22.89331	00 08 42.29	+02 09 53.2		046	1995 UQ ₁	* 1995 10 22.93194	02 27 50.11	+14 42 00.0	16.0		046
1995 UF ₁	1995 10 22.89525	00 08 42.26	+02 09 52.1		046	1995 UQ ₁	1995 10 22.95139	02 27 49.15	+14 41 50.3			046
1995 UF ₁	1995 10 22.89771	00 08 42.14	+02 09 52.0		046	1995 UQ ₁	1995 10 24.00227	02 27 03.80	+14 32 57.6	15.7 V		046
1995 UF ₁	1995 10 22.95832	00 08 39.81	+02 09 48.3		046	1995 UQ ₁	1995 10 24.00367	02 27 03.73	+14 32 56.9			046
1995 UF ₁	1995 10 23.89769	00 08 05.55	+02 08 58.6	19.5 V	046	1995 UQ ₁	1995 10 24.00509	02 27 03.66	+14 32 56.1			046
1995 UF ₁	1995 10 23.89995	00 08 05.45	+02 08 58.8		046	1995 UQ ₁	1995 10 24.00728	02 27 03.57	+14 32 55.0			046
1995 UF ₁	1995 10 23.90249	00 08 05.36	+02 08 59.1		046	1995 UR ₁	* 1995 10 22.93194	02 28 12.39	+16 01 18.1	16.4		046
1995 UF ₁	1995 10 23.90662	00 08 05.17	+02 08 58.8		046	1995 UR ₁	1995 10 22.95139	02 28 10.97	+16 01 23.1			046
1995 UG ₁	* 1995 10 22.94763	01 28 21.44	+16 34 11.7	19.2 V	046	1995 UR ₁	1995 10 24.01211	02 26 57.42	+16 04 46.6	16.2 V		046
1995 UG ₁	1995 10 22.94975	01 28 21.34	+16 34 12.3		046	1995 UR ₁	1995 10 24.01351	02 26 57.32	+16 04 46.7			046
1995 UG ₁	1995 10 22.95184	01 28 21.20	+16 34 11.9		046	1995 UR ₁	1995 10 24.01493	02 26 57.22	+16 04 46.9			046
1995 UG ₁	1995 10 22.96409	01 28 20.41	+16 34 11.3		046	1995 UR ₁	1995 10 24.01630	02 26 57.12	+16 04 47.3			046
1995 UG ₁	1995 10 22.96623	01 28 20.23	+16 34 11.6		046	1995 UR ₁	1995 10 24.03186	02 26 56.01	+16 04 50.2			046
1995 UG ₁	1995 10 23.91240	01 27 20.91	+16 33 26.4	18.9 V	046	1995 UR ₁	1995 10 24.03315	02 26 55.92	+16 04 50.4			046
1995 UG ₁	1995 10 23.91451	01 27 20.78	+16 33 25.9		046	1995 US ₁	* 1995 10 22.97292	02 25 25.76	+05 45 54.2	16.2	E	046
1995 UG ₁	1995 10 23.91663	01 27 20.62	+16 33 26.1		046	1995 US ₁	1995 10 22.99306	02 25 24.74	+05 45 54.7		E	046
1995 UG ₁	1995 10 23.91876	01 27 20.53	+16 33 25.2		046	1995 US ₁	1995 10 24.05047	02 24 33.69	+05 44 51.4	15.7 V		046
1995 UK ₁	* 1995 10 22.84653	01 47 53.38	+11 05 32.8	16.5	046	1995 US ₁	1995 10 24.05175	02 24 33.63	+05 44 51.2			046
1995 UK ₁	1995 10 22.86736	01 47 51.90	+11 05 27.4		046	1995 US ₁	1995 10 24.05323	02 24 33.56	+05 44 51.1			046
1995 UK ₁	1995 10 23.88190	01 46 50.75	+11 00 48.9	15.8 V	046	1995 US ₁	1995 10 24.05506	02 24 33.46	+05 44 51.0			046
1995 UK ₁	1995 10 23.88369	01 46 50.63	+11 00 48.4		046	1995 UT ₁	* 1995 10 23.01181	02 37 13.84	+11 44 37.1	16.2	I	046
1995 UK ₁	1995 10 23.88515	01 46 50.55	+11 00 48.0		046	1995 UT ₁	1995 10 23.03264	02 37 12.23	+11 44 36.9			046
1995 UK ₁	1995 10 23.88726	01 46 50.41	+11 00 47.5		046	1995 UT ₁	1995 10 24.11199	02 36 16.24	+11 44 33.8	16.3 V		046
1995 UK ₁	1995 10 23.88869	01 46 50.32	+11 00 47.0		r 046	1995 UT ₁	1995 10 24.11346	02 36 16.17	+11 44 33.7			046
1995 UK ₁	1995 10 23.89188	01 46 50.12	+11 00 46.2		r 046	1995 UT ₁	1995 10 24.11478	02 36 16.10	+11 44 33.8			046
1995 UL ₁	* 1995 10 22.84653	01 51 22.35	+08 03 52.1	16.9	046	1995 UT ₁	1995 10 24.11818	02 36 15.90	+11 44 33.6			046
1995 UL ₁	1995 10 22.86736	01 51 21.30	+08 03 45.7		046	1995 UT ₁	1995 10 24.11943	02 36 15.84	+11 44 33.6			046

1995 UG ₂	* 1995 10 23.88190	01 47 01.91	+10 57 31.7	18.4 V	046	1995 UN ₂	* 1995 10 24.10191	02 36 56.28	+11 44 52.8	17.9 V	r	046
1995 UG ₂	1995 10 23.88369	01 47 01.81	+10 57 30.8		046	1995 UN ₂	1995 10 24.10332	02 36 56.22	+11 44 52.3		r	046
1995 UG ₂	1995 10 23.88515	01 47 01.76	+10 57 30.5		046	1995 UN ₂	1995 10 24.10771	02 36 55.94	+11 44 53.5		r	046
1995 UG ₂	1995 10 23.88726	01 47 01.62	+10 57 31.2		046	1995 UN ₂	1995 10 24.10985	02 36 55.80	+11 44 53.1		r	046
1995 UG ₂	1995 10 24.83543	01 46 07.91	+10 54 08.2	18.3 V	046	1995 UN ₂	1995 10 25.03618	02 36 12.74	+11 40 54.0	17.7 V		046
1995 UG ₂	1995 10 24.83763	01 46 07.81	+10 54 07.9		046	1995 UN ₂	1995 10 25.03751	02 36 12.68	+11 40 53.6			046
1995 UG ₂	1995 10 24.83898	01 46 07.72	+10 54 07.8		046	1995 UN ₂	1995 10 25.03878	02 36 12.61	+11 40 53.7			046
1995 UG ₂	1995 10 24.84152	01 46 07.57	+10 54 06.9		046	1995 UN ₂	1995 10 25.04057	02 36 12.55	+11 40 52.8			046
1995 UH ₂	* 1995 10 23.89769	00 08 09.65	+02 10 38.3	19.4 V	046	1995 UN ₂	1995 10 25.04334	02 36 12.41	+11 40 52.0			046
1995 UH ₂	1995 10 23.89995	00 08 09.53	+02 10 37.5		046	1995 UO ₂	* 1995 10 24.13780	02 36 45.21	+18 42 18.6	17.3 V	r	046
1995 UH ₂	1995 10 23.90249	00 08 09.47	+02 10 36.9		046	1995 UO ₂	1995 10 24.13905	02 36 45.13	+18 42 18.3		r	046
1995 UH ₂	1995 10 23.90662	00 08 09.33	+02 10 35.1		046	1995 UO ₂	1995 10 24.14041	02 36 45.03	+18 42 18.4		r	046
1995 UH ₂	1995 10 24.81963	00 07 38.69	+02 06 41.2	19.4 V	046	1995 UO ₂	1995 10 24.14435	02 36 44.76	+18 42 18.3			046
1995 UH ₂	1995 10 24.82478	00 07 38.49	+02 06 39.5		046	1995 UO ₂	1995 10 24.14565	02 36 44.68	+18 42 18.0			046
1995 UH ₂	1995 10 24.85572	00 07 37.43	+02 06 32.9		046	1995 UO ₂	1995 10 24.14692	02 36 44.60	+18 42 18.2			046
1995 UH ₂	1995 10 24.85788	00 07 37.31	+02 06 32.1		046	1995 UO ₂	1995 10 24.89384	02 35 55.80	+18 42 17.9	17.5 V		046
1995 UH ₂	1995 10 24.85995	00 07 37.22	+02 06 30.7		046	1995 UO ₂	1995 10 24.89657	02 35 55.61	+18 42 17.7			046
1995 UH ₂	1995 10 24.86205	00 07 37.17	+02 06 31.5		046	1995 UO ₂	1995 10 24.89800	02 35 55.52	+18 42 18.1			046
1995 UJ ₂	* 1995 10 23.96111	01 55 35.56	+14 17 50.2	16.1	046	1995 UO ₂	1995 10 24.89983	02 35 55.40	+18 42 17.8			046
1995 UJ ₂	1995 10 23.98194	01 55 34.27	+14 17 48.6		046	1995 UP ₂	* 1995 10 24.16463	02 37 08.76	+19 15 47.5	17.4 V		046
1995 UJ ₂	1995 10 24.97984	01 54 37.03	+14 15 49.0	15.7 V	046	1995 UP ₂	1995 10 24.16611	02 37 08.70	+19 15 47.4			046
1995 UJ ₂	1995 10 24.98135	01 54 36.98	+14 15 48.5		r 046	1995 UP ₂	1995 10 24.16748	02 37 08.60	+19 15 47.4			046
1995 UJ ₂	1995 10 24.98269	01 54 36.90	+14 15 48.3		r 046	1995 UP ₂	1995 10 24.16937	02 37 08.52	+19 15 47.3			046
1995 UJ ₂	1995 10 24.98508	01 54 36.76	+14 15 48.0		r 046	1995 UP ₂	1995 10 24.17075	02 37 08.43	+19 15 47.2			046
1995 UK ₂	* 1995 10 24.01211	02 26 43.40	+16 07 43.1	18.4 V	046	1995 UP ₂	1995 10 24.92847	02 36 27.84	+19 15 22.1	17.2 V		046
1995 UK ₂	1995 10 24.01351	02 26 43.34	+16 07 42.3		046	1995 UP ₂	1995 10 24.92983	02 36 27.77	+19 15 22.1			046
1995 UK ₂	1995 10 24.01493	02 26 43.30	+16 07 41.6		046	1995 UP ₂	1995 10 24.93161	02 36 27.68	+19 15 22.0			046
1995 UK ₂	1995 10 24.01630	02 26 43.26	+16 07 41.1		046	1995 UP ₂	1995 10 24.93310	02 36 27.59	+19 15 22.1			046
1995 UK ₂	1995 10 24.03186	02 26 42.53	+16 07 34.3		046	1995 UQ ₂	* 1995 10 24.85521	01 34 24.51	+12 02 28.1	15.8	E	046
1995 UK ₂	1995 10 24.03315	02 26 42.49	+16 07 33.3		046	1995 UQ ₂	1995 10 24.87604	01 34 23.27	+12 02 27.0		E	046
1995 UK ₂	1995 10 24.84529	02 26 07.01	+16 01 28.2	18.2 V	046	1995 UQ ₂	1995 10 25.77859	01 33 40.67	+11 58 59.9	15.9 V		046
1995 UK ₂	1995 10 24.84663	02 26 06.95	+16 01 27.4		046	1995 UQ ₂	1995 10 25.78017	01 33 40.59	+11 58 59.5			046
1995 UK ₂	1995 10 24.84797	02 26 06.88	+16 01 27.1		046	1995 UQ ₂	1995 10 25.78278	01 33 40.46	+11 58 59.0			046
1995 UK ₂	1995 10 24.85118	02 26 06.74	+16 01 25.2		046	1995 UQ ₂	1995 10 25.78409	01 33 40.40	+11 58 58.6			046
1995 UL ₂	* 1995 10 24.02137	02 28 11.82	+16 44 32.8	19.2 V	r 046	1995 UQ ₂	1995 10 25.78593	01 33 40.31	+11 58 58.3			046
1995 UL ₂	1995 10 24.02296	02 28 11.78	+16 44 32.7		r 046	1995 UR ₂	* 1995 10 24.90347	01 55 52.70	+20 27 03.7	16.3		046
1995 UL ₂	1995 10 24.02484	02 28 11.67	+16 44 33.1		r 046	1995 UR ₂	1995 10 24.92431	01 55 51.60	+20 26 56.6			046
1995 UL ₂	1995 10 24.02688	02 28 11.51	+16 44 31.7		r 046	1995 UR ₂	1995 10 25.80918	01 55 09.36	+20 21 22.4	16.2 V		046
1995 UL ₂	1995 10 24.02832	02 28 11.40	+16 44 32.2		r 046	1995 UR ₂	1995 10 25.81097	01 55 09.27	+20 21 21.7			046
1995 UL ₂	1995 10 24.86910	02 27 13.59	+16 43 40.0	19.5 V	046	1995 UR ₂	1995 10 25.81227	01 55 09.20	+20 21 21.3			046
1995 UL ₂	1995 10 24.87176	02 27 13.41	+16 43 40.5		046	1995 UR ₂	1995 10 25.81404	01 55 09.11	+20 21 20.6			046
1995 UL ₂	1995 10 24.87387	02 27 13.24	+16 43 40.4		046	1995 UR ₂	1995 10 25.81536	01 55 09.05	+20 21 20.1			046
1995 UL ₂	1995 10 24.87675	02 27 13.01	+16 43 40.0		046	1995 US ₂	* 1995 10 24.90347	02 00 13.18	+20 03 05.1	16.2	E	046
1995 UM ₂	* 1995 10 24.06604	02 28 51.61	+06 41 43.5	19.0 V	046	1995 US ₂	1995 10 24.92431	02 00 12.37	+20 02 58.9		E	046
1995 UM ₂	1995 10 24.06736	02 28 51.56	+06 41 42.9		046	1995 US ₂	1995 10 25.82359	01 59 23.15	+19 57 24.4	16.3 V		046
1995 UM ₂	1995 10 24.06861	02 28 51.44	+06 41 42.4		046	1995 US ₂	1995 10 25.82491	01 59 23.08	+19 57 23.8			046
1995 UM ₂	1995 10 24.07663	02 28 50.91	+06 41 41.5		046	1995 US ₂	1995 10 25.82624	01 59 23.02	+19 57 23.3			046
1995 UM ₂	1995 10 24.07803	02 28 50.82	+06 41 41.2		046	1995 US ₂	1995 10 25.82792	01 59 22.91	+19 57 22.6			046
1995 UM ₂	1995 10 24.88118	02 27 58.97	+06 39 51.2	18.8 V	046	1995 US ₂	1995 10 25.82954	01 59 22.82	+19 57 22.1			046
1995 UM ₂	1995 10 24.88337	02 27 58.82	+06 39 50.6		046	1995 UT ₂	* 1995 10 24.95166	01 55 59.47	+04 43 55.6	18.6 V		046
1995 UM ₂	1995 10 24.88549	02 27 58.67	+06 39 50.5		046	1995 UT ₂	1995 10 24.96050	01 55 58.93	+04 43 52.5			046
1995 UM ₂	1995 10 24.88850	02 27 58.46	+06 39 49.7		046	1995 UT ₂	1995 10 24.96181	01 55 58.86	+04 43 52.7			046

1995 UT ₂	1995 10 24.96394	01 55 58.75	+04 43 52.4		046	1995 UC ₃	1995 10 27.09813	02 33 21.06	+11 43 50.2	18.0 V	046
1995 UT ₂	1995 10 25.83909	01 55 08.11	+04 39 55.9	18.1 V	046	1995 UC ₃	1995 10 27.10322	02 33 20.72	+11 43 50.7		046
1995 UT ₂	1995 10 25.84046	01 55 08.02	+04 39 56.1		046	1995 UC ₃	1995 10 27.11119	02 33 20.20	+11 43 51.7		046
1995 UT ₂	1995 10 25.84182	01 55 07.93	+04 39 55.8		046	1995 UC ₃	1995 10 27.11311	02 33 20.06	+11 43 52.4		046
1995 UT ₂	1995 10 25.84358	01 55 07.84	+04 39 55.4		046	1995 UC ₃	1995 10 27.12713	02 33 19.14	+11 43 54.3		046
1995 UT ₂	1995 10 25.84678	01 55 07.65	+04 39 54.1		046	1995 UC ₃	1995 10 27.12841	02 33 19.11	+11 43 54.5		046
1995 UU ₂	* 1995 10 24.95166	01 56 32.14	+04 47 14.4	18.5 V	046	1995 UD ₃	* 1995 10 25.04920	02 09 45.80	+14 28 46.2	18.2 V	046
1995 UU ₂	1995 10 24.96050	01 56 31.68	+04 47 13.4		046	1995 UD ₃	1995 10 25.05050	02 09 45.72	+14 28 45.8		046
1995 UU ₂	1995 10 24.96181	01 56 31.59	+04 47 14.0		046	1995 UD ₃	1995 10 25.05206	02 09 45.65	+14 28 45.1		046
1995 UU ₂	1995 10 24.96394	01 56 31.50	+04 47 13.5		046	1995 UD ₃	1995 10 25.05590	02 09 45.41	+14 28 44.0		046
1995 UU ₂	1995 10 25.85163	01 55 44.38	+04 46 34.5	18.4 V	046	1995 UD ₃	1995 10 25.05716	02 09 45.31	+14 28 43.7		046
1995 UU ₂	1995 10 25.85473	01 55 44.22	+04 46 34.1		046	1995 UD ₃	1995 10 26.94168	02 07 50.28	+14 19 32.9	17.8 V	046
1995 UU ₂	1995 10 25.85684	01 55 44.08	+04 46 34.4		046	1995 UD ₃	1995 10 26.94299	02 07 50.21	+14 19 32.3		046
1995 UU ₂	1995 10 25.85957	01 55 43.95	+04 46 33.8		046	1995 UD ₃	1995 10 26.94424	02 07 50.13	+14 19 32.3		046
1995 UV ₂	* 1995 10 24.97522	01 54 29.35	+14 08 47.3	18.5 V	046	1995 UD ₃	1995 10 26.94627	02 07 49.99	+14 19 31.7		046
1995 UV ₂	1995 10 24.97664	01 54 29.26	+14 08 46.6		046	1995 UE ₃	* 1995 10 25.04920	02 10 13.58	+14 30 44.6	18.1 V	046
1995 UV ₂	1995 10 24.97984	01 54 29.04	+14 08 46.1		046	1995 UE ₃	1995 10 25.05050	02 10 13.47	+14 30 44.8		046
1995 UV ₂	1995 10 24.98135	01 54 28.94	+14 08 45.8		046	1995 UE ₃	1995 10 25.05206	02 10 13.39	+14 30 44.7		046
1995 UV ₂	1995 10 24.98269	01 54 28.84	+14 08 45.4		046	1995 UE ₃	1995 10 25.05590	02 10 13.11	+14 30 44.6		046
1995 UV ₂	1995 10 24.98508	01 54 28.71	+14 08 44.8		046	1995 UE ₃	1995 10 25.05716	02 10 13.03	+14 30 44.8		046
1995 UV ₂	1995 10 25.75830	01 53 42.46	+14 05 53.2	18.3 V	046	1995 UE ₃	1995 10 26.95214	02 08 10.20	+14 30 05.0	18.0 V	046
1995 UV ₂	1995 10 25.76037	01 53 42.26	+14 05 52.2		046	1995 UE ₃	1995 10 26.95355	02 08 10.13	+14 30 04.9		046
1995 UV ₂	1995 10 25.76240	01 53 42.19	+14 05 51.7		046	1995 UE ₃	1995 10 26.95480	02 08 10.04	+14 30 04.8		046
1995 UW ₂	* 1995 10 24.97522	01 54 46.06	+14 12 29.8	16.2 V	046	1995 UE ₃	1995 10 26.95836	02 08 09.79	+14 30 04.3		046
1995 UW ₂	1995 10 24.97664	01 54 46.00	+14 12 29.1		046	1995 UF ₃	* 1995 10 25.08898	02 26 28.25	+14 26 00.9	19.2 V	046
1995 UW ₂	1995 10 24.97984	01 54 45.85	+14 12 28.6		046	1995 UF ₃	1995 10 25.09074	02 26 28.14	+14 25 59.8		046
1995 UW ₂	1995 10 24.98135	01 54 45.81	+14 12 27.9		046	1995 UF ₃	1995 10 25.09258	02 26 28.00	+14 25 59.2		046
1995 UW ₂	1995 10 24.98269	01 54 45.73	+14 12 27.3		046	1995 UF ₃	1995 10 25.09440	02 26 27.98	+14 25 59.5		046
1995 UW ₂	1995 10 24.98508	01 54 45.60	+14 12 26.7		046	1995 UF ₃	1995 10 27.02437	02 24 50.30	+14 20 25.3	19.0 V	046
1995 UW ₂	1995 10 25.74267	01 54 06.66	+14 08 11.5	16.2 V	046	1995 UF ₃	1995 10 27.02741	02 24 50.14	+14 20 25.1		046
1995 UW ₂	1995 10 25.74753	01 54 06.40	+14 08 10.1		046	1995 UF ₃	1995 10 27.02985	02 24 50.06	+14 20 25.2		046
1995 UW ₂	1995 10 25.75830	01 54 05.85	+14 08 06.1		046	1995 UF ₃	1995 10 27.04491	02 24 49.20	+14 20 22.0		046
1995 UW ₂	1995 10 25.76037	01 54 05.72	+14 08 05.4		046	1995 UF ₃	1995 10 27.04704	02 24 49.10	+14 20 21.1		046
1995 UW ₂	1995 10 25.76240	01 54 05.62	+14 08 04.6		046	2246 T-1	1995 10 22.88889	02 10 12.77	+12 03 12.8	E	046
1995 UY ₂	* 1995 10 22.84653	01 50 44.22	+12 03 20.5	16.0	E 046	2246 T-1	1995 10 22.90972	02 10 11.46	+12 03 10.2	E	046
1995 UY ₂	1995 10 22.86736	01 50 42.70	+12 03 18.4		E 046	4886 T-1	1995 10 22.84653	01 49 16.44	+10 54 44.6	16.2	046
1995 UY ₂	1995 10 26.78549	01 46 27.64	+11 56 19.5	16.3 V	046	4886 T-1	1995 10 22.86736	01 49 15.12	+10 54 43.8		046
1995 UY ₂	1995 10 26.78697	01 46 27.58	+11 56 19.6		046	4886 T-1	1995 10 23.92267	01 48 07.84	+10 52 41.3	15.9 V	046
1995 UY ₂	1995 10 26.78856	01 46 27.46	+11 56 19.4		046	4886 T-1	1995 10 23.92400	01 48 07.76	+10 52 41.2		046
1995 UY ₂	1995 10 26.79002	01 46 27.33	+11 56 19.2		046	4886 T-1	1995 10 23.92696	01 48 07.56	+10 52 40.8		046
1995 UZ ₂	* 1995 10 25.79064	01 45 08.15	+18 07 06.5	18.4 V	046	4886 T-1	1995 10 23.92851	01 48 07.47	+10 52 40.6		046
1995 UZ ₂	1995 10 25.79205	01 45 08.03	+18 07 06.0		046	(24)	1995 10 22.93194	02 27 17.39	+14 33 54.1		046
1995 UZ ₂	1995 10 25.79366	01 45 07.95	+18 07 05.9		046	(24)	1995 10 22.95139	02 27 16.47	+14 33 50.4		046
1995 UZ ₂	1995 10 25.79556	01 45 07.83	+18 07 05.5		046	(24)	1995 10 24.00227	02 26 27.35	+14 30 03.5	11.5 V	046
1995 UZ ₂	1995 10 25.79706	01 45 07.76	+18 07 04.8		046	(24)	1995 10 24.00509	02 26 27.20	+14 30 03.2		046
1995 UZ ₂	1995 10 26.75559	01 44 08.84	+18 03 00.6	17.9 V	046	(24)	1995 10 24.00728	02 26 27.10	+14 30 02.7		046
1995 UZ ₂	1995 10 26.75764	01 44 08.70	+18 02 59.7		046	(25)	1995 10 23.96111	01 46 22.09	+14 22 01.5		046
1995 UZ ₂	1995 10 26.75983	01 44 08.57	+18 02 59.6		046	(25)	1995 10 23.98194	01 46 20.95	+14 21 38.5		046
1995 UC ₃	* 1995 10 24.94123	02 35 36.50	+11 38 12.0	18.0 V	r 046	(48)	1995 10 23.01181	02 40 37.51	+09 59 59.2		046
1995 UC ₃	1995 10 24.94255	02 35 36.47	+11 38 12.3		r 046	(48)	1995 10 23.03264	02 40 36.39	+09 59 52.5		046
1995 UC ₃	1995 10 24.94382	02 35 36.36	+11 38 12.7		r 046	(64)	1995 10 24.85521	01 22 17.12	+10 48 48.9	E	046
1995 UC ₃	1995 10 24.94589	02 35 36.24	+11 38 13.2		r 046	(64)	1995 10 24.87604	01 22 16.01	+10 48 42.3	E	046

(125)	1995 10 23.92083	01 55 08.59	+06 50 18.0	046	(1980)	1995 10 13.09715	08 22 53.34	+10 58 21.8	046
(125)	1995 10 23.94167	01 55 07.47	+06 50 12.0	046	(1986)	1995 10 22.84653	01 53 26.20	+08 10 40.8	046
(190)	1995 08 23.95295	22 36 34.12	-05 50 16.6	046	(1986)	1995 10 22.86736	01 53 25.24	+08 10 35.3	046
(190)	1995 08 23.96823	22 36 33.54	-05 50 21.3	046	(2071)	1995 10 24.90347	01 53 26.14	+18 44 06.8	046
(374)	1995 09 24.90139	00 34 42.91	+11 24 15.4	046	(2071)	1995 10 24.92431	01 53 24.59	+18 43 59.7	046
(374)	1995 09 24.91875	00 34 42.12	+11 24 07.5	046	(2226)	1995 10 22.93194	02 40 43.22	+15 12 19.4	E 046
(406)	1995 10 24.90347	01 53 39.73	+18 53 57.5	046	(2226)	1995 10 22.95139	02 40 42.20	+15 12 15.6	E 046
(406)	1995 10 24.92431	01 53 38.58	+18 53 52.9	046	(2331)	1995 10 24.95139	02 13 36.47	+18 05 02.4	E 046
(427)	1995 10 24.95139	02 10 08.99	+21 16 03.2	046	(2331)	1995 10 24.97222	02 13 35.25	+18 04 58.0	E 046
(427)	1995 10 24.97222	02 10 07.92	+21 15 57.7	046	(2399)	1995 10 22.97292	02 25 51.34	+05 17 32.3	E 046
(453)	1995 10 23.05278	02 31 13.53	+18 59 50.1	046	(2399)	1995 10 22.99306	02 25 50.05	+05 17 25.0	E 046
(453)	1995 10 23.07396	02 31 12.00	+18 59 49.1	046	(2461)	1995 10 23.01181	02 26 11.27	+10 28 25.3	E 046
(494)	1995 10 22.93194	02 28 05.31	+14 07 12.3	046	(2461)	1995 10 23.03264	02 26 10.06	+10 28 19.1	E 046
(494)	1995 10 22.95139	02 28 04.34	+14 07 09.9	046	(2627)	1995 10 22.88889	02 14 22.52	+09 20 58.5	046
(557)	1995 10 23.05278	02 36 44.59	+19 36 14.5	046	(2627)	1995 10 22.90972	02 14 21.58	+09 20 53.4	046
(557)	1995 10 23.07396	02 36 43.50	+19 36 07.4	046	(2884)	1995 10 24.85521	01 25 36.57	+08 04 58.8	E 046
(701)	1995 10 24.95139	02 10 53.14	+18 38 03.0	046	(2884)	1995 10 24.87604	01 25 35.49	+08 04 54.3	E 046
(701)	1995 10 24.97222	02 10 52.17	+18 37 56.2	046	(3213)	1995 10 22.84653	01 54 59.05	+11 39 51.5	046
(728)	1995 10 23.01181	02 40 26.63	+09 50 28.8	046	(3213)	1995 10 22.86736	01 54 58.13	+11 39 46.8	046
(728)	1995 10 23.03264	02 40 25.61	+09 50 23.7	046	(3311)	1995 10 22.84653	01 48 59.40	+10 02 36.2	046
(755)	1995 10 22.88889	02 05 11.27	+10 02 14.6	046	(3311)	1995 10 22.86736	01 48 58.35	+10 02 30.2	046
(755)	1995 10 22.90972	02 05 10.27	+10 02 09.2	046	(3377)	1995 10 24.85521	01 34 44.95	+10 13 04.8	046
(929)	1995 10 23.96111	01 44 21.96	+13 29 24.7	E 046	(3377)	1995 10 24.87604	01 34 43.68	+10 12 58.1	046
(929)	1995 10 23.98194	01 44 20.89	+13 29 15.5	E 046	(3381)	1995 10 23.05278	02 32 18.71	+20 59 38.8	046
(1080)	1995 10 23.05278	02 36 01.17	+21 00 54.8	046	(3381)	1995 10 23.07396	02 32 17.59	+20 59 32.3	046
(1080)	1995 10 23.07396	02 36 00.05	+21 00 56.5	046	(3456)	1995 10 22.93194	02 38 03.29	+13 07 17.8	E 046
(1117)	1995 10 24.00417	02 08 38.55	+05 24 47.8	046	(3456)	1995 10 22.95139	02 38 02.05	+13 07 13.2	E 046
(1117)	1995 10 24.02500	02 08 37.24	+05 24 39.6	046	(3669)	1995 10 24.00417	02 07 18.96	+04 48 09.6	046
(1134)	1995 10 13.02166	01 00 20.41	+16 55 51.2	14.3 R 046	(3669)	1995 10 24.02500	02 07 17.85	+04 48 04.1	046
(1134)	1995 10 13.02532	01 00 20.13	+16 55 54.4	046	(3827)	1995 10 24.90347	01 52 43.12	+17 52 06.7	E 046
(1134)	1995 10 13.02932	01 00 19.80	+16 55 58.0	046	(3827)	1995 10 24.92431	01 52 41.96	+17 52 01.8	E 046
(1181)	1995 10 24.90347	01 43 58.91	+19 10 58.4	046	(4005)	1995 10 22.97292	02 29 40.00	+06 10 15.8	046
(1181)	1995 10 24.92431	01 43 57.89	+19 10 48.1	046	(4005)	1995 10 22.99306	02 29 38.68	+06 10 13.1	046
(1340)	1995 10 24.85521	01 29 20.87	+09 45 30.8	046	(4105)	1995 10 22.88889	02 12 36.98	+11 52 21.0	046
(1340)	1995 10 24.87604	01 29 20.04	+09 45 25.5	046	(4105)	1995 10 22.90972	02 12 35.90	+11 52 12.6	046
(1353)	1995 10 22.84653	01 49 28.01	+12 01 46.3	E 046	(4156)	1995 10 21.82309	22 32 18.55	+08 31 41.1	16.5 R 046
(1353)	1995 10 22.86736	01 49 27.04	+12 01 36.7	E 046	(4156)	1995 10 21.82715	22 32 18.51	+08 31 40.1	046
(1420)	1995 10 23.96111	01 49 26.06	+15 54 17.9	046	(4156)	1995 10 21.83318	22 32 18.39	+08 31 39.2	046
(1420)	1995 10 23.98194	01 49 24.82	+15 54 10.5	046	(4156)	1995 10 22.72844	22 32 06.81	+08 28 55.2	17.0 R 046
(1448)	1995 10 22.88889	02 17 27.44	+11 23 43.2	046	(4156)	1995 10 22.73056	22 32 06.79	+08 28 54.7	046
(1448)	1995 10 22.90972	02 17 26.09	+11 23 40.6	046	(4156)	1995 10 22.73473	22 32 06.73	+08 28 53.9	046
(1535)	1995 10 24.90347	01 58 35.33	+19 49 57.2	046	(4229)	1995 10 24.00417	02 21 03.16	+06 32 05.8	E 046
(1535)	1995 10 24.92431	01 58 34.40	+19 49 51.3	046	(4229)	1995 10 24.02500	02 21 02.00	+06 31 59.6	E 046
(1632)	1995 10 22.84653	01 59 35.98	+10 22 31.8	E 046	(4269)	1995 10 23.07396	02 31 56.29	+20 30 18.9	046
(1632)	1995 10 22.86736	01 59 34.78	+10 22 22.5	E 046	(4369)	1995 10 05.11221	02 01 01.36	+36 03 28.7	14.8 R 046
(1704)	1995 10 24.85521	01 32 17.28	+11 02 57.9	046	(4369)	1995 10 05.11578	02 01 01.21	+36 03 29.4	046
(1704)	1995 10 24.87604	01 32 15.95	+11 02 50.1	046	(4369)	1995 10 05.11735	02 01 01.14	+36 03 29.6	046
(1953)	1995 10 22.84653	01 54 30.13	+08 42 18.5	046	(4369)	1995 10 05.96900	02 00 27.09	+36 06 12.2	14.6 R 046
(1953)	1995 10 22.86736	01 54 29.14	+08 42 14.2	046	(4369)	1995 10 05.97572	02 00 26.79	+36 06 13.5	046
(1980)	1995 10 13.09358	08 22 52.98	+10 58 27.6	16.2 R 046	(4369)	1995 10 05.98039	02 00 26.59	+36 06 14.3	046
(1980)	1995 10 13.09477	08 22 53.10	+10 58 25.6	046	(4423)	1995 10 24.00417	02 15 50.62	+04 11 24.3	U 046
(1980)	1995 10 13.09596	08 22 53.24	+10 58 23.8	046	(4423)	1995 10 24.02500	02 15 49.78	+04 11 17.0	U 046

(4558)	1995 10 13.07648	08 16 18.94	+10 58 11.1	17.1 R	046
(4558)	1995 10 13.08032	08 16 19.19	+10 58 07.8		046
(4558)	1995 10 13.08454	08 16 19.43	+10 58 04.5		046
(4558)	1995 10 13.08801	08 16 19.64	+10 58 02.1		046
(4567)	1995 10 09.98181	05 45 48.33	+08 47 15.6	17.6 R	046
(4567)	1995 10 09.98547	05 45 48.45	+08 47 14.0		046
(4567)	1995 10 09.98913	05 45 48.47	+08 47 12.8		046
(4567)	1995 10 11.04161	05 46 08.32	+08 40 12.8	18.4 R	F 046
(4567)	1995 10 11.04362	05 46 08.36	+08 40 12.2		F 046
(4567)	1995 10 11.05047	05 46 08.57	+08 40 09.5		F 046
(4569)	1995 10 23.01181	02 27 44.32	+10 45 19.9		E 046
(4569)	1995 10 23.03264	02 27 43.32	+10 45 07.7		E 046
(4685)	1995 10 24.85521	01 32 05.54	+08 37 31.5		046
(4685)	1995 10 24.87604	01 32 04.40	+08 37 27.1	I	046
(5019)	1995 10 23.05278	02 36 37.51	+19 37 22.1		046
(5019)	1995 10 23.07396	02 36 36.50	+19 37 11.3		046
(5047)	1995 10 23.05278	02 34 34.33	+20 23 12.1		046
(5047)	1995 10 23.07396	02 34 32.84	+20 23 10.7		046
(5198)	1995 10 22.88889	02 14 28.73	+10 29 07.4		046
(5198)	1995 10 22.90972	02 14 27.85	+10 29 01.9		046
(5210)	1995 10 24.85521	01 27 09.81	+11 03 18.0		046
(5210)	1995 10 24.87604	01 27 08.67	+11 03 13.6		046
(5472)	1995 10 24.85521	01 23 17.44	+09 08 58.1	E	046
(5472)	1995 10 24.87604	01 23 16.36	+09 08 53.4	E	046
(5486)	1995 10 24.00417	02 20 30.20	+05 03 10.2		046
(5486)	1995 10 24.02500	02 20 29.03	+05 03 07.1		046
(5530)	1995 10 23.05278	02 37 52.67	+20 27 35.8		046
(5530)	1995 10 23.07396	02 37 51.24	+20 27 35.5		046
(5597)	1995 09 24.90139	00 29 19.37	+08 41 40.4		046
(5597)	1995 09 24.91875	00 29 18.07	+08 41 36.3		046
(5731)	1995 10 13.05328	07 57 08.10	+34 30 57.0	18.4 R	046
(5731)	1995 10 13.05520	07 57 08.89	+34 30 54.0		046
(5731)	1995 10 13.05904	07 57 10.17	+34 30 48.3		046
(6061)	1995 10 24.04931	02 14 20.66	+15 17 23.9		046
(6061)	1995 10 24.07014	02 14 19.30	+15 17 20.2	I	046
(6578)	1995 10 23.92083	01 44 51.68	+03 45 30.0	E	046
(6578)	1995 10 23.94167	01 44 50.58	+03 45 21.0	E	046
(6596)	1995 09 28.88159	00 20 04.11	-01 51 57.9	16.4 R	046
(6596)	1995 09 28.88360	00 20 03.99	-01 51 58.6		046
(6596)	1995 09 28.88559	00 20 03.86	-01 51 58.6		046
(6596)	1995 10 03.06054	00 16 14.82	-02 06 12.3	16.6 R	046
(6596)	1995 10 03.07002	00 16 14.28	-02 06 14.1		046
(6596)	1995 10 03.08037	00 16 13.70	-02 06 16.1		046
(6596)	1995 10 04.83178	00 14 39.46	-02 11 51.1	16.1 R	046
(6596)	1995 10 04.83656	00 14 39.23	-02 11 51.9		046
(6596)	1995 10 04.83867	00 14 39.05	-02 11 52.6		046
(6600)	1995 09 29.01015	01 51 35.93	+17 34 42.1	15.5 R	046
(6600)	1995 09 29.01462	01 51 35.77	+17 34 42.0		046
(6600)	1995 09 29.02091	01 51 35.56	+17 34 42.0		046
(6600)	1995 10 05.10000	01 47 54.94	+17 30 16.0	15.3 R	046
(6600)	1995 10 05.10580	01 47 54.68	+17 30 15.4		046
(6600)	1995 10 05.13042	01 47 53.61	+17 30 13.0		046

(6610)	1995 10 22.97292	02 29 26.69	+06 40 34.4	046
(6610)	1995 10 22.99306	02 29 25.21	+06 40 34.4	046

104 San Marcello Pistoiese

L. Tesi, Osservatorio di Pian dei Termini, Viale Panoramico 45, I-51028 San
Marcello Pistoiese (PT), Italy [iau@arcetri.astro.it]

Observers L. Tesi, A. Boattini

0.4-m $f/5$ reflector + CCD

GSC

1981 EH ₁	1995 10 15.82373	00 44 01.04	-02 04 05.9	17.0 V	104
1981 EH ₁	1995 10 15.82986	00 44 00.78	-02 04 07.1		104
1981 EH ₁	1995 10 15.83472	00 44 00.57	-02 04 08.7		104
1981 EH ₁	1995 10 15.85012	00 43 59.98	-02 04 12.8		104
1981 EH ₁	1995 10 15.85694	00 43 59.67	-02 04 15.1		104
1981 EH ₁	1995 10 17.79329	00 42 40.91	-02 13 52.0		104
1981 EH ₁	1995 10 17.80657	00 42 40.44	-02 13 56.3		104
1981 EH ₁	1995 10 17.81111	00 42 40.26	-02 13 58.2		104
1982 FX ₃	1995 10 12.80841	23 01 52.07	-08 46 40.8	17.7 V	104
1982 FX ₃	1995 10 12.81424	23 01 51.90	-08 46 41.2		104
1982 FX ₃	1995 10 12.82083	23 01 51.73	-08 46 41.6		104
1991 AN ₂	1995 10 27.14977	09 46 01.01	+07 35 55.2	18.7 V	104
1991 AN ₂	1995 10 27.15347	09 46 01.22	+07 35 54.6		104
1991 AN ₂	1995 10 27.15694	09 46 01.46	+07 35 53.4		104
1992 LC	1995 10 08.05139	02 16 14.93	-07 12 24.5	18.2 V	104
1992 LC	1995 10 08.05602	02 16 14.61	-07 12 26.9		104
1992 LC	1995 10 08.05949	02 16 14.39	-07 12 28.2		104
1992 QN	1995 10 26.97697	07 05 58.08	+39 48 19.2	18.7 V	104
1992 QN	1995 10 26.98021	07 05 58.60	+39 48 22.6		104
1992 QN	1995 10 26.98264	07 05 58.97	+39 48 24.6		104
1992 QN	1995 10 26.98507	07 05 59.39	+39 48 26.7		104
1992 QN	1995 10 27.01146	07 06 03.41	+39 48 48.3		104
1992 QN	1995 10 27.01597	07 06 04.08	+39 48 51.9		104
1992 QN	1995 10 27.02153	07 06 04.96	+39 48 57.0		104
1992 QN	1995 10 27.02986	07 06 06.20	+39 49 03.3		104
1994 EZ ₁	1995 10 16.75567	20 46 18.50	-29 42 29.4	18.4 V	104
1994 EZ ₁	1995 10 16.75972	20 46 18.58	-29 42 27.4		104
1994 EZ ₁	1995 10 16.76505	20 46 18.73	-29 42 24.4		104
1994 EZ ₁	1995 10 26.73843	20 52 27.30	-28 39 48.6	18.7 V	104
1994 EZ ₁	1995 10 26.74213	20 52 27.42	-28 39 47.7		104
1994 EZ ₁	1995 10 26.74560	20 52 27.58	-28 39 46.0		104
1994 EZ ₁	1995 10 26.74931	20 52 27.80	-28 39 44.2		104
1994 PB	1995 10 07.99814	05 04 35.31	+22 10 14.9	17.3 V	104
1994 PB	1995 10 08.00451	05 04 35.48	+22 10 13.9		104
1994 PB	1995 10 08.00845	05 04 35.58	+22 10 13.3		104
1994 PB	1995 10 08.03576	05 04 36.11	+22 10 09.3		104
1994 PB	1995 10 27.04466	05 06 57.47	+21 13 34.4	16.6 V	104
1994 PB	1995 10 27.05567	05 06 57.35	+21 13 32.6		104
1994 PB	1995 10 27.06421	05 06 57.25	+21 13 31.2		104
1994 PB	1995 10 27.06979	05 06 57.20	+21 13 30.5		104
1994 PB	1995 10 27.08315	05 06 57.07	+21 13 27.0		104
1994 RK ₁	1995 10 27.14977	09 46 01.04	+07 35 26.7	18.8 V	104
1994 RK ₁	1995 10 27.15347	09 46 01.29	+07 35 24.6		104
1994 RK ₁	1995 10 27.15694	09 46 01.55	+07 35 23.3		104

1994 VR ₆	1995 10 27.09826	09 39 36.54	+43 00 54.4	20.3 V	104	1995 TO ₂	1995 10 23.82049	00 37 20.14	-02 42 27.4	104
1994 VR ₆	1995 10 27.10868	09 39 37.15	+43 00 57.1		104	1995 TO ₂	1995 10 23.83125	00 37 19.65	-02 42 28.6	104
1994 VR ₆	1995 10 27.11319	09 39 37.46	+43 00 58.6		104	1995 TO ₂	1995 10 23.84410	00 37 18.96	-02 42 30.4	104
1994 VR ₆	1995 10 27.11748	09 39 37.75	+43 01 00.1		104	1995 TO ₂	1995 10 23.84826	00 37 18.71	-02 42 31.5	104
1994 VR ₆	1995 10 27.12674	09 39 38.25	+43 01 03.0		104	1995 TO ₂	1995 10 24.75798	00 36 35.14	-02 45 51.1	104
1995 OD	1995 10 14.80637	20 51 20.40	-17 14 57.0	19.1 V	104	1995 TO ₂	1995 10 24.76285	00 36 34.86	-02 45 52.0	104
1995 OD	1995 10 14.81111	20 51 20.61	-17 14 54.9		104	1995 TO ₂	1995 10 24.76979	00 36 34.46	-02 45 53.3	104
1995 OD	1995 10 14.81667	20 51 20.87	-17 14 53.2		104	1995 TO ₂	1995 10 25.79479	00 35 46.43	-02 49 23.1	104
1995 OD	1995 10 15.76053	20 52 03.90	-17 11 39.5	19.2 V	104	1995 TO ₂	1995 10 25.80104	00 35 46.15	-02 49 24.6	104
1995 OD	1995 10 15.76528	20 52 04.11	-17 11 38.1		104	1995 TO ₂	1995 10 25.80590	00 35 45.94	-02 49 25.6	104
1995 OD	1995 10 15.77396	20 52 04.53	-17 11 36.4		104	1995 TO ₂	1995 10 26.83553	00 34 58.98	-02 52 41.9	104
1995 OG	1995 10 17.76470	20 45 55.26	-14 01 06.7	19.6 V	104	1995 TO ₂	1995 10 26.83924	00 34 58.79	-02 52 43.1	104
1995 OG	1995 10 17.77083	20 45 55.43	-14 01 05.8		104	1995 TO ₂	1995 10 26.84271	00 34 58.65	-02 52 44.0	104
1995 OG	1995 10 17.77639	20 45 55.60	-14 01 04.3		104	1995 TO ₂	1995 10 26.84618	00 34 58.49	-02 52 44.8	104
1995 QY ₂	1995 10 07.83773	21 17 46.62	-26 39 02.2	16.2 V	104	1995 TP ₂	* 1995 10 15.82373	00 44 26.15	-01 57 19.2	17.7 V 104
1995 QY ₂	1995 10 07.83947	21 17 46.64	-26 39 03.1		104	1995 TP ₂	1995 10 15.82986	00 44 25.82	-01 57 19.8	104
1995 QY ₂	1995 10 07.84282	21 17 46.70	-26 39 06.4		104	1995 TP ₂	1995 10 15.83472	00 44 25.55	-01 57 20.3	104
1995 QX ₉	1995 10 16.89042	22 50 59.54	-27 22 59.9	18.6 V	104	1995 TP ₂	1995 10 15.85012	00 44 24.70	-01 57 22.0	104
1995 QX ₉	1995 10 16.89444	22 50 59.83	-27 22 56.2		104	1995 TP ₂	1995 10 15.85694	00 44 24.28	-01 57 22.7	104
1995 QX ₉	1995 10 16.89826	22 51 00.10	-27 22 53.0		104	1995 TP ₂	1995 10 16.80671	00 43 31.90	-01 58 05.5	104
1995 SD ₁	1995 10 26.88681	01 30 55.14	-15 17 31.7		104	1995 TP ₂	1995 10 16.81042	00 43 31.60	-01 58 05.8	104
1995 SD ₁	1995 10 26.88958	01 30 55.54	-15 17 32.0		104	1995 TP ₂	1995 10 16.81563	00 43 31.32	-01 58 06.0	104
1995 SD ₁	1995 10 26.89236	01 30 55.92	-15 17 32.5		104	1995 TP ₂	1995 10 17.85000	00 42 35.18	-01 58 47.1	104
1995 SD ₁	1995 10 26.89514	01 30 56.32	-15 17 32.6		104	1995 TP ₂	1995 10 17.85382	00 42 34.91	-01 58 47.4	104
1995 SK ₃	1995 10 17.03206	00 15 38.41	-04 38 27.1	17.9 V	104	1995 TP ₂	1995 10 17.85972	00 42 34.57	-01 58 47.9	104
1995 SK ₃	1995 10 17.03322	00 15 38.37	-04 38 27.3		104	1995 TP ₂	1995 10 18.88229	00 41 39.25	-01 59 19.2	104
1995 SK ₃	1995 10 17.06360	00 15 36.97	-04 38 32.8	17.6 V	104	1995 TP ₂	1995 10 18.88854	00 41 38.97	-01 59 19.8	104
1995 SK ₃	1995 10 26.86458	00 09 27.00	-05 00 44.5	18.0 V	104	1995 TP ₂	1995 10 18.89167	00 41 38.74	-01 59 20.3	104
1995 SK ₃	1995 10 26.86806	00 09 26.87	-05 00 44.9		104	1995 TP ₂	1995 10 26.80567	00 34 56.57	-01 59 29.6	18.3 V 104
1995 SK ₃	1995 10 26.87199	00 09 26.74	-05 00 45.3		104	1995 TP ₂	1995 10 26.80949	00 34 56.44	-01 59 29.9	104
1995 SK ₃	1995 10 26.87569	00 09 26.61	-05 00 45.8		104	1995 TP ₂	1995 10 26.81493	00 34 56.20	-01 59 30.8	104
1995 SZ ₄	1995 10 11.76250	20 45 52.27	-15 08 12.4	18.5 V	104	1995 UX ₁	1995 10 26.76505	00 32 53.29	+13 55 01.4	17.5 V 104
1995 SZ ₄	1995 10 11.76806	20 45 52.47	-15 08 12.3		104	1995 UX ₁	1995 10 26.76806	00 32 53.13	+13 55 06.0	104
1995 SZ ₄	1995 10 12.75573	20 46 28.89	-15 07 36.6	18.6 V	104	1995 UX ₁	1995 10 26.77141	00 32 52.95	+13 55 11.1	104
1995 SZ ₄	1995 10 12.78056	20 46 29.24	-15 07 36.2		104	1995 UX ₁	1995 10 26.77431	00 32 52.77	+13 55 15.5	104
1995 SZ ₄	1995 10 19.78212	20 51 26.22	-15 00 01.1	18.7 V	104	1995 UM ₆	* 1995 10 16.82882	00 43 13.63	-02 16 17.2	17.3 V 104
1995 SZ ₄	1995 10 19.78762	20 51 26.53	-15 00 00.6		104	1995 UM ₆	1995 10 16.83264	00 43 13.43	-02 16 18.5	104
1995 SZ ₄	1995 10 19.79167	20 51 26.69	-14 59 59.7		104	1995 UM ₆	1995 10 16.83750	00 43 13.19	-02 16 19.1	104
1995 TO ₂	* 1995 10 15.82373	00 44 23.77	-02 06 40.7	17.5 V	104	1995 UM ₆	1995 10 17.79329	00 42 27.15	-02 19 05.0	104
1995 TO ₂	1995 10 15.82986	00 44 23.38	-02 06 42.4		104	1995 UM ₆	1995 10 17.80657	00 42 26.45	-02 19 07.1	104
1995 TO ₂	1995 10 15.83472	00 44 23.07	-02 06 44.3		104	1995 UM ₆	1995 10 17.81111	00 42 26.19	-02 19 07.5	104
1995 TO ₂	1995 10 15.85012	00 44 22.16	-02 06 49.7		104	1995 UM ₆	1995 10 18.76875	00 41 40.64	-02 21 45.3	104
1995 TO ₂	1995 10 15.85694	00 44 21.73	-02 06 51.6		104	1995 UM ₆	1995 10 18.77361	00 41 40.36	-02 21 45.8	104
1995 TO ₂	1995 10 16.82882	00 43 27.25	-02 11 48.6		104	1995 UM ₆	1995 10 18.77847	00 41 40.19	-02 21 46.3	104
1995 TO ₂	1995 10 16.83264	00 43 27.06	-02 11 50.3		104	1995 UM ₆	1995 10 22.85903	00 38 34.59	-02 31 22.9	104
1995 TO ₂	1995 10 16.83750	00 43 26.74	-02 11 51.4		104	1995 UM ₆	1995 10 22.86389	00 38 34.38	-02 31 23.3	104
1995 TO ₂	1995 10 17.79329	00 42 33.96	-02 16 32.9		104	1995 UM ₆	1995 10 22.86944	00 38 34.10	-02 31 24.1	104
1995 TO ₂	1995 10 17.80657	00 42 33.17	-02 16 37.2		104	1995 UN ₆	* 1995 10 16.99896	00 16 14.76	+15 47 50.0	19.3 V 104
1995 TO ₂	1995 10 17.81111	00 42 32.90	-02 16 38.0		104	1995 UN ₆	1995 10 17.00382	00 16 14.56	+15 47 48.7	104
1995 TO ₂	1995 10 18.76875	00 41 40.74	-02 21 11.7		104	1995 UN ₆	1995 10 17.00868	00 16 14.34	+15 47 47.0	104
1995 TO ₂	1995 10 18.77361	00 41 40.43	-02 21 12.5		104	1995 UN ₆	1995 10 17.01285	00 16 14.16	+15 47 45.5	19.2 V 104
1995 TO ₂	1995 10 18.77847	00 41 40.13	-02 21 13.1		104	1995 UN ₆	1995 10 17.02361	00 16 13.77	+15 47 41.3	104

1995 UN ₆	1995 10 17.87951	00 15 38.80	+15 43 16.2	19.0 V	104
1995 UN ₆	1995 10 17.89282	00 15 38.17	+15 43 13.1		104
1995 UN ₆	1995 10 17.89664	00 15 38.04	+15 43 10.6		104
1995 UN ₆	1995 10 18.80625	00 15 01.57	+15 38 27.0		104
1995 UN ₆	1995 10 18.81111	00 15 01.35	+15 38 25.8		104
1995 UN ₆	1995 10 18.81667	00 15 01.11	+15 38 24.3		104
1995 UN ₆	1995 10 19.87593	00 14 19.27	+15 32 49.1	18.5 V	104
1995 UN ₆	1995 10 19.88142	00 14 18.96	+15 32 48.5		104
1995 UN ₆	1995 10 19.88611	00 14 18.77	+15 32 45.7		104
1995 UN ₆	1995 10 20.74028	00 13 46.13	+15 28 14.8		104
1995 UN ₆	1995 10 20.74688	00 13 45.88	+15 28 12.6		104
1995 UN ₆	1995 10 20.75694	00 13 45.51	+15 28 11.4		104
1995 UN ₆	1995 10 20.76667	00 13 45.03	+15 28 08.1		104
1995 UO ₆	* 1995 10 18.83854	00 59 48.80	-13 31 49.9	19.7 V	104
1995 UO ₆	1995 10 18.84375	00 59 48.56	-13 31 50.5		104
1995 UO ₆	1995 10 18.84931	00 59 48.25	-13 31 51.4		104
1995 UO ₆	1995 10 19.80868	00 59 02.06	-13 34 55.5	19.8 V	104
1995 UO ₆	1995 10 19.81389	00 59 01.85	-13 34 56.2		104
1995 UO ₆	1995 10 19.81944	00 59 01.51	-13 34 57.3		104
1995 UO ₆	1995 10 19.83027	00 59 00.97	-13 34 59.1		104
1995 UP ₆	* 1995 10 19.87593	00 14 29.00	+15 40 11.7	17.5 V	104
1995 UP ₆	1995 10 19.88142	00 14 28.81	+15 40 07.1		104
1995 UP ₆	1995 10 19.88611	00 14 28.67	+15 40 03.6		104
1995 UP ₆	1995 10 20.74028	00 14 02.26	+15 29 10.3		104
1995 UP ₆	1995 10 20.74688	00 14 02.03	+15 29 06.7		104
1995 UP ₆	1995 10 20.75694	00 14 01.69	+15 28 58.3		104
1995 UP ₆	1995 10 20.76667	00 14 01.37	+15 28 51.4		104
1995 UP ₆	1995 10 21.73785	00 13 32.39	+15 16 34.0		104
1995 UP ₆	1995 10 21.74271	00 13 32.23	+15 16 30.7		104
1995 UP ₆	1995 10 22.75347	00 13 03.31	+15 03 43.8		104
1995 UP ₆	1995 10 22.75833	00 13 03.22	+15 03 41.1		104
1995 UP ₆	1995 10 22.76319	00 13 03.08	+15 03 38.0		104
1995 UP ₆	1995 10 23.79618	00 12 35.11	+14 50 40.0	17.5 V	104
1995 UP ₆	1995 10 23.80104	00 12 34.81	+14 50 36.9		104
1995 UP ₆	1995 10 23.80451	00 12 34.63	+14 50 34.3		104
1995 UP ₆	1995 10 26.78646	00 11 23.25	+14 13 42.0		104
1995 UP ₆	1995 10 26.79028	00 11 23.17	+14 13 39.3		104
1995 UP ₆	1995 10 26.79479	00 11 23.06	+14 13 35.8		104
1995 UQ ₆	* 1995 10 23.82049	00 37 09.50	-02 40 20.2	18.4 V	104
1995 UQ ₆	1995 10 23.83125	00 37 08.92	-02 40 22.3		104
1995 UQ ₆	1995 10 23.84410	00 37 08.44	-02 40 24.8		104
1995 UQ ₆	1995 10 23.84826	00 37 08.31	-02 40 25.9		104
1995 UQ ₆	1995 10 24.75798	00 36 34.97	-02 42 42.4		104
1995 UQ ₆	1995 10 24.76285	00 36 34.82	-02 42 43.4		104
1995 UQ ₆	1995 10 24.76979	00 36 34.55	-02 42 44.7		104
1995 UQ ₆	1995 10 25.79479	00 35 58.09	-02 45 04.8		104
1995 UQ ₆	1995 10 25.80104	00 35 57.93	-02 45 04.3		104
1995 UQ ₆	1995 10 25.80590	00 35 57.77	-02 45 04.0		104
1995 UQ ₆	1995 10 26.83553	00 35 22.73	-02 47 09.8		104
1995 UQ ₆	1995 10 26.83924	00 35 22.59	-02 47 10.1		104
1995 UQ ₆	1995 10 26.84271	00 35 22.49	-02 47 10.4		104
1995 UQ ₆	1995 10 26.84618	00 35 22.37	-02 47 10.6		104

1995 UR ₆	* 1995 10 23.82049	00 37 26.11	-02 38 33.7	18.1 V	104
1995 UR ₆	1995 10 23.83125	00 37 25.68	-02 38 35.8		104
1995 UR ₆	1995 10 23.84410	00 37 25.17	-02 38 38.7		104
1995 UR ₆	1995 10 23.84826	00 37 24.91	-02 38 40.4		104
1995 UR ₆	1995 10 24.75798	00 36 46.83	-02 42 56.9		104
1995 UR ₆	1995 10 24.76285	00 36 46.70	-02 42 58.8		104
1995 UR ₆	1995 10 24.76979	00 36 46.29	-02 43 00.6		104
1995 UR ₆	1995 10 25.79479	00 36 04.35	-02 47 36.3		104
1995 UR ₆	1995 10 25.80104	00 36 04.11	-02 47 37.5		104
1995 UR ₆	1995 10 25.80590	00 36 03.95	-02 47 38.4		104
1995 UR ₆	1995 10 26.83553	00 35 23.13	-02 52 03.2		104
1995 UR ₆	1995 10 26.83924	00 35 22.97	-02 52 04.1		104
1995 UR ₆	1995 10 26.84271	00 35 22.84	-02 52 04.8		104
1995 UR ₆	1995 10 26.84618	00 35 22.71	-02 52 05.2		104
1995 US ₆	* 1995 10 25.79479	00 35 29.07	-02 45 27.6		104
1995 US ₆	1995 10 25.80590	00 35 28.75	-02 45 31.3		104
1995 US ₆	1995 10 26.83553	00 34 51.35	-02 50 38.5	19.2 V	104
1995 US ₆	1995 10 26.83924	00 34 51.21	-02 50 39.7		104
1995 US ₆	1995 10 26.84271	00 34 51.11	-02 50 40.4		104
1995 US ₆	1995 10 26.84618	00 34 51.01	-02 50 41.3		104

108 Montelupo

M. Tombelli, Via Bozzeto 26, I-50056 Montelupo (Fi), Italy

[iau@arcetri.astro.it]

0.30-m *f*/5.7 Schmidt-Cassegrain + CCD

GSC

(6)	1995 10 16.97257	02 15 17.78	-15 08 40.8		108
(6)	1995 10 16.98681	02 15 17.03	-15 08 50.3	8.0 V	108
(48)	1995 10 07.98941	02 49 53.89	+11 21 01.4		108
(48)	1995 10 07.99931	02 49 53.53	+11 20 59.2	13.4 I	108
(95)	1995 10 07.90624	19 47 51.03	-06 24 12.3		108
(95)	1995 10 07.91117	19 47 51.17	-06 24 11.6		108
(95)	1995 10 07.92252	19 47 51.47	-06 24 11.3	14.2 I	108
(225)	1995 10 10.87587	23 31 29.20	+05 39 46.8	12.2 I	108
(225)	1995 10 10.90631	23 31 28.50	+05 39 27.6		108
(225)	1995 10 11.88611	23 31 06.32	+05 27 37.2		108
(225)	1995 10 11.91186	23 31 05.72	+05 27 19.2		108
(225)	1995 10 26.87066	23 27 44.79	+02 44 54.6	13.0 V	108
(225)	1995 10 26.88356	23 27 44.67	+02 44 47.8		108
(433)	1995 10 07.93542	23 17 15.17	+25 16 08.1		108
(433)	1995 10 07.94297	23 17 14.27	+25 16 03.0		108
(433)	1995 10 07.94887	23 17 13.60	+25 16 01.9	11.9 I	108
(433)	1995 10 11.90567	23 10 29.97	+24 49 10.0	12.0 I	108
(433)	1995 10 11.91528	23 10 28.97	+24 49 05.9		108
(433)	1995 10 26.86678	22 52 54.81	+22 26 28.2	11.7 V	108
(433)	1995 10 26.87836	22 52 54.22	+22 26 20.3		108
(545)	1995 10 07.99410	03 11 17.40	+32 09 41.1		108
(545)	1995 10 08.00411	03 11 16.87	+32 09 43.2		108
(545)	1995 10 08.01037	03 11 16.81	+32 09 45.0	14.2 I	108
(699)	1995 10 14.92431	04 36 03.69	+28 39 19.5		108
(699)	1995 10 14.94463	04 36 03.35	+28 39 08.5	14.5 I	108
(699)	1995 10 26.99329	04 29 49.95	+26 47 40.6	14.5 V	108
(699)	1995 10 27.01788	04 29 48.76	+26 47 24.4		108

(1134)	1995 10 13.99294	00 59 05.23	+17 10 44.9	14.6 V	108
(1134)	1995 10 14.00972	00 59 03.68	+17 10 59.9		108
(1134)	1995 10 14.88947	00 57 56.94	+17 24 01.6		108
(1134)	1995 10 14.91198	00 57 55.31	+17 24 22.4	14.7 V	108
(1134)	1995 10 16.91100	00 55 26.70	+17 52 41.6		108
(1134)	1995 10 16.97483	00 55 21.69	+17 53 33.4	14.9 V	108
(1134)	1995 10 26.95714	00 45 01.51	+19 48 46.5	15.4 V	108
(1134)	1995 10 26.97402	00 45 00.58	+19 48 56.6		108
(1134)	1995 10 26.97992	00 45 00.35	+19 49 00.7		108
(3160)	1995 10 10.88280	23 39 09.37	+05 36 50.2	16.5 I	108
(3160)	1995 10 10.91584	23 39 07.65	+05 36 41.5		108
(3160)	1995 10 10.93155	23 39 06.92	+05 36 37.2		108
(3200)	1995 10 26.98775	03 23 59.73	+41 34 31.1	18.2 V	108
(3200)	1995 10 27.00333	03 23 57.10	+41 34 25.8		108
(3200)	1995 10 27.01146	03 23 55.76	+41 34 20.4		108
(3225)	1995 10 13.96956	00 26 59.14	-02 05 41.2	15.0 V	108
(3225)	1995 10 14.02465	00 26 56.77	-02 07 14.0		108
(3225)	1995 10 14.04300	00 26 55.86	-02 07 44.7	15.2 I	108
(3225)	1995 10 14.90161	00 26 22.75	-02 31 34.3		108
(3700)	1995 10 13.80411	22 17 55.61	+08 41 50.9	16.1 V	108
(3700)	1995 10 13.89803	22 17 53.47	+08 41 17.9	16.2 V	108
(3700)	1995 10 14.79400	22 17 36.73	+08 36 34.3		108
(3700)	1995 10 14.83544	22 17 35.85	+08 36 21.4		108
(4082)	1995 10 07.95631	23 14 32.64	+16 11 46.3		108
(4082)	1995 10 07.97574	23 14 32.06	+16 11 42.9	15.1 I	108
(4570)	1995 10 14.82079	23 43 43.48	+00 50 41.6		108
(4570)	1995 10 14.85472	23 43 41.71	+00 50 36.0		108
(4665)	1995 10 14.80326	22 35 36.87	+01 42 59.2		108
(4665)	1995 10 14.84988	22 35 36.74	+01 42 44.6		108

112 Pleiade Observatory, Verona

P. Antolini, Via Bertoldi 84, I-37026 Settimo di Pescantina, Verona, Italy
 Observers F. Castellani, P. Antolini, G. Zonaro, G. Pinazzi, I. Dal Prete
 0.60-m $f/3.0$ reflector + CCD
 GSC

1992 WH ₈	1995 10 11.95342	00 52 41.26	+06 10 13.3		112
1992 WH ₈	1995 10 11.95924	00 52 40.87	+06 10 10.8		112
1992 WH ₈	1995 10 11.96531	00 52 40.60	+06 10 08.9	15.7 V	112
1992 WH ₈	1995 10 15.93111	00 48 51.70	+05 49 09.8	15.9 V	112
1992 WH ₈	1995 10 15.93720	00 48 51.44	+05 49 07.4		112
1992 WH ₈	1995 10 15.94228	00 48 51.02	+05 49 05.7		112
1992 WH ₈	1995 10 15.95163	00 48 50.52	+05 49 03.6		112
1992 WH ₈	1995 10 15.95456	00 48 50.34	+05 49 01.8		112
1995 SY ₂₉	* 1995 09 25.96712	01 03 56.13	+07 41 37.0		112
1995 SY ₂₉	1995 09 25.98200	01 03 55.41	+07 41 33.5	18.1 V	112
1995 SY ₂₉	1995 09 25.99716	01 03 54.82	+07 41 29.7		112
1995 SY ₂₉	1995 09 26.01530	01 03 53.91	+07 41 25.6		112
1995 SY ₂₉	1995 09 29.99132	01 01 00.40	+07 23 23.1		112
1995 SY ₂₉	1995 09 30.00661	01 00 59.71	+07 23 19.0	18.2 V	112
1995 SY ₂₉	1995 09 30.01878	01 00 59.09	+07 23 15.2		112
1995 SY ₂₉	1995 09 30.03579	01 00 58.31	+07 23 11.4		112
1995 SY ₂₉	1995 09 30.04149	01 00 57.91	+07 23 09.0		112
1995 SY ₂₉	1995 10 15.96513	00 49 01.08	+06 06 28.2		112

1995 SY ₂₉	1995 10 15.96936	00 49 00.71	+06 06 26.6		112
1995 SY ₂₉	1995 10 15.97526	00 49 00.53	+06 06 24.5	17.5 V	112
1995 SY ₂₉	1995 10 15.98150	00 49 00.31	+06 06 24.2		112
1995 SY ₂₉	1995 10 15.98411	00 49 00.14	+06 06 22.1		112
(2114)	1995 09 25.97743	01 10 48.76	+07 41 52.5		112
(2114)	1995 09 25.99201	01 10 48.20	+07 41 48.4		112
(2114)	1995 09 26.00717	01 10 47.55	+07 41 45.3		112
(5963)	1995 09 25.97171	01 06 50.82	+07 41 17.9		112
(5963)	1995 09 25.98629	01 06 50.12	+07 41 14.7	16.6 V	112
(5963)	1995 09 26.00146	01 06 49.44	+07 41 11.4		112
(5963)	1995 09 29.98491	01 03 45.29	+07 25 10.4		112
(5963)	1995 09 29.99561	01 03 44.83	+07 25 07.5		112
(5963)	1995 09 30.01090	01 03 44.11	+07 25 03.9		112
(5963)	1995 09 30.02308	01 03 43.46	+07 25 00.7		112

113 Volkssternwarte Drebach, Schönbrunn

G. Lehmann, Volkssternwarte Drebach, D-09430 Drebach, Germany

[lehmann@stw-drebach.zp.sn.schule.de]

0.18-m $f/9$ refractor + CCD

GSC, PPM

1990 TK ₈	1995 10 17.82324	01 30 48.33	+03 38 08.3	16.4 V	113
1990 TK ₈	1995 10 17.85336	01 30 46.80	+03 38 04.4	16.8 V	113
1990 TK ₈	1995 10 17.90324	01 30 44.18	+03 37 57.9	17.1 V	113
1990 TK ₈	1995 10 17.92776	01 30 42.97	+03 37 54.1	16.5 V	113
1990 TU ₁₀	1995 10 24.02756	04 25 12.45	+21 35 10.8	16.4 V	113
1990 TU ₁₀	1995 10 24.04362	04 25 11.90	+21 35 07.5	16.9 V	113
1990 TU ₁₀	1995 10 24.07942	04 25 10.80	+21 35 00.9	17.5 V	113
1990 TT ₁₂	1995 10 24.03508	04 27 17.43	+23 33 24.0	16.8 V	113
1990 TT ₁₂	1995 10 24.05123	04 27 16.93	+23 33 23.6	16.8 V	113
1990 TT ₁₂	1995 10 24.06640	04 27 16.50	+23 33 23.3	16.9 V	113
(2492)	1995 10 18.00130	03 01 13.72	+17 31 51.8	16.2 V	113
(2492)	1995 10 18.01203	03 01 13.26	+17 31 49.8	15.9 V	113
(2642)	1995 10 09.86586	23 04 44.90	+04 00 30.3	15.3 V	113
(2642)	1995 10 09.90532	23 04 44.37	+03 59 54.1	15.5 V	113
(2642)	1995 10 11.78490	23 04 27.20	+03 31 38.0	14.8 V	113
(2642)	1995 10 11.85131	23 04 26.55	+03 30 38.8	15.4 V	113
(2642)	1995 10 15.81194	23 04 10.93	+02 33 32.3	15.6 V	113
(2642)	1995 10 15.85441	23 04 10.80	+02 32 56.5	15.4 V	113
(2642)	1995 10 17.80520	23 04 13.87	+02 06 12.0	15.3 V	113
(2642)	1995 10 17.87233	23 04 13.96	+02 05 18.0	15.5 V	113
(2642)	1995 10 22.76756	23 04 53.50	+01 02 47.7	16.0 V	113
(2642)	1995 10 22.80548	23 04 53.86	+01 02 19.9	15.6 V	113
(2642)	1995 10 22.84375	23 04 54.41	+01 01 51.4	15.7 V	113
(2642)	1995 10 23.85296	23 05 08.21	+00 49 52.2	15.1 V	113
(2642)	1995 10 23.88962	23 05 08.68	+00 49 26.4	15.8 V	113
(2654)	1995 10 15.84293	22 47 38.10	-01 41 58.4	18.5 V	113
(2654)	1995 10 15.88300	22 47 37.52	-01 42 10.7	18.0 V	113
(3246)	1995 10 15.83264	23 01 51.98	+05 01 07.0	16.5 V	113
(3246)	1995 10 15.87227	23 01 51.19	+05 00 44.2	16.8 V	113
(5554)	1995 10 11.88350	22 54 08.47	+06 21 16.4	16.1 V	113
(5554)	1995 10 12.04982	22 54 04.18	+06 20 56.2	15.9 V	113
(5554)	1995 10 15.82345	22 52 51.02	+06 13 45.3	15.9 V	113
(5554)	1995 10 15.86010	22 52 50.37	+06 13 41.2	16.0 V	113

114 Engelhardt Observatory, Zelenchukskaya Station

T. V. Kryachko, University Astronomical Station, Lenina 41, Zelenchukskaya,
357140 Karachaevo-Cherkessia Republic, Russia [timur@sao.stavropol.su]

0.40-m $f/5$ camera

1980 FN ₁	1995 10 16.77706	01 36 40.27	+09 11 50.5	16.7	114	1995 SL ₂₉	1995 09 29.00118	01 40 53.40	+09 45 29.8		114
1980 FN ₁	1995 10 16.82289	01 36 37.73	+09 11 35.8		114	1995 SL ₂₉	1995 10 01.88970	01 38 53.93	+09 34 55.3		114
1980 FN ₁	1995 10 17.78260	01 35 40.26	+09 06 13.0		114	1995 SL ₂₉	1995 10 16.82289	01 27 24.05	+08 33 16.6	16.0	114
1980 FN ₁	1995 10 18.77217	01 34 41.08	+09 00 42.7		114	1995 SL ₂₉	1995 10 17.78260	01 26 38.34	+08 29 10.1		114
1980 FN ₁	1995 10 19.77980	01 33 41.02	+08 55 04.8		114	1995 SL ₂₉	1995 10 18.77217	01 25 51.28	+08 24 55.9		114
1980 FN ₁	1995 10 19.81487	01 33 38.57	+08 54 52.8		114	1995 SL ₂₉	1995 10 19.77980	01 25 03.42	+08 20 39.1		114
1988 RK ₈	1995 09 26.83038	01 47 00.63	+09 37 12.7	16.0	114	1995 SL ₂₉	1995 10 19.81487	01 25 01.70	+08 20 29.1		114
1988 RK ₈	1995 09 26.85260	01 46 59.94	+09 37 05.5		114	1995 SM ₂₉	* 1995 09 26.84149	01 44 24.69	+08 00 11.1	16.5	114
1988 RK ₈	1995 09 26.90017	01 46 58.04	+09 36 49.5		114	1995 SM ₂₉	1995 09 26.90017	01 44 22.63	+08 00 01.0		114
1988 RK ₈	1995 09 28.92097	01 45 43.00	+09 25 35.3		114	1995 SM ₂₉	1995 09 28.92097	01 43 09.73	+07 54 05.6		114
1988 RK ₈	1995 09 29.00118	01 45 39.77	+09 25 08.4		114	1995 SM ₂₉	1995 09 29.00118	01 43 06.68	+07 53 50.6		114
1988 RK ₈	1995 10 01.88970	01 43 41.71	+09 07 59.3		114	1995 SM ₂₉	1995 10 01.88970	01 41 15.53	+07 44 51.1		114
1988 RK ₈	1995 10 01.93241	01 43 39.70	+09 07 43.3		114	1995 SM ₂₉	1995 10 01.93241	01 41 13.89	+07 44 44.3		114
1988 RK ₈	1995 10 16.77706	01 31 14.92	+07 27 15.6	15.8	114	1995 SM ₂₉	1995 10 16.77706	01 30 15.38	+06 53 10.8	16.8	114
1988 RK ₈	1995 10 16.82289	01 31 12.45	+07 26 57.0		114	1995 SM ₂₉	1995 10 16.82289	01 30 13.12	+06 53 00.8		114
1988 RK ₈	1995 10 17.78260	01 30 20.41	+07 20 10.1		114	1995 SM ₂₉	1995 10 17.78260	01 29 27.85	+06 49 35.0		114
1988 RK ₈	1995 10 18.77217	01 29 26.78	+07 13 15.0		114	1995 SM ₂₉	1995 10 18.77217	01 28 41.49	+06 46 06.2		114
1988 RK ₈	1995 10 19.77980	01 28 32.13	+07 06 12.3		114	1995 SM ₂₉	1995 10 19.77980	01 27 54.36	+06 42 33.6		114
1988 RK ₈	1995 10 19.81487	01 28 30.15	+07 05 57.6		114	1995 SM ₂₉	1995 10 19.81487	01 27 52.73	+06 42 26.6		114
1991 AA	1995 09 26.84149	01 41 39.84	+08 18 12.8	16.2	114	1995 SN ₂₉	* 1995 09 26.84149	01 45 31.09	+08 32 53.8	15.8	114
1991 AA	1995 09 26.91163	01 41 37.38	+08 18 05.4		114	1995 SN ₂₉	1995 09 26.90017	01 45 29.21	+08 32 40.7		114
1991 AA	1995 09 28.92097	01 40 17.44	+08 13 48.6		114	1995 SN ₂₉	1995 09 28.92097	01 44 21.96	+08 24 36.4		114
1991 AA	1995 09 29.00118	01 40 13.96	+08 13 36.6		114	1995 SN ₂₉	1995 09 29.00118	01 44 19.04	+08 24 17.2		114
1991 AA	1995 10 01.88970	01 38 13.16	+08 06 59.4		114	1995 SN ₂₉	1995 10 01.88970	01 42 35.65	+08 12 05.9		114
1991 AA	1995 10 01.93241	01 38 11.27	+08 06 53.5		114	1995 SN ₂₉	1995 10 01.93241	01 42 34.02	+08 11 55.4		114
1991 AA	1995 10 16.77706	01 26 36.85	+07 27 49.8	16.1	114	1995 SN ₂₉	1995 10 16.77706	01 32 10.56	+07 02 44.5	16.0	114
1991 AA	1995 10 16.82289	01 26 34.65	+07 27 42.5		114	1995 SN ₂₉	1995 10 16.82289	01 32 08.47	+07 02 31.9		114
1991 AA	1995 10 17.78260	01 25 48.13	+07 25 06.1		114	1995 SN ₂₉	1995 10 17.74024	01 31 27.48	+06 58 06.5		114
1991 AA	1995 10 18.77217	01 25 00.10	+07 22 25.2		114	1995 SN ₂₉	1995 10 17.78260	01 31 25.52	+06 57 56.0		114
1991 AA	1995 10 19.77980	01 24 11.43	+07 19 42.9		114	1995 SN ₂₉	1995 10 18.77217	01 30 41.16	+06 53 14.4		114
1991 AA	1995 10 19.81487	01 24 09.73	+07 19 37.3		114	1995 SN ₂₉	1995 10 19.77980	01 29 55.97	+06 48 27.2		114
1993 FW ₃₄	1995 10 16.77706	01 41 34.05	+06 33 26.4	17.2	114	1995 SN ₂₉	1995 10 19.81487	01 29 54.26	+06 48 17.1		114
1995 SK ₂₉	* 1995 09 26.83038	01 47 19.99	+09 05 35.5	16.4	114	1995 SO ₂₉	* 1995 09 26.84149	01 45 54.09	+07 55 44.6	15.5	114
1995 SK ₂₉	1995 09 26.85260	01 47 19.15	+09 05 25.1		114	1995 SO ₂₉	1995 09 26.88871	01 45 52.57	+07 55 33.8		114
1995 SK ₂₉	1995 09 26.90017	01 47 17.57	+09 05 00.7		114	1995 SO ₂₉	1995 09 26.91163	01 45 51.84	+07 55 27.5		114
1995 SK ₂₉	1995 09 28.92097	01 46 10.52	+08 48 36.9		114	1995 SO ₂₉	1995 09 28.92097	01 44 45.04	+07 46 59.3		114
1995 SK ₂₉	1995 09 29.00118	01 46 07.43	+08 47 56.7		114	1995 SO ₂₉	1995 09 29.00118	01 44 42.20	+07 46 38.9		114
1995 SK ₂₉	1995 10 01.88970	01 44 20.45	+08 23 24.9		114	1995 SO ₂₉	1995 10 01.88970	01 42 58.54	+07 33 51.5		114
1995 SK ₂₉	1995 10 01.93241	01 44 18.53	+08 23 01.1		114	1995 SO ₂₉	1995 10 01.93241	01 42 57.02	+07 33 41.7		114
1995 SK ₂₉	1995 10 16.77706	01 32 52.43	+06 07 45.1	16.6	114	1995 SO ₂₉	1995 10 16.77706	01 32 29.09	+06 22 16.3	16.3	114
1995 SK ₂₉	1995 10 16.82289	01 32 50.35	+06 07 24.1		114	1995 SO ₂₉	1995 10 16.82289	01 32 27.03	+06 22 03.3		114
1995 SK ₂₉	1995 10 17.74024	01 32 05.08	+05 59 06.5		114	1995 SO ₂₉	1995 10 17.74024	01 31 45.67	+06 17 34.1		114
1995 SK ₂₉	1995 10 17.78260	01 32 02.77	+05 58 42.7		114	1995 SO ₂₉	1995 10 17.78260	01 31 43.86	+06 17 24.3		114
1995 SK ₂₉	1995 10 19.77980	01 30 24.47	+05 41 01.3		114	1995 SO ₂₉	1995 10 18.77217	01 30 59.00	+06 12 37.9		114
1995 SK ₂₉	1995 10 19.81487	01 30 22.67	+05 40 43.1		114	1995 SO ₂₉	1995 10 19.77980	01 30 13.58	+06 07 48.4		114
1995 SL ₂₉	* 1995 09 26.84149	01 42 18.36	+09 52 58.1	16.3	114	1995 SO ₂₉	1995 10 19.81487	01 30 12.14	+06 07 39.5		114
1995 SL ₂₉	1995 09 26.90017	01 42 16.12	+09 52 46.3		114	1995 SP ₂₉	* 1995 09 26.84149	01 49 23.30	+07 57 41.9	17.0	114
1995 SL ₂₉	1995 09 28.92097	01 40 56.81	+09 45 47.4		114	1995 SP ₂₉	1995 09 26.90017	01 49 21.14	+07 57 28.2		114
						1995 SP ₂₉	1995 09 28.92097	01 48 09.73	+07 49 36.3		114
						1995 SP ₂₉	1995 09 29.00118	01 48 06.75	+07 49 16.3		114
						1995 SP ₂₉	1995 10 16.82289	01 35 24.32	+06 30 49.8	16.7	114
						1995 SP ₂₉	1995 10 17.78260	01 34 39.51	+06 26 28.9		114

1995 SP ₂₉	1995 10 18.77217	01 33 52.76	+06 21 57.6	114	1995 SU ₂₉	1995 09 29.00118	01 53 10.15	+08 12 48.4	114
1995 SP ₂₉	1995 10 19.77980	01 33 05.20	+06 17 20.9	114	1995 SU ₂₉	1995 10 01.88970	01 51 17.94	+07 58 34.1	114
1995 SP ₂₉	1995 10 19.81487	01 33 03.88	+06 17 13.3	114	1995 SU ₂₉	1995 10 16.77706	01 39 24.56	+06 36 29.7	17.0 114
1995 SQ ₂₉	* 1995 09 26.84149	01 51 47.07	+08 25 28.5	16.8 114	1995 SU ₂₉	1995 10 16.82289	01 39 22.15	+06 36 13.2	114
1995 SQ ₂₉	1995 09 26.90017	01 51 44.26	+08 25 20.0	114	1995 SU ₂₉	1995 10 17.74024	01 38 34.11	+06 31 00.2	114
1995 SQ ₂₉	1995 09 28.92097	01 50 13.82	+08 21 01.1	114	1995 SU ₂₉	1995 10 17.78260	01 38 31.59	+06 30 44.8	114
1995 SQ ₂₉	1995 09 29.00118	01 50 09.93	+08 20 51.0	114	1995 SU ₂₉	1995 10 18.77217	01 37 39.26	+06 25 08.3	114
1995 SQ ₂₉	1995 10 01.88970	01 47 50.35	+08 13 58.8	114	1995 SU ₂₉	1995 10 19.77980	01 36 45.54	+06 19 24.9	114
1995 SQ ₂₉	1995 10 01.93241	01 47 48.06	+08 13 52.3	114	1995 SU ₂₉	1995 10 19.81487	01 36 43.97	+06 19 14.8	114
1995 SQ ₂₉	1995 10 16.77706	01 33 48.73	+07 31 29.2	16.3 114	1995 UE ₅	* 1995 10 16.77706	01 28 37.28	+07 56 29.4	16.5 114
1995 SQ ₂₉	1995 10 16.82289	01 33 46.17	+07 31 22.1	114	1995 UE ₅	1995 10 16.82289	01 28 35.07	+07 56 10.1	114
1995 SQ ₂₉	1995 10 17.78260	01 32 49.19	+07 28 31.3	114	1995 UE ₅	1995 10 17.78260	01 27 49.56	+07 48 53.6	114
1995 SQ ₂₉	1995 10 18.77217	01 31 50.42	+07 25 38.4	114	1995 UE ₅	1995 10 18.77217	01 27 02.83	+07 41 29.1	114
1995 SQ ₂₉	1995 10 19.77980	01 30 50.89	+07 22 42.8	114	1995 UE ₅	1995 10 19.77980	01 26 15.70	+07 34 00.5	114
1995 SQ ₂₉	1995 10 19.81487	01 30 48.67	+07 22 37.0	114	1995 UE ₅	1995 10 19.81487	01 26 14.21	+07 33 44.9	114
1995 SR ₂₉	* 1995 09 26.84149	01 52 29.63	+08 04 57.5	16.7 114	1995 UF ₅	* 1995 10 16.77706	01 36 43.21	+06 54 43.9	16.9 114
1995 SR ₂₉	1995 09 26.90017	01 52 27.06	+08 04 44.7	114	1995 UF ₅	1995 10 17.78260	01 35 56.53	+06 50 33.2	114
1995 SR ₂₉	1995 09 28.90951	01 51 02.80	+07 57 51.8	114	1995 UF ₅	1995 10 18.77217	01 35 10.08	+06 46 25.4	114
1995 SR ₂₉	1995 09 28.93243	01 51 01.87	+07 57 45.9	114	1995 UF ₅	1995 10 19.77980	01 34 22.90	+06 42 13.8	114
1995 SR ₂₉	1995 10 01.88970	01 48 46.98	+07 46 53.0	114	1995 UF ₅	1995 10 19.81487	01 34 21.30	+06 42 05.7	114
1995 SR ₂₉	1995 10 01.93241	01 48 45.01	+07 46 45.0	114	1995 UG ₅	* 1995 10 16.77706	01 39 02.95	+09 17 04.2	16.8 114
1995 SR ₂₉	1995 10 16.77706	01 35 24.40	+06 45 52.5	16.5 114	1995 UG ₅	1995 10 16.82289	01 38 59.59	+09 16 56.1	114
1995 SR ₂₉	1995 10 16.82289	01 35 21.72	+06 45 41.3	114	1995 UG ₅	1995 10 17.78260	01 38 00.11	+09 15 12.0	114
1995 SR ₂₉	1995 10 17.74024	01 34 29.54	+06 41 55.5	114	1995 UG ₅	1995 10 18.77217	01 36 58.04	+09 13 24.1	114
1995 SR ₂₉	1995 10 17.78260	01 34 26.97	+06 41 45.4	114	1995 UG ₅	1995 10 19.77980	01 35 55.33	+09 11 32.3	114
1995 SR ₂₉	1995 10 18.77217	01 33 30.92	+06 37 45.7	114	1995 UG ₅	1995 10 19.81487	01 35 52.79	+09 11 28.6	114
1995 SR ₂₉	1995 10 19.77980	01 32 33.66	+06 33 44.1	114	1995 UH ₅	* 1995 10 16.77706	01 40 18.27	+06 26 26.2	16.7 114
1995 SR ₂₉	1995 10 19.81487	01 32 31.54	+06 33 34.4	114	1995 UH ₅	1995 10 16.82289	01 40 15.21	+06 26 16.7	114
1995 SS ₂₉	* 1995 09 26.84149	01 52 51.92	+09 50 55.0	16.5 114	1995 UH ₅	1995 10 17.74024	01 39 19.88	+06 23 55.6	114
1995 SS ₂₉	1995 09 26.88871	01 52 50.29	+09 50 39.4	114	1995 UH ₅	1995 10 17.78260	01 39 17.57	+06 23 52.0	114
1995 SS ₂₉	1995 09 26.91163	01 52 49.58	+09 50 29.7	114	1995 UH ₅	1995 10 18.77217	01 38 17.84	+06 21 21.6	114
1995 SS ₂₉	1995 09 28.92097	01 51 40.59	+09 37 39.1	114	1995 UH ₅	1995 10 19.77980	01 37 17.11	+06 18 51.3	114
1995 SS ₂₉	1995 09 29.00118	01 51 37.63	+09 37 07.6	114	1995 UH ₅	1995 10 19.81487	01 37 14.83	+06 18 45.7	114
1995 SS ₂₉	1995 10 01.88970	01 49 52.48	+09 18 02.6	114	1995 UJ ₅	* 1995 10 16.77706	01 40 20.49	+06 44 37.5	16.6 114
1995 SS ₂₉	1995 10 16.77706	01 39 33.82	+07 32 57.4	16.6 114	1995 UJ ₅	1995 10 16.82289	01 40 17.71	+06 44 24.6	114
1995 SS ₂₉	1995 10 16.82289	01 39 31.89	+07 32 38.4	114	1995 UJ ₅	1995 10 17.74024	01 39 27.36	+06 41 20.6	114
1995 SS ₂₉	1995 10 17.78260	01 38 49.77	+07 25 43.4	114	1995 UJ ₅	1995 10 17.78260	01 39 25.11	+06 41 14.5	114
1995 SS ₂₉	1995 10 18.77217	01 38 06.28	+07 18 37.9	114	1995 UJ ₅	1995 10 18.77217	01 38 31.52	+06 37 58.9	114
1995 SS ₂₉	1995 10 19.77980	01 37 21.96	+07 11 24.1	114	1995 UJ ₅	1995 10 19.77980	01 37 36.28	+06 34 42.9	114
1995 SS ₂₉	1995 10 19.81487	01 37 20.31	+07 11 08.9	114	1995 UJ ₅	1995 10 19.81487	01 37 34.21	+06 34 34.1	114
1995 ST ₂₉	* 1995 09 26.84149	01 52 58.33	+08 31 29.1	17.0 114	1995 UK ₅	* 1995 10 16.77706	01 41 56.86	+08 06 00.5	17.0 114
1995 ST ₂₉	1995 09 26.90017	01 52 56.19	+08 31 09.4	114	1995 UK ₅	1995 10 16.82289	01 41 55.31	+08 05 33.1	114
1995 ST ₂₉	1995 09 28.92097	01 51 41.68	+08 20 23.9	114	1995 UK ₅	1995 10 17.78260	01 41 11.01	+07 57 20.2	114
1995 ST ₂₉	1995 10 16.77706	01 37 45.34	+06 34 08.2	17.0 114	1995 UK ₅	1995 10 18.77217	01 40 25.15	+07 48 52.0	114
1995 ST ₂₉	1995 10 16.82289	01 37 43.22	+06 33 52.5	114	1995 UK ₅	1995 10 19.77980	01 39 38.42	+07 40 14.3	114
1995 ST ₂₉	1995 10 17.78260	01 36 54.18	+06 28 09.8	114	1995 UL ₅	* 1995 10 17.78260	01 30 40.48	+09 57 44.1	16.5 114
1995 ST ₂₉	1995 10 18.77217	01 36 03.29	+06 22 17.2	114	1995 UL ₅	1995 10 18.77217	01 29 56.82	+09 49 24.7	114
1995 ST ₂₉	1995 10 19.77980	01 35 11.86	+06 16 21.5	114	6588 P-L	1995 09 26.83038	01 46 25.05	+09 59 36.6	17.0 114
1995 ST ₂₉	1995 10 19.81487	01 35 09.92	+06 16 08.6	114	6588 P-L	1995 09 26.85260	01 46 24.24	+09 59 33.3	114
1995 SU ₂₉	* 1995 09 26.84149	01 54 27.14	+08 22 48.7	17.0 114	6588 P-L	1995 09 26.90017	01 46 22.76	+09 59 22.2	114
1995 SU ₂₉	1995 09 26.90017	01 54 25.22	+08 22 33.6	114	6588 P-L	1995 09 28.92097	01 45 12.42	+09 52 36.6	114
1995 SU ₂₉	1995 09 28.92097	01 53 13.44	+08 13 10.8	114	6588 P-L	1995 09 29.00118	01 45 09.16	+09 52 19.4	114

(428)	1995 09 26.84149	01 42 19.75	+09 56 40.3	114	(2243)	1995 09 28.90951	01 49 00.28	+09 42 55.3	114
(428)	1995 09 26.88871	01 42 17.59	+09 56 44.2	114	(2243)	1995 09 28.93243	01 48 59.06	+09 42 55.9	114
(428)	1995 09 26.91163	01 42 16.54	+09 56 45.7	114	(2243)	1995 09 28.99007	01 48 55.61	+09 42 58.2	114
(428)	1995 09 28.92097	01 40 46.49	+09 59 17.6	114	(2243)	1995 09 29.01229	01 48 54.40	+09 42 58.9	114
(428)	1995 09 29.00118	01 40 42.51	+09 59 23.4	114	(2243)	1995 10 01.88970	01 46 10.53	+09 44 07.8	114
(428)	1995 10 01.88970	01 38 21.29	+10 02 12.2	114	(2243)	1995 10 01.93241	01 46 07.81	+09 44 08.5	114
(428)	1995 10 01.93241	01 38 18.90	+10 02 14.1	114	(2243)	1995 10 16.77706	01 29 53.12	+09 38 55.9	114
(1142)	1995 09 26.84149	01 44 30.74	+08 06 18.7	114	(2243)	1995 10 16.82289	01 29 49.92	+09 38 53.7	114
(1142)	1995 09 26.90017	01 44 28.65	+08 06 03.9	114	(2243)	1995 10 17.78260	01 28 44.52	+09 38 11.2	114
(1142)	1995 09 28.90951	01 43 14.77	+07 57 55.5	114	(2243)	1995 10 18.77217	01 27 37.39	+09 37 25.0	114
(1142)	1995 09 28.93243	01 43 13.99	+07 57 50.1	114	(2884)	1995 09 26.83038	01 46 14.53	+09 43 52.4	114
(1142)	1995 09 29.00118	01 43 11.31	+07 57 33.1	114	(2884)	1995 09 26.85260	01 46 13.84	+09 43 48.8	114
(1142)	1995 10 01.88970	01 41 20.39	+07 45 25.4	114	(2884)	1995 09 26.88871	01 46 12.42	+09 43 42.7	114
(1142)	1995 10 01.93241	01 41 18.62	+07 45 14.9	114	(2884)	1995 09 26.91163	01 46 11.73	+09 43 39.1	114
(1142)	1995 10 16.77706	01 30 49.49	+06 38 58.3	114	(2884)	1995 09 28.90951	01 45 00.55	+09 38 03.5	114
(1142)	1995 10 16.82289	01 30 47.47	+06 38 46.0	114	(2884)	1995 09 28.93243	01 44 59.71	+09 37 59.4	114
(1142)	1995 10 17.78260	01 30 05.41	+06 34 26.5	114	(2884)	1995 09 28.99007	01 44 57.43	+09 37 49.7	114
(1142)	1995 10 18.77217	01 29 21.85	+06 30 00.7	114	(2884)	1995 09 29.01229	01 44 56.72	+09 37 46.3	114
(1142)	1995 10 19.77980	01 28 37.68	+06 25 30.0	114	(2884)	1995 10 01.88970	01 43 06.76	+09 29 02.4	114
(1142)	1995 10 19.81487	01 28 36.14	+06 25 20.9	114	(2884)	1995 10 01.93241	01 43 05.03	+09 28 54.2	114
(1218)	1995 09 26.84149	01 54 02.78	+07 39 25.2	114	(2884)	1995 10 16.77706	01 32 01.12	+08 35 42.5	114
(1218)	1995 09 26.90017	01 54 00.15	+07 39 10.4	114	(2884)	1995 10 16.82289	01 31 58.92	+08 35 31.8	114
(1218)	1995 09 28.92097	01 52 30.88	+07 31 15.3	114	(2884)	1995 10 17.78260	01 31 13.07	+08 31 50.0	114
(1218)	1995 09 28.99007	01 52 27.49	+07 30 59.3	114	(2884)	1995 10 18.77217	01 30 25.63	+08 28 02.7	114
(1218)	1995 09 29.01229	01 52 26.63	+07 30 53.5	114	(2884)	1995 10 19.77980	01 29 37.41	+08 24 10.6	114
(1218)	1995 10 01.88970	01 50 09.12	+07 18 57.0	114	(2884)	1995 10 19.81487	01 29 35.71	+08 24 02.5	114
(1218)	1995 10 01.93241	01 50 07.00	+07 18 45.7	114	(3117)	1995 10 17.74024	01 40 20.44	+05 22 24.4	114
(1218)	1995 10 16.77706	01 36 01.37	+06 09 44.9	114	(3183)	1995 10 17.74024	01 42 47.86	+07 10 51.5	114
(1218)	1995 10 16.82289	01 35 58.56	+06 09 33.0	114	(3338)	1995 09 26.83038	01 51 10.46	+10 00 41.4	114
(1218)	1995 10 17.74024	01 35 02.16	+06 05 09.4	114	(3338)	1995 09 26.85260	01 51 09.43	+10 00 34.9	114
(1218)	1995 10 17.78260	01 34 59.25	+06 04 58.2	114	(3338)	1995 09 26.90017	01 51 06.94	+10 00 20.2	114
(1218)	1995 10 18.77217	01 33 58.09	+06 00 17.0	114	(3338)	1995 09 28.92097	01 49 28.59	+09 50 17.3	114
(1218)	1995 10 19.77980	01 32 55.76	+05 55 32.3	114	(3338)	1995 09 29.00118	01 49 24.26	+09 49 51.9	114
(1218)	1995 10 19.81487	01 32 53.46	+05 55 21.3	114	(3338)	1995 10 01.88970	01 46 52.90	+09 34 30.6	114
(1651)	1995 09 26.83038	01 39 15.82	+08 53 10.5	114	(3338)	1995 10 01.93241	01 46 50.27	+09 34 14.6	114
(1651)	1995 09 26.85260	01 39 14.83	+08 53 00.8	114	(3338)	1995 10 16.77706	01 31 53.24	+08 05 12.5	114
(1651)	1995 09 26.88871	01 39 13.07	+08 52 45.4	114	(3338)	1995 10 16.82289	01 31 50.19	+08 04 55.1	114
(1651)	1995 09 26.91163	01 39 12.07	+08 52 34.7	114	(3338)	1995 10 17.78260	01 30 50.04	+07 59 00.5	114
(1651)	1995 09 28.90951	01 37 40.02	+08 37 55.2	114	(3338)	1995 10 18.77217	01 29 48.13	+07 52 57.9	114
(1651)	1995 09 28.93243	01 37 38.97	+08 37 44.8	114	(3338)	1995 10 19.77980	01 28 45.42	+07 46 51.3	114
(1651)	1995 09 28.99007	01 37 36.04	+08 37 19.5	114	(3338)	1995 10 19.81487	01 28 43.20	+07 46 38.0	114
(1651)	1995 09 29.01229	01 37 35.03	+08 37 09.4	114	(3373)	1995 09 26.83038	01 45 15.73	+08 50 12.9	114
(1938)	1995 09 26.84149	01 38 43.86	+07 48 27.3	114	(3373)	1995 09 26.85260	01 45 14.98	+08 50 04.7	114
(1938)	1995 09 26.90017	01 38 40.95	+07 48 06.3	114	(3373)	1995 09 26.88871	01 45 13.58	+08 49 51.6	114
(1938)	1995 09 28.90951	01 36 59.91	+07 35 00.1	114	(3373)	1995 09 26.91163	01 45 12.74	+08 49 42.7	114
(1938)	1995 09 28.93243	01 36 58.87	+07 34 51.3	114	(3373)	1995 09 28.90951	01 43 58.18	+08 37 08.6	114
(1938)	1995 09 29.00118	01 36 55.18	+07 34 24.7	114	(3373)	1995 09 28.93243	01 43 57.32	+08 37 00.0	114
(1967)	1995 10 17.74024	01 34 16.08	+04 59 14.5	114	(3373)	1995 09 29.00118	01 43 54.45	+08 36 33.7	114
(2243)	1995 09 26.83038	01 50 50.55	+09 41 28.5	114	(3373)	1995 10 01.88970	01 41 56.06	+08 17 18.5	114
(2243)	1995 09 26.85260	01 50 49.49	+09 41 28.9	114	(3373)	1995 10 01.93241	01 41 54.05	+08 17 00.1	114
(2243)	1995 09 26.88871	01 50 47.47	+09 41 31.0	114	(3373)	1995 10 16.77706	01 29 24.72	+06 25 54.8	114
(2243)	1995 09 26.91163	01 50 46.28	+09 41 32.2	114	(3373)	1995 10 16.82289	01 29 22.15	+06 25 34.3	114

(3373)	1995 10 17.78260	01 28 29.62	+06 18 08.9	114	(5966)	1995 09 26.84149	01 40 53.51	+07 03 14.6	16.6	114
(3373)	1995 10 18.77217	01 27 35.24	+06 10 32.6	114	(5966)	1995 09 26.90017	01 40 50.98	+07 03 01.9		114
(3373)	1995 10 19.77980	01 26 39.82	+06 02 47.9	114	(5966)	1995 09 28.92097	01 39 29.39	+06 56 22.0		114
(3373)	1995 10 19.81487	01 26 37.89	+06 02 32.4	114	(5966)	1995 09 29.00118	01 39 25.90	+06 56 07.4		114
(3716)	1995 10 17.74024	01 46 27.88	+06 40 50.4	114	(5966)	1995 10 01.88970	01 37 23.32	+06 46 12.6		114
(3780)	1995 09 26.84149	01 43 22.15	+07 04 04.0	114	(5966)	1995 10 01.93241	01 37 21.35	+06 46 04.1		114
(3780)	1995 09 26.90017	01 43 19.88	+07 03 46.5	114	(6601)	1995 10 16.77706	01 39 17.24	+06 31 28.9	15.6	114
(3780)	1995 09 28.90951	01 42 01.50	+06 53 59.5	114	(6601)	1995 10 16.82289	01 39 14.56	+06 31 18.2		114
(3780)	1995 09 28.93243	01 42 00.56	+06 53 52.4	114	(6601)	1995 10 17.74024	01 38 23.59	+06 27 54.8		114
(3780)	1995 09 29.00118	01 41 57.80	+06 53 33.1	114	(6601)	1995 10 17.78260	01 38 21.15	+06 27 47.1		114
(4470)	1995 10 17.74024	01 43 18.41	+06 42 07.2	114	(6601)	1995 10 18.77217	01 37 25.93	+06 24 10.7		114
(4685)	1995 09 26.83038	01 52 11.68	+10 17 51.7	114	(6601)	1995 10 19.77980	01 36 29.87	+06 20 34.0		114
(4685)	1995 09 26.85260	01 52 10.99	+10 17 47.5	114	(6601)	1995 10 19.81487	01 36 27.82	+06 20 26.2		114
(4685)	1995 09 26.90017	01 52 09.40	+10 17 40.3	114	118 Modra					
(4685)	1995 09 28.92097	01 51 00.86	+10 12 01.1	114	Š. Gajdoš, Astronomy and Astrophysics, Faculty of Mathematics and Physics,					
(4685)	1995 09 29.00118	01 50 57.96	+10 11 47.5	114	Comenius University, SK-84215 Bratislava, Slovakia [gajdos@fmph.uniba.sk]					
(4685)	1995 10 01.88970	01 49 12.56	+10 03 03.1	114	Observers P. Kolény, A. Galád, L. Kornoš, A. Pravda					
(4685)	1995 10 01.93241	01 49 10.85	+10 02 55.1	114	0.6-m $f/5.5$ reflector + CCD					
(4685)	1995 10 16.77706	01 38 26.46	+09 09 14.1	114	1991 RV ₉	1995 09 18.01172	03 40 27.62	+21 43 31.6		r 118
(4685)	1995 10 16.82289	01 38 24.39	+09 09 03.3	114	1991 RV ₉	1995 09 18.01588	03 40 27.66	+21 43 32.3		r 118
(4685)	1995 10 17.78260	01 37 39.28	+09 05 17.0	114	1991 RV ₉	1995 09 30.01742	03 41 16.03	+22 13 26.6		118
(4685)	1995 10 18.77217	01 36 52.46	+09 01 23.8	114	1991 RV ₉	1995 09 30.08499	03 41 15.42	+22 13 34.6		118
(4685)	1995 10 19.77980	01 36 04.87	+08 57 25.3	114	1991 RV ₉	1995 10 26.98163	03 26 17.23	+22 25 36.7		118
(4685)	1995 10 19.81487	01 36 03.27	+08 57 16.8	114	1991 RV ₉	1995 10 27.92281	03 25 24.01	+22 24 26.0		118
(4752)	1995 09 26.84149	01 47 04.12	+09 03 25.6	114	1991 RV ₉	1995 10 28.03532	03 25 17.47	+22 24 18.4	17.0 R	118
(4752)	1995 09 26.90017	01 47 01.96	+09 03 14.8	114	1992 LC	1995 10 06.01446	02 18 38.00	-06 57 10.7	17.9 R	118
(4752)	1995 09 28.92097	01 45 49.71	+08 57 05.5	114	1992 LC	1995 10 19.97239	01 59 24.91	-08 35 32.9		118
(4752)	1995 09 29.00118	01 45 46.64	+08 56 50.7	114	1992 LC	1995 10 21.93610	01 56 13.84	-08 47 22.5	18.4 R	118
(4752)	1995 10 01.88970	01 43 56.03	+08 47 24.6	114	1992 SQ	1995 10 16.80860	21 26 47.25	-10 09 01.0		118
(4752)	1995 10 01.93241	01 43 54.16	+08 47 15.9	114	1992 SQ	1995 10 18.76778	21 28 05.74	-10 06 04.0		118
(4752)	1995 10 16.77706	01 32 48.81	+07 51 30.6	114	1992 SQ	1995 10 21.76869	21 30 19.21	-10 00 25.3	18.8 R	118
(4752)	1995 10 16.82289	01 32 46.49	+07 51 19.3	114	1992 SQ	1995 10 22.78603	21 31 08.02	-09 58 11.0		118
(4752)	1995 10 17.78260	01 32 00.65	+07 47 31.6	114	1994 JG	1995 10 16.82719	21 45 46.09	-06 28 06.8		118
(4752)	1995 10 18.77217	01 31 13.01	+07 43 36.5	114	1994 JG	1995 10 18.79381	21 46 13.21	-06 35 28.7		118
(4752)	1995 10 19.77980	01 30 24.63	+07 39 39.4	114	1994 JG	1995 10 21.82064	21 47 05.32	-06 45 41.3		118
(4752)	1995 10 19.81487	01 30 22.85	+07 39 30.3	114	1994 JG	1995 10 22.80910	21 47 25.01	-06 48 44.0	18.4 R	118
(5290)	1995 09 26.83038	01 41 07.35	+07 46 45.5	114	1994 JN	1995 10 19.88589	02 40 29.92	+10 09 17.9		118
(5290)	1995 09 26.85260	01 41 06.65	+07 46 34.4	114	1994 JN	1995 10 21.86763	02 38 51.18	+09 50 33.7	17.0 R	r 118
(5290)	1995 09 26.90017	01 41 04.79	+07 46 08.5	114	1994 TF ₂	1995 09 17.92700	01 34 41.23	-00 45 22.5		118
(5290)	1995 09 28.90951	01 39 52.37	+07 28 43.5	114	1994 TF ₂	1995 09 17.93635	01 34 40.62	-00 46 09.7		118
(5290)	1995 09 28.93243	01 39 51.57	+07 28 31.5	114	1994 TF ₂	1995 09 17.94794	01 34 39.84	-00 47 08.4		118
(5290)	1995 09 29.00118	01 39 48.85	+07 27 55.3	114	1995 LE	1995 09 17.10803	04 18 51.25	+30 50 57.3		118
(5290)	1995 10 01.88970	01 37 58.12	+07 02 09.3	114	1995 LE	1995 09 17.12652	04 18 52.65	+30 50 56.7		118
(5290)	1995 10 01.93241	01 37 56.36	+07 01 48.0	114	1995 LE	1995 10 06.07323	04 30 40.19	+29 57 03.0	17.5 R	118
(5472)	1995 09 26.83038	01 49 08.36	+11 06 01.9	114	1995 QD ₂	1995 09 29.93193	00 58 14.20	+14 27 25.3		118
(5472)	1995 09 26.85260	01 49 07.36	+11 05 58.8	114	1995 QD ₂	1995 09 30.03677	00 58 08.12	+14 26 59.4		118
(5472)	1995 09 26.90017	01 49 05.20	+11 05 50.1	114	1995 QD ₂	1995 10 04.90138	00 53 31.18	+14 04 38.3	16.8 R	118
(5472)	1995 10 01.93241	01 45 11.53	+10 49 36.1	114	1995 QD ₂	1995 10 05.91611	00 52 31.98	+13 59 24.4	17.1 R	118
(5472)	1995 10 16.77706	01 31 13.06	+09 46 32.4	114	1995 QD ₂	1995 10 19.76284	00 39 28.98	+12 34 44.8		118
(5472)	1995 10 16.82289	01 31 10.19	+09 46 19.1	114	1995 QD ₂	1995 10 21.83463	00 37 44.66	+12 21 02.2		118
(5472)	1995 10 17.78260	01 30 12.87	+09 41 49.8	114	1995 QD ₂	1995 10 22.83502	00 36 56.38	+12 14 25.2	17.7 R	118
(5472)	1995 10 18.77217	01 29 13.56	+09 37 11.1	114	1995 QY ₂	1995 09 17.83282	21 21 05.02	-21 38 27.3		118

1995 QY ₂	1995 09 17.86575	21 21 03.80	-21 39 03.3	118	
1995 RC	1995 09 17.88707	01 03 51.03	+13 49 25.0	118	
1995 RC	1995 09 17.96299	01 03 47.66	+13 49 35.2	118	
1995 RC	1995 10 18.85020	00 34 50.51	+13 18 30.7	118	
1995 RC	1995 10 19.78554	00 34 00.93	+13 15 27.0	118	
1995 RC	1995 10 22.87318	00 31 25.05	+13 05 09.0	16.1 R	118
1995 UX ₁	1995 10 22.83502	00 36 36.19	+12 17 00.3	17.4 R	118
1995 UX ₁	* 1995 10 22.99572	00 36 25.55	+12 21 07.5	118	
1995 UX ₁	1995 10 23.02288	00 36 23.79	+12 21 48.7	118	
1995 UX ₁	1995 10 23.04381	00 36 22.53	+12 22 16.1	118	
1995 UX ₁	1995 10 23.96358	00 36 21.32	+12 22 45.3	118	
1995 UX ₁	1995 10 23.79507	00 35 38.58	+12 41 16.8	118	
1995 UX ₁	1995 10 23.80039	00 35 38.25	+12 41 25.0	118	
1995 UX ₁	1995 10 23.80755	00 35 37.80	+12 41 35.7	118	
1995 UX ₁	1995 10 23.95883	00 35 28.12	+12 45 24.3	118	
1995 UX ₁	1995 10 23.96358	00 35 27.83	+12 45 31.5	17.5 R	118
1995 UX ₁	1995 10 24.81816	00 34 39.08	+13 06 56.0	118	
1995 UX ₁	1995 10 24.82145	00 34 38.89	+13 07 00.9	16.9 R	118
1995 UX ₁	1995 10 26.82284	00 32 49.94	+13 56 26.1	118	
1995 UX ₁	1995 10 26.82663	00 32 49.72	+13 56 31.7	17.4 R	118
1995 UX ₁	1995 10 27.00344	00 32 39.78	+14 00 49.9	17.4 R	118
1995 UX ₁	1995 10 27.00645	00 32 39.60	+14 00 54.3	17.5 R	118
1995 UD ₅	* 1995 10 26.98163	03 26 13.82	+22 23 43.1	118	
1995 UD ₅	1995 10 26.98512	03 26 13.57	+22 23 42.5	18.8 R	118
1995 UD ₅	1995 10 27.92281	03 25 20.34	+22 22 24.4	118	
1995 UD ₅	1995 10 27.92902	03 25 19.98	+22 22 23.6	118	
1995 UD ₅	1995 10 28.03532	03 25 13.80	+22 22 14.8	118	
(862)	1995 09 17.04262	01 01 56.96	+28 29 38.2	118	
(862)	1995 09 25.98139	00 54 51.34	+28 40 12.2	118	
(1301)	1995 09 29.81193	17 59 21.41	+05 20 45.7	118	
(2871)	1995 09 18.11869	04 54 21.27	+24 44 51.9	118	
(2871)	1995 09 18.12938	04 54 21.98	+24 44 55.3	118	
(3200)	1995 09 18.07803	04 22 19.98	+40 09 43.1	118	
(3200)	1995 09 29.98468	04 13 21.43	+41 11 20.2	118	
(3200)	1995 10 05.06470	04 07 09.96	+41 32 02.1	18.3 R	118
(3200)	1995 10 06.03073	04 05 49.32	+41 35 24.0	18.0 R	118
(3362)	1995 10 21.97223	03 32 52.82	-07 41 41.0	118	
(3362)	1995 10 22.92843	03 30 39.56	-08 08 03.2	118	
(3752)	1995 08 18.88010	20 47 14.49	+05 03 05.9	118	
(3752)	1995 08 18.88897	20 47 13.23	+05 02 35.2	118	
(3806)	1995 09 16.80709	21 05 10.96	-02 54 16.8	118	
(3806)	1995 09 16.90515	21 05 09.61	-02 55 19.6	118	
(3806)	1995 09 25.91587	21 04 56.78	-04 27 49.9	118	

120 Višnjan

K. Korlević, Istarska 5, HR-51463 Višnjan, Croatia [kkorlevic@x400.srce.hr]

0.41-m reflector + CCD

Observers K. Korlević, V. Brcic

GSC

1995 UA ₁	* 1995 10 20.98505	02 04 20.28	+22 38 33.6	17.8 R	120
1995 UA ₁	1995 10 21.06370	02 04 15.08	+22 38 19.7	17.8 R	120
1995 UA ₁	1995 10 22.90216	02 02 15.47	+22 32 41.2		120
1995 UA ₁	1995 10 22.91325	02 02 14.72	+22 32 39.1		120

1995 UA ₁	1995 10 24.84150	02 00 08.03	+22 26 05.5		120
1995 UA ₁	1995 10 24.86095	02 00 06.71	+22 26 01.2		120
1995 UB ₁	* 1995 10 21.88651	02 57 17.66	+21 32 28.3	16.7 R	120
1995 UB ₁	1995 10 21.90836	02 57 16.68	+21 32 22.5		120
1995 UB ₁	1995 10 22.92021	02 56 32.35	+21 27 31.1		120
1995 UB ₁	1995 10 22.93703	02 56 31.59	+21 27 26.2		120
1995 UB ₁	1995 10 23.97371	02 55 45.14	+21 22 20.8		120
1995 UB ₁	1995 10 24.00037	02 55 43.96	+21 22 12.6		120
1995 UB ₁	1995 10 24.88461	02 55 04.03	+21 17 44.9		120
1995 UB ₁	1995 10 24.91801	02 55 02.46	+21 17 35.7		120
1995 UC ₁	* 1995 10 21.95787	03 44 37.24	+15 23 29.3	18.1 R	120
1995 UC ₁	1995 10 22.05779	03 44 33.81	+15 23 13.0		120
1995 UC ₁	1995 10 22.94202	03 44 03.88	+15 20 55.4		120
1995 UC ₁	1995 10 22.95765	03 44 03.38	+15 20 53.1		120
1995 UC ₁	1995 10 24.90022	03 42 54.02	+15 15 42.3		120
1995 UC ₁	1995 10 24.91525	03 42 53.34	+15 15 39.9		120
(1391)	1995 09 29.91885	02 29 12.32	+03 25 46.0		120
(1391)	1995 09 29.97261	02 29 10.38	+03 25 30.5		120
(1805)	1995 10 21.97435	03 40 41.75	+17 46 06.0		120
(2376)	1995 10 21.98120	03 42 33.00	+18 19 51.8		120
(2376)	1995 10 22.04578	03 42 30.57	+18 19 47.8		120
(4064)	1995 10 20.98505	02 04 03.81	+22 42 22.2		120
(4064)	1995 10 21.06370	02 03 58.83	+22 42 11.4		120
(4064)	1995 10 21.84605	02 03 10.33	+22 40 25.4		120
(4064)	1995 10 21.85714	02 03 09.59	+22 40 23.8		120
(4696)	1995 10 21.96576	03 43 51.90	+17 37 36.0		120
(4696)	1995 10 22.03645	03 43 49.17	+17 37 23.8		120
(4999)	1995 09 29.92518	02 27 16.33	+02 29 29.7		120
(4999)	1995 09 29.96959	02 27 15.07	+02 29 12.0		120
(5056)	1995 10 21.95787	03 44 55.52	+15 20 35.6		120
(5056)	1995 10 22.05779	03 44 51.96	+15 20 41.2		120
(5056)	1995 10 22.94202	03 44 21.58	+15 21 29.7		120
(5056)	1995 10 22.95765	03 44 20.97	+15 21 30.6		120
(5183)	1995 10 21.92545	04 37 09.32	+31 42 22.4		120
(5183)	1995 10 21.94719	04 37 08.71	+31 42 20.0		120
(5530)	1995 10 23.94587	02 36 54.30	+20 27 31.0		120
(5530)	1995 10 23.98089	02 36 51.92	+20 27 30.5		120
(5557)	1995 10 21.88651	02 57 28.52	+21 33 24.2		120
(5557)	1995 10 22.92021	02 56 31.83	+21 31 41.6		120
(5557)	1995 10 22.93703	02 56 30.91	+21 31 39.9		120

327 Peking Observatory, Xinglong Station

J. Zhu, Peking Astronomical Observatory, Chinese Academy of Sciences,

Zhongguancun, Peking 100080, Peoples Republic of China

[jinzhu@bepc2.ihep.ac.cn]

Observers X. Zhou, Y. J. Chen, Y. P. Li, J. Zhu, W. Xu, S. J. Xue, Z. Y. Zheng,

X. H. Fan, Z. H. Shang, L. C. Deng, T. G. Wang, C. M. Ma

Measurers Y. J. Chen, Y. P. Li, J. Zhu, Z. H. Shang, L. C. Deng, T. G. Wang,

R. H. Liu, J. L. Wang

0.60-m Schmidt + CCD

1981 ER ₂₁	1995 09 17.68597	22 33 57.15	-10 05 47.4	18.5	327
1981 ER ₂₁	1995 09 17.71001	22 33 56.25	-10 05 55.3		327
1981 ER ₂₁	1995 09 17.73394	22 33 55.34	-10 06 02.5		327

1981 ER ₂₁	1995 09 17.75822	22 33 54.43	-10 06 10.8		327	1995 GS ₇	1995 03 31.62759	11 21 24.40	+13 17 38.9	18.5 V	327
1982 UP	1995 09 28.82228	04 02 44.05	+20 28 01.3		327	1995 GS ₇	1995 03 31.64333	11 21 23.68	+13 17 43.3		327
1982 UP	1995 09 28.84375	04 02 44.58	+20 28 00.6	17.6 V	327	1995 GS ₇	1995 03 31.65993	11 21 22.91	+13 17 48.6		327
1982 UP	1995 09 28.86491	04 02 45.15	+20 28 00.4		327	1995 GS ₇	1995 03 31.67709	11 21 22.20	+13 17 53.5		327
1982 UP	1995 09 28.88613	04 02 45.68	+20 28 00.2		327	1995 PK	1995 08 04.69567	20 59 32.05	-17 02 44.2		327
1982 UP	1995 09 29.79003	04 03 09.82	+20 27 39.7	17.6 V	327	1995 PK	1995 08 04.72205	20 59 30.53	-17 02 56.9	16.9	327
1982 UP	1995 09 29.81529	04 03 10.40	+20 27 39.6		327	1995 PK	1995 08 04.76612	20 59 27.93	-17 03 17.6		327
1982 UP	1995 09 29.83074	04 03 10.75	+20 27 38.7		327	1995 QU ₉	* 1995 08 23.75980	00 58 59.88	+06 35 56.1		327
1982 UP	1995 09 29.85664	04 03 11.33	+20 27 38.0		327	1995 QU ₉	1995 08 23.77815	00 58 59.75	+06 35 52.0		327
1990 HH ₁	1995 09 28.64368	22 25 11.71	-11 28 54.3	17.8	327	1995 QU ₉	1995 08 23.78730	00 58 59.64	+06 35 51.3	19.7 V	327
1990 HH ₁	1995 09 28.66839	22 25 11.18	-11 29 05.5		327	1995 QU ₉	1995 08 23.79632	00 58 59.59	+06 35 50.2		327
1990 HH ₁	1995 09 28.68483	22 25 10.81	-11 29 12.6		327	1995 QU ₉	1995 08 24.80240	00 58 53.19	+06 33 19.8		327
1990 HH ₁	1995 09 29.59588	22 24 52.19	-11 36 01.2		327	1995 QU ₉	1995 08 24.81139	00 58 53.13	+06 33 17.5		327
1990 HH ₁	1995 09 29.61296	22 24 51.85	-11 36 08.4		327	1995 QU ₉	1995 08 24.82042	00 58 53.04	+06 33 16.8		327
1990 HH ₁	1995 09 29.63007	22 24 51.51	-11 36 15.9	18.1	327	1995 QU ₉	1995 08 24.82940	00 58 52.96	+06 33 15.3		327
1995 FD ₂₁	* 1995 03 30.55221	11 19 43.06	+13 21 49.1		327	1995 QV ₉	* 1995 08 23.75980	00 59 26.57	+06 28 44.5		327
1995 FD ₂₁	1995 03 30.58457	11 19 41.89	+13 21 56.6	20.1 V	327	1995 QV ₉	1995 08 23.77815	00 59 26.17	+06 28 45.3		327
1995 FD ₂₁	1995 03 31.61207	11 19 05.22	+13 26 00.7	20.1 V	327	1995 QV ₉	1995 08 23.78730	00 59 26.02	+06 28 46.8		327
1995 FD ₂₁	1995 03 31.62759	11 19 04.63	+13 26 04.6		327	1995 QV ₉	1995 08 23.79632	00 59 25.76	+06 28 47.5	20.5 V	327
1995 FD ₂₁	1995 03 31.64333	11 19 04.04	+13 26 07.7		327	1995 QV ₉	1995 08 24.80240	00 59 04.69	+06 29 53.6		327
1995 FD ₂₁	1995 03 31.67709	11 19 02.74	+13 26 15.0		327	1995 QV ₉	1995 08 24.81139	00 59 04.44	+06 29 53.5		327
1995 FE ₂₁	* 1995 03 30.55221	11 20 13.87	+13 01 58.3	20.9 V	327	1995 QV ₉	1995 08 24.82042	00 59 04.20	+06 29 53.4	20.1 V	327
1995 FE ₂₁	1995 03 30.58457	11 20 12.24	+13 02 04.8		327	1995 QV ₉	1995 08 24.82940	00 59 04.08	+06 29 54.7		327
1995 FE ₂₁	1995 03 31.61207	11 19 28.61	+13 05 19.3	19.2 V	327	1995 QW ₉	* 1995 08 23.76899	01 03 53.59	+06 49 04.2	19.6 V	327
1995 FE ₂₁	1995 03 31.62759	11 19 27.96	+13 05 21.8		327	1995 QW ₉	1995 08 23.80653	01 03 52.86	+06 49 03.0		327
1995 FE ₂₁	1995 03 31.64333	11 19 27.25	+13 05 24.7		327	1995 QW ₉	1995 08 23.81517	01 03 52.73	+06 49 02.2		327
1995 FE ₂₁	1995 03 31.65993	11 19 26.49	+13 05 27.9		327	1995 QW ₉	1995 08 23.82396	01 03 52.50	+06 49 01.5		327
1995 FE ₂₁	1995 03 31.67709	11 19 25.78	+13 05 30.5		327	1995 QW ₉	1995 08 25.79900	01 03 11.87	+06 46 55.5		327
1995 FF ₂₁	* 1995 03 30.55221	11 20 47.84	+13 14 13.3	19.9 V	327	1995 QW ₉	1995 08 25.81779	01 03 11.40	+06 46 53.8		327
1995 FF ₂₁	1995 03 30.58457	11 20 45.68	+13 14 14.7		327	1995 QW ₉	1995 08 25.83346	01 03 11.07	+06 46 52.7	18.6 V	327
1995 FF ₂₁	1995 03 31.61207	11 19 46.00	+13 14 51.0		327	1995 SL ₅	1995 10 14.61508	00 30 25.93	+02 12 38.0		327
1995 FF ₂₁	1995 03 31.62759	11 19 45.15	+13 14 51.6		327	1995 SL ₅	1995 10 14.64604	00 30 24.49	+02 12 25.8	16.6 V	327
1995 FF ₂₁	1995 03 31.64333	11 19 44.27	+13 14 52.0	19.3 V	327	1995 SL ₅	1995 10 14.66771	00 30 23.47	+02 12 17.1		327
1995 FF ₂₁	1995 03 31.65993	11 19 43.17	+13 14 51.7		327	1995 SL ₅	1995 10 15.69685	00 29 38.50	+02 05 33.2		327
1995 FF ₂₁	1995 03 31.67709	11 19 42.23	+13 14 52.1		327	1995 SL ₅	1995 10 15.72012	00 29 37.43	+02 05 24.6	16.7 V	327
1995 FG ₂₁	* 1995 03 30.55221	11 21 38.20	+13 21 51.0		327	1995 SL ₅	1995 10 15.74269	00 29 36.42	+02 05 15.7		327
1995 FG ₂₁	1995 03 30.58457	11 21 36.34	+13 21 53.3	18.8 V	327	1995 SP ₅	* 1995 09 21.80007	02 45 28.06	+14 39 42.9	17.7 V	327
1995 FG ₂₁	1995 03 31.61207	11 20 49.12	+13 23 03.1		327	1995 SP ₅	1995 09 21.82860	02 45 27.75	+14 39 42.1		327
1995 FG ₂₁	1995 03 31.62759	11 20 48.40	+13 23 03.9	18.9 V	327	1995 SP ₅	1995 09 21.85314	02 45 27.48	+14 39 41.7		327
1995 FG ₂₁	1995 03 31.64333	11 20 47.65	+13 23 05.1		327	1995 SP ₅	1995 09 27.78736	02 43 59.67	+14 34 36.0		327
1995 FG ₂₁	1995 03 31.65993	11 20 46.88	+13 23 06.3		327	1995 SP ₅	1995 09 27.80275	02 43 59.32	+14 34 34.2	18.9 V	327
1995 FG ₂₁	1995 03 31.67709	11 20 46.05	+13 23 07.1		327	1995 SP ₅	1995 10 14.63697	02 35 27.82	+14 01 46.2		327
1995 GP ₇	1995 03 30.55221	11 21 30.13	+13 01 20.2	18.8 V	327	1995 SP ₅	1995 10 14.65904	02 35 26.94	+14 01 42.4	17.5 V	327
1995 GP ₇	1995 03 30.58457	11 21 28.70	+13 01 25.6		327	1995 SP ₅	1995 10 14.67689	02 35 26.20	+14 01 39.7		327
1995 GP ₇	1995 03 31.61207	11 20 44.27	+13 04 20.8		327	1995 SP ₅	1995 10 15.70598	02 34 43.99	+13 58 52.7	17.5 V	327
1995 GP ₇	1995 03 31.62759	11 20 43.55	+13 04 23.8		327	1995 SP ₅	1995 10 15.72882	02 34 43.01	+13 58 49.3		327
1995 GP ₇	1995 03 31.64333	11 20 42.86	+13 04 26.1		327	1995 SP ₅	1995 10 15.75223	02 34 42.02	+13 58 45.5		327
1995 GP ₇	1995 03 31.65993	11 20 42.16	+13 04 28.7		327	1995 SQ ₅	* 1995 09 23.58663	21 59 04.84	+00 53 28.5		327
1995 GP ₇	1995 03 31.67709	11 20 41.36	+13 04 32.0	18.8 V	327	1995 SQ ₅	1995 09 23.60229	21 59 04.29	+00 53 22.0		327
1995 GS ₇	1995 03 30.55221	11 22 11.64	+13 11 59.7		327	1995 SQ ₅	1995 09 23.62031	21 59 03.63	+00 53 15.5	18.2 V	327
1995 GS ₇	1995 03 30.58457	11 22 10.12	+13 12 11.4	18.8 V	327	1995 SQ ₅	1995 09 23.63600	21 59 03.05	+00 53 09.9		327
1995 GS ₇	1995 03 31.61207	11 21 25.11	+13 17 33.7		327	1995 SQ ₅	1995 09 24.54783	21 58 31.68	+00 47 19.8		327

1995 SQ ₅	1995 09 24.55372	21 58 31.45	+00 47 18.1		327	1995 SX ₁₆	1995 09 29.62476	23 30 23.17	-02 59 32.4	18.1	327
1995 SQ ₅	1995 09 24.55880	21 58 31.30	+00 47 16.1	16.9 V	327	1995 SX ₁₆	1995 09 29.64124	23 30 22.37	-02 59 36.3		327
1995 SQ ₅	1995 09 27.49339	21 56 59.43	+00 28 46.3		327	1995 SH ₃₂	1995 09 17.69381	22 34 32.65	-08 11 24.2	19.3 V	327
1995 SQ ₅	1995 09 27.50956	21 56 58.98	+00 28 40.3	17.9 V	327	1995 SH ₃₂	1995 09 17.71780	22 34 31.26	-08 11 29.3		327
1995 SQ ₅	1995 09 27.52272	21 56 58.55	+00 28 35.1		327	1995 SH ₃₂	1995 09 17.74175	22 34 29.86	-08 11 35.0		327
1995 SR ₅	* 1995 09 23.58663	21 59 43.45	+01 06 45.4	19.5 V	327	1995 SH ₃₂	1995 09 17.76604	22 34 28.42	-08 11 41.2		327
1995 SR ₅	1995 09 23.60229	21 59 42.98	+01 06 41.6		327	1995 SL ₄₆	1995 09 28.64885	22 29 03.81	-08 30 42.5	19.1 V	327
1995 SR ₅	1995 09 23.62031	21 59 42.46	+01 06 38.4		327	1995 SL ₄₆	1995 09 28.67384	22 29 03.00	-08 30 48.8		327
1995 SR ₅	1995 09 23.63600	21 59 41.95	+01 06 32.5		327	1995 SL ₄₆	1995 09 28.68991	22 29 02.46	-08 30 53.1		327
1995 SR ₅	1995 09 25.58404	21 58 46.32	+00 57 08.1		327	1995 SL ₄₆	1995 09 29.60138	22 28 34.55	-08 34 38.9	20.3 V	327
1995 SR ₅	1995 09 25.59970	21 58 45.90	+00 57 03.9	19.4 V	327	1995 SL ₄₆	1995 09 29.61902	22 28 33.97	-08 34 44.4		327
1995 SR ₅	1995 09 25.61563	21 58 45.40	+00 56 59.0		327	1995 SL ₄₆	1995 09 29.63549	22 28 33.48	-08 34 48.6		327
1995 SR ₅	1995 09 25.63189	21 58 44.96	+00 56 54.5		327	1995 SZ ₅₂	* 1995 09 28.64368	22 24 22.73	-11 42 22.8		327
1995 SS ₅	* 1995 09 25.73477	02 55 04.28	+15 54 05.3		327	1995 SZ ₅₂	1995 09 28.66839	22 24 22.14	-11 42 22.1		327
1995 SS ₅	1995 09 25.73912	02 55 04.13	+15 54 03.0		327	1995 SZ ₅₂	1995 09 28.68483	22 24 21.74	-11 42 21.2	19.4	327
1995 SS ₅	1995 09 25.74780	02 55 04.04	+15 54 00.3	19.7 V	327	1995 SZ ₅₂	1995 09 29.59588	22 24 02.96	-11 41 48.2	19.7	327
1995 SS ₅	1995 09 25.75216	02 55 03.89	+15 53 58.2	19.1 V	327	1995 SZ ₅₂	1995 09 29.61296	22 24 02.61	-11 41 47.5		327
1995 SS ₅	1995 09 25.76084	02 55 03.76	+15 53 54.7		327	1995 SZ ₅₂	1995 09 29.63007	22 24 02.20	-11 41 46.9		327
1995 SS ₅	1995 09 25.76520	02 55 03.67	+15 53 52.5		327	1995 SA ₅₃	* 1995 09 28.64368	22 24 42.21	-11 47 55.5	19.0	327
1995 SS ₅	1995 09 27.79250	02 54 24.69	+15 39 33.6		327	1995 SA ₅₃	1995 09 28.66839	22 24 41.37	-11 48 00.8		327
1995 SS ₅	1995 09 27.80782	02 54 24.40	+15 39 27.1	19.4 V	327	1995 SA ₅₃	1995 09 28.68483	22 24 40.82	-11 48 04.6		327
1995 SS ₅	1995 09 27.82372	02 54 24.01	+15 39 19.3		327	1995 SA ₅₃	1995 09 29.59588	22 24 11.53	-11 51 12.0		327
1995 SS ₅	1995 09 27.83919	02 54 23.70	+15 39 13.0		327	1995 SA ₅₃	1995 09 29.61296	22 24 10.96	-11 51 15.8		327
1995 ST ₅	* 1995 09 25.73912	02 55 10.98	+15 17 03.7	19.9 V	327	1995 SA ₅₃	1995 09 29.63007	22 24 10.39	-11 51 19.4		327
1995 ST ₅	1995 09 25.75216	02 55 10.70	+15 17 03.2		327	1995 SB ₅₃	* 1995 09 28.64368	22 26 09.31	-11 21 27.2		327
1995 ST ₅	1995 09 25.76520	02 55 10.45	+15 17 03.5		327	1995 SB ₅₃	1995 09 28.66839	22 26 08.31	-11 21 17.1	19.4	327
1995 ST ₅	1995 09 27.79250	02 54 23.64	+15 15 49.6	19.9 V	327	1995 SB ₅₃	1995 09 28.68483	22 26 07.60	-11 21 11.6		327
1995 ST ₅	1995 09 27.80782	02 54 23.27	+15 15 48.7		327	1995 SB ₅₃	1995 09 29.59588	22 25 33.32	-11 15 24.7		327
1995 ST ₅	1995 09 27.82372	02 54 22.91	+15 15 47.8		327	1995 SB ₅₃	1995 09 29.61296	22 25 32.67	-11 15 19.8	19.2	327
1995 ST ₅	1995 09 27.83919	02 54 22.47	+15 15 47.5		327	1995 SB ₅₃	1995 09 29.63007	22 25 31.97	-11 15 13.5		327
1995 SU ₅	* 1995 09 25.74346	02 45 48.31	+14 55 05.7		327	1995 SC ₅₃	* 1995 09 28.65476	23 28 42.57	-03 22 46.8		327
1995 SU ₅	1995 09 25.75650	02 45 47.96	+14 55 02.3	20.6 V	327	1995 SC ₅₃	1995 09 28.67954	23 28 41.67	-03 23 05.2		327
1995 SU ₅	1995 09 25.76962	02 45 47.62	+14 54 57.9		327	1995 SC ₅₃	1995 09 28.69537	23 28 41.09	-03 23 16.4	19.3	327
1995 SU ₅	1995 09 27.78736	02 44 52.87	+14 45 24.4		327	1995 SC ₅₃	1995 09 29.60703	23 28 10.03	-03 34 05.1		327
1995 SU ₅	1995 09 27.80275	02 44 52.51	+14 45 21.0		327	1995 SC ₅₃	1995 09 29.62476	23 28 09.40	-03 34 17.6	19.5	327
1995 SU ₅	1995 09 27.81846	02 44 51.94	+14 45 16.3		327	1995 SC ₅₃	1995 09 29.64124	23 28 08.79	-03 34 28.6		327
1995 SU ₅	1995 09 27.83410	02 44 51.49	+14 45 11.9	20.4 V	327	1995 SD ₅₃	* 1995 09 28.65476	23 29 01.57	-03 09 49.0		327
1995 SR ₉	1995 09 28.65476	23 29 10.22	-03 18 50.7	19.6	327	1995 SD ₅₃	1995 09 28.67954	23 29 00.46	-03 10 01.7		327
1995 SR ₉	1995 09 28.67954	23 29 09.00	-03 18 52.8		327	1995 SD ₅₃	1995 09 28.69537	23 28 59.73	-03 10 10.3	18.2	327
1995 SR ₉	1995 09 28.69537	23 29 08.22	-03 18 54.6		327	1995 SD ₅₃	1995 09 29.60703	23 28 21.91	-03 17 57.8		327
1995 SR ₉	1995 09 29.60703	23 28 24.34	-03 20 12.4		327	1995 SD ₅₃	1995 09 29.62476	23 28 21.13	-03 18 07.1	18.5	327
1995 SR ₉	1995 09 29.62476	23 28 23.39	-03 20 13.3		327	1995 SD ₅₃	1995 09 29.64124	23 28 20.46	-03 18 15.6		327
1995 SR ₉	1995 09 29.64124	23 28 22.59	-03 20 14.8	19.7	327	1995 SE ₅₃	* 1995 09 28.65476	23 30 39.44	-02 49 49.8		327
1995 SV ₁₆	1995 09 28.65476	23 30 52.72	-03 11 02.7	19.3	327	1995 SE ₅₃	1995 09 28.67954	23 30 38.18	-02 49 59.3	18.3	327
1995 SV ₁₆	1995 09 28.67954	23 30 51.60	-03 11 09.6		327	1995 SE ₅₃	1995 09 28.69537	23 30 37.42	-02 50 05.8		327
1995 SV ₁₆	1995 09 28.69537	23 30 50.87	-03 11 14.6		327	1995 SE ₅₃	1995 09 29.60703	23 29 57.27	-02 55 57.6		327
1995 SV ₁₆	1995 09 29.60703	23 30 11.09	-03 15 33.3	20.2	327	1995 SE ₅₃	1995 09 29.62476	23 29 56.37	-02 56 04.1	18.5	327
1995 SV ₁₆	1995 09 29.62476	23 30 10.28	-03 15 39.1		327	1995 SE ₅₃	1995 09 29.64124	23 29 55.63	-02 56 10.9		327
1995 SV ₁₆	1995 09 29.64124	23 30 09.53	-03 15 44.2		327	1995 SF ₅₃	* 1995 09 28.65476	23 30 52.82	-03 02 37.8		327
1995 SX ₁₆	1995 09 28.67954	23 31 05.53	-02 55 35.0		327	1995 SF ₅₃	1995 09 28.67954	23 30 51.66	-03 02 45.9		327
1995 SX ₁₆	1995 09 28.69537	23 31 04.82	-02 55 39.3	18.6	327	1995 SF ₅₃	1995 09 28.69537	23 30 51.00	-03 02 51.3	20.2	327
1995 SX ₁₆	1995 09 29.60703	23 30 23.96	-02 59 27.6		327	1995 SF ₅₃	1995 09 29.60703	23 30 11.68	-03 08 04.1		327

1995 SF ₅₃	1995 09 29.62476	23 30 10.92	−03 08 10.8		327	1995 SN ₅₃	1995 09 29.67542	03 01 29.56	+17 26 56.5		327
1995 SF ₅₃	1995 09 29.64124	23 30 10.11	−03 08 15.2	20.1	327	1995 SN ₅₃	1995 09 29.69150	03 01 29.18	+17 27 00.0	19.2 V	327
1995 SG ₅₃	* 1995 09 28.80611	02 48 46.80	+16 19 19.3		327	1995 SN ₅₃	1995 09 29.70786	03 01 28.70	+17 27 04.2		327
1995 SG ₅₃	1995 09 28.82794	02 48 46.30	+16 19 16.2		327	1995 SO ₅₃	* 1995 09 28.81146	03 02 14.65	+17 10 17.5	18.8 V	327
1995 SG ₅₃	1995 09 28.84911	02 48 45.89	+16 19 14.2		327	1995 SO ₅₃	1995 09 28.83329	03 02 14.17	+17 10 13.2		327
1995 SG ₅₃	1995 09 28.87028	02 48 45.37	+16 19 11.4	18.7 V	327	1995 SO ₅₃	1995 09 28.85448	03 02 13.68	+17 10 08.8		327
1995 SG ₅₃	1995 09 29.64806	02 48 29.22	+16 17 40.7	18.6 V	327	1995 SO ₅₃	1995 09 28.87565	03 02 13.22	+17 10 04.9		327
1995 SG ₅₃	1995 09 29.67034	02 48 28.69	+16 17 38.2		327	1995 SO ₅₃	1995 09 29.65345	03 01 56.83	+17 07 34.2		327
1995 SG ₅₃	1995 09 29.68624	02 48 28.38	+16 17 35.8		327	1995 SO ₅₃	1995 09 29.67542	03 01 56.35	+17 07 29.1		327
1995 SG ₅₃	1995 09 29.70218	02 48 28.02	+16 17 33.9		327	1995 SO ₅₃	1995 09 29.69150	03 01 56.01	+17 07 25.3		327
1995 SH ₅₃	* 1995 09 28.80611	02 50 47.07	+16 12 02.3		327	1995 SO ₅₃	1995 09 29.70786	03 01 55.58	+17 07 22.9	19.7 V	327
1995 SH ₅₃	1995 09 28.82794	02 50 46.54	+16 11 55.7	17.8 V	327	1995 SP ₅₃	* 1995 09 28.81146	03 02 18.09	+17 01 41.3		327
1995 SH ₅₃	1995 09 28.84911	02 50 46.02	+16 11 50.2		327	1995 SP ₅₃	1995 09 28.83329	03 02 17.62	+17 01 43.1	19.1 V	327
1995 SH ₅₃	1995 09 28.87028	02 50 45.53	+16 11 44.1		327	1995 SP ₅₃	1995 09 28.85448	03 02 17.14	+17 01 44.6		327
1995 SH ₅₃	1995 09 29.64806	02 50 27.54	+16 08 14.7		327	1995 SP ₅₃	1995 09 28.87565	03 02 16.65	+17 01 46.1		327
1995 SH ₅₃	1995 09 29.67034	02 50 26.98	+16 08 08.4	18.0 V	327	1995 SP ₅₃	1995 09 29.65345	03 02 00.45	+17 02 42.6	19.2 V	327
1995 SH ₅₃	1995 09 29.68624	02 50 26.56	+16 08 03.7		327	1995 SP ₅₃	1995 09 29.67542	03 02 00.02	+17 02 44.3		327
1995 SJ ₅₃	* 1995 09 28.80611	02 51 19.32	+16 40 44.0		327	1995 SP ₅₃	1995 09 29.69150	03 01 59.50	+17 02 45.7		327
1995 SJ ₅₃	1995 09 28.82794	02 51 18.72	+16 40 42.1		327	1995 SP ₅₃	1995 09 29.70786	03 01 59.24	+17 02 47.9		327
1995 SJ ₅₃	1995 09 28.84911	02 51 18.14	+16 40 39.2	19.4 V	327	1995 SQ ₅₃	* 1995 09 28.81725	03 51 00.97	+19 51 17.7		327
1995 SJ ₅₃	1995 09 28.87028	02 51 17.55	+16 40 37.1		327	1995 SQ ₅₃	1995 09 28.83875	03 51 01.33	+19 51 26.3		327
1995 SJ ₅₃	1995 09 29.64806	02 50 57.25	+16 39 08.4	19.1 V	327	1995 SQ ₅₃	1995 09 28.85990	03 51 01.73	+19 51 34.4		327
1995 SJ ₅₃	1995 09 29.68624	02 50 56.21	+16 39 03.5		327	1995 SQ ₅₃	1995 09 28.88109	03 51 02.12	+19 51 42.0	17.7 V	327
1995 SJ ₅₃	1995 09 29.70218	02 50 55.73	+16 39 02.3		327	1995 SQ ₅₃	1995 09 29.68090	03 51 18.15	+19 56 53.9		327
1995 SK ₅₃	* 1995 09 28.80611	02 51 33.09	+16 45 10.0		327	1995 SQ ₅₃	1995 09 29.69691	03 51 18.39	+19 57 00.1	18.0 V	327
1995 SK ₅₃	1995 09 28.82794	02 51 32.48	+16 45 12.4	18.0 V	327	1995 SQ ₅₃	1995 09 29.71334	03 51 18.69	+19 57 06.9		327
1995 SK ₅₃	1995 09 28.84911	02 51 31.83	+16 45 15.3		327	1995 SR ₅₃	* 1995 09 28.81725	03 51 30.78	+19 55 59.6		327
1995 SK ₅₃	1995 09 28.87028	02 51 31.22	+16 45 18.5		327	1995 SR ₅₃	1995 09 28.83875	03 51 31.22	+19 56 00.7		327
1995 SK ₅₃	1995 09 29.64806	02 51 09.42	+16 46 58.6		327	1995 SR ₅₃	1995 09 28.85990	03 51 31.63	+19 56 01.8		327
1995 SK ₅₃	1995 09 29.68624	02 51 08.20	+16 47 03.5	17.9 V	327	1995 SR ₅₃	1995 09 28.88109	03 51 32.11	+19 56 02.8	18.4 V	327
1995 SK ₅₃	1995 09 29.70218	02 51 07.72	+16 47 06.2		327	1995 SR ₅₃	1995 09 29.68090	03 51 50.60	+19 56 37.9		327
1995 SL ₅₃	* 1995 09 28.81146	03 01 00.90	+16 53 27.0		327	1995 SR ₅₃	1995 09 29.69691	03 51 50.90	+19 56 38.5	18.8 V	327
1995 SL ₅₃	1995 09 28.83329	03 01 00.33	+16 53 26.1	19.1 V	327	1995 SR ₅₃	1995 09 29.71334	03 51 51.20	+19 56 38.9		327
1995 SL ₅₃	1995 09 28.85448	03 00 59.73	+16 53 25.2		327	1995 SS ₅₃	* 1995 09 28.81725	03 52 21.70	+20 35 12.6	18.0 V	327
1995 SL ₅₃	1995 09 28.87565	03 00 59.21	+16 53 25.0		327	1995 SS ₅₃	1995 09 28.83875	03 52 22.38	+20 35 18.9		327
1995 SL ₅₃	1995 09 29.65345	03 00 39.75	+16 53 12.1		327	1995 SS ₅₃	1995 09 28.85990	03 52 23.10	+20 35 25.3		327
1995 SL ₅₃	1995 09 29.67542	03 00 39.16	+16 53 12.0		327	1995 SS ₅₃	1995 09 28.88109	03 52 23.80	+20 35 31.9		327
1995 SL ₅₃	1995 09 29.69150	03 00 38.74	+16 53 11.0	19.3 V	327	1995 SS ₅₃	1995 09 29.68090	03 52 52.79	+20 39 31.4		327
1995 SL ₅₃	1995 09 29.70786	03 00 38.23	+16 53 10.0		327	1995 SS ₅₃	1995 09 29.69691	03 52 53.29	+20 39 36.4	18.0 V	327
1995 SM ₅₃	* 1995 09 28.81146	03 01 04.23	+17 31 47.0		327	1995 SS ₅₃	1995 09 29.71334	03 52 53.85	+20 39 41.5		327
1995 SM ₅₃	1995 09 28.83329	03 01 04.05	+17 31 42.0		327	1995 ST ₅₃	* 1995 09 28.81725	03 53 47.85	+20 25 00.0		327
1995 SM ₅₃	1995 09 28.85448	03 01 03.83	+17 31 37.4		327	1995 ST ₅₃	1995 09 28.83875	03 53 47.43	+20 25 06.0		327
1995 SM ₅₃	1995 09 28.87565	03 01 03.64	+17 31 32.3	18.4 V	327	1995 ST ₅₃	1995 09 28.85990	03 53 47.10	+20 25 11.0	18.5 V	327
1995 SM ₅₃	1995 09 29.65345	03 00 58.17	+17 28 44.9		327	1995 ST ₅₃	1995 09 28.88109	03 53 46.73	+20 25 15.9		327
1995 SM ₅₃	1995 09 29.67542	03 00 57.93	+17 28 40.0	18.8 V	327	1995 ST ₅₃	1995 09 29.68090	03 53 34.56	+20 28 35.7		327
1995 SM ₅₃	1995 09 29.69150	03 00 57.74	+17 28 36.4		327	1995 ST ₅₃	1995 09 29.69691	03 53 34.26	+20 28 40.1		327
1995 SM ₅₃	1995 09 29.70786	03 00 57.57	+17 28 32.8		327	1995 ST ₅₃	1995 09 29.71334	03 53 33.97	+20 28 43.6	18.3 V	327
1995 SN ₅₃	* 1995 09 28.81146	03 01 51.32	+17 23 25.2	19.0 V	327	1995 SU ₅₃	* 1995 09 28.64885	22 28 25.52	−08 07 03.5		327
1995 SN ₅₃	1995 09 28.83329	03 01 50.71	+17 23 31.0		327	1995 SU ₅₃	1995 09 28.67384	22 28 24.76	−08 07 10.0		327
1995 SN ₅₃	1995 09 28.85448	03 01 50.18	+17 23 35.8		327	1995 SU ₅₃	1995 09 28.68991	22 28 24.30	−08 07 13.9	18.8 V	327
1995 SN ₅₃	1995 09 28.87565	03 01 49.61	+17 23 40.8		327	1995 SU ₅₃	1995 09 29.60138	22 27 59.20	−08 10 57.1	19.3 V	327
1995 SN ₅₃	1995 09 29.65345	03 01 30.23	+17 26 50.9		327	1995 SU ₅₃	1995 09 29.61902	22 27 58.64	−08 11 01.0		327

1995 SU ₅₃	1995 09 29.63549	22 27 58.19	-08 11 06.0		327	1995 TL ₁	1995 10 15.73760	00 16 08.88	+04 50 43.6	19.2 V	327
1995 SV ₅₃	* 1995 09 28.64885	22 28 41.35	-08 07 34.5		327	1995 TM ₁	* 1995 10 14.60641	00 16 54.26	+05 09 55.6		327
1995 SV ₅₃	1995 09 28.67384	22 28 40.50	-08 07 39.5		327	1995 TM ₁	1995 10 14.62817	00 16 53.48	+05 09 35.6		327
1995 SV ₅₃	1995 09 28.68991	22 28 39.93	-08 07 43.1	19.6 V	327	1995 TM ₁	1995 10 14.65038	00 16 52.72	+05 09 14.7	17.9 V	327
1995 SV ₅₃	1995 09 29.60138	22 28 11.48	-08 11 00.7		327	1995 TM ₁	1995 10 15.69248	00 16 18.03	+04 52 46.2	17.9 V	327
1995 SV ₅₃	1995 09 29.63549	22 28 10.40	-08 11 08.8	19.9 V	327	1995 TM ₁	1995 10 15.71568	00 16 17.19	+04 52 23.9		327
1995 TD	1995 10 14.61508	00 31 25.06	+01 31 06.6		327	1995 TM ₁	1995 10 15.73760	00 16 16.46	+04 52 03.5		327
1995 TD	1995 10 14.64604	00 31 23.72	+01 30 48.8	16.3 V	327	1995 TN ₁	* 1995 10 14.61075	00 20 05.74	+03 37 57.1		327
1995 TD	1995 10 14.66771	00 31 22.73	+01 30 36.3		327	1995 TN ₁	1995 10 14.64171	00 20 04.04	+03 37 49.4	19.3 V	327
1995 TD	1995 10 15.69685	00 30 40.06	+01 20 50.6		327	1995 TN ₁	1995 10 14.66337	00 20 02.80	+03 37 44.0		327
1995 TD	1995 10 15.72012	00 30 39.05	+01 20 37.2	16.3 V	327	1995 TN ₁	1995 10 15.68622	00 19 08.06	+03 33 54.4		327
1995 TD	1995 10 15.74269	00 30 38.06	+01 20 24.4		327	1995 TN ₁	1995 10 15.71125	00 19 06.72	+03 33 48.5	18.9 V	327
1995 TE ₁	* 1995 10 14.50119	21 56 47.29	-00 04 28.6	19.8	327	1995 TN ₁	1995 10 15.73324	00 19 05.46	+03 33 44.0		327
1995 TE ₁	1995 10 14.54163	21 56 47.67	-00 04 48.6		327	1995 TO ₁	* 1995 10 14.61075	00 20 06.47	+03 33 25.1	18.5 V	327
1995 TE ₁	1995 10 17.43699	21 57 26.44	-00 27 53.0		327	1995 TO ₁	1995 10 14.64171	00 20 04.84	+03 33 17.1		327
1995 TE ₁	1995 10 17.45985	21 57 26.79	-00 28 03.8		327	1995 TO ₁	1995 10 14.66337	00 20 03.76	+03 33 11.2		327
1995 TE ₁	1995 10 17.48078	21 57 27.04	-00 28 13.2	19.9	327	1995 TO ₁	1995 10 15.68622	00 19 13.34	+03 28 49.2		327
1995 TF ₁	* 1995 10 14.50634	22 00 35.62	+08 11 46.7		327	1995 TO ₁	1995 10 15.71125	00 19 12.04	+03 28 41.8	18.4 V	327
1995 TF ₁	1995 10 14.55376	22 00 36.52	+08 11 20.9	18.0 V	327	1995 TO ₁	1995 10 15.73324	00 19 10.96	+03 28 37.1		327
1995 TF ₁	1995 10 14.58650	22 00 37.15	+08 11 02.1		327	1995 TP ₁	* 1995 10 14.61075	00 20 28.76	+03 32 16.0	19.1 V	327
1995 TF ₁	1995 10 17.44308	22 01 44.28	+07 45 37.6		327	1995 TP ₁	1995 10 14.64171	00 20 27.36	+03 32 06.2		327
1995 TF ₁	1995 10 17.46493	22 01 44.79	+07 45 25.9	18.3 V	327	1995 TP ₁	1995 10 14.66337	00 20 26.42	+03 31 59.4		327
1995 TF ₁	1995 10 17.48566	22 01 45.29	+07 45 15.1		327	1995 TP ₁	1995 10 15.68622	00 19 45.38	+03 26 14.9		327
1995 TG ₁	* 1995 10 14.51650	22 10 56.26	+07 33 28.6	19.5 V	327	1995 TP ₁	1995 10 15.71125	00 19 44.31	+03 26 06.8	18.8 V	327
1995 TG ₁	1995 10 14.56387	22 10 55.77	+07 33 14.4		327	1995 TP ₁	1995 10 15.73324	00 19 43.40	+03 25 57.9		327
1995 TG ₁	1995 10 14.59523	22 10 55.43	+07 33 04.2		327	1995 TQ ₁	* 1995 10 14.61075	00 20 45.35	+03 38 09.2	18.7 V	327
1995 TG ₁	1995 10 17.45449	22 10 32.82	+07 18 21.3		327	1995 TQ ₁	1995 10 14.64171	00 20 43.88	+03 37 56.0		327
1995 TG ₁	1995 10 17.47542	22 10 32.70	+07 18 15.5	19.0 V	327	1995 TQ ₁	1995 10 14.66337	00 20 42.78	+03 37 46.8		327
1995 TG ₁	1995 10 17.49610	22 10 32.60	+07 18 09.5		327	1995 TQ ₁	1995 10 15.68622	00 19 57.09	+03 30 42.8	18.5 V	327
1995 TH ₁	* 1995 10 14.51650	22 10 57.56	+07 48 19.0	17.6 V	327	1995 TQ ₁	1995 10 15.71125	00 19 55.94	+03 30 32.5		327
1995 TH ₁	1995 10 14.56387	22 10 56.41	+07 48 25.4		327	1995 TQ ₁	1995 10 15.73324	00 19 54.97	+03 30 22.7		327
1995 TH ₁	1995 10 14.59523	22 10 55.71	+07 48 28.8		327	1995 TR ₁	* 1995 10 14.61075	00 21 30.09	+03 19 28.8	18.3 V	327
1995 TH ₁	1995 10 17.45449	22 10 05.52	+07 54 47.8	17.7 V	327	1995 TR ₁	1995 10 14.64171	00 21 28.53	+03 19 22.8		327
1995 TH ₁	1995 10 17.47542	22 10 05.15	+07 54 50.6		327	1995 TR ₁	1995 10 14.66337	00 21 27.45	+03 19 17.7		327
1995 TH ₁	1995 10 17.49610	22 10 04.80	+07 54 53.7		327	1995 TR ₁	1995 10 15.68622	00 20 38.72	+03 15 53.0		327
1995 TJ ₁	* 1995 10 14.60641	00 15 36.88	+04 45 46.2	19.6 V	327	1995 TR ₁	1995 10 15.71125	00 20 37.53	+03 15 48.7	18.4 V	327
1995 TJ ₁	1995 10 14.62817	00 15 36.03	+04 45 40.8		327	1995 TR ₁	1995 10 15.73324	00 20 36.45	+03 15 43.9		327
1995 TJ ₁	1995 10 14.65038	00 15 35.06	+04 45 36.6		327	1995 TS ₁	* 1995 10 14.61075	00 21 51.75	+03 24 06.5		327
1995 TJ ₁	1995 10 15.69248	00 14 54.78	+04 42 08.7		327	1995 TS ₁	1995 10 14.64171	00 21 50.13	+03 24 03.4	18.9 V	327
1995 TJ ₁	1995 10 15.71568	00 14 53.89	+04 42 04.4		327	1995 TS ₁	1995 10 14.66337	00 21 48.85	+03 24 01.1		327
1995 TJ ₁	1995 10 15.73760	00 14 53.03	+04 42 00.6	19.4 V	327	1995 TS ₁	1995 10 15.68622	00 20 54.54	+03 22 41.7	19.5 V	327
1995 TK ₁	* 1995 10 14.60641	00 15 53.98	+04 40 09.8	17.1 V	327	1995 TS ₁	1995 10 15.71125	00 20 53.20	+03 22 39.8		327
1995 TK ₁	1995 10 14.62817	00 15 53.02	+04 40 04.1		327	1995 TS ₁	1995 10 15.73324	00 20 52.04	+03 22 37.9		327
1995 TK ₁	1995 10 14.65038	00 15 52.08	+04 39 57.7		327	1995 TT ₁	* 1995 10 14.61075	00 22 44.02	+03 25 10.4		327
1995 TK ₁	1995 10 15.69248	00 15 11.09	+04 35 24.7		327	1995 TT ₁	1995 10 14.64171	00 22 42.15	+03 25 04.2	18.5 V	327
1995 TK ₁	1995 10 15.71568	00 15 10.15	+04 35 18.9		327	1995 TT ₁	1995 10 14.66337	00 22 40.78	+03 25 00.0		327
1995 TK ₁	1995 10 15.73760	00 15 09.24	+04 35 13.2	17.1 V	327	1995 TT ₁	1995 10 15.68622	00 21 42.02	+03 21 37.2	18.7 V	327
1995 TL ₁	* 1995 10 14.60641	00 16 53.09	+05 02 28.0	19.1 V	327	1995 TT ₁	1995 10 15.71125	00 21 40.57	+03 21 32.2		327
1995 TL ₁	1995 10 14.62817	00 16 52.25	+05 02 13.8		327	1995 TT ₁	1995 10 15.73324	00 21 39.31	+03 21 27.6		327
1995 TL ₁	1995 10 14.65038	00 16 51.30	+05 01 59.9		327	1995 TU ₁	* 1995 10 14.61508	00 29 02.88	+01 43 00.2		327
1995 TL ₁	1995 10 15.69248	00 16 10.72	+04 51 10.8		327	1995 TU ₁	1995 10 14.64604	00 29 01.54	+01 42 48.3	17.3 V	327
1995 TL ₁	1995 10 15.71568	00 16 09.76	+04 50 56.9		327	1995 TU ₁	1995 10 14.66771	00 29 00.56	+01 42 39.9		327

1995 TU ₁	1995 10 15.69685	00 28 18.95	+01 36 13.0		327	1995 TD ₂	1995 10 14.67689	02 33 09.33	+14 10 38.2		327
1995 TU ₁	1995 10 15.72012	00 28 17.94	+01 36 04.2	17.3 V	327	1995 TD ₂	1995 10 15.70598	02 32 11.32	+14 04 27.4		327
1995 TU ₁	1995 10 15.74269	00 28 17.03	+01 35 55.4		327	1995 TD ₂	1995 10 15.72882	02 32 09.93	+14 04 19.4	18.5 V	327
1995 TV ₁	* 1995 10 14.61508	00 31 00.00	+01 49 26.1		327	1995 TD ₂	1995 10 15.75223	02 32 08.53	+14 04 10.1		327
1995 TV ₁	1995 10 14.64604	00 30 58.29	+01 49 23.1		327	1995 TE ₂	* 1995 10 14.63697	02 33 51.25	+13 49 50.8	19.2 V	327
1995 TV ₁	1995 10 14.66771	00 30 57.08	+01 49 21.5	17.9 V	327	1995 TE ₂	1995 10 14.65904	02 33 50.39	+13 49 44.1		327
1995 TV ₁	1995 10 15.69685	00 30 04.12	+01 47 42.2		327	1995 TE ₂	1995 10 14.67689	02 33 49.61	+13 49 38.5		327
1995 TV ₁	1995 10 15.72012	00 30 02.87	+01 47 40.0	18.0 V	327	1995 TE ₂	1995 10 15.70598	02 33 10.90	+13 44 45.9		327
1995 TV ₁	1995 10 15.74269	00 30 01.62	+01 47 37.9		327	1995 TE ₂	1995 10 15.72882	02 33 09.91	+13 44 39.5	19.2 V	327
1995 TW ₁	* 1995 10 14.61508	00 31 26.88	+02 01 35.0	18.5 V	327	1995 TE ₂	1995 10 15.75223	02 33 09.04	+13 44 32.5		327
1995 TW ₁	1995 10 14.64604	00 31 25.19	+02 01 31.4		327	1995 TF ₂	* 1995 10 14.83126	03 28 00.21	+18 10 12.3	19.5 V	327
1995 TW ₁	1995 10 14.66771	00 31 23.98	+02 01 28.3		327	1995 TF ₂	1995 10 14.84862	03 27 59.45	+18 10 10.9	19.4 V	327
1995 TW ₁	1995 10 15.69685	00 30 31.77	+01 59 25.6		327	1995 TF ₂	1995 10 14.86669	03 27 58.66	+18 10 08.1	19.8 V	327
1995 TW ₁	1995 10 15.72012	00 30 30.56	+01 59 23.2		327	1995 TF ₂	1995 10 15.77001	03 27 20.91	+18 07 59.1	19.5 V	327
1995 TW ₁	1995 10 15.74269	00 30 29.38	+01 59 20.3	18.3 V	327	1995 TF ₂	1995 10 15.79255	03 27 19.93	+18 07 55.9		327
1995 TX ₁	* 1995 10 14.61508	00 31 35.43	+01 36 39.3		327	1995 TF ₂	1995 10 15.81547	03 27 18.86	+18 07 52.9		327
1995 TX ₁	1995 10 14.64604	00 31 33.94	+01 36 25.7	18.5 V	327	1995 TG ₂	* 1995 10 14.83126	03 28 52.12	+18 39 38.3	19.2 V	327
1995 TX ₁	1995 10 14.66771	00 31 32.87	+01 36 15.7		327	1995 TG ₂	1995 10 14.84862	03 28 51.49	+18 39 34.8	18.9 V	327
1995 TX ₁	1995 10 15.69685	00 30 44.50	+01 28 45.2		327	1995 TG ₂	1995 10 14.86669	03 28 50.86	+18 39 30.6	19.0 V	327
1995 TX ₁	1995 10 15.72012	00 30 43.44	+01 28 34.7	18.2 V	327	1995 TG ₂	1995 10 15.77001	03 28 19.21	+18 36 33.4	18.8 V	327
1995 TX ₁	1995 10 15.74269	00 30 42.32	+01 28 24.7		327	1995 TG ₂	1995 10 15.79255	03 28 18.40	+18 36 29.7		327
1995 TY ₁	* 1995 10 14.62817	00 17 40.32	+04 44 50.5	18.3 V	327	1995 TG ₂	1995 10 15.81547	03 28 17.52	+18 36 24.3		327
1995 TY ₁	1995 10 14.65038	00 17 39.18	+04 44 47.5		327	1995 TH ₂	* 1995 10 14.83126	03 29 25.42	+18 34 34.2	18.2 V	327
1995 TY ₁	1995 10 15.69248	00 16 48.88	+04 42 39.7		327	1995 TH ₂	1995 10 14.84862	03 29 25.04	+18 34 32.3	17.9 V	327
1995 TY ₁	1995 10 15.71568	00 16 47.73	+04 42 36.6		327	1995 TH ₂	1995 10 14.86669	03 29 24.59	+18 34 30.2	18.2 V	327
1995 TY ₁	1995 10 15.73760	00 16 46.61	+04 42 33.8	18.3 V	327	1995 TH ₂	1995 10 15.77001	03 29 03.05	+18 32 38.1	18.5 V	327
1995 TZ ₁	* 1995 10 14.63263	02 31 49.82	+13 03 18.6	18.9 V	327	1995 TH ₂	1995 10 15.79255	03 29 02.46	+18 32 36.4		327
1995 TZ ₁	1995 10 14.65471	02 31 48.60	+13 03 13.9		327	1995 TH ₂	1995 10 15.81547	03 29 01.81	+18 32 32.6		327
1995 TZ ₁	1995 10 14.67256	02 31 47.73	+13 03 12.2		327	1995 TJ ₂	* 1995 10 14.83126	03 29 42.45	+18 38 23.4	17.5 V	327
1995 TZ ₁	1995 10 15.70166	02 30 54.35	+13 00 39.0		327	1995 TJ ₂	1995 10 14.84862	03 29 41.96	+18 38 16.8	17.4 V	327
1995 TZ ₁	1995 10 15.72448	02 30 53.09	+13 00 34.9	18.7 V	327	1995 TJ ₂	1995 10 14.86669	03 29 41.44	+18 38 08.8	17.3 V	327
1995 TZ ₁	1995 10 15.74788	02 30 51.82	+13 00 30.9		327	1995 TJ ₂	1995 10 15.77001	03 29 17.31	+18 32 04.8	17.4 V	327
1995 TA ₂	* 1995 10 14.63263	02 32 13.52	+13 18 25.7	18.8 V	327	1995 TJ ₂	1995 10 15.79255	03 29 16.67	+18 31 55.8		327
1995 TA ₂	1995 10 14.65471	02 32 12.69	+13 18 16.7		327	1995 TJ ₂	1995 10 15.81547	03 29 16.05	+18 31 47.2		327
1995 TA ₂	1995 10 14.67256	02 32 11.95	+13 18 08.7		327	1995 TK ₂	* 1995 10 14.83126	03 29 46.07	+18 06 12.3	16.6 V	327
1995 TA ₂	1995 10 15.70166	02 31 32.81	+13 10 38.4		327	1995 TK ₂	1995 10 14.84862	03 29 45.16	+18 06 14.7	16.2 V	327
1995 TA ₂	1995 10 15.72448	02 31 31.89	+13 10 28.3	18.9 V	327	1995 TK ₂	1995 10 14.86669	03 29 44.20	+18 06 16.2	15.9 V	327
1995 TA ₂	1995 10 15.74788	02 31 30.91	+13 10 17.7		327	1995 TK ₂	1995 10 15.77001	03 28 56.68	+18 08 00.3	16.3 V	327
1995 TB ₂	* 1995 10 14.63263	02 34 21.71	+12 55 24.5		327	1995 TK ₂	1995 10 15.79255	03 28 55.48	+18 08 04.2		327
1995 TB ₂	1995 10 14.65471	02 34 20.73	+12 55 22.9		327	1995 TK ₂	1995 10 15.81547	03 28 54.19	+18 08 05.4		327
1995 TB ₂	1995 10 14.67256	02 34 19.84	+12 55 21.7	18.8 V	327	1995 TL ₂	* 1995 10 14.83126	03 30 04.57	+18 25 08.0	19.3 V	327
1995 TB ₂	1995 10 15.70166	02 33 33.33	+12 54 12.7		327	1995 TL ₂	1995 10 14.84862	03 30 03.99	+18 25 04.2		327
1995 TB ₂	1995 10 15.72448	02 33 32.18	+12 54 12.2		327	1995 TL ₂	1995 10 14.86669	03 30 03.12	+18 25 01.0	18.9 V	327
1995 TB ₂	1995 10 15.74788	02 33 31.11	+12 54 11.0	19.9 V	327	1995 TL ₂	1995 10 15.77001	03 29 26.48	+18 21 36.1		327
1995 TC ₂	* 1995 10 14.63697	02 32 26.14	+14 22 45.8		327	1995 TL ₂	1995 10 15.79255	03 29 25.48	+18 21 32.9		327
1995 TC ₂	1995 10 14.65904	02 32 25.13	+14 22 39.3		327	1995 TL ₂	1995 10 15.81547	03 29 24.51	+18 21 26.4	18.8 V	327
1995 TC ₂	1995 10 14.67689	02 32 24.38	+14 22 34.5	18.5 V	327	1995 TM ₂	* 1995 10 14.83126	03 30 31.83	+18 44 39.6	19.1 V	327
1995 TC ₂	1995 10 15.70598	02 31 40.11	+14 17 22.3	18.1 V	327	1995 TM ₂	1995 10 14.84862	03 30 31.25	+18 44 36.8	19.8 V	327
1995 TC ₂	1995 10 15.72882	02 31 39.00	+14 17 16.0		327	1995 TM ₂	1995 10 14.86669	03 30 30.58	+18 44 33.9	19.3 V	327
1995 TC ₂	1995 10 15.75223	02 31 37.90	+14 17 07.7		327	1995 TM ₂	1995 10 15.77001	03 30 00.64	+18 42 18.1	19.7 V	327
1995 TD ₂	* 1995 10 14.63697	02 33 11.64	+14 10 53.6	18.5 V	327	1995 TM ₂	1995 10 15.79255	03 29 59.87	+18 42 14.6		327
1995 TD ₂	1995 10 14.65904	02 33 10.31	+14 10 45.4		327	1995 TM ₂	1995 10 15.81547	03 29 58.90	+18 42 11.2		327

1995 TN ₂	* 1995 10 14.83126	03 31 02.50	+18 48 47.9	17.7 V	327	1153 T-2	1995 09 17.69381	22 33 51.50	-08 55 00.5		327
1995 TN ₂	1995 10 14.84862	03 31 01.95	+18 48 44.0	17.9 V	327	1153 T-2	1995 09 17.71780	22 33 50.60	-08 55 06.4	19.0 V	327
1995 TN ₂	1995 10 14.86669	03 31 01.34	+18 48 41.4	18.1 V	327	1153 T-2	1995 09 17.76604	22 33 48.79	-08 55 17.7		327
1995 TN ₂	1995 10 15.77001	03 30 31.75	+18 46 33.2		327	1493 T-2	1995 09 27.78736	02 45 55.93	+14 40 51.5		327
1995 TN ₂	1995 10 15.79255	03 30 30.93	+18 46 29.9	17.9 V	327	1493 T-2	1995 09 27.80275	02 45 55.58	+14 40 49.7		327
1995 TN ₂	1995 10 15.81547	03 30 30.16	+18 46 26.7		327	1493 T-2	1995 09 27.81846	02 45 55.22	+14 40 48.6	19.9 V	327
1995 UV	* 1995 10 17.87530	04 05 04.64	+17 25 29.3		327	1493 T-2	1995 09 27.83410	02 45 54.87	+14 40 46.8		327
1995 UV	1995 10 17.88561	04 05 04.31	+17 25 25.0	17.8 V	327	(315)	1995 09 17.68597	22 34 15.12	-09 24 58.8	14.7	327
1995 UV	1995 10 17.89522	04 05 03.93	+17 25 23.2		327	(315)	1995 09 17.71001	22 34 14.13	-09 25 07.1		327
1995 UV	1995 10 18.87106	04 04 34.41	+17 20 51.5		327	(315)	1995 09 17.73394	22 34 13.15	-09 25 15.5		327
1995 UV	1995 10 18.88157	04 04 34.12	+17 20 47.8		327	(315)	1995 09 17.75822	22 34 12.17	-09 25 25.1		327
1995 UV	1995 10 18.89216	04 04 33.75	+17 20 45.3	17.9 V	327	(315)	1995 09 24.57113	22 30 34.01	-10 01 43.4		327
1995 UW	* 1995 10 17.87530	04 05 11.65	+17 47 32.3		327	(315)	1995 09 24.58072	22 30 33.68	-10 01 45.9	14.9 V	327
1995 UW	1995 10 17.88561	04 05 11.25	+17 47 30.6	19.0 V	327	(315)	1995 09 24.59661	22 30 33.21	-10 01 49.8		327
1995 UW	1995 10 18.87106	04 04 37.33	+17 45 09.7	18.9 V	327	(494)	1995 10 14.63697	02 34 46.54	+14 23 37.2	13.9 V	327
1995 UW	1995 10 18.88157	04 04 36.92	+17 45 08.1		327	(494)	1995 10 14.65904	02 34 45.53	+14 23 35.4		327
1995 UX ₁	1995 10 25.57339	00 33 56.69	+13 25 44.9	17.6 V	327	(494)	1995 10 14.67689	02 34 44.65	+14 23 33.4		327
1995 UX ₁	1995 10 25.59377	00 33 55.43	+13 26 14.9		327	(494)	1995 10 15.70598	02 33 57.28	+14 21 43.1		327
1995 UX ₁	1995 10 25.61490	00 33 54.18	+13 26 46.7		327	(494)	1995 10 15.72882	02 33 56.16	+14 21 40.0	13.5 V	327
1995 UX ₁	1995 10 26.64271	00 32 58.83	+13 52 04.1	17.3 V	327	(1755)	1995 09 24.57113	22 33 12.36	-10 51 47.0		327
1995 UX ₁	1995 10 26.66142	00 32 57.75	+13 52 31.3		327	(1755)	1995 09 24.59661	22 33 11.45	-10 51 55.8	16.6 V	327
1995 UX ₁	1995 10 26.68108	00 32 56.57	+13 52 59.6		327	(2114)	1995 09 25.68486	01 11 00.48	+07 43 01.7		327
1995 UX ₂	* 1995 10 23.78391	07 05 59.68	+33 49 08.6		327	(2114)	1995 09 25.68925	01 11 00.40	+07 43 00.7		327
1995 UX ₂	1995 10 23.83155	07 06 00.66	+33 49 20.7		327	(2114)	1995 09 25.69845	01 10 59.96	+07 42 58.8		327
1995 UX ₂	1995 10 23.85863	07 06 01.25	+33 49 27.0		327	(2114)	1995 09 25.70281	01 10 59.84	+07 42 57.1		327
1995 UX ₂	1995 10 24.80891	07 06 21.93	+33 53 08.9	20.0 V	327	(2114)	1995 09 25.71156	01 10 59.39	+07 42 55.0	18.8 V	327
1995 UX ₂	1995 10 24.84273	07 06 22.63	+33 53 16.1		327	(2114)	1995 09 25.72475	01 10 58.88	+07 42 52.5		327
1995 UX ₂	1995 10 24.88541	07 06 23.54	+33 53 26.4		327	(2114)	1995 09 25.72912	01 10 58.78	+07 42 51.0	17.7 V	327
1995 UZ ₄	* 1995 10 23.61392	00 38 42.53	-03 13 26.2		327	(2231)	1995 09 27.62894	23 33 58.03	+02 13 51.1		327
1995 UZ ₄	1995 10 23.63666	00 38 40.34	-03 13 11.0	20.2	327	(2231)	1995 09 27.64523	23 33 57.12	+02 13 50.7	14.9 V	327
1995 UZ ₄	1995 10 23.65863	00 38 38.20	-03 12 55.7		327	(2231)	1995 09 27.66148	23 33 56.18	+02 13 50.9		327
1995 UZ ₄	1995 10 25.58959	00 35 40.04	-02 51 20.7		327	(2231)	1995 09 27.67748	23 33 55.31	+02 13 50.6		327
1995 UZ ₄	1995 10 25.60979	00 35 38.16	-02 51 06.9	20.2 V	327	(2297)	1995 10 14.61508	00 29 48.44	+01 20 19.5		327
1995 UZ ₄	1995 10 25.63300	00 35 35.97	-02 50 51.5		327	(2297)	1995 10 14.64604	00 29 47.16	+01 20 11.3	15.8 V	327
1995 UZ ₄	1995 10 26.62854	00 34 07.23	-02 39 31.2	20.0 V	327	(2492)	1995 09 27.79759	03 11 37.51	+18 09 01.9		327
1995 UZ ₄	1995 10 26.64705	00 34 05.55	-02 39 18.2		327	(2492)	1995 09 27.81325	03 11 37.21	+18 09 00.1		327
1995 UZ ₄	1995 10 26.66689	00 34 03.77	-02 39 04.4		327	(2492)	1995 09 27.82896	03 11 36.86	+18 08 59.7	16.8 V	327
1995 UA ₅	* 1995 10 23.63188	02 26 51.97	-00 03 16.6	17.8	327	(2492)	1995 09 27.84463	03 11 36.56	+18 08 58.2		327
1995 UA ₅	1995 10 23.65429	02 26 49.52	-00 03 01.8		327	(2835)	1995 09 17.68597	22 31 08.97	-10 12 44.1		327
1995 UA ₅	1995 10 23.67613	02 26 47.22	-00 02 46.4		327	(2835)	1995 09 17.71001	22 31 07.95	-10 12 48.8		327
1995 UA ₅	1995 10 25.58433	02 23 27.88	+00 19 39.0		327	(2835)	1995 09 17.73394	22 31 06.93	-10 12 52.8	16.1	327
1995 UA ₅	1995 10 25.60481	02 23 25.63	+00 19 54.0	17.9 V	327	(2835)	1995 09 17.75822	22 31 05.90	-10 12 57.0		327
1995 UA ₅	1995 10 25.62780	02 23 23.15	+00 20 10.4		327	(3791)	1995 09 27.50487	22 04 04.43	-11 28 27.9		327
1995 UA ₅	1995 10 26.63402	02 21 36.92	+00 32 20.7		327	(3791)	1995 09 27.51836	22 04 04.04	-11 28 29.5		327
1995 UA ₅	1995 10 26.65237	02 21 34.93	+00 32 34.1	17.3 V	327	(3791)	1995 09 27.53144	22 04 03.70	-11 28 30.9	17.3 V	327
1995 UA ₅	1995 10 26.67218	02 21 32.74	+00 32 48.0		327	(4366)	1995 09 28.81146	03 03 39.05	+17 09 49.5	17.2 V	327
1995 UB ₅	* 1995 10 25.57846	01 58 51.84	+09 34 51.7	17.4 V	327	(4366)	1995 09 28.83329	03 03 38.62	+17 09 47.7		327
1995 UB ₅	1995 10 25.59892	01 58 50.07	+09 34 58.1		327	(4366)	1995 09 28.85448	03 03 38.14	+17 09 47.2		327
1995 UB ₅	1995 10 25.61968	01 58 48.22	+09 35 05.8		327	(4366)	1995 09 28.87565	03 03 37.79	+17 09 45.9		327
1995 UB ₅	1995 10 26.63837	01 57 20.60	+09 40 52.0	17.2 V	327	(4366)	1995 09 29.65345	03 03 23.33	+17 09 04.2		327
1995 UB ₅	1995 10 26.65683	01 57 18.98	+09 40 58.2		327	(4366)	1995 09 29.67542	03 03 22.86	+17 09 03.3	17.4 V	327
1995 UB ₅	1995 10 26.67653	01 57 17.29	+09 41 04.5		327	(4366)	1995 09 29.69150	03 03 22.57	+17 09 02.5		327

M.P.C. 25777

1995 NOV. 7

(4366)	1995 09 29.70786	03 03 22.21	+17 09 02.3		327
(4821)	1995 09 27.78736	02 44 22.84	+14 28 27.9		327
(4821)	1995 09 27.80275	02 44 22.49	+14 28 25.6		327
(4821)	1995 09 27.81846	02 44 22.14	+14 28 24.1	18.5 V	327
(4821)	1995 09 27.83410	02 44 21.77	+14 28 21.1		327
(4821)	1995 10 14.63697	02 35 32.43	+13 39 22.1	17.2 V	327
(4821)	1995 10 14.65904	02 35 31.52	+13 39 17.4		327
(4821)	1995 10 14.67689	02 35 30.79	+13 39 13.6		327
(4821)	1995 10 15.70598	02 34 48.81	+13 35 30.2	17.1 V	327
(4821)	1995 10 15.72882	02 34 47.86	+13 35 25.1		327
(4821)	1995 10 15.75223	02 34 46.89	+13 35 20.2		327
(5460)	1995 09 03.81883	02 48 35.92	+15 38 22.0		327
(5460)	1995 09 03.83628	02 48 36.42	+15 38 22.6		327
(5460)	1995 09 03.85366	02 48 36.96	+15 38 23.4	18.2 V	327
(5578)	1995 10 14.63263	02 34 55.17	+13 24 04.6	16.4 V	327
(5578)	1995 10 14.65471	02 34 54.18	+13 23 58.5		327
(5578)	1995 10 14.67256	02 34 53.40	+13 23 54.3		327
(6015)	1995 09 25.68925	01 14 44.17	+07 22 51.3		327
(6015)	1995 09 25.70281	01 14 43.51	+07 22 44.4	17.1 V	327
(6015)	1995 09 25.71593	01 14 42.89	+07 22 37.7		327
(6015)	1995 09 25.72912	01 14 42.25	+07 22 31.5		327
(6544)	1995 09 27.50487	22 03 46.22	-11 48 09.9		327
(6544)	1995 09 27.51836	22 03 45.87	-11 48 11.0		327
(6544)	1995 09 27.53144	22 03 45.47	-11 48 11.3	17.7 V	327

355 Hadano

A. Asami, 28-1 Nishitawara, Hadano, Kanagawa-Ken, Japan 257

[asami@st.rim.or.jp]

0.2-m $f/4.0$ reflector + CCD

GSC

1995 UB ₄	1995 10 30.55202	02 37 38.91	+18 15 19.0	16.2	355
1995 UB ₄	1995 10 30.60388	02 37 36.18	+18 16 02.1		355

358 Nanyou

T. Okuni, 158-28, Sangen-dori, Nanyou, Yamagata-Ken 999-22, Japan

0.28-m $f/6.3$ Schmidt-Cassegrain + CCD

GSC

1991 PS	1995 10 20.62624	03 08 36.06	+24 33 39.1	16.3 V	358
1991 PS	1995 10 20.65405	03 08 34.69	+24 33 35.8		358
1991 PS	1995 10 22.60198	03 07 02.49	+24 27 45.4	15.8 V	358
1991 PS	1995 10 22.64890	03 07 00.12	+24 27 33.7		358
1995 QQ	1995 08 24.60802	22 53 14.76	+03 42 24.6	16.8 V	358
1995 QQ	1995 08 24.63585	22 53 13.18	+03 42 29.1		358
1995 QQ	1995 08 28.54150	22 49 21.45	+03 45 37.7	16.9 V	358
1995 QQ	1995 08 28.56521	22 49 19.86	+03 45 39.8		358
1995 QS ₃	1995 09 28.51581	22 07 18.36	+00 47 52.8	17.2 V	358
1995 QS ₃	1995 09 28.54979	22 07 17.30	+00 47 48.4		358
1995 SZ ₃	1995 10 03.66561	01 11 32.14	+09 42 17.9	15.2 V	358
1995 SZ ₃	1995 10 03.67833	01 11 31.60	+09 42 12.2		358
1995 SC ₃₀	* 1995 09 30.68766	02 05 34.94	+12 52 40.6	16.5 V	358
1995 SC ₃₀	1995 10 02.71097	02 03 45.04	+12 58 09.9	16.7 V	358
1995 SC ₃₀	1995 10 02.77316	02 03 41.41	+12 58 18.5		358
1995 SC ₃₀	1995 10 03.70395	02 02 49.08	+13 00 41.5	16.5 V	358

1995 SC ₃₀	1995 10 03.74096	02 02 46.87	+13 00 49.2		358
1995 TQ ₂	* 1995 10 14.60997	03 08 20.02	+21 57 22.5	16.7 V	358
1995 TQ ₂	1995 10 14.65836	03 08 18.34	+21 57 11.9		358
1995 TQ ₂	1995 10 17.58486	03 06 23.78	+21 46 35.6	15.9 V	358
1995 TQ ₂	1995 10 17.61753	03 06 22.45	+21 46 27.4		358
1995 TQ ₂	1995 10 28.74504	02 57 06.20	+20 51 49.6	16.7 V	358
1995 TQ ₂	1995 10 28.76984	02 57 04.76	+20 51 38.3		358
1995 UM ₃	* 1995 10 17.63345	03 11 48.05	+23 04 05.4	17.6 V	358
1995 UM ₃	1995 10 17.68381	03 11 45.71	+23 04 05.8		358
1995 UM ₃	1995 10 20.61664	03 09 34.60	+23 05 55.2	17.0 V	358
1995 UM ₃	1995 10 20.63550	03 09 33.47	+23 05 56.7		358
1995 UN ₃	* 1995 10 17.69627	03 20 22.27	+21 02 24.3	16.8 V	358
1995 UN ₃	1995 10 17.72958	03 20 20.90	+21 02 25.4		358
1995 UN ₃	1995 10 19.77251	03 18 58.81	+21 04 22.7	16.7 V	358
1995 UN ₃	1995 10 19.78395	03 18 58.51	+21 04 23.3		358
1995 UO ₃	* 1995 10 17.70044	03 21 34.97	+22 34 02.4	16.3 V	358
1995 UO ₃	1995 10 17.73367	03 21 33.62	+22 33 56.4		358
1995 UO ₃	1995 10 19.73786	03 20 15.47	+22 27 53.1	15.4 V	358
1995 UO ₃	1995 10 19.76211	03 20 14.55	+22 27 47.5		358
1995 UO ₃	1995 10 28.69839	03 13 03.25	+21 52 11.3	16.6 V	358
1995 UO ₃	1995 10 28.71755	03 13 02.01	+21 52 04.7		358
1995 UA ₄	* 1995 10 20.62624	03 09 15.61	+24 30 01.0	17.3 V	358
1995 UA ₄	1995 10 20.65405	03 09 14.06	+24 29 59.5		358
1995 UA ₄	1995 10 22.64890	03 07 30.03	+24 27 05.8	17.3 V	358
1995 UA ₄	1995 10 22.69722	03 07 27.22	+24 26 56.4		358
1995 UF ₄	* 1995 10 20.66402	03 11 27.11	+19 37 56.7	16.3 V	358
1995 UF ₄	1995 10 20.68887	03 11 25.86	+19 38 04.1		358
1995 UF ₄	1995 10 21.63338	03 10 42.56	+19 41 53.3	15.9 V	358
1995 UF ₄	1995 10 21.64572	03 10 41.89	+19 41 55.8		358
1995 UF ₄	1995 10 28.72300	03 04 23.65	+20 06 00.1	16.3 V	358
1995 UF ₄	1995 10 28.74212	03 04 22.46	+20 06 03.5		358

360 Kuma Kogen Astronomical Observatory

A. Nakamura, Shimo-Hatanokawa, Kuma, Kamiukena-Gun, Ehime-Ken 791-12,

Japan [gcc00404@niftyserve.or.jp]

0.60-m $f/6.0$ Ritchey-Chrétien + CCD

GSC

1992 LC	1995 10 03.63715	02 21 13.35	-06 39 19.3		360
1992 LC	1995 10 03.64167	02 21 13.03	-06 39 21.5		360
1992 LC	1995 10 17.65052	02 03 02.86	-08 20 39.2	18.1 V	360
1992 LC	1995 10 17.65347	02 03 02.59	-08 20 40.5		360
1993 QA	1995 10 22.71528	03 51 33.66	-28 10 54.9	18.3 V	360
1993 QA	1995 10 22.71806	03 51 33.84	-28 11 02.3		360
1993 QA	1995 10 22.72049	03 51 33.97	-28 11 08.6		360
1993 QA	1995 10 26.71372	03 55 48.64	-31 03 40.4	17.7 V	360
1993 QA	1995 10 26.71667	03 55 48.77	-31 03 47.6		360
1993 QA	1995 10 26.71927	03 55 48.89	-31 03 54.9		360
1993 WD	1995 10 22.76563	06 27 11.16	-30 43 21.8	18.0 V	360
1993 WD	1995 10 22.76857	06 27 10.77	-30 43 22.6		360
1993 WD	1995 10 22.77257	06 27 10.29	-30 43 23.1		360
1994 AE ₂	1995 10 20.57726	23 51 54.25	-14 41 57.2	19.2 V	360
1994 AE ₂	1995 10 20.58333	23 51 53.96	-14 41 57.7		360
1994 AE ₂	1995 10 20.58802	23 51 53.84	-14 41 57.3		360

1994 JT	1995 10 12.47951	23 59 42.35	-04 13 39.1		b 360
1994 JT	1995 10 12.48889	23 59 41.92	-04 13 42.6		b 360
1994 JT	1995 10 12.49375	23 59 41.67	-04 13 45.7		b 360
1994 JT	1995 10 17.51910	23 56 16.95	-04 49 53.3	18.7 V	360
1994 JT	1995 10 17.52396	23 56 16.75	-04 49 55.1		360
1994 LA	1994 07 02.59080	16 44 09.47	-13 50 41.0	18.7 V	360
1994 LA	1994 07 02.59358	16 44 09.33	-13 50 42.0		360
1995 LE	1995 10 22.72500	04 19 43.96	+28 05 40.0	17.9 V	360
1995 LE	1995 10 22.72986	04 19 43.59	+28 05 37.6		360
1995 LE	1995 10 22.73368	04 19 43.29	+28 05 35.6		360
1995 LH	1995 10 20.45434	21 52 02.42	-29 39 24.1	17.0 V	b 360
1995 LH	1995 10 20.45712	21 52 02.64	-29 39 20.5		b 360
1995 LH	1995 10 20.45972	21 52 02.87	-29 39 17.2		b 360
1995 LH	1995 10 25.44288	21 59 36.39	-27 54 28.7	17.3 V	b 360
1995 LH	1995 10 25.44583	21 59 36.69	-27 54 25.0		b 360
1995 LH	1995 10 25.44878	21 59 36.91	-27 54 21.5		b 360
1995 QY ₂	1995 10 20.43941	21 25 09.00	-28 36 38.3	15.9 V	b 360
1995 QY ₂	1995 10 20.44288	21 25 09.18	-28 36 40.0		b 360
1995 QY ₂	1995 10 20.46285	21 25 10.15	-28 36 47.8		b 360
1995 QY ₂	1995 10 25.43229	21 30 07.97	-29 07 42.4	16.2 V	b 360
1995 QY ₂	1995 10 25.43507	21 30 08.13	-29 07 43.7		b 360
1995 QY ₂	1995 10 25.43802	21 30 08.32	-29 07 44.5		b 360
1995 QC ₃	1995 10 12.46128	23 52 44.72	+07 34 58.4		b 360
1995 QC ₃	1995 10 12.47066	23 52 44.43	+07 34 58.7		b 360
1995 QC ₃	1995 10 12.47396	23 52 44.32	+07 34 58.7		b 360
1995 SD ₁	1995 10 03.54722	00 15 34.66	-08 28 02.1		360
1995 SD ₁	1995 10 03.55000	00 15 35.25	-08 28 07.8	18.3 V	360
1995 SD ₁	1995 10 03.55347	00 15 35.92	-08 28 13.2		360
1995 SD ₁	1995 10 13.51753	00 51 04.48	-12 44 16.2	18.6 V	360
1995 SD ₁	1995 10 13.52188	00 51 05.27	-12 44 21.7		360
1995 SD ₁	1995 10 13.52656	00 51 06.18	-12 44 27.3		360
1995 SD ₁	1995 10 20.59444	01 13 29.35	-14 32 47.3	18.8 V	360
1995 SD ₁	1995 10 20.60139	01 13 30.50	-14 32 51.8		360
1995 SD ₁	1995 10 20.60590	01 13 31.23	-14 32 54.9		360
1995 SD ₁	1995 10 26.61563	01 30 12.27	-15 16 29.0	19.1 V	r 360
1995 SD ₁	1995 10 26.61979	01 30 12.88	-15 16 29.8		r 360
1995 SD ₁	1995 10 26.62465	01 30 13.58	-15 16 30.7		r 360
1995 SO ₂	1995 10 03.55938	00 40 17.64	+10 11 53.9	18.0 V	360
1995 SO ₂	1995 10 03.56510	00 40 17.35	+10 11 51.0		360
1995 SO ₂	1995 10 03.56875	00 40 17.14	+10 11 49.6		360
1995 SO ₂	1995 10 12.49931	00 33 21.62	+08 58 47.4		b 360
1995 SO ₂	1995 10 12.50347	00 33 21.44	+08 58 45.6		b 360
1995 SO ₂	1995 10 12.50729	00 33 21.30	+08 58 43.1		b 360
1995 SO ₂	1995 10 17.53542	00 29 56.16	+08 18 30.2	18.5 V	360
1995 SO ₂	1995 10 17.53958	00 29 56.00	+08 18 28.2		360
1995 SO ₂	1995 10 20.56181	00 28 07.38	+07 55 21.6	18.4 V	360
1995 SO ₂	1995 10 20.56632	00 28 07.21	+07 55 19.3		360
1995 SO ₂	1995 10 20.57083	00 28 07.05	+07 55 17.5		360
1995 SP ₂	1995 10 03.57847	01 44 11.02	-03 40 09.1	17.6 V	360
1995 SP ₂	1995 10 03.58368	01 44 10.74	-03 40 10.5		360
1995 SP ₂	1995 10 03.58750	01 44 10.53	-03 40 11.3		360
1995 SP ₂	1995 10 12.51146	01 35 57.41	-04 11 20.2		b 360

1995 SP ₂	1995 10 12.51580	01 35 57.17	-04 11 21.3		b 360
1995 SP ₂	1995 10 12.51962	01 35 56.95	-04 11 21.5		b 360
1995 SP ₂	1995 10 17.55538	01 31 03.05	-04 23 13.9	17.5 V	360
1995 SP ₂	1995 10 17.55955	01 31 02.79	-04 23 14.4		360
1995 SP ₂	1995 10 20.54792	01 28 09.42	-04 27 51.8	17.5 V	360
1995 SP ₂	1995 10 20.55243	01 28 09.13	-04 27 52.3		360
1995 UX ₁	1995 10 25.54670	00 33 58.08	+13 25 06.8	17.8 V	360
1995 UX ₁	1995 10 25.54948	00 33 57.90	+13 25 11.3		360
1995 UX ₁	1995 10 25.55226	00 33 57.73	+13 25 15.3		360
1995 UX ₁	1995 10 26.60243	00 33 00.90	+13 51 06.8	17.4 V	360
1995 UX ₁	1995 10 26.60573	00 33 00.72	+13 51 11.7		360
1995 UX ₁	1995 10 26.60903	00 33 00.52	+13 51 16.4		360
(2201)	1995 10 20.65278	03 56 52.60	+17 48 53.2	17.9 V	360
(2201)	1995 10 20.65799	03 56 52.37	+17 48 52.6		360
(3200)	1995 10 22.67361	03 34 22.47	+41 49 26.8	18.1 V	360
(3200)	1995 10 22.67622	03 34 22.09	+41 49 26.5		360
(3200)	1995 10 22.67899	03 34 21.69	+41 49 25.9		360
(3200)	1995 10 26.69410	03 24 43.16	+41 35 50.6	17.9 V	360
(3200)	1995 10 26.69722	03 24 42.70	+41 35 50.0		360
(3217)	1995 10 20.53438	02 59 03.01	+27 10 22.0	17.0 V	360
(3217)	1995 10 20.53958	02 59 02.69	+27 10 22.2		360
(3217)	1995 10 26.65503	02 52 35.52	+27 09 12.8	16.8 V	360
(3217)	1995 10 26.65990	02 52 35.18	+27 09 12.5		360
(3362)	1995 10 22.66111	03 31 17.10	-08 00 38.1	18.7 V	360
(3362)	1995 10 22.66389	03 31 16.68	-08 00 43.5		360
(3362)	1995 10 22.66858	03 31 16.02	-08 00 51.0		360
(3362)	1995 10 26.70417	03 21 11.06	-09 50 49.0	18.3 V	360
(3362)	1995 10 26.70660	03 21 10.64	-09 50 53.0		360
(3362)	1995 10 26.70920	03 21 10.22	-09 50 57.3		360
(3471)	1995 10 22.68385	03 38 51.62	+40 36 44.7	16.9 V	360
(3471)	1995 10 22.68854	03 38 51.40	+40 36 45.7		360
(3471)	1995 10 26.68455	03 35 45.36	+40 46 45.8	16.5 V	360
(3471)	1995 10 26.68993	03 35 45.09	+40 46 46.5		360
(5047)	1995 10 20.52396	02 36 57.61	+20 24 34.4	16.4 V	360
(5047)	1995 10 20.52882	02 36 57.34	+20 24 34.3		360
(5047)	1995 10 26.64931	02 31 02.15	+20 19 44.1	16.4 V	360
(5047)	1995 10 26.66528	02 31 01.14	+20 19 43.1		360

365 Uto Observatory

F. Uto, 12-1 Shirakashi Cho 7 Chome, Kashihara, Nara-Ken, 634 Japan

[nag01736@niftyserve.or.jp]

0.20-m $f/4.0$ reflector

PPM

1995 UN ₇	* 1995 10 27.67352	03 10 38.92	+16 30 51.6	15.7 V	365
1995 UN ₇	1995 10 27.68648	03 10 38.22	+16 30 46.0		365
1995 UN ₇	1995 10 30.55295	03 08 12.89	+16 09 06.0	15.4 V	365
1995 UN ₇	1995 10 30.59549	03 08 10.56	+16 08 46.4		365

367 Yatsuka

H. Abe, 461-2, Futago, Yatsuka-Cho, Shimane-Ken, 690-14 Japan

0.26-m $f/4.8$ reflector + CCD

GSC

1990 VY ₆	1995 10 14.56770	02 45 26.96	+04 17 23.5	16.1 V	367
1990 VY ₆	1995 10 14.57186	02 45 26.74	+04 17 24.0		367
1990 VY ₆	1995 10 17.59029	02 42 37.92	+04 20 32.8	16.1 V	367
1990 VY ₆	1995 10 17.59410	02 42 37.70	+04 20 33.0		367
1991 TV ₁	1995 10 14.51667	00 53 10.96	-06 39 20.7	15.4 V	367
1991 TV ₁	1995 10 14.52618	00 53 10.48	-06 39 17.8		367
1991 TV ₁	1995 10 17.54722	00 50 38.12	-06 24 35.6	15.1 V	367
1991 TV ₁	1995 10 17.55384	00 50 37.78	-06 24 33.7		367
1991 VV ₂	1995 10 14.55104	01 52 59.30	+16 24 57.3	15.3 V	367
1991 VV ₂	1995 10 14.55419	01 52 59.11	+16 24 58.0		367
1991 VV ₂	1995 10 17.56111	01 49 37.10	+16 31 53.7	15.3 V	367
1991 VV ₂	1995 10 17.56426	01 49 36.87	+16 31 54.0		367
1992 WM ₃	1995 10 14.59201	03 13 43.15	+14 26 00.8	16.0 V	367
1992 WM ₃	1995 10 14.59589	03 13 43.02	+14 26 01.0		367
1992 WM ₃	1995 10 17.59861	03 11 40.46	+14 19 44.3	16.3 V	367
1992 WM ₃	1995 10 17.60243	03 11 40.27	+14 19 43.6		367
1993 EF	1995 10 17.57674	02 31 42.11	+12 02 03.0	17.3 V	367
1993 EF	1995 10 17.58126	02 31 41.84	+12 02 02.8		367
1993 EF	1995 10 18.58958	02 30 47.74	+11 58 36.5	17.3 V	367
1993 EF	1995 10 18.59375	02 30 47.51	+11 58 35.5		367
1995 SZ ₂₉	1995 10 20.72847	00 51 26.51	+02 37 49.6	16.9 V	367
1995 SZ ₂₉	1995 10 20.73299	00 51 26.29	+02 37 50.6		367
1995 SZ ₂₉	1995 10 20.73744	00 51 26.12	+02 37 51.8		367
1995 UK	* 1995 10 17.56111	01 50 37.52	+16 33 01.4	17.0 V	367
1995 UK	1995 10 17.56736	01 50 37.22	+16 32 59.0		367
1995 UK	1995 10 19.54792	01 49 17.81	+16 17 53.8	17.3 V	367
1995 UK	1995 10 19.55696	01 49 17.39	+16 17 50.3		367
1995 UK	1995 10 20.74340	01 48 28.65	+16 08 34.4	17.1 V	367
1995 UK	1995 10 20.75002	01 48 28.39	+16 08 31.0		367
1995 UK	1995 10 25.57362	01 45 14.66	+15 29 41.5	17.1 V	367
1995 UK	1995 10 25.57848	01 45 14.43	+15 29 38.3		367
(526)	1995 10 20.73299	00 51 16.63	+02 37 42.0	15.3 V	367
(526)	1995 10 20.73744	00 51 16.44	+02 37 40.7		367
(6573)	1995 10 18.58958	02 30 44.61	+12 06 07.0	16.2 V	367
(6573)	1995 10 18.59375	02 30 44.42	+12 06 04.9		367

369 Chichibu

T. Urata, Shiinoki House 203, 28-6, Chuo 3 chome, Nakano-Ku, Tokyo 164, Japan

Observer N. Sato

Measurer T. Urata

0.25-m $f/4.2$ Wright-Schmidt telescope + CCD

GSC

1980 FN ₁	1995 10 20.63062	01 32 49.97	+08 50 23.8	16.5 V	369
1980 FN ₁	1995 10 20.63447	01 32 49.72	+08 50 22.2		369
1980 FN ₁	1995 10 20.63831	01 32 49.48	+08 50 20.9		369
1980 FN ₁	1995 10 25.64609	01 27 54.70	+08 22 51.4		369
1980 FN ₁	1995 10 25.65015	01 27 54.47	+08 22 50.0		369
1980 FN ₁	1995 10 25.65421	01 27 54.21	+08 22 48.4		369
1995 TZ	* 1995 10 13.65284	01 38 58.53	+09 19 35.0	17 V	369
1995 TZ	1995 10 13.65681	01 38 58.27	+09 19 33.8		369
1995 TZ	1995 10 13.66062	01 38 58.01	+09 19 32.1		369
1995 TZ	1995 10 14.57149	01 37 59.21	+09 15 05.2	17 V	369
1995 TZ	1995 10 14.57535	01 37 58.96	+09 15 03.5		369

1995 TZ	1995 10 14.57926	01 37 58.66	+09 15 02.0		369
1995 TZ	1995 10 20.59561	01 31 30.04	+08 45 37.7	16.5 V	369
1995 TZ	1995 10 20.59946	01 31 29.81	+08 45 36.5		369
1995 TZ	1995 10 20.60330	01 31 29.49	+08 45 35.3		369
1995 TA ₁	* 1995 10 13.66838	01 39 10.85	+08 52 18.2	17.5 V	369
1995 TA ₁	1995 10 13.67216	01 39 10.55	+08 52 16.6		369
1995 TA ₁	1995 10 13.67602	01 39 10.41	+08 52 15.2		369
1995 TA ₁	1995 10 14.58392	01 38 20.64	+08 46 48.2	17.5 V	369
1995 TA ₁	1995 10 14.58877	01 38 20.48	+08 46 45.5		369
1995 TA ₁	1995 10 14.59280	01 38 20.29	+08 46 45.6		369
1995 TA ₁	1995 10 20.60743	01 32 46.35	+08 10 16.6	17.5 V	369
1995 TA ₁	1995 10 20.61127	01 32 46.16	+08 10 15.5		369
1995 TA ₁	1995 10 20.61512	01 32 45.87	+08 10 13.9		369
1995 TA ₁	1995 10 27.58101	01 26 26.18	+07 28 55.2		369
1995 TA ₁	1995 10 27.58507	01 26 25.84	+07 28 54.1		369
1995 TA ₁	1995 10 27.58913	01 26 25.55	+07 28 52.1		369
1995 UW ₆	* 1995 10 20.53741	01 29 13.22	+08 05 37.5	16 V	369
1995 UW ₆	1995 10 20.54125	01 29 13.03	+08 05 37.2		369
1995 UW ₆	1995 10 20.54509	01 29 12.89	+08 05 36.4		369
1995 UW ₆	1995 10 21.51644	01 28 23.94	+08 03 21.2	17 V	369
1995 UW ₆	1995 10 21.52028	01 28 23.80	+08 03 21.2		369
1995 UW ₆	1995 10 21.52412	01 28 23.57	+08 03 20.4		369
1995 UW ₆	1995 10 27.52027	01 23 27.22	+07 49 57.3		I 369
1995 UW ₆	1995 10 27.52433	01 23 27.16	+07 49 57.1		369
1995 UW ₆	1995 10 27.52839	01 23 26.98	+07 49 57.1		369
1995 UX ₆	* 1995 10 21.51644	01 28 30.12	+08 13 06.2	17 V	369
1995 UX ₆	1995 10 21.52028	01 28 29.96	+08 13 05.6		369
1995 UX ₆	1995 10 21.52412	01 28 29.73	+08 13 05.0		369
1995 UX ₆	1995 10 25.59766	01 25 19.72	+07 58 18.7		369
1995 UX ₆	1995 10 25.60172	01 25 19.50	+07 58 17.7		369
1995 UX ₆	1995 10 25.60579	01 25 19.32	+07 58 16.7		369
1995 UM ₇	* 1995 10 20.64244	01 34 18.36	+08 13 46.2	17.5 V	369
1995 UM ₇	1995 10 20.64628	01 34 18.11	+08 13 45.2		369
1995 UM ₇	1995 10 20.65013	01 34 17.84	+08 13 43.3		369
1995 UM ₇	1995 10 27.58101	01 26 35.64	+07 30 45.8		369
1995 UM ₇	1995 10 27.58507	01 26 35.37	+07 30 45.4		369
1995 UM ₇	1995 10 27.58913	01 26 35.17	+07 30 44.6		369
6588 P-L	1995 10 20.54900	01 29 49.49	+08 24 33.9	16.5 V	369
6588 P-L	1995 10 20.55285	01 29 49.34	+08 24 32.4		369
6588 P-L	1995 10 20.55669	01 29 49.14	+08 24 31.2		369
6588 P-L	1995 10 25.59766	01 26 00.99	+08 02 55.3		369
6588 P-L	1995 10 25.60172	01 26 00.75	+08 02 53.4		369
6588 P-L	1995 10 25.60579	01 26 00.63	+08 02 52.3		369
6588 P-L	1995 10 27.55666	01 24 34.82	+07 54 45.3		369
6588 P-L	1995 10 27.56072	01 24 34.64	+07 54 44.6		369
6588 P-L	1995 10 27.56478	01 24 34.46	+07 54 43.4		369
(2884)	1995 10 21.52803	01 28 13.73	+08 17 30.8	16 V	369
(2884)	1995 10 21.53187	01 28 13.54	+08 17 29.8		369
(2884)	1995 10 21.53572	01 28 13.33	+08 17 28.9		369
(2884)	1995 10 25.59766	01 25 01.72	+08 02 14.6		369
(2884)	1995 10 25.60172	01 25 01.51	+08 02 13.9		369
(2884)	1995 10 25.60579	01 25 01.33	+08 02 13.1		369

(2884)	1995 10 27.52027	01 23 33.48	+07 55 15.5		369
(2884)	1995 10 27.52433	01 23 33.28	+07 55 14.6		369
(2884)	1995 10 27.52839	01 23 33.09	+07 55 13.8		369
(4685)	1995 10 20.66564	01 35 22.77	+08 53 57.6	15.5 V	369
(4685)	1995 10 20.66948	01 35 22.57	+08 53 57.2		369
(4685)	1995 10 20.67332	01 35 22.39	+08 53 55.8		369

372 Geisei

T. Seki, Kamimachi 2-9-35, Kochi 780, Japan

0.60-m $f/3.5$ reflector

ACRS

1989 SO ₈	1993 03 16.70347	12 28 56.02	+00 34 03.7	17.5	372
1989 SO ₈	1993 03 16.71319	12 28 55.78	+00 34 07.1		372

385 Nihondaira Observatory Oohira station

T. Urata, Shiinoki House 203, 28-6, Chuo 3 Chome, Nakano-Ku, Tokyo 164, Japan

0.31-m $f/4.7$ reflector + CCD, 0.25-m $f/3.4$ hyperboloid astrocamera + CCD

GSC

1934 RB	1995 10 21.62054	04 17 49.90	+12 33 06.6		385
1934 RB	1995 10 21.62350	04 17 49.79	+12 33 05.5		385
1934 RB	1995 10 21.62638	04 17 49.68	+12 33 05.0		385
1986 ED	1995 10 20.78012	04 08 58.10	+21 38 36.1	I	385
1986 ED	1995 10 21.60041	04 08 27.77	+21 38 18.7		385
1986 ED	1995 10 21.60746	04 08 27.52	+21 38 18.2		385
1986 ED	1995 10 21.61425	04 08 27.23	+21 38 18.4		385
1990 UE ₃	1995 10 20.61177	23 15 47.97	-08 10 43.9		385
1990 UE ₃	1995 10 20.61470	23 15 47.88	-08 10 43.4		385
1990 UE ₃	1995 10 20.61757	23 15 47.86	-08 10 44.3		385
1990 VY ₆	1995 10 20.70684	02 39 35.01	+04 24 18.5		385
1990 VY ₆	1995 10 20.70986	02 39 34.83	+04 24 18.7		385
1990 VY ₆	1995 10 20.71271	02 39 34.64	+04 24 18.9		385
1990 VY ₆	1995 10 21.54870	02 38 44.72	+04 25 25.1		385
1990 VY ₆	1995 10 21.55475	02 38 44.34	+04 25 25.3		385
1990 VY ₆	1995 10 21.55765	02 38 44.16	+04 25 25.5		385
1991 RN	1994 04 29.52424	11 26 50.90	-03 56 47.1		385
1991 RN	1994 04 29.53226	11 26 50.67	-03 56 45.0		385
1991 RN	1994 04 29.53600	11 26 50.63	-03 56 45.1		385
1992 BH	1995 10 20.62679	00 16 25.69	-17 10 58.4	16.8 V	385
1992 BH	1995 10 20.63386	00 16 25.38	-17 10 59.3		385
1992 BH	1995 10 20.64071	00 16 25.17	-17 11 01.0		385
1992 BH	1995 10 21.50117	00 15 56.27	-17 13 41.8	16.7 V	385
1992 BH	1995 10 21.50816	00 15 56.12	-17 13 43.4		385
1992 BH	1995 10 21.51495	00 15 55.81	-17 13 43.9		385
1992 WM ₃	1995 10 20.73093	03 09 13.87	+14 12 23.8	15.5 V	385
1992 WM ₃	1995 10 20.73385	03 09 13.70	+14 12 23.4		385
1992 WM ₃	1995 10 20.73679	03 09 13.55	+14 12 22.9		385
1992 WM ₃	1995 10 21.57455	03 08 31.95	+14 10 17.2	15.7 V	385
1992 WM ₃	1995 10 21.57935	03 08 31.70	+14 10 16.7		385
1992 WM ₃	1995 10 21.58257	03 08 31.53	+14 10 16.1		385
1992 YE	1995 10 20.59652	23 02 38.37	+05 32 22.2		385
1992 YE	1995 10 20.59948	23 02 38.33	+05 32 21.5		385
1992 YE	1995 10 20.60569	23 02 38.20	+05 32 20.2		385
1992 YN	1995 10 20.58333	22 34 05.16	-00 22 08.8		385

1992 YN	1995 10 20.58581	22 34 05.18	-00 22 09.3		385
1992 YN	1995 10 20.59128	22 34 05.13	-00 22 10.8		385
1992 YV ₂	1994 04 29.57660	13 01 22.33	-22 16 32.9		385
1992 YV ₂	1994 04 29.58037	13 01 22.13	-22 16 30.0		385
1992 YV ₂	1994 04 29.58404	13 01 21.92	-22 16 28.5		385
1993 CN	1995 10 21.40262	20 49 46.02	-27 11 21.2		385
1993 CN	1995 10 21.40962	20 49 46.19	-27 11 20.3		385
1995 OX ₁	1995 10 21.42516	21 06 35.08	-25 16 01.2		385
1995 OX ₁	1995 10 21.43207	21 06 35.78	-25 15 56.9		385
1995 OX ₁	1995 10 21.43890	21 06 36.28	-25 15 52.6		385
1995 PQ	1995 10 21.47109	22 01 59.93	-31 42 00.2		385
1995 PQ	1995 10 21.47794	22 02 00.21	-31 41 58.7		385
1995 QS	1995 10 21.44898	21 45 07.94	-20 53 19.6		385
1995 QS	1995 10 21.45571	21 45 08.24	-20 53 16.3		385
1995 QS	1995 10 21.46257	21 45 08.47	-20 53 13.0		385
1995 UG ₄	* 1995 10 20.67125	01 31 07.89	+24 23 59.3	16.6 V	385
1995 UG ₄	1995 10 20.67413	01 31 07.70	+24 23 58.7		385
1995 UG ₄	1995 10 20.67755	01 31 07.46	+24 23 58.7		385
1995 UG ₄	1995 10 21.52764	01 30 13.73	+24 21 59.7	16.5 V	385
1995 UG ₄	1995 10 21.53513	01 30 13.20	+24 21 58.1		385
1995 UG ₄	1995 10 21.54259	01 30 12.76	+24 21 57.2		385
1995 UH ₄	* 1995 10 20.67125	01 31 21.75	+24 19 14.8	17.3 V	385
1995 UH ₄	1995 10 20.67413	01 31 21.49	+24 19 13.6		385
1995 UH ₄	1995 10 20.67755	01 31 21.30	+24 19 13.1		385
1995 UH ₄	1995 10 21.52764	01 30 37.83	+24 15 45.6	17.0 V	385
1995 UH ₄	1995 10 21.53513	01 30 37.38	+24 15 43.4		385
1995 UH ₄	1995 10 21.54259	01 30 37.06	+24 15 42.0		385
1995 UM ₄	* 1995 10 20.74219	03 25 32.76	+36 32 16.7	15.6 V	385
1995 UM ₄	1995 10 20.74730	03 25 32.49	+36 32 17.0		385
1995 UM ₄	1995 10 20.75023	03 25 32.33	+36 32 17.2		385
1995 UM ₄	1995 10 21.58696	03 24 50.09	+36 33 23.2	15.6 V	385
1995 UM ₄	1995 10 21.58987	03 24 49.93	+36 33 23.4		385
1995 UM ₄	1995 10 21.59292	03 24 49.77	+36 33 23.5		385

399 Kushiro

H. Kaneda, Taiyo MS 2-H, 2-15, Kawazoe 8 Jo 2 Chime, Minami-Ku, Sapporo 005, Japan

Observer S. Ueda

Measurer H. Kaneda

0.25-m $f/3.4$ hyperboloid astrocamera

GSC

1988 TJ	1995 09 30.60972	23 49 18.56	+00 29 03.1	16.8	399
1988 TJ	1995 09 30.62431	23 49 17.75	+00 28 58.8		399
1988 TC ₁	1995 09 30.69178	01 24 19.78	+09 19 22.2	16.5	399
1988 TC ₁	1995 09 30.70625	01 24 18.94	+09 19 18.4		399
1992 UH ₃	1995 09 21.51285	22 41 52.41	-13 34 47.8	17	399
1992 UH ₃	1995 09 21.52708	22 41 51.61	-13 34 47.6		399
1993 BP ₁₃	1995 09 21.59514	23 28 15.14	+17 36 28.3	16.5	399
1993 BP ₁₃	1995 09 21.60972	23 28 14.28	+17 36 22.9		399
1993 BP ₁₃	1995 09 30.56736	23 20 42.07	+16 40 23.6	16.3	399
1993 BP ₁₃	1995 09 30.58194	23 20 41.43	+16 40 17.9		399
1994 GY ₈	1995 09 21.51285	22 37 33.99	-10 26 25.5	16.5	399
1994 GY ₈	1995 09 21.52708	22 37 33.37	-10 26 25.3		399

1994 GY ₈	1995 09 30.49375	22 31 39.82	-10 26 09.5	16.7	399	1995 SA ₅₄	1995 09 30.64745	00 12 20.14	-01 16 43.1	16.7	399
1994 GY ₈	1995 09 30.50845	22 31 39.33	-10 26 08.6		399	1995 SA ₅₄	1995 09 30.66183	00 12 19.47	-01 16 48.2		399
1995 SS ₂	1995 09 30.53056	23 33 13.56	-04 03 55.2	16.5	399	1995 TR	1995 10 27.65521	02 04 03.82	+13 32 50.9	16.5	399
1995 SS ₂	1995 09 30.54497	23 33 12.73	-04 03 55.2		399	1995 TR	1995 10 27.66944	02 04 03.05	+13 32 45.2		399
1995 ST ₂	1995 09 30.53056	23 33 05.21	-03 56 32.8	17	399	1995 TR	1995 10 28.51973	02 03 15.37	+13 26 03.3	16.5	399
1995 ST ₂	1995 09 30.54497	23 33 04.40	-03 56 30.4		399	1995 TR	1995 10 28.53414	02 03 14.48	+13 25 55.7		399
1995 SU ₂	1995 09 30.53056	23 38 52.92	-04 57 48.9	16.5	399	1995 TS	1995 10 27.65521	02 07 02.39	+13 36 34.0	16.5	399
1995 SU ₂	1995 09 30.54497	23 38 52.18	-04 57 55.9		399	1995 TS	1995 10 27.66944	02 07 01.53	+13 36 29.6		399
1995 SV ₂	1995 09 30.53056	23 43 00.60	-05 20 38.3	17	399	1995 TS	1995 10 28.51973	02 06 13.90	+13 32 36.1	16.3	399
1995 SV ₂	1995 09 30.54497	23 42 59.90	-05 20 41.5		399	1995 TS	1995 10 28.53414	02 06 13.08	+13 32 31.7		399
1995 SX ₂	1995 09 30.53056	23 44 24.01	-06 40 06.3	16.8	399	1995 TT	1995 10 27.65521	02 07 31.87	+14 33 13.7	16.3	399
1995 SX ₂	1995 09 30.54497	23 44 23.12	-06 40 09.4		399	1995 TT	1995 10 27.66944	02 07 31.03	+14 33 12.3		399
1995 SY ₂	1995 09 30.53056	23 44 53.37	-03 16 39.1	16.7	399	1995 TT	1995 10 28.51973	02 06 42.96	+14 32 36.1	16	399
1995 SY ₂	1995 09 30.54497	23 44 52.51	-03 16 42.7		399	1995 TT	1995 10 28.53414	02 06 42.03	+14 32 34.5		399
1995 SA ₃	1992 12 17.56146	05 13 31.70	+21 05 47.1	15.8	399	1995 UG ₅	1995 10 21.67642	01 33 56.38	+09 08 06.4	16.7	399
1995 SA ₃	1992 12 17.57610	05 13 30.80	+21 05 43.1		399	1995 UG ₅	1995 10 21.69097	01 33 55.33	+09 08 04.5		399
1995 SC ₃	1995 09 30.60972	23 56 16.45	+00 26 52.3	16.5	399	1995 UG ₅	1995 10 27.58609	01 28 01.45	+08 58 08.1	16.8	399
1995 SC ₃	1995 09 30.62431	23 56 15.71	+00 26 52.1		399	1995 UG ₅	1995 10 27.60050	01 28 00.61	+08 58 07.4		399
1995 SE ₃	1995 09 30.60972	00 00 52.85	-00 22 56.7	16.7	399	1995 UH ₅	1995 10 21.67642	01 35 22.78	+06 14 16.8	16.6	399
1995 SE ₃	1995 09 30.62431	00 00 52.03	-00 23 00.1		399	1995 UH ₅	1995 10 21.69097	01 35 21.88	+06 14 15.0		399
1995 SH ₃	1995 09 30.60972	23 52 42.25	-00 50 36.0	16.5	399	1995 UH ₅	1995 10 27.58609	01 29 37.39	+06 01 34.4	17.1	399
1995 SH ₃	1995 09 30.62431	23 52 41.68	-00 50 46.3		399	1995 UH ₅	1995 10 27.60050	01 29 36.69	+06 01 29.7		399
1995 SL ₂₉	1995 10 21.67642	01 23 33.55	+08 12 37.9	16.7	399	1995 UL ₅	1995 10 21.67642	01 27 48.42	+09 24 58.2	16	399
1995 SL ₂₉	1995 10 21.69097	01 23 32.81	+08 12 33.6		399	1995 UL ₅	1995 10 21.69097	01 27 47.74	+09 24 49.9		399
1995 SL ₂₉	1995 10 27.58609	01 19 05.28	+07 48 28.3	16.5	399	1995 UL ₅	1995 10 27.58609	01 23 35.07	+08 35 48.2	16.5	399
1995 SL ₂₉	1995 10 27.60050	01 19 04.50	+07 48 25.4		399	1995 UL ₅	1995 10 27.60050	01 23 34.38	+08 35 39.5		399
1995 SM ₂₉	1995 10 21.67642	01 26 25.50	+06 36 03.3	17	399	1995 UR ₅	* 1995 10 21.61042	01 04 27.02	+07 01 08.7	17	399
1995 SM ₂₉	1995 10 21.69097	01 26 24.72	+06 35 58.0		399	1995 UR ₅	1995 10 21.62575	01 04 26.22	+07 01 02.0		399
1995 SM ₂₉	1995 10 27.58609	01 21 57.29	+06 16 48.0	16.8	399	1995 UR ₅	1995 10 27.55345	01 00 40.14	+06 11 03.2	17	399
1995 SM ₂₉	1995 10 27.60050	01 21 56.54	+06 16 43.1		399	1995 UR ₅	1995 10 27.56769	01 00 39.52	+06 10 55.3		399
1995 SN ₂₉	1995 10 21.67642	01 28 30.91	+06 39 35.9	16.3	399	1995 US ₅	* 1995 10 21.61042	01 11 13.41	+08 24 43.1	16	399
1995 SN ₂₉	1995 10 21.69097	01 28 30.34	+06 39 32.4		399	1995 US ₅	1995 10 21.62575	01 11 12.54	+08 24 44.2		399
1995 SN ₂₉	1995 10 27.58609	01 24 14.17	+06 13 08.1	16.5	399	1995 US ₅	1995 10 27.55345	01 05 06.14	+08 37 40.0	16.3	399
1995 SN ₂₉	1995 10 27.60050	01 24 13.46	+06 13 02.9		399	1995 US ₅	1995 10 27.56769	01 05 05.34	+08 37 41.6		399
1995 SO ₂₉	1995 10 21.67642	01 28 48.35	+05 58 54.9	16.8	399	1995 UT ₅	* 1995 10 21.67642	01 25 50.67	+09 28 33.1	17	399
1995 SO ₂₉	1995 10 21.69097	01 28 47.80	+05 58 52.4		399	1995 UT ₅	1995 10 21.69097	01 25 49.99	+09 28 24.6		399
1995 SO ₂₉	1995 10 27.58609	01 24 31.61	+05 32 40.7	17	399	1995 UT ₅	1995 10 27.58609	01 21 30.45	+08 46 44.5	17	399
1995 SO ₂₉	1995 10 27.60050	01 24 31.12	+05 32 39.2		399	1995 UT ₅	1995 10 27.60050	01 21 29.97	+08 46 39.4		399
1995 SR ₂₉	1995 10 21.67642	01 30 46.39	+06 26 19.6	16.8	399	1995 UU ₅	* 1995 10 21.67642	01 28 21.17	+09 33 32.6	16.8	399
1995 SR ₂₉	1995 10 21.69097	01 30 45.52	+06 26 16.1		399	1995 UU ₅	1995 10 21.69097	01 28 20.37	+09 33 26.7		399
1995 SR ₂₉	1995 10 27.58609	01 25 28.26	+06 05 16.1	17.2	399	1995 UU ₅	1995 10 27.58609	01 23 51.49	+08 48 31.3	17	399
1995 SR ₂₉	1995 10 27.60050	01 25 27.47	+06 05 13.2		399	1995 UU ₅	1995 10 27.60050	01 23 50.79	+08 48 22.3		399
1995 SS ₂₉	1995 10 21.67642	01 35 58.60	+06 57 58.0	16.7	399	1995 UV ₅	* 1995 10 21.67642	01 32 02.03	+09 39 49.4	16.7	399
1995 SS ₂₉	1995 10 21.69097	01 35 57.90	+06 57 50.9		399	1995 UV ₅	1995 10 21.69097	01 32 01.32	+09 39 41.9		399
1995 SS ₂₉	1995 10 27.58609	01 31 44.92	+06 17 05.9	16.7	399	1995 UV ₅	1995 10 27.58609	01 27 10.88	+08 44 25.3	16.7	399
1995 SS ₂₉	1995 10 27.60050	01 31 44.40	+06 16 59.0		399	1995 UV ₅	1995 10 27.60050	01 27 10.08	+08 44 15.2		399
1995 SZ ₅₃	* 1995 09 21.66777	00 18 42.14	+00 32 13.6	16.5	399	1995 UW ₅	* 1995 10 21.67642	01 32 24.22	+09 49 26.6	17	399
1995 SZ ₅₃	1995 09 21.68241	00 18 41.48	+00 32 11.2		399	1995 UW ₅	1995 10 21.69097	01 32 23.40	+09 49 21.4		399
1995 SZ ₅₃	1995 09 30.64745	00 10 59.67	+00 13 44.2	16.8	399	1995 UW ₅	1995 10 27.58609	01 27 15.79	+09 13 41.1	17.2	399
1995 SZ ₅₃	1995 09 30.66183	00 10 58.92	+00 13 41.2		399	1995 UW ₅	1995 10 27.60050	01 27 15.13	+09 13 36.9		399
1995 SA ₅₄	* 1995 09 21.66777	00 19 01.30	-00 35 05.8	16.5	399	1995 UX ₅	* 1995 10 21.70938	01 35 14.01	+21 48 40.5	16.8	399
1995 SA ₅₄	1995 09 21.68241	00 19 00.47	-00 35 10.5		399	1995 UX ₅	1995 10 21.72361	01 35 13.13	+21 48 34.8		399

1995 UX ₅	1995 10 27.62083	01 29 22.20	+21 13 54.7	16.8	399
1995 UX ₅	1995 10 27.63507	01 29 21.13	+21 13 49.8		399
1995 UY ₅	* 1995 10 21.70938	01 35 44.04	+21 14 59.9	16.8	399
1995 UY ₅	1995 10 21.72361	01 35 43.34	+21 15 01.8		399
1995 UY ₅	1995 10 27.62083	01 29 26.28	+21 17 15.3	16.7	399
1995 UY ₅	1995 10 27.63507	01 29 25.44	+21 17 14.1		399
1995 UZ ₅	* 1995 10 21.70938	01 35 55.82	+21 18 17.4	17	399
1995 UZ ₅	1995 10 21.72361	01 35 54.88	+21 18 14.6		399
1995 UZ ₅	1995 10 27.62083	01 30 23.98	+21 08 20.9	17.2	399
1995 UZ ₅	1995 10 27.63507	01 30 22.92	+21 08 16.6		399
1995 UA ₆	* 1995 10 21.70938	01 38 56.58	+23 53 49.2	17	399
1995 UA ₆	1995 10 21.72361	01 38 55.88	+23 53 45.2		399
1995 UA ₆	1995 10 27.62083	01 33 33.58	+23 33 19.3	16.8	399
1995 UA ₆	1995 10 27.63507	01 33 32.66	+23 33 10.5		399
1995 UB ₆	* 1995 10 21.70938	01 40 18.15	+21 31 42.6	17	399
1995 UB ₆	1995 10 21.72361	01 40 17.26	+21 31 41.1		399
1995 UB ₆	1995 10 27.62083	01 33 54.39	+21 28 34.9	16.7	399
1995 UB ₆	1995 10 27.63507	01 33 53.37	+21 28 32.6		399
1995 UC ₆	* 1995 10 21.70938	01 43 06.06	+22 45 27.7	16.7	399
1995 UC ₆	1995 10 21.72361	01 43 05.23	+22 45 24.1		399
1995 UC ₆	1995 10 27.62083	01 36 23.37	+22 12 28.4	16.3	399
1995 UC ₆	1995 10 27.63507	01 36 22.34	+22 12 23.2		399
1995 UA ₇	1995 10 27.68924	03 32 39.52	+11 05 15.3	16.7	399
1995 UA ₇	1995 10 27.70347	03 32 38.43	+11 05 15.5		399
1995 UA ₇	1995 10 28.62222	03 31 41.87	+11 02 31.4	16.8	399
1995 UA ₇	1995 10 28.63646	03 31 40.97	+11 02 28.1		399
1995 UB ₇	1995 10 27.72153	03 33 49.50	+09 28 39.2	17	399
1995 UB ₇	1995 10 27.73576	03 33 48.81	+09 28 30.4		399
1995 UB ₇	1995 10 28.62222	03 33 10.93	+09 19 05.0	17	399
1995 UB ₇	1995 10 28.63646	03 33 10.30	+09 18 56.3		399
1995 UC ₇	1995 10 27.72153	03 34 04.34	+09 28 52.6	17.2	399
1995 UC ₇	1995 10 27.73576	03 34 03.60	+09 28 52.0		399
1995 UC ₇	1995 10 28.62222	03 33 16.17	+09 26 18.5	17	399
1995 UC ₇	1995 10 28.63646	03 33 15.34	+09 26 17.2		399
1995 UD ₇	* 1995 10 27.65521	02 01 53.41	+13 21 09.7	16.8	399
1995 UD ₇	1995 10 27.66944	02 01 52.78	+13 20 59.2		399
1995 UD ₇	1995 10 28.51973	02 01 18.13	+13 10 48.4	16.8	399
1995 UD ₇	1995 10 28.53414	02 01 17.51	+13 10 37.4		399
1995 UE ₇	* 1995 10 27.65521	02 03 46.03	+14 45 00.5	17.2	399
1995 UE ₇	1995 10 27.66944	02 03 45.28	+14 44 54.7		399
1995 UE ₇	1995 10 28.51973	02 03 03.63	+14 37 33.4	17.2	399
1995 UE ₇	1995 10 28.53414	02 03 03.05	+14 37 27.8		399
1995 UF ₇	* 1995 10 27.65521	02 04 12.27	+14 57 36.4	17	399
1995 UF ₇	1995 10 27.66944	02 04 11.30	+14 57 30.1		399
1995 UF ₇	1995 10 28.51973	02 03 24.02	+14 52 38.1	17	399
1995 UF ₇	1995 10 28.53414	02 03 23.27	+14 52 35.5		399
1995 UG ₇	* 1995 10 27.65521	02 05 25.57	+12 28 32.6	17	399
1995 UG ₇	1995 10 27.66944	02 05 24.86	+12 28 29.7		399
1995 UG ₇	1995 10 28.51973	02 04 30.94	+12 26 43.9	16.8	399
1995 UG ₇	1995 10 28.53414	02 04 30.09	+12 26 42.0		399
1995 UH ₇	* 1995 10 27.65521	02 08 18.20	+11 16 27.1	17	399
1995 UH ₇	1995 10 27.66944	02 08 17.37	+11 16 26.0		399

1995 UH ₇	1995 10 28.51973	02 07 38.21	+11 12 00.1	17	399
1995 UH ₇	1995 10 28.53414	02 07 37.62	+11 11 57.0		399
1995 UJ ₇	* 1995 10 27.68924	03 20 02.33	+10 28 49.8	16.3	399
1995 UJ ₇	1995 10 27.70347	03 20 01.50	+10 28 46.8		399
1995 UJ ₇	1995 10 28.58958	03 19 12.53	+10 24 01.9	16.2	399
1995 UJ ₇	1995 10 28.60422	03 19 11.57	+10 23 57.9		399
1995 UK ₇	* 1995 10 27.68924	03 32 59.00	+12 06 50.6	16.6	399
1995 UK ₇	1995 10 27.70347	03 32 58.39	+12 06 52.4		399
1995 UK ₇	1995 10 28.62222	03 32 11.67	+12 06 52.7	16.7	399
1995 UK ₇	1995 10 28.63646	03 32 11.01	+12 06 53.4		399
1995 UO ₇	* 1995 10 27.68924	03 21 46.88	+08 42 27.8	16.5	399
1995 UO ₇	1995 10 27.70347	03 21 46.33	+08 42 24.3		399
1995 UO ₇	1995 10 28.58958	03 21 14.48	+08 39 33.4	16.3	399
1995 UO ₇	1995 10 28.60422	03 21 13.92	+08 39 31.9		399
1995 UP ₇	* 1995 10 27.72153	03 38 19.30	+12 00 32.2	16.5	399
1995 UP ₇	1995 10 27.73576	03 38 18.72	+12 00 27.7		399
1995 UP ₇	1995 10 28.62222	03 37 41.50	+11 55 18.1	16.7	399
1995 UP ₇	1995 10 28.63646	03 37 40.83	+11 55 12.9		399
1995 UQ ₇	* 1995 10 27.72153	03 39 23.61	+09 50 13.8	17.2	399
1995 UQ ₇	1995 10 27.73576	03 39 22.98	+09 50 10.2		399
1995 UQ ₇	1995 10 28.62222	03 38 42.16	+09 48 50.0	17	399
1995 UQ ₇	1995 10 28.63646	03 38 41.45	+09 48 49.0		399
1995 UR ₇	* 1995 10 27.72153	03 41 21.17	+10 24 58.4	17	399
1995 UR ₇	1995 10 27.73576	03 41 20.50	+10 24 51.0		399
1995 UR ₇	1995 10 28.62222	03 40 45.24	+10 19 09.9	16.8	399
1995 UR ₇	1995 10 28.63646	03 40 44.58	+10 19 04.3		399
1995 US ₇	* 1995 10 27.72153	03 42 33.51	+11 14 02.3	16.5	399
1995 US ₇	1995 10 27.73576	03 42 32.87	+11 13 59.4		399
1995 US ₇	1995 10 28.62222	03 41 55.06	+11 11 01.1	16.5	399
1995 US ₇	1995 10 28.63646	03 41 54.45	+11 10 58.9		399

400 Kitami

K. Watanabe, 3-8 B-203, Atsubetsu Cyuo 3 Jo 4 Chome, Atsubetsu-ku, Sapporo
004, Japan

Observer K. Endate

Measurer K. Watanabe

0.25-m $f/3.4$ hyperboloid astrocamera + CCD
GSC

1991 PJ ₃	1995 10 12.51550	00 48 03.33	+09 22 30.9	16.8 V	400
1991 PJ ₃	1995 10 12.53703	00 48 01.91	+09 22 26.4		400
1991 RS ₁	1995 09 20.51628	22 29 05.19	-11 06 27.5	17.4 V	400
1991 RS ₁	1995 09 20.55367	22 29 03.12	-11 06 27.6		400
1992 WT ₂	1995 09 20.56096	23 22 31.38	-12 04 33.1	16.4 V	400
1992 WT ₂	1995 09 20.59094	23 22 29.77	-12 04 44.4		400
1994 FZ	1995 09 20.61583	01 18 18.43	-01 21 31.5	18.7 V	400
1994 FZ	1995 09 20.65264	01 18 16.53	-01 21 45.7		400
1994 FZ	1995 09 21.58936	01 17 31.34	-01 27 37.6	18.8 V	400
1994 FZ	1995 09 21.61674	01 17 29.97	-01 27 47.3		400
1994 GO ₁	1995 09 20.55831	23 17 29.82	-11 18 40.0	15.8 V	400
1994 GO ₁	1995 09 20.58642	23 17 28.75	-11 19 01.6		400
1995 SO ₃	1995 08 30.52083	21 13 14.48	-06 53 56.5	18.5 V	400
1995 SO ₃	1995 08 30.55116	21 13 13.05	-06 53 57.7		400
1995 SP ₃	1995 09 30.49444	23 53 32.35	+10 57 55.9	16.5	400

1995 SP ₃	1995 09 30.51111	23 53 31.44	+10 57 47.5		400	1995 SB ₃₀	1995 09 30.57917	01 21 55.14	+04 01 16.3		400
1995 SQ ₃	1995 09 30.49444	23 52 30.01	+10 02 57.9	16.8	400	1995 SU ₅₂	* 1995 09 20.53958	00 01 59.59	+11 24 12.9	16.5	400
1995 SQ ₃	1995 09 30.51111	23 52 29.04	+10 02 51.8		400	1995 SU ₅₂	1995 09 20.55694	00 01 58.49	+11 24 10.2		400
1995 SR ₃	1995 09 30.49444	23 55 55.58	+08 08 09.0	16.2	400	1995 SU ₅₂	1995 09 30.49444	23 52 46.06	+10 33 11.9	17	400
1995 SR ₃	1995 09 30.51111	23 55 54.50	+08 08 05.9		400	1995 SU ₅₂	1995 09 30.51111	23 52 45.09	+10 33 06.3		400
1995 SS ₃	1995 09 30.49444	00 02 34.05	+08 32 06.1	16.2	400	1995 SU ₅₂	1995 10 12.56627	23 43 26.50	+09 18 38.8	17.3 V	400
1995 SS ₃	1995 09 30.51111	00 02 32.83	+08 32 06.3		400	1995 SU ₅₂	1995 10 12.57119	23 43 26.30	+09 18 35.1		400
1995 ST ₃	1995 09 30.49444	00 05 20.78	+07 24 52.6	16.5	400	1995 SV ₅₂	* 1995 09 20.57569	00 08 58.65	-06 17 59.7	16.5	400
1995 ST ₃	1995 09 30.51111	00 05 19.70	+07 24 45.4		400	1995 SV ₅₂	1995 09 20.59375	00 08 57.90	-06 18 07.7		400
1995 ST ₃	1995 10 10.45903	23 57 38.06	+06 20 37.9	16.3 V	400	1995 SV ₅₂	1995 09 30.52708	00 02 04.06	-07 23 05.1	16.7	400
1995 ST ₃	1995 10 10.47720	23 57 37.36	+06 20 31.3		400	1995 SV ₅₂	1995 09 30.54375	00 02 03.30	-07 23 09.9		400
1995 SU ₃	1995 09 30.49444	00 03 33.38	+08 27 51.0	16.0	400	1995 SW ₅₂	* 1995 09 22.57500	00 56 30.43	+14 35 03.9	16.0	400
1995 SU ₃	1995 09 30.51111	00 03 32.32	+08 27 45.8		400	1995 SW ₅₂	1995 09 22.59375	00 56 29.49	+14 34 57.3		400
1995 SU ₃	1995 10 10.45747	23 53 52.63	+07 48 18.8	16.0 V	400	1995 SW ₅₂	1995 09 30.59722	00 49 38.23	+13 43 11.7	16.0	400
1995 SU ₃	1995 10 10.47529	23 53 51.66	+07 48 14.2		400	1995 SW ₅₂	1995 09 30.61458	00 49 37.13	+13 43 02.1		400
1995 SW ₃	1995 09 30.47943	00 16 29.69	+12 02 36.8	15.9 V	400	1995 SW ₅₂	1995 10 10.46800	00 40 48.96	+12 24 31.1	16.0 V	400
1995 SW ₃	1995 09 30.54001	00 16 26.58	+12 02 53.6		400	1995 SW ₅₂	1995 10 10.48409	00 40 48.08	+12 24 22.3		400
1995 SX ₃	1995 09 30.51385	00 16 33.69	+07 52 20.0	16.7 V	400	1995 SX ₅₂	* 1995 09 22.57500	01 03 45.00	+11 12 04.7	16.5	400
1995 SX ₃	1995 09 30.54593	00 16 31.91	+07 52 01.5		400	1995 SX ₅₂	1995 09 22.59375	01 03 43.96	+11 11 59.0		400
1995 SL ₄	1995 09 30.52708	00 03 00.55	-07 31 55.8	16.7	400	1995 SX ₅₂	1995 09 30.59722	00 57 47.11	+10 28 59.4	16.5	400
1995 SL ₄	1995 09 30.54375	00 02 59.83	-07 31 57.2		400	1995 SX ₅₂	1995 09 30.61458	00 57 46.34	+10 28 53.4		400
1995 SM ₄	1995 09 30.52708	00 04 56.35	-06 09 02.0	16.5	400	1995 SX ₅₂	1995 10 12.51550	00 48 22.06	+09 14 31.2	16.9 V	400
1995 SM ₄	1995 09 30.54375	00 04 55.46	-06 09 07.7		400	1995 SX ₅₂	1995 10 12.53703	00 48 21.05	+09 14 22.7		400
1995 SN ₄	1995 09 30.52708	00 02 49.83	-05 15 46.7	16.0	400	1995 SY ₅₂	1995 09 20.61250	00 51 33.19	-05 03 24.3	16.5	400
1995 SN ₄	1995 09 30.54375	00 02 49.02	-05 15 48.1		400	1995 SY ₅₂	1995 09 20.62986	00 51 32.28	-05 03 28.8		400
1995 SS ₄	1995 09 30.52708	00 11 40.30	-05 05 37.4	16.8	400	1995 SY ₅₂	1995 09 21.61111	00 50 51.86	-05 08 11.8	16.7	400
1995 SS ₄	1995 09 30.54375	00 11 39.34	-05 05 41.9		400	1995 SY ₅₂	1995 09 21.62708	00 50 51.07	-05 08 15.5		400
1995 ST ₄	1995 09 30.52708	00 14 55.81	-06 02 15.6	16.2	400	1995 SY ₅₂	* 1995 09 30.63125	00 44 12.73	-05 48 54.8	16.5	400
1995 ST ₄	1995 09 30.54375	00 14 55.00	-06 02 24.7		400	1995 SY ₅₂	1995 09 30.64722	00 44 12.12	-05 48 59.3		400
1995 SV ₄	1995 09 30.52708	00 16 37.63	-05 03 41.2	16.5	400	(2419)	1995 09 30.56111	01 13 39.38	+02 27 33.5	16.3	400
1995 SV ₄	1995 09 30.54375	00 16 36.74	-05 03 49.1		400	(2419)	1995 09 30.57917	01 13 38.50	+02 27 23.0		400
1995 SW ₄	1995 09 30.52708	00 21 13.56	-05 39 44.7	16.7	400	(6599)	1995 09 20.58017	01 19 52.79	+14 54 40.8	15.9 V	400
1995 SW ₄	1995 09 30.54375	00 21 12.88	-05 39 55.9		400	(6599)	1995 09 20.60807	01 19 51.82	+14 54 32.0		400
1995 SD ₅	1995 10 10.46672	00 35 50.78	+13 01 40.9	16.7 V	400	(6607)	1995 09 20.61250	00 43 07.04	-03 21 56.0	15.6	400
1995 SD ₅	1995 10 10.48223	00 35 50.02	+13 01 41.6		400	(6607)	1995 09 20.62986	00 43 06.21	-03 22 03.6		400
1995 SF ₅	1995 09 30.63125	00 42 01.02	-06 03 39.1	17	400	(6607)	1995 09 21.61111	00 42 22.12	-03 28 33.9	15.8	400
1995 SF ₅	1995 09 30.64722	00 42 00.29	-06 03 41.7		400	(6607)	1995 09 21.62708	00 42 21.38	-03 28 40.1		400
1995 SG ₅	1995 09 30.63125	00 41 31.74	-03 20 35.1	16.0	400	411 Oizumi					
1995 SG ₅	1995 09 30.64722	00 41 30.70	-03 20 31.3		400	T. Kobayashi, 8-6, Nishi Koizumi 1 Chome, Oizumi, Ora-Gun, Gunma-Ken, 370-05					
1995 SZ ₂₉	* 1995 09 22.61250	01 13 49.86	+01 02 42.3	16.7	400	Japan [kobataka@furusato.infopd.sanyo.co.jp]					
1995 SZ ₂₉	1995 09 22.63125	01 13 49.33	+01 02 44.5		400	0.25-m $f/4.4$ reflector + CCD					
1995 SZ ₂₉	1995 09 30.56111	01 08 01.21	+01 25 49.5	16.5	400	GSC					
1995 SZ ₂₉	1995 09 30.57917	01 08 00.29	+01 25 54.7		400	1982 SO ₅	1995 10 20.49894	02 31 42.43	+16 52 33.4	16.5	411
1995 SZ ₂₉	1995 10 12.51201	00 57 54.92	+02 04 52.7	17.1 V	400	1982 SO ₅	1995 10 20.51241	02 31 41.75	+16 52 31.1		411
1995 SZ ₂₉	1995 10 12.53367	00 57 53.70	+02 04 58.4		400	1982 SO ₅	1995 10 21.50543	02 30 50.64	+16 49 55.3		411
1995 SA ₃₀	* 1995 09 22.61250	01 19 37.61	+02 59 08.1	16.0	400	1982 SO ₅	1995 10 21.52453	02 30 49.58	+16 49 52.7		411
1995 SA ₃₀	1995 09 22.63125	01 19 36.88	+02 59 05.3		400	1982 UP	1995 10 25.64866	04 00 44.19	+19 33 35.5		411
1995 SA ₃₀	1995 09 30.56111	01 14 02.88	+02 30 01.7	16.3	400	1982 UP	1995 10 25.66214	04 00 43.62	+19 33 31.5		411
1995 SA ₃₀	1995 09 30.57917	01 14 02.11	+02 29 56.4		400	1984 SE ₆	1995 10 20.65330	02 45 12.29	+19 08 17.8	16.5	411
1995 SB ₃₀	* 1995 09 22.61250	01 27 42.54	+04 49 48.6	16.7	400	1984 SE ₆	1995 10 20.66677	02 45 11.36	+19 08 15.9		411
1995 SB ₃₀	1995 09 22.63125	01 27 41.71	+04 49 42.3		400	1984 SE ₆	1995 10 25.47300	02 40 09.31	+18 56 00.7		411
1995 SB ₃₀	1995 09 30.56111	01 21 56.26	+04 01 25.0	16.5	400	1984 SE ₆	1995 10 25.49018	02 40 08.16	+18 55 58.3		411

1989 AC ₂	1995 10 27.56693	03 05 17.35	+17 45 18.5		411	1995 QC ₃	1995 10 13.46182	23 52 17.82	+07 34 57.2		411
1989 AC ₂	1995 10 27.58041	03 05 16.61	+17 45 14.1		411	1995 QD ₃	1995 10 13.47927	23 54 42.40	+02 36 13.2		411
1989 SO	1995 10 26.67722	04 29 49.09	+24 02 18.4	17	411	1995 QD ₃	1995 10 13.48806	23 54 42.03	+02 36 11.0		411
1989 SO	1995 10 26.69071	04 29 48.72	+24 02 17.2		411	1995 QE ₃	1995 10 13.46642	23 58 33.27	+02 40 13.9		411
1989 SO	1995 10 27.74667	04 29 21.76	+24 00 01.3		411	1995 QE ₃	1995 10 13.47224	23 58 33.01	+02 40 13.3		411
1989 SO	1995 10 27.76013	04 29 21.38	+23 59 59.8		411	1995 QE ₃	1995 10 13.47666	23 58 32.95	+02 40 12.7		411
1989 UV ₁	1995 10 26.73102	04 35 32.24	+22 40 29.1		411	1995 SG	1995 08 31.74181	00 29 37.32	+05 20 18.5		411
1989 UV ₁	1995 10 26.74450	04 35 31.82	+22 40 27.7		411	1995 SG	1995 08 31.75538	00 29 36.97	+05 20 15.8		411
1991 LB	1995 10 20.64441	02 46 14.68	+16 40 57.1	15.5	411	1995 SQ ₅₃	1995 10 20.69478	03 49 08.40	+22 04 25.2	17.5	411
1991 LB	1995 10 20.65787	02 46 13.90	+16 40 50.3		411	1995 SQ ₅₃	1995 10 20.70817	03 49 07.91	+22 04 30.7		411
1991 LB	1995 10 25.47682	02 41 49.20	+16 01 01.9		411	1995 SQ ₅₃	1995 10 25.58220	03 46 05.16	+22 30 29.6		411
1991 LB	1995 10 25.49398	02 41 48.18	+16 00 53.3		411	1995 SQ ₅₃	1995 10 25.60297	03 46 04.16	+22 30 35.0		411
1991 RW ₁₉	1995 10 27.60050	03 08 34.17	+19 17 40.7		411	1995 SS ₅₃	1995 10 20.75262	03 56 26.31	+22 08 29.6	17	411
1991 RW ₁₉	1995 10 27.61397	03 08 33.39	+19 17 36.8		411	1995 SS ₅₃	1995 10 20.76601	03 56 26.07	+22 08 33.3		411
1991 VD ₁	1995 10 20.52804	02 35 49.47	+16 45 28.7	16.5	411	1995 SS ₅₃	1995 10 25.59524	03 54 40.28	+22 23 45.1		411
1991 VD ₁	1995 10 20.54151	02 35 48.61	+16 45 32.8		411	1995 SS ₅₃	1995 10 25.61603	03 54 39.52	+22 23 49.5		411
1991 VD ₁	1995 10 21.50741	02 34 43.20	+16 49 17.9		411	1995 SS ₅₃	1995 10 26.62226	03 54 10.20	+22 26 42.7		411
1991 VD ₁	1995 10 21.52644	02 34 41.95	+16 49 21.9		411	1995 SS ₅₃	1995 10 26.62981	03 54 09.92	+22 26 43.6		411
1991 VE ₂	1995 10 27.69003	03 17 13.24	+20 00 57.1	16	411	1995 TR	* 1995 10 02.73177	02 25 13.63	+16 26 44.1	17	411
1991 VE ₂	1995 10 27.70351	03 17 12.60	+20 00 49.1		411	1995 TR	1995 10 02.74520	02 25 13.12	+16 26 38.5		411
1991 VE ₂	1995 10 30.52752	03 14 59.29	+19 31 09.0		411	1995 TR	1995 10 14.55463	02 16 11.40	+15 12 27.4		411
1991 VE ₂	1995 10 30.53294	03 14 59.01	+19 31 05.9		411	1995 TR	1995 10 14.60554	02 16 08.60	+15 12 04.9		411
1993 CC	1995 10 02.65221	02 49 43.28	-03 47 55.1		411	1995 TR	1995 10 14.61569	02 16 08.06	+15 12 00.7		411
1993 CC	1995 10 02.65696	02 49 43.20	-03 47 57.5		411	1995 TR	1995 10 17.55553	02 13 31.06	+14 50 44.3		411
1993 CC	1995 10 13.57823	02 42 52.61	-05 03 04.3		411	1995 TR	1995 10 17.56661	02 13 30.38	+14 50 38.7		411
1993 CC	1995 10 13.58408	02 42 52.40	-05 03 07.4		411	1995 TR	1995 10 21.49377	02 09 52.88	+14 21 01.0		411
1993 CC	1995 10 14.63084	02 42 06.81	-05 09 56.1		411	1995 TR	1995 10 21.49920	02 09 52.52	+14 20 58.1		411
1993 CC	1995 10 14.63807	02 42 06.49	-05 09 58.1		411	1995 TS	* 1995 10 02.75635	02 27 17.12	+15 07 05.0	17	411
1993 CK	1995 10 02.78286	04 20 00.08	+22 15 40.5		411	1995 TS	1995 10 02.76978	02 27 16.73	+15 07 03.8		411
1993 CK	1995 10 02.78788	04 19 59.97	+22 15 41.6		411	1995 TS	1995 10 14.50535	02 19 03.64	+14 32 34.7	17	411
1993 CK	1995 10 02.79793	04 20 00.04	+22 15 43.1		411	1995 TS	1995 10 14.53650	02 19 01.91	+14 32 27.2		411
1993 CK	1995 10 27.74383	04 12 02.90	+22 51 50.8		411	1995 TS	1995 10 14.56783	02 19 00.30	+14 32 22.2		411
1993 CK	1995 10 27.75729	04 12 02.34	+22 51 50.3		411	1995 TS	1995 10 20.43872	02 13 49.39	+14 08 47.6		411
1993 FG ₂₀	1995 10 20.61755	02 43 05.58	+17 30 44.3		411	1995 TS	1995 10 20.44774	02 13 48.87	+14 08 45.0		411
1993 FG ₂₀	1995 10 20.63101	02 43 05.01	+17 30 39.8		411	1995 TS	1995 10 20.46794	02 13 47.81	+14 08 39.6		411
1994 JG	1995 08 18.61045	22 08 56.91	-00 09 22.0		411	1995 TT	1995 10 02.75413	02 28 40.16	+14 34 28.2	17	411
1994 JG	1995 08 18.63058	22 08 56.00	-00 09 28.3		411	1995 TT	1995 10 02.76756	02 28 39.80	+14 34 29.1		411
1994 JG	1995 08 18.63607	22 08 55.82	-00 09 30.2		411	1995 TT	* 1995 10 13.54260	02 20 29.45	+14 39 10.1	17	411
1994 JG	1995 08 24.65418	22 04 39.15	-00 47 31.7		411	1995 TT	1995 10 13.55282	02 20 28.93	+14 39 11.1		411
1994 JG	1995 08 24.65961	22 04 38.87	-00 47 32.9		411	1995 TT	1995 10 13.59173	02 20 26.82	+14 39 09.9		411
1994 JG	1995 08 24.66503	22 04 38.60	-00 47 34.3		411	1995 TT	1995 10 14.50389	02 19 39.99	+14 39 08.3		411
1994 JG	1995 08 25.56420	22 04 00.33	-00 53 36.9		411	1995 TT	1995 10 14.51069	02 19 39.63	+14 39 08.7		411
1994 JG	1995 08 27.52537	22 02 36.66	-01 07 00.6		411	1995 TT	1995 10 14.52972	02 19 38.61	+14 39 09.3		411
1994 JG	1995 08 27.53260	22 02 36.32	-01 07 03.8		411	1995 TT	1995 10 17.53330	02 16 59.44	+14 38 38.4		411
1995 QA ₃	1995 10 14.42870	23 37 43.92	+04 23 24.4		411	1995 TT	1995 10 17.54417	02 16 58.85	+14 38 38.2		411
1995 QA ₃	1995 10 14.44276	23 37 43.29	+04 23 21.7		411	1995 TT	1995 10 20.48235	02 14 17.86	+14 37 36.1		411
1995 QA ₃	1995 10 14.48285	23 37 41.56	+04 23 17.4		411	1995 TT	1995 10 20.49102	02 14 17.36	+14 37 36.4		411
1995 QC ₃	1995 09 04.71144	00 21 01.08	+06 14 04.0		411	1995 TK ₂	1995 10 27.68559	03 16 17.55	+18 23 33.0	16	411
1995 QC ₃	1995 09 17.53608	00 11 24.04	+07 11 13.1		411	1995 TK ₂	1995 10 27.69905	03 16 16.54	+18 23 33.5		411
1995 QC ₃	1995 09 17.54933	00 11 23.25	+07 11 15.3		411	1995 TK ₂	1995 10 30.50479	03 12 52.11	+18 25 13.5		411
1995 QC ₃	1995 10 13.44048	23 52 18.35	+07 34 57.6		411	1995 TK ₂	1995 10 30.51021	03 12 51.65	+18 25 13.2		411
1995 QC ₃	1995 10 13.45164	23 52 18.05	+07 34 57.7		411	1995 TK ₂	1995 10 30.51744	03 12 51.09	+18 25 14.1		411

1995 UR ₁	1995 10 20.49670	02 30 57.90	+15 53 14.5	17	411	1995 UT ₃	1995 10 27.48626	02 32 20.22	+17 50 16.8	411
1995 UR ₁	1995 10 20.51019	02 30 56.98	+15 53 17.5		411	1995 UT ₃	1995 10 27.50450	02 32 19.25	+17 50 14.3	411
1995 UR ₁	1995 10 21.51130	02 29 49.52	+15 56 38.3		411	1995 UU ₃	* 1995 10 20.58623	02 40 04.89	+16 24 39.4	17.5 411
1995 UR ₁	1995 10 21.53032	02 29 48.11	+15 56 44.1		411	1995 UU ₃	1995 10 20.59970	02 40 04.13	+16 24 38.7	411
1995 UR ₁	1995 10 25.43644	02 25 18.32	+16 09 11.2		411	1995 UU ₃	1995 10 25.52376	02 35 47.49	+16 17 34.7	411
1995 UR ₁	1995 10 25.44910	02 25 17.39	+16 09 14.7		411	1995 UU ₃	1995 10 25.55216	02 35 45.90	+16 17 32.1	411
1995 UR ₁	1995 10 25.46017	02 25 16.65	+16 09 15.9		411	1995 UU ₃	1995 10 27.49302	02 33 59.10	+16 14 12.5	411
1995 UR ₁	1995 10 27.46144	02 22 55.35	+16 15 15.7		411	1995 UU ₃	1995 10 27.51126	02 33 58.09	+16 14 10.9	411
1995 UR ₁	1995 10 27.47479	02 22 54.42	+16 15 17.1		411	1995 UV ₃	* 1995 10 20.58845	02 39 15.29	+17 24 56.0	17.5 411
1995 UP ₂	1995 10 20.59513	02 40 16.55	+19 17 10.1	17	411	1995 UV ₃	1995 10 20.60192	02 39 14.53	+17 24 55.5	411
1995 UP ₂	1995 10 20.60859	02 40 15.83	+19 17 09.5		411	1995 UV ₃	1995 10 25.52117	02 34 22.14	+17 22 00.3	411
1995 UP ₂	1995 10 25.50062	02 35 56.92	+19 15 01.3		411	1995 UV ₃	1995 10 25.54958	02 34 20.39	+17 21 59.9	411
1995 UP ₂	1995 10 25.51192	02 35 56.34	+19 15 01.7		411	1995 UV ₃	1995 10 27.54720	02 32 18.29	+17 20 14.9	411
1995 UP ₂	1995 10 27.49534	02 34 07.52	+19 13 36.0		411	1995 UV ₃	1995 10 27.55771	02 32 17.54	+17 20 14.1	411
1995 UP ₂	1995 10 27.51359	02 34 06.58	+19 13 35.5		411	1995 UW ₃	* 1995 10 20.59068	02 39 40.16	+17 58 42.3	17 411
1995 UP ₃	* 1995 10 20.50561	02 32 02.15	+18 50 00.9	17	411	1995 UW ₃	1995 10 20.60414	02 39 39.43	+17 58 40.8	411
1995 UP ₃	1995 10 20.51909	02 32 01.30	+18 49 59.7		411	1995 UW ₃	1995 10 25.49616	02 35 20.09	+17 49 52.8	411
1995 UP ₃	1995 10 21.51326	02 30 59.64	+18 48 15.9		411	1995 UW ₃	1995 10 25.50965	02 35 19.27	+17 49 51.1	411
1995 UP ₃	1995 10 21.53228	02 30 58.41	+18 48 14.1		411	1995 UW ₃	1995 10 27.48844	02 33 28.50	+17 45 29.7	411
1995 UP ₃	1995 10 25.46351	02 26 47.80	+18 40 08.2		411	1995 UW ₃	1995 10 27.50668	02 33 27.41	+17 45 26.6	411
1995 UP ₃	1995 10 25.48069	02 26 46.67	+18 40 05.1		411	1995 UX ₃	* 1995 10 20.59513	02 40 45.63	+19 33 09.9	17 411
1995 UP ₃	1995 10 27.46339	02 24 37.53	+18 35 17.1		411	1995 UX ₃	1995 10 20.60859	02 40 44.72	+19 33 09.1	411
1995 UP ₃	1995 10 27.47674	02 24 36.61	+18 35 15.5		411	1995 UX ₃	1995 10 25.52897	02 35 42.81	+19 34 04.4	411
1995 UQ ₃	* 1995 10 20.53027	02 34 39.20	+16 59 05.9	17	411	1995 UX ₃	1995 10 25.55986	02 35 40.74	+19 34 05.0	411
1995 UQ ₃	1995 10 20.54374	02 34 38.31	+16 59 03.1		411	1995 UX ₃	1995 10 27.49069	02 33 37.07	+19 33 32.5	411
1995 UQ ₃	1995 10 23.52095	02 31 36.91	+16 42 19.7		411	1995 UX ₃	1995 10 27.50894	02 33 35.92	+19 33 31.6	411
1995 UQ ₃	1995 10 23.52818	02 31 36.53	+16 42 17.5		411	1995 UY ₃	* 1995 10 20.61309	02 42 22.40	+16 00 50.8	16.5 411
1995 UQ ₃	1995 10 23.53179	02 31 36.23	+16 42 16.2		411	1995 UY ₃	1995 10 20.62656	02 42 21.75	+16 00 47.3	411
1995 UQ ₃	1995 10 27.46539	02 27 28.58	+16 18 56.0		411	1995 UY ₃	1995 10 25.50296	02 38 25.94	+15 35 42.1	411
1995 UQ ₃	1995 10 27.47869	02 27 27.67	+16 18 50.6		411	1995 UY ₃	1995 10 25.51642	02 38 25.18	+15 35 37.8	411
1995 UR ₃	* 1995 10 20.55936	02 37 09.55	+17 35 44.9	17	411	1995 UY ₃	1995 10 27.49988	02 36 42.94	+15 24 46.1	411
1995 UR ₃	1995 10 20.57282	02 37 08.93	+17 35 39.6		411	1995 UY ₃	1995 10 27.51813	02 36 41.91	+15 24 40.5	411
1995 UR ₃	1995 10 21.50928	02 36 22.06	+17 28 44.6		411	1995 UZ ₃	* 1995 10 20.62421	02 41 52.93	+19 24 12.8	17.5 411
1995 UR ₃	1995 10 21.52830	02 36 21.20	+17 28 36.3		411	1995 UZ ₃	1995 10 20.63768	02 41 52.00	+19 24 14.1	411
1995 UR ₃	1995 10 25.46730	02 32 55.13	+16 58 15.8		411	1995 UZ ₃	1995 10 25.52897	02 36 59.27	+19 36 10.0	411
1995 UR ₃	1995 10 25.48447	02 32 54.17	+16 58 07.6		411	1995 UZ ₃	1995 10 25.55986	02 36 57.35	+19 36 15.0	411
1995 UR ₃	1995 10 27.46909	02 31 06.24	+16 42 09.6		411	1995 UZ ₃	1995 10 27.49753	02 34 57.60	+19 40 28.6	411
1995 UR ₃	1995 10 27.48239	02 31 05.52	+16 42 01.8		411	1995 UZ ₃	1995 10 27.51578	02 34 56.42	+19 40 29.7	411
1995 US ₃	* 1995 10 20.56159	02 37 29.59	+17 50 55.4	16.5	411	1995 UB ₄	* 1995 10 20.64219	02 44 29.70	+16 00 43.6	17.5 411
1995 US ₃	1995 10 20.57505	02 37 28.72	+17 50 48.8		411	1995 UB ₄	1995 10 20.65565	02 44 29.27	+16 00 53.0	411
1995 US ₃	1995 10 21.50928	02 36 32.98	+17 43 00.4		411	1995 UB ₄	1995 10 25.53416	02 41 24.84	+17 07 19.4	411
1995 US ₃	1995 10 21.52830	02 36 31.84	+17 42 50.1		411	1995 UB ₄	1995 10 25.56505	02 41 23.43	+17 07 45.3	411
1995 US ₃	1995 10 25.46549	02 32 30.51	+17 08 50.1		411	1995 UB ₄	1995 10 27.44519	02 40 02.55	+17 33 18.1	411
1995 US ₃	1995 10 25.48267	02 32 29.44	+17 08 41.9		411	1995 UB ₄	1995 10 27.45242	02 40 02.18	+17 33 23.7	411
1995 US ₃	1995 10 27.46727	02 30 25.44	+16 51 04.6		411	1995 UB ₄	1995 10 27.45784	02 40 01.99	+17 33 29.2	411
1995 US ₃	1995 10 27.48057	02 30 24.61	+16 50 57.6		411	1995 UC ₄	* 1995 10 20.64219	02 46 25.15	+16 04 12.6	17.5 411
1995 UT ₃	* 1995 10 20.56159	02 38 16.30	+18 05 41.6	17	411	1995 UC ₄	1995 10 20.65565	02 46 24.44	+16 04 13.2	411
1995 UT ₃	1995 10 20.57505	02 38 15.61	+18 05 39.9		411	1995 UC ₄	1995 10 25.53673	02 42 05.76	+15 56 45.5	411
1995 UT ₃	1995 10 21.50928	02 37 29.19	+18 03 50.5		411	1995 UC ₄	1995 10 25.56762	02 42 03.92	+15 56 42.3	411
1995 UT ₃	1995 10 21.52830	02 37 28.33	+18 03 46.5		411	1995 UC ₄	1995 10 27.55249	02 40 12.07	+15 53 06.4	411
1995 UT ₃	1995 10 25.46918	02 34 06.48	+17 55 10.0		411	1995 UC ₄	1995 10 27.56301	02 40 11.47	+15 53 04.6	411
1995 UT ₃	1995 10 25.48635	02 34 05.57	+17 55 07.4		411	1995 UD ₄	* 1995 10 20.64663	02 45 21.38	+17 19 31.3	16 411

1995 UD ₄	1995 10 20.66009	02 45 20.53	+17 19 32.2	411	1995 US ₄	1995 10 26.66281	04 06 45.33	+19 31 07.1	411
1995 UD ₄	1995 10 25.47490	02 40 17.56	+17 24 01.6	411	1995 UT ₄	* 1995 10 25.70911	04 06 23.15	+20 03 46.6	17 411
1995 UD ₄	1995 10 25.49206	02 40 16.39	+17 24 02.8	411	1995 UT ₄	1995 10 25.72258	04 06 22.53	+20 03 50.6	411
1995 UD ₄	1995 10 27.50216	02 38 02.62	+17 25 07.8	411	1995 UT ₄	1995 10 26.59506	04 05 45.97	+20 08 16.0	411
1995 UD ₄	1995 10 27.52041	02 38 01.34	+17 25 08.6	411	1995 UT ₄	1995 10 26.61084	04 05 45.38	+20 08 20.3	411
1995 UE ₄	* 1995 10 20.64885	02 44 16.41	+18 00 54.8	17 411	1995 UU ₄	* 1995 10 25.70911	04 07 11.91	+20 20 20.7	17 411
1995 UE ₄	1995 10 20.66232	02 44 15.64	+18 00 50.3	411	1995 UU ₄	1995 10 25.72258	04 07 11.38	+20 20 16.1	411
1995 UE ₄	1995 10 25.47490	02 40 09.20	+17 25 36.7	411	1995 UU ₄	1995 10 26.59724	04 06 42.53	+20 15 51.6	411
1995 UE ₄	1995 10 25.50522	02 40 07.48	+17 25 23.7	411	1995 UU ₄	1995 10 26.61302	04 06 41.98	+20 15 46.0	411
1995 UE ₄	1995 10 25.51868	02 40 06.85	+17 25 17.4	411	1995 UV ₄	* 1995 10 25.73598	04 10 24.88	+19 56 08.4	16.5 411
1995 UE ₄	1995 10 27.54988	02 38 16.96	+17 09 36.4	411	1995 UV ₄	1995 10 25.74946	04 10 24.16	+19 56 08.2	411
1995 UE ₄	1995 10 27.56040	02 38 16.35	+17 09 30.8	411	1995 UV ₄	1995 10 26.64035	04 09 43.19	+19 57 32.3	411
1995 UF ₄	1995 10 27.57361	03 05 30.84	+20 02 37.1	16.5 411	1995 UV ₄	1995 10 26.64791	04 09 42.90	+19 57 32.6	411
1995 UF ₄	1995 10 27.58709	03 05 30.00	+20 02 39.8	411	1995 UW ₄	* 1995 10 26.73324	04 36 21.91	+23 21 50.6	17.5 411
1995 UF ₄	1995 10 29.55529	03 03 35.09	+20 08 19.5	411	1995 UW ₄	1995 10 26.74674	04 36 21.34	+23 21 53.7	411
1995 UF ₄	1995 10 29.61918	03 03 31.04	+20 08 30.7	411	1995 UW ₄	1995 10 27.75185	04 35 41.11	+23 25 37.0	411
1995 UJ ₄	* 1995 10 20.68812	03 50 12.05	+20 14 32.1	17 411	1995 UW ₄	1995 10 27.76531	04 35 40.52	+23 25 40.3	411
1995 UJ ₄	1995 10 20.70153	03 50 11.52	+20 14 32.5	411	1995 UG ₆	* 1995 10 27.57583	03 06 43.14	+20 28 46.1	17 411
1995 UJ ₄	1995 10 25.58485	03 46 55.56	+20 19 20.9	411	1995 UG ₆	1995 10 27.58932	03 06 42.32	+20 28 45.0	411
1995 UJ ₄	1995 10 25.60564	03 46 54.63	+20 19 21.7	411	1995 UG ₆	1995 10 29.55747	03 04 54.62	+20 25 19.9	411
1995 UK ₄	* 1995 10 20.69256	03 50 05.92	+21 38 44.4	17 411	1995 UG ₆	1995 10 29.62137	03 04 50.86	+20 25 14.0	411
1995 UK ₄	1995 10 20.70595	03 50 05.41	+21 38 45.8	411	1995 UH ₆	* 1995 10 27.60050	03 08 34.54	+19 23 57.7	17 411
1995 UK ₄	1995 10 25.58743	03 46 53.25	+21 44 52.0	411	1995 UH ₆	1995 10 27.61397	03 08 33.76	+19 23 56.5	411
1995 UK ₄	1995 10 25.60821	03 46 52.39	+21 44 53.7	411	1995 UH ₆	1995 10 29.56196	03 06 46.43	+19 22 22.6	411
1995 UL ₄	* 1995 10 20.69478	03 49 48.74	+22 30 02.8	17 411	1995 UH ₆	1995 10 29.62586	03 06 42.64	+19 22 18.8	411
1995 UL ₄	1995 10 20.70817	03 49 48.15	+22 30 05.0	411	1995 UJ ₆	* 1995 10 27.60718	03 08 08.98	+21 28 49.3	17 411
1995 UL ₄	1995 10 25.57969	03 45 54.23	+22 40 56.7	411	1995 UJ ₆	1995 10 27.62065	03 08 08.34	+21 28 44.3	411
1995 UL ₄	1995 10 25.60047	03 45 53.05	+22 40 58.8	411	1995 UJ ₆	1995 10 29.55969	03 06 38.23	+21 17 11.3	411
1995 UN ₄	* 1995 10 20.75262	03 55 23.07	+22 19 26.6	17 411	1995 UJ ₆	1995 10 29.62359	03 06 35.08	+21 16 47.2	411
1995 UN ₄	1995 10 20.76601	03 55 22.48	+22 19 22.2	411	1995 UK ₆	* 1995 10 27.60718	03 08 51.58	+21 03 13.2	16.5 411
1995 UN ₄	1995 10 25.59265	03 52 11.06	+21 58 57.1	411	1995 UK ₆	1995 10 27.62065	03 08 50.80	+21 03 11.1	411
1995 UN ₄	1995 10 25.61344	03 52 10.17	+21 58 51.3	411	1995 UK ₆	1995 10 29.56420	03 07 04.41	+20 58 29.6	411
1995 UO ₄	* 1995 10 25.59524	03 55 44.70	+22 40 24.3	17.5 411	1995 UK ₆	1995 10 29.62809	03 07 00.65	+20 58 20.2	411
1995 UO ₄	1995 10 25.61603	03 55 43.81	+22 40 22.0	411	1995 UL ₆	* 1995 10 27.63627	03 11 31.11	+21 30 10.6	17 411
1995 UO ₄	1995 10 26.62226	03 55 04.19	+22 37 17.3	411	1995 UL ₆	1995 10 27.64975	03 11 30.28	+21 30 08.2	411
1995 UO ₄	1995 10 26.63233	03 55 03.87	+22 37 13.9	411	1995 UL ₆	1995 10 29.56642	03 09 35.73	+21 24 36.2	411
1995 UO ₄	1995 10 26.63736	03 55 03.59	+22 37 13.2	411	1995 UL ₆	1995 10 29.63031	03 09 31.54	+21 24 24.5	411
1995 UP ₄	* 1995 10 25.63976	04 01 31.14	+16 51 20.6	16 411	1995 UL ₇	* 1995 10 27.69003	03 17 21.74	+19 42 30.8	17 411
1995 UP ₄	1995 10 25.65324	04 01 30.48	+16 51 22.3	411	1995 UL ₇	1995 10 27.70351	03 17 21.01	+19 42 29.6	411
1995 UP ₄	1995 10 26.58817	04 00 52.41	+16 53 17.7	411	1995 UL ₇	1995 10 30.53294	03 14 44.65	+19 38 30.6	411
1995 UP ₄	1995 10 26.60396	04 00 51.67	+16 53 20.5	411	1995 UL ₇	1995 10 30.54582	03 14 43.78	+19 38 28.1	411
1995 UQ ₄	* 1995 10 25.64421	04 01 39.50	+18 02 19.7	15.5 411	2771 P-L	1995 10 26.67722	04 30 04.21	+23 59 23.4	17.5 411
1995 UQ ₄	1995 10 25.65769	04 01 38.81	+18 02 25.5	411	2771 P-L	1995 10 26.69071	04 30 03.84	+23 59 24.6	411
1995 UQ ₄	1995 10 26.59045	04 00 51.88	+18 09 23.7	411	2771 P-L	1995 10 27.74667	04 29 32.47	+24 00 15.0	411
1995 UQ ₄	1995 10 26.60623	04 00 51.04	+18 09 31.2	411	2771 P-L	1995 10 27.76013	04 29 32.08	+24 00 15.3	411
1995 UR ₄	* 1995 10 25.66888	04 05 38.03	+17 14 57.2	17.5 411	2246 T-1	1995 10 02.74970	02 28 17.40	+12 41 04.8	411
1995 UR ₄	1995 10 25.68235	04 05 37.69	+17 14 53.4	411	2246 T-1	1995 10 02.76313	02 28 16.81	+12 41 03.6	411
1995 UR ₄	1995 10 26.59273	04 05 10.11	+17 12 01.5	411	1324 T-2	1995 10 02.75856	02 27 36.11	+15 42 38.0	411
1995 UR ₄	1995 10 26.60852	04 05 09.60	+17 11 58.3	411	1324 T-2	1995 10 02.77199	02 27 35.63	+15 42 36.1	411
1995 US ₄	* 1995 10 25.70689	04 07 34.00	+19 30 23.2	17 411	413 Siding Spring				
1995 US ₄	1995 10 25.72035	04 07 33.30	+19 30 23.4	411	R. H. McNaught, Anglo-Australian Observatory, Coonabarabran, N.S.W. 2357,				
1995 US ₄	1995 10 26.65525	04 06 45.76	+19 31 06.8	411	Australia [rmn@aaocbn1.aao.gov.au]				

Observers M. Hartley, G. J. Garradd, R. H. McNaught, K. S. Russell, D. I. Steel,
D. J. Asher

Measurers R. H. McNaught, G. J. Garradd, D. J. Asher
1.2-m U.K. Schmidt, 1.0-m reflector + CCD

1977 OX	1995 09 12.46439	21 32 01.23	-43 33 00.7		413	1994 TF ₂	1995 09 13.70160	01 38 02.29	+04 50 50.2		413
1977 OX	1995 09 12.47834	21 32 01.69	-43 33 00.0		413	1995 KL ₁	1995 09 12.54959	18 54 39.34	-21 41 52.6		413
1977 OX	1995 09 26.38811	21 43 34.56	-42 31 57.6		413	1995 LC	1995 09 29.42712	17 15 25.19	-38 16 53.8		413
1977 OX	1995 09 26.45756	21 43 38.49	-42 31 27.3		413	1995 LC	1995 09 29.43105	17 15 25.71	-38 16 54.2	I	413
1981 EZ ₄₆	1995 09 07.79168	04 13 27.12	+20 40 19.2		413	1995 LE	1995 10 19.70782	04 22 57.68	+28 30 40.0		413
1981 EZ ₄₆	1995 09 07.79368	04 13 27.32	+20 40 19.9		413	1995 LE	1995 10 19.71089	04 22 57.47	+28 30 38.6		413
1989 UQ	1995 09 12.40903	16 41 49.27	-20 27 56.8		V 413	1995 LH	1995 09 07.66994	21 06 28.64	-43 19 44.1		413
1989 UQ	1995 09 12.41262	16 41 50.65	-20 28 00.0		V 413	1995 LH	1995 09 07.67153	21 06 28.67	-43 19 42.6		413
1989 UQ	1995 09 13.40242	16 47 41.11	-20 41 27.1		V 413	1995 LH	1995 09 12.44117	21 09 03.82	-42 04 41.9		413
1989 UQ	1995 09 13.40497	16 47 41.87	-20 41 28.5		V 413	1995 LH	1995 09 12.45787	21 09 04.35	-42 04 25.9		413
1989 WQ ₁	1995 09 07.66539	20 33 34.79	-47 43 38.3		413	1995 MB	1995 09 12.53787	18 41 35.38	-01 43 16.1		413
1989 WQ ₁	1995 09 07.66780	20 33 34.73	-47 43 37.4		413	1995 MB	1995 09 12.54034	18 41 35.47	-01 43 15.6		413
1989 WQ ₁	1995 09 12.48553	20 31 24.69	-47 06 36.6		413	1995 MC	1995 09 07.40428	15 33 57.07	-32 34 37.9		413
1989 WQ ₁	1995 09 12.48977	20 31 24.35	-47 06 35.2		413	1995 MC	1995 09 07.40992	15 33 57.62	-32 34 36.8		413
1990 TU	1993 04 16.57641	12 54 39.75	-09 14 28.2	16.8	3 413	1995 MA ₁	1995 09 12.39181	15 51 49.43	-31 08 11.6		413
1991 UV ₂	1995 10 12.39498	22 42 23.04	-30 22 07.5		413	1995 MA ₁	1995 09 29.39788	16 30 25.62	-36 56 57.3		413
1991 UV ₂	1995 10 12.45053	22 42 22.37	-30 21 30.8		413	1995 MA ₁	1995 09 29.41355	16 30 28.12	-36 57 15.7		413
1992 AB	1995 10 19.59078	22 32 18.11	-53 32 38.7		413	1995 OO	1995 10 19.54242	22 54 00.45	-02 13 55.2	F	413
1992 AB	1995 10 19.59715	22 32 17.96	-53 32 37.5		413	1995 OO	1995 10 19.54846	22 54 00.28	-02 13 55.0	F	413
1992 LC	1995 09 07.72694	02 35 52.61	-03 47 55.2		413	1995 QY ₂	1995 10 19.57132	21 24 23.58	-28 30 10.8		413
1992 LC	1995 09 07.72964	02 35 52.58	-03 47 56.3		413	1995 QY ₂	1995 10 19.57443	21 24 23.74	-28 30 12.1		413
1992 TB	1995 10 19.50017	21 52 41.31	-03 16 11.5		413	1995 QN ₃	1995 09 12.43108	22 36 43.38	+02 15 48.7		413
1992 TB	1995 10 19.50434	21 52 41.38	-03 16 16.0		413	1995 QN ₃	1995 09 12.43380	22 36 43.29	+02 15 45.8		413
1992 YJ ₂	1995 08 29.54634	22 15 54.90	-23 57 11.0	16.5 V	413	1995 QN ₃	1995 10 19.52527	22 28 26.85	-05 11 36.9		413
1992 YJ ₂	1995 08 29.60190	22 15 51.82	-23 57 30.9		413	1995 QX ₉	* 1995 08 18.56662	22 05 38.62	-29 04 46.7	17 V	413
1993 BW ₂	1995 09 29.43419	17 30 54.27	-32 57 06.7		413	1995 QX ₉	1995 08 18.60829	22 05 39.22	-29 05 21.7		413
1993 BW ₂	1995 09 29.43670	17 30 54.59	-32 57 09.6		413	1995 QX ₉	1995 09 22.48075	22 23 32.62	-31 54 08.3	18 V	413
1993 BW ₂	1995 10 19.47733	18 25 09.47	-38 58 36.6		413	1995 QX ₉	1995 09 22.53631	22 23 34.91	-31 53 49.5		413
1993 KM	1995 10 19.71675	04 46 40.83	-00 18 14.2		413	1995 QX ₉	1995 10 12.39498	22 45 02.15	-28 29 38.3	18.5 V	F 413
1993 KM	1995 10 19.72639	04 46 40.59	-00 18 17.8		413	1995 QX ₉	1995 10 12.45053	22 45 06.10	-28 28 52.6		F 413
1993 QA	1995 09 07.77773	02 45 07.20	-03 10 31.4		413	1995 QX ₉	1995 10 19.57771	22 54 42.17	-26 40 08.9		413
1993 QA	1995 09 07.77974	02 45 07.39	-03 10 33.5		413	1995 QX ₉	1995 10 19.58085	22 54 42.43	-26 40 05.6		413
1993 QA	1995 09 07.78178	02 45 07.60	-03 10 36.0		413	1995 RH	1995 09 08.67297	03 21 59.22	-28 09 35.2		413
1993 QA	1995 10 19.66413	03 48 06.48	-25 58 48.6		413	1995 RH	1995 09 08.67462	03 21 59.30	-28 09 35.2		413
1993 QA	1995 10 19.66685	03 48 06.66	-25 58 55.7		413	1995 SA	1995 10 19.55514	23 01 57.64	-09 37 29.6		413
1993 SC	1995 10 21.51053	00 06 19.81	+01 30 16.6		413	1995 SA	1995 10 19.56299	23 01 57.46	-09 37 32.4		413
1993 SC	1995 10 21.52310	00 06 19.73	+01 30 16.2		413	1995 SA	1995 10 19.60413	23 01 56.57	-09 37 47.4		413
1993 SC	1995 10 21.53282	00 06 19.72	+01 30 15.8		413	1995 SD ₁	1995 10 19.61829	01 10 33.29	-14 20 57.3		413
1993 SC	1995 10 21.53958	00 06 19.69	+01 30 15.6		413	1995 SD ₁	1995 10 19.62131	01 10 33.79	-14 20 59.8		413
1993 SC	1995 10 21.54922	00 06 19.63	+01 30 15.5		413	1995 SR ₂	1995 10 19.53052	22 47 50.87	-09 21 53.0		413
1993 WD	1995 09 07.79642	06 37 49.28	-28 46 14.9		413	1995 SR ₂	1995 10 19.53592	22 47 51.17	-09 21 52.9	F	413
1993 WD	1995 09 07.79883	06 37 49.35	-28 46 14.6		p 413	1995 SA ₄	1995 10 19.62622	02 28 38.61	+09 15 33.8		413
1994 AE ₂	1995 09 07.68057	00 27 50.26	-11 11 08.4		413	1995 SA ₄	1995 10 19.63242	02 28 38.53	+09 15 31.4		413
1994 AE ₂	1995 09 07.68302	00 27 50.13	-11 11 09.6		413	1995 SA ₄	1995 10 19.70354	02 28 37.54	+09 15 02.9		413
1994 AE ₂	1995 09 07.68542	00 27 50.05	-11 11 10.8		413	1995 SN ₅	* 1995 09 22.55001	23 10 51.85	-29 52 24.9	17 V	413
1994 TF ₂	1995 09 08.60165	01 40 15.30	+10 34 59.7		413	1995 SN ₅	1995 09 22.59168	23 10 47.97	-29 51 38.0		413
1994 TF ₂	1995 09 08.60374	01 40 15.29	+10 34 52.8		413	1995 SN ₅	1995 10 01.55419	22 58 55.55	-26 55 00.1		413
1994 TF ₂	1995 09 13.69944	01 38 02.39	+04 50 59.8		413	1995 SN ₅	1995 10 01.55650	22 58 55.39	-26 54 57.4		413
						1995 SO ₅	* 1995 09 22.55001	23 14 51.28	-30 40 13.2	16.5 V	413
						1995 SO ₅	1995 09 22.59168	23 14 48.92	-30 40 00.7		413
						1995 SO ₅	1995 10 01.54365	23 07 34.72	-29 43 56.4		413
						1995 SO ₅	1995 10 01.54884	23 07 34.49	-29 43 53.9		413

1995 SX ₂₉	* 1995 09 22.55001	23 19 57.07	-29 53 07.1	15.5 V	413
1995 SX ₂₉	1995 09 22.59168	23 19 55.09	-29 53 11.2		413
1995 SX ₂₉	1995 10 01.61572	23 13 52.98	-29 52 50.9		413
1995 UB	1995 10 19.75212	01 38 30.92	-03 44 45.3	t	413
1995 UB	1995 10 19.75599	01 38 35.25	-03 45 17.6	t	413
1995 UB	1995 10 20.63507	01 52 25.24	-05 20 17.8	b	413
1995 UB	1995 10 20.63681	01 52 26.17	-05 20 26.3	b	413
1995 UO ₅	1995 10 30.49819	02 07 43.63	+06 15 59.4		413
1995 UO ₅	1995 10 30.50192	02 07 43.07	+06 15 59.3		413
1995 UO ₅	1995 10 30.50682	02 07 42.40	+06 15 59.5	19.5 V	413
1995 UO ₅	1995 10 30.50936	02 07 42.07	+06 15 59.6		413
1995 UO ₅	1995 10 31.63545	02 05 09.04	+06 16 21.7		413
1995 UO ₅	1995 10 31.64032	02 05 08.36	+06 16 21.5		413
1995 UO ₅	1995 10 31.67738	02 05 03.26	+06 16 21.6		413
1995 UV ₆	* 1995 10 29.58344	03 24 17.93	-17 09 13.6	18.0 V E	413
1995 UV ₆	1995 10 29.63899	03 24 13.56	-17 08 47.0	E	413
1995 UV ₆	1995 10 30.60001	03 22 48.23	-17 00 05.7		413
1995 UV ₆	1995 10 30.60368	03 22 47.90	-17 00 03.6		413
1995 UV ₆	1995 10 30.67054	03 22 41.75	-16 59 25.9		413
1995 UV ₆	1995 10 30.67307	03 22 41.52	-16 59 24.5		413
(112)	1995 10 01.38311	20 48 21.16	-17 10 00.8		413
(112)	1995 10 01.38553	20 48 21.32	-17 09 59.5		413
(112)	1995 10 01.39300	20 48 21.37	-17 09 59.2		413
(112)	1995 10 01.39516	20 48 21.41	-17 09 58.8		413
(112)	1995 10 01.39722	20 48 21.46	-17 09 58.5		413
(112)	1995 10 01.40289	20 48 21.58	-17 09 57.5		413
(112)	1995 10 01.40495	20 48 21.63	-17 09 57.2		413
(112)	1995 10 01.40963	20 48 21.73	-17 09 56.4		413
(112)	1995 10 01.41437	20 48 21.83	-17 09 55.8		413
(1917)	1995 10 19.45970	17 21 41.63	-03 50 29.7		413
(1917)	1995 10 19.46269	17 21 42.00	-03 50 30.8		413
(2062)	1995 09 07.80525	06 23 11.30	-01 35 29.1		413
(2062)	1995 09 07.80689	06 23 11.58	-01 35 29.6		413
(2063)	1995 09 07.43600	16 30 55.21	-35 35 30.3		413
(2063)	1995 09 07.43804	16 30 55.48	-35 35 29.9		413
(2335)	1995 09 07.47613	20 27 59.67	-66 35 46.0		413
(2335)	1995 09 07.47822	20 27 59.46	-66 35 44.8		413
(2335)	1995 09 08.62903	20 26 25.55	-66 20 47.8		413
(2335)	1995 09 08.63122	20 26 25.26	-66 20 45.7		413
(2335)	1995 10 19.58360	20 23 16.94	-55 24 54.6		413
(2335)	1995 10 19.58643	20 23 17.09	-55 24 51.3		413
(2419)	1995 09 07.77354	01 26 04.75	+05 31 25.5		413
(2419)	1995 09 07.77546	01 26 04.73	+05 31 24.8		413
(2643)	1995 09 07.74496	00 29 24.07	+11 18 36.2		413
(2643)	1995 09 07.74690	00 29 23.92	+11 18 38.0		413
(3352)	1995 09 08.66558	22 03 01.50	-18 16 55.6		413
(3362)	1995 10 19.65860	03 37 56.84	-06 37 23.9		413
(3362)	1995 10 19.66141	03 37 56.48	-06 37 28.5		413
(3581)	1995 10 19.74622	04 53 39.61	+08 51 41.7		413
(3581)	1995 10 19.74960	04 53 39.52	+08 51 38.4		413
(3714)	1995 09 07.73329	22 54 04.40	-27 58 30.7		413
(3714)	1995 09 07.73690	22 54 04.16	-27 58 30.7		413

(3753)	1995 09 07.80925	04 01 47.96	-15 45 14.6		413
(3753)	1995 09 07.81070	04 01 48.13	-15 45 16.8		413
(4478)	1995 09 07.76818	01 22 56.31	+14 24 13.4		413
(4478)	1995 09 07.77054	01 22 56.24	+14 24 13.3		413
(4953)	1995 09 07.76119	01 30 34.05	-32 56 22.5		413
(4953)	1995 09 07.76400	01 30 33.85	-32 56 25.6		413
(5259)	1995 10 12.39498	22 35 38.86	-28 50 48.2		413
(5259)	1995 10 12.45053	22 35 37.97	-28 50 42.3		413
(5407)	1995 09 07.74016	23 44 21.09	-20 34 00.9		413
(5407)	1995 09 07.74234	23 44 20.93	-20 34 02.5		413
(5786)	1995 09 07.80124	06 17 47.38	-00 01 57.9	I	413
(5786)	1995 09 07.80308	06 17 48.13	-00 02 00.2		413
(5786)	1995 09 13.771757	07 03 59.03	-02 17 47.0		413
(5786)	1995 09 13.779925	07 04 03.12	-02 17 58.9		413
(5879)	1995 09 07.78625	03 08 22.17	-10 49 04.8		413
(5879)	1995 09 07.78846	03 08 22.23	-10 49 08.9		413
(5879)	1995 10 19.66988	03 15 09.23	-28 06 15.6		413
(5879)	1995 10 19.67398	03 15 09.07	-28 06 20.8		413
(6523)	1995 10 19.46691	17 29 48.81	-42 35 20.7		413
(6569)	1995 09 07.44328	16 34 30.60	-29 02 14.5	I	413
(6569)	1995 09 07.44699	16 34 31.26	-29 02 20.3	I	413

417 Yanagida Astronomical Observatory

A. Tsuchikawa, Robu 1-1, Kanmachi, Fugeshi-gun, Ishikawa-ken, 928-03 Japan

Observer A. Tsuchikawa

Measurer O. Muramatsu

0.25-m $f/3.4$ reflector

GSC

(755)	1995 10 20.60139	02 06 50.87	+10 12 25.9	15.0	417
(755)	1995 10 20.63264	02 06 49.50	+10 12 16.9		417
(1632)	1995 10 20.60139	02 01 29.56	+10 38 57.6	14.5	417
(1632)	1995 10 20.63264	02 01 27.87	+10 38 42.6		417

476 Grange Observatory

P. Pognant, Via Massimo d'Azeglio 34, I-10053 Bussoleno (TO), Italy

[mc2213@mcmlink.it]

0.3-m reflector + CCD

(3225)	1995 10 20.96076	00 22 53.27	-05 09 12.9	15.0 R	476
(3225)	1995 10 20.96719	00 22 53.00	-05 09 21.6	15.0 R	476
(3225)	1995 10 20.97257	00 22 52.66	-05 09 30.3	15.0 R	476
(3225)	1995 10 20.99670	00 22 51.91	-05 10 05.3	15.0 R	476
(4510)	1995 10 23.86979	00 35 44.04	+07 55 04.2	15.5 R	476
(4510)	1995 10 23.87465	00 35 43.38	+07 55 03.5		476
(5537)	1995 10 07.04288	02 37 25.56	+24 16 13.1	15.1 R	476
(5537)	1995 10 23.91719	02 21 15.38	+24 15 59.4	15.0 R	476
(5871)	1995 10 16.85417	21 52 17.97	+15 05 08.1	15.4 R	476
(5871)	1995 10 16.86910	21 52 17.87	+15 05 09.5	15.4 R	476

540 Linz

E. Meyer, F. Marklstrasse 1/62, A-4040 Linz, Austria [k3032e0@cxmeta.edvz.uni-linz.ac.at]

Observers E. Meyer, E. Obermair

0.30-m $f/5.2$ Schmidt Cassegrain + CCD
GSC

1981 EZ ₄₆	1995 10 26.86590	05 05 08.06	+23 39 23.2	17.1 R	540
1981 EZ ₄₆	1995 10 26.87116	05 05 08.14	+23 39 24.4		540
1981 EZ ₄₆	1995 10 26.89554	05 05 08.43	+23 39 28.2		540
1981 EZ ₄₆	1995 10 26.91905	05 05 08.70	+23 39 31.8		540
1981 EZ ₄₆	1995 10 26.92797	05 05 08.82	+23 39 33.6	I	540
1991 BB	1995 09 29.85198	08 19 33.72	+72 58 04.4	18.1 R	540
1991 BB	1995 09 29.85839	08 19 35.53	+72 58 06.6		540
1991 BB	1995 09 29.86433	08 19 37.10	+72 58 07.7		540
1991 BB	1995 10 22.75550	09 34 13.09	+74 32 24.5	18.4 R	540
1991 BB	1995 10 22.76348	09 34 13.97	+74 32 28.5	18.3 R	540
1991 BB	1995 10 22.77118	09 34 15.40	+74 32 31.6	18.3 R	540
1991 BB	1995 10 26.83697	09 42 32.35	+75 01 56.4	18.0 R	540
1991 BB	1995 10 26.84479	09 42 33.21	+75 02 00.4	18.0 R	540
1991 BB	1995 10 26.85240	09 42 34.12	+75 02 04.5	18.0 R	540
1995 QY ₂	1995 10 09.81111	21 18 26.01	-27 01 12.6	16.6 R	540
1995 QY ₂	1995 10 09.81520	21 18 26.10	-27 01 14.8	16.4 R	540
1995 QY ₂	1995 10 09.82373	21 18 26.26	-27 01 20.9	16.5 R	540
1995 QY ₂	1995 10 09.83279	21 18 26.48	-27 01 27.1	16.5 R	540
1995 QU ₃	1995 10 22.78536	21 37 56.64	+20 16 10.4	16.8 R	540
1995 QU ₃	1995 10 22.78927	21 37 56.70	+20 16 09.5	16.7 R	540
1995 QU ₃	1995 10 22.79866	21 37 56.81	+20 16 07.6	16.8 R	540
1995 QU ₃	1995 10 28.82494	21 40 03.27	+19 56 04.9	16.8 R	540
1995 QU ₃	1995 10 28.83029	21 40 03.39	+19 56 04.2	17.3 R	540
1995 QU ₃	1995 10 28.85652	21 40 04.07	+19 55 58.8	16.8 R	540
(862)	1995 09 24.79194	00 55 52.75	+28 40 01.6	13.9 R	540
(862)	1995 09 24.82436	00 55 51.08	+28 40 02.5	13.9 R	540
(862)	1995 09 24.83971	00 55 50.28	+28 40 02.8	13.9 R	540
(862)	1995 09 29.83839	00 51 26.09	+28 38 00.9	13.8 R	540
(862)	1995 09 29.83955	00 51 26.03	+28 38 00.6	13.8 R	540
(862)	1995 09 29.87497	00 51 24.05	+28 37 58.5	13.8 R	540
(2229)	1995 10 02.77877	02 22 08.17	+32 40 27.8	16.8 R	540
(2229)	1995 10 02.78395	02 22 07.93	+32 40 26.6	16.6 R	540
(2229)	1995 10 02.79657	02 22 07.46	+32 40 25.8	16.5 R	540
(2735)	1995 09 29.88545	05 24 10.68	+52 36 54.4	17.5 R	540
(2735)	1995 09 29.89075	05 24 11.35	+52 37 01.0	17.5 R	I 540
(3933)	1995 10 26.86590	05 04 45.93	+23 39 33.5	17.5 R	540
(3933)	1995 10 26.87116	05 04 45.86	+23 39 33.5		540
(3933)	1995 10 26.89554	05 04 45.29	+23 39 34.5		540
(3933)	1995 10 26.91905	05 04 44.76	+23 39 33.9		540
(3933)	1995 10 26.92797	05 04 44.52	+23 39 34.7		540
(5871)	1995 10 28.84079	21 54 37.25	+15 13 08.9	16.2 R	540
(5871)	1995 10 28.84654	21 54 37.41	+15 13 09.4	16.3 R	540
(5871)	1995 10 28.87081	21 54 38.03	+15 13 10.6	16.4 R	540

552 San Vittore

E. Colombini, Via S. Vittore 44, I-40136 Bologna, Italy

[astrofil@astbo1.bo.cnr.it]

Observers C. Vacchi, G. Sassi, E. Colombini

0.45-m $f/3.33$ reflector + CCD

GSC

1990 DL	1995 10 20.90182	01 58 40.52	+19 39 40.8	17.4 V	552
1990 DL	1995 10 20.91730	01 58 39.49	+19 39 37.5		552
1990 DL	1995 10 20.94284	01 58 37.78	+19 39 31.7		552
1990 DL	1995 10 23.90549	01 55 24.29	+19 28 04.0	17.0 V	552
1990 DL	1995 10 23.92838	01 55 22.72	+19 27 57.9		552
1990 DL	1995 10 24.93612	01 54 16.59	+19 23 47.6	16.7 V	552
1990 DL	1995 10 24.94584	01 54 15.93	+19 23 45.8		552
1990 DL	1995 10 26.85149	01 52 11.30	+19 15 33.4	17.2 V	552
1990 DL	1995 10 26.86453	01 52 10.40	+19 15 30.2		552
1990 DL	1995 10 26.87637	01 52 09.62	+19 15 27.0		552
1995 QT ₃	1995 10 20.86005	21 56 07.29	-10 20 17.4	19.6 V	552
1995 QT ₃	1995 10 20.88380	21 56 08.29	-10 20 09.8		552
1995 SC ₂	1995 10 20.85005	21 47 32.85	-14 36 12.9	19.1 V	552
1995 SC ₂	1995 10 20.87169	21 47 33.55	-14 36 12.6		552
1995 SD ₂	1995 10 17.86619	23 19 29.20	+03 11 17.5	16.1 V	552
1995 SD ₂	1995 10 17.88226	23 19 28.80	+03 11 12.5		552
1995 SD ₂	1995 10 23.86019	23 17 25.17	+02 46 13.5	17.2 V	552
1995 SD ₂	1995 10 23.89252	23 17 24.59	+02 46 06.3		552
1995 SE ₂	1995 10 17.90700	23 14 53.80	+05 11 18.5	18.0 V	552
1995 SE ₂	1995 10 17.92242	23 14 53.27	+05 11 18.7		552
1995 SE ₂	1995 10 17.94736	23 14 52.38	+05 11 19.7		552
1995 SE ₂	1995 10 23.84951	23 12 07.45	+05 15 12.7	18.4 V	552
1995 SE ₂	1995 10 23.88346	23 12 06.61	+05 15 14.6		552
1995 SF ₂	1995 10 18.85084	23 21 46.26	+01 51 26.7	18.7 V	552
1995 SF ₂	1995 10 18.89523	23 21 45.21	+01 51 06.2		552
1995 SF ₂	1995 10 18.90755	23 21 44.87	+01 51 02.4		552
1995 SF ₂	1995 10 19.89252	23 21 22.18	+01 44 09.5	19.1 V	552
1995 SF ₂	1995 10 19.90617	23 21 21.82	+01 44 03.5		552
1995 UY ₁	* 1995 10 20.90554	02 00 14.76	+19 44 09.2	17.5 V	552
1995 UY ₁	1995 10 20.92031	02 00 13.93	+19 44 06.4		552
1995 UY ₁	1995 10 20.94580	02 00 12.47	+19 44 00.2		552
1995 UY ₁	1995 10 23.92093	01 57 25.28	+19 32 26.6	17.3 V	552
1995 UY ₁	1995 10 23.95588	01 57 23.22	+19 32 17.4		552
1995 UY ₁	1995 10 23.98148	01 57 21.77	+19 32 11.7		552
1995 UY ₁	1995 10 25.93072	01 55 31.73	+19 24 04.4	17.2 V	552
1995 UY ₁	1995 10 25.94146	01 55 31.08	+19 24 02.2		552
1995 UM ₅	* 1995 10 20.90182	01 59 12.42	+19 42 30.1	19.1 V	552
1995 UM ₅	1995 10 20.91730	01 59 11.44	+19 42 25.8		552
1995 UM ₅	1995 10 20.94284	01 59 09.68	+19 42 20.0		552
1995 UM ₅	1995 10 24.93612	01 54 45.05	+19 22 22.7	18.6 V	552
1995 UM ₅	1995 10 24.94584	01 54 44.43	+19 22 20.3		552
1995 UM ₅	1995 10 26.85149	01 52 38.37	+19 12 06.3	19.3 V	552
1995 UM ₅	1995 10 26.86453	01 52 37.50	+19 12 00.4		552
1995 UM ₅	1995 10 26.87637	01 52 36.75	+19 11 58.0		552
1995 UN ₅	* 1995 10 20.90907	02 01 02.36	+19 44 41.5	19.3 V	552
1995 UN ₅	1995 10 20.92326	02 01 01.63	+19 44 37.1		552
1995 UN ₅	1995 10 20.94867	02 01 00.40	+19 44 28.6		552
1995 UN ₅	1995 10 25.95979	01 57 07.54	+19 14 12.4	18.0 V	552
1995 UN ₅	1995 10 25.96610	01 57 07.20	+19 14 10.2		552
1995 UN ₅	1995 10 25.97171	01 57 07.00	+19 14 07.2		552
1995 UN ₅	1995 10 26.93914	01 56 22.36	+19 08 06.4	18.2 V	552
1995 UN ₅	1995 10 26.94875	01 56 21.85	+19 08 02.5		552

1995 UN₅ 1995 10 26.97117 01 56 20.73 +19 07 53.1 552
 (6598) 1995 10 23.84134 23 11 16.92 +04 17 52.9 16.6 V 552
 (6598) 1995 10 23.87205 23 11 16.12 +04 17 51.0 552

557 Ondřejov

P. Pravec, Astronomical Institute, Czech Academy of Sciences, CZ-25165 Ondřejov,
 Czech Republic [ppravec@asu.cas.cz]

Observers P. Pravec, L. Šarounová, J. Mánek, P. Páta

Measurers P. Pravec, L. Šarounová

0.65-m *f*/3.6 reflector + CCD

GSC

1989 SO ₈	1995 10 04.97425	01 30 17.31	+06 23 08.0	17.8 V	557
1989 SO ₈	1995 10 04.98486	01 30 16.79	+06 23 06.2		557
1989 SO ₈	1995 10 04.99182	01 30 16.48	+06 23 04.0		557
1991 PT ₁	1995 10 27.02219	01 02 53.02	+05 33 16.9	18.5 V	557
1991 PT ₁	1995 10 27.03443	01 02 52.37	+05 33 12.3		557
1995 BL ₂	1995 10 23.99272	11 33 01.28	+67 53 41.4	18.2 V	557
1995 BL ₂	1995 10 23.99868	11 33 01.03	+67 53 52.0		557
1995 BL ₂	1995 10 24.00900	11 33 00.58	+67 54 09.9		557
1995 BL ₂	1995 10 24.97804	11 32 09.18	+68 21 25.3		557
1995 BL ₂	1995 10 24.98285	11 32 08.98	+68 21 33.5		557
1995 BL ₂	1995 10 24.98965	11 32 08.62	+68 21 45.1		557
1995 OJ	1995 09 17.80875	20 07 22.42	-21 13 55.3	F	557
1995 OJ	1995 09 17.81161	20 07 22.46	-21 13 54.8	F	557
1995 OJ	1995 09 17.84282	20 07 22.64	-21 13 54.7	F	557
1995 OJ	1995 09 17.84586	20 07 22.68	-21 13 55.5	F	557
1995 OE ₁	1995 10 21.77706	22 15 26.82	-11 44 19.4		557
1995 OE ₁	1995 10 22.73410	22 15 31.28	-11 44 22.2	F	557
1995 OE ₁	1995 10 22.80896	22 15 31.57	-11 44 22.2	F	557
1995 OE ₁	1995 10 22.81633	22 15 31.64	-11 44 23.2	F	557
1995 OF ₁	1995 10 21.78215	22 03 57.48	-11 28 48.8		557
1995 OF ₁	1995 10 21.78727	22 03 57.44	-11 28 48.6		557
1995 OF ₁	1995 10 21.81954	22 03 57.67	-11 28 46.4		557
1995 PG	1995 10 22.74938	22 09 12.80	-04 26 02.5		557
1995 PG	1995 10 22.78507	22 09 12.55	-04 25 57.8		557
1995 PG	1995 10 22.78913	22 09 12.53	-04 25 56.0		557
1995 QJ	1995 10 21.79170	22 09 39.09	-13 13 11.0		557
1995 QJ	1995 10 21.80132	22 09 39.27	-13 13 11.1		557
1995 QJ	1995 10 21.81493	22 09 39.46	-13 13 10.5		557
1995 QJ	1995 10 24.74630	22 10 30.98	-13 10 10.3		557
1995 QJ	1995 10 24.80079	22 10 32.00	-13 10 06.7		557
1995 QJ	1995 10 24.81515	22 10 32.25	-13 10 03.9		557
1995 QO	1995 10 21.88098	23 51 39.46	+07 20 51.2		557
1995 QO	1995 10 21.90642	23 51 38.66	+07 20 53.0		557
1995 QO	1995 10 26.96212	23 49 34.39	+07 27 55.4	18.3 V	557
1995 QO	1995 10 26.97231	23 49 34.14	+07 27 57.0		557
1995 SG	1995 10 21.88579	23 52 57.42	+00 59 49.9		557
1995 SG	1995 10 21.91024	23 52 56.67	+00 59 43.8		557
1995 SG	1995 10 24.82839	23 51 36.77	+00 48 00.2		557
1995 SG	1995 10 24.83992	23 51 36.47	+00 47 58.4		557
1995 SG	1995 10 24.85181	23 51 36.17	+00 47 55.3		557
1995 SH	1995 10 21.89236	23 50 40.63	-00 33 21.6		557

1995 SH	1995 10 21.91312	23 50 40.02	-00 33 31.3		557
1995 SK	1995 10 21.83545	23 16 22.24	+14 05 12.8		557
1995 SK	1995 10 21.83865	23 16 22.07	+14 05 13.7		557
1995 SK	1995 10 21.84115	23 16 21.96	+14 05 14.8		557
1995 SK	1995 10 24.93949	23 14 03.10	+14 22 49.3		557
1995 SK	1995 10 24.94870	23 14 02.76	+14 22 52.2		557
1995 SL	1995 10 21.90264	23 37 33.91	+06 37 11.4		557
1995 SL	1995 10 21.92310	23 37 33.28	+06 37 06.7		557
1995 SL	1995 10 26.98075	23 35 29.20	+06 19 36.6		557
1995 SM	1995 10 21.88867	23 54 02.82	+01 12 32.0		557
1995 SM	1995 10 21.91603	23 54 02.12	+01 12 28.1		557
1995 SM	1995 10 24.83228	23 52 56.02	+01 05 41.5	19.8 V	557
1995 SM	1995 10 24.84771	23 52 55.65	+01 05 40.4		557
1995 SM	1995 10 24.85559	23 52 55.45	+01 05 39.1		557
1995 SN	1995 10 21.99058	01 09 46.01	+08 00 04.5		557
1995 SN	1995 10 22.00477	01 09 45.30	+08 00 00.0		557
1995 SO	1995 10 21.98588	01 16 51.13	+04 37 47.3	r	557
1995 SO	1995 10 22.00142	01 16 50.45	+04 37 40.5	r	557
1995 SO	1995 10 25.01008	01 14 43.46	+04 16 05.9		557
1995 SO	1995 10 25.01463	01 14 43.27	+04 16 04.1		557
1995 SO	1995 10 25.01692	01 14 43.17	+04 16 02.8		557
1995 SP	1995 10 04.93988	01 23 26.59	+10 04 00.0		557
1995 SP	1995 10 04.94705	01 23 26.08	+10 04 00.9	r	557
1995 SP	1995 10 21.96606	01 04 25.23	+10 34 51.1		557
1995 SP	1995 10 21.96836	01 04 25.07	+10 34 51.3		557
1995 SP	1995 10 24.99795	01 01 09.45	+10 39 15.2		557
1995 SP	1995 10 25.00366	01 01 09.07	+10 39 15.6	16.3 V	557
1995 SP	1995 10 25.02400	01 01 07.75	+10 39 17.4		557
1995 SP	1995 10 26.74387	00 59 21.85	+10 41 47.9	16.6 V	557
1995 SP	1995 10 26.75012	00 59 21.43	+10 41 48.5		557
1995 SP	1995 10 26.75325	00 59 21.24	+10 41 48.8		557
1995 SP	1995 10 26.75689	00 59 21.02	+10 41 49.1		557
1995 SQ	1995 10 21.98212	01 07 28.44	+05 57 55.8		557
1995 SQ	1995 10 21.99789	01 07 27.52	+05 57 51.8		557
1995 SQ	1995 10 27.02219	01 03 12.98	+05 38 49.6	19.0 V	557
1995 SQ	1995 10 27.03443	01 03 12.38	+05 38 47.6		557
1995 SJ ₁	1995 10 21.91903	23 50 39.36	+01 46 45.8		557
1995 SJ ₁	1995 10 22.83142	23 50 08.91	+01 45 16.4	r	557
1995 SJ ₁	1995 10 22.84753	23 50 08.32	+01 45 15.1	r	557
1995 SM ₁	1995 10 21.97855	01 13 41.91	+05 58 15.0		557
1995 SM ₁	1995 10 21.99502	01 13 41.07	+05 58 10.4		557
1995 SM ₁	1995 10 22.01791	01 13 39.87	+05 58 04.8		557
1995 SM ₁	1995 10 22.02080	01 13 39.73	+05 58 03.5		557
1995 SM ₁	1995 10 22.85896	01 12 58.09	+05 54 11.5		557
1995 SM ₁	1995 10 22.86853	01 12 57.64	+05 54 08.6		557
1995 SM ₁	1995 10 22.87802	01 12 57.07	+05 54 06.7		557
1995 UX	* 1995 10 21.78215	22 03 46.82	-11 30 03.8	18.4 V	557
1995 UX	1995 10 21.78727	22 03 47.01	-11 30 03.2		557
1995 UX	1995 10 22.75642	22 04 24.92	-11 28 04.4	18.3 V	557
1995 UX	1995 10 22.76377	22 04 25.20	-11 28 02.8		557
1995 UX	1995 10 22.77152	22 04 25.49	-11 28 01.9		557
1995 UX	1995 10 22.77553	22 04 25.61	-11 28 01.4		557

1995 UX	1995 10 22.77978	22 04 25.80	-11 28 01.1		557	1986 PF	1995 10 19.95286	01 09 18.36	+13 56 52.1		560
1995 UX	1995 10 24.75763	22 05 48.52	-11 23 22.9		557	1991 UD ₃	1995 10 23.90285	01 22 19.52	+09 31 35.6	16.1 V	560
1995 UX	1995 10 24.79580	22 05 50.13	-11 23 17.0		557	1991 UD ₃	1995 10 23.91304	01 22 19.08	+09 31 28.1		560
1995 UX	1995 10 24.81056	22 05 50.75	-11 23 14.5		557	1992 WP ₅	1995 10 21.95905	01 48 47.10	+04 56 43.4	15.6 V	560
1995 UY	1995 10 21.89610	23 50 55.32	+01 51 10.3		r 557	1992 WP ₅	1995 10 21.97501	01 48 46.11	+04 56 38.1		560
1995 UY	* 1995 10 21.91903	23 50 55.01	+01 50 39.1	19.9 V	557	1995 UQ	* 1995 10 19.87391	00 17 37.00	+12 29 17.6	17.4 V	560
1995 UY	1995 10 21.92802	23 50 54.99	+01 50 26.5		r 557	1995 UQ	1995 10 19.89176	00 17 36.10	+12 29 12.1		560
1995 UY	1995 10 22.82859	23 50 43.79	+01 30 51.6	19.2 V	557	1995 UQ	1995 10 19.90177	00 17 35.59	+12 29 09.9		560
1995 UZ	* 1995 10 21.97855	01 13 31.13	+05 54 49.6	18.5 V	557	1995 UQ	1995 10 20.86559	00 16 48.68	+12 24 32.5	17.4 V	560
1995 UZ	1995 10 22.01791	01 13 29.09	+05 54 41.5		557	1995 UQ	1995 10 20.87576	00 16 48.35	+12 24 30.5		560
1995 UZ	1995 10 22.02080	01 13 28.94	+05 54 40.6		557	1995 UQ	1995 10 20.88785	00 16 47.80	+12 24 28.4		560
1995 UZ	1995 10 22.85896	01 12 46.68	+05 51 51.9	18.3 V	557	1995 UQ	1995 10 21.93401	00 15 57.99	+12 19 30.3	17.5 V	560
1995 UZ	1995 10 22.86853	01 12 46.17	+05 51 50.0		557	1995 UQ	1995 10 21.94583	00 15 57.50	+12 19 28.8		560
1995 UZ	1995 10 22.87802	01 12 45.64	+05 51 48.1		557	1995 UQ	1995 10 22.91167	00 15 13.18	+12 14 48.1	17.6 V	560
1995 UZ	1995 10 26.77064	01 09 34.33	+05 39 25.2		557	1995 UQ	1995 10 22.91795	00 15 12.75	+12 14 46.1		560
1995 UZ	1995 10 26.77587	01 09 34.06	+05 39 24.2		557	1995 UQ	1995 10 22.92655	00 15 12.41	+12 14 45.1		560
1995 UZ ₁	* 1995 10 21.99058	01 09 46.01	+08 00 04.5		557	1995 UQ	1995 10 26.86575	00 12 24.98	+11 56 34.0	17.6 V	560
1995 UZ ₁	1995 10 22.00477	01 09 45.30	+08 00 00.0		557	1995 UQ	1995 10 26.87530	00 12 24.47	+11 56 32.2		560
1995 UZ ₁	1995 10 23.94171	01 08 11.93	+07 50 08.4	19.3 V	557	1995 UQ	1995 10 26.88382	00 12 24.13	+11 56 31.8		560
1995 UZ ₁	1995 10 23.94470	01 08 11.75	+07 50 07.2		557	1493 T-2	1995 10 26.95823	02 27 30.31	+13 19 29.5	18.2 V	560
1995 UZ ₁	1995 10 23.95353	01 08 11.33	+07 50 04.1		557	1493 T-2	1995 10 26.96876	02 27 29.72	+13 19 27.0		560
1995 UZ ₁	1995 10 23.95712	01 08 11.16	+07 50 04.0		557	1493 T-2	1995 10 26.97958	02 27 29.20	+13 19 24.6		560
1995 UF ₂	* 1995 10 23.97994	01 17 12.79	+03 05 31.3	19.5 V	557	(1995)	1995 10 21.95480	01 49 18.58	+04 54 12.5	15.6 V	560
1995 UF ₂	1995 10 23.98317	01 17 12.60	+03 05 31.5		557	(1995)	1995 10 21.96293	01 49 18.10	+04 54 12.4		560
1995 UF ₂	1995 10 24.86191	01 16 24.48	+03 01 37.5		r 557	(1995)	1995 10 21.97135	01 49 17.65	+04 54 11.0		560
1995 UF ₂	1995 10 24.87419	01 16 23.75	+03 01 34.0		r 557	(2243)	1995 10 23.90285	01 21 57.56	+09 33 28.8	13.7 V	560
1995 UG ₃	* 1995 10 24.99795	01 01 15.26	+10 43 41.5		557	(2243)	1995 10 23.91304	01 21 56.89	+09 33 28.2		560
1995 UG ₃	1995 10 25.00103	01 01 15.10	+10 43 41.2	17.7 V	557	(3534)	1995 10 19.87391	00 16 54.96	+12 31 18.4	16.1 V	560
1995 UG ₃	1995 10 25.02400	01 01 13.77	+10 43 39.0		557	(3534)	1995 10 19.89176	00 16 54.21	+12 31 09.8		560
1995 UG ₃	1995 10 26.74387	00 59 38.92	+10 40 43.3		557	(3534)	1995 10 19.90177	00 16 53.77	+12 31 04.8		560
1995 UG ₃	1995 10 26.75012	00 59 38.52	+10 40 42.3	17.9 V	557	(3534)	1995 10 21.92426	00 15 32.88	+12 14 50.9	16.2 V	560
1995 UG ₃	1995 10 26.75325	00 59 38.37	+10 40 42.0		557	(3534)	1995 10 21.93401	00 15 32.35	+12 14 45.6		560
(1980)	1995 10 27.08022	08 43 07.46	+04 39 16.1		557	(3534)	1995 10 21.94583	00 15 31.89	+12 14 40.5		560
(1980)	1995 10 27.10979	08 43 09.61	+04 38 27.5		557	(3534)	1995 10 22.91795	00 14 54.65	+12 06 55.5	16.2 V	560
(1980)	1995 10 27.14211	08 43 11.96	+04 37 34.1		557	(3534)	1995 10 22.92655	00 14 54.32	+12 06 51.7		560
(1980)	1995 10 27.17641	08 43 14.44	+04 36 37.7		557	(5501)	1995 10 24.91235	01 46 18.92	+13 50 24.4	16.2 V	560
(2201)	1995 10 21.85613	03 56 00.80	+17 45 42.3		557	(5501)	1995 10 24.92514	01 46 18.20	+13 50 18.2		560
(2201)	1995 10 21.93465	03 55 57.16	+17 45 30.1		557	(5501)	1995 10 24.93702	01 46 17.59	+13 50 12.9		560
(2201)	1995 10 22.02762	03 55 52.69	+17 45 15.5		557	(6581)	1995 10 19.93464	01 08 20.89	+14 02 38.9	13.8 V	560
560 Madonna di Dossobuono						(6581)	1995 10 19.94192	01 08 20.42	+14 02 37.2		560
L. Lai, Via Mantovana 130e, I-37062 Dossobuono (Verona), Italy						(6581)	1995 10 19.94755	01 08 20.05	+14 02 36.7		560
Observers L. Lai, I. Rocchetti, G. Vespentini						(6583)	1995 10 19.87391	00 17 41.97	+12 25 15.7	16.3 V	560
0.40-m <i>f</i> /3.5 reflector + CCD						(6583)	1995 10 19.89176	00 17 41.13	+12 25 10.4		560
GSC						(6583)	1995 10 19.90177	00 17 40.66	+12 25 07.6		560
1980 KM	1995 10 24.91890	01 45 36.73	+13 55 09.8	16.7 V	560	(6583)	1995 10 20.86559	00 16 56.63	+12 20 28.7	16.0 V	560
1980 KM	1995 10 24.93091	01 45 36.14	+13 55 04.2		560	(6583)	1995 10 20.87576	00 16 56.14	+12 20 25.3		560
1980 KM	1995 10 24.94419	01 45 35.41	+13 54 58.4		560	(6583)	1995 10 20.88785	00 16 55.56	+12 20 21.7		560
1981 ER ₁₇	1995 10 26.95823	02 27 51.40	+13 21 03.0	16.0 V	560	(6583)	1995 10 21.92426	00 16 09.31	+12 15 22.8	16.4 V	560
1981 ER ₁₇	1995 10 26.96876	02 27 50.88	+13 20 59.6		560	(6583)	1995 10 21.93401	00 16 08.76	+12 15 18.9		560
1981 ER ₁₇	1995 10 26.97958	02 27 50.37	+13 20 56.1		560	(6583)	1995 10 21.94583	00 16 08.20	+12 15 16.4		560
1986 PF	1995 10 19.93788	01 09 19.18	+13 56 59.7	15.3 V	560	(6583)	1995 10 22.91167	00 15 26.29	+12 10 36.4	16.4 V	560
1986 PF	1995 10 19.94492	01 09 18.77	+13 56 56.8		560	(6583)	1995 10 22.91795	00 15 26.02	+12 10 34.4		560

(6583)	1995 10 22.92655	00 15 25.67	+12 10 32.4		560
(6583)	1995 10 26.86575	00 12 46.72	+11 51 49.0	16.6 V	560
(6583)	1995 10 26.87530	00 12 46.37	+11 51 46.5		560
(6583)	1995 10 26.88382	00 12 46.01	+11 51 44.0		560

568 Mauna Kea Observatory

D. J. Tholen, Institute for Astronomy, 2680 Woodlawn Drive, Honolulu, HI 96822, U.S.A.

Observers D. J. Tholen (1), D. C. Jewitt (2)

Measurer R. J. Whiteley

2.24-m telescope + CCD

GSC, DSS

1995 UU ₆	* 1995 10 19.53691	02 25 53.99	+24 22 19.5		1 568
1995 UU ₆	1995 10 19.53902	02 25 53.85	+24 22 19.4		1 568
1995 UU ₆	1995 10 19.54170	02 25 53.71	+24 22 19.3		1 568
1995 UU ₆	1995 10 19.54471	02 25 53.52	+24 22 18.9		1 568
1995 UU ₆	1995 10 19.61955	02 25 48.98	+24 22 13.0		1 568
1995 UU ₆	1995 10 19.62196	02 25 48.85	+24 22 12.9		1 568
1995 UU ₆	1995 10 20.48453	02 24 58.80	+24 21 18.2		1 568
1995 UU ₆	1995 10 20.49468	02 24 58.17	+24 21 17.4		1 568
1995 UU ₆	1995 10 21.44773	02 24 01.84	+24 20 02.9		1 568
1995 UU ₆	1995 10 21.45573	02 24 01.33	+24 20 02.3		1 568
1995 UU ₆	1995 10 22.45541	02 23 01.30	+24 18 31.4		1 568
1995 UU ₆	1995 10 22.46012	02 23 01.01	+24 18 30.9	19.5 V	1 568
1995 UU ₆	1995 10 23.58911	02 21 52.02	+24 16 31.3		2 568
1995 UU ₆	1995 10 23.59115	02 21 51.88	+24 16 31.0		2 568
1995 UU ₆	1995 10 24.56422	02 20 52.22	+24 14 36.2		2 568
1995 UU ₆	1995 10 24.56705	02 20 52.05	+24 14 35.8		2 568
(2198)	1995 07 29.40130	17 39 31.07	-19 04 09.4		1 568
(2642)	1995 07 29.54110	23 30 18.02	+15 17 52.4		1 568
(2970)	1995 07 29.55845	00 12 47.40	+01 30 30.0		1 568
(3101)	1995 07 29.35850	16 28 24.80	+17 06 33.0		1 568
(3714)	1995 07 29.49949	23 27 14.09	-25 20 31.6		1 568
(5011)	1995 07 29.45750	19 49 59.53	-33 08 16.5		1 568
(5537)	1995 10 19.53691	02 26 00.50	+24 22 42.3		1 568
(5537)	1995 10 19.53902	02 26 00.36	+24 22 42.1		1 568
(5537)	1995 10 19.54170	02 26 00.18	+24 22 42.0		1 568
(5537)	1995 10 19.54471	02 25 59.98	+24 22 41.8		1 568
(5537)	1995 10 19.61955	02 25 55.03	+24 22 37.0		1 568
(5537)	1995 10 19.62196	02 25 54.91	+24 22 36.7		1 568
(5537)	1995 10 20.48453	02 25 00.17	+24 21 39.8		1 568
(5537)	1995 10 20.49468	02 24 59.48	+24 21 39.0		1 568
(5537)	1995 10 20.53249	02 24 56.90	+24 21 36.0		1 568
(5537)	1995 10 20.53617	02 24 56.67	+24 21 35.7		1 568
(5537)	1995 10 21.44773	02 23 57.95	+24 20 22.2		1 568
(5537)	1995 10 21.45573	02 23 57.40	+24 20 21.5		1 568
(5537)	1995 10 22.45541	02 22 51.94	+24 18 48.4		1 568
(5537)	1995 10 22.46012	02 22 51.64	+24 18 47.9	16.5 V	1 568
(5537)	1995 10 23.58911	02 21 36.47	+24 16 41.9		2 568
(5537)	1995 10 23.59115	02 21 36.33	+24 16 41.6		2 568
(5537)	1995 10 24.56422	02 20 31.42	+24 14 42.1		2 568
(5537)	1995 10 24.56705	02 20 31.22	+24 14 41.7		2 568

(6063)	1995 07 29.48275	21 48 03.37	-09 54 52.9	1 568
(6491)	1995 07 29.51300	23 46 51.78	+03 04 55.6	1 568

587 Sormano

P. Sicoli, Via Valli 9, I-22040 Garbagnate Monastero (Lecco), Italy
[sormano@icil64.cilea.it]

Observers P. Sicoli, P. Ghezzi, M. Cavagna, A. Testa, V. Giuliani, G. Ventre,
F. Manca, P. Chiavenna

0.5-m reflector + CCD

GSC

1981 EF ₈	1995 09 26.83840	22 28 05.43	-00 57 40.8	587
1981 EF ₈	1995 09 26.85762	22 28 04.89	-00 57 47.6	587
1981 EZ ₃₃	1995 09 30.95271	00 45 07.31	+11 11 45.6	587
1981 EZ ₃₃	1995 09 30.97476	00 45 06.30	+11 11 39.7	587
1990 EM ₁	1995 09 26.84398	22 39 06.53	+01 04 12.3	587
1990 EM ₁	1995 09 26.86412	22 39 05.89	+01 04 02.6	587
1992 LC	1995 10 17.99939	02 02 30.61	-08 22 58.0	587
1992 LC	1995 10 18.01705	02 02 28.97	-08 23 04.8	587
1992 LC	1995 10 20.95608	01 57 49.92	-08 41 33.1	587
1992 LC	1995 10 20.96094	01 57 49.45	-08 41 35.1	587
1992 LC	1995 10 21.02259	01 57 43.32	-08 41 57.9	587
1992 LC	1995 10 23.99153	01 52 47.88	-08 58 51.5	587
1992 LC	1995 10 23.99639	01 52 47.37	-08 58 54.3	587
1992 QN	1995 10 27.96580	07 08 31.70	+40 01 17.4	587
1992 QN	1995 10 27.96858	07 08 32.11	+40 01 21.0	587
1992 QN	1995 10 27.97564	07 08 33.19	+40 01 26.0	587
1992 QN	1995 10 27.97807	07 08 33.58	+40 01 27.8	587
1993 FZ ₃₅	1995 10 24.92343	01 22 28.05	+04 20 29.7	587
1993 FZ ₃₅	1995 10 24.95364	01 22 26.70	+04 20 22.7	587
1993 FZ ₃₅	1995 10 26.94745	01 21 00.24	+04 12 34.0	587
1993 FZ ₃₅	1995 10 26.96371	01 20 59.57	+04 12 30.1	587
1994 AE ₂	1995 09 26.88894	00 10 34.85	-13 21 19.9	587
1994 AE ₂	1995 09 26.95555	00 10 31.15	-13 21 40.9	587
1994 AE ₂	1995 10 17.81779	23 53 38.94	-14 38 04.0	587
1994 AE ₂	1995 10 17.83014	23 53 38.51	-14 38 04.5	587
1994 AE ₂	1995 10 17.83850	23 53 38.18	-14 38 05.7	587
1994 AE ₂	1995 10 23.88492	23 50 00.49	-14 44 43.8	587
1994 AE ₂	1995 10 23.89550	23 50 00.20	-14 44 43.5	587
1994 TF ₂	1995 09 26.96881	01 22 26.64	-14 42 14.6	587
1994 TF ₂	1995 09 26.97298	01 22 26.13	-14 42 38.1	587
1995 LE	1995 10 18.95834	04 23 42.07	+28 36 09.2	587
1995 LE	1995 10 18.96858	04 23 41.45	+28 36 04.7	587
1995 QN ₃	1995 09 26.87269	22 28 59.59	-01 28 46.6	587
1995 QN ₃	1995 09 26.88123	22 28 59.43	-01 28 53.1	587
1995 QU ₃	1995 10 11.85318	21 37 39.55	+20 55 03.3	587
1995 QU ₃	1995 10 11.93489	21 37 38.51	+20 54 45.7	587
1995 QU ₃	1995 10 13.87299	21 37 21.81	+20 47 58.6	587
1995 QU ₃	1995 10 13.92018	21 37 21.43	+20 47 48.8	587
1995 RK	1995 09 29.99323	22 36 29.44	+00 50 55.6	587
1995 RK	1995 09 30.01216	22 36 28.81	+00 50 48.4	587
1995 RK	1995 10 11.84461	22 32 40.29	-00 17 09.7	587
1995 RK	1995 10 11.94253	22 32 39.17	-00 17 38.6	587
1995 RK	1995 10 16.84039	22 32 19.74	-00 39 58.5	587

1995 RK	1995 10 16.89942	22 32 19.70	-00 40 12.1	587	1995 UD	1995 10 23.94639	01 09 05.66	+13 32 48.7	587
1995 SD ₁	1995 10 16.96215	01 02 19.96	-13 45 08.6	587	1995 UD	1995 10 23.96419	01 09 04.62	+13 32 41.3	587
1995 SD ₁	1995 10 16.97390	01 02 22.03	-13 45 20.0	587	1995 UE	* 1995 10 17.92629	01 14 47.23	+14 49 49.9	17.0 V 587
1995 SD ₁	1995 10 18.94272	01 08 30.90	-14 13 13.8	587	1995 UE	1995 10 17.98386	01 14 43.33	+14 49 33.4	587
1995 SD ₁	1995 10 18.94827	01 08 31.86	-14 13 17.7	587	1995 UE	1995 10 18.91747	01 13 43.00	+14 45 31.6	587
1995 SM ₃	1995 09 29.94525	00 44 24.48	+11 01 43.9	587	1995 UE	1995 10 18.92621	01 13 42.48	+14 45 28.4	587
1995 SM ₃	1995 09 29.96765	00 44 23.15	+11 01 41.2	587	1995 UE	1995 10 19.92946	01 12 37.93	+14 41 04.0	587
1995 SM ₃	1995 09 30.92638	00 43 24.55	+10 59 07.8	587	1995 UE	1995 10 19.95128	01 12 36.51	+14 40 57.4	587
1995 SM ₃	1995 10 01.02094	00 43 18.56	+10 58 53.5	587	1995 UE	1995 10 23.91192	01 08 26.75	+14 22 59.1	587
1995 SM ₃	1995 10 16.91788	00 27 04.30	+10 05 44.1	587	1995 UE	1995 10 23.93326	01 08 25.37	+14 22 54.3	587
1995 SM ₃	1995 10 16.93767	00 27 03.13	+10 05 39.2	587	1995 UM	* 1995 10 17.91925	01 14 54.59	+13 01 02.9	17.5 V 587
1995 SM ₃	1995 10 17.86574	00 26 09.54	+10 02 11.2	587	1995 UM	1995 10 17.93716	01 14 53.55	+13 00 54.6	587
1995 SM ₃	1995 10 17.89405	00 26 07.86	+10 02 05.0	587	1995 UM	1995 10 17.98902	01 14 50.74	+13 00 30.4	587
1995 SY ₄	1995 09 27.86898	00 47 20.02	+11 24 00.3	587	1995 UM	1995 10 18.90572	01 14 03.91	+12 52 59.4	587
1995 SY ₄	1995 09 27.88038	00 47 19.46	+11 24 00.1	587	1995 UM	1995 10 19.90070	01 13 13.23	+12 44 48.5	587
1995 SY ₄	1995 09 30.95271	00 44 41.82	+11 18 55.4	587	1995 UM	1995 10 19.91031	01 13 12.60	+12 44 44.2	587
1995 SY ₄	1995 09 30.97476	00 44 40.65	+11 18 53.1	587	1995 UM	1995 10 20.93841	01 12 20.46	+12 36 13.4	587
1995 SY ₄	1995 10 16.93009	00 30 56.71	+10 41 04.8	587	1995 UM	1995 10 20.94466	01 12 20.14	+12 36 10.9	587
1995 SY ₄	1995 10 16.95405	00 30 55.53	+10 41 00.9	587	1995 UM	1995 10 20.94883	01 12 19.91	+12 36 09.5	587
1995 SY ₄	1995 10 17.85802	00 30 11.70	+10 38 33.0	587	1995 UM	1995 10 23.95428	01 09 50.62	+12 11 07.3	587
1995 SY ₄	1995 10 17.88426	00 30 10.40	+10 38 28.2	587	1995 UM	1995 10 23.97071	01 09 49.77	+12 10 59.8	587
1995 SY ₄	1995 10 17.88883	00 30 10.15	+10 38 27.3	587	1995 UN	* 1995 10 18.86863	01 13 57.64	+12 51 35.7	17.0 V 587
1995 SJ ₅	1995 09 27.86898	00 47 44.60	+11 20 58.4	587	1995 UN	1995 10 18.90572	01 13 55.23	+12 51 33.4	587
1995 SJ ₅	1995 09 27.88038	00 47 43.83	+11 20 57.1	587	1995 UN	1995 10 19.90070	01 12 52.54	+12 50 59.8	587
1995 SJ ₅	* 1995 09 28.86667	00 46 40.95	+11 18 09.3	587	1995 UN	1995 10 19.91031	01 12 51.93	+12 51 00.4	587
1995 SJ ₅	1995 09 28.87484	00 46 40.43	+11 18 07.2	587	1995 UN	1995 10 20.92209	01 11 48.37	+12 50 23.0	587
1995 SJ ₅	1995 09 28.88119	00 46 39.98	+11 18 06.4	587	1995 UN	1995 10 20.92902	01 11 47.86	+12 50 23.6	587
1995 SJ ₅	1995 09 29.95759	00 45 30.82	+11 14 53.2	587	1995 UN	1995 10 23.91521	01 08 42.30	+12 48 20.5	587
1995 SJ ₅	1995 09 29.97959	00 45 29.32	+11 14 49.7	587	1995 UN	1995 10 23.94171	01 08 40.72	+12 48 19.0	587
1995 SJ ₅	1995 09 29.99686	00 45 28.15	+11 14 45.4	587	1995 UO	* 1995 10 19.89317	01 14 33.61	+12 54 51.7	17.0 V 587
1995 SJ ₅	1995 09 30.95271	00 44 26.77	+11 11 44.1	587	1995 UO	1995 10 19.90625	01 14 33.08	+12 54 41.1	587
1995 SJ ₅	1995 09 30.97476	00 44 25.33	+11 11 41.2	587	1995 UO	1995 10 20.87700	01 13 52.90	+12 41 56.3	587
1995 SJ ₅	1995 10 01.00046	00 44 23.52	+11 11 34.7	587	1995 UO	1995 10 20.88518	01 13 52.65	+12 41 50.3	587
1995 SJ ₅	1995 10 01.01365	00 44 22.69	+11 11 33.3	587	1995 UO	1995 10 23.95810	01 11 48.91	+12 01 25.7	587
1995 SJ ₅	1995 10 16.92436	00 28 14.00	+10 09 21.7	587	1995 UO	1995 10 23.97592	01 11 48.15	+12 01 10.6	587
1995 SJ ₅	1995 10 16.94508	00 28 12.85	+10 09 16.0	587	1995 UO	1995 10 27.92155	01 09 19.90	+11 09 41.5	587
1995 SJ ₅	1995 10 17.85229	00 27 25.16	+10 05 28.9	587	1995 UO	1995 10 27.92850	01 09 19.63	+11 09 35.6	587
1995 SJ ₅	1995 10 17.87253	00 27 24.05	+10 05 23.9	587	1995 UP	* 1995 10 19.93802	01 11 23.77	+14 08 10.1	16.5 V 587
1995 UC	* 1995 10 17.91875	01 13 50.12	+13 17 39.0	587	1995 UP	1995 10 19.95608	01 11 22.80	+14 08 01.4	587
1995 UC	1995 10 17.99124	01 13 45.36	+13 17 39.4	587	1995 UP	1995 10 20.89822	01 10 36.61	+14 00 20.4	587
1995 UC	1995 10 18.89004	01 12 48.10	+13 17 32.7	587	1995 UP	1995 10 20.90586	01 10 36.26	+14 00 17.5	587
1995 UC	1995 10 18.90173	01 12 47.37	+13 17 33.7	587	1995 UP	1995 10 23.96157	01 08 11.24	+13 35 20.1	587
1995 UC	1995 10 19.94589	01 11 40.72	+13 17 22.3	587	1995 UP	1995 10 23.98120	01 08 10.33	+13 35 09.9	587
1995 UC	1995 10 19.96093	01 11 39.75	+13 17 22.5	587	1995 UX ₁	1995 10 26.85723	00 32 48.10	+13 57 15.6	587
1995 UC	1995 10 23.90302	01 07 32.70	+13 16 14.9	587	1995 UX ₁	1995 10 26.86545	00 32 47.57	+13 57 28.8	587
1995 UC	1995 10 23.91892	01 07 31.63	+13 16 14.5	587	1995 UX ₁	1995 10 27.86628	00 31 57.09	+14 21 47.1	587
1995 UD	* 1995 10 17.92333	01 14 29.83	+14 15 27.8	587	1995 UX ₁	1995 10 27.86871	00 31 56.96	+14 21 51.0	587
1995 UD	1995 10 17.98101	01 14 26.50	+14 15 04.1	587	1995 UX ₁	1995 10 27.87253	00 31 56.75	+14 21 56.4	587
1995 UD	1995 10 18.91232	01 13 35.31	+14 08 35.5	587	1995 UX ₁	1995 10 27.98358	00 31 50.74	+14 24 36.6	587
1995 UD	1995 10 18.93321	01 13 34.10	+14 08 26.6	587	1995 UX ₁	1995 10 27.99178	00 31 50.28	+14 24 48.7	587
1995 UD	1995 10 19.93802	01 12 39.17	+14 01 24.7	587	1995 UX ₁	1995 10 28.88258	00 31 08.43	+14 46 10.8	587
1995 UD	1995 10 19.95608	01 12 38.12	+14 01 17.3	587	1995 UX ₁	1995 10 28.89161	00 31 07.96	+14 46 24.1	587

1995 UA ₂	* 1995 10 20.95608	01 57 47.60	-08 43 05.5	17.5 V	587	1994 HT ₁	1995 10 25.78415	21 42 00.54	-09 16 09.7		589
1995 UA ₂	1995 10 20.96094	01 57 47.30	-08 43 07.4		587	1994 HT ₁	1995 10 25.79446	21 42 00.95	-09 16 09.9		589
1995 UA ₂	1995 10 21.02259	01 57 43.67	-08 43 24.3		587	1994 SC	1995 09 23.05190	05 54 06.04	+20 54 52.2	18.0 V	589
1995 UA ₂	1995 10 23.98761	01 54 55.27	-08 55 16.1		587	1994 SC	1995 09 23.05934	05 54 06.40	+20 54 52.4		589
1995 UA ₂	1995 10 24.00176	01 54 54.51	-08 55 17.9		587	1994 SC	1995 09 23.07134	05 54 07.15	+20 54 49.0	I	589
1995 UX ₄	* 1995 10 24.86406	01 01 24.89	+05 26 59.8	17.0 V	587	1994 SC	1995 10 16.94407	06 08 43.46	+20 13 41.0	18.4 V	589
1995 UX ₄	1995 10 24.89473	01 01 23.60	+05 26 52.3		587	1994 SC	1995 10 16.95447	06 08 43.60	+20 13 39.2		589
1995 UX ₄	1995 10 26.89282	00 59 58.82	+05 18 06.2		587	1994 SC	1995 10 16.96757	06 08 43.94	+20 13 37.2		589
1995 UX ₄	1995 10 26.93640	00 59 57.02	+05 17 56.4		587	1994 SC	1995 10 18.05668	06 09 03.99	+20 11 32.7		589
1995 UY ₄	* 1995 10 24.86406	01 01 46.12	+05 26 58.6	17.5 V	587	1994 SC	1995 10 28.01670	06 10 35.24	+19 51 51.9	18.3 V	589
1995 UY ₄	1995 10 24.89473	01 01 44.56	+05 26 57.0		587	1994 SC	1995 10 28.07971	06 10 35.17	+19 51 43.9		589
1995 UY ₄	1995 10 26.89282	01 00 04.84	+05 27 05.6		587	1995 OA	1995 09 27.76101	21 23 33.64	-06 10 52.6	18.3 V	589
1995 UY ₄	1995 10 26.93640	01 00 02.68	+05 27 06.4		587	1995 OA	1995 09 27.79486	21 23 33.01	-06 10 57.8		589
(3040)	1995 08 29.83503	21 41 38.96	-25 16 25.8		587	1995 OA	1995 09 27.82538	21 23 32.53	-06 11 02.8		589
(3040)	1995 08 29.84357	21 41 38.19	-25 16 46.8		587	1995 OA	1995 09 28.81970	21 23 19.36	-06 13 50.9	18.5 V	589
(3040)	1995 09 01.92570	21 37 06.82	-27 24 48.9		587	1995 OA	1995 09 28.98205	21 23 17.09	-06 14 18.5		589
(3040)	1995 09 01.93056	21 37 06.43	-27 25 00.8		587	1995 OA	1995 09 28.99054	21 23 16.97	-06 14 20.3		589
(5143)	1995 10 16.86556	22 36 15.58	+00 04 24.0		587	1995 OA	1995 09 29.76087	21 23 08.57	-06 16 26.2	18.4 V	589
(5143)	1995 10 16.88414	22 36 14.83	+00 04 17.4		587	1995 OA	1995 09 29.77892	21 23 08.38	-06 16 29.9		589
(5143)	1995 10 23.84378	22 32 17.85	-00 31 34.5		587	1995 OA	1995 09 29.79572	21 23 08.09	-06 16 32.3		589
(5143)	1995 10 23.85538	22 32 17.54	-00 31 38.3		587	1995 OA	1995 09 30.89283	21 22 57.59	-06 19 25.2	18.0 V	589
(5332)	1995 09 22.84270	20 39 27.80	-21 42 28.9		587	1995 OA	1995 09 30.92642	21 22 57.24	-06 19 29.4		589
(5332)	1995 09 22.85658	20 39 27.33	-21 42 38.3		587	1995 OA	1995 10 14.78131	21 24 00.89	-06 43 50.3	18.0 V	589
589 Santa Lucia Stroncone						1995 OA	1995 10 14.78825	21 24 01.02	-06 43 50.4		589
A. Vagnozzi, Via Santa Lucia 68, I-05039 Stroncone (Terni), Italy						1995 OA	1995 10 19.76409	21 25 47.95	-06 46 44.7		589
[vagnozzi@astrom.astro.it]						1995 OA	1995 10 19.77237	21 25 48.12	-06 46 45.2		589
0.50-m <i>f</i> /2.8 Ritchey-Chrétien + CCD						1995 OB ₁	1995 09 26.81524	21 33 22.94	-05 12 30.8	18.4 V	I 589
GSC						1995 OB ₁	1995 09 26.82554	21 33 22.98	-05 12 33.1		589
1981 EW ₂	1995 09 29.81095	21 32 01.85	-08 08 02.0	18.3 V	589	1995 OB ₁	1995 10 14.79844	21 36 32.95	-05 25 04.9	19.5 V	589
1981 EW ₂	1995 09 29.83356	21 32 01.47	-08 07 59.1		589	1995 OB ₁	1995 10 14.81179	21 36 33.30	-05 25 05.6		589
1981 EW ₂	1995 10 01.89950	21 31 30.65	-08 05 00.2		589	1995 OB ₁	1995 10 14.82209	21 36 33.53	-05 25 04.9		589
1981 EW ₂	1995 10 01.91248	21 31 30.43	-08 04 59.7		589	1995 QD	1995 09 29.87581	22 13 57.06	-09 36 13.3	19.5 V	589
1981 EW ₂	1995 10 13.77523	21 30 52.49	-07 42 06.2	18.4 V	589	1995 QD	1995 09 29.88608	22 13 56.90	-09 36 18.0		589
1981 EW ₂	1995 10 13.79058	21 30 52.68	-07 42 03.4		589	1995 QD	1995 09 29.89461	22 13 56.77	-09 36 22.9		589
1993 FZ ₃₅	1995 09 23.01503	01 45 07.97	+06 42 12.9	17.7 V	589	1995 QE	1995 09 29.90426	22 18 10.18	-11 13 17.1	19.0 V	589
1993 FZ ₃₅	1995 09 23.02672	01 45 07.51	+06 42 09.6		589	1995 QE	1995 09 29.91155	22 18 10.08	-11 13 21.0		589
1993 FZ ₃₅	1995 09 23.03553	01 45 07.21	+06 42 07.1		589	1995 QE	1995 09 29.91745	22 18 10.01	-11 13 24.5		589
1994 EH	1995 09 22.91235	00 34 04.94	+20 15 39.8	16.8 V	589	1995 SX	1995 09 29.84216	21 34 50.45	-08 48 43.3	17.5 V	589
1994 EH	1995 09 22.92158	00 34 04.11	+20 15 42.2		589	1995 SX	1995 09 29.85216	21 34 50.50	-08 48 45.1		589
1994 EH	1995 09 26.84183	00 28 10.54	+20 34 14.4	16.7 V	589	1995 SX	1995 09 29.85931	21 34 50.47	-08 48 47.5		589
1994 EH	1995 09 26.85021	00 28 09.80	+20 34 16.4		589	1995 SX	1995 10 01.88068	21 35 03.86	-08 58 44.2		589
1994 EH	1995 09 26.85673	00 28 09.22	+20 34 18.2		589	1995 SX	1995 10 01.88981	21 35 03.89	-08 58 46.9		589
1994 EH	1995 10 13.89858	00 03 43.69	+21 09 17.9	16.7 V	589	1995 SX	1995 10 12.73718	21 38 30.70	-09 38 49.2	18.0 V	589
1994 EH	1995 10 13.90859	00 03 42.91	+21 09 17.0	16.6 V	589	1995 SX	1995 10 12.89238	21 38 34.90	-09 39 13.4		589
1994 EH	1995 10 21.79574	23 54 25.77	+21 06 19.5	16.5 V	589	1995 SX	1995 10 15.85899	21 40 09.83	-09 46 04.6	18.1 V	589
1994 EH	1995 10 21.82969	23 54 23.57	+21 06 18.5		589	1995 SX	1995 10 15.86681	21 40 10.09	-09 46 07.0		589
1994 HT ₁	1995 10 14.74351	21 35 58.05	-09 12 26.7	18.3 V	589	1995 SX	1995 10 20.81735	21 43 22.15	-09 53 43.3		589
1994 HT ₁	1995 10 14.76860	21 35 58.62	-09 12 28.7		589	1995 SX	1995 10 20.82627	21 43 22.47	-09 53 43.2		589
1994 HT ₁	1995 10 19.78602	21 38 18.41	-09 16 32.6	18.2 V	589	1995 SX	1995 10 25.80588	21 47 15.73	-09 56 33.5	18.3 V	589
1994 HT ₁	1995 10 19.79937	21 38 18.87	-09 16 34.4		589	1995 SX	1995 10 25.81808	21 47 16.34	-09 56 33.8		589
1994 HT ₁	1995 10 19.82334	21 38 19.56	-09 16 34.6		589	1995 SY	1995 09 29.92680	23 18 09.74	-09 53 33.4	20.0 V	I 589
1994 HT ₁	1995 10 25.77080	21 41 59.96	-09 16 10.8	18.6 V	589	1995 SY	1995 09 29.93581	23 18 09.47	-09 53 37.2	I	589

1995 SY	1995 09 29.94482	23 18 08.87	-09 53 38.5		589	1995 UT	1995 10 22.89359	01 19 25.96	+04 24 48.0		589
1995 SY	1995 10 14.83490	23 09 36.03	-10 56 02.8	19.3 V	589	1995 UT	1995 10 23.81992	01 18 42.69	+04 21 20.4	15.6 V	589
1995 SY	1995 10 14.85117	23 09 35.67	-10 56 04.6		589	1995 UT	1995 10 23.83614	01 18 41.93	+04 21 17.6		589
1995 SB ₂	1995 10 13.93044	01 20 58.20	+12 20 16.1	18.4 V	589	1995 UT	1995 10 23.84933	01 18 41.28	+04 21 14.3		589
1995 SB ₂	1995 10 13.94987	01 20 57.34	+12 20 07.0		589	1995 UA ₃	* 1995 10 23.87360	03 00 39.59	+19 54 28.2	19.4 V	589
1995 SQ ₂	1995 10 01.92155	00 23 27.15	+19 54 50.4	18.5 V	589	1995 UA ₃	1995 10 23.88827	03 00 38.58	+19 54 32.0		589
1995 SQ ₂	1995 10 01.93420	00 23 26.48	+19 54 45.4		589	1995 UA ₃	1995 10 23.89663	03 00 37.93	+19 54 34.3		589
1995 SQ ₂	1995 10 01.94308	00 23 26.07	+19 54 41.7		589	1995 UA ₃	1995 10 23.92255	03 00 36.21	+19 54 36.5		589
1995 SQ ₂	1995 10 14.85859	00 13 03.08	+18 10 31.5	18.7 V	589	1995 UA ₃	1995 10 25.86521	02 58 22.60	+19 59 50.1	19.4 V	589
1995 SQ ₂	1995 10 14.86568	00 13 02.72	+18 10 28.0		589	1995 UA ₃	1995 10 25.88179	02 58 21.43	+19 59 52.7		589
1995 SQ ₂	1995 10 21.85787	00 08 25.44	+17 08 27.4	18.7 V	589	1995 UA ₃	1995 10 25.89000	02 58 20.80	+19 59 54.9		589
1995 SQ ₂	1995 10 21.86811	00 08 25.02	+17 08 21.2		589	1995 UP ₅	* 1995 10 22.91334	01 18 42.99	+04 30 18.9	17.5 V	589
1995 SQ ₂	1995 10 25.82765	00 06 15.14	+16 33 10.4		589	1995 UP ₅	1995 10 22.92076	01 18 42.59	+04 30 13.7		589
1995 SQ ₂	1995 10 25.83934	00 06 14.78	+16 33 03.1		589	1995 UP ₅	1995 10 22.92928	01 18 42.25	+04 30 07.9		589
1995 SQ ₂	1995 10 25.84714	00 06 14.50	+16 32 59.4		589	1995 UP ₅	1995 10 23.81992	01 18 04.24	+04 20 10.6		589
1995 SQ ₂	1995 10 25.85533	00 06 14.24	+16 32 54.4		589	1995 UP ₅	1995 10 23.83614	01 18 03.50	+04 19 59.7		589
1995 SK ₅	* 1995 09 27.76101	21 23 29.51	-06 11 05.1	18.0 V	589	1995 UP ₅	1995 10 23.84933	01 18 02.92	+04 19 51.3		589
1995 SK ₅	1995 09 27.79486	21 23 28.83	-06 11 08.3		589	(5609)	1995 09 22.97811	02 01 56.75	+13 00 59.7	17.8 V	589
1995 SK ₅	1995 09 27.82538	21 23 28.17	-06 11 11.2		589	(5609)	1995 09 22.98300	02 01 56.56	+13 00 59.1		589
1995 SK ₅	1995 09 28.81970	21 23 10.28	-06 12 20.7	17.9 V	589	(5609)	1995 09 22.99141	02 01 56.27	+13 00 57.6		589
1995 SK ₅	1995 09 28.99054	21 23 07.14	-06 12 29.9		589	596 Colleverde di Guidonia					
1995 SK ₅	1995 09 29.76087	21 22 54.69	-06 13 21.4		589	V. S. Casulli, Via M. Rosa 1, I-00010 Colleverde di Guidonia (RM), Italy					
1995 SK ₅	1995 09 29.77892	21 22 54.38	-06 13 23.4	18.0 V	589	[casulli@astrom.astro.it]					
1995 SK ₅	1995 09 29.79572	21 22 54.18	-06 13 25.9		589	0.40-m $f/2.95$ reflector + CCD					
1995 SK ₅	1995 09 30.89283	21 22 37.57	-06 14 31.2	18.2 V	589	GSC					
1995 SK ₅	1995 09 30.92642	21 22 37.14	-06 14 33.2		589	1969 UP ₁	1995 10 18.89992	03 04 03.38	+16 56 34.7	16.7 V	596
1995 SK ₅	1995 10 16.77071	21 22 02.54	-06 20 18.4	19.1 V	589	1969 UP ₁	1995 10 18.91266	03 04 02.67	+16 56 34.5		596
1995 SK ₅	1995 10 16.78750	21 22 02.68	-06 20 17.9		589	1969 UP ₁	1995 10 18.92887	03 04 01.81	+16 56 34.2		596
1995 SK ₅	1995 10 16.80123	21 22 02.81	-06 20 17.6		589	1978 PX ₃	1995 10 25.91749	04 45 59.33	+31 19 47.1	18.8 V	596
1995 SK ₅	1995 10 16.81495	21 22 02.95	-06 20 18.0		589	1978 PX ₃	1995 10 25.93067	04 45 58.91	+31 19 48.9		596
1995 SK ₅	1995 10 21.76002	21 23 06.31	-06 17 46.1	19.1 V	589	1978 VC ₆	1995 10 25.86977	03 37 42.71	+24 51 35.8	16.8 V	596
1995 SK ₅	1995 10 21.77399	21 23 06.49	-06 17 44.9		589	1978 VC ₆	1995 10 25.88331	03 37 42.00	+24 51 29.8		596
1995 SK ₅	1995 10 26.82935	21 24 45.02	-06 12 52.9		589	1978 VC ₆	1995 10 25.89269	03 37 41.53	+24 51 25.6		596
1995 SK ₅	1995 10 26.84491	21 24 45.34	-06 12 51.6		589	1981 EC ₂₅	1995 10 15.91924	03 52 57.45	+24 10 04.5	17.0 V	596
1995 TD ₁	* 1995 10 14.88929	01 25 42.74	+05 03 41.9	18.5 V	589	1981 EC ₂₅	1995 10 15.92760	03 52 57.19	+24 10 05.5		596
1995 TD ₁	1995 10 14.90044	01 25 42.26	+05 03 38.9		589	1981 SY ₁	1995 10 26.90823	04 06 40.58	+27 01 55.0	16.4 V	596
1995 TD ₁	1995 10 14.90821	01 25 41.89	+05 03 36.4		589	1981 SY ₁	1995 10 26.92172	04 06 39.87	+27 01 53.8		596
1995 TD ₁	1995 10 16.91569	01 24 08.44	+04 54 06.4		589	1981 SY ₁	1995 10 26.93528	04 06 39.19	+27 01 53.6		596
1995 TD ₁	1995 10 16.92642	01 24 07.98	+04 54 03.5		589	1981 SY ₁	1995 10 26.94949	04 06 38.45	+27 01 53.1		596
1995 TD ₁	1995 10 21.90756	01 20 17.19	+04 31 06.7	17.5 V	589	1982 UY ₆	1995 10 21.97894	05 24 19.37	+27 45 43.7	17.5 V	596
1995 TD ₁	1995 10 21.92208	01 20 16.57	+04 31 03.9		589	1982 UY ₆	1995 10 21.99969	05 24 19.12	+27 45 48.1		596
1995 TD ₁	1995 10 21.93848	01 20 15.76	+04 31 00.8		589	1982 UY ₆	1995 10 22.01638	05 24 18.94	+27 45 51.7		596
1995 TD ₁	1995 10 22.86893	01 19 33.32	+04 26 50.5	17.6 V	589	1989 GF ₄	1995 10 19.83391	01 19 37.25	+11 16 28.6	15.9 V	596
1995 TD ₁	1995 10 22.88060	01 19 32.74	+04 26 48.4		589	1989 GF ₄	1995 10 19.84228	01 19 36.82	+11 16 24.5		596
1995 TD ₁	1995 10 22.89359	01 19 32.20	+04 26 45.1		589	1990 QS ₁	1995 10 23.88630	03 43 52.42	+23 39 54.9	17.1 V	596
1995 TD ₁	1995 10 23.83614	01 18 49.38	+04 22 36.7	18.2 V	589	1990 QS ₁	1995 10 23.90484	03 43 51.63	+23 39 54.5		596
1995 TD ₁	1995 10 23.84933	01 18 48.79	+04 22 34.1		589	1990 VY ₆	1995 10 13.93066	02 46 01.36	+04 16 45.4	15.7 V	596
1995 UT	* 1995 10 21.90756	01 20 12.44	+04 28 33.3	15.5 V	589	1990 VY ₆	1995 10 13.94061	02 46 00.79	+04 16 46.1		596
1995 UT	1995 10 21.92208	01 20 11.72	+04 28 30.1		589	1990 VY ₆	1995 10 13.95184	02 46 00.19	+04 16 46.6		596
1995 UT	1995 10 21.93848	01 20 10.93	+04 28 25.8		589	1991 PH ₁₅	1995 09 26.92720	02 42 14.83	+15 09 51.2	16.9 V	596
1995 UT	1995 10 22.86893	01 19 27.18	+04 24 53.2	15.4 V	589	1991 PH ₁₅	1995 09 26.94156	02 42 14.33	+15 09 49.0		596
1995 UT	1995 10 22.88060	01 19 26.63	+04 24 50.6		589	1991 PH ₁₅	1995 09 26.95433	02 42 13.94	+15 09 46.6		596

1991 RD ₄	1995 10 14.91718	03 19 52.15	+17 34 48.9	17.7 V	596	1995 SB ₂	1995 10 24.84144	01 13 21.61	+10 57 09.6		596
1991 RD ₄	1995 10 14.95884	03 19 50.25	+17 34 37.5		596	1995 SM ₅	* 1995 09 28.86402	01 30 46.56	+14 04 34.5	18.4 V	596
1991 RV ₉	1995 10 16.91035	03 34 26.87	+22 31 05.1	17.0 V	596	1995 SM ₅	1995 09 28.91174	01 30 44.31	+14 04 25.6		596
1991 RV ₉	1995 10 16.92449	03 34 26.26	+22 31 05.5		596	1995 SM ₅	1995 09 29.90064	01 29 59.93	+14 01 27.4		596
1991 RV ₉	1995 10 16.93994	03 34 25.61	+22 31 05.5		596	1995 SM ₅	1995 09 29.92094	01 29 59.03	+14 01 23.8		596
1991 RV ₉	1995 10 21.87574	03 30 45.38	+22 29 58.5	17.1 V	596	1995 UA	* 1995 10 16.84539	01 19 00.72	+11 59 40.6	18.0 V	596
1991 RV ₉	1995 10 21.89104	03 30 44.63	+22 29 58.1		596	1995 UA	1995 10 16.85634	01 19 00.15	+11 59 37.2		596
1991 RV ₉	1995 10 21.90626	03 30 43.87	+22 29 57.7		596	1995 UA	1995 10 16.86698	01 18 59.56	+11 59 34.0		596
1991 RW ₁₉	1995 10 17.92425	03 17 26.88	+19 58 50.2	18.5 V	596	1995 UA	1995 10 16.88020	01 18 58.83	+11 59 29.6		596
1991 RW ₁₉	1995 10 17.93640	03 17 26.26	+19 58 47.6		596	1995 UA	1995 10 17.82870	01 18 14.25	+11 53 55.9		596
1991 RW ₁₉	1995 10 17.94505	03 17 25.89	+19 58 45.8		596	1995 UA	1995 10 17.84995	01 18 13.14	+11 53 48.2		596
1993 FS ₂₃	1995 10 21.87574	03 30 49.87	+22 34 36.5	18.3 V	596	1995 UA	1995 10 17.87321	01 18 11.94	+11 53 39.4		596
1993 FS ₂₃	1995 10 21.89104	03 30 49.21	+22 34 35.4		596	1995 UA	1995 10 18.81315	01 17 28.10	+11 48 05.0	17.5 V	596
1993 FS ₂₃	1995 10 21.90626	03 30 48.60	+22 34 34.1		596	1995 UA	1995 10 18.84544	01 17 26.43	+11 47 53.0		596
1994 PC ₁₉	1995 10 18.89992	03 04 38.98	+16 55 41.3	18.3 V	596	1995 UA	1995 10 18.86484	01 17 25.40	+11 47 46.0		596
1994 PC ₁₉	1995 10 18.91266	03 04 38.45	+16 55 39.3		596	1995 UA	1995 10 20.85108	01 15 53.39	+11 35 55.8	18.0 V	596
1994 PC ₁₉	1995 10 18.92887	03 04 37.77	+16 55 36.7		596	1995 UA	1995 10 20.86117	01 15 52.82	+11 35 50.5		596
1994 RB ₁	1995 09 30.14076	07 00 38.14	+16 50 44.6	18.4 V	596	1995 UA	1995 10 23.83847	01 13 39.69	+11 18 02.8	18.1 V	596
1994 RB ₁	1995 09 30.14883	07 00 38.63	+16 50 42.5		596	1995 UA	1995 10 23.85168	01 13 39.20	+11 17 59.8		596
1994 RB ₁	1995 09 30.15638	07 00 39.10	+16 50 40.0		596	1995 UL	* 1995 10 19.85554	01 16 08.45	+11 36 55.9	16.2 V	596
1994 RB ₁	1995 10 22.03640	07 19 46.02	+14 56 09.9	18.2 V	596	1995 UL	1995 10 19.86487	01 16 07.95	+11 36 54.0		596
1994 RB ₁	1995 10 22.05047	07 19 46.45	+14 56 06.3		596	1995 UL	1995 10 20.81270	01 15 17.74	+11 33 22.7		596
1994 RB ₁	1995 10 22.06797	07 19 46.99	+14 56 01.8		596	1995 UL	1995 10 20.82214	01 15 17.24	+11 33 20.8		596
1995 SB ₂	1995 09 26.86687	01 32 13.94	+14 15 38.6	17.3 V	596	1995 UL	1995 10 20.83384	01 15 16.61	+11 33 18.5		596
1995 SB ₂	1995 09 26.88014	01 32 13.53	+14 15 33.7		596	1995 UL	1995 10 21.76609	01 14 27.75	+11 29 48.9	16.2 V	596
1995 SB ₂	1995 09 26.89677	01 32 12.91	+14 15 27.6		596	1995 UL	1995 10 21.77716	01 14 27.18	+11 29 46.4		596
1995 SB ₂	1995 09 28.85458	01 31 03.03	+14 03 44.1	17.0 V	596	1995 UL	1995 10 21.79171	01 14 26.39	+11 29 43.1		596
1995 SB ₂	1995 09 28.86402	01 31 02.66	+14 03 41.2		596	1995 UL	1995 10 23.80667	01 12 41.93	+11 22 11.5	16.4 V	596
1995 SB ₂	1995 09 28.87572	01 31 02.26	+14 03 36.1		596	1995 UL	1995 10 23.81766	01 12 41.37	+11 22 08.9		596
1995 SB ₂	1995 09 28.89082	01 31 01.72	+14 03 30.2		596	1995 UL	1995 10 23.82755	01 12 40.85	+11 22 06.8		596
1995 SB ₂	1995 09 28.91174	01 31 00.87	+14 03 22.3		596	1995 UL	1995 10 26.77359	01 10 12.94	+11 11 10.1	16.3 V	596
1995 SB ₂	1995 09 29.87242	01 30 25.74	+13 57 26.8	18.3 V	596	1995 UL	1995 10 26.78344	01 10 12.42	+11 11 07.9		596
1995 SB ₂	1995 09 29.90064	01 30 24.70	+13 57 17.1		596	1995 UL	1995 10 26.79701	01 10 11.75	+11 11 04.7		596
1995 SB ₂	1995 09 29.92094	01 30 23.88	+13 57 08.9		596	1995 UC ₅	* 1995 10 26.90823	04 06 27.82	+27 02 12.8	18.2 V	596
1995 SB ₂	1995 10 13.85409	01 21 01.51	+12 20 50.0	18.0 V	596	1995 UC ₅	1995 10 26.92172	04 06 27.30	+27 02 11.3		596
1995 SB ₂	1995 10 13.87073	01 21 00.78	+12 20 43.2		596	1995 UC ₅	1995 10 26.93528	04 06 26.79	+27 02 09.8		596
1995 SB ₂	1995 10 13.88082	01 21 00.42	+12 20 39.2		596	1995 UC ₅	1995 10 26.94949	04 06 26.21	+27 02 08.3		596
1995 SB ₂	1995 10 16.84539	01 18 54.76	+11 58 21.1	18.0 V	596	1995 UC ₅	1995 10 27.88854	04 05 49.21	+27 00 34.5		596
1995 SB ₂	1995 10 16.85634	01 18 54.30	+11 58 16.7		596	1995 UC ₅	1995 10 27.90183	04 05 48.73	+27 00 32.9		596
1995 SB ₂	1995 10 16.86698	01 18 53.86	+11 58 11.5		596	1995 UC ₅	1995 10 27.91536	04 05 48.20	+27 00 31.3		596
1995 SB ₂	1995 10 16.88020	01 18 53.26	+11 58 05.9		596	(3001)	1995 09 28.93552	04 35 55.42	+45 37 26.1	16.0 V	596
1995 SB ₂	1995 10 17.82870	01 18 13.16	+11 50 54.2	17.9 V	596	(3001)	1995 09 28.94655	04 35 55.89	+45 37 31.4		596
1995 SB ₂	1995 10 17.84995	01 18 12.29	+11 50 44.0		596	(3001)	1995 09 28.95999	04 35 56.44	+45 37 37.7		596
1995 SB ₂	1995 10 17.87321	01 18 11.22	+11 50 33.1		596	(3650)	1995 10 26.90823	04 06 39.05	+27 04 31.2	15.6 V	596
1995 SB ₂	1995 10 18.81315	01 17 31.61	+11 43 24.0	17.5 V	596	(3650)	1995 10 26.92172	04 06 38.41	+27 04 33.8		596
1995 SB ₂	1995 10 18.84544	01 17 30.18	+11 43 08.5		596	(3650)	1995 10 26.93528	04 06 37.80	+27 04 36.1		596
1995 SB ₂	1995 10 18.86484	01 17 29.38	+11 42 59.8		596	(3650)	1995 10 26.94949	04 06 37.12	+27 04 39.0		596
1995 SB ₂	1995 10 21.81170	01 15 26.07	+11 20 25.7	17.2 V	596	(4983)	1995 10 24.86766	04 09 44.62	+24 00 38.8	16.9 V	596
1995 SB ₂	1995 10 21.84554	01 15 24.53	+11 20 08.9		596	(4983)	1995 10 24.88747	04 09 43.88	+24 00 38.1		596
1995 SB ₂	1995 10 21.86090	01 15 23.90	+11 20 02.7		596	(4983)	1995 10 24.89897	04 09 43.40	+24 00 37.1		596
1995 SB ₂	1995 10 24.80920	01 13 22.94	+10 57 24.4	17.2 V	596	(5004)	1995 10 17.92425	03 16 52.64	+20 02 21.9	17.1 V	596
1995 SB ₂	1995 10 24.82471	01 13 22.27	+10 57 17.7		596	(5004)	1995 10 17.93640	03 16 52.08	+20 02 21.7		596

(5004)	1995 10 17.94505	03 16 51.69	+20 02 21.2	596
(6574)	1995 10 16.75961	23 54 00.16	+07 20 19.5	596
(6574)	1995 10 16.76876	23 53 59.79	+07 20 18.5	596

604 Archenhold Sternwarte, Berlin-Treptow

A. Doppler, c/o Archenhold-Sternwarte, Alt-Treptow 1, D-12435 Berlin, Germany
 Observers A. Doppler, A. Gnaedig, D. Przewozny
 0.15-m $f/15$ Schmidt-Cassegrain
 GSC

1936 SO	1995 10 24.89046	22 29 19.61	+18 01 59.6	604
1936 SO	1995 10 24.89940	22 29 19.33	+18 01 59.8	604
1936 SO	1995 10 24.93074	22 29 18.49	+18 02 00.2	604
1936 SO	1995 10 24.93907	22 29 18.25	+18 02 00.8	604
1936 SO	1995 10 24.94593	22 29 18.05	+18 02 00.9	604

605 Marl

E. Jung, Havellandstrasse 3, D-45770 Marl, Germany
 0.2-m $f/10$ Schmidt-Cassegrain + CCD
 GSC

(253)	1995 01 31.00319	10 46 03.55	+03 20 58.0	15.5 V	605
(253)	1995 01 31.01635	10 46 03.07	+03 21 01.3	15.4 V	605
(253)	1995 01 31.02439	10 46 02.75	+03 21 03.1	15.4 V	605
(419)	1995 03 09.89679	08 50 00.60	+11 57 33.1	13.2 R	605
(419)	1995 03 09.92061	08 49 59.78	+11 57 38.5	13.2 R	605
(419)	1995 03 09.92920	08 49 59.48	+11 57 40.3	13.2 R	605
(419)	1995 03 11.85729	08 48 56.94	+12 04 41.5	13.2 R	605
(419)	1995 03 11.86367	08 48 56.74	+12 04 42.7	13.2 R	605
(419)	1995 03 11.87510	08 48 56.37	+12 04 45.3	13.2 R	605
(2060)	1995 04 02.91280	11 22 54.21	-00 53 42.1	16.2 R	605
(2060)	1995 04 02.91649	11 22 54.14	-00 53 42.2	16.2 R	605
(2060)	1995 04 02.92703	11 22 54.04	-00 53 41.3	16.1 R	605
(2060)	1995 04 02.93547	11 22 53.85	-00 53 39.7	16.2 R	605
(2060)	1995 04 02.94381	11 22 53.77	-00 53 38.2	16.3 R	605
(2060)	1995 05 04.88873	11 17 31.26	+00 02 31.9	16.3 R	605
(2060)	1995 05 05.88492	11 17 27.02	+00 03 46.3	16.2 R	605
(2060)	1995 05 05.89714	11 17 26.96	+00 03 46.0	16.2 R	605
(2642)	1995 08 01.03046	23 30 54.31	+15 23 32.4	15.3 R	605
(2642)	1995 08 01.03924	23 30 54.31	+15 23 33.6	15.3 R	605
(2642)	1995 08 01.97997	23 31 05.62	+15 25 11.9	15.4 R	605
(2642)	1995 08 01.99716	23 31 05.69	+15 25 14.6	15.3 R	605

608 Haleakala-AMOS

J. Africano, Air Force Maui Optical Station, 535 Lipoa Parkway, Suite 200, Kihei, Maui, HI 96753, U.S.A. [johna@ulua.mhpcc.edu]
 E. F. Helin, MS 183-501, Jet Propulsion Laboratory, Pasadena, CA 91109, U.S.A. [efh051@mip13.jpl.nasa.gov]
 Observers J. Africano, P. Sydney, D. Nishimoto, D. O'Connell, W. Hada
 1.2-m reflector

1978 VX ₃	1995 10 18.46539	01 42 32.61	+14 42 10.1	608
1978 VX ₃	1995 10 18.51971	01 42 29.75	+14 41 52.6	608
1978 VX ₃	1995 10 19.37698	01 41 46.07	+14 37 17.5	608
1978 VX ₃	1995 10 19.40789	01 41 44.46	+14 37 07.6	608
1978 VC ₆	1995 10 19.45052	03 42 34.43	+25 37 12.6	608

1978 VC ₆	1995 10 19.50309	03 42 32.13	+25 36 52.8	608
1978 VC ₆	1995 10 20.53549	03 41 49.82	+25 30 05.9	608
1978 VC ₆	1995 10 20.54524	03 41 49.40	+25 30 00.7	608
1978 VG ₁₁	1995 10 04.49069	02 16 28.77	+04 48 25.3	608
1978 VG ₁₁	1995 10 04.52562	02 16 27.32	+04 48 22.2	608
1978 VG ₁₁	1995 10 05.43567	02 15 51.27	+04 47 02.6	608
1978 VG ₁₁	1995 10 05.48659	02 15 49.06	+04 46 59.4	608
1979 MY ₂	1995 10 18.36787	22 03 52.60	-05 42 00.5	608
1979 MY ₂	1995 10 18.40605	22 03 52.60	-05 42 06.0	608
1980 TA ₄	1995 10 04.48737	02 13 23.27	+14 52 59.3	608
1980 TA ₄	1995 10 04.52236	02 13 21.61	+14 52 56.5	608
1980 TA ₄	1995 10 05.43230	02 12 37.88	+14 52 20.7	608
1980 TA ₄	1995 10 05.48326	02 12 35.26	+14 52 18.9	608
1981 UA	1995 10 05.37604	22 48 26.07	-33 30 14.4	608
1981 UA	1995 10 05.39963	22 48 23.97	-33 29 35.7	608
1981 UA	1995 10 06.37897	22 47 03.56	-33 02 46.7	608
1981 UA	1995 10 17.35032	22 35 52.92	-27 38 55.2	608
1981 UA	1995 10 17.40631	22 35 50.38	-27 37 10.6	608
1981 UA	1995 10 17.42550	22 35 49.51	-27 36 34.6	608
1981 UA	1995 10 18.39231	22 35 11.15	-27 06 35.4	608
1981 UA	1995 10 18.43444	22 35 09.40	-27 05 16.1	608
1986 PF	1995 10 06.44973	01 20 40.15	+15 26 54.0	608
1986 PF	1995 10 06.51100	01 20 36.97	+15 26 32.0	608
1986 PF	1995 10 11.45241	01 16 28.12	+14 55 26.6	608
1986 PF	1995 10 11.47892	01 16 26.71	+14 55 18.9	608
1990 FL	1995 10 04.48372	01 35 51.42	-12 36 40.0	608
1990 FL	1995 10 04.51824	01 35 49.82	-12 37 04.7	608
1991 CA ₃	1995 10 04.50402	02 21 06.49	+41 03 24.6	608
1991 CA ₃	1995 10 04.53576	02 21 04.36	+41 03 54.6	608
1991 CA ₃	1995 10 05.44495	02 20 07.35	+41 18 20.6	608
1991 CA ₃	1995 10 05.50674	02 20 03.05	+41 19 19.7	608
1992 TB	1995 10 17.31734	21 52 07.51	-02 35 36.3	608
1992 TB	1995 10 17.36280	21 52 07.97	-02 36 29.4	608
1992 TB	1995 10 18.36297	21 52 22.34	-02 55 26.1	608
1992 TB	1995 10 18.40076	21 52 22.88	-02 56 08.2	608
1994 LA ₁	1995 08 30.52692	01 01 53.12	-17 42 14.8	608
1994 LA ₁	1995 08 30.53791	01 01 52.89	-17 42 22.8	608
1994 NB	1995 10 04.49449	02 18 12.26	-21 45 10.9	608
1994 NB	1995 10 04.52933	02 18 10.53	-21 45 30.1	608
1994 NB	1995 10 06.45910	02 16 36.12	-22 02 42.0	608
1994 NB	1995 10 06.53256	02 16 32.31	-22 03 20.5	608
1994 NC ₁	1995 10 19.44469	03 03 39.03	+03 37 01.5	608
1994 NC ₁	1995 10 19.49488	03 03 36.95	+03 36 38.3	608
1994 NC ₁	1995 10 20.52787	03 02 54.58	+03 28 44.1	608
1994 NC ₁	1995 10 20.53940	03 02 54.09	+03 28 38.9	608
1995 QN ₃	1995 10 17.34220	22 27 55.55	-04 56 59.8	608
1995 QN ₃	1995 10 17.38951	22 27 56.11	-04 57 19.8	608
1995 QN ₃	1995 10 18.38488	22 28 09.76	-05 04 12.6	608
1995 QN ₃	1995 10 18.42444	22 28 10.15	-05 04 27.7	608
1995 RR	1995 10 20.36494	22 19 09.48	-23 07 29.3	608
1995 RR	1995 10 20.46840	22 19 09.86	-23 07 00.0	608
1995 SC	1995 10 04.47185	22 52 29.23	+50 01 55.6	608

1995 SC	1995 10 05.38128	22 50 50.16	+50 09 43.4	608	1995 UW ₁	1995 10 19.36113	22 35 26.39	-27 05 01.3	608
1995 SC	1995 10 05.40529	22 50 47.45	+50 09 55.3	608	1995 UW ₁	1995 10 19.38619	22 35 26.61	-27 04 55.7	608
1995 SR	1995 10 05.36944	22 28 58.75	+23 10 00.6	608	5187 T-2	1995 10 17.31734	21 52 12.81	-02 35 58.7	608
1995 SR	1995 10 05.38964	22 28 58.71	+23 09 32.8	608	5187 T-2	1995 10 17.36280	21 52 12.58	-02 36 04.9	608
1995 SR	1995 10 06.37546	22 29 00.63	+22 46 58.6	608	5187 T-2	1995 10 18.35830	21 52 08.28	-02 38 20.9	608
1995 SR	1995 10 06.41539	22 29 00.64	+22 46 03.7	608	5187 T-2	1995 10 18.39604	21 52 08.09	-02 38 25.8	608
1995 SS	1995 10 04.47649	00 08 59.88	+32 24 51.1	608	(1318)	1995 10 06.45191	01 35 53.99	+29 26 21.0	608
1995 SS	1995 10 04.51087	00 08 57.90	+32 24 02.2	608	(1318)	1995 10 06.51346	01 35 49.18	+29 26 32.4	608
1995 SS	1995 10 05.42338	00 08 09.75	+32 02 16.0	608	(1318)	1995 10 11.45801	01 29 22.11	+29 38 59.0	608
1995 SS	1995 10 05.46551	00 08 07.32	+32 01 14.2	608	(1318)	1995 10 18.46307	01 19 51.21	+29 46 16.8	608
1995 SA ₁	1995 10 05.41394	23 42 05.82	+37 27 24.8	608	(1318)	1995 10 18.51744	01 19 46.65	+29 46 17.1	608
1995 SA ₁	1995 10 05.45885	23 42 02.98	+37 27 01.1	608	(1318)	1995 10 19.37438	01 18 36.45	+29 46 20.6	608
1995 SA ₁	1995 10 06.38711	23 41 07.66	+37 18 51.1	608	(1318)	1995 10 19.40529	01 18 33.85	+29 46 20.6	608
1995 SA ₁	1995 10 06.42627	23 41 05.22	+37 18 29.8	608	(1318)	1995 10 19.41655	01 18 32.90	+29 46 20.7	608
1995 SB ₁	1995 10 04.42479	22 52 00.24	+32 48 00.1	608	(1995)	1995 10 11.48758	01 59 41.68	+05 13 45.7	608
1995 SB ₁	1995 10 04.46414	22 51 59.25	+32 47 12.6	608	(1995)	1995 10 11.50689	01 59 40.52	+05 13 43.9	608
1995 SB ₁	1995 10 05.37866	22 51 43.76	+32 28 29.2	608	(1995)	1995 10 18.47353	01 52 50.15	+05 00 20.6	608
1995 SB ₁	1995 10 05.40233	22 51 43.32	+32 27 59.7	608	(1995)	1995 10 18.52456	01 52 46.98	+05 00 15.1	608
1995 SD ₁	1995 10 18.45383	01 06 59.85	-14 06 32.7	608	(2229)	1995 10 04.50038	02 20 50.94	+32 37 08.9	608
1995 SD ₁	1995 10 18.49743	01 07 07.29	-14 07 06.5	608	(2229)	1995 10 04.53303	02 20 49.35	+32 37 03.4	608
1995 SD ₁	1995 10 19.37134	01 09 49.72	-14 18 28.2	608	(2229)	1995 10 05.44237	02 20 07.25	+32 34 56.0	608
1995 SD ₁	1995 10 19.40226	01 09 54.89	-14 18 51.0	608	(2229)	1995 10 05.50459	02 20 04.17	+32 34 46.8	608
1995 SO ₁	1995 10 05.41688	23 56 42.82	+35 24 07.0	608	(3004)	1995 10 18.47604	02 20 55.03	+59 06 52.2	608
1995 SO ₁	1995 10 05.46204	23 56 40.37	+35 23 54.7	608	(3004)	1995 10 18.52720	02 20 50.24	+59 07 04.7	608
1995 SO ₁	1995 10 06.43240	23 55 49.98	+35 19 27.7	608	(3004)	1995 10 25.41050	02 09 40.53	+59 27 18.0	608
1995 SP ₁	1995 10 05.38405	22 58 01.63	+26 26 21.0	608	(3004)	1995 10 25.43586	02 09 38.06	+59 27 20.3	608
1995 SP ₁	1995 10 05.40818	22 58 00.29	+26 26 17.1	608	(3204)	1995 10 12.44365	23 09 41.95	-08 38 33.0	608
1995 SP ₁	1995 10 06.38347	22 57 08.53	+26 23 26.4	608	(3204)	1995 10 12.49203	23 09 40.64	-08 38 39.2	608
1995 SP ₁	1995 10 06.42300	22 57 06.36	+26 23 19.1	608	(3204)	1995 10 18.44815	23 07 32.17	-08 49 01.3	608
1995 TH	* 1995 10 05.36625	22 28 40.10	-26 18 09.8	608	(3204)	1995 10 18.50803	23 07 31.08	-08 49 05.3	608
1995 TH	1995 10 05.39255	22 28 39.57	-26 18 10.3	608	(3216)	1995 10 04.50727	02 25 45.66	+03 29 53.8	608
1995 TH	1995 10 06.37170	22 28 24.14	-26 18 15.0	608	(3216)	1995 10 04.53806	02 25 44.13	+03 29 44.1	608
1995 TH	1995 10 06.41022	22 28 23.51	-26 18 15.2	608	(3216)	1995 10 05.44707	02 25 07.02	+03 25 19.5	608
1995 TH	1995 10 20.37980	22 27 08.62	-25 58 53.3	608	(3216)	1995 10 05.50881	02 25 04.18	+03 25 01.5	608
1995 TH	1995 10 20.43678	22 27 08.84	-25 58 44.3	608	(3217)	1995 10 19.44247	03 00 06.47	+27 09 37.0	608
1995 TQ	* 1995 10 06.46337	02 37 41.96	+24 15 20.6	608	(3217)	1995 10 19.49181	03 00 03.44	+27 09 39.8	608
1995 TQ	1995 10 06.52734	02 37 39.73	+24 15 03.8	608	(3217)	1995 10 20.49965	02 59 04.57	+27 10 24.3	608
1995 TQ	1995 10 12.47624	02 34 03.64	+23 45 40.4	608	(3217)	1995 10 20.52527	02 59 02.95	+27 10 25.1	608
1995 TQ	1995 10 12.51709	02 34 01.89	+23 45 26.5	608	(3225)	1995 10 06.44258	00 32 25.84	+01 34 38.0	608
1995 UU ₁	* 1995 10 17.32198	22 03 34.37	-05 38 54.6	608	(3225)	1995 10 06.50507	00 32 22.68	+01 32 44.3	608
1995 UU ₁	1995 10 17.36741	22 03 35.60	-05 39 00.4	608	(3225)	1995 10 18.45082	00 24 13.22	-04 06 10.5	608
1995 UU ₁	1995 10 17.40087	22 03 36.58	-05 39 04.7	608	(3225)	1995 10 18.50987	00 24 11.05	-04 07 41.5	608
1995 UU ₁	1995 10 17.41601	22 03 37.02	-05 39 07.0	608	(3446)	1995 10 06.44707	01 06 25.18	+02 13 00.2	608
1995 UU ₁	1995 10 18.36787	22 04 07.43	-05 41 11.8	608	(3446)	1995 10 06.50844	01 06 21.26	+02 12 48.3	608
1995 UU ₁	1995 10 18.40605	22 04 08.61	-05 41 15.5	608	(3446)	1995 10 11.45025	01 01 13.54	+01 56 58.8	608
1995 UV ₁	* 1995 10 17.34587	22 33 49.76	+08 44 50.3	608	(3446)	1995 10 11.47617	01 01 11.85	+01 56 54.1	608
1995 UV ₁	1995 10 17.39322	22 33 49.09	+08 44 33.6	608	(3484)	1995 10 06.44049	00 29 10.33	-22 47 27.6	608
1995 UV ₁	1995 10 17.40390	22 33 48.95	+08 44 30.0	608	(3484)	1995 10 06.50363	00 29 07.14	-22 47 41.7	608
1995 UV ₁	1995 10 18.38876	22 33 37.74	+08 38 47.6	608	(3484)	1995 10 11.44610	00 25 13.03	-23 02 06.1	608
1995 UV ₁	1995 10 18.42888	22 33 37.26	+08 38 34.0	608	(3484)	1995 10 11.46670	00 25 12.02	-23 02 09.1	608
1995 UW ₁	* 1995 10 18.39231	22 35 14.75	-27 08 11.8	608	(3700)	1995 10 12.37302	22 18 25.82	+08 49 31.6	608
1995 UW ₁	1995 10 18.43444	22 35 15.15	-27 08 03.2	608	(3700)	1995 10 12.41027	22 18 24.91	+08 49 19.3	608

(3700)	1995 10 17.32880	22 16 57.36	+08 23 28.8	608	(4990)	1995 10 17.37713	22 18 14.04	-10 29 49.2	608
(3700)	1995 10 17.37425	22 16 56.67	+08 23 14.8	608	(5047)	1995 10 18.48708	02 38 47.33	+20 25 02.4	608
(3714)	1995 10 04.41723	22 29 25.39	-26 24 58.0	608	(5047)	1995 10 18.53328	02 38 44.76	+20 25 02.0	608
(3714)	1995 10 04.44571	22 29 24.31	-26 24 46.5	608	(5047)	1995 10 19.43117	02 37 57.07	+20 24 54.8	608
(3714)	1995 10 05.36625	22 28 52.18	-26 18 11.2	608	(5047)	1995 10 19.47736	02 37 54.45	+20 24 54.6	608
(3714)	1995 10 05.39255	22 28 51.21	-26 17 59.9	608	(5266)	1995 10 12.35848	22 11 22.25	-22 24 01.8	608
(3944)	1995 10 12.37071	22 18 35.53	-23 31 45.3	608	(5266)	1995 10 12.39659	22 11 21.47	-22 23 48.8	608
(3944)	1995 10 12.40767	22 18 35.57	-23 31 30.4	608	(5266)	1995 10 18.37277	22 09 45.69	-21 52 03.1	608
(3944)	1995 10 17.33387	22 19 22.67	-22 56 17.9	608	(5266)	1995 10 18.41091	22 09 45.20	-21 51 51.7	608
(3944)	1995 10 17.38007	22 19 23.21	-22 55 56.5	608	(5437)	1995 10 18.48176	02 33 05.98	+26 11 36.7	608
(4041)	1995 10 12.37867	22 25 41.02	-24 03 36.4	608	(5437)	1995 10 18.53137	02 33 02.79	+26 11 29.9	608
(4041)	1995 10 12.41519	22 25 40.46	-24 03 34.0	608	(5437)	1995 10 19.42921	02 32 07.30	+26 09 26.3	608
(4041)	1995 10 18.37536	22 24 51.17	-23 52 00.3	608	(5437)	1995 10 19.47521	02 32 04.27	+26 09 19.9	608
(4041)	1995 10 18.41378	22 24 50.97	-23 51 54.6	608	(5437)	1995 10 19.51831	02 32 01.45	+26 09 13.4	608
(4064)	1995 10 06.46145	02 17 40.63	+22 54 41.3	608	(5507)	1995 10 12.43507	22 45 07.64	-06 26 54.7	608
(4064)	1995 10 06.52538	02 17 37.39	+22 54 42.9	608	(5507)	1995 10 12.48259	22 45 06.80	-06 26 55.9	608
(4064)	1995 10 11.49267	02 13 22.66	+22 54 54.7	608	(5507)	1995 10 17.35275	22 44 09.30	-06 28 19.5	608
(4064)	1995 10 11.51176	02 13 21.60	+22 54 53.6	608	(5507)	1995 10 17.41090	22 44 08.73	-06 28 19.0	608
(4064)	1995 10 12.47263	02 12 28.91	+22 54 23.4	608	(5530)	1995 10 18.48991	02 42 35.24	+20 26 32.1	608
(4064)	1995 10 12.51302	02 12 26.54	+22 54 22.8	608	(5530)	1995 10 18.53520	02 42 32.45	+20 26 33.4	608
(4156)	1995 10 12.43282	22 35 46.08	+09 03 14.3	608	(5530)	1995 10 19.43355	02 41 39.17	+20 27 00.6	608
(4156)	1995 10 12.48017	22 35 44.62	+09 03 04.8	608	(5530)	1995 10 19.47939	02 41 36.29	+20 27 02.0	608
(4156)	1995 10 17.34587	22 33 38.50	+08 46 12.2	608	(5530)	1995 10 19.51435	02 41 34.05	+20 27 02.4	608
(4156)	1995 10 17.39322	22 33 37.39	+08 46 02.6	608	(5537)	1995 10 06.46337	02 37 50.94	+24 15 05.3	608
(4156)	1995 10 17.40390	22 33 37.13	+08 46 00.3	608	(5537)	1995 10 06.52734	02 37 47.94	+24 15 13.5	608
(4469)	1995 10 06.45666	02 15 16.95	+32 59 19.2	608	(5537)	1995 10 12.47447	02 32 58.23	+24 23 43.7	608
(4469)	1995 10 06.51925	02 15 13.57	+32 59 32.4	608	(5537)	1995 10 12.51502	02 32 55.83	+24 23 45.7	608
(4469)	1995 10 11.48977	02 10 40.27	+33 13 15.9	608	(5537)	1995 10 18.47968	02 27 07.27	+24 23 39.4	608
(4469)	1995 10 11.50955	02 10 39.05	+33 13 18.3	608	(5537)	1995 10 18.52938	02 27 04.00	+24 23 37.0	608
(4510)	1995 10 06.44414	00 52 46.38	+08 21 08.1	608	(5537)	1995 10 19.42733	02 26 07.89	+24 22 49.8	608
(4510)	1995 10 06.50646	00 52 42.24	+08 21 02.9	608	(5537)	1995 10 19.47330	02 26 04.83	+24 22 47.0	608
(4510)	1995 10 11.44819	00 47 31.09	+08 13 50.9	608	(5549)	1995 10 18.44145	22 58 16.68	-09 10 00.5	608
(4510)	1995 10 11.47314	00 47 29.45	+08 13 49.0	608	(5549)	1995 10 18.50248	22 58 14.88	-09 09 52.9	608
(4570)	1995 10 06.39047	23 51 05.98	+01 23 46.8	608	(5549)	1995 10 19.36774	22 57 50.91	-09 08 02.6	608
(4570)	1995 10 06.42968	23 51 03.64	+01 23 36.9	608	(5549)	1995 10 19.39861	22 57 50.01	-09 07 58.7	608
(4570)	1995 10 12.45432	23 45 38.87	+00 59 22.6	608	(5557)	1995 10 19.44036	02 59 38.38	+21 37 00.2	608
(4570)	1995 10 12.49970	23 45 36.50	+00 59 12.1	608	(5557)	1995 10 19.48880	02 59 35.81	+21 36 56.5	608
(4585)	1995 10 12.44096	23 04 45.78	-23 03 01.4	608	(5557)	1995 10 20.49726	02 58 42.83	+21 35 33.3	608
(4585)	1995 10 12.48919	23 04 44.68	-23 02 53.4	608	(5557)	1995 10 20.52056	02 58 41.54	+21 35 31.0	608
(4585)	1995 10 18.44539	23 02 55.45	-22 39 54.1	608	(5589)	1995 10 12.37546	22 23 00.99	-08 35 02.3	608
(4585)	1995 10 18.50544	23 02 54.57	-22 39 37.7	608	(5589)	1995 10 12.41271	22 23 01.28	-08 34 57.9	608
(4623)	1995 10 06.40128	00 14 22.46	+01 42 47.8	608	(5589)	1995 10 17.33606	22 24 22.01	-08 23 37.5	608
(4623)	1995 10 06.43793	00 14 20.66	+01 42 38.1	608	(5589)	1995 10 17.38250	22 24 22.84	-08 23 29.8	608
(4623)	1995 10 11.44400	00 10 31.69	+01 21 36.5	608	(5993)	1995 10 06.39906	00 12 07.88	+03 01 54.4	608
(4623)	1995 10 11.46459	00 10 30.90	+01 21 32.3	608	(5993)	1995 10 06.43522	00 12 05.66	+03 01 42.1	608
(4665)	1995 10 12.39325	22 35 51.21	+01 56 17.9	608	(5993)	1995 10 12.45745	00 06 24.29	+02 28 49.1	608
(4665)	1995 10 12.42751	22 35 50.88	+01 56 06.1	608	(5993)	1995 10 12.50215	00 06 21.83	+02 28 35.5	608
(4665)	1995 10 17.34781	22 35 31.05	+01 29 50.0	608	(6608)	1995 10 19.44837	03 38 21.44	+19 35 49.8	608
(4665)	1995 10 17.39769	22 35 30.95	+01 29 35.0	608	(6608)	1995 10 19.51148	03 38 19.91	+19 35 13.8	608
(4990)	1995 10 12.36793	22 17 53.59	-10 43 18.9	608	(6608)	1995 10 20.53255	03 37 57.31	+19 25 21.8	608
(4990)	1995 10 12.40485	22 17 53.49	-10 43 13.7	608	(6608)	1995 10 20.54317	03 37 57.01	+19 25 15.5	608
(4990)	1995 10 17.33138	22 18 13.75	-10 29 57.6	608					

658 Dominion Astrophysical Observatory, Victoria

J. B. Tatum, Dept. of Physics, University of Victoria, P.O. Box 3055, Victoria, BC
V8W 3P6, Canada [universe@uvvm.uvic.ca]

Observer D. D. Balam

1.82-m Plaskett telescope + CCD

GSC

1992 QN	1995 10 31.42551	07 17 35.93	+40 48 08.4	658
1992 QN	1995 10 31.42970	07 17 36.58	+40 48 11.9	658
1992 QN	1995 10 31.43186	07 17 36.92	+40 48 13.6	658
1992 SK	1995 10 29.44755	05 22 24.35	+46 02 04.4	658
1992 SK	1995 10 29.45132	05 22 24.08	+46 02 09.0	658
1992 SK	1995 10 29.45575	05 22 23.80	+46 02 13.8	658
1992 SK	1995 10 31.39225	05 20 11.89	+46 39 03.1	658
1992 SK	1995 10 31.39644	05 20 11.56	+46 39 07.8	658
1992 SK	1995 10 31.40044	05 20 11.25	+46 39 12.6	658
1993 PB	1995 10 29.23684	20 52 38.38	+15 48 19.8	658
1993 PB	1995 10 29.26767	20 52 38.50	+15 48 07.3	658
1994 NO	1995 10 28.48133	05 43 04.64	+16 41 03.6	658
1994 NO	1995 10 28.49138	05 43 04.49	+16 41 00.4	658
1994 NO	1995 10 28.49691	05 43 04.41	+16 40 58.7	658
1994 NO	1995 10 31.40772	05 42 01.89	+16 22 24.3	658
1994 NO	1995 10 31.41586	05 42 01.68	+16 22 21.2	658
1994 NO	1995 10 31.41951	05 42 01.59	+16 22 19.8	658
1994 VR ₆	1995 10 28.50610	09 41 03.49	+43 07 48.9	658
1994 VR ₆	1995 10 28.51194	09 41 03.87	+43 07 50.5	658
1994 VR ₆	1995 10 29.46623	09 42 01.92	+43 12 39.5	658
1994 VR ₆	1995 10 29.47201	09 42 02.21	+43 12 42.1	658
1994 VR ₆	1995 10 29.47753	09 42 02.59	+43 12 43.2	658
1994 VR ₆	1995 10 29.48235	09 42 02.87	+43 12 45.1	658
1995 LE	1995 10 28.39458	04 12 34.16	+27 13 55.9	658
1995 LE	1995 10 28.39784	04 12 33.87	+27 13 53.9	658
1995 LE	1995 10 28.40750	04 12 33.04	+27 13 48.4	658
1995 LE	1995 10 29.43637	04 11 07.65	+27 03 44.1	658
1995 LE	1995 10 29.43953	04 11 07.36	+27 03 42.2	658
1995 LE	1995 10 29.44241	04 11 07.10	+27 03 40.5	658
1995 LE	1995 10 31.37740	04 08 22.89	+26 44 18.4	658
1995 LE	1995 10 31.38090	04 08 22.58	+26 44 16.3	658
1995 LE	1995 10 31.38576	04 08 22.13	+26 44 13.4	658
1995 QG	1995 10 28.28562	00 50 11.71	+28 06 01.7	658
1995 QG	1995 10 28.29065	00 50 11.42	+28 06 00.4	658
1995 QG	1995 10 31.28385	00 47 31.73	+27 51 52.1	658
1995 QG	1995 10 31.28905	00 47 31.45	+27 51 50.6	658
1995 QG	1995 10 31.29244	00 47 31.26	+27 51 49.5	658
1995 RA	1995 10 28.08546	21 25 11.25	+18 15 59.9	658
1995 RA	1995 10 28.08994	21 25 11.48	+18 15 59.7	658
1995 RA	1995 10 28.09354	21 25 11.72	+18 16 00.0	658
1995 SC	1995 10 31.10419	22 24 27.17	+50 44 09.9	658
1995 SC	1995 10 31.10891	22 24 27.13	+50 44 09.1	658
1995 SC	1995 10 31.11453	22 24 27.09	+50 44 08.0	658
1995 SB ₁	1995 10 31.16281	22 57 17.28	+22 25 56.3	658
1995 SB ₁	1995 10 31.17008	22 57 17.58	+22 25 46.0	658
1995 SB ₁	1995 10 31.17377	22 57 17.73	+22 25 40.7	658

1995 SB ₄	1995 10 28.30749	22 27 38.75	+33 27 18.3	658
1995 SB ₄	1995 10 28.31547	22 27 38.97	+33 27 12.5	658
1995 SB ₄	1995 10 28.32219	22 27 39.19	+33 27 08.9	658
1995 TW	1995 10 28.41861	23 59 11.65	+27 12 47.6	658
1995 TW	1995 10 28.42375	23 59 11.54	+27 12 43.5	658
1995 TW	1995 10 28.42821	23 59 11.43	+27 12 39.6	658
1995 TW	1995 10 29.33238	23 58 53.24	+27 00 41.7	658
1995 TW	1995 10 29.33705	23 58 53.15	+27 00 38.0	658
1995 TW	1995 10 29.34243	23 58 53.03	+27 00 33.7	658
1995 TX	1995 10 28.43345	00 39 58.87	+43 41 45.9	658
1995 TX	1995 10 28.44164	00 39 58.32	+43 41 41.9	658
1995 TX	1995 10 28.44615	00 39 58.02	+43 41 39.7	658
1995 UR	1995 10 28.34672	01 05 34.61	+58 15 45.2	658
1995 UR	1995 10 28.35088	01 05 34.22	+58 15 43.8	658
1995 UR	1995 10 28.35431	01 05 33.87	+58 15 42.6	658
1995 US	1995 10 28.35973	01 09 05.84	+39 34 49.5	658
1995 US	1995 10 28.36316	01 09 05.63	+39 34 48.7	658
1995 US	1995 10 28.36988	01 09 05.20	+39 34 47.1	658
1995 UX ₁	1995 10 28.29626	00 31 35.83	+14 32 07.7	658
1995 UX ₁	1995 10 28.29973	00 31 35.65	+14 32 12.6	658
1995 UX ₁	1995 10 28.30263	00 31 35.50	+14 32 16.8	658
1995 UX ₁	1995 10 29.34664	00 30 46.71	+14 57 11.7	658
1995 UX ₁	1995 10 29.34831	00 30 46.62	+14 57 14.1	658
1995 UX ₁	1995 10 29.35266	00 30 46.41	+14 57 20.3	658
1995 UX ₁	1995 10 31.27444	00 29 25.53	+15 42 23.3	658
1995 UX ₁	1995 10 31.27630	00 29 25.46	+15 42 25.8	658
1995 UX ₁	1995 10 31.27919	00 29 25.32	+15 42 29.9	658
1995 UB ₃	1995 10 28.26715	00 05 43.41	+39 29 45.8	658
1995 UB ₃	1995 10 28.27144	00 05 43.11	+39 29 44.3	658
1995 UB ₃	1995 10 28.27559	00 05 42.81	+39 29 43.0	658
1995 UB ₃	1995 10 29.31987	00 04 34.21	+39 23 58.6	658
1995 UB ₃	1995 10 29.32294	00 04 33.99	+39 23 57.5	658
1995 UB ₃	1995 10 29.32633	00 04 33.78	+39 23 56.3	658
1995 UB ₄	1995 10 29.40287	02 38 32.28	+17 59 47.8	658
1995 UB ₄	1995 10 29.40457	02 38 32.21	+17 59 49.1	658
1995 UB ₄	1995 10 29.40645	02 38 32.11	+17 59 50.7	658
1995 UB ₄	1995 10 31.36530	02 36 59.42	+18 26 12.6	658
1995 UB ₄	1995 10 31.36948	02 36 59.20	+18 26 16.0	658
1995 UB ₄	1995 10 31.37316	02 36 59.01	+18 26 18.9	658
1995 UO ₅	1995 10 29.42156	02 10 08.47	+06 15 32.7	658
1995 UO ₅	1995 10 29.42579	02 10 07.96	+06 15 32.6	658
1995 UO ₅	1995 10 29.42965	02 10 07.37	+06 15 33.1	658
1995 UO ₅	1995 10 31.30764	02 05 53.76	+06 16 05.9	658
1995 UO ₅	1995 10 31.31108	02 05 53.34	+06 16 05.8	658
1995 UO ₅	1995 10 31.31582	02 05 52.68	+06 16 05.9	658

670 Camarillo

J. E. Rogers, 441 Rowland Avenue, Camarillo, CA 93010, U.S.A.

[72401.3174@compuserve.com]

0.25-m Schmidt-Cassegrain + CCD

GSC

(72)	1995 10 10.10608	23 27 04.12	+00 56 08.0	12.0 V	670
(72)	1995 10 10.13646	23 27 03.13	+00 55 53.0		670

675 Palomar

C. S. Shoemaker, P.O. Box 984, Flagstaff, AZ 86002, U.S.A.

[gshoemaker@iflag2.wr.usgs.gov] (3)

C. J. van Houten, Sterrewacht Leiden, Postbus 9513, NL-2300 RA Leiden, The Netherlands [vanhouten@rulh11.leidenuniv.nl] (4)

E. Bowell, Lowell Observatory, 1400 West Mars Hill Road, Flagstaff, AZ 86001, U.S.A. [elgb@lowell.edu] (6)

9 = 3+6

Observers T. Gehrels (4, L), C. S. Shoemaker (3, S), E. M. Shoemaker (3, S)

Measurers B. A. Skiff (6), C. J. van Houten (4), I. van Houten-Groeneveld (4),

A. Wisse (4)

1.2-m Oschin Schmidt (L), 0.46-m Schmidt (S)

1993 PE	1988 02 19.43368	10 06 53.89	+05 32 32.9		9	675	7603 P-L	1960 10 22.23406	00 07 59.13	-03 40 12.8		4	675
2072 P-L	* 1960 09 24.45000	00 50 26.66	+08 50 02.6	19.5	4	675	7603 P-L	1960 10 25.25350	00 05 58.02	-03 25 46.2		4	675
2072 P-L	1960 09 26.37010	00 48 31.09	+08 45 33.3		4	675	7603 P-L	1960 10 26.31531	00 05 18.98	-03 20 25.7		4	675
2072 P-L	1960 09 28.45140	00 46 22.43	+08 40 15.7		4	675	9565 P-L	* 1960 10 17.22501	23 44 37.91	-08 21 58.9	18.3	4	675
2072 P-L	1960 09 29.44510	00 45 20.30	+08 37 34.6		4	675	9565 P-L	1960 10 22.16324	23 43 04.89	-08 31 00.2		4	675
2072 P-L	1960 10 22.27920	00 21 57.53	+07 23 02.8		4	675	9565 P-L	1960 10 24.23753	23 42 39.21	-08 32 47.8		4	675
2072 P-L	1960 10 25.37570	00 19 20.27	+07 13 34.3		4	675	9565 P-L	1960 10 26.27157	23 42 21.98	-08 33 25.3		4	675
2072 P-L	1960 10 26.36840	00 18 32.85	+07 10 40.6		4	675	1251 T-1	1971 03 24.38924	12 17 41.76	-05 32 11.1		4	675
2655 P-L	* 1960 09 24.46184	00 41 31.43	+02 20 44.2	19.5	4	675	1251 T-1	1971 03 25.27326	12 16 58.85	-05 29 29.8		4	675
2655 P-L	1960 09 26.37988	00 39 49.15	+02 20 52.8		4	675	1251 T-1	* 1971 03 25.31562	12 16 56.64	-05 29 21.8	18.5	4	675
2655 P-L	1960 09 28.39725	00 38 00.04	+02 21 00.4		4	675	1251 T-1	1971 03 26.26771	12 16 10.38	-05 26 28.2		4	675
2655 P-L	1960 10 17.31529	00 21 20.92	+02 25 49.7		4	675	1251 T-1	1971 03 27.32500	12 15 18.97	-05 23 14.9		4	675
2655 P-L	1960 10 22.26809	00 17 36.39	+02 29 59.7		4	675	1251 T-1	1971 04 02.40000	12 10 27.25	-05 04 18.7		4	675
2655 P-L	1960 10 26.35766	00 14 51.41	+02 34 54.8		4	675	1251 T-1	1971 04 16.18087	12 00 27.30	-04 22 59.5		4	675
2665 P-L	* 1960 09 24.46184	00 42 51.66	+02 20 08.5	19.0	4	675	1251 T-1	1971 04 16.26458	12 00 24.03	-04 22 46.1		4	675
2665 P-L	1960 09 26.37988	00 41 28.62	+02 04 01.2		4	675	1251 T-1	1971 05 13.18941	11 49 13.53	-03 36 59.0		4	675
2665 P-L	1960 09 28.43822	00 39 57.72	+01 46 46.4		4	675	1251 T-1	1971 05 14.21962	11 49 04.29	-03 36 35.3		4	675
2665 P-L	1960 09 29.39514	00 39 15.53	+01 38 47.3		4	675	2163 T-1	* 1971 03 25.24340	12 09 14.34	+03 29 42.0	20.0	4	675
2665 P-L	1960 10 22.26809	00 24 50.32	-00 57 34.8		4	675	2163 T-1	1971 03 25.28715	12 09 11.69	+03 29 56.0	20.0	4	675
2665 P-L	1960 10 26.35766	00 23 22.10	-01 14 09.9		4	675	2163 T-1	1971 03 27.31181	12 07 08.25	+03 40 51.5	20.0	4	675
2771 P-L	* 1960 09 24.46184	01 02 14.76	+02 58 56.6	18.0	4	675	4177 T-1	1971 03 24.40486	12 33 20.58	-00 37 15.3		4	675
2771 P-L	1960 09 26.37988	01 00 52.37	+02 52 13.0		4	675	4177 T-1	1971 03 26.31007	12 31 18.88	-00 28 12.1		4	675
2771 P-L	1960 09 28.43822	00 59 21.90	+02 44 55.2		4	675	4177 T-1	* 1971 03 26.34896	12 31 16.33	-00 28 02.1	18.6	4	675
2771 P-L	1960 09 29.39514	00 58 39.34	+02 41 30.2		4	675	4177 T-1	1971 03 27.35208	12 30 11.95	-00 23 17.8		4	675
2771 P-L	1960 10 26.35766	00 38 59.78	+01 16 53.3		4	675	4177 T-1	1971 04 02.43993	12 23 43.70	+00 04 36.1		4	675
2806 P-L	* 1960 09 24.46184	00 58 09.38	+05 29 59.0	19.8	4	675	4177 T-1	1971 04 16.16458	12 10 36.42	+00 55 20.4		4	675
2806 P-L	1960 09 26.37988	00 56 17.89	+05 29 53.3		4	675	4177 T-1	1971 04 16.25069	12 10 31.99	+00 55 35.3		4	675
2806 P-L	1960 09 28.43822	00 54 14.98	+05 29 31.9		4	675	4177 T-1	1971 05 13.17535	11 57 39.05	+01 13 15.9	18.5	4	675
2806 P-L	1960 10 17.30420	00 35 31.25	+05 22 24.9		4	675	4177 T-1	1971 05 14.20694	11 57 33.72	+01 11 33.2		4	675
2806 P-L	1960 10 22.27920	00 31 21.21	+05 22 18.8		4	675	4177 T-1	1971 05 16.31510	11 57 28.26	+01 07 34.5		4	675
2806 P-L	1960 10 26.36840	00 28 23.46	+05 23 48.5		4	675	1003 T-2	1973 09 19.18611	00 05 57.53	+01 19 42.9		4	675
4640 P-L	* 1960 09 24.41183	00 26 53.30	-00 24 40.0	19.1	4	675	1003 T-2	1973 09 19.23785	00 05 55.07	+01 19 26.1		4	675
4640 P-L	1960 09 26.31530	00 25 36.41	-00 38 12.4		4	675	1003 T-2	1973 09 20.22847	00 05 11.72	+01 14 39.2		4	675
4640 P-L	1960 09 27.40836	00 24 51.90	-00 45 56.2		4	675	1003 T-2	1973 09 24.34688	00 02 09.82	+00 54 20.5		4	675
4640 P-L	1960 09 28.39725	00 24 11.73	-00 52 55.0		4	675	1003 T-2	1973 09 24.41597	00 02 06.68	+00 54 00.4		4	675
4640 P-L	1960 10 17.28198	00 12 21.48	-02 52 23.8		4	675	1003 T-2	1973 09 25.24375	00 01 30.06	+00 49 55.5		4	675
4640 P-L	1960 10 22.23406	00 09 53.68	-03 16 54.8		4	675	1003 T-2	1973 09 25.30729	00 01 27.24	+00 49 37.3		4	675
4640 P-L	1960 10 25.25350	00 08 35.34	-03 30 02.9		4	675	1003 T-2	* 1973 09 29.25330	23 58 33.27	+00 30 06.5	19.2	4	675
4640 P-L	1960 10 26.31531	00 08 10.05	-03 34 18.4		4	675	1003 T-2	1973 09 29.31806	23 58 30.36	+00 29 45.8		4	675
7603 P-L	* 1960 10 17.28198	00 11 49.87	-04 01 21.0	17.5	4	675	1003 T-2	1973 09 30.21007	23 57 51.46	+00 25 24.1		4	675
							1052 T-2	1973 09 30.21007	23 57 51.46	+00 25 24.1		4	675
							1052 T-2	1973 09 30.27431	23 57 48.54	+00 25 04.0		4	675
							1052 T-2	1973 10 04.28958	23 54 56.26	+00 05 38.3		4	675
							1052 T-2	1973 10 04.35208	23 54 53.55	+00 05 20.1		4	675
							1052 T-2	1973 10 05.31684	23 54 12.96	+00 00 47.9		4	675
							1052 T-2	1973 10 05.37917	23 54 10.36	+00 00 29.1		4	675
							1052 T-2	1973 09 19.18611	00 09 27.58	+00 58 19.5		4	675
							1052 T-2	1973 09 19.23785	00 09 25.21	+00 58 05.5		4	675
							1052 T-2	1973 09 20.22847	00 08 40.07	+00 53 28.5		4	675
							1052 T-2	1973 09 24.34688	00 05 31.77	+00 34 06.3		4	675
							1052 T-2	1973 09 24.41597	00 05 28.46	+00 33 48.2		4	675
							1052 T-2	1973 09 25.24375	00 04 51.00	+00 29 56.0		4	675
							1052 T-2	1973 09 25.30729	00 04 47.99	+00 29 37.9		4	675

1052 T-2	* 1973 09 29.25330	00 01 49.89	+00 11 18.5	18.9	4 675
1052 T-2	1973 09 29.31806	00 01 46.94	+00 11 01.1		4 675
1052 T-2	1973 09 30.21007	00 01 07.44	+00 06 57.7		4 675
1052 T-2	1973 09 30.27431	00 01 04.52	+00 06 39.0		4 675
1052 T-2	1973 10 04.28958	23 58 10.47	-00 11 15.3		4 675
1052 T-2	1973 10 04.35208	23 58 07.70	-00 11 31.4		4 675
1052 T-2	1973 10 05.31684	23 57 27.29	-00 15 38.4		4 675
1052 T-2	1973 10 05.37917	23 57 24.69	-00 15 53.2		4 675
1084 T-2	1973 09 20.22847	00 11 19.81	+03 09 31.8		4 675
1084 T-2	1973 09 24.34688	00 07 54.92	+02 43 26.2		4 675
1084 T-2	1973 09 24.41597	00 07 51.19	+02 42 59.4		4 675
1084 T-2	1973 09 25.30729	00 07 07.17	+02 37 18.8		4 675
1084 T-2	* 1973 09 29.25330	00 03 55.03	+02 12 04.9	19.8	4 675
1084 T-2	1973 09 29.31806	00 03 51.62	+02 11 40.1		4 675
1084 T-2	1973 09 30.21007	00 03 09.63	+02 06 04.8		4 675
1084 T-2	1973 09 30.27431	00 03 06.35	+02 05 40.0		4 675
1084 T-2	1973 10 04.28958	00 00 03.81	+01 40 58.5		4 675
1084 T-2	1973 10 04.35208	00 00 00.86	+01 40 36.3		4 675
1084 T-2	1973 10 05.31684	23 59 19.41	+01 34 53.0		4 675
1084 T-2	1973 10 05.37917	23 59 16.59	+01 34 32.2		4 675
2256 T-2	1973 09 19.19948	00 48 51.38	+04 18 22.1		4 675
2256 T-2	1973 09 19.25006	00 48 49.22	+04 18 09.5		4 675
2256 T-2	1973 09 20.26458	00 48 08.41	+04 13 35.3		4 675
2256 T-2	1973 09 24.36181	00 45 17.08	+03 54 37.2		4 675
2256 T-2	1973 09 24.42847	00 45 14.01	+03 54 17.9		4 675
2256 T-2	1973 09 25.25642	00 44 38.74	+03 50 18.7		4 675
2256 T-2	1973 09 25.32031	00 44 35.82	+03 50 00.8		4 675
2256 T-2	1973 09 29.26632	00 41 42.27	+03 30 55.1		4 675
2256 T-2	* 1973 09 29.33073	00 41 39.25	+03 30 36.7	18.4	4 675
2256 T-2	1973 09 30.22257	00 40 59.59	+03 26 13.4		4 675
2256 T-2	1973 09 30.28785	00 40 56.58	+03 25 52.7		4 675
2256 T-2	1973 10 04.30208	00 37 55.68	+03 06 06.6		4 675
2256 T-2	1973 10 04.36476	00 37 52.75	+03 05 47.4		4 675
2256 T-2	1973 10 05.32917	00 37 09.34	+03 01 01.9		4 675
2256 T-2	1973 10 05.39132	00 37 06.51	+03 00 42.0		4 675
2275 T-2	1973 09 19.19948	00 49 55.39	+04 11 33.4		4 675
2275 T-2	1973 09 19.25006	00 49 53.19	+04 11 20.1		4 675
2275 T-2	1973 09 20.26458	00 49 13.95	+04 06 26.5		4 675
2275 T-2	1973 09 24.36181	00 46 28.92	+03 46 12.5		4 675
2275 T-2	1973 09 24.42847	00 46 26.16	+03 45 51.3		4 675
2275 T-2	1973 09 25.25642	00 45 52.25	+03 41 39.4		4 675
2275 T-2	1973 09 25.32031	00 45 49.55	+03 41 18.7		4 675
2275 T-2	1973 09 29.26632	00 43 03.13	+03 21 03.4		4 675
2275 T-2	* 1973 09 29.33073	00 43 00.26	+03 20 43.5	19.1	4 675
2275 T-2	1973 09 30.22257	00 42 22.31	+03 16 04.5		4 675
2275 T-2	1973 09 30.28785	00 42 19.42	+03 15 45.1		4 675
2275 T-2	1973 10 04.30208	00 39 26.38	+02 54 49.5		4 675
2275 T-2	1973 10 04.36476	00 39 23.64	+02 54 31.7		4 675
2275 T-2	1973 10 05.32917	00 38 41.81	+02 49 27.2		4 675
2275 T-2	1973 10 05.39132	00 38 39.16	+02 49 08.0		4 675
3198 T-2	1973 09 19.21250	00 22 51.33	-02 27 59.7		4 675
3198 T-2	1973 09 19.26354	00 22 49.00	-02 28 13.1		4 675

3198 T-2	1973 09 20.27795	00 22 02.71	-02 32 06.5		4 675
3198 T-2	1973 09 24.37431	00 18 52.46	-02 47 40.6		4 675
3198 T-2	1973 09 24.44167	00 18 49.23	-02 47 56.1		4 675
3198 T-2	1973 09 25.26875	00 18 10.62	-02 51 03.2		4 675
3198 T-2	1973 09 25.33299	00 18 07.71	-02 51 17.3		4 675
3198 T-2	1973 09 29.27986	00 15 01.42	-03 05 47.9		4 675
3198 T-2	1973 09 29.34375	00 14 58.28	-03 06 01.3		4 675
3198 T-2	1973 09 30.23524	00 14 16.35	-03 09 12.3		4 675
3198 T-2	* 1973 09 30.30174	00 14 13.08	-03 09 27.0	18.7	4 675
3198 T-2	1973 10 04.31493	00 11 05.67	-03 23 12.0		4 675
3198 T-2	1973 10 04.37674	00 11 02.62	-03 23 24.2		4 675
3198 T-2	1973 10 05.34167	00 10 18.11	-03 26 30.5		4 675
3198 T-2	1973 10 05.40347	00 10 15.28	-03 26 43.2		4 675
2164 T-3	1977 10 07.25868	01 06 11.41	+10 39 56.0		4 675
2164 T-3	1977 10 11.27743	01 03 04.40	+10 05 49.2		4 675
2164 T-3	1977 10 11.34375	01 03 01.16	+10 05 15.0		4 675
2164 T-3	1977 10 12.27587	01 02 17.67	+09 57 12.2		4 675
2164 T-3	1977 10 12.34271	01 02 14.41	+09 56 36.0		4 675
2164 T-3	* 1977 10 16.26233	00 59 12.74	+09 22 11.8	18.3	4 675
2164 T-3	1977 10 16.32795	00 59 09.65	+09 21 38.1		4 675
2164 T-3	1977 10 17.26458	00 58 26.98	+09 13 24.1		4 675
2164 T-3	1977 10 17.33177	00 58 23.82	+09 12 49.0		4 675
2174 T-3	1977 10 07.25868	01 09 23.34	+10 01 34.7		4 675
2174 T-3	1977 10 11.27743	01 05 13.32	+09 59 52.7		4 675
2174 T-3	1977 10 11.34375	01 05 09.05	+09 59 50.1		4 675
2174 T-3	1977 10 12.27587	01 04 10.73	+09 59 19.6		4 675
2174 T-3	1977 10 12.34271	01 04 06.50	+09 59 16.4		4 675
2174 T-3	* 1977 10 16.26233	01 00 01.56	+09 56 45.4	18.7	4 675
2174 T-3	1977 10 16.32795	00 59 57.43	+09 56 41.9		4 675
2174 T-3	1977 10 17.26458	00 58 59.39	+09 56 05.0		4 675
2174 T-3	1977 10 17.33177	00 58 55.12	+09 56 01.3		4 675
2174 T-3	1977 10 21.40868	00 54 47.02	+09 53 01.7		4 675
2174 T-3	1977 10 21.46910	00 54 43.30	+09 52 57.9		4 675
2174 T-3	1977 10 22.41528	00 53 47.20	+09 52 18.6		4 675
2174 T-3	1977 10 22.46962	00 53 43.83	+09 52 17.0		4 675
2191 T-3	1977 10 07.25868	01 09 20.42	+11 14 25.0		4 675
2191 T-3	1977 10 11.27743	01 05 47.44	+10 58 47.7		4 675
2191 T-3	1977 10 11.34375	01 05 43.69	+10 58 33.0		4 675
2191 T-3	1977 10 12.27587	01 04 54.09	+10 54 47.3		4 675
2191 T-3	1977 10 12.34271	01 04 50.44	+10 54 31.9		4 675
2191 T-3	* 1977 10 16.26233	01 01 22.75	+10 38 12.6	19.4	4 675
2191 T-3	1977 10 16.32795	01 01 19.25	+10 37 56.3		4 675
2191 T-3	1977 10 17.26458	01 00 30.24	+10 34 02.6		4 675
2191 T-3	1977 10 17.33177	01 00 26.50	+10 33 44.1		4 675

684 Prescott

P. G. Comba, 1411 Galaxy Lane, Prescott, AZ 86303, U.S.A.

Observer P. G. Comba

Measurers P. G. Comba, F. Calfior

0.45-m $f/8.1$ reflector

GSC

1990 RD	1995 09 27.28750	00 16 08.85	-00 03 42.6	684
1990 RD	1995 09 27.30625	00 16 08.06	-00 03 52.9	684

1990 RD	1995 10 01.34306	00 13 28.71	-00 41 37.3	684	1981 UU ₁₁	1995 09 26.41769	01 32 39.30	+10 24 50.9	691
1990 RD	1995 10 01.35833	00 13 28.00	-00 41 45.4	684	1981 UU ₁₁	1995 09 26.43920	01 32 38.53	+10 24 41.4	691
1991 NS ₁	1995 09 20.26667	23 47 23.55	-02 10 15.5	684	1981 UU ₁₁	1995 09 26.46037	01 32 37.77	+10 24 32.1	691
1991 NS ₁	1995 09 20.27569	23 47 23.08	-02 10 20.8	684	1981 UU ₁₁	1995 09 29.41225	01 30 52.77	+10 02 25.8	691
1991 RN	1995 09 19.24444	23 27 47.12	+04 15 33.9	684	1981 UU ₁₁	1995 09 29.41994	01 30 52.47	+10 02 22.2	16.8 V 691
1991 RN	1995 09 19.25278	23 27 46.64	+04 15 33.3	684	1981 UU ₁₁	1995 09 29.42753	01 30 52.17	+10 02 18.6	691
1991 RN	1995 09 19.26111	23 27 46.13	+04 15 32.5	684	1981 UU ₁₁	1995 10 01.44300	01 29 35.73	+09 46 32.6	691
1993 BO	1995 09 18.25692	23 32 45.40	-00 54 57.1	684	1981 UU ₁₁	1995 10 01.46404	01 29 34.75	+09 46 22.1	691
1993 BO	1995 09 18.26387	23 32 45.00	-00 55 01.1	684	1981 UU ₁₁	1995 10 01.48523	01 29 33.93	+09 46 12.0	691
1993 BO	1995 09 18.27081	23 32 44.64	-00 55 03.7	684	1984 YN ₁	1994 05 05.29534	13 56 27.66	-12 45 27.1	691
(6602)	1995 09 16.18021	23 02 47.50	+03 20 34.0	684	1984 YN ₁	1994 05 05.32075	13 56 26.28	-12 45 21.8	18.0 V 691
(6602)	1995 09 16.21076	23 02 44.18	+03 20 49.5	684	1984 YN ₁	1994 05 05.34444	13 56 24.94	-12 45 15.2	691
(6602)	1995 09 16.22743	23 02 42.26	+03 20 57.2	684	1985 GK	1995 09 24.12260	21 43 08.93	-00 19 06.8	691
(6602)	1995 09 19.19896	22 57 21.17	+03 46 47.1	684	1985 GK	1995 09 24.14338	21 43 08.37	-00 19 16.6	18.1 V 691
(6602)	1995 09 19.21108	22 57 19.87	+03 46 54.1	684	1985 GK	1995 09 24.16419	21 43 07.86	-00 19 26.1	691
(6602)	1995 09 19.21725	22 57 19.18	+03 46 57.3	684	1985 GK	1995 09 29.15176	21 41 21.50	-00 56 41.1	691
691 Kitt Peak, Steward Observatory					1985 GK	1995 09 29.17247	21 41 21.09	-00 56 50.2	691
T. Gehrels, Space Sciences Building, University of Arizona, Tucson, AZ 85721, U.S.A. [tgehrels@lpl.arizona.edu]					1985 GK	1995 09 29.19333	21 41 20.68	-00 56 59.7	691
C. W. Hergenrother, Lunar and Planetary Laboratory, University of Arizona, Tucson, AZ 85721, U.S.A. [cherger@comet.lpl.arizona.edu]					1985 RP ₄	1995 02 06.45085	11 45 20.19	+04 05 41.0	19.4 V 691
Observers T. Gehrels, R. Jedicke, D. L. Rabinowitz, J. V. Scotti, S. M. Larson					1985 RP ₄	1995 02 06.48253	11 45 19.31	+04 05 49.9	691
Measurers D. L. Rabinowitz, R. Jedicke, J. V. Scotti, C. W. Hergenrother					1985 RP ₄	1995 02 06.51421	11 45 18.29	+04 05 58.8	691
0.91-m Spacewatch telescope, 2.3-m reflector + CCD					1985 RP ₄	1995 02 23.37641	11 34 27.88	+05 39 51.5	691
GSC					1985 RP ₄	1995 02 23.39791	11 34 26.78	+05 39 59.0	19.7 V 691
1975 SB ₁	1995 04 23.15255	12 36 21.62	+00 31 29.3	18.3 V 691	1986 ED	1995 02 23.42143	11 34 25.65	+05 40 08.1	691
1975 SB ₁	1995 04 23.17511	12 36 20.69	+00 31 31.4	691	1986 ED	1991 10 13.37214	01 54 02.58	+09 41 58.9	691
1975 SB ₁	1995 04 23.19700	12 36 19.78	+00 31 32.2	691	1986 ED	1991 10 13.39241	01 54 01.38	+09 41 53.6	18.7 V 691
1981 EW ₂	1995 07 22.39971	22 28 03.05	-09 07 47.2	19.3 V 691	1986 ED	1991 10 13.42215	01 53 59.55	+09 41 45.9	691
1981 EW ₂	1995 07 22.42623	22 28 02.03	-09 07 42.9	691	1987 QW ₇	1995 10 02.44284	02 11 12.51	+14 49 48.3	16.9 V 691
1981 EW ₂	1995 07 22.45307	22 28 00.98	-09 07 38.7	691	1987 QW ₇	1995 10 02.46443	02 11 11.75	+14 49 43.0	691
1981 EP ₆	1994 09 02.24945	22 19 47.76	-10 28 33.0	19.5 V 691	1987 QW ₇	1995 10 02.48589	02 11 11.00	+14 49 37.8	691
1981 EP ₆	1994 09 02.27291	22 19 46.58	-10 28 35.0	691	1988 RF ₉	1995 09 19.36891	00 54 32.04	+01 12 18.2	691
1981 EP ₆	1994 09 02.29664	22 19 45.30	-10 28 36.1	691	1988 RF ₉	1995 09 19.38977	00 54 30.86	+01 12 10.5	691
1981 EF ₈	1995 09 24.20006	22 29 30.98	-00 41 30.4	691	1988 RF ₉	1995 09 19.41149	00 54 29.64	+01 12 01.9	691
1981 EF ₈	1995 09 24.20576	22 29 30.78	-00 41 32.7	18.3 V 691	1988 RF ₉	1995 09 30.20962	00 44 08.64	+00 03 24.9	18.1 V 691
1981 EF ₈	1995 09 24.21591	22 29 30.41	-00 41 36.7	691	1988 RF ₉	1995 09 30.23190	00 44 07.23	+00 03 16.4	691
1981 EF ₂₁	1995 09 25.31984	00 57 57.95	+00 53 28.7	691	1988 TC ₁	1995 09 18.43196	01 33 18.04	+09 30 09.8	691
1981 EF ₂₁	1995 09 25.34071	00 57 56.94	+00 53 18.6	691	1988 TC ₁	1995 09 18.46117	01 33 16.99	+09 30 09.3	691
1981 EF ₂₁	1995 09 25.36159	00 57 55.97	+00 53 08.2	691	1988 TC ₁	1995 09 18.49100	01 33 15.87	+09 30 09.2	691
1981 EF ₂₁	1995 09 30.19436	00 54 11.48	+00 13 16.2	20.1 V 691	1988 TC ₁	1995 09 24.45587	01 29 23.97	+09 27 22.1	691
1981 EF ₂₁	1995 09 30.21656	00 54 10.39	+00 13 05.2	691	1988 TC ₁	1995 09 24.47701	01 29 23.00	+09 27 21.0	691
1981 EF ₂₁	1995 09 30.23886	00 54 09.29	+00 12 53.6	691	1988 TC ₁	1995 09 24.49813	01 29 22.02	+09 27 19.7	691
1981 ED ₂₂	1995 10 02.29993	22 35 30.46	-08 27 23.9	691	1988 TC ₁	1995 09 30.43613	01 24 33.19	+09 19 47.8	691
1981 ED ₂₂	1995 10 02.32114	22 35 29.76	-08 27 28.6	19.2 V 691	1988 TC ₁	1995 09 30.45719	01 24 32.03	+09 19 45.6	16.4 V 691
1981 ED ₂₂	1995 10 02.34239	22 35 29.11	-08 27 33.7	691	1988 TC ₁	1995 09 30.47835	01 24 30.88	+09 19 43.5	691
1981 EF ₂₆	1995 09 17.26531	23 18 59.78	-03 34 42.5	691	1989 CA	1995 09 25.43378	01 18 01.78	+09 43 56.9	691
1981 EF ₂₆	1995 09 17.28633	23 18 58.93	-03 34 49.3	17.6 V 691	1989 CA	1995 09 25.45488	01 18 00.83	+09 43 50.4	16.5 V 691
1981 EF ₂₆	1995 09 17.30718	23 18 58.11	-03 34 56.9	691	1989 CA	1995 09 25.47607	01 17 59.90	+09 43 44.0	691
1981 EX ₄₁	1995 09 24.23260	23 32 56.74	-01 59 21.5	17.0 V 691	1989 CA	1995 09 30.42900	01 14 16.03	+09 17 12.4	691
1981 EX ₄₁	1995 09 24.25330	23 32 55.86	-01 59 27.9	691	1989 CA	1995 09 30.45006	01 14 14.97	+09 17 05.1	691
1981 EX ₄₁	1995 09 24.27413	23 32 54.94	-01 59 34.3	691	1989 CA	1995 09 30.47123	01 14 13.92	+09 16 57.6	691
					1990 HH ₁	1995 07 26.32569	23 01 17.98	-01 11 32.2	17.5 V 691
					1990 HH ₁	1995 07 26.34651	23 01 17.72	-01 11 39.4	691

1990 HH ₁	1995 07 26.36739	23 01 17.51	-01 11 46.9		691	1993 FT ₄	1995 09 26.39288	00 49 33.28	+01 37 26.9		691
1990 QU ₇	1995 09 20.18927	22 37 51.64	-09 39 41.5	18.2 V	691	1993 FT ₄	1995 09 30.37296	00 46 43.59	+01 18 05.9	18.0 V	691
1990 QU ₇	1995 09 20.21112	22 37 50.70	-09 39 48.0		691	1993 FT ₄	1995 09 30.39414	00 46 42.64	+01 17 59.8		691
1990 QU ₇	1995 09 20.23220	22 37 49.70	-09 39 54.4		691	1993 FT ₄	1995 09 30.41491	00 46 41.75	+01 17 53.6		691
1990 QU ₇	1995 09 25.18047	22 34 31.71	-10 02 00.2		691	1993 FJ ₂₂	1995 09 18.39421	23 25 09.13	-04 12 39.5		691
1990 QU ₇	1995 09 25.20193	22 34 30.86	-10 02 05.8		691	1993 FJ ₂₂	1995 09 18.40194	23 25 08.82	-04 12 41.7	17.9 V	691
1990 QU ₇	1995 09 25.22324	22 34 30.00	-10 02 11.3		691	1993 FJ ₂₂	1995 09 18.40942	23 25 08.44	-04 12 43.7		691
1990 RK ₇	1995 09 18.31733	00 33 25.81	+00 12 16.1	18.1 V	691	1993 FR ₅₈	1995 09 23.17664	23 18 35.87	-02 54 25.0	18.0 V	691
1990 RK ₇	1995 09 18.33800	00 33 24.85	+00 12 09.6		691	1993 FR ₅₈	1995 09 23.19728	23 18 34.88	-02 54 31.2		691
1990 RK ₇	1995 09 18.37003	00 33 23.39	+00 11 59.5		691	1993 FR ₅₈	1995 09 23.21795	23 18 33.91	-02 54 37.6		691
1990 TP ₇	1995 09 22.42593	01 22 00.32	+08 48 09.9	18.1 V	691	1993 FF ₈₂	1995 09 22.43813	01 39 37.15	+08 52 30.0		691
1990 TP ₇	1995 09 22.45641	01 21 59.11	+08 48 03.9		691	1993 FF ₈₂	1995 09 22.46861	01 39 35.95	+08 52 25.8	18.2 V	691
1990 TP ₇	1995 09 22.48448	01 21 58.02	+08 47 58.5		691	1993 FF ₈₂	1995 09 22.49668	01 39 34.83	+08 52 21.6		691
1990 TP ₇	1995 09 27.36357	01 18 43.54	+08 31 17.9		691	1993 FF ₈₂	1995 09 27.37570	01 36 14.92	+08 39 45.9	18.1 V	691
1990 TP ₇	1995 09 27.38471	01 18 42.62	+08 31 13.3	18.4 V	691	1993 FF ₈₂	1995 09 27.39684	01 36 13.95	+08 39 42.6		691
1990 TP ₇	1995 09 27.40578	01 18 41.69	+08 31 08.7		691	1993 FF ₈₂	1995 09 27.41792	01 36 13.02	+08 39 39.1		691
1991 NS ₁	1995 09 27.30229	23 41 57.57	-03 16 38.5	16.4 V	691	1993 TB ₄₆	1993 09 19.37083	01 24 56.03	+09 18 28.7	19.0 V	691
1991 NS ₁	1995 09 27.33193	23 41 56.22	-03 16 54.6		691	1993 TB ₄₆	1993 09 19.40421	01 24 54.84	+09 18 23.4		691
1991 NS ₁	1995 09 27.35278	23 41 55.23	-03 17 05.5		691	1993 TB ₄₆	1993 09 19.43730	01 24 53.67	+09 18 18.0		691
1991 OM ₁	1994 03 10.20766	10 47 13.19	+05 36 15.9	16.0 V	691	1994 JM ₉	* 1994 05 15.27323	15 19 05.20	-13 45 19.1		691
1991 OM ₁	1994 03 10.34003	10 47 05.11	+05 37 00.3		691	1994 JM ₉	1994 05 15.33936	15 19 01.21	-13 45 04.0	19.4 V	691
1991 PT ₁	1995 09 19.43578	01 35 41.86	+09 39 58.4		691	1994 JM ₉	1994 05 15.40569	15 18 57.24	-13 44 49.1		691
1991 PT ₁	1995 09 19.46483	01 35 40.63	+09 39 49.2		691	1995 ER ₅	1995 04 04.30532	11 09 16.15	+08 31 59.0	18.5 V	691
1991 PT ₁	1995 09 19.49366	01 35 39.41	+09 39 39.9	18.4 V	691	1995 ER ₅	1995 04 04.32784	11 09 15.48	+08 32 06.1		691
1991 PT ₁	1995 09 24.45772	01 32 03.77	+09 11 54.4		691	1995 ER ₅	1995 04 04.34955	11 09 14.75	+08 32 14.5		691
1991 PT ₁	1995 09 24.47885	01 32 02.77	+09 11 46.8	18.7 V	691	1995 ES ₆	1995 03 27.14374	11 09 21.27	+05 39 34.1		691
1991 PT ₁	1995 09 24.49997	01 32 01.75	+09 11 39.3		691	1995 ES ₆	1995 03 27.16521	11 09 20.39	+05 39 37.6	19.6 V	691
1991 SJ ₁	1995 10 02.23562	22 36 11.94	-08 48 40.1		691	1995 ES ₆	1995 03 27.18660	11 09 19.51	+05 39 42.3		691
1991 SJ ₁	1995 10 02.25699	22 36 11.28	-08 48 49.6	17.0 V	691	1995 FD ₁	1995 03 27.34034	12 22 49.04	-03 41 30.7		691
1991 SJ ₁	1995 10 02.27821	22 36 10.60	-08 48 59.3		691	1995 FD ₁	1995 03 27.36170	12 22 47.78	-03 41 25.0	16.2 V	691
1992 EJ ₉	1993 05 25.24717	14 07 13.84	-13 38 38.6	19.0 V	691	1995 FD ₁	1995 03 27.38309	12 22 46.51	-03 41 18.8		691
1992 EJ ₉	1993 05 25.28951	14 07 12.33	-13 38 34.1		691	1995 FG ₁	1995 04 06.30315	12 25 27.78	-04 11 50.4	16.5 V	691
1992 EJ ₉	1993 05 25.32851	14 07 10.96	-13 38 29.4		691	1995 FG ₁	1995 04 06.32574	12 25 26.69	-04 11 43.6		691
1992 EE ₁₃	1994 06 16.32322	20 33 30.82	-09 02 04.8		691	1995 FG ₁	1995 04 06.34727	12 25 25.65	-04 11 37.2		691
1992 EE ₁₃	1994 06 16.35270	20 33 30.16	-09 02 04.4	19.5 V	691	1995 FA ₃	1995 04 04.16161	11 11 20.98	+09 36 36.0		691
1992 EE ₁₃	1994 06 16.38282	20 33 29.51	-09 02 04.2		691	1995 FA ₃	1995 04 04.18356	11 11 20.19	+09 36 39.2		691
1992 JN ₄	1992 05 08.33022	14 58 51.48	-12 23 47.2		691	1995 FA ₃	1995 04 04.20523	11 11 19.45	+09 36 43.8	21.3 V	691
1992 JN ₄	1992 05 08.35499	14 58 50.19	-12 23 35.1	17.8 V	691	1995 FO ₄	1995 03 29.38325	11 08 38.23	+08 39 46.3		691
1992 JN ₄	1992 05 08.37985	14 58 48.89	-12 23 22.2		691	1995 FO ₄	1995 03 29.40500	11 08 37.05	+08 39 44.9		691
1992 QN	1995 09 20.46985	05 37 56.30	+33 05 04.5	19.0 R	691	1995 FO ₄	1995 03 29.42692	11 08 36.02	+08 39 46.0	19.4 V	691
1992 QN	1995 09 20.47786	05 37 57.39	+33 05 09.4		691	1995 FW ₅	1995 04 04.29924	11 00 30.00	+08 29 12.0		691
1992 UX ₅	1995 09 21.17828	22 49 08.10	-08 45 06.2		691	1995 FW ₅	1995 04 04.32177	11 00 29.15	+08 29 12.4	19.1 V	691
1992 UX ₅	1995 09 21.18547	22 49 07.71	-08 45 09.2		691	1995 FW ₅	1995 04 04.34347	11 00 28.34	+08 29 13.3		691
1992 UX ₅	1995 09 21.19258	22 49 07.38	-08 45 12.5		691	1995 FO ₁₀	1995 04 01.28277	13 03 50.23	+00 19 38.8		691
1992 UX ₅	1995 09 25.25300	22 46 00.68	-09 13 36.7		691	1995 FO ₁₀	1995 04 01.35054	13 03 46.48	+00 19 55.4	17.1 V	691
1992 UX ₅	1995 09 25.27394	22 45 59.73	-09 13 45.1	16.9 V	691	1995 FO ₁₀	1995 04 01.42788	13 03 42.23	+00 20 13.7		691
1992 UX ₅	1995 09 25.29505	22 45 58.78	-09 13 53.8		691	1995 FN ₁₇	1995 04 27.19008	13 21 49.10	-00 20 52.4		691
1993 BO	1995 09 29.28131	23 23 57.66	-02 15 29.4		691	1995 FN ₁₇	1995 04 27.21166	13 21 47.92	-00 20 47.5		691
1993 BO	1995 09 29.30227	23 23 56.67	-02 15 38.4	15.5 V	691	1995 FN ₁₇	1995 04 27.23305	13 21 46.73	-00 20 41.6	20.0 V	691
1993 BO	1995 09 29.32336	23 23 55.69	-02 15 47.1		691	1995 FZ ₁₈	1995 03 23.29530	11 11 26.40	+08 30 31.8	18.6 V	691
1993 FT ₄	1995 09 26.35107	00 49 35.10	+01 37 39.2		691	1995 FZ ₁₈	1995 03 23.31767	11 11 25.01	+08 30 33.1		691
1993 FT ₄	1995 09 26.37189	00 49 34.19	+01 37 33.2		691	1995 FZ ₁₈	1995 03 23.33932	11 11 23.68	+08 30 34.6		691

1995 FW ₁₉	1995 03 23.36284	11 13 43.45	+07 52 50.0		691	1995 OO	1995 09 17.39282	23 31 16.89	−00 03 54.3	691
1995 FW ₁₉	1995 03 23.38447	11 13 42.35	+07 52 53.9	18.1 V	691	1995 OO	1995 09 17.39818	23 31 16.39	−00 03 55.8	691
1995 FW ₁₉	1995 03 23.40607	11 13 41.27	+07 52 57.9		691	1995 OO	1995 09 17.41316	23 31 15.01	−00 04 00.3	691
1995 GV ₁	1995 04 08.26388	13 03 44.93	+00 45 37.9	20.3 V	691	1995 OZ	1994 04 02.21757	11 40 32.61	+00 41 08.0	691
1995 GV ₁	1995 04 08.29143	13 03 43.40	+00 45 43.9		691	1995 OZ	1994 04 02.29099	11 40 29.18	+00 41 44.4	17.2 V 691
1995 GV ₃	1995 04 01.27335	12 50 14.03	+00 04 11.1	18.6 V	691	1995 OZ	1994 04 02.36151	11 40 25.90	+00 42 19.0	691
1995 GV ₃	1995 04 01.34112	12 50 10.68	+00 04 52.2		691	1995 OH ₃	1995 08 01.27767	22 26 47.43	−09 24 22.1	691
1995 GV ₃	1995 04 01.41847	12 50 06.88	+00 05 39.0		691	1995 OH ₃	1995 08 01.30726	22 26 46.65	−09 24 35.3	19.2 V 691
1995 GD ₄	1995 04 01.34943	13 02 10.54	+00 21 03.9	19.1 V	691	1995 OY ₅	1995 08 01.31996	22 45 16.57	−09 19 27.3	20.5 V 691
1995 GD ₄	1995 04 01.42678	13 02 06.92	+00 21 17.8		691	1995 OY ₅	1995 08 01.34369	22 45 15.95	−09 19 33.5	691
1995 GS ₅	1995 04 22.17063	12 36 13.32	+00 41 28.7	18.1 V	691	1995 OD ₈	1995 07 04.40107	21 25 52.92	−06 56 13.4	20.3 V 691
1995 GS ₅	1995 04 22.19311	12 36 12.49	+00 41 34.3		691	1995 OD ₈	1995 07 04.42945	21 25 52.42	−06 56 15.2	691
1995 GS ₅	1995 04 22.21458	12 36 11.53	+00 41 39.1		691	1995 OD ₈	1995 07 04.45793	21 25 51.90	−06 56 17.7	691
1995 GF ₆	1995 04 02.23788	13 01 52.96	−00 39 47.2	18.4 V	691	1995 OK ₈	1995 07 04.40595	21 32 55.61	−07 10 41.3	18.2 V 691
1995 GF ₆	1995 04 02.32285	13 01 48.56	−00 39 13.7		691	1995 OK ₈	1995 07 04.43433	21 32 55.11	−07 10 41.3	691
1995 GF ₆	1995 04 02.40566	13 01 44.25	−00 38 41.3		691	1995 OK ₈	1995 07 04.46281	21 32 54.59	−07 10 41.7	691
1995 GM ₆	1995 04 23.16131	12 48 59.97	+00 21 14.2	21.1 V	691	1995 QN	1995 09 21.17974	22 51 14.59	−08 49 40.5	16.1 V 691
1995 GM ₆	1995 04 23.18387	12 48 59.11	+00 21 16.9		691	1995 QN	1995 09 21.18693	22 51 14.28	−08 49 43.7	691
1995 GM ₆	1995 04 23.20576	12 48 58.22	+00 21 20.5		691	1995 QN	1995 09 21.19404	22 51 13.98	−08 49 46.7	691
1995 GU ₆	1995 04 22.18504	12 57 01.11	+00 48 39.3		691	1995 QN	1995 09 25.25487	22 48 42.59	−09 16 07.0	691
1995 GU ₆	1995 04 22.20752	12 57 00.19	+00 48 45.3	20.2 V	691	1995 QN	1995 09 25.27581	22 48 41.82	−09 16 14.6	15.8 V 691
1995 GU ₆	1995 04 22.22899	12 56 59.35	+00 48 51.6		691	1995 QN	1995 09 25.29693	22 48 41.07	−09 16 22.5	691
1995 HP	1995 04 26.23358	14 32 25.80	−08 55 21.7		691	1995 QN	1995 10 01.20636	22 45 47.95	−09 48 13.6	16.4 V 691
1995 HP	1995 04 26.25515	14 32 24.44	−08 55 15.8	17.0 V	691	1995 QN	1995 10 01.22937	22 45 47.33	−09 48 20.4	691
1995 HP	1995 04 26.27673	14 32 23.10	−08 55 09.9		691	1995 QN	1995 10 01.25138	22 45 46.72	−09 48 26.6	691
1995 HP	1995 05 01.22542	14 27 17.77	−08 32 30.9		691	1995 QN ₁	1995 09 21.25776	22 30 59.63	−08 11 18.7	691
1995 HP	1995 05 01.29406	14 27 13.30	−08 32 12.8		691	1995 QN ₁	1995 09 21.27927	22 30 58.85	−08 11 24.3	19.8 V 691
1995 HP	1995 05 01.36533	14 27 08.67	−08 31 53.5	17.2 V	691	1995 QN ₁	1995 09 21.30043	22 30 58.03	−08 11 29.7	691
1995 HT ₁	1995 05 04.32524	15 21 18.89	−02 07 52.4	19.2 V	691	1995 QN ₁	1995 09 26.27754	22 28 05.12	−08 31 41.9	20.2 V 691
1995 HT ₁	1995 05 04.35054	15 21 17.47	−02 07 49.7		691	1995 QN ₁	1995 09 26.29864	22 28 04.40	−08 31 47.0	691
1995 HU ₁	1995 05 04.32487	15 20 46.21	−02 03 33.5	19.9 V	691	1995 QN ₁	1995 09 26.31972	22 28 03.69	−08 31 52.3	691
1995 HU ₁	1995 05 04.35016	15 20 44.63	−02 03 30.9		691	1995 QN ₁	1995 10 02.22798	22 25 10.12	−08 52 47.1	691
1995 HU ₁	1995 05 04.37722	15 20 42.91	−02 03 28.2		691	1995 QN ₁	1995 10 02.24935	22 25 09.53	−08 52 51.1	691
1995 HY ₁	1995 04 29.27799	15 18 28.76	−02 45 38.4	20.4 V	691	1995 QN ₁	1995 10 02.27057	22 25 08.95	−08 52 55.3	20.5 V 691
1995 HY ₁	1995 04 29.34585	15 18 25.48	−02 45 12.3		691	1995 QG ₂	1992 11 17.32169	03 05 47.43	+12 17 29.0	17.1 V 691
1995 HY ₁	1995 04 29.43530	15 18 21.27	−02 44 37.6		691	1995 QG ₂	1992 11 17.34723	03 05 45.77	+12 17 26.7	691
1995 JA ₁	1995 04 25.40328	14 37 30.12	−08 48 37.7	17.7 V	691	1995 QG ₂	1992 11 17.37288	03 05 44.11	+12 17 24.4	691
1995 JA ₁	1995 04 25.42759	14 37 28.60	−08 48 38.4		691	1995 QZ ₂	1995 09 20.18935	22 37 58.47	−09 34 50.6	18.6 V 691
1995 JA ₁	1995 05 01.22834	14 31 30.85	−08 49 52.8	18.1 V	691	1995 QZ ₂	1995 09 20.21120	22 37 57.61	−09 34 55.2	691
1995 JA ₁	1995 05 01.29699	14 31 26.45	−08 49 54.2		691	1995 QZ ₂	1995 09 20.23228	22 37 56.75	−09 34 59.1	691
1995 JA ₁	1995 05 01.36826	14 31 21.84	−08 49 56.9		691	1995 QZ ₂	1995 09 25.18079	22 34 59.06	−09 49 21.4	691
1995 JH ₁	1995 05 29.22052	14 31 48.67	−11 34 05.3		691	1995 QZ ₂	1995 09 25.20225	22 34 58.32	−09 49 24.8	18.7 V 691
1995 JH ₁	1995 05 29.23747	14 31 48.12	−11 34 02.8		691	1995 QZ ₂	1995 09 25.22356	22 34 57.57	−09 49 28.2	691
1995 JH ₁	1995 05 29.25433	14 31 47.40	−11 34 00.8	17.9 V	691	1995 QZ ₂	1995 10 01.19680	22 31 59.69	−10 02 57.7	691
1995 KB ₄	1995 05 31.17995	14 20 27.56	−13 13 15.7		691	1995 QZ ₂	1995 10 01.21980	22 31 59.04	−10 03 00.5	18.8 V 691
1995 KB ₄	1995 05 31.19694	14 20 26.75	−13 13 18.6	18.9 V	691	1995 QZ ₂	1995 10 01.24182	22 31 58.43	−10 03 02.8	691
1995 KQ ₄	1995 05 26.28031	14 17 32.17	−12 52 10.5	19.9 V	691	1995 QN ₃	1995 09 24.21624	22 29 59.13	−00 51 58.4	19.7 V 691
1995 KQ ₄	1995 05 26.32687	14 17 30.18	−12 52 01.4		691	1995 SA	1995 10 01.26118	23 12 59.27	−06 53 02.8	21.5 691
1995 KD ₅	1995 05 26.31315	14 32 46.08	−12 52 56.3	20.3 V	691	1995 SA	1995 10 01.26644	23 12 58.98	−06 53 05.9	21.3 691
1995 KD ₅	1995 05 26.33742	14 32 45.03	−12 52 46.9		691	1995 SA	1995 10 16.15679	23 03 17.66	−09 14 25.7	22.2 V 691
1995 MD ₄	1995 06 23.36989	21 08 41.25	−07 04 45.2	20.4 V	691	1995 SA	1995 10 16.16238	23 03 17.56	−09 14 27.9	21.8 V 691
1995 ME ₄	1995 08 02.28455	21 02 10.56	−06 46 47.0		691	1995 SA	1995 10 16.16872	23 03 17.29	−09 14 30.1	22.0 V 691

1995 SB	1995 09 30.24933	22 53 39.59	+02 39 27.7	22.1	691	1995 SA ₄	1995 10 02.43781	02 19 48.77	+12 08 23.4	19.3	691
1995 SB	1995 09 30.26007	22 53 38.29	+02 39 40.6	22.2	691	1995 SA ₄	1995 10 18.31685	02 28 38.36	+09 23 50.8	20.6 V	691
1995 SN	1995 09 18.43519	01 37 58.54	+09 24 27.5		691	1995 SA ₄	1995 10 18.32245	02 28 38.27	+09 23 48.3	20.3 V	691
1995 SN	1995 09 18.46441	01 37 57.34	+09 24 24.9	19.4 V	691	1995 SA ₄	1995 10 18.32824	02 28 38.22	+09 23 46.1	20.3 V	691
1995 SN	1995 09 18.49424	01 37 56.01	+09 24 22.2		691	1995 SA ₄	1995 10 18.33412	02 28 38.15	+09 23 43.5	20.7 V	691
1995 SO	1995 09 17.45274	01 39 02.52	+08 42 44.0		691	1995 SA ₄	1995 10 18.34017	02 28 38.07	+09 23 41.0	20.6 V	691
1995 SO	1995 09 17.47495	01 39 01.89	+08 42 36.5	19.4 V	691	1995 SA ₄	1995 10 18.34594	02 28 37.99	+09 23 38.4	20.5 V	691
1995 SO	1995 09 17.49704	01 39 01.28	+08 42 28.8		691	1995 SA ₅	1995 09 22.43636	01 37 04.01	+08 31 54.9		691
1995 SP	1995 09 18.43469	01 37 14.69	+09 12 14.6	16.6 V	691	1995 SA ₅	1995 09 22.46685	01 37 03.12	+08 31 37.4		691
1995 SP	1995 09 18.46391	01 37 13.60	+09 12 21.4		691	1995 SA ₅	1995 09 22.49492	01 37 02.32	+08 31 21.4	19.7 V	691
1995 SP	1995 09 18.49373	01 37 12.40	+09 12 28.2		691	1995 SV ₅	* 1995 09 17.26726	23 21 48.69	-03 39 14.4	18.4 V	691
1995 SP	1995 09 25.44370	01 32 21.23	+09 37 28.9	16.7 V	691	1995 SV ₅	1995 09 17.28828	23 21 47.51	-03 39 16.2		691
1995 SP	1995 09 25.46480	01 32 20.13	+09 37 33.7		691	1995 SV ₅	1995 09 17.30912	23 21 46.30	-03 39 18.3		691
1995 SP	1995 10 01.44118	01 26 58.47	+09 55 13.4	16.5 V	691	1995 SV ₅	1995 09 22.28358	23 17 09.61	-03 47 37.5	18.4 V	691
1995 SP	1995 10 01.46222	01 26 57.23	+09 55 16.8		691	1995 SV ₅	1995 09 22.30443	23 17 08.43	-03 47 39.5		691
1995 SP	1995 10 01.48341	01 26 55.91	+09 55 20.2		691	1995 SV ₅	1995 09 22.32534	23 17 07.25	-03 47 41.4		691
1995 SC ₁	1995 10 01.28238	23 45 13.43	+06 20 51.8	19.6	691	1995 SW ₅	* 1995 09 17.26771	23 22 27.63	-03 43 01.5	19.6 V	691
1995 SC ₁	1995 10 01.28645	23 45 13.82	+06 21 05.2	19.3	691	1995 SW ₅	1995 09 17.28873	23 22 26.71	-03 43 18.8		691
1995 SC ₁	1995 10 16.18396	00 08 41.29	+15 59 59.5	20.2 V	691	1995 SW ₅	1995 09 17.30957	23 22 25.78	-03 43 35.8		691
1995 SC ₁	1995 10 16.18983	00 08 41.68	+16 00 08.0	20.0 V	691	1995 SW ₅	1995 09 18.39203	23 21 41.65	-03 58 32.3	20.2 V	691
1995 SC ₁	1995 10 16.19583	00 08 42.07	+16 00 16.9	20.4 V	691	1995 SW ₅	1995 09 18.39976	23 21 41.29	-03 58 38.7		691
1995 SD ₁	1995 10 01.29062	00 07 14.71	-07 16 18.6	18.7	691	1995 SW ₅	1995 09 18.40725	23 21 40.99	-03 58 44.8		691
1995 SD ₁	1995 10 01.29546	00 07 15.72	-07 16 28.1	18.7	691	1995 SX ₅	* 1995 09 17.26812	23 23 03.18	-03 56 01.8	19.1 V	691
1995 SD ₁	1995 10 18.26058	01 06 24.96	-14 04 01.5	19.1 V	691	1995 SX ₅	1995 09 17.28914	23 23 02.19	-03 56 06.9		691
1995 SD ₁	1995 10 18.26620	01 06 25.93	-14 04 06.2	19.0 V	691	1995 SX ₅	1995 09 17.30998	23 23 01.20	-03 56 12.5		691
1995 SD ₁	1995 10 18.27181	01 06 26.90	-14 04 10.9	19.0 V	691	1995 SX ₅	1995 09 18.39220	23 22 11.60	-04 00 56.3	19.3 V	691
1995 SH ₁	1995 09 24.20026	22 29 48.94	-00 37 38.4	18.6 V	691	1995 SX ₅	1995 09 18.39993	23 22 11.21	-04 00 58.5		691
1995 SH ₁	1995 09 24.20597	22 29 48.71	-00 37 39.4		691	1995 SX ₅	1995 09 18.40742	23 22 10.88	-04 01 00.5		691
1995 SH ₁	1995 09 24.21611	22 29 48.29	-00 37 41.4		691	1995 SY ₅	* 1995 09 17.26817	23 23 07.13	-03 30 44.9		691
1995 SK ₂	1995 09 19.19078	22 28 01.66	-10 05 38.8	17.8 V	691	1995 SY ₅	1995 09 17.28919	23 23 06.16	-03 30 51.5		691
1995 SK ₂	1995 09 19.21206	22 28 00.76	-10 05 40.2		691	1995 SY ₅	1995 09 17.31003	23 23 05.21	-03 30 57.8	19.4 V	691
1995 SK ₂	1995 09 19.23317	22 27 59.85	-10 05 41.1		691	1995 SY ₅	1995 09 22.28481	23 19 27.82	-03 57 34.2	19.5 V	691
1995 SK ₂	1995 09 25.17356	22 24 32.75	-10 09 07.3		691	1995 SY ₅	1995 09 22.30565	23 19 26.88	-03 57 41.2		691
1995 SK ₂	1995 09 25.19502	22 24 32.05	-10 09 06.9		691	1995 SY ₅	1995 09 22.32656	23 19 25.97	-03 57 47.5		691
1995 SK ₂	1995 09 25.21633	22 24 31.34	-10 09 07.1	17.8 V	691	1995 SZ ₅	* 1995 09 17.26835	23 23 23.22	-03 43 20.6	20.6 V	691
1995 SN ₂	1995 09 25.17430	22 25 36.94	-10 09 09.9		691	1995 SZ ₅	1995 09 17.28938	23 23 22.30	-03 43 28.8		691
1995 SN ₂	1995 09 25.19576	22 25 36.10	-10 09 11.0	17.7 V	691	1995 SZ ₅	1995 09 17.31022	23 23 21.42	-03 43 37.5		691
1995 SN ₂	1995 09 25.21707	22 25 35.25	-10 09 12.5		691	1995 SZ ₅	1995 09 18.39244	23 22 36.08	-03 51 02.1		691
1995 SR ₂	1995 10 02.23027	22 28 28.63	-08 47 25.2	20.3 V	691	1995 SZ ₅	1995 09 18.40017	23 22 35.74	-03 51 05.0	19.8 V	691
1995 SR ₂	1995 10 02.25166	22 28 29.71	-08 47 32.5	20.3 V	691	1995 SZ ₅	1995 09 18.40766	23 22 35.44	-03 51 08.2		691
1995 SR ₂	1995 10 02.27290	22 28 30.84	-08 47 39.0	20.2 V	691	1995 SA ₆	* 1995 09 17.26838	23 23 25.21	-03 46 58.8	18.5 V	691
1995 SR ₂	1995 10 16.09487	22 43 37.01	-09 23 39.9	20.6 V	691	1995 SA ₆	1995 09 17.28939	23 23 23.96	-03 47 05.2		691
1995 SR ₂	1995 10 16.10059	22 43 37.40	-09 23 39.9	21.5 V	691	1995 SA ₆	1995 09 17.31023	23 23 22.70	-03 47 11.7		691
1995 SR ₂	1995 10 16.10589	22 43 37.78	-09 23 39.8	21.0 V	691	1995 SA ₆	1995 09 18.39226	23 22 20.70	-03 52 47.6	18.5 V	691
1995 SR ₂	1995 10 25.11060	22 55 06.59	-09 11 48.2	21.6 V	691	1995 SA ₆	1995 09 18.39999	23 22 20.23	-03 52 49.9		691
1995 SR ₂	1995 10 25.11572	22 55 07.01	-09 11 47.2	21.3 V	691	1995 SA ₆	1995 09 18.40748	23 22 19.80	-03 52 52.3		691
1995 SR ₂	1995 10 25.12113	22 55 07.42	-09 11 46.7	21.8 V	691	1995 SB ₆	* 1995 09 17.26857	23 23 42.11	-03 38 07.7	19.2 V	691
1995 SR ₂	1995 10 25.12622	22 55 07.81	-09 11 45.9	21.6 V	691	1995 SB ₆	1995 09 17.28959	23 23 40.93	-03 38 12.0		691
1995 SZ ₃	1995 10 01.43139	01 12 50.00	+10 05 25.1		691	1995 SB ₆	1995 09 17.31043	23 23 39.71	-03 38 16.5		691
1995 SZ ₃	1995 10 01.45243	01 12 49.19	+10 05 12.0	15.3 V	691	1995 SB ₆	1995 09 22.28462	23 19 11.73	-03 56 05.1		691
1995 SZ ₃	1995 10 01.47362	01 12 48.43	+10 04 58.9		691	1995 SB ₆	1995 09 22.30546	23 19 10.56	-03 56 09.4	19.4 V	691
1995 SA ₄	1995 10 02.43138	02 19 48.39	+12 08 28.9	19.2	691	1995 SB ₆	1995 09 22.32637	23 19 09.40	-03 56 13.6		691

1995 SC ₆	* 1995 09 17.26870	23 23 53.03	-03 38 22.5		691	1995 SL ₆	1995 09 18.40278	23 26 21.92	-03 44 47.2		691
1995 SC ₆	1995 09 17.28972	23 23 51.94	-03 38 26.7	19.5 V	691	1995 SL ₆	1995 09 18.41027	23 26 21.60	-03 44 50.4	19.9 V	691
1995 SC ₆	1995 09 17.31055	23 23 50.83	-03 38 31.5		691	1995 SM ₆	* 1995 09 17.27107	23 27 18.87	-03 52 34.8	20.6 V	691
1995 SC ₆	1995 09 22.28496	23 19 41.39	-03 55 21.9	19.5 V	691	1995 SM ₆	1995 09 17.29209	23 27 17.79	-03 52 42.6		691
1995 SC ₆	1995 09 22.30581	23 19 40.32	-03 55 26.1		691	1995 SM ₆	1995 09 17.31293	23 27 16.73	-03 52 50.0		691
1995 SC ₆	1995 09 22.32671	23 19 39.27	-03 55 29.9		691	1995 SM ₆	1995 09 18.39509	23 26 25.48	-03 59 29.7	20.6 V	691
1995 SD ₆	* 1995 09 17.26897	23 24 16.34	-03 42 29.2		691	1995 SM ₆	1995 09 18.40282	23 26 25.08	-03 59 32.7		691
1995 SD ₆	1995 09 17.28999	23 24 15.18	-03 42 36.8	20.9 V	691	1995 SM ₆	1995 09 18.41030	23 26 24.72	-03 59 35.7		691
1995 SD ₆	1995 09 17.31082	23 24 14.03	-03 42 44.5		691	1995 SN ₆	* 1995 09 17.27150	23 27 55.51	-03 42 03.6		691
1995 SD ₆	1995 09 18.39290	23 23 15.72	-03 49 28.7		691	1995 SN ₆	1995 09 17.29251	23 27 54.10	-03 42 05.7		691
1995 SD ₆	1995 09 18.40063	23 23 15.33	-03 49 32.0		691	1995 SN ₆	1995 09 17.31335	23 27 52.67	-03 42 07.9	18.4 V	691
1995 SD ₆	1995 09 18.40811	23 23 14.91	-03 49 35.0	21.2 V	691	1995 SN ₆	1995 09 18.39529	23 26 43.20	-03 43 58.4		691
1995 SE ₆	* 1995 09 17.26954	23 25 05.73	-03 51 29.3		691	1995 SN ₆	1995 09 18.40302	23 26 42.67	-03 43 59.1	18.3 V	691
1995 SE ₆	1995 09 17.29056	23 25 04.74	-03 51 34.8	20.9 V	691	1995 SN ₆	1995 09 18.41051	23 26 42.21	-03 43 59.8		691
1995 SE ₆	1995 09 17.31140	23 25 03.79	-03 51 40.9		691	1995 SN ₆	1995 09 22.28705	23 22 41.86	-03 50 07.5	18.5 V	691
1995 SE ₆	1995 09 18.39360	23 24 16.62	-03 57 07.7	20.2 V	691	1995 SN ₆	1995 09 22.30789	23 22 40.53	-03 50 09.4		691
1995 SE ₆	1995 09 18.40133	23 24 16.30	-03 57 09.8		691	1995 SN ₆	1995 09 22.32879	23 22 39.21	-03 50 11.1		691
1995 SE ₆	1995 09 18.40882	23 24 15.94	-03 57 12.0		691	1995 SO ₆	* 1995 09 17.27152	23 27 57.10	-03 52 06.5		691
1995 SF ₆	* 1995 09 17.26958	23 25 09.76	-03 47 50.1	20.7 V	691	1995 SO ₆	1995 09 17.29253	23 27 55.79	-03 52 13.1	19.2 V	691
1995 SF ₆	1995 09 17.29060	23 25 08.75	-03 47 56.2		691	1995 SO ₆	1995 09 17.31337	23 27 54.52	-03 52 20.3		691
1995 SF ₆	1995 09 17.31144	23 25 07.70	-03 48 02.1		691	1995 SO ₆	1995 09 18.39540	23 26 52.56	-03 58 22.4	19.2 V	691
1995 SF ₆	1995 09 18.39359	23 24 15.88	-03 52 56.4		691	1995 SO ₆	1995 09 18.40313	23 26 52.10	-03 58 25.0		691
1995 SF ₆	1995 09 18.40132	23 24 15.50	-03 52 58.6	20.7 V	691	1995 SO ₆	1995 09 18.41062	23 26 51.69	-03 58 27.4		691
1995 SF ₆	1995 09 18.40881	23 24 15.12	-03 53 00.7		691	1995 SP ₆	* 1995 09 17.27159	23 28 03.39	-03 29 49.3	19.6 V	691
1995 SG ₆	* 1995 09 17.26994	23 25 40.94	-03 54 51.0		691	1995 SP ₆	1995 09 17.29260	23 28 01.89	-03 29 46.3		691
1995 SG ₆	1995 09 17.29096	23 25 39.56	-03 54 56.9	21.1 V	691	1995 SP ₆	1995 09 17.31344	23 28 00.42	-03 29 43.7		691
1995 SG ₆	1995 09 17.31179	23 25 38.21	-03 55 02.3		691	1995 SP ₆	1995 09 22.35007	23 22 21.64	-03 19 06.0		691
1995 SG ₆	1995 09 18.39376	23 24 30.26	-03 59 45.6	21.3 V	691	1995 SP ₆	1995 09 22.37111	23 22 20.20	-03 19 03.2	20.0 V	691
1995 SG ₆	1995 09 18.40148	23 24 29.76	-03 59 47.8		691	1995 SP ₆	1995 09 22.39203	23 22 18.77	-03 19 00.2		691
1995 SG ₆	1995 09 18.40897	23 24 29.29	-03 59 49.6		691	1995 SQ ₆	* 1995 09 17.27172	23 28 14.39	-03 39 07.5	19.7 V	691
1995 SH ₆	* 1995 09 17.27029	23 26 11.00	-03 54 55.5		691	1995 SQ ₆	1995 09 17.29273	23 28 13.25	-03 39 15.0		691
1995 SH ₆	1995 09 17.29131	23 26 10.01	-03 55 00.8	21.1 V	691	1995 SQ ₆	1995 09 17.31357	23 28 12.16	-03 39 22.8		691
1995 SH ₆	1995 09 17.31215	23 26 09.04	-03 55 07.0		691	1995 SQ ₆	1995 09 18.39568	23 27 16.76	-03 46 02.2	19.8 V	691
1995 SH ₆	1995 09 18.39434	23 25 20.72	-04 00 13.8		691	1995 SQ ₆	1995 09 18.40341	23 27 16.37	-03 46 04.9		691
1995 SH ₆	1995 09 18.40207	23 25 20.29	-04 00 15.8	20.8 V	691	1995 SQ ₆	1995 09 18.41090	23 27 16.00	-03 46 07.7		691
1995 SH ₆	1995 09 18.40956	23 25 19.91	-04 00 18.1		691	1995 SR ₆	* 1995 09 17.27189	23 28 29.35	-03 58 17.0	20.5 V	691
1995 SJ ₆	* 1995 09 17.27031	23 26 13.06	-03 29 07.2	21.4 V	691	1995 SR ₆	1995 09 17.29291	23 28 28.28	-03 58 24.1		691
1995 SJ ₆	1995 09 17.29134	23 26 12.08	-03 29 12.8		691	1995 SR ₆	1995 09 17.31375	23 28 27.23	-03 58 30.7		691
1995 SJ ₆	1995 09 17.31217	23 26 11.02	-03 29 18.7		691	1995 SR ₆	1995 09 18.39589	23 27 35.27	-04 04 35.3	20.6 V	691
1995 SJ ₆	1995 09 22.28668	23 22 09.68	-03 49 53.8	21.3 V	691	1995 SR ₆	1995 09 18.40362	23 27 34.90	-04 04 38.0		691
1995 SJ ₆	1995 09 22.30752	23 22 08.69	-03 49 59.6		691	1995 SR ₆	1995 09 18.41111	23 27 34.53	-04 04 40.2		691
1995 SJ ₆	1995 09 22.32842	23 22 07.72	-03 50 04.9		691	1995 SS ₆	* 1995 09 17.27218	23 28 54.72	-03 51 55.9		691
1995 SK ₆	* 1995 09 17.27032	23 26 13.87	-03 36 02.0		691	1995 SS ₆	1995 09 17.29320	23 28 53.72	-03 52 02.1	21.4 V	691
1995 SK ₆	1995 09 17.29134	23 26 12.84	-03 36 12.5	18.1 V	691	1995 SS ₆	1995 09 17.31404	23 28 52.70	-03 52 08.6		691
1995 SK ₆	1995 09 17.31218	23 26 11.79	-03 36 23.1		691	1995 SS ₆	1995 09 18.39621	23 28 02.69	-03 57 20.3	21.4 V	691
1995 SK ₆	1995 09 18.39435	23 25 21.35	-03 45 35.6	18.1 V	691	1995 SS ₆	1995 09 18.40394	23 28 02.36	-03 57 22.8		691
1995 SK ₆	1995 09 18.40208	23 25 21.00	-03 45 39.3		691	1995 SS ₆	1995 09 18.41143	23 28 01.98	-03 57 24.9		691
1995 SK ₆	1995 09 18.40956	23 25 20.61	-03 45 43.1		691	1995 ST ₆	* 1995 09 17.27264	23 29 34.53	-03 50 49.3	18.8 V	691
1995 SL ₆	* 1995 09 17.27104	23 27 15.52	-03 37 24.4	19.6 V	691	1995 ST ₆	1995 09 17.29366	23 29 33.62	-03 51 00.4		691
1995 SL ₆	1995 09 17.29206	23 27 14.48	-03 37 32.4		691	1995 ST ₆	1995 09 17.31450	23 29 32.71	-03 51 11.4		691
1995 SL ₆	1995 09 17.31289	23 27 13.45	-03 37 40.7		691	1995 ST ₆	1995 09 18.39674	23 28 48.45	-04 00 39.2		691
1995 SL ₆	1995 09 18.39505	23 26 22.32	-03 44 44.5		691	1995 ST ₆	1995 09 18.40447	23 28 48.14	-04 00 43.3	18.8 V	691

1995 ST ₆	1995 09 18.41196	23 28 47.81	−04 00 47.3		691	1995 SA ₇	1995 09 22.33440	23 30 44.98	−03 50 34.7		691
1995 SU ₆	* 1995 09 17.27283	23 29 50.91	−03 30 22.1	20.6 V	691	1995 SB ₇	* 1995 09 17.27746	23 36 31.69	−03 53 25.4		691
1995 SU ₆	1995 09 17.31468	23 29 48.36	−03 30 25.3		691	1995 SB ₇	1995 09 17.29847	23 36 30.24	−03 53 23.5		691
1995 SU ₆	1995 09 22.28870	23 25 04.75	−03 36 41.8		691	1995 SB ₇	1995 09 17.31931	23 36 28.88	−03 53 21.7	20.9 V	691
1995 SU ₆	1995 09 22.30954	23 25 03.59	−03 36 43.1	20.7 V	691	1995 SB ₇	1995 09 22.29293	23 31 10.93	−03 45 05.0	21.0 V	691
1995 SU ₆	1995 09 22.33044	23 25 02.37	−03 36 44.6		691	1995 SB ₇	1995 09 22.31377	23 31 09.56	−03 45 02.9		691
1995 SU ₆	1995 09 27.18924	23 20 37.96	−03 41 55.9		691	1995 SB ₇	1995 09 22.33466	23 31 08.17	−03 45 00.6		691
1995 SU ₆	1995 09 27.21007	23 20 36.79	−03 41 56.6	20.7 V	691	1995 SB ₇	1995 09 27.19304	23 26 07.33	−03 35 46.9		691
1995 SU ₆	1995 09 27.23119	23 20 35.62	−03 41 57.2		691	1995 SB ₇	1995 09 27.21387	23 26 06.01	−03 35 45.3	20.6 V	691
1995 SV ₆	* 1995 09 17.27307	23 30 12.07	−03 34 34.0		691	1995 SB ₇	1995 09 27.23499	23 26 04.66	−03 35 43.1		691
1995 SV ₆	1995 09 17.29409	23 30 10.91	−03 34 40.1	18.8 V	691	1995 SC ₇	* 1995 09 17.27937	23 39 17.57	−03 42 30.3	17.8 V	691
1995 SV ₆	1995 09 17.31493	23 30 09.76	−03 34 46.1		691	1995 SC ₇	1995 09 17.30039	23 39 16.30	−03 42 34.4		691
1995 SV ₆	1995 09 22.28928	23 25 55.46	−03 58 39.7		691	1995 SC ₇	1995 09 17.32123	23 39 15.04	−03 42 38.1		691
1995 SV ₆	1995 09 22.31013	23 25 54.37	−03 58 45.6	18.8 V	691	1995 SC ₇	1995 09 22.29521	23 34 28.95	−03 56 39.4	17.9 V	691
1995 SV ₆	1995 09 22.33103	23 25 53.25	−03 58 51.5		691	1995 SC ₇	1995 09 22.31605	23 34 27.69	−03 56 42.8		691
1995 SW ₆	* 1995 09 17.27323	23 30 25.67	−03 55 36.9	19.7 V	691	1995 SC ₇	1995 09 22.33695	23 34 26.44	−03 56 46.4		691
1995 SW ₆	1995 09 17.29425	23 30 24.25	−03 55 37.5		691	1995 SD ₇	* 1995 09 17.27970	23 39 46.33	−03 35 31.4		691
1995 SW ₆	1995 09 17.31508	23 30 22.83	−03 55 37.8		691	1995 SD ₇	1995 09 17.30072	23 39 45.07	−03 35 37.6	20.3 V	691
1995 SW ₆	1995 09 22.28868	23 25 02.87	−03 56 49.9	19.9 V	691	1995 SD ₇	1995 09 17.32156	23 39 43.80	−03 35 43.6		691
1995 SW ₆	1995 09 22.30952	23 25 01.49	−03 56 50.1		691	1995 SD ₇	1995 09 22.29552	23 34 55.92	−03 58 52.5	20.0 V	691
1995 SW ₆	1995 09 22.33041	23 25 00.10	−03 56 49.9		691	1995 SD ₇	1995 09 22.31637	23 34 54.75	−03 58 57.0		691
1995 SW ₆	1995 09 27.18875	23 19 55.89	−03 57 02.0	20.0 V	691	1995 SD ₇	1995 09 22.33727	23 34 53.47	−03 59 02.7		691
1995 SW ₆	1995 09 27.20958	23 19 54.56	−03 57 01.3		691	1995 SE ₇	* 1995 09 17.28168	23 42 37.54	−03 42 30.3		691
1995 SW ₆	1995 09 27.23070	23 19 53.24	−03 57 01.6		691	1995 SE ₇	1995 09 17.30270	23 42 36.45	−03 42 33.2	21.3 V	691
1995 SX ₆	* 1995 09 17.27339	23 30 39.45	−03 48 36.0	21.0 V	691	1995 SE ₇	1995 09 17.32354	23 42 35.36	−03 42 34.8		691
1995 SX ₆	1995 09 17.29440	23 30 37.95	−03 48 34.9		691	1995 SE ₇	1995 09 22.29786	23 38 18.20	−03 50 15.8	21.4 V	691
1995 SX ₆	1995 09 17.31524	23 30 36.43	−03 48 33.3		691	1995 SE ₇	1995 09 22.31870	23 38 17.09	−03 50 17.8		691
1995 SX ₆	1995 09 22.28865	23 25 00.91	−03 41 43.6	21.3 V	691	1995 SE ₇	1995 09 22.33960	23 38 15.99	−03 50 19.5		691
1995 SX ₆	1995 09 22.33039	23 24 58.07	−03 41 40.2		691	1995 SF ₇	* 1995 09 17.28191	23 42 57.48	−03 36 06.2		691
1995 SX ₆	1995 09 27.18873	23 19 53.86	−03 34 05.1		691	1995 SF ₇	1995 09 17.30293	23 42 56.56	−03 36 12.9	21.0 V	691
1995 SX ₆	1995 09 27.20956	23 19 52.59	−03 34 03.8		691	1995 SF ₇	1995 09 17.32377	23 42 55.59	−03 36 18.4		691
1995 SX ₆	1995 09 27.23068	23 19 51.38	−03 34 03.8	21.6 V	691	1995 SF ₇	1995 09 22.29850	23 39 13.39	−03 58 27.3		691
1995 SY ₆	* 1995 09 17.27404	23 31 35.72	−03 31 47.5		691	1995 SF ₇	1995 09 22.31934	23 39 12.45	−03 58 33.5	21.2 V	691
1995 SY ₆	1995 09 17.29506	23 31 34.61	−03 31 54.0		691	1995 SF ₇	1995 09 22.34024	23 39 11.46	−03 58 38.5		691
1995 SY ₆	1995 09 17.31590	23 31 33.51	−03 32 00.3	21.4 V	691	1995 SG ₇	* 1995 09 17.33042	23 21 20.29	−03 07 36.8	20.1 V	691
1995 SY ₆	1995 09 22.29032	23 27 24.93	−03 57 12.6		691	1995 SG ₇	1995 09 17.35145	23 21 19.27	−03 07 45.5		691
1995 SY ₆	1995 09 22.31116	23 27 23.82	−03 57 18.5	21.7 V	691	1995 SG ₇	1995 09 17.37243	23 21 18.32	−03 07 54.7		691
1995 SY ₆	1995 09 22.33206	23 27 22.76	−03 57 24.7		691	1995 SG ₇	1995 09 22.28380	23 17 46.55	−03 41 46.3		691
1995 SZ ₆	* 1995 09 17.27446	23 32 12.09	−03 43 09.7		691	1995 SG ₇	1995 09 22.30465	23 17 45.58	−03 41 54.4	20.7 V	691
1995 SZ ₆	1995 09 17.29548	23 32 10.71	−03 43 11.0	20.1 V	691	1995 SG ₇	1995 09 22.32556	23 17 44.66	−03 42 03.3		691
1995 SZ ₆	1995 09 17.31631	23 32 09.32	−03 43 12.2		691	1995 SH ₇	* 1995 09 17.33056	23 21 32.65	−03 11 28.9		691
1995 SZ ₆	1995 09 22.29004	23 27 00.54	−03 47 20.2		691	1995 SH ₇	1995 09 17.35159	23 21 31.78	−03 11 39.2	20.9 V	691
1995 SZ ₆	1995 09 22.31088	23 26 59.20	−03 47 21.1	20.4 V	691	1995 SH ₇	1995 09 17.37257	23 21 30.92	−03 11 49.7		691
1995 SZ ₆	1995 09 22.33177	23 26 57.86	−03 47 22.0		691	1995 SH ₇	1995 09 22.28399	23 18 17.19	−03 52 15.7	21.6 V	691
1995 SZ ₆	1995 09 27.19024	23 22 04.50	−03 50 23.8		691	1995 SH ₇	1995 09 22.30484	23 18 16.33	−03 52 26.0		691
1995 SZ ₆	1995 09 27.21106	23 22 03.20	−03 50 24.3		691	1995 SH ₇	1995 09 22.32574	23 18 15.49	−03 52 36.1		691
1995 SZ ₆	1995 09 27.23219	23 22 01.92	−03 50 25.3	20.6 V	691	1995 SJ ₇	* 1995 09 17.33132	23 22 38.56	−03 01 06.7	19.2 V	691
1995 SA ₇	* 1995 09 17.27662	23 35 19.31	−03 29 22.7	20.8 V	691	1995 SJ ₇	1995 09 17.35235	23 22 37.55	−03 01 16.2		691
1995 SA ₇	1995 09 17.29764	23 35 18.16	−03 29 27.6		691	1995 SJ ₇	1995 09 17.37333	23 22 36.55	−03 01 26.2		691
1995 SA ₇	1995 09 17.31848	23 35 16.97	−03 29 33.3		691	1995 SJ ₇	1995 09 22.28447	23 18 58.19	−03 39 01.5	19.6 V	691
1995 SA ₇	1995 09 22.29265	23 30 47.30	−03 50 25.0	20.9 V	691	1995 SJ ₇	1995 09 22.30531	23 18 57.23	−03 39 11.1		691
1995 SA ₇	1995 09 22.31350	23 30 46.16	−03 50 30.2		691	1995 SJ ₇	1995 09 22.32621	23 18 56.28	−03 39 20.6		691

1995 SK ₇	* 1995 09 17.33203	23 23 39.68	-02 58 53.7	19.4 V	691	1995 SS ₇	1995 09 22.32776	23 21 10.44	-03 40 50.6	691
1995 SK ₇	1995 09 17.35306	23 23 38.52	-02 58 57.3		691	1995 ST ₇	* 1995 09 17.33338	23 25 36.26	-03 15 42.0	691
1995 SK ₇	1995 09 17.37403	23 23 37.38	-02 59 01.4		691	1995 ST ₇	1995 09 17.35441	23 25 35.28	-03 15 48.9	20.3 V 691
1995 SK ₇	1995 09 22.34804	23 19 25.19	-03 13 50.8		691	1995 ST ₇	1995 09 17.37538	23 25 34.24	-03 15 56.5	691
1995 SK ₇	1995 09 22.36908	23 19 24.12	-03 13 54.4	20.1 V	691	1995 ST ₇	1995 09 22.28646	23 21 50.69	-03 43 58.5	21.1 V 691
1995 SK ₇	1995 09 22.39001	23 19 23.07	-03 13 57.6		691	1995 ST ₇	1995 09 22.30730	23 21 49.73	-03 44 05.6	691
1995 SL ₇	* 1995 09 17.33211	23 23 46.98	-03 18 29.4		691	1995 ST ₇	1995 09 22.32821	23 21 48.77	-03 44 12.5	691
1995 SL ₇	1995 09 17.35314	23 23 45.91	-03 18 37.7		691	1995 SU ₇	* 1995 09 17.33360	23 25 55.49	-02 59 14.7	691
1995 SL ₇	1995 09 17.37412	23 23 44.89	-03 18 46.1	20.8 V	691	1995 SU ₇	1995 09 17.35463	23 25 54.66	-02 59 23.3	691
1995 SL ₇	1995 09 22.28515	23 19 57.35	-03 51 13.3		691	1995 SU ₇	1995 09 17.37561	23 25 53.78	-02 59 31.6	20.5 V 691
1995 SL ₇	1995 09 22.30599	23 19 56.35	-03 51 21.5		691	1995 SU ₇	1995 09 22.28706	23 22 43.18	-03 32 10.1	691
1995 SL ₇	1995 09 22.32690	23 19 55.37	-03 51 29.4	21.1 V	691	1995 SU ₇	1995 09 22.30791	23 22 42.38	-03 32 18.4	691
1995 SM ₇	* 1995 09 17.33237	23 24 08.98	-03 16 44.2		691	1995 SU ₇	1995 09 22.32882	23 22 41.55	-03 32 26.5	21.3 V 691
1995 SM ₇	1995 09 17.35339	23 24 07.67	-03 16 46.7		691	1995 SV ₇	* 1995 09 17.33373	23 26 07.16	-02 57 50.1	691
1995 SM ₇	1995 09 17.37437	23 24 06.36	-03 16 49.7	20.5 V	691	1995 SV ₇	1995 09 17.35476	23 26 06.10	-02 57 57.4	19.2 V 691
1995 SM ₇	1995 09 22.28476	23 19 23.36	-03 28 01.4		691	1995 SV ₇	1995 09 17.37574	23 26 05.00	-02 58 04.8	691
1995 SM ₇	1995 09 22.30560	23 19 22.10	-03 28 04.3		691	1995 SV ₇	1995 09 22.34987	23 22 04.09	-03 26 39.6	691
1995 SM ₇	1995 09 22.32650	23 19 20.84	-03 28 06.9	21.3 V	691	1995 SV ₇	1995 09 22.37091	23 22 03.07	-03 26 46.8	20.1 V 691
1995 SN ₇	* 1995 09 17.33239	23 24 11.22	-03 19 56.7		691	1995 SV ₇	1995 09 22.39184	23 22 02.03	-03 26 53.6	691
1995 SN ₇	1995 09 17.35342	23 24 10.13	-03 20 03.1		691	1995 SV ₇	1995 09 27.18769	23 18 23.77	-03 53 04.1	19.7 V 691
1995 SN ₇	1995 09 17.37440	23 24 09.04	-03 20 09.8	20.1 V	691	1995 SV ₇	1995 09 27.20852	23 18 22.78	-03 53 10.3	691
1995 SN ₇	1995 09 22.30610	23 20 05.53	-03 45 38.3		691	1995 SV ₇	1995 09 27.22964	23 18 21.84	-03 53 17.0	691
1995 SN ₇	1995 09 22.32700	23 20 04.48	-03 45 44.4	20.3 V	691	1995 SW ₇	* 1995 09 17.33385	23 26 17.35	-03 04 00.3	21.1 V 691
1995 SO ₇	* 1995 09 17.33258	23 24 27.15	-03 09 42.7		691	1995 SW ₇	1995 09 17.35488	23 26 16.21	-03 04 09.0	691
1995 SO ₇	1995 09 17.35361	23 24 26.01	-03 09 45.6		691	1995 SW ₇	1995 09 17.37585	23 26 14.93	-03 04 16.5	691
1995 SO ₇	1995 09 17.37458	23 24 24.83	-03 09 49.3	20.6 V	691	1995 SW ₇	1995 09 22.28652	23 21 56.36	-03 37 08.3	691
1995 SO ₇	1995 09 22.34853	23 20 08.00	-03 22 26.3		691	1995 SW ₇	1995 09 22.30737	23 21 55.21	-03 37 16.9	691
1995 SO ₇	1995 09 22.36957	23 20 06.90	-03 22 29.0	20.8 V	691	1995 SW ₇	1995 09 22.32827	23 21 54.10	-03 37 25.0	21.8 V 691
1995 SO ₇	1995 09 22.39050	23 20 05.80	-03 22 32.0		691	1995 SX ₇	* 1995 09 17.33391	23 26 22.40	-03 20 42.6	19.5 V 691
1995 SP ₇	* 1995 09 17.33259	23 24 28.13	-03 18 47.6	20.0 V	691	1995 SX ₇	1995 09 17.35494	23 26 21.27	-03 20 50.3	691
1995 SP ₇	1995 09 17.35362	23 24 27.10	-03 18 55.8		691	1995 SX ₇	1995 09 17.37591	23 26 20.11	-03 20 58.3	691
1995 SP ₇	1995 09 17.37459	23 24 26.01	-03 19 04.4		691	1995 SX ₇	1995 09 22.28668	23 22 09.85	-03 51 19.5	691
1995 SP ₇	1995 09 22.28553	23 20 30.64	-03 51 39.7		691	1995 SX ₇	1995 09 22.30752	23 22 08.74	-03 51 27.2	19.7 V 691
1995 SP ₇	1995 09 22.30638	23 20 29.61	-03 51 48.1	20.3 V	691	1995 SX ₇	1995 09 22.32842	23 22 07.65	-03 51 34.7	691
1995 SP ₇	1995 09 22.32728	23 20 28.61	-03 51 56.0		691	1995 SY ₇	* 1995 09 17.33407	23 26 36.37	-03 04 59.3	19.4 V 691
1995 SQ ₇	* 1995 09 17.33267	23 24 35.18	-03 19 33.6	20.0 V	691	1995 SY ₇	1995 09 17.35510	23 26 35.31	-03 05 02.8	691
1995 SQ ₇	1995 09 17.35370	23 24 34.11	-03 19 36.2		691	1995 SY ₇	1995 09 17.37607	23 26 34.20	-03 05 06.9	691
1995 SQ ₇	1995 09 17.37467	23 24 33.05	-03 19 39.2		691	1995 SY ₇	1995 09 22.35015	23 22 28.34	-03 20 13.0	691
1995 SQ ₇	1995 09 22.28562	23 20 37.90	-03 30 46.7	20.4 V	691	1995 SY ₇	1995 09 22.37119	23 22 27.29	-03 20 16.4	19.6 V 691
1995 SQ ₇	1995 09 22.30646	23 20 36.88	-03 30 49.6		691	1995 SY ₇	1995 09 22.39212	23 22 26.25	-03 20 20.1	691
1995 SQ ₇	1995 09 22.32736	23 20 35.89	-03 30 52.2		691	1995 SY ₇	1995 09 27.18786	23 18 38.89	-03 34 06.3	691
1995 SR ₇	* 1995 09 17.33271	23 24 38.74	-03 05 55.3		691	1995 SY ₇	1995 09 27.20869	23 18 37.87	-03 34 09.5	20.0 V 691
1995 SR ₇	1995 09 17.35374	23 24 37.70	-03 05 57.9	19.8 V	691	1995 SY ₇	1995 09 27.22982	23 18 36.89	-03 34 12.8	691
1995 SR ₇	1995 09 17.37472	23 24 36.63	-03 06 00.6		691	1995 SZ ₇	* 1995 09 17.33409	23 26 38.13	-03 19 58.2	19.9 V 691
1995 SR ₇	1995 09 22.34897	23 20 45.70	-03 16 15.4	20.3 V	691	1995 SZ ₇	1995 09 17.35512	23 26 37.20	-03 20 04.7	691
1995 SR ₇	1995 09 22.37001	23 20 44.71	-03 16 17.9		691	1995 SZ ₇	1995 09 17.37610	23 26 36.20	-03 20 11.2	691
1995 SR ₇	1995 09 22.39094	23 20 43.73	-03 16 20.0		691	1995 SZ ₇	1995 09 22.28726	23 23 00.41	-03 45 49.0	20.3 V 691
1995 SS ₇	* 1995 09 17.33310	23 25 12.14	-03 26 27.6	20.8 V	691	1995 SZ ₇	1995 09 22.30811	23 22 59.50	-03 45 55.3	691
1995 SS ₇	1995 09 17.35413	23 25 11.10	-03 26 30.7		691	1995 SZ ₇	1995 09 22.32901	23 22 58.56	-03 46 01.6	691
1995 SS ₇	1995 09 17.37510	23 25 10.02	-03 26 35.1		691	1995 SA ₈	* 1995 09 17.33447	23 27 10.92	-03 17 25.4	20.6 V 691
1995 SS ₇	1995 09 22.28602	23 21 12.50	-03 40 43.6	20.1 V	691	1995 SA ₈	1995 09 17.35550	23 27 09.82	-03 17 32.9	691
1995 SS ₇	1995 09 22.30686	23 21 11.47	-03 40 47.2		691	1995 SA ₈	1995 09 17.37647	23 27 08.66	-03 17 40.7	691

1995 SA ₈	1995 09 22.28718	23 22 53.15	−03 47 31.6		691	1995 SJ ₈	1995 09 22.28917	23 25 45.96	−03 42 49.8	20.2 V	691
1995 SA ₈	1995 09 22.30802	23 22 52.05	−03 47 38.2		691	1995 SJ ₈	1995 09 22.31002	23 25 44.81	−03 42 58.4		691
1995 SA ₈	1995 09 22.32892	23 22 50.94	−03 47 46.2	21.5 V	691	1995 SJ ₈	1995 09 22.33092	23 25 43.66	−03 43 07.2		691
1995 SB ₈	* 1995 09 17.33471	23 27 31.91	−03 15 36.3		691	1995 SK ₈	* 1995 09 17.33670	23 30 24.38	−03 16 56.0	20.5 V	691
1995 SB ₈	1995 09 17.35574	23 27 30.94	−03 15 40.5		691	1995 SK ₈	1995 09 17.35773	23 30 23.31	−03 17 03.5		691
1995 SB ₈	1995 09 17.37672	23 27 29.89	−03 15 44.1	21.0 V	691	1995 SK ₈	1995 09 22.28971	23 26 32.34	−03 46 19.7	21.0 V	691
1995 SB ₈	1995 09 22.28776	23 23 43.83	−03 30 38.0	21.5 V	691	1995 SK ₈	1995 09 22.31055	23 26 31.32	−03 46 27.3		691
1995 SB ₈	1995 09 22.30861	23 23 42.86	−03 30 41.5		691	1995 SK ₈	1995 09 22.33146	23 26 30.30	−03 46 34.1		691
1995 SB ₈	1995 09 22.32951	23 23 41.91	−03 30 44.6		691	1995 SL ₈	* 1995 09 17.33676	23 30 29.24	−03 14 10.0	20.6 V	691
1995 SC ₈	* 1995 09 17.33506	23 28 02.26	−03 04 17.8		691	1995 SL ₈	1995 09 17.35779	23 30 28.11	−03 14 15.1		691
1995 SC ₈	1995 09 17.35609	23 28 01.07	−03 04 24.1	19.9 V	691	1995 SL ₈	1995 09 17.37876	23 30 27.00	−03 14 19.9		691
1995 SC ₈	1995 09 17.37706	23 27 59.80	−03 04 30.5		691	1995 SL ₈	1995 09 22.28961	23 26 24.12	−03 33 53.4		691
1995 SC ₈	1995 09 22.28754	23 23 24.54	−03 29 02.7	20.1 V	691	1995 SL ₈	1995 09 22.31046	23 26 23.06	−03 33 57.7	21.3 V	691
1995 SC ₈	1995 09 22.30838	23 23 23.36	−03 29 08.8		691	1995 SL ₈	1995 09 22.33136	23 26 21.97	−03 34 02.9		691
1995 SC ₈	1995 09 27.18812	23 19 00.97	−03 52 25.6		691	1995 SM ₈	* 1995 09 17.33728	23 31 14.30	−03 10 38.7	20.4 V	691
1995 SC ₈	1995 09 27.20895	23 18 59.84	−03 52 30.5		691	1995 SM ₈	1995 09 17.35831	23 31 13.32	−03 10 46.0		691
1995 SC ₈	1995 09 27.23007	23 18 58.73	−03 52 36.6	20.4 V	691	1995 SM ₈	1995 09 17.37928	23 31 12.33	−03 10 52.8		691
1995 SD ₈	* 1995 09 17.33513	23 28 07.87	−03 06 36.0		691	1995 SM ₈	1995 09 22.29042	23 27 33.52	−03 38 25.4		691
1995 SD ₈	1995 09 17.35615	23 28 06.77	−03 06 46.0	19.3 V	691	1995 SM ₈	1995 09 22.31126	23 27 32.53	−03 38 32.0		691
1995 SD ₈	1995 09 17.37713	23 28 05.58	−03 06 55.7		691	1995 SM ₈	1995 09 22.33216	23 27 31.57	−03 38 39.1	20.7 V	691
1995 SD ₈	1995 09 22.28780	23 23 47.14	−03 45 12.6		691	1995 SN ₈	* 1995 09 17.33764	23 31 45.76	−03 11 49.7	19.8 V	691
1995 SD ₈	1995 09 22.32955	23 23 44.90	−03 45 31.8	19.5 V	691	1995 SN ₈	1995 09 17.35867	23 31 44.86	−03 11 59.3		691
1995 SE ₈	* 1995 09 17.33572	23 28 59.37	−03 10 13.1		691	1995 SN ₈	1995 09 17.37965	23 31 44.00	−03 12 09.0		691
1995 SE ₈	1995 09 17.35675	23 28 58.34	−03 10 20.2	19.4 V	691	1995 SN ₈	1995 09 22.29102	23 28 26.11	−03 49 42.1	20.2 V	691
1995 SE ₈	1995 09 17.37773	23 28 57.36	−03 10 26.6		691	1995 SN ₈	1995 09 22.31187	23 28 25.24	−03 49 51.9		691
1995 SE ₈	1995 09 22.28879	23 25 12.51	−03 36 45.1		691	1995 SN ₈	1995 09 22.33277	23 28 24.37	−03 50 01.2		691
1995 SE ₈	1995 09 22.30963	23 25 11.55	−03 36 51.7	19.9 V	691	1995 SO ₈	* 1995 09 17.33808	23 32 23.57	−03 08 55.2		691
1995 SE ₈	1995 09 22.33054	23 25 10.57	−03 36 58.4		691	1995 SO ₈	1995 09 17.35911	23 32 22.50	−03 08 58.4	20.8 V	691
1995 SF ₈	* 1995 09 17.33578	23 29 04.73	−03 21 13.0	21.0 V	691	1995 SO ₈	1995 09 17.38008	23 32 21.48	−03 09 01.7		691
1995 SF ₈	1995 09 17.35681	23 29 03.28	−03 21 18.7		691	1995 SO ₈	1995 09 22.35420	23 28 19.37	−03 21 47.0	21.5 V	691
1995 SF ₈	1995 09 17.37778	23 29 01.85	−03 21 21.0		691	1995 SO ₈	1995 09 22.37525	23 28 18.31	−03 21 50.8		691
1995 SF ₈	1995 09 27.18782	23 18 35.53	−03 49 23.3		691	1995 SO ₈	1995 09 22.39617	23 28 17.26	−03 21 53.6		691
1995 SF ₈	1995 09 27.20865	23 18 34.18	−03 49 26.3	21.6 V	691	1995 SO ₈	1995 09 27.19193	23 24 31.05	−03 33 28.9		691
1995 SF ₈	1995 09 27.22977	23 18 32.86	−03 49 29.0		691	1995 SO ₈	1995 09 27.21276	23 24 30.11	−03 33 31.2		691
1995 SG ₈	* 1995 09 17.33595	23 29 18.98	−03 08 39.4	19.6 V	691	1995 SO ₈	1995 09 27.23388	23 24 29.11	−03 33 34.3	21.4 V	691
1995 SG ₈	1995 09 17.35697	23 29 17.70	−03 08 41.8		691	1995 SP ₈	* 1995 09 17.33863	23 33 11.51	−02 58 06.6		691
1995 SG ₈	1995 09 17.37795	23 29 16.45	−03 08 43.7		691	1995 SP ₈	1995 09 17.35966	23 33 10.44	−02 58 17.3	17.8 V	691
1995 SG ₈	1995 09 22.35154	23 24 28.24	−03 17 20.5	20.1 V	691	1995 SP ₈	1995 09 17.38064	23 33 09.35	−02 58 28.2		691
1995 SG ₈	1995 09 22.37258	23 24 26.97	−03 17 22.6		691	1995 SP ₈	1995 09 22.29152	23 29 09.25	−03 39 56.4	18.1 V	691
1995 SG ₈	1995 09 22.39350	23 24 25.75	−03 17 24.5		691	1995 SP ₈	1995 09 22.31237	23 29 08.21	−03 40 06.8		691
1995 SG ₈	1995 09 27.28698	23 19 51.09	−03 25 00.9		691	1995 SP ₈	1995 09 22.33327	23 29 07.17	−03 40 17.2		691
1995 SG ₈	1995 09 27.31661	23 19 49.43	−03 25 02.9	19.8 V	691	1995 SQ ₈	* 1995 09 17.33863	23 33 11.60	−03 18 27.6	19.5 V	691
1995 SG ₈	1995 09 27.33746	23 19 48.25	−03 25 04.9		691	1995 SQ ₈	1995 09 17.35966	23 33 10.63	−03 18 33.5		691
1995 SH ₈	* 1995 09 17.33638	23 29 56.75	−03 21 03.8	19.6 V	691	1995 SQ ₈	1995 09 17.38064	23 33 09.66	−03 18 39.5		691
1995 SH ₈	1995 09 17.35741	23 29 55.67	−03 21 13.5		691	1995 SQ ₈	1995 09 22.29174	23 29 28.48	−03 42 10.8		691
1995 SH ₈	1995 09 17.37839	23 29 54.63	−03 21 22.5		691	1995 SQ ₈	1995 09 22.31259	23 29 27.53	−03 42 16.7	19.8 V	691
1995 SH ₈	1995 09 22.28934	23 26 00.69	−03 57 40.7	20.1 V	691	1995 SQ ₈	1995 09 22.33349	23 29 26.57	−03 42 22.6		691
1995 SH ₈	1995 09 22.31019	23 25 59.67	−03 57 49.8		691	1995 SR ₈	* 1995 09 17.33867	23 33 15.16	−03 21 12.5		691
1995 SH ₈	1995 09 22.33109	23 25 58.63	−03 57 58.8		691	1995 SR ₈	1995 09 17.35970	23 33 14.07	−03 21 15.6		691
1995 SJ ₈	* 1995 09 17.33656	23 30 12.18	−03 07 44.6	19.9 V	691	1995 SR ₈	1995 09 17.38068	23 33 12.99	−03 21 18.4	21.0 V	691
1995 SJ ₈	1995 09 17.35759	23 30 10.98	−03 07 53.6		691	1995 SR ₈	1995 09 22.29152	23 29 09.27	−03 31 45.4	21.4 V	691
1995 SJ ₈	1995 09 17.37856	23 30 09.81	−03 08 02.6		691	1995 SR ₈	1995 09 22.31236	23 29 08.19	−03 31 48.0		691

1995 SR ₈	1995 09 22.33327	23 29 07.18	−03 31 50.6		691	1995 SA ₉	* 1995 09 17.33964	23 34 39.25	−02 59 05.9	19.8 V	691
1995 SS ₈	* 1995 09 17.33868	23 33 15.92	−03 26 45.6		691	1995 SA ₉	1995 09 17.36067	23 34 38.25	−02 59 11.3		691
1995 SS ₈	1995 09 17.35971	23 33 14.92	−03 26 52.5	20.8 V	691	1995 SA ₉	1995 09 17.38165	23 34 37.22	−02 59 17.5		691
1995 SS ₈	1995 09 17.38069	23 33 13.95	−03 26 59.1		691	1995 SA ₉	1995 09 22.35592	23 30 47.98	−03 21 20.8	20.3 V	691
1995 SS ₈	1995 09 22.29180	23 29 33.67	−03 53 42.3		691	1995 SA ₉	1995 09 22.37696	23 30 46.94	−03 21 26.5		691
1995 SS ₈	1995 09 22.31265	23 29 32.74	−03 53 49.2		691	1995 SA ₉	1995 09 22.39789	23 30 45.96	−03 21 32.0		691
1995 SS ₈	1995 09 22.33355	23 29 31.78	−03 53 55.9	20.9 V	691	1995 SA ₉	1995 09 27.19381	23 27 13.63	−03 41 49.2	20.5 V	691
1995 ST ₈	* 1995 09 17.33877	23 33 23.64	−03 20 30.9		691	1995 SA ₉	1995 09 27.21464	23 27 12.73	−03 41 54.3		691
1995 ST ₈	1995 09 17.35980	23 33 22.33	−03 20 34.9	20.1 V	691	1995 SA ₉	1995 09 27.23576	23 27 11.81	−03 41 59.8		691
1995 ST ₈	1995 09 17.38077	23 33 21.01	−03 20 39.2		691	1995 SB ₉	* 1995 09 17.33973	23 34 46.97	−03 18 37.6	20.5 V	691
1995 ST ₈	1995 09 22.29107	23 28 29.87	−03 35 56.8	20.6 V	691	1995 SB ₉	1995 09 17.36076	23 34 45.73	−03 18 44.5		691
1995 ST ₈	1995 09 22.31191	23 28 28.61	−03 36 00.9		691	1995 SB ₉	1995 09 17.38173	23 34 44.49	−03 18 51.2		691
1995 ST ₈	1995 09 22.33281	23 28 27.36	−03 36 04.6		691	1995 SB ₉	1995 09 22.29219	23 30 07.00	−03 45 34.9	21.1 V	691
1995 ST ₈	1995 09 27.19148	23 23 52.56	−03 49 56.9		691	1995 SB ₉	1995 09 22.31303	23 30 05.81	−03 45 42.2		691
1995 ST ₈	1995 09 27.21231	23 23 51.40	−03 50 00.0		691	1995 SB ₉	1995 09 22.33393	23 30 04.65	−03 45 48.6		691
1995 ST ₈	1995 09 27.23344	23 23 50.19	−03 50 03.5	20.9 V	691	1995 SC ₉	* 1995 09 17.34002	23 35 12.16	−03 18 44.7	21.1 V	691
1995 SU ₈	* 1995 09 17.33887	23 33 31.90	−03 18 31.8	18.3 V	691	1995 SC ₉	1995 09 17.36105	23 35 10.90	−03 18 45.5		691
1995 SU ₈	1995 09 17.35990	23 33 30.89	−03 18 40.2		691	1995 SC ₉	1995 09 17.38202	23 35 09.62	−03 18 47.0		691
1995 SU ₈	1995 09 17.38087	23 33 29.86	−03 18 49.3		691	1995 SC ₉	1995 09 22.35561	23 30 21.38	−03 23 14.5		691
1995 SU ₈	1995 09 22.29198	23 29 48.72	−03 51 06.4	18.7 V	691	1995 SC ₉	1995 09 22.37665	23 30 20.10	−03 23 15.3	21.8 V	691
1995 SU ₈	1995 09 22.31282	23 29 47.76	−03 51 14.6		691	1995 SC ₉	1995 09 22.39758	23 30 18.83	−03 23 16.5		691
1995 SU ₈	1995 09 22.33372	23 29 46.77	−03 51 22.6		691	1995 SD ₉	* 1995 09 17.34004	23 35 13.74	−03 15 22.3	20.7 V	691
1995 SV ₈	* 1995 09 17.33889	23 33 33.58	−03 20 30.8		691	1995 SD ₉	1995 09 17.36107	23 35 12.47	−03 15 28.8		691
1995 SV ₈	1995 09 17.35991	23 33 32.26	−03 20 36.1	20.0 V	691	1995 SD ₉	1995 09 17.38204	23 35 11.18	−03 15 36.2		691
1995 SV ₈	1995 09 17.38088	23 33 30.92	−03 20 41.5		691	1995 SD ₉	1995 09 22.29236	23 30 21.74	−03 41 50.0		691
1995 SV ₈	1995 09 22.29116	23 28 38.02	−03 40 54.6		691	1995 SD ₉	1995 09 22.31320	23 30 20.50	−03 41 56.5	21.4 V	691
1995 SV ₈	1995 09 22.31200	23 28 36.75	−03 40 59.6		691	1995 SD ₉	1995 09 22.33410	23 30 19.25	−03 42 03.5		691
1995 SV ₈	1995 09 22.33290	23 28 35.47	−03 41 04.4	20.4 V	691	1995 SE ₉	* 1995 09 17.34038	23 35 42.98	−02 59 18.8		691
1995 SW ₈	* 1995 09 17.33898	23 33 41.34	−03 05 05.2	20.4 V	691	1995 SE ₉	1995 09 17.36141	23 35 41.95	−02 59 27.1	20.6 V	691
1995 SW ₈	1995 09 17.36000	23 33 40.08	−03 05 10.6		691	1995 SE ₉	1995 09 17.38239	23 35 40.89	−02 59 36.6		691
1995 SW ₈	1995 09 17.38098	23 33 38.80	−03 05 15.8		691	1995 SE ₉	1995 09 22.29338	23 31 50.06	−03 34 18.3	21.1 V	691
1995 SW ₈	1995 09 22.35455	23 28 48.96	−03 24 50.9		691	1995 SE ₉	1995 09 22.31422	23 31 49.06	−03 34 26.7		691
1995 SW ₈	1995 09 22.37559	23 28 47.67	−03 24 56.3	21.0 V	691	1995 SE ₉	1995 09 22.33513	23 31 48.06	−03 34 36.1		691
1995 SW ₈	1995 09 22.39651	23 28 46.43	−03 25 00.9		691	1995 SF ₉	* 1995 09 17.34084	23 36 22.59	−02 56 57.2	20.1 V	691
1995 SX ₈	* 1995 09 17.33955	23 34 30.88	−03 13 47.6	20.4 V	691	1995 SF ₉	1995 09 17.36187	23 36 21.64	−02 57 02.8		691
1995 SX ₈	1995 09 17.36057	23 34 29.65	−03 13 56.6		691	1995 SF ₉	1995 09 17.38285	23 36 20.68	−02 57 08.8		691
1995 SX ₈	1995 09 17.38155	23 34 28.42	−03 14 05.5		691	1995 SF ₉	1995 09 22.35722	23 32 40.38	−03 19 55.6	20.8 V	691
1995 SX ₈	1995 09 22.29203	23 29 53.44	−03 49 02.1		691	1995 SF ₉	1995 09 22.37826	23 32 39.34	−03 20 01.4		691
1995 SX ₈	1995 09 22.31287	23 29 52.25	−03 49 11.4		691	1995 SF ₉	1995 09 22.39919	23 32 38.39	−03 20 07.1		691
1995 SX ₈	1995 09 22.33377	23 29 51.05	−03 49 20.1	20.6 V	691	1995 SG ₉	* 1995 09 17.34092	23 36 29.94	−03 20 22.4	19.6 V	691
1995 SY ₈	* 1995 09 17.33956	23 34 32.30	−03 26 43.5	20.2 V	691	1995 SG ₉	1995 09 17.36195	23 36 28.96	−03 20 29.4		691
1995 SY ₈	1995 09 17.36059	23 34 31.30	−03 26 48.8		691	1995 SG ₉	1995 09 17.38293	23 36 27.95	−03 20 36.7		691
1995 SY ₈	1995 09 17.38157	23 34 30.28	−03 26 54.9		691	1995 SG ₉	1995 09 22.29402	23 32 45.28	−03 47 53.9		691
1995 SY ₈	1995 09 22.29258	23 30 40.90	−03 48 37.7	20.5 V	691	1995 SG ₉	1995 09 22.31486	23 32 44.33	−03 48 00.9		691
1995 SY ₈	1995 09 22.31342	23 30 39.92	−03 48 43.0		691	1995 SG ₉	1995 09 22.33576	23 32 43.35	−03 48 07.8	20.1 V	691
1995 SY ₈	1995 09 22.33433	23 30 38.94	−03 48 48.5		691	1995 SH ₉	* 1995 09 17.34143	23 37 13.60	−02 55 54.0		691
1995 SZ ₈	* 1995 09 17.33959	23 34 34.83	−03 16 09.6	20.5 V	691	1995 SH ₉	1995 09 17.36245	23 37 12.40	−02 56 01.2	20.4 V	691
1995 SZ ₈	1995 09 17.36062	23 34 33.58	−03 16 13.9		691	1995 SH ₉	1995 09 17.38343	23 37 11.22	−02 56 09.0		691
1995 SZ ₈	1995 09 17.38160	23 34 32.44	−03 16 19.6		691	1995 SH ₉	1995 09 27.19479	23 28 38.90	−03 52 30.4	21.4 V	691
1995 SZ ₈	1995 09 22.29218	23 30 06.37	−03 35 55.4		691	1995 SH ₉	1995 09 27.21562	23 28 37.85	−03 52 37.6		691
1995 SZ ₈	1995 09 22.31302	23 30 05.18	−03 36 00.8		691	1995 SH ₉	1995 09 27.23674	23 28 36.78	−03 52 44.7		691
1995 SZ ₈	1995 09 22.33392	23 30 04.01	−03 36 05.1	21.2 V	691	1995 SJ ₉	* 1995 09 17.34153	23 37 22.81	−03 01 52.9		691

1995 SJ ₉	1995 09 17.36256	23 37 21.94	−03 02 04.2	20.9 V	691	1995 SR ₉	1995 09 22.35841	23 34 23.75	−03 09 00.2		691
1995 SJ ₉	1995 09 17.38354	23 37 21.14	−03 02 15.9		691	1995 SR ₉	1995 09 22.37945	23 34 22.69	−03 09 02.4	19.1 V	691
1995 SJ ₉	1995 09 22.29500	23 34 10.70	−03 47 31.4	21.2 V	691	1995 SR ₉	1995 09 22.40038	23 34 21.62	−03 09 04.5		691
1995 SJ ₉	1995 09 22.31585	23 34 09.90	−03 47 43.0		691	1995 SR ₉	1995 09 27.29420	23 30 16.68	−03 16 50.7	18.9 V	691
1995 SJ ₉	1995 09 22.33675	23 34 09.05	−03 47 54.7		691	1995 SR ₉	1995 09 27.32383	23 30 15.15	−03 16 53.4		691
1995 SK ₉	* 1995 09 17.34164	23 37 32.21	−03 02 57.9		691	1995 SR ₉	1995 09 27.34468	23 30 14.11	−03 16 54.8		691
1995 SK ₉	1995 09 17.36267	23 37 31.07	−03 03 04.0	20.2 V	691	1995 SS ₉	* 1995 09 17.34301	23 39 30.45	−03 22 36.9		691
1995 SK ₉	1995 09 17.38365	23 37 29.99	−03 03 10.8		691	1995 SS ₉	1995 09 17.36403	23 39 29.04	−03 22 39.9		691
1995 SK ₉	1995 09 27.19520	23 29 14.26	−03 50 52.3		691	1995 SS ₉	1995 09 17.38500	23 39 27.67	−03 22 42.8	20.8 V	691
1995 SK ₉	1995 09 27.21603	23 29 13.25	−03 50 57.8	20.8 V	691	1995 SS ₉	1995 09 27.19522	23 29 15.82	−03 42 31.3		691
1995 SK ₉	1995 09 27.23715	23 29 12.17	−03 51 04.3		691	1995 SS ₉	1995 09 27.21604	23 29 14.58	−03 42 33.4		691
1995 SL ₉	* 1995 09 17.34166	23 37 33.57	−03 24 54.4		691	1995 SS ₉	1995 09 27.23717	23 29 13.24	−03 42 36.2	21.4 V	691
1995 SL ₉	1995 09 17.36268	23 37 32.14	−03 24 59.9	16.1 V	691	1995 ST ₉	* 1995 09 17.34311	23 39 39.41	−02 56 52.0	19.4 V	691
1995 SL ₉	1995 09 17.38365	23 37 30.83	−03 25 04.4		691	1995 ST ₉	1995 09 17.36414	23 39 38.27	−02 57 00.5		691
1995 SL ₉	1995 09 22.29386	23 32 31.62	−03 43 52.8		691	1995 ST ₉	1995 09 17.38511	23 39 37.17	−02 57 09.0		691
1995 SL ₉	1995 09 22.31470	23 32 30.31	−03 43 57.5	16.2 V	691	1995 ST ₉	1995 09 22.29595	23 35 32.98	−03 29 08.5		691
1995 SL ₉	1995 09 22.33560	23 32 29.00	−03 44 02.2		691	1995 ST ₉	1995 09 22.31679	23 35 31.88	−03 29 16.3		691
1995 SM ₉	* 1995 09 17.34169	23 37 36.30	−03 03 18.7	19.3 V	691	1995 ST ₉	1995 09 22.33770	23 35 30.81	−03 29 24.5	19.8 V	691
1995 SM ₉	1995 09 17.36272	23 37 35.29	−03 03 28.4		691	1995 ST ₉	1995 09 27.19692	23 31 43.59	−03 58 57.0		691
1995 SM ₉	1995 09 17.38370	23 37 34.37	−03 03 38.2		691	1995 ST ₉	1995 09 27.21775	23 31 42.63	−03 59 04.9		691
1995 SM ₉	1995 09 22.29493	23 34 04.37	−03 41 14.0		691	1995 ST ₉	1995 09 27.23888	23 31 41.57	−03 59 12.0	19.9 V	691
1995 SM ₉	1995 09 22.31577	23 34 03.44	−03 41 23.4	19.8 V	691	1995 SU ₉	* 1995 09 17.34326	23 39 52.77	−03 26 07.6	20.5 V	691
1995 SM ₉	1995 09 22.33668	23 34 02.51	−03 41 33.0		691	1995 SU ₉	1995 09 17.36429	23 39 51.49	−03 26 14.8		691
1995 SN ₉	* 1995 09 17.34170	23 37 37.37	−02 56 28.1	18.8 V	691	1995 SU ₉	1995 09 17.38526	23 39 50.25	−03 26 21.0		691
1995 SN ₉	1995 09 17.36273	23 37 36.39	−02 56 36.6		691	1995 SU ₉	1995 09 22.31654	23 35 09.77	−03 51 51.9	20.7 V	691
1995 SN ₉	1995 09 17.38371	23 37 35.49	−02 56 45.6		691	1995 SU ₉	1995 09 22.33744	23 35 08.52	−03 51 58.1		691
1995 SN ₉	1995 09 22.29494	23 34 05.34	−03 29 58.7		691	1995 SV ₉	* 1995 09 17.34342	23 40 06.32	−03 09 08.6	19.1 V	691
1995 SN ₉	1995 09 22.31578	23 34 04.41	−03 30 07.5	19.1 V	691	1995 SV ₉	1995 09 17.36445	23 40 05.20	−03 09 19.5		691
1995 SN ₉	1995 09 22.33669	23 34 03.48	−03 30 16.0		691	1995 SV ₉	1995 09 17.38542	23 40 04.14	−03 09 30.5		691
1995 SO ₉	* 1995 09 17.34193	23 37 57.16	−03 20 49.0	20.7 V	691	1995 SV ₉	1995 09 22.29639	23 36 11.22	−03 51 03.2	19.4 V	691
1995 SO ₉	1995 09 17.36296	23 37 56.00	−03 20 53.4		691	1995 SV ₉	1995 09 22.31724	23 36 10.18	−03 51 13.7		691
1995 SO ₉	1995 09 17.38393	23 37 54.89	−03 20 58.3		691	1995 SV ₉	1995 09 22.33814	23 36 09.13	−03 51 24.0		691
1995 SO ₉	1995 09 27.19546	23 29 36.90	−03 55 00.4	21.2 V	691	1995 SW ₉	* 1995 09 17.34372	23 40 32.59	−03 03 32.6	19.3 V	691
1995 SO ₉	1995 09 27.21629	23 29 35.89	−03 55 04.1		691	1995 SW ₉	1995 09 17.36475	23 40 31.40	−03 03 36.9		691
1995 SO ₉	1995 09 27.23741	23 29 34.79	−03 55 08.5		691	1995 SW ₉	1995 09 17.38573	23 40 30.24	−03 03 40.9		691
1995 SP ₉	* 1995 09 17.34195	23 37 58.80	−03 13 34.8	17.4 V	691	1995 SW ₉	1995 09 22.35952	23 36 00.24	−03 19 21.0		691
1995 SP ₉	1995 09 17.36298	23 37 57.70	−03 13 42.1		691	1995 SW ₉	1995 09 22.38057	23 35 59.10	−03 19 24.9	19.8 V	691
1995 SP ₉	1995 09 17.38395	23 37 56.67	−03 13 49.5		691	1995 SW ₉	1995 09 22.40149	23 35 57.95	−03 19 28.9		691
1995 SP ₉	1995 09 22.29486	23 33 58.31	−03 41 54.1		691	1995 SX ₉	* 1995 09 17.34387	23 40 45.53	−03 24 22.4		691
1995 SP ₉	1995 09 22.31570	23 33 57.25	−03 42 01.2	17.6 V	691	1995 SX ₉	1995 09 17.36490	23 40 44.44	−03 24 25.9	20.5 V	691
1995 SP ₉	1995 09 22.33660	23 33 56.20	−03 42 08.5		691	1995 SX ₉	1995 09 17.38588	23 40 43.43	−03 24 29.1		691
1995 SQ ₉	* 1995 09 17.34201	23 38 04.39	−03 00 08.1		691	1995 SX ₉	1995 09 27.19767	23 32 48.43	−03 47 19.7		691
1995 SQ ₉	1995 09 17.36304	23 38 02.96	−03 00 10.6		691	1995 SX ₉	1995 09 27.21850	23 32 47.45	−03 47 22.3	21.3 V	691
1995 SQ ₉	1995 09 17.38401	23 38 01.64	−03 00 14.3	20.4 V	691	1995 SX ₉	1995 09 27.23963	23 32 46.39	−03 47 25.4		691
1995 SQ ₉	1995 09 22.37837	23 32 48.51	−03 11 14.8		691	1995 SY ₉	* 1995 09 17.34391	23 40 48.45	−03 16 05.0	19.5 V	691
1995 SQ ₉	1995 09 22.39929	23 32 47.15	−03 11 17.3	21.0 V	691	1995 SY ₉	1995 09 17.36493	23 40 47.12	−03 16 05.4		691
1995 SQ ₉	1995 09 27.29249	23 27 48.24	−03 21 06.1		691	1995 SY ₉	1995 09 17.38591	23 40 45.83	−03 16 05.6		691
1995 SQ ₉	1995 09 27.32212	23 27 46.39	−03 21 08.7	21.1 V	691	1995 SY ₉	1995 09 22.35945	23 35 54.00	−03 16 50.1		691
1995 SQ ₉	1995 09 27.34296	23 27 45.10	−03 21 11.2		691	1995 SY ₉	1995 09 22.38049	23 35 52.74	−03 16 50.2		691
1995 SR ₉	* 1995 09 17.34242	23 38 39.82	−03 00 25.0	18.6 V	691	1995 SY ₉	1995 09 22.40142	23 35 51.47	−03 16 50.3	20.1 V	691
1995 SR ₉	1995 09 17.36345	23 38 38.69	−03 00 27.5		691	1995 SY ₉	1995 09 27.29490	23 31 17.62	−03 16 19.3	20.0 V	691
1995 SR ₉	1995 09 17.38443	23 38 37.62	−03 00 29.8		691	1995 SY ₉	1995 09 27.32453	23 31 15.90	−03 16 18.8		691

1995 SY ₉	1995 09 27.34538	23 31 14.71	-03 16 18.4		691	1995 SH ₁₀	1995 09 17.36678	23 43 27.53	-03 19 49.0	20.8 V	691
1995 SZ ₉	* 1995 09 17.34398	23 40 55.08	-03 04 30.0	19.7 V	691	1995 SH ₁₀	1995 09 17.38776	23 43 26.59	-03 19 54.6		691
1995 SZ ₉	1995 09 17.36501	23 40 53.97	-03 04 35.9		691	1995 SH ₁₀	1995 09 27.20002	23 36 12.26	-03 57 19.8		691
1995 SZ ₉	1995 09 17.38599	23 40 52.90	-03 04 42.0		691	1995 SH ₁₀	1995 09 27.22085	23 36 11.29	-03 57 24.3	21.1 V	691
1995 SZ ₉	1995 09 27.19771	23 32 51.58	-03 48 38.2	20.5 V	691	1995 SH ₁₀	1995 09 27.24198	23 36 10.43	-03 57 28.9		691
1995 SZ ₉	1995 09 27.21854	23 32 50.62	-03 48 43.3		691	1995 SJ ₁₀	* 1995 09 17.34590	23 43 41.08	-02 56 42.4	19.9 V	691
1995 SZ ₉	1995 09 27.23966	23 32 49.55	-03 48 49.0		691	1995 SJ ₁₀	1995 09 17.36693	23 43 39.80	-02 56 51.1		691
1995 SA ₁₀	* 1995 09 17.34428	23 41 20.56	-03 01 28.4		691	1995 SJ ₁₀	1995 09 17.38790	23 43 38.53	-02 56 59.4		691
1995 SA ₁₀	1995 09 17.36530	23 41 19.02	-03 01 22.7	18.7 V	691	1995 SJ ₁₀	1995 09 22.29824	23 38 51.36	-03 28 49.3	20.4 V	691
1995 SA ₁₀	1995 09 17.38627	23 41 17.52	-03 01 16.8		691	1995 SJ ₁₀	1995 09 22.31908	23 38 50.11	-03 28 57.5		691
1995 SA ₁₀	1995 09 29.28392	23 27 43.82	-02 02 25.6		691	1995 SJ ₁₀	1995 09 22.33998	23 38 48.85	-03 29 05.9		691
1995 SA ₁₀	1995 09 29.30488	23 27 42.41	-02 02 19.1	19.3 V	691	1995 SJ ₁₀	1995 09 27.19866	23 34 13.81	-03 59 07.9	20.6 V	691
1995 SA ₁₀	1995 09 29.32597	23 27 40.98	-02 02 12.5		691	1995 SJ ₁₀	1995 09 27.21949	23 34 12.66	-03 59 15.3		691
1995 SB ₁₀	* 1995 09 17.34445	23 41 35.67	-03 10 56.8		691	1995 SJ ₁₀	1995 09 27.24061	23 34 11.40	-03 59 23.3		691
1995 SB ₁₀	1995 09 17.36548	23 41 34.30	-03 11 04.1	21.0 V	691	1995 SK ₁₀	* 1995 09 17.34605	23 43 54.16	-03 03 49.6		691
1995 SB ₁₀	1995 09 17.38645	23 41 33.02	-03 11 10.7		691	1995 SK ₁₀	1995 09 17.36708	23 43 53.17	-03 03 55.3		691
1995 SB ₁₀	1995 09 22.29667	23 36 35.52	-03 37 38.8		691	1995 SK ₁₀	1995 09 17.38806	23 43 52.15	-03 04 00.8	20.6 V	691
1995 SB ₁₀	1995 09 22.31751	23 36 34.23	-03 37 45.4	21.5 V	691	1995 SK ₁₀	1995 09 22.36232	23 40 02.21	-03 24 42.4	21.4 V	691
1995 SB ₁₀	1995 09 22.33841	23 36 32.95	-03 37 52.3		691	1995 SK ₁₀	1995 09 22.38336	23 40 01.25	-03 24 47.7		691
1995 SC ₁₀	* 1995 09 17.34456	23 41 44.78	-03 10 31.4	19.9 V	691	1995 SK ₁₀	1995 09 22.40429	23 40 00.25	-03 24 52.4		691
1995 SC ₁₀	1995 09 17.36559	23 41 43.77	-03 10 39.9		691	1995 SK ₁₀	1995 09 27.20017	23 36 24.74	-03 43 53.7	21.2 V	691
1995 SC ₁₀	1995 09 17.38656	23 41 42.80	-03 10 48.3		691	1995 SK ₁₀	1995 09 27.22100	23 36 23.77	-03 43 58.8		691
1995 SC ₁₀	1995 09 22.29765	23 37 59.78	-03 43 30.0	20.5 V	691	1995 SK ₁₀	1995 09 27.24213	23 36 22.84	-03 44 03.5		691
1995 SC ₁₀	1995 09 22.31849	23 37 58.81	-03 43 38.6		691	1995 SL ₁₀	* 1995 09 17.34610	23 43 58.25	-03 07 03.5	19.7 V	691
1995 SC ₁₀	1995 09 22.33939	23 37 57.82	-03 43 46.7		691	1995 SL ₁₀	1995 09 17.38810	23 43 55.97	-03 07 12.0		691
1995 SD ₁₀	* 1995 09 17.34474	23 42 00.74	-03 21 39.1	19.1 V	691	1995 SL ₁₀	1995 09 22.36199	23 39 33.75	-03 23 07.0		691
1995 SD ₁₀	1995 09 17.36577	23 41 59.41	-03 21 36.6		691	1995 SL ₁₀	1995 09 22.38303	23 39 32.62	-03 23 10.5		691
1995 SD ₁₀	1995 09 17.38674	23 41 58.12	-03 21 33.8		691	1995 SL ₁₀	1995 09 22.40396	23 39 31.51	-03 23 14.9	20.3 V	691
1995 SD ₁₀	1995 09 22.36030	23 37 07.31	-03 10 18.6	20.6 V	691	1995 SM ₁₀	* 1995 09 17.39231	23 30 32.49	-00 09 50.5		691
1995 SD ₁₀	1995 09 22.38134	23 37 06.05	-03 10 16.1		691	1995 SM ₁₀	1995 09 17.39767	23 30 32.24	-00 09 54.5	19.3 V	691
1995 SD ₁₀	1995 09 22.40226	23 37 04.76	-03 10 12.6		691	1995 SM ₁₀	1995 09 17.41266	23 30 31.54	-00 10 05.9		691
1995 SD ₁₀	1995 09 27.29572	23 32 28.61	-02 57 50.3		691	1995 SM ₁₀	1995 09 29.21286	23 22 13.86	-02 34 33.0		691
1995 SD ₁₀	1995 09 27.32535	23 32 26.85	-02 57 45.4	19.5 V	691	1995 SM ₁₀	1995 09 29.23361	23 22 13.03	-02 34 47.6	20.0 V	691
1995 SD ₁₀	1995 09 27.34620	23 32 25.63	-02 57 42.0		691	1995 SM ₁₀	1995 09 29.25445	23 22 12.21	-02 35 02.0		691
1995 SE ₁₀	* 1995 09 17.34502	23 42 24.88	-03 19 51.3	18.9 V	691	1995 SN ₁₀	* 1995 09 17.43636	01 15 23.40	+08 50 23.1	19.4 V	691
1995 SE ₁₀	1995 09 17.36605	23 42 23.79	-03 19 59.8		691	1995 SN ₁₀	1995 09 17.45856	01 15 22.46	+08 50 21.7		691
1995 SE ₁₀	1995 09 17.38703	23 42 22.74	-03 20 08.1		691	1995 SN ₁₀	1995 09 17.48066	01 15 21.53	+08 50 21.0		691
1995 SE ₁₀	1995 09 22.29788	23 38 19.69	-03 51 50.4	19.3 V	691	1995 SN ₁₀	1995 09 22.41894	01 11 46.61	+08 46 21.7		691
1995 SE ₁₀	1995 09 22.31872	23 38 18.63	-03 51 58.7		691	1995 SN ₁₀	1995 09 22.44943	01 11 45.19	+08 46 19.5	19.4 V	691
1995 SE ₁₀	1995 09 22.33962	23 38 17.56	-03 52 06.6		691	1995 SN ₁₀	1995 09 22.47750	01 11 43.87	+08 46 17.9		691
1995 SF ₁₀	* 1995 09 17.34529	23 42 48.48	-03 10 04.6	20.7 V	691	1995 SO ₁₀	* 1995 09 17.43705	01 16 22.76	+08 47 35.3		691
1995 SF ₁₀	1995 09 17.36632	23 42 47.28	-03 10 13.2		691	1995 SO ₁₀	1995 09 17.45925	01 16 21.88	+08 47 32.1	20.7 V	691
1995 SF ₁₀	1995 09 17.38730	23 42 46.12	-03 10 22.5		691	1995 SO ₁₀	1995 09 17.48134	01 16 21.01	+08 47 29.7		691
1995 SF ₁₀	1995 09 22.31873	23 38 19.31	-03 43 38.6	21.1 V	691	1995 SO ₁₀	1995 09 22.41975	01 13 04.71	+08 37 25.1	20.4 V	691
1995 SF ₁₀	1995 09 22.33963	23 38 18.18	-03 43 46.9		691	1995 SO ₁₀	1995 09 22.45023	01 13 03.42	+08 37 20.5		691
1995 SG ₁₀	* 1995 09 17.34554	23 43 09.57	-02 59 29.9	17.9 V	691	1995 SO ₁₀	1995 09 22.47829	01 13 02.21	+08 37 16.8		691
1995 SG ₁₀	1995 09 17.36656	23 43 08.34	-02 59 39.3		691	1995 SP ₁₀	* 1995 09 17.43748	01 17 00.47	+08 54 59.7	20.6 V	691
1995 SG ₁₀	1995 09 17.38754	23 43 07.15	-02 59 48.4		691	1995 SP ₁₀	1995 09 17.45968	01 16 59.71	+08 54 55.8		691
1995 SG ₁₀	1995 09 22.29812	23 38 40.47	-03 34 44.5		691	1995 SP ₁₀	1995 09 17.48178	01 16 58.99	+08 54 52.6		691
1995 SG ₁₀	1995 09 22.31896	23 38 39.30	-03 34 53.4	18.0 V	691	1995 SP ₁₀	1995 09 22.42044	01 14 04.89	+08 41 31.1	20.4 V	691
1995 SG ₁₀	1995 09 22.33986	23 38 38.12	-03 35 02.2		691	1995 SP ₁₀	1995 09 22.45093	01 14 03.67	+08 41 25.0		691
1995 SH ₁₀	* 1995 09 17.34575	23 43 28.50	-03 19 44.2		691	1995 SP ₁₀	1995 09 22.47899	01 14 02.54	+08 41 19.9		691

1995 SQ ₁₀	* 1995 09 17.43812	01 17 55.69	+08 41 01.3	20.5 V	691	1995 SX ₁₀	1995 09 17.48719	01 24 48.05	+08 53 43.3		691
1995 SQ ₁₀	1995 09 17.46032	01 17 54.80	+08 40 58.7		691	1995 SX ₁₀	1995 09 27.36262	01 17 21.31	+08 52 22.2		691
1995 SQ ₁₀	1995 09 17.48241	01 17 53.91	+08 40 56.4		691	1995 SX ₁₀	1995 09 27.38376	01 17 20.18	+08 52 21.1	19.6 V	691
1995 SQ ₁₀	1995 09 22.42074	01 14 30.37	+08 30 51.3	20.2 V	691	1995 SX ₁₀	1995 09 27.40483	01 17 19.02	+08 52 20.4		691
1995 SQ ₁₀	1995 09 22.45122	01 14 28.98	+08 30 46.6		691	1995 SY ₁₀	* 1995 09 17.44300	01 24 58.62	+08 48 53.2		691
1995 SQ ₁₀	1995 09 22.47928	01 14 27.71	+08 30 42.7		691	1995 SY ₁₀	1995 09 17.46520	01 24 57.85	+08 48 52.3	20.9 V	691
1995 SR ₁₀	* 1995 09 17.43877	01 18 51.84	+08 47 26.6	20.5 V	691	1995 SY ₁₀	1995 09 17.48730	01 24 57.12	+08 48 50.3		691
1995 SR ₁₀	1995 09 17.46097	01 18 51.05	+08 47 24.6		691	1995 SY ₁₀	1995 09 22.42592	01 21 59.83	+08 42 33.9	20.5 V	691
1995 SR ₁₀	1995 09 17.48306	01 18 50.22	+08 47 23.4		691	1995 SY ₁₀	1995 09 22.45641	01 21 58.56	+08 42 30.9		691
1995 SR ₁₀	1995 09 22.42156	01 15 41.62	+08 40 29.6	20.3 V	691	1995 SY ₁₀	1995 09 22.48447	01 21 57.44	+08 42 28.0		691
1995 SR ₁₀	1995 09 22.45204	01 15 40.35	+08 40 26.3		691	1995 SZ ₁₀	* 1995 09 17.44314	01 25 10.37	+08 35 07.8		691
1995 SR ₁₀	1995 09 22.48011	01 15 39.18	+08 40 23.3		691	1995 SZ ₁₀	1995 09 17.46534	01 25 09.66	+08 35 07.4	19.0 V	691
1995 SR ₁₀	1995 09 27.35901	01 12 09.16	+08 31 16.4	20.4 V	691	1995 SZ ₁₀	1995 09 17.48744	01 25 08.98	+08 35 06.4		691
1995 SR ₁₀	1995 09 27.38015	01 12 08.22	+08 31 13.9		691	1995 SZ ₁₀	1995 09 22.42621	01 22 24.24	+08 30 46.2	18.8 V	691
1995 SR ₁₀	1995 09 27.40123	01 12 07.21	+08 31 10.9		691	1995 SZ ₁₀	1995 09 22.45669	01 22 22.96	+08 30 43.5		691
1995 SS ₁₀	* 1995 09 17.44086	01 21 53.53	+08 43 53.8		691	1995 SZ ₁₀	1995 09 22.48475	01 22 21.83	+08 30 41.3		691
1995 SS ₁₀	1995 09 17.46306	01 21 52.64	+08 43 50.8	20.1 V	691	1995 SA ₁₁	* 1995 09 17.44420	01 26 42.28	+08 56 45.9		691
1995 SS ₁₀	1995 09 17.48516	01 21 51.75	+08 43 48.5		691	1995 SA ₁₁	1995 09 17.46640	01 26 41.53	+08 56 42.2	21.6 V	691
1995 SS ₁₀	1995 09 22.45391	01 18 22.19	+08 32 51.3		691	1995 SA ₁₁	1995 09 17.48850	01 26 40.81	+08 56 37.7		691
1995 SS ₁₀	1995 09 22.48197	01 18 20.87	+08 32 47.0	19.9 V	691	1995 SA ₁₁	1995 09 22.45768	01 23 49.10	+08 38 37.3	21.4 V	691
1995 ST ₁₀	* 1995 09 17.44092	01 21 58.80	+08 54 15.5		691	1995 SA ₁₁	1995 09 22.48575	01 23 48.04	+08 38 30.6		691
1995 ST ₁₀	1995 09 17.46312	01 21 57.72	+08 54 14.6	19.9 V	691	1995 SB ₁₁	* 1995 09 17.44470	01 27 26.23	+09 00 10.4	20.1 V	691
1995 ST ₁₀	1995 09 17.48522	01 21 56.63	+08 54 13.8		691	1995 SB ₁₁	1995 09 17.46691	01 27 25.53	+09 00 04.6		691
1995 ST ₁₀	1995 09 22.42299	01 17 45.55	+08 49 08.2	19.7 V	691	1995 SB ₁₁	1995 09 17.48900	01 27 24.82	+08 59 58.5		691
1995 ST ₁₀	1995 09 22.45347	01 17 43.86	+08 49 05.4		691	1995 SB ₁₁	1995 09 22.42781	01 24 42.86	+08 36 11.1	19.8 V	691
1995 ST ₁₀	1995 09 22.48153	01 17 42.28	+08 49 03.1		691	1995 SB ₁₁	1995 09 22.45829	01 24 41.72	+08 36 01.8		691
1995 SU ₁₀	* 1995 09 17.44185	01 23 18.78	+08 38 47.2	21.1 V	691	1995 SB ₁₁	1995 09 22.48636	01 24 40.73	+08 35 53.3		691
1995 SU ₁₀	1995 09 17.46405	01 23 17.89	+08 38 45.6		691	1995 SC ₁₁	* 1995 09 17.44477	01 27 31.77	+08 49 04.2	19.2 V	691
1995 SU ₁₀	1995 09 17.48614	01 23 17.03	+08 38 44.1		691	1995 SC ₁₁	1995 09 17.46697	01 27 31.00	+08 49 01.5		691
1995 SU ₁₀	1995 09 22.42451	01 19 57.08	+08 32 30.7		691	1995 SC ₁₁	1995 09 17.48907	01 27 30.22	+08 48 58.1		691
1995 SU ₁₀	1995 09 22.45499	01 19 55.78	+08 32 25.6	20.5 V	691	1995 SC ₁₁	1995 09 22.42764	01 24 28.76	+08 36 04.5	19.0 V	691
1995 SU ₁₀	1995 09 22.48305	01 19 54.48	+08 32 23.1		691	1995 SC ₁₁	1995 09 22.45813	01 24 27.46	+08 35 59.1		691
1995 SV ₁₀	* 1995 09 17.44225	01 23 53.29	+08 42 45.1		691	1995 SC ₁₁	1995 09 22.48619	01 24 26.31	+08 35 54.0		691
1995 SV ₁₀	1995 09 17.46445	01 23 52.41	+08 42 45.8	19.9 V	691	1995 SD ₁₁	* 1995 09 17.44487	01 27 40.78	+08 48 43.4	19.3 V	691
1995 SV ₁₀	1995 09 17.48654	01 23 51.54	+08 42 46.0		691	1995 SD ₁₁	1995 09 17.46707	01 27 39.83	+08 48 45.8		691
1995 SV ₁₀	1995 09 22.42485	01 20 26.67	+08 43 36.4	19.7 V	691	1995 SD ₁₁	1995 09 17.48917	01 27 38.90	+08 48 47.8		691
1995 SV ₁₀	1995 09 22.45533	01 20 25.22	+08 43 36.0		691	1995 SD ₁₁	1995 09 22.42731	01 23 59.87	+08 55 14.6	19.2 V	691
1995 SV ₁₀	1995 09 22.48339	01 20 23.95	+08 43 35.8		691	1995 SD ₁₁	1995 09 22.45779	01 23 58.30	+08 55 16.4		691
1995 SV ₁₀	1995 09 27.36209	01 16 35.85	+08 42 15.9		691	1995 SD ₁₁	1995 09 22.48585	01 23 56.89	+08 55 17.8		691
1995 SV ₁₀	1995 09 27.38323	01 16 34.78	+08 42 15.1	19.5 V	691	1995 SE ₁₁	* 1995 09 17.44523	01 28 11.53	+08 49 01.7		691
1995 SV ₁₀	1995 09 27.40430	01 16 33.71	+08 42 14.6		691	1995 SE ₁₁	1995 09 17.46743	01 28 10.54	+08 48 59.8	21.2 V	691
1995 SW ₁₀	* 1995 09 17.44280	01 24 41.19	+08 57 15.0	20.5 V	691	1995 SE ₁₁	1995 09 17.48952	01 28 09.55	+08 48 57.3		691
1995 SW ₁₀	1995 09 17.46500	01 24 40.27	+08 57 15.4		691	1995 SE ₁₁	1995 09 22.42754	01 24 19.62	+08 40 25.5		691
1995 SW ₁₀	1995 09 17.48709	01 24 39.35	+08 57 15.7		691	1995 SE ₁₁	1995 09 22.45802	01 24 18.02	+08 40 21.6	21.1 V	691
1995 SW ₁₀	1995 09 22.42531	01 21 07.01	+08 57 46.3	20.3 V	691	1995 SE ₁₁	1995 09 22.48608	01 24 16.57	+08 40 18.4		691
1995 SW ₁₀	1995 09 22.45580	01 21 05.56	+08 57 45.8		691	1995 SF ₁₁	* 1995 09 17.44715	01 30 57.84	+08 56 54.5	20.5 V	691
1995 SW ₁₀	1995 09 22.48386	01 21 04.26	+08 57 45.9		691	1995 SF ₁₁	1995 09 17.46935	01 30 57.00	+08 56 48.8		691
1995 SW ₁₀	1995 09 27.36253	01 17 13.86	+08 56 28.9	20.4 V	691	1995 SF ₁₁	1995 09 17.49144	01 30 56.18	+08 56 42.9		691
1995 SW ₁₀	1995 09 27.38367	01 17 12.80	+08 56 28.1		691	1995 SF ₁₁	1995 09 22.42991	01 27 44.95	+08 32 56.1	20.4 V	691
1995 SW ₁₀	1995 09 27.40474	01 17 11.74	+08 56 27.3		691	1995 SF ₁₁	1995 09 22.46039	01 27 43.60	+08 32 46.8		691
1995 SX ₁₀	* 1995 09 17.44290	01 24 49.82	+08 53 42.2		691	1995 SF ₁₁	1995 09 22.48845	01 27 42.38	+08 32 37.9		691
1995 SX ₁₀	1995 09 17.46510	01 24 48.93	+08 53 42.8	19.9 V	691	1995 SG ₁₁	* 1995 09 17.44777	01 31 51.87	+08 34 40.2	20.5 V	691

1995 SG ₁₁	1995 09 17.46997	01 31 51.25	+08 34 41.1		691	1995 SP ₁₁	1995 09 18.23351	23 21 25.68	-02 33 08.5		691
1995 SG ₁₁	1995 09 17.49207	01 31 50.64	+08 34 42.0		691	1995 SP ₁₁	1995 09 22.28437	23 18 49.98	-03 28 27.6	19.6 V	691
1995 SG ₁₁	1995 09 22.43107	01 29 25.82	+08 36 06.2	20.4 V	691	1995 SP ₁₁	1995 09 22.30522	23 18 49.15	-03 28 44.8		691
1995 SG ₁₁	1995 09 22.46156	01 29 24.64	+08 36 06.3		691	1995 SP ₁₁	1995 09 22.32612	23 18 48.31	-03 29 01.7		691
1995 SG ₁₁	1995 09 22.48962	01 29 23.59	+08 36 05.4		691	1995 SQ ₁₁	* 1995 09 18.19165	23 21 27.73	-02 51 28.8		691
1995 SH ₁₁	* 1995 09 17.44816	01 32 25.24	+08 43 55.4		691	1995 SQ ₁₁	1995 09 18.21250	23 21 26.49	-02 51 30.3	18.2 V	691
1995 SH ₁₁	1995 09 17.47036	01 32 24.38	+08 43 58.4	21.1 V	691	1995 SQ ₁₁	1995 09 18.23350	23 21 25.24	-02 51 31.8		691
1995 SH ₁₁	1995 09 17.49245	01 32 23.43	+08 44 01.4		691	1995 SQ ₁₁	1995 09 22.34701	23 17 39.57	-02 56 45.5	18.9 V	691
1995 SH ₁₁	1995 09 27.36781	01 24 51.08	+09 00 51.2		691	1995 SQ ₁₁	1995 09 22.36806	23 17 38.43	-02 56 46.7		691
1995 SH ₁₁	1995 09 27.38895	01 24 49.94	+09 00 52.4	21.1 V	691	1995 SQ ₁₁	1995 09 22.38899	23 17 37.24	-02 56 47.8		691
1995 SH ₁₁	1995 09 27.41002	01 24 48.74	+09 00 54.2		691	1995 SR ₁₁	* 1995 09 18.19176	23 21 36.75	-02 41 53.7	20.4 V	691
1995 SH ₁₁	1995 09 30.43442	01 22 05.76	+09 04 06.7	21.0 V	691	1995 SR ₁₁	1995 09 18.21261	23 21 35.87	-02 42 01.4		691
1995 SH ₁₁	1995 09 30.45548	01 22 04.54	+09 04 08.0		691	1995 SR ₁₁	1995 09 18.23361	23 21 34.98	-02 42 08.5		691
1995 SH ₁₁	1995 09 30.47665	01 22 03.33	+09 04 09.0		691	1995 SR ₁₁	1995 09 22.34763	23 18 49.76	-03 06 41.1		691
1995 SJ ₁₁	* 1995 09 17.44864	01 33 07.50	+09 00 30.6		691	1995 SR ₁₁	1995 09 22.36867	23 18 48.93	-03 06 48.6	21.2 V	691
1995 SJ ₁₁	1995 09 17.47084	01 33 06.66	+09 00 31.2	21.2 V	691	1995 SR ₁₁	1995 09 22.38960	23 18 48.08	-03 06 55.5		691
1995 SJ ₁₁	1995 09 17.49294	01 33 05.79	+09 00 31.3		691	1995 SS ₁₁	* 1995 09 18.19233	23 22 26.27	-02 33 53.5		691
1995 SJ ₁₁	1995 09 27.36834	01 25 36.89	+08 55 36.5	20.9 V	691	1995 SS ₁₁	1995 09 18.21318	23 22 25.21	-02 34 03.3	19.1 V	691
1995 SJ ₁₁	1995 09 27.38948	01 25 35.76	+08 55 35.4		691	1995 SS ₁₁	1995 09 18.23418	23 22 24.12	-02 34 13.0		691
1995 SJ ₁₁	1995 09 27.41055	01 25 34.57	+08 55 34.0		691	1995 SS ₁₁	1995 09 22.34778	23 19 02.90	-03 05 46.8	20.0 V	691
1995 SK ₁₁	* 1995 09 17.45032	01 35 32.75	+08 59 29.5		691	1995 SS ₁₁	1995 09 22.36882	23 19 01.89	-03 05 56.1		691
1995 SK ₁₁	1995 09 17.47252	01 35 32.14	+08 59 25.7	21.3 V	691	1995 SS ₁₁	1995 09 22.38975	23 19 00.88	-03 06 05.3		691
1995 SK ₁₁	1995 09 17.49462	01 35 31.57	+08 59 21.6		691	1995 ST ₁₁	* 1995 09 18.19260	23 22 49.54	-02 49 39.5		691
1995 SK ₁₁	1995 09 22.43368	01 33 11.94	+08 43 22.1	20.9 V	691	1995 ST ₁₁	1995 09 18.21344	23 22 48.26	-02 49 39.5	19.2 V	691
1995 SK ₁₁	1995 09 22.46417	01 33 10.91	+08 43 15.5		691	1995 ST ₁₁	1995 09 18.23445	23 22 46.94	-02 49 39.3		691
1995 SK ₁₁	1995 09 22.49224	01 33 09.99	+08 43 09.4		691	1995 ST ₁₁	1995 09 23.17630	23 17 58.52	-02 48 52.3	20.3 V	691
1995 SL ₁₁	* 1995 09 17.45154	01 37 18.03	+08 56 37.3		691	1995 ST ₁₁	1995 09 23.19695	23 17 57.25	-02 48 51.5		691
1995 SL ₁₁	1995 09 17.47374	01 37 17.22	+08 56 36.2	19.9 V	691	1995 ST ₁₁	1995 09 23.21762	23 17 56.00	-02 48 51.5		691
1995 SL ₁₁	1995 09 17.49583	01 37 16.47	+08 56 35.0		691	1995 SU ₁₁	* 1995 09 18.19283	23 23 10.20	-02 47 58.5		691
1995 SL ₁₁	1995 09 22.43441	01 34 14.77	+08 50 28.2	19.7 V	691	1995 SU ₁₁	1995 09 18.21368	23 23 09.26	-02 48 04.4		691
1995 SL ₁₁	1995 09 22.46489	01 34 13.50	+08 50 25.6		691	1995 SU ₁₁	1995 09 18.23469	23 23 08.28	-02 48 09.8	20.0 V	691
1995 SL ₁₁	1995 09 22.49295	01 34 12.31	+08 50 23.2		691	1995 SU ₁₁	1995 09 22.34849	23 20 04.48	-03 06 05.3		691
1995 SM ₁₁	* 1995 09 18.11221	21 24 02.99	-00 45 55.7	20.8 V	691	1995 SU ₁₁	1995 09 22.36953	23 20 03.56	-03 06 10.6	20.8 V	691
1995 SM ₁₁	1995 09 18.13305	21 24 02.45	-00 46 00.6		691	1995 SU ₁₁	1995 09 22.39046	23 20 02.63	-03 06 15.6		691
1995 SM ₁₁	1995 09 18.15386	21 24 01.96	-00 46 06.2		691	1995 SV ₁₁	* 1995 09 18.19296	23 23 21.43	-02 54 13.1		691
1995 SM ₁₁	1995 09 23.11021	21 22 28.20	-01 06 38.2	21.8 V	691	1995 SV ₁₁	1995 09 18.21381	23 23 20.34	-02 54 18.3	18.9 V	691
1995 SM ₁₁	1995 09 23.13106	21 22 27.84	-01 06 42.9		691	1995 SV ₁₁	1995 09 18.23482	23 23 19.24	-02 54 23.3		691
1995 SM ₁₁	1995 09 23.15199	21 22 27.50	-01 06 47.9		691	1995 SV ₁₁	1995 09 22.34833	23 19 50.81	-03 10 56.1		691
1995 SN ₁₁	* 1995 09 18.19079	23 20 13.26	-02 46 16.5		691	1995 SV ₁₁	1995 09 22.36938	23 19 49.76	-03 11 00.9	19.9 V	691
1995 SN ₁₁	1995 09 18.21164	23 20 12.17	-02 46 23.6		691	1995 SV ₁₁	1995 09 22.39030	23 19 48.70	-03 11 05.7		691
1995 SN ₁₁	1995 09 18.23265	23 20 11.08	-02 46 31.0	17.7 V	691	1995 SW ₁₁	* 1995 09 18.19315	23 23 37.39	-02 33 43.8		691
1995 SN ₁₁	1995 09 22.34676	23 16 54.95	-03 10 14.7		691	1995 SW ₁₁	1995 09 18.21400	23 23 36.40	-02 33 55.5	20.7 V	691
1995 SN ₁₁	1995 09 22.36780	23 16 53.96	-03 10 21.2	18.1 V	691	1995 SW ₁₁	1995 09 18.23500	23 23 35.34	-02 34 08.2		691
1995 SN ₁₁	1995 09 22.38874	23 16 52.94	-03 10 28.0		691	1995 SW ₁₁	1995 09 22.34872	23 20 24.02	-03 13 33.7	22.0 V	691
1995 SO ₁₁	* 1995 09 18.19143	23 21 08.61	-02 42 43.4	20.0 V	691	1995 SW ₁₁	1995 09 22.39069	23 20 22.04	-03 13 57.3		691
1995 SO ₁₁	1995 09 18.21228	23 21 07.66	-02 42 49.0		691	1995 SX ₁₁	* 1995 09 18.19322	23 23 43.91	-02 45 43.0		691
1995 SO ₁₁	1995 09 18.23329	23 21 06.71	-02 42 55.5		691	1995 SX ₁₁	1995 09 18.21407	23 23 42.85	-02 45 48.8	20.8 V	691
1995 SO ₁₁	1995 09 22.34718	23 18 08.49	-03 02 50.2		691	1995 SX ₁₁	1995 09 18.23508	23 23 41.78	-02 45 54.9		691
1995 SO ₁₁	1995 09 22.36823	23 18 07.59	-03 02 55.4	20.7 V	691	1995 SX ₁₁	1995 09 22.34870	23 20 22.40	-03 05 37.1		691
1995 SO ₁₁	1995 09 22.38916	23 18 06.68	-03 03 01.5		691	1995 SX ₁₁	1995 09 22.36974	23 20 21.37	-03 05 42.9		691
1995 SP ₁₁	* 1995 09 18.19165	23 21 27.41	-02 32 34.1		691	1995 SX ₁₁	1995 09 22.39067	23 20 20.37	-03 05 48.8	22.0 V	691
1995 SP ₁₁	1995 09 18.21250	23 21 26.55	-02 32 51.2	19.1 V	691	1995 SY ₁₁	* 1995 09 18.19382	23 24 35.78	-02 48 03.6		691

1995 SY ₁₁	1995 09 18.21467	23 24 34.69	-02 48 09.5		691	1995 SF ₁₂	1995 09 23.17873	23 21 37.09	-02 35 49.5		691
1995 SY ₁₁	1995 09 18.23568	23 24 33.61	-02 48 16.1	20.3 V	691	1995 SF ₁₂	1995 09 23.19937	23 21 35.80	-02 35 51.4	19.3 V	691
1995 SY ₁₁	1995 09 22.34923	23 21 08.15	-03 08 56.7	21.1 V	691	1995 SF ₁₂	1995 09 23.22004	23 21 34.54	-02 35 53.2		691
1995 SY ₁₁	1995 09 22.37027	23 21 07.10	-03 09 02.7		691	1995 SG ₁₂	* 1995 09 18.19552	23 27 02.46	-02 30 59.5		691
1995 SY ₁₁	1995 09 22.39119	23 21 06.02	-03 09 09.1		691	1995 SG ₁₂	1995 09 18.21637	23 27 01.57	-02 31 07.1	20.7 V	691
1995 SZ ₁₁	* 1995 09 18.19395	23 24 46.56	-02 34 07.9		691	1995 SG ₁₂	1995 09 18.23738	23 27 00.71	-02 31 14.2		691
1995 SZ ₁₁	1995 09 18.21480	23 24 45.55	-02 34 11.5	17.8 V	691	1995 SG ₁₂	1995 09 27.28771	23 20 54.89	-03 21 46.6		691
1995 SZ ₁₁	1995 09 18.23580	23 24 44.50	-02 34 15.0		691	1995 SG ₁₂	1995 09 27.31735	23 20 53.72	-03 21 57.0	21.1 V	691
1995 SZ ₁₁	1995 09 23.17817	23 20 48.89	-02 48 28.5	18.6 V	691	1995 SG ₁₂	1995 09 27.33820	23 20 52.84	-03 22 03.8		691
1995 SZ ₁₁	1995 09 23.19882	23 20 47.87	-02 48 32.2		691	1995 SH ₁₂	* 1995 09 18.19580	23 27 26.81	-02 29 47.4		691
1995 SZ ₁₁	1995 09 23.21949	23 20 46.89	-02 48 35.7		691	1995 SH ₁₂	1995 09 18.21664	23 27 25.63	-02 29 55.5	20.5 V	691
1995 SA ₁₂	* 1995 09 18.19436	23 25 22.05	-02 53 49.6	18.9 V	691	1995 SH ₁₂	1995 09 18.23765	23 27 24.36	-02 30 04.1		691
1995 SA ₁₂	1995 09 18.21520	23 25 20.95	-02 53 56.9		691	1995 SH ₁₂	1995 09 27.28652	23 19 11.41	-03 23 42.2		691
1995 SA ₁₂	1995 09 18.23621	23 25 19.83	-02 54 04.2		691	1995 SH ₁₂	1995 09 27.31615	23 19 09.80	-03 23 51.7	21.3 V	691
1995 SA ₁₂	1995 09 22.34979	23 21 57.21	-03 17 41.1	19.5 V	691	1995 SH ₁₂	1995 09 27.33700	23 19 08.69	-03 23 58.9		691
1995 SA ₁₂	1995 09 22.37083	23 21 56.15	-03 17 48.1		691	1995 SJ ₁₂	* 1995 09 18.19653	23 28 30.12	-02 30 03.8	20.3 V	691
1995 SA ₁₂	1995 09 22.39176	23 21 55.11	-03 17 55.0		691	1995 SJ ₁₂	1995 09 18.21738	23 28 29.17	-02 30 10.7		691
1995 SA ₁₂	1995 09 27.20845	23 18 17.16	-03 43 42.7		691	1995 SJ ₁₂	1995 09 18.23839	23 28 28.20	-02 30 17.7		691
1995 SA ₁₂	1995 09 27.22957	23 18 16.23	-03 43 49.0	19.8 V	691	1995 SJ ₁₂	1995 09 27.28841	23 21 54.74	-03 17 35.3		691
1995 SB ₁₂	* 1995 09 18.19447	23 25 31.65	-02 46 06.6	19.3 V	691	1995 SJ ₁₂	1995 09 27.31804	23 21 53.45	-03 17 44.1		691
1995 SB ₁₂	1995 09 18.21532	23 25 30.62	-02 46 14.6		691	1995 SJ ₁₂	1995 09 27.33889	23 21 52.53	-03 17 50.6	21.0 V	691
1995 SB ₁₂	1995 09 18.23632	23 25 29.58	-02 46 22.9		691	1995 SK ₁₂	* 1995 09 18.19665	23 28 40.33	-02 32 57.3		691
1995 SB ₁₂	1995 09 22.34999	23 22 14.58	-03 12 45.6		691	1995 SK ₁₂	1995 09 18.21749	23 28 39.25	-02 33 03.0	20.7 V	691
1995 SB ₁₂	1995 09 22.37104	23 22 13.57	-03 12 53.3	19.8 V	691	1995 SK ₁₂	1995 09 18.23850	23 28 38.15	-02 33 09.9		691
1995 SB ₁₂	1995 09 22.39196	23 22 12.55	-03 13 01.3		691	1995 SK ₁₂	1995 09 27.28790	23 21 10.88	-03 16 05.4	21.5 V	691
1995 SB ₁₂	1995 09 27.18784	23 18 36.89	-03 42 35.6	19.8 V	691	1995 SK ₁₂	1995 09 27.31753	23 21 09.42	-03 16 13.4		691
1995 SB ₁₂	1995 09 27.20867	23 18 35.91	-03 42 42.7		691	1995 SK ₁₂	1995 09 27.33838	23 21 08.41	-03 16 18.9		691
1995 SB ₁₂	1995 09 27.22980	23 18 35.00	-03 42 50.4		691	1995 SL ₁₂	* 1995 09 18.19701	23 29 12.26	-02 28 53.6	17.8 V	691
1995 SC ₁₂	* 1995 09 18.19479	23 25 59.68	-02 28 21.6		691	1995 SL ₁₂	1995 09 18.21786	23 29 11.30	-02 29 00.9		691
1995 SC ₁₂	1995 09 18.21564	23 25 58.78	-02 28 31.0	19.2 V	691	1995 SL ₁₂	1995 09 18.23887	23 29 10.30	-02 29 08.1		691
1995 SC ₁₂	1995 09 18.23665	23 25 57.89	-02 28 40.6		691	1995 SL ₁₂	1995 09 27.28875	23 22 24.24	-03 18 24.1	18.5 V	691
1995 SC ₁₂	1995 09 22.35061	23 23 07.95	-02 59 42.9		691	1995 SL ₁₂	1995 09 27.31838	23 22 22.92	-03 18 33.2		691
1995 SC ₁₂	1995 09 22.37165	23 23 07.07	-02 59 51.9		691	1995 SL ₁₂	1995 09 27.33923	23 22 21.99	-03 18 40.2		691
1995 SC ₁₂	1995 09 22.39258	23 23 06.20	-03 00 01.2	20.1 V	691	1995 SM ₁₂	* 1995 09 18.19717	23 29 25.67	-02 26 03.2		691
1995 SC ₁₂	1995 09 27.18876	23 19 56.74	-03 35 15.1		691	1995 SM ₁₂	1995 09 18.21802	23 29 24.71	-02 26 12.8	20.1 V	691
1995 SC ₁₂	1995 09 27.20959	23 19 55.89	-03 35 23.4		691	1995 SM ₁₂	1995 09 18.23903	23 29 23.77	-02 26 22.3		691
1995 SC ₁₂	1995 09 27.23072	23 19 55.09	-03 35 32.8	20.0 V	691	1995 SM ₁₂	1995 09 27.19078	23 22 51.90	-03 31 11.9		691
1995 SD ₁₂	* 1995 09 18.19484	23 26 03.54	-02 53 51.3		691	1995 SM ₁₂	1995 09 27.21162	23 22 51.00	-03 31 20.5		691
1995 SD ₁₂	1995 09 18.21569	23 26 02.57	-02 53 57.8		691	1995 SM ₁₂	1995 09 27.23274	23 22 50.09	-03 31 29.7	21.0 V	691
1995 SD ₁₂	1995 09 18.23669	23 26 01.62	-02 54 04.1	20.6 V	691	1995 SN ₁₂	* 1995 09 18.19741	23 29 46.91	-02 28 03.9		691
1995 SD ₁₂	1995 09 27.18858	23 19 41.24	-03 47 07.4	19.8 V	691	1995 SN ₁₂	1995 09 18.21826	23 29 45.80	-02 28 09.4		691
1995 SD ₁₂	1995 09 27.20941	23 19 40.32	-03 47 13.1		691	1995 SN ₁₂	1995 09 18.23927	23 29 44.66	-02 28 14.8	19.9 V	691
1995 SD ₁₂	1995 09 27.23054	23 19 39.44	-03 47 19.6		691	1995 SN ₁₂	1995 09 23.18139	23 25 27.81	-02 48 37.8	20.8 V	691
1995 SE ₁₂	* 1995 09 18.19498	23 26 16.26	-02 30 18.4		691	1995 SN ₁₂	1995 09 23.20204	23 25 26.71	-02 48 42.5		691
1995 SE ₁₂	1995 09 18.21583	23 26 15.35	-02 30 33.4		691	1995 SN ₁₂	1995 09 23.22271	23 25 25.62	-02 48 47.3		691
1995 SE ₁₂	1995 09 18.23684	23 26 14.51	-02 30 44.2	18.4 V	691	1995 SN ₁₂	1995 09 27.28850	23 22 02.84	-03 04 48.9	20.8 V	691
1995 SE ₁₂	1995 09 22.35091	23 23 34.22	-03 12 48.2	19.2 V	691	1995 SN ₁₂	1995 09 27.31813	23 22 01.33	-03 04 55.2		691
1995 SE ₁₂	1995 09 22.37196	23 23 33.36	-03 13 00.8		691	1995 SN ₁₂	1995 09 27.33898	23 22 00.26	-03 05 00.6		691
1995 SE ₁₂	1995 09 22.39289	23 23 32.48	-03 13 13.5		691	1995 SO ₁₂	* 1995 09 18.19749	23 29 53.26	-02 54 40.6	20.3 V	691
1995 SF ₁₂	* 1995 09 18.19522	23 26 36.61	-02 28 59.8	18.7 V	691	1995 SO ₁₂	1995 09 18.21834	23 29 52.19	-02 54 45.5		691
1995 SF ₁₂	1995 09 18.21606	23 26 35.29	-02 29 01.7		691	1995 SO ₁₂	1995 09 18.23934	23 29 51.08	-02 54 50.1		691
1995 SF ₁₂	1995 09 18.23707	23 26 33.96	-02 29 03.5		691	1995 SO ₁₂	1995 09 22.35283	23 26 20.49	-03 09 02.5		691

1995 SO ₁₂	1995 09 22.37387	23 26 19.35	-03 09 07.3		691	1995 SU ₁₂	1995 09 27.34046	23 24 07.88	-03 17 58.8		691
1995 SO ₁₂	1995 09 22.39480	23 26 18.28	-03 09 11.0	21.1 V	691	1995 SV ₁₂	* 1995 09 18.19832	23 31 05.58	-02 54 05.7		691
1995 SO ₁₂	1995 09 27.28867	23 22 17.50	-03 25 14.7		691	1995 SV ₁₂	1995 09 18.21917	23 31 04.61	-02 54 13.8	19.7 V	691
1995 SO ₁₂	1995 09 27.31830	23 22 16.05	-03 25 20.1	20.9 V	691	1995 SV ₁₂	1995 09 18.24018	23 31 03.65	-02 54 21.2		691
1995 SO ₁₂	1995 09 27.33915	23 22 15.03	-03 25 25.0		691	1995 SV ₁₂	1995 09 22.35400	23 28 01.63	-03 18 42.5	20.3 V	691
1995 SP ₁₂	* 1995 09 18.19756	23 29 59.56	-02 48 52.9	19.8 V	691	1995 SV ₁₂	1995 09 22.37504	23 28 00.64	-03 18 50.1		691
1995 SP ₁₂	1995 09 18.21841	23 29 58.59	-02 49 01.1		691	1995 SV ₁₂	1995 09 22.39597	23 27 59.68	-03 18 56.8		691
1995 SP ₁₂	1995 09 18.23942	23 29 57.60	-02 49 08.9		691	1995 SV ₁₂	1995 09 27.19199	23 24 36.22	-03 46 22.1	20.4 V	691
1995 SP ₁₂	1995 09 22.35327	23 26 58.52	-03 13 35.0	20.6 V	691	1995 SV ₁₂	1995 09 27.21282	23 24 35.30	-03 46 29.1		691
1995 SP ₁₂	1995 09 22.37431	23 26 57.55	-03 13 42.3		691	1995 SV ₁₂	1995 09 27.23395	23 24 34.40	-03 46 36.2		691
1995 SP ₁₂	1995 09 22.39524	23 26 56.64	-03 13 49.5		691	1995 SW ₁₂	* 1995 09 18.19891	23 31 56.81	-02 33 53.6	17.6 V	691
1995 SP ₁₂	1995 09 27.19141	23 23 45.77	-03 40 19.9		691	1995 SW ₁₂	1995 09 18.21976	23 31 55.77	-02 34 04.2		691
1995 SP ₁₂	1995 09 27.21224	23 23 44.94	-03 40 26.3	20.6 V	691	1995 SW ₁₂	1995 09 18.24077	23 31 54.72	-02 34 15.4		691
1995 SP ₁₂	1995 09 27.23336	23 23 44.09	-03 40 33.4		691	1995 SW ₁₂	1995 09 22.35447	23 28 42.19	-03 09 19.5	18.3 V	691
1995 SQ ₁₂	* 1995 09 18.19771	23 30 12.46	-02 27 20.4		691	1995 SW ₁₂	1995 09 22.37551	23 28 41.13	-03 09 30.3		691
1995 SQ ₁₂	1995 09 18.21856	23 30 11.52	-02 27 28.8	20.0 V	691	1995 SW ₁₂	1995 09 22.39644	23 28 40.10	-03 09 40.9		691
1995 SQ ₁₂	1995 09 18.23957	23 30 10.61	-02 27 38.1		691	1995 SX ₁₂	* 1995 09 18.19900	23 32 04.65	-02 45 39.0		691
1995 SQ ₁₂	1995 09 22.35350	23 27 17.95	-02 56 56.3	20.9 V	691	1995 SX ₁₂	1995 09 18.21985	23 32 03.69	-02 45 44.9	18.3 V	691
1995 SQ ₁₂	1995 09 22.37454	23 27 17.02	-02 57 05.1		691	1995 SX ₁₂	1995 09 18.24086	23 32 02.73	-02 45 51.2		691
1995 SQ ₁₂	1995 09 22.39547	23 27 16.13	-02 57 14.1		691	1995 SX ₁₂	1995 09 22.35469	23 29 01.42	-03 05 38.1	18.9 V	691
1995 SQ ₁₂	1995 09 27.19162	23 24 04.09	-03 30 23.5		691	1995 SX ₁₂	1995 09 22.37573	23 29 00.44	-03 05 44.2		691
1995 SQ ₁₂	1995 09 27.21245	23 24 03.20	-03 30 32.1		691	1995 SX ₁₂	1995 09 22.39666	23 28 59.50	-03 05 50.2		691
1995 SQ ₁₂	1995 09 27.23358	23 24 02.38	-03 30 40.8	20.9 V	691	1995 SX ₁₂	1995 09 27.19267	23 25 35.31	-03 28 08.7	18.9 V	691
1995 SR ₁₂	* 1995 09 18.19803	23 30 40.08	-02 42 20.3		691	1995 SX ₁₂	1995 09 27.23463	23 25 33.54	-03 28 20.0		691
1995 SR ₁₂	1995 09 18.21888	23 30 39.08	-02 42 32.5	19.5 V	691	1995 SY ₁₂	* 1995 09 18.19921	23 32 22.47	-02 35 31.4		691
1995 SR ₁₂	1995 09 18.23988	23 30 38.08	-02 42 44.5		691	1995 SY ₁₂	1995 09 18.22006	23 32 21.44	-02 35 36.9	17.2 V	691
1995 SR ₁₂	1995 09 22.35363	23 27 29.62	-03 21 27.8	20.2 V	691	1995 SY ₁₂	1995 09 18.24107	23 32 20.42	-02 35 42.9		691
1995 SR ₁₂	1995 09 22.37467	23 27 28.60	-03 21 40.3		691	1995 SY ₁₂	1995 09 27.29081	23 25 22.74	-03 15 45.3	17.9 V	691
1995 SR ₁₂	1995 09 22.39560	23 27 27.63	-03 21 51.1		691	1995 SY ₁₂	1995 09 27.32044	23 25 21.38	-03 15 52.5		691
1995 SS ₁₂	* 1995 09 18.19807	23 30 43.35	-02 30 59.4		691	1995 SY ₁₂	1995 09 27.34129	23 25 20.42	-03 15 58.1		691
1995 SS ₁₂	1995 09 18.21892	23 30 42.56	-02 31 08.3	20.5 V	691	1995 SZ ₁₂	* 1995 09 18.19931	23 32 31.18	-02 52 28.3		691
1995 SS ₁₂	1995 09 18.23993	23 30 41.66	-02 31 18.7		691	1995 SZ ₁₂	1995 09 18.22016	23 32 30.04	-02 52 29.9	20.2 V	691
1995 SS ₁₂	1995 09 22.35398	23 28 00.00	-03 01 37.7	21.5 V	691	1995 SZ ₁₂	1995 09 18.24116	23 32 28.84	-02 52 31.8		691
1995 SS ₁₂	1995 09 22.37503	23 27 59.14	-03 01 47.0		691	1995 SZ ₁₂	1995 09 22.35455	23 28 49.17	-02 57 25.7		691
1995 SS ₁₂	1995 09 22.39595	23 27 58.30	-03 01 56.3		691	1995 SZ ₁₂	1995 09 22.37559	23 28 48.03	-02 57 27.0		691
1995 SS ₁₂	1995 09 27.19222	23 24 56.59	-03 36 28.8		691	1995 SZ ₁₂	1995 09 22.39652	23 28 46.88	-02 57 28.8	21.4 V	691
1995 SS ₁₂	1995 09 27.21306	23 24 55.76	-03 36 36.8	21.4 V	691	1995 SZ ₁₂	1995 09 27.29026	23 24 35.00	-03 02 38.5	21.0 V	691
1995 SS ₁₂	1995 09 27.23418	23 24 54.94	-03 36 45.7		691	1995 SZ ₁₂	1995 09 27.31989	23 24 33.45	-03 02 40.1		691
1995 ST ₁₂	* 1995 09 18.19819	23 30 54.09	-02 41 24.9		691	1995 SZ ₁₂	1995 09 27.34074	23 24 32.40	-03 02 41.5		691
1995 ST ₁₂	1995 09 18.21904	23 30 52.94	-02 41 32.5	20.8 V	691	1995 SA ₁₃	* 1995 09 18.19940	23 32 38.82	-02 33 51.2	20.4 V	691
1995 ST ₁₂	1995 09 18.24004	23 30 51.75	-02 41 41.2		691	1995 SA ₁₃	1995 09 18.22025	23 32 37.69	-02 33 56.0		691
1995 ST ₁₂	1995 09 22.35346	23 27 15.03	-03 07 39.0		691	1995 SA ₁₃	1995 09 18.24125	23 32 36.46	-02 34 00.3		691
1995 ST ₁₂	1995 09 22.37450	23 27 13.87	-03 07 46.7		691	1995 SA ₁₃	1995 09 23.18329	23 28 12.40	-02 50 47.2		691
1995 ST ₁₂	1995 09 22.39543	23 27 12.76	-03 07 54.5	21.8 V	691	1995 SA ₁₃	1995 09 23.20394	23 28 11.24	-02 50 51.7	21.5 V	691
1995 SU ₁₂	* 1995 09 18.19820	23 30 55.28	-02 48 25.2	18.8 V	691	1995 SA ₁₃	1995 09 23.22461	23 28 10.08	-02 50 55.6		691
1995 SU ₁₂	1995 09 18.21905	23 30 54.30	-02 48 29.5		691	1995 SB ₁₃	* 1995 09 18.19954	23 32 50.91	-02 47 12.5	15.7 V	691
1995 SU ₁₂	1995 09 18.24006	23 30 53.29	-02 48 33.9		691	1995 SB ₁₃	1995 09 18.22039	23 32 49.92	-02 47 21.2		691
1995 SU ₁₂	1995 09 22.35382	23 27 45.81	-03 02 14.3		691	1995 SB ₁₃	1995 09 18.24140	23 32 48.92	-02 47 30.0		691
1995 SU ₁₂	1995 09 22.37486	23 27 44.80	-03 02 18.6	19.5 V	691	1995 SB ₁₃	1995 09 22.35518	23 29 43.80	-03 15 56.6		691
1995 SU ₁₂	1995 09 22.39579	23 27 43.84	-03 02 22.6		691	1995 SB ₁₃	1995 09 22.37622	23 29 42.79	-03 16 05.4	16.3 V	691
1995 SU ₁₂	1995 09 27.28997	23 24 10.11	-03 17 49.4	19.4 V	691	1995 SB ₁₃	1995 09 22.39715	23 29 41.82	-03 16 14.0		691
1995 SU ₁₂	1995 09 27.31960	23 24 08.81	-03 17 54.7		691	1995 SB ₁₃	1995 09 27.19313	23 26 14.96	-03 48 18.6	16.4 V	691

1995 SB ₁₃	1995 09 27.21396	23 26 14.05	−03 48 26.7		691	1995 SJ ₁₃	1995 09 18.24314	23 35 19.66	−02 44 36.3	19.7 V	691
1995 SB ₁₃	1995 09 27.23509	23 26 13.13	−03 48 35.2		691	1995 SJ ₁₃	1995 09 22.35692	23 32 14.55	−03 03 18.3		691
1995 SC ₁₃	* 1995 09 18.20017	23 33 45.49	−02 46 46.3	19.1 V	691	1995 SJ ₁₃	1995 09 22.37796	23 32 13.49	−03 03 24.0		691
1995 SC ₁₃	1995 09 18.22102	23 33 44.46	−02 46 54.2		691	1995 SJ ₁₃	1995 09 22.39889	23 32 12.52	−03 03 29.8	20.4 V	691
1995 SC ₁₃	1995 09 18.24202	23 33 43.39	−02 47 02.0		691	1995 SK ₁₃	* 1995 09 18.20133	23 35 26.28	−02 30 27.5	19.7 V	691
1995 SC ₁₃	1995 09 22.35572	23 30 30.93	−03 12 12.2	19.8 V	691	1995 SK ₁₃	1995 09 18.22218	23 35 24.98	−02 30 33.4		691
1995 SC ₁₃	1995 09 22.37677	23 30 29.86	−03 12 19.7		691	1995 SK ₁₃	1995 09 18.24318	23 35 23.69	−02 30 39.9		691
1995 SC ₁₃	1995 09 22.39769	23 30 28.85	−03 12 27.3		691	1995 SK ₁₃	1995 09 27.29157	23 26 28.99	−03 13 36.6		691
1995 SC ₁₃	1995 09 27.19361	23 26 56.75	−03 40 24.2	19.8 V	691	1995 SK ₁₃	1995 09 27.32120	23 26 27.25	−03 13 44.1	20.4 V	691
1995 SC ₁₃	1995 09 27.21444	23 26 55.83	−03 40 31.1		691	1995 SK ₁₃	1995 09 27.34205	23 26 26.02	−03 13 50.0		691
1995 SC ₁₃	1995 09 27.23557	23 26 54.89	−03 40 38.3		691	1995 SL ₁₃	* 1995 09 18.20163	23 35 52.19	−02 43 23.3	19.0 V	691
1995 SD ₁₃	* 1995 09 18.20051	23 34 14.93	−02 23 58.3	20.6 V	691	1995 SL ₁₃	1995 09 18.22248	23 35 51.19	−02 43 35.6		691
1995 SD ₁₃	1995 09 18.22136	23 34 13.85	−02 24 11.6		691	1995 SL ₁₃	1995 09 18.24349	23 35 50.18	−02 43 48.1		691
1995 SD ₁₃	1995 09 18.24236	23 34 12.78	−02 24 24.9		691	1995 SL ₁₃	1995 09 22.35733	23 32 49.97	−03 23 18.7	19.8 V	691
1995 SD ₁₃	1995 09 22.35600	23 30 54.73	−03 07 28.0		691	1995 SL ₁₃	1995 09 22.37837	23 32 48.94	−03 23 30.7		691
1995 SD ₁₃	1995 09 22.37704	23 30 53.64	−03 07 40.8	21.7 V	691	1995 SL ₁₃	1995 09 22.39930	23 32 47.98	−03 23 42.5		691
1995 SD ₁₃	1995 09 22.39797	23 30 52.59	−03 07 53.7		691	1995 SM ₁₃	* 1995 09 18.20197	23 36 21.26	−02 42 42.4		691
1995 SE ₁₃	* 1995 09 18.20082	23 34 42.22	−02 41 25.4		691	1995 SM ₁₃	1995 09 18.22281	23 36 20.01	−02 42 44.8	19.4 V	691
1995 SE ₁₃	1995 09 18.22167	23 34 41.10	−02 41 31.6		691	1995 SM ₁₃	1995 09 18.24382	23 36 18.76	−02 42 47.1		691
1995 SE ₁₃	1995 09 18.24268	23 34 39.95	−02 41 38.0	19.7 V	691	1995 SM ₁₃	1995 09 23.18569	23 31 40.33	−02 51 31.9		691
1995 SE ₁₃	1995 09 22.35616	23 31 08.64	−03 01 25.5	20.1 V	691	1995 SM ₁₃	1995 09 23.20634	23 31 39.12	−02 51 34.2	20.4 V	691
1995 SE ₁₃	1995 09 22.37720	23 31 07.47	−03 01 31.5		691	1995 SM ₁₃	1995 09 23.22701	23 31 37.93	−02 51 35.9		691
1995 SE ₁₃	1995 09 22.39813	23 31 06.38	−03 01 37.5		691	1995 SM ₁₃	1995 09 27.29261	23 27 59.29	−02 57 58.9	20.3 V	691
1995 SE ₁₃	1995 09 27.29202	23 27 07.70	−03 23 52.5	19.6 V	691	1995 SM ₁₃	1995 09 27.32225	23 27 57.68	−02 58 01.2		691
1995 SE ₁₃	1995 09 27.32165	23 27 06.25	−03 23 59.9		691	1995 SM ₁₃	1995 09 27.34310	23 27 56.57	−02 58 03.2		691
1995 SE ₁₃	1995 09 27.34250	23 27 05.20	−03 24 05.5		691	1995 SN ₁₃	* 1995 09 18.20219	23 36 40.37	−02 34 08.8		691
1995 SF ₁₃	* 1995 09 18.20094	23 34 52.49	−02 47 01.9	19.6 V	691	1995 SN ₁₃	1995 09 18.22304	23 36 39.32	−02 34 14.1	17.9 V	691
1995 SF ₁₃	1995 09 18.22179	23 34 51.54	−02 47 08.6		691	1995 SN ₁₃	1995 09 18.24404	23 36 38.27	−02 34 19.3		691
1995 SF ₁₃	1995 09 18.24280	23 34 50.55	−02 47 15.4		691	1995 SN ₁₃	1995 09 23.18641	23 32 42.43	−02 53 57.6	18.4 V	691
1995 SF ₁₃	1995 09 22.35659	23 31 46.11	−03 09 00.0	20.4 V	691	1995 SN ₁₃	1995 09 23.20706	23 32 41.41	−02 54 02.9		691
1995 SF ₁₃	1995 09 22.37763	23 31 45.09	−03 09 06.7		691	1995 SN ₁₃	1995 09 23.22773	23 32 40.40	−02 54 07.2		691
1995 SF ₁₃	1995 09 22.39856	23 31 44.11	−03 09 13.2		691	1995 SN ₁₃	1995 09 27.29371	23 29 33.85	−03 09 28.6		691
1995 SF ₁₃	1995 09 27.19453	23 28 16.48	−03 33 43.0	20.3 V	691	1995 SN ₁₃	1995 09 27.32334	23 29 32.46	−03 09 35.1	18.6 V	691
1995 SF ₁₃	1995 09 27.21536	23 28 15.61	−03 33 48.8		691	1995 SN ₁₃	1995 09 27.34419	23 29 31.50	−03 09 39.7		691
1995 SF ₁₃	1995 09 27.23649	23 28 14.67	−03 33 55.5		691	1995 SO ₁₃	* 1995 09 18.20249	23 37 06.57	−02 53 40.7		691
1995 SG ₁₃	* 1995 09 18.20098	23 34 55.49	−02 45 53.6	20.2 V	691	1995 SO ₁₃	1995 09 18.22334	23 37 05.45	−02 53 49.2	19.0 V	691
1995 SG ₁₃	1995 09 18.22182	23 34 54.30	−02 46 01.3		691	1995 SO ₁₃	1995 09 18.24434	23 37 04.33	−02 53 57.5		691
1995 SG ₁₃	1995 09 18.24283	23 34 53.11	−02 46 09.0		691	1995 SO ₁₃	1995 09 22.35781	23 33 31.69	−03 20 13.7	19.9 V	691
1995 SG ₁₃	1995 09 22.35614	23 31 07.23	−03 10 37.3		691	1995 SO ₁₃	1995 09 22.37885	23 33 30.64	−03 20 21.8		691
1995 SG ₁₃	1995 09 22.37718	23 31 06.01	−03 10 44.3	20.9 V	691	1995 SO ₁₃	1995 09 22.39978	23 33 29.53	−03 20 29.8		691
1995 SG ₁₃	1995 09 22.39811	23 31 04.82	−03 10 52.0		691	1995 SO ₁₃	1995 09 27.19537	23 29 28.75	−03 50 12.9	19.8 V	691
1995 SH ₁₃	* 1995 09 18.20099	23 34 56.26	−02 35 32.5	18.7 V	691	1995 SO ₁₃	1995 09 27.21620	23 29 27.74	−03 50 20.2		691
1995 SH ₁₃	1995 09 18.22183	23 34 55.17	−02 35 37.2		691	1995 SO ₁₃	1995 09 27.23732	23 29 26.62	−03 50 28.2		691
1995 SH ₁₃	1995 09 18.24284	23 34 54.06	−02 35 41.4		691	1995 SP ₁₃	* 1995 09 18.20259	23 37 15.23	−02 29 55.2	20.1 V	691
1995 SH ₁₃	1995 09 23.18508	23 30 47.71	−02 52 25.0		691	1995 SP ₁₃	1995 09 18.22344	23 37 14.23	−02 30 02.2		691
1995 SH ₁₃	1995 09 23.20573	23 30 46.63	−02 52 30.4		691	1995 SP ₁₃	1995 09 18.24445	23 37 13.26	−02 30 09.9		691
1995 SH ₁₃	1995 09 23.22640	23 30 45.56	−02 52 34.2	19.5 V	691	1995 SP ₁₃	1995 09 27.29431	23 30 26.09	−03 20 33.3	20.9 V	691
1995 SH ₁₃	1995 09 27.29228	23 27 30.24	−03 05 35.3	19.7 V	691	1995 SP ₁₃	1995 09 27.32394	23 30 24.76	−03 20 43.3		691
1995 SH ₁₃	1995 09 27.32191	23 27 28.78	−03 05 40.5		691	1995 SP ₁₃	1995 09 27.34480	23 30 23.83	−03 20 49.5		691
1995 SH ₁₃	1995 09 27.34276	23 27 27.78	−03 05 44.5		691	1995 SQ ₁₃	* 1995 09 18.20303	23 37 53.57	−02 47 34.9		691
1995 SJ ₁₃	* 1995 09 18.20128	23 35 21.65	−02 44 24.8		691	1995 SQ ₁₃	1995 09 18.22388	23 37 52.05	−02 47 27.0	19.3 V	691
1995 SJ ₁₃	1995 09 18.22213	23 35 20.68	−02 44 30.6		691	1995 SQ ₁₃	1995 09 18.24488	23 37 50.51	−02 47 18.8		691

1995 SQ ₁₃	1995 09 23.36537	23 31 57.84	−02 13 42.7	20.3 V	691	1995 SX ₁₃	1995 09 22.38135	23 37 07.17	−03 16 22.8	20.3 V	691
1995 SQ ₁₃	1995 09 23.37083	23 31 57.46	−02 13 40.4		691	1995 SX ₁₃	1995 09 22.40228	23 37 06.28	−03 16 29.5		691
1995 SQ ₁₃	1995 09 23.37618	23 31 57.09	−02 13 38.4		691	1995 SX ₁₃	1995 09 27.19837	23 33 48.83	−03 41 10.7		691
1995 SQ ₁₃	1995 09 24.23126	23 31 00.17	−02 07 59.6		691	1995 SX ₁₃	1995 09 27.21920	23 33 48.00	−03 41 17.0	20.2 V	691
1995 SQ ₁₃	1995 09 24.25195	23 30 58.79	−02 07 52.4	19.4 V	691	1995 SX ₁₃	1995 09 27.24033	23 33 47.10	−03 41 23.3		691
1995 SQ ₁₃	1995 09 24.27277	23 30 57.33	−02 07 44.2		691	1995 SY ₁₃	* 1995 09 18.20484	23 40 30.12	−02 25 38.5	20.2 V	691
1995 SR ₁₃	* 1995 09 18.20316	23 38 04.34	−02 27 59.8		691	1995 SY ₁₃	1995 09 18.22569	23 40 28.90	−02 25 48.1		691
1995 SR ₁₃	1995 09 18.22401	23 38 03.17	−02 28 06.1	19.1 V	691	1995 SY ₁₃	1995 09 18.24669	23 40 27.75	−02 25 57.3		691
1995 SR ₁₃	1995 09 18.24501	23 38 01.98	−02 28 12.5		691	1995 SY ₁₃	1995 09 27.19743	23 32 27.71	−03 29 53.8	21.0 V	691
1995 SR ₁₃	1995 09 23.18700	23 33 33.21	−02 52 39.4		691	1995 SY ₁₃	1995 09 27.21826	23 32 26.64	−03 30 02.3		691
1995 SR ₁₃	1995 09 23.20764	23 33 32.06	−02 52 44.9	19.8 V	691	1995 SY ₁₃	1995 09 27.23938	23 32 25.45	−03 30 11.2		691
1995 SR ₁₃	1995 09 23.22831	23 33 30.99	−02 52 50.8		691	1995 SZ ₁₃	* 1995 09 18.20503	23 40 46.31	−02 51 40.0		691
1995 SS ₁₃	* 1995 09 18.20326	23 38 13.67	−02 46 31.2	18.1 V	691	1995 SZ ₁₃	1995 09 18.22587	23 40 44.87	−02 51 39.7	20.2 V	691
1995 SS ₁₃	1995 09 18.22411	23 38 12.45	−02 46 39.4		691	1995 SZ ₁₃	1995 09 18.24687	23 40 43.50	−02 51 38.7		691
1995 SS ₁₃	1995 09 18.24512	23 38 11.23	−02 46 47.5		691	1995 SZ ₁₃	1995 09 23.18827	23 35 23.61	−02 48 49.5		691
1995 SS ₁₃	1995 09 22.35843	23 34 25.26	−03 12 33.1		691	1995 SZ ₁₃	1995 09 23.20891	23 35 22.20	−02 48 48.8	21.3 V	691
1995 SS ₁₃	1995 09 22.37947	23 34 24.12	−03 12 41.0	18.9 V	691	1995 SZ ₁₃	1995 09 23.22958	23 35 20.85	−02 48 47.7		691
1995 SS ₁₃	1995 09 22.40040	23 34 22.97	−03 12 48.6		691	1995 SZ ₁₃	1995 09 29.21766	23 29 09.57	−02 44 08.2	21.4 V	691
1995 SS ₁₃	1995 09 27.19589	23 30 13.97	−03 41 06.6		691	1995 SZ ₁₃	1995 09 29.23840	23 29 08.25	−02 44 07.0		691
1995 SS ₁₃	1995 09 27.21672	23 30 12.93	−03 41 13.6	18.5 V	691	1995 SZ ₁₃	1995 09 29.25924	23 29 06.95	−02 44 05.9		691
1995 SS ₁₃	1995 09 27.23784	23 30 11.82	−03 41 21.0		691	1995 SA ₁₄	* 1995 09 18.20510	23 40 52.81	−02 44 33.0	18.3 V	691
1995 ST ₁₃	* 1995 09 18.20335	23 38 21.06	−02 29 05.2		691	1995 SA ₁₄	1995 09 18.22595	23 40 51.76	−02 44 39.0		691
1995 ST ₁₃	1995 09 18.22420	23 38 19.90	−02 29 15.1	18.6 V	691	1995 SA ₁₄	1995 09 18.24696	23 40 50.72	−02 44 44.7		691
1995 ST ₁₃	1995 09 18.24520	23 38 18.73	−02 29 25.3		691	1995 SA ₁₄	1995 09 22.36058	23 37 32.06	−03 03 14.4	19.0 V	691
1995 ST ₁₃	1995 09 22.35858	23 34 38.29	−03 01 59.6	19.4 V	691	1995 SA ₁₄	1995 09 22.38163	23 37 31.04	−03 03 19.9		691
1995 ST ₁₃	1995 09 22.37962	23 34 37.19	−03 02 09.6		691	1995 SA ₁₄	1995 09 22.40256	23 37 30.02	−03 03 25.7		691
1995 ST ₁₃	1995 09 22.40055	23 34 36.05	−03 02 19.4		691	1995 SA ₁₄	1995 09 27.29655	23 33 40.08	−03 24 36.9		691
1995 ST ₁₃	1995 09 27.19603	23 30 26.71	−03 39 16.3		691	1995 SA ₁₄	1995 09 27.32618	23 33 38.65	−03 24 44.7	19.1 V	691
1995 ST ₁₃	1995 09 27.21686	23 30 25.65	−03 39 25.6	19.7 V	691	1995 SA ₁₄	1995 09 27.34703	23 33 37.65	−03 24 49.8		691
1995 ST ₁₃	1995 09 27.23799	23 30 24.52	−03 39 35.4		691	1995 SB ₁₄	* 1995 09 18.20542	23 41 20.39	−02 44 06.2	20.6 V	691
1995 SU ₁₃	* 1995 09 18.20342	23 38 27.06	−02 24 40.2	19.0 V	691	1995 SB ₁₄	1995 09 18.22627	23 41 19.41	−02 44 13.3		691
1995 SU ₁₃	1995 09 18.22427	23 38 25.98	−02 24 49.4		691	1995 SB ₁₄	1995 09 18.24728	23 41 18.42	−02 44 20.1		691
1995 SU ₁₃	1995 09 18.24527	23 38 24.90	−02 24 59.0		691	1995 SB ₁₄	1995 09 22.36105	23 38 12.68	−03 06 06.1	21.3 V	691
1995 SU ₁₃	1995 09 27.19658	23 31 13.57	−03 30 30.5	19.8 V	691	1995 SB ₁₄	1995 09 22.38210	23 38 11.73	−03 06 12.8		691
1995 SU ₁₃	1995 09 27.21741	23 31 12.59	−03 30 39.2		691	1995 SB ₁₄	1995 09 22.40303	23 38 10.79	−03 06 19.4		691
1995 SU ₁₃	1995 09 27.23853	23 31 11.56	−03 30 48.2		691	1995 SB ₁₄	1995 09 27.19899	23 34 43.06	−03 30 32.5		691
1995 SV ₁₃	* 1995 09 18.20351	23 38 35.05	−02 39 51.4		691	1995 SB ₁₄	1995 09 27.21983	23 34 42.21	−03 30 38.8		691
1995 SV ₁₃	1995 09 18.22436	23 38 34.11	−02 40 02.7	19.7 V	691	1995 SB ₁₄	1995 09 27.24095	23 34 41.28	−03 30 44.3	20.9 V	691
1995 SV ₁₃	1995 09 18.24537	23 38 33.18	−02 40 14.8		691	1995 SC ₁₄	* 1995 09 18.20545	23 41 23.17	−02 29 00.6		691
1995 SV ₁₃	1995 09 22.35932	23 35 42.11	−03 18 26.9	20.6 V	691	1995 SC ₁₄	1995 09 18.22630	23 41 21.96	−02 29 10.0	20.1 V	691
1995 SV ₁₃	1995 09 22.38036	23 35 41.23	−03 18 38.6		691	1995 SC ₁₄	1995 09 18.24731	23 41 20.75	−02 29 19.7		691
1995 SV ₁₃	1995 09 22.40129	23 35 40.33	−03 18 50.2		691	1995 SC ₁₄	1995 09 22.36059	23 37 32.30	−03 00 07.0		691
1995 SW ₁₃	* 1995 09 18.20404	23 39 20.81	−02 35 09.4	18.7 V	691	1995 SC ₁₄	1995 09 22.38163	23 37 31.13	−03 00 16.2	20.9 V	691
1995 SW ₁₃	1995 09 18.22489	23 39 20.07	−02 35 25.0		691	1995 SC ₁₄	1995 09 22.40255	23 37 29.95	−03 00 25.7		691
1995 SW ₁₃	1995 09 18.24590	23 39 19.35	−02 35 40.7		691	1995 SC ₁₄	1995 09 27.21881	23 33 14.13	−03 34 52.5	20.9 V	691
1995 SW ₁₃	1995 09 22.36033	23 37 10.13	−03 25 59.9	19.6 V	691	1995 SC ₁₄	1995 09 27.23993	23 33 12.97	−03 35 01.2		691
1995 SW ₁₃	1995 09 22.38138	23 37 09.44	−03 26 15.4		691	1995 SD ₁₄	* 1995 09 18.20608	23 42 17.52	−02 24 00.0		691
1995 SW ₁₃	1995 09 22.40231	23 37 08.74	−03 26 30.5		691	1995 SD ₁₄	1995 09 18.22693	23 42 16.36	−02 24 01.0	19.1 V	691
1995 SX ₁₃	* 1995 09 18.20454	23 40 03.95	−02 54 12.8	19.6 V	691	1995 SD ₁₄	1995 09 18.24793	23 42 15.21	−02 24 01.6		691
1995 SX ₁₃	1995 09 18.22539	23 40 03.00	−02 54 19.6		691	1995 SD ₁₄	1995 09 23.18996	23 37 49.94	−02 26 44.0	20.0 V	691
1995 SX ₁₃	1995 09 18.24640	23 40 02.07	−02 54 26.7		691	1995 SD ₁₄	1995 09 23.21061	23 37 48.82	−02 26 44.3		691
1995 SX ₁₃	1995 09 22.36031	23 37 08.05	−03 16 16.2		691	1995 SD ₁₄	1995 09 23.23128	23 37 47.73	−02 26 45.4		691

1995 SD ₁₄	1995 09 29.22004	23 32 36.06	-02 29 10.5		691	1995 SL ₁₄	1995 09 27.22214	23 38 03.02	-03 58 01.3	20.4 V	691
1995 SD ₁₄	1995 09 29.24079	23 32 34.97	-02 29 10.8	20.0 V	691	1995 SL ₁₄	1995 09 27.24327	23 38 02.25	-03 58 13.4		691
1995 SD ₁₄	1995 09 29.26163	23 32 33.88	-02 29 11.3		691	1995 SM ₁₄	* 1995 09 18.20712	23 43 47.86	-02 23 39.4	17.6 V	691
1995 SE ₁₄	* 1995 09 18.20616	23 42 24.85	-02 45 08.7		691	1995 SM ₁₄	1995 09 18.22797	23 43 46.96	-02 23 50.6		691
1995 SE ₁₄	1995 09 18.22701	23 42 23.80	-02 45 14.7	20.3 V	691	1995 SM ₁₄	1995 09 18.24898	23 43 46.05	-02 24 01.5		691
1995 SE ₁₄	1995 09 18.24802	23 42 22.76	-02 45 20.6		691	1995 SM ₁₄	1995 09 22.36300	23 41 01.54	-02 58 30.1	18.2 V	691
1995 SE ₁₄	1995 09 22.36163	23 39 02.45	-03 03 57.0		691	1995 SM ₁₄	1995 09 22.38405	23 41 00.65	-02 58 40.4		691
1995 SE ₁₄	1995 09 22.38267	23 39 01.41	-03 04 02.4	21.1 V	691	1995 SM ₁₄	1995 09 22.40498	23 40 59.77	-02 58 50.8		691
1995 SE ₁₄	1995 09 22.40360	23 39 00.38	-03 04 08.4		691	1995 SM ₁₄	1995 09 27.20126	23 37 59.11	-03 37 04.5		691
1995 SE ₁₄	1995 09 27.29756	23 35 07.55	-03 25 29.8		691	1995 SM ₁₄	1995 09 27.22209	23 37 58.28	-03 37 14.4	18.4 V	691
1995 SE ₁₄	1995 09 27.32719	23 35 06.05	-03 25 37.8		691	1995 SM ₁₄	1995 09 27.24322	23 37 57.48	-03 37 24.1		691
1995 SE ₁₄	1995 09 27.34804	23 35 05.05	-03 25 43.0	21.1 V	691	1995 SN ₁₄	* 1995 09 18.20715	23 43 49.94	-02 40 19.5	21.3 V	691
1995 SF ₁₄	* 1995 09 18.20624	23 42 31.35	-02 24 01.1		691	1995 SN ₁₄	1995 09 18.24900	23 43 47.71	-02 40 31.6		691
1995 SF ₁₄	1995 09 18.22709	23 42 30.42	-02 24 08.3	21.2 V	691	1995 SN ₁₄	1995 09 22.36253	23 40 20.13	-02 59 12.1		691
1995 SF ₁₄	1995 09 18.24810	23 42 29.49	-02 24 15.7		691	1995 SN ₁₄	1995 09 22.38357	23 40 19.05	-02 59 17.7	21.9 V	691
1995 SF ₁₄	1995 09 27.29826	23 36 08.34	-03 12 35.5	21.6 V	691	1995 SN ₁₄	1995 09 22.40449	23 40 17.98	-02 59 23.9		691
1995 SF ₁₄	1995 09 27.32790	23 36 07.14	-03 12 45.5		691	1995 SO ₁₄	* 1995 09 18.25479	23 20 54.56	-01 58 56.9		691
1995 SF ₁₄	1995 09 27.34875	23 36 06.23	-03 12 51.7		691	1995 SO ₁₄	1995 09 18.27612	23 20 53.16	-01 59 01.3		691
1995 SG ₁₄	* 1995 09 18.20638	23 42 43.16	-02 36 03.9		691	1995 SO ₁₄	1995 09 18.29678	23 20 51.78	-01 59 05.4	19.5 V	691
1995 SG ₁₄	1995 09 18.22723	23 42 42.18	-02 36 12.3		691	1995 SO ₁₄	1995 09 21.36844	23 17 35.80	-02 09 28.0	19.7 V	691
1995 SG ₁₄	1995 09 18.24824	23 42 41.38	-02 36 22.7	17.4 V	691	1995 SO ₁₄	1995 09 21.37395	23 17 35.44	-02 09 29.1		691
1995 SG ₁₄	1995 09 22.36219	23 39 51.52	-03 06 10.6	17.7 V	691	1995 SO ₁₄	1995 09 21.38231	23 17 34.91	-02 09 30.8		691
1995 SG ₁₄	1995 09 22.38324	23 39 50.65	-03 06 19.7		691	1995 SO ₁₄	1995 09 21.39284	23 17 34.22	-02 09 32.8	19.5 V	691
1995 SG ₁₄	1995 09 22.40417	23 39 49.78	-03 06 28.7		691	1995 SO ₁₄	1995 09 21.39736	23 17 33.95	-02 09 33.6		691
1995 SG ₁₄	1995 09 27.20030	23 36 36.16	-03 40 28.2	18.0 V	691	1995 SO ₁₄	1995 09 21.40743	23 17 33.29	-02 09 35.8		691
1995 SG ₁₄	1995 09 27.22113	23 36 35.29	-03 40 37.2		691	1995 SP ₁₄	* 1995 09 18.25541	23 21 47.95	-01 59 56.0		691
1995 SG ₁₄	1995 09 27.24226	23 36 34.45	-03 40 45.9		691	1995 SP ₁₄	1995 09 18.27674	23 21 46.77	-02 00 00.5	19.3 V	691
1995 SH ₁₄	* 1995 09 18.20643	23 42 47.50	-02 32 50.6		691	1995 SP ₁₄	1995 09 18.29741	23 21 45.64	-02 00 05.4		691
1995 SH ₁₄	1995 09 18.22728	23 42 46.53	-02 32 57.5	19.7 V	691	1995 SP ₁₄	1995 09 21.36944	23 19 01.95	-02 11 26.1		691
1995 SH ₁₄	1995 09 18.24828	23 42 45.56	-02 33 03.8		691	1995 SP ₁₄	1995 09 21.37495	23 19 01.71	-02 11 27.2	19.7 V	691
1995 SH ₁₄	1995 09 27.29830	23 36 11.33	-03 17 31.3		691	1995 SP ₁₄	1995 09 21.38331	23 19 01.26	-02 11 29.1		691
1995 SH ₁₄	1995 09 27.32793	23 36 09.99	-03 17 40.1		691	1995 SQ ₁₄	* 1995 09 18.25598	23 22 37.25	-01 53 15.1	19.7 V	691
1995 SH ₁₄	1995 09 27.34878	23 36 09.09	-03 17 46.2	20.6 V	691	1995 SQ ₁₄	1995 09 18.27731	23 22 36.45	-01 53 33.3		691
1995 SJ ₁₄	* 1995 09 18.20647	23 42 51.04	-02 43 25.8	19.3 V	691	1995 SQ ₁₄	1995 09 18.29798	23 22 35.65	-01 53 51.1		691
1995 SJ ₁₄	1995 09 18.22732	23 42 49.97	-02 43 29.4		691	1995 SQ ₁₄	1995 09 27.18729	23 17 24.01	-03 57 13.8		691
1995 SJ ₁₄	1995 09 18.24832	23 42 48.91	-02 43 32.5		691	1995 SQ ₁₄	1995 09 27.20813	23 17 23.26	-03 57 29.9	20.4 V	691
1995 SJ ₁₄	1995 09 27.29778	23 35 26.77	-03 04 42.0	19.8 V	691	1995 SQ ₁₄	1995 09 27.22926	23 17 22.58	-03 57 47.4		691
1995 SJ ₁₄	1995 09 27.32741	23 35 25.30	-03 04 46.2		691	1995 SR ₁₄	* 1995 09 18.25625	23 23 00.66	-02 09 48.5	20.1 V	691
1995 SJ ₁₄	1995 09 27.34827	23 35 24.28	-03 04 48.9		691	1995 SR ₁₄	1995 09 18.27758	23 22 59.44	-02 09 48.7		691
1995 SK ₁₄	* 1995 09 18.20665	23 43 06.86	-02 32 13.1	20.6 V	691	1995 SR ₁₄	1995 09 18.29824	23 22 58.26	-02 09 49.0		691
1995 SK ₁₄	1995 09 18.22750	23 43 05.67	-02 32 19.8		691	1995 SR ₁₄	1995 09 21.37025	23 20 12.61	-02 10 02.8		691
1995 SK ₁₄	1995 09 18.24850	23 43 04.47	-02 32 26.2		691	1995 SR ₁₄	1995 09 21.37576	23 20 12.32	-02 10 02.7	20.4 V	691
1995 SK ₁₄	1995 09 27.29756	23 35 07.39	-03 15 58.5		691	1995 SR ₁₄	1995 09 21.38412	23 20 11.83	-02 10 02.6		691
1995 SK ₁₄	1995 09 27.32719	23 35 05.81	-03 16 07.0	20.9 V	691	1995 SS ₁₄	* 1995 09 18.25634	23 23 08.46	-01 52 29.6	19.0 V	691
1995 SK ₁₄	1995 09 27.34804	23 35 04.70	-03 16 12.7		691	1995 SS ₁₄	1995 09 18.27767	23 23 07.55	-01 52 44.8		691
1995 SL ₁₄	* 1995 09 18.20692	23 43 30.61	-02 31 06.4		691	1995 SS ₁₄	1995 09 18.29834	23 23 06.67	-01 53 00.0		691
1995 SL ₁₄	1995 09 18.22778	23 43 29.80	-02 31 18.8	19.7 V	691	1995 SS ₁₄	1995 09 23.17752	23 19 52.87	-02 51 10.8	19.4 V	691
1995 SL ₁₄	1995 09 18.24879	23 43 28.96	-02 31 31.4		691	1995 SS ₁₄	1995 09 23.19817	23 19 52.00	-02 51 25.2		691
1995 SL ₁₄	1995 09 22.36295	23 40 57.00	-03 11 41.4	20.6 V	691	1995 SS ₁₄	1995 09 23.21885	23 19 51.16	-02 51 39.9		691
1995 SL ₁₄	1995 09 22.38400	23 40 56.19	-03 11 53.6		691	1995 SS ₁₄	1995 09 27.18728	23 17 22.89	-03 38 00.0		691
1995 SL ₁₄	1995 09 22.40493	23 40 55.38	-03 12 05.6		691	1995 SS ₁₄	1995 09 27.20812	23 17 22.08	-03 38 13.7	19.4 V	691
1995 SL ₁₄	1995 09 27.20131	23 38 03.81	-03 57 49.5		691	1995 SS ₁₄	1995 09 27.22926	23 17 21.31	-03 38 28.4		691

1995 ST ₁₄	* 1995 09 18.25658	23 23 29.45	-02 21 11.9	20.6 V	691	1995 SA ₁₅	1995 09 18.27963	23 25 57.85	-02 15 53.2	691
1995 ST ₁₄	1995 09 18.27791	23 23 28.50	-02 21 20.2		691	1995 SA ₁₅	1995 09 18.30031	23 25 56.76	-02 16 00.0	691
1995 ST ₁₄	1995 09 18.29858	23 23 27.59	-02 21 28.8		691	1995 SA ₁₅	1995 09 27.28598	23 18 24.92	-03 05 01.4	691
1995 ST ₁₄	1995 09 23.17767	23 20 05.16	-02 53 03.0		691	1995 SA ₁₅	1995 09 27.31562	23 18 23.45	-03 05 10.6	20.3 V 691
1995 ST ₁₄	1995 09 23.19831	23 20 04.22	-02 53 11.3		691	1995 SA ₁₅	1995 09 27.33647	23 18 22.44	-03 05 17.4	691
1995 ST ₁₄	1995 09 23.21899	23 20 03.36	-02 53 19.4	21.1 V	691	1995 SB ₁₅	* 1995 09 18.25842	23 26 08.53	-01 53 12.5	18.6 V 691
1995 SU ₁₄	* 1995 09 18.25662	23 23 32.56	-02 13 13.7		691	1995 SB ₁₅	1995 09 18.27975	23 26 07.39	-01 53 17.1	691
1995 SU ₁₄	1995 09 18.27795	23 23 31.94	-02 13 17.9	19.9 V	691	1995 SB ₁₅	1995 09 18.30042	23 26 06.28	-01 53 21.2	691
1995 SU ₁₄	1995 09 18.29863	23 23 31.34	-02 13 22.3		691	1995 SB ₁₅	1995 09 24.22438	23 21 04.24	-02 13 15.3	18.4 V 691
1995 SU ₁₄	1995 09 23.17847	23 21 14.56	-02 29 13.8		691	1995 SB ₁₅	1995 09 24.24508	23 21 03.16	-02 13 19.6	691
1995 SU ₁₄	1995 09 23.19912	23 21 13.99	-02 29 17.5		691	1995 SB ₁₅	1995 09 24.26590	23 21 02.07	-02 13 23.6	691
1995 SU ₁₄	1995 09 23.21980	23 21 13.42	-02 29 21.9	20.4 V	691	1995 SB ₁₅	1995 09 29.20970	23 17 04.65	-02 29 04.0	18.8 V 691
1995 SU ₁₄	1995 09 29.21030	23 18 31.81	-02 48 20.4		691	1995 SB ₁₅	1995 09 29.23045	23 17 03.66	-02 29 07.7	691
1995 SU ₁₄	1995 09 29.23105	23 18 31.24	-02 48 24.7		691	1995 SB ₁₅	1995 09 29.25129	23 17 02.69	-02 29 11.2	691
1995 SU ₁₄	1995 09 29.25189	23 18 30.71	-02 48 28.3	20.5 V	691	1995 SC ₁₅	* 1995 09 18.25842	23 26 08.99	-02 02 23.6	19.4 V 691
1995 SV ₁₄	* 1995 09 18.25663	23 23 34.12	-02 04 23.3		691	1995 SC ₁₅	1995 09 18.27975	23 26 07.72	-02 02 25.4	691
1995 SV ₁₄	1995 09 18.27796	23 23 32.93	-02 04 34.1		691	1995 SC ₁₅	1995 09 18.30042	23 26 06.55	-02 02 27.0	691
1995 SV ₁₄	1995 09 18.29863	23 23 31.75	-02 04 45.1	21.0 V	691	1995 SC ₁₅	1995 09 24.22419	23 20 48.33	-02 09 15.0	19.4 V 691
1995 SV ₁₄	1995 09 21.37063	23 20 45.35	-02 30 38.5	21.2 V	691	1995 SC ₁₅	1995 09 24.24489	23 20 47.20	-02 09 16.2	691
1995 SV ₁₄	1995 09 21.37614	23 20 44.99	-02 30 42.1		691	1995 SC ₁₅	1995 09 24.26571	23 20 46.03	-02 09 17.5	691
1995 SV ₁₄	1995 09 21.38450	23 20 44.57	-02 30 45.6		691	1995 SD ₁₅	* 1995 09 18.25888	23 26 48.95	-02 11 49.1	19.8 V 691
1995 SW ₁₄	* 1995 09 18.25726	23 24 28.52	-02 11 53.2		691	1995 SD ₁₅	1995 09 18.28021	23 26 47.97	-02 11 55.6	691
1995 SW ₁₄	1995 09 18.27859	23 24 27.60	-02 12 08.5	19.3 V	691	1995 SD ₁₅	1995 09 18.30089	23 26 47.03	-02 12 02.1	691
1995 SW ₁₄	1995 09 18.29927	23 24 26.70	-02 12 23.5		691	1995 SD ₁₅	1995 09 27.28736	23 20 24.30	-02 57 10.7	20.2 V 691
1995 SW ₁₄	1995 09 22.34962	23 21 42.17	-03 00 04.0		691	1995 SD ₁₅	1995 09 27.31700	23 20 23.07	-02 57 18.7	691
1995 SW ₁₄	1995 09 22.37066	23 21 41.31	-03 00 18.5	19.7 V	691	1995 SD ₁₅	1995 09 27.33785	23 20 22.20	-02 57 24.9	691
1995 SW ₁₄	1995 09 22.39159	23 21 40.44	-03 00 33.0		691	1995 SE ₁₅	* 1995 09 18.25903	23 27 02.00	-02 06 04.9	691
1995 SW ₁₄	1995 09 27.18785	23 18 37.75	-03 55 22.0		691	1995 SE ₁₅	1995 09 18.28037	23 27 01.09	-02 06 15.6	18.7 V 691
1995 SW ₁₄	1995 09 27.20868	23 18 36.93	-03 55 35.8		691	1995 SE ₁₅	1995 09 18.30104	23 27 00.23	-02 06 25.9	691
1995 SW ₁₄	1995 09 27.22981	23 18 36.13	-03 55 50.0	19.7 V	691	1995 SE ₁₅	1995 09 23.18021	23 23 45.16	-02 46 48.7	19.1 V 691
1995 SX ₁₄	* 1995 09 18.25738	23 24 38.53	-02 11 20.5	20.4 V	691	1995 SE ₁₅	1995 09 23.20086	23 23 44.32	-02 46 58.7	691
1995 SX ₁₄	1995 09 18.27870	23 24 37.23	-02 11 27.3		691	1995 SE ₁₅	1995 09 23.22153	23 23 43.48	-02 47 08.9	691
1995 SX ₁₄	1995 09 18.29937	23 24 36.00	-02 11 34.2		691	1995 SF ₁₅	* 1995 09 18.25933	23 27 27.41	-02 19 21.4	691
1995 SX ₁₄	1995 09 23.17757	23 19 57.12	-02 37 21.6	21.1 V	691	1995 SF ₁₅	1995 09 18.28065	23 27 26.17	-02 19 26.7	20.6 V 691
1995 SX ₁₄	1995 09 23.19822	23 19 55.88	-02 37 28.1		691	1995 SF ₁₅	1995 09 18.30132	23 27 24.97	-02 19 32.3	691
1995 SX ₁₄	1995 09 23.21889	23 19 54.66	-02 37 34.6		691	1995 SF ₁₅	1995 09 23.17968	23 22 59.81	-02 40 28.4	691
1995 SY ₁₄	* 1995 09 18.25742	23 24 42.24	-02 19 01.8	19.4 V	691	1995 SF ₁₅	1995 09 23.20033	23 22 58.68	-02 40 33.7	691
1995 SY ₁₄	1995 09 18.27875	23 24 41.03	-02 19 09.1		691	1995 SF ₁₅	1995 09 23.22100	23 22 57.53	-02 40 38.5	21.3 V 691
1995 SY ₁₄	1995 09 18.29942	23 24 39.94	-02 19 16.1		691	1995 SG ₁₅	* 1995 09 18.25947	23 27 39.91	-02 21 30.3	21.0 V 691
1995 SY ₁₄	1995 09 23.17794	23 20 28.87	-02 46 03.2		691	1995 SG ₁₅	1995 09 18.28080	23 27 38.71	-02 21 38.9	691
1995 SY ₁₄	1995 09 23.19859	23 20 27.77	-02 46 09.9	20.0 V	691	1995 SG ₁₅	1995 09 18.30147	23 27 37.52	-02 21 46.3	691
1995 SY ₁₄	1995 09 23.21926	23 20 26.72	-02 46 16.5		691	1995 SG ₁₅	1995 09 27.28699	23 19 52.49	-03 15 15.1	691
1995 SY ₁₄	1995 09 27.28549	23 17 09.18	-03 07 34.1		691	1995 SG ₁₅	1995 09 27.31663	23 19 51.01	-03 15 24.2	21.4 V 691
1995 SY ₁₄	1995 09 27.31512	23 17 07.77	-03 07 42.6	19.8 V	691	1995 SG ₁₅	1995 09 27.33748	23 19 49.97	-03 15 31.6	691
1995 SY ₁₄	1995 09 27.33597	23 17 06.76	-03 07 49.7		691	1995 SH ₁₅	* 1995 09 18.25965	23 27 54.93	-02 07 41.3	691
1995 SZ ₁₄	* 1995 09 18.25777	23 25 12.08	-01 55 29.3		691	1995 SH ₁₅	1995 09 18.28098	23 27 53.94	-02 07 54.5	18.4 V 691
1995 SZ ₁₄	1995 09 18.27909	23 25 10.98	-01 55 34.2	20.9 V	691	1995 SH ₁₅	1995 09 18.30165	23 27 52.99	-02 08 06.8	691
1995 SZ ₁₄	1995 09 18.29976	23 25 09.89	-01 55 39.3		691	1995 SH ₁₅	1995 09 27.18988	23 21 33.50	-03 37 36.9	18.8 V 691
1995 SZ ₁₄	1995 09 24.22380	23 20 13.93	-02 18 18.9	20.8 V	691	1995 SH ₁₅	1995 09 27.21071	23 21 32.61	-03 37 48.6	691
1995 SZ ₁₄	1995 09 24.24449	23 20 12.84	-02 18 23.9		691	1995 SH ₁₅	1995 09 27.23184	23 21 31.75	-03 38 01.2	691
1995 SZ ₁₄	1995 09 24.26532	23 20 11.79	-02 18 28.3		691	1995 SJ ₁₅	* 1995 09 18.25968	23 27 57.92	-02 02 24.7	19.4 V 691
1995 SA ₁₅	* 1995 09 18.25831	23 25 58.99	-02 15 45.9	20.4 V	691	1995 SJ ₁₅	1995 09 18.28101	23 27 56.61	-02 02 29.6	691

1995 SJ ₁₅	1995 09 18.30167	23 27 55.35	-02 02 34.3		691	1995 SQ ₁₅	1995 09 18.28147	23 28 37.21	-02 10 55.3		691
1995 SJ ₁₅	1995 09 29.20996	23 17 50.57	-02 42 25.2		691	1995 SQ ₁₅	1995 09 18.30215	23 28 36.16	-02 11 02.1	20.2 V	691
1995 SJ ₁₅	1995 09 29.23072	23 17 49.46	-02 42 29.5	20.0 V	691	1995 SQ ₁₅	1995 09 23.18094	23 24 48.59	-02 37 37.2		691
1995 SJ ₁₅	1995 09 29.25155	23 17 48.37	-02 42 33.4		691	1995 SQ ₁₅	1995 09 23.20159	23 24 47.56	-02 37 43.4		691
1995 SK ₁₅	* 1995 09 18.25975	23 28 04.14	-02 22 01.1	20.4 V	691	1995 SQ ₁₅	1995 09 23.22226	23 24 46.59	-02 37 50.3	20.8 V	691
1995 SK ₁₅	1995 09 18.28108	23 28 03.16	-02 22 06.6		691	1995 SQ ₁₅	1995 09 27.28834	23 21 49.45	-02 58 50.7		691
1995 SK ₁₅	1995 09 18.30175	23 28 02.24	-02 22 12.0		691	1995 SQ ₁₅	1995 09 27.31798	23 21 48.15	-02 58 59.4	20.6 V	691
1995 SK ₁₅	1995 09 23.18078	23 24 34.73	-02 43 25.8	21.1 V	691	1995 SQ ₁₅	1995 09 27.33883	23 21 47.22	-02 59 05.6		691
1995 SK ₁₅	1995 09 23.20143	23 24 33.86	-02 43 30.5		691	1995 SR ₁₅	* 1995 09 18.26021	23 28 43.79	-02 01 49.8		691
1995 SK ₁₅	1995 09 23.22210	23 24 32.94	-02 43 36.4		691	1995 SR ₁₅	1995 09 18.28154	23 28 42.47	-02 01 50.1	20.6 V	691
1995 SK ₁₅	1995 09 27.28834	23 21 49.20	-03 00 29.2		691	1995 SR ₁₅	1995 09 18.30220	23 28 41.20	-02 01 50.4		691
1995 SK ₁₅	1995 09 27.31798	23 21 48.01	-03 00 36.2	21.0 V	691	1995 SR ₁₅	1995 09 24.22558	23 22 48.44	-02 03 18.5	20.3 V	691
1995 SK ₁₅	1995 09 27.33883	23 21 47.12	-03 00 41.6		691	1995 SR ₁₅	1995 09 24.24628	23 22 47.20	-02 03 18.7		691
1995 SL ₁₅	* 1995 09 18.25995	23 28 21.71	-02 17 19.1	20.7 V	691	1995 SR ₁₅	1995 09 24.26710	23 22 45.93	-02 03 19.2		691
1995 SL ₁₅	1995 09 18.28128	23 28 20.59	-02 17 26.4		691	1995 SS ₁₅	* 1995 09 18.26031	23 28 52.66	-02 02 51.5		691
1995 SL ₁₅	1995 09 18.30195	23 28 19.50	-02 17 33.5		691	1995 SS ₁₅	1995 09 18.28164	23 28 51.68	-02 02 58.9		691
1995 SL ₁₅	1995 09 23.18065	23 24 23.69	-02 45 29.7		691	1995 SS ₁₅	1995 09 18.30231	23 28 50.65	-02 03 06.9	20.0 V	691
1995 SL ₁₅	1995 09 23.20130	23 24 22.67	-02 45 36.2	21.6 V	691	1995 SS ₁₅	1995 09 23.18115	23 25 06.99	-02 32 58.7		691
1995 SL ₁₅	1995 09 23.22197	23 24 21.65	-02 45 43.2		691	1995 SS ₁₅	1995 09 23.20180	23 25 06.03	-02 33 06.2		691
1995 SM ₁₅	* 1995 09 18.25996	23 28 22.30	-02 21 17.3	18.0 V	691	1995 SS ₁₅	1995 09 23.22247	23 25 05.08	-02 33 13.4	20.5 V	691
1995 SM ₁₅	1995 09 18.28129	23 28 20.98	-02 21 19.4		691	1995 SS ₁₅	1995 09 27.28854	23 22 06.03	-02 57 23.4	20.4 V	691
1995 SM ₁₅	1995 09 18.30196	23 28 19.73	-02 21 21.6		691	1995 SS ₁₅	1995 09 27.31817	23 22 04.73	-02 57 33.3		691
1995 SM ₁₅	1995 09 23.18010	23 23 36.11	-02 29 28.5	18.2 V	691	1995 SS ₁₅	1995 09 27.33902	23 22 03.81	-02 57 41.2		691
1995 SM ₁₅	1995 09 23.20075	23 23 34.91	-02 29 30.4		691	1995 ST ₁₅	* 1995 09 18.26045	23 29 04.31	-02 15 15.4		691
1995 SM ₁₅	1995 09 23.22142	23 23 33.69	-02 29 32.4		691	1995 ST ₁₅	1995 09 18.28178	23 29 03.48	-02 15 30.2	18.6 V	691
1995 SM ₁₅	1995 09 29.21005	23 18 05.49	-02 38 17.6	18.5 V	691	1995 ST ₁₅	1995 09 18.30245	23 29 02.67	-02 15 43.9		691
1995 SM ₁₅	1995 09 29.23080	23 18 04.37	-02 38 19.2		691	1995 ST ₁₅	1995 09 22.35301	23 26 35.58	-03 01 12.2		691
1995 SM ₁₅	1995 09 29.25164	23 18 03.26	-02 38 20.6		691	1995 ST ₁₅	1995 09 22.37405	23 26 34.76	-03 01 26.4	18.7 V	691
1995 SN ₁₅	* 1995 09 18.26000	23 28 25.66	-01 53 55.3		691	1995 ST ₁₅	1995 09 22.39498	23 26 33.99	-03 01 40.2		691
1995 SN ₁₅	1995 09 18.28133	23 28 24.67	-01 54 00.5	20.3 V	691	1995 SU ₁₅	* 1995 09 18.26150	23 30 35.23	-02 18 57.0	19.0 V	691
1995 SN ₁₅	1995 09 18.30200	23 28 23.69	-01 54 05.4		691	1995 SU ₁₅	1995 09 18.28282	23 30 34.08	-02 19 04.7		691
1995 SN ₁₅	1995 09 24.22636	23 23 55.65	-02 19 01.5		691	1995 SU ₁₅	1995 09 18.30349	23 30 32.95	-02 19 12.0		691
1995 SN ₁₅	1995 09 24.24706	23 23 54.69	-02 19 06.4	20.0 V	691	1995 SU ₁₅	1995 09 23.18202	23 26 22.59	-02 47 36.9		691
1995 SN ₁₅	1995 09 24.26788	23 23 53.75	-02 19 11.4		691	1995 SU ₁₅	1995 09 23.20267	23 26 21.51	-02 47 44.0	19.5 V	691
1995 SN ₁₅	1995 09 29.21155	23 20 20.70	-02 39 09.5		691	1995 SU ₁₅	1995 09 23.22334	23 26 20.43	-02 47 50.8		691
1995 SN ₁₅	1995 09 29.23230	23 20 19.78	-02 39 14.5		691	1995 SU ₁₅	1995 09 27.28917	23 23 01.25	-03 10 33.7	19.4 V	691
1995 SN ₁₅	1995 09 29.25314	23 20 18.93	-02 39 18.6	20.9 V	691	1995 SU ₁₅	1995 09 27.31881	23 22 59.80	-03 10 43.0		691
1995 SO ₁₅	* 1995 09 18.26005	23 28 29.60	-02 13 10.2		691	1995 SU ₁₅	1995 09 27.33966	23 22 58.77	-03 10 50.2		691
1995 SO ₁₅	1995 09 18.28137	23 28 28.40	-02 13 16.7	18.5 V	691	1995 SV ₁₅	* 1995 09 18.26151	23 30 36.08	-02 11 03.6	20.9 V	691
1995 SO ₁₅	1995 09 18.30204	23 28 27.25	-02 13 23.2		691	1995 SV ₁₅	1995 09 18.28283	23 30 34.98	-02 11 11.2		691
1995 SO ₁₅	1995 09 23.18053	23 24 13.43	-02 38 18.4	18.9 V	691	1995 SV ₁₅	1995 09 18.30351	23 30 33.93	-02 11 18.3		691
1995 SO ₁₅	1995 09 23.20118	23 24 12.34	-02 38 24.7		691	1995 SV ₁₅	1995 09 27.28960	23 23 38.62	-03 01 53.5	21.2 V	691
1995 SO ₁₅	1995 09 23.22185	23 24 11.23	-02 38 30.9		691	1995 SV ₁₅	1995 09 27.31924	23 23 37.27	-03 02 02.6		691
1995 SO ₁₅	1995 09 27.28765	23 20 49.55	-02 58 28.4		691	1995 SV ₁₅	1995 09 27.34009	23 23 36.33	-03 02 09.6		691
1995 SO ₁₅	1995 09 27.31729	23 20 48.06	-02 58 36.3	19.0 V	691	1995 SW ₁₅	* 1995 09 18.26152	23 30 37.25	-02 19 56.9		691
1995 SO ₁₅	1995 09 27.33814	23 20 47.01	-02 58 42.7		691	1995 SW ₁₅	1995 09 18.28285	23 30 36.21	-02 20 05.0	20.9 V	691
1995 SP ₁₅	* 1995 09 18.26014	23 28 37.62	-02 12 55.4	20.1 V	691	1995 SW ₁₅	1995 09 18.30352	23 30 35.22	-02 20 11.4		691
1995 SP ₁₅	1995 09 18.30214	23 28 35.90	-02 13 17.4		691	1995 SW ₁₅	1995 09 27.31942	23 23 52.89	-03 10 28.8		691
1995 SP ₁₅	1995 09 27.19101	23 23 11.91	-03 28 40.9	20.5 V	691	1995 SW ₁₅	1995 09 27.34027	23 23 51.96	-03 10 35.3	21.1 V	691
1995 SP ₁₅	1995 09 27.21185	23 23 11.13	-03 28 51.3		691	1995 SX ₁₅	* 1995 09 18.26164	23 30 48.08	-02 10 08.6	17.9 V	691
1995 SP ₁₅	1995 09 27.23298	23 23 10.39	-03 29 01.5		691	1995 SX ₁₅	1995 09 18.28297	23 30 47.10	-02 10 17.1		691
1995 SQ ₁₅	* 1995 09 18.26015	23 28 38.30	-02 10 48.2		691	1995 SX ₁₅	1995 09 18.30365	23 30 46.16	-02 10 25.2		691

1995 SX ₁₅	1995 09 23.18266	23 27 17.80	-02 42 11.1	18.1 V	691	1995 SD ₁₆	1995 09 29.30197	23 23 30.43	-02 19 53.1	691
1995 SX ₁₅	1995 09 23.20331	23 27 16.90	-02 42 19.1		691	1995 SD ₁₆	1995 09 29.32306	23 23 29.38	-02 19 54.5	691
1995 SX ₁₅	1995 09 23.22398	23 27 16.02	-02 42 26.9		691	1995 SE ₁₆	* 1995 09 18.26337	23 33 17.90	-02 14 36.5	19.2 V 691
1995 SX ₁₅	1995 09 27.29023	23 24 32.53	-03 07 43.5	18.3 V	691	1995 SE ₁₆	1995 09 18.28470	23 33 16.91	-02 14 41.2	691
1995 SX ₁₅	1995 09 27.31986	23 24 31.32	-03 07 54.1		691	1995 SE ₁₆	1995 09 18.30538	23 33 15.94	-02 14 45.9	691
1995 SX ₁₅	1995 09 27.34072	23 24 30.48	-03 08 01.9		691	1995 SE ₁₆	1995 09 29.21494	23 25 14.29	-02 53 47.0	19.5 V 691
1995 SY ₁₅	* 1995 09 18.26186	23 31 06.79	-02 13 57.2	20.0 V	691	1995 SE ₁₆	1995 09 29.23569	23 25 13.33	-02 53 51.0	691
1995 SY ₁₅	1995 09 18.28319	23 31 05.71	-02 14 06.2		691	1995 SE ₁₆	1995 09 29.25653	23 25 12.49	-02 53 55.6	691
1995 SY ₁₅	1995 09 18.30386	23 31 04.65	-02 14 14.7		691	1995 SF ₁₆	* 1995 09 18.26372	23 33 48.24	-02 07 32.0	20.6 V 691
1995 SY ₁₅	1995 09 23.18256	23 27 09.42	-02 47 32.9		691	1995 SF ₁₆	1995 09 18.28505	23 33 47.10	-02 07 40.5	691
1995 SY ₁₅	1995 09 23.20321	23 27 08.40	-02 47 41.5	20.4 V	691	1995 SF ₁₆	1995 09 18.30572	23 33 46.02	-02 07 48.5	691
1995 SY ₁₅	1995 09 23.22388	23 27 07.41	-02 47 49.7		691	1995 SF ₁₆	1995 09 27.29152	23 26 24.18	-03 04 03.9	691
1995 SY ₁₅	1995 09 27.28986	23 24 00.48	-03 14 31.0	20.3 V	691	1995 SF ₁₆	1995 09 27.32115	23 26 22.82	-03 04 13.9	20.6 V 691
1995 SY ₁₅	1995 09 27.31949	23 23 59.08	-03 14 42.4		691	1995 SF ₁₆	1995 09 27.34200	23 26 21.83	-03 04 21.7	691
1995 SY ₁₅	1995 09 27.34034	23 23 58.15	-03 14 50.7		691	1995 SG ₁₆	* 1995 09 18.26387	23 34 00.98	-01 53 48.8	691
1995 SZ ₁₅	* 1995 09 18.26187	23 31 07.68	-02 18 43.7		691	1995 SG ₁₆	1995 09 18.28520	23 34 00.10	-01 53 58.5	19.4 V 691
1995 SZ ₁₅	1995 09 18.28320	23 31 06.49	-02 18 47.9		691	1995 SG ₁₆	1995 09 18.30588	23 33 59.24	-01 54 07.6	691
1995 SZ ₁₅	1995 09 18.30387	23 31 05.34	-02 18 50.8	20.7 V	691	1995 SG ₁₆	1995 09 23.18505	23 30 44.61	-02 30 15.5	19.7 V 691
1995 SZ ₁₅	1995 09 23.18241	23 26 56.36	-02 31 58.7		691	1995 SG ₁₆	1995 09 23.20570	23 30 43.78	-02 30 25.4	691
1995 SZ ₁₅	1995 09 23.20306	23 26 55.32	-02 32 02.3	21.0 V	691	1995 SG ₁₆	1995 09 23.22637	23 30 42.97	-02 30 34.5	691
1995 SZ ₁₅	1995 09 23.22373	23 26 54.22	-02 32 05.4		691	1995 SG ₁₆	1995 09 27.29269	23 28 05.54	-03 00 09.1	19.8 V 691
1995 SZ ₁₅	1995 09 29.21284	23 22 11.73	-02 46 28.9		691	1995 SG ₁₆	1995 09 27.32232	23 28 04.39	-03 00 21.4	691
1995 SZ ₁₅	1995 09 29.23358	23 22 10.75	-02 46 31.5		691	1995 SG ₁₆	1995 09 27.34318	23 28 03.58	-03 00 30.4	691
1995 SZ ₁₅	1995 09 29.25442	23 22 09.77	-02 46 34.7	21.4 V	691	1995 SH ₁₆	* 1995 09 18.26433	23 34 40.51	-01 54 29.7	691
1995 SA ₁₆	* 1995 09 18.26213	23 31 30.07	-02 19 51.7		691	1995 SH ₁₆	1995 09 18.28566	23 34 39.59	-01 54 39.6	19.7 V 691
1995 SA ₁₆	1995 09 18.28346	23 31 29.17	-02 20 03.8	19.6 V	691	1995 SH ₁₆	1995 09 18.30633	23 34 38.78	-01 54 48.2	691
1995 SA ₁₆	1995 09 18.30413	23 31 28.33	-02 20 15.4		691	1995 SH ₁₆	1995 09 23.18540	23 31 15.34	-02 31 23.0	20.1 V 691
1995 SA ₁₆	1995 09 22.35455	23 28 49.49	-02 57 35.0	20.1 V	691	1995 SH ₁₆	1995 09 23.20605	23 31 14.46	-02 31 32.5	691
1995 SA ₁₆	1995 09 22.37560	23 28 48.62	-02 57 46.1		691	1995 SH ₁₆	1995 09 23.22673	23 31 13.57	-02 31 41.8	691
1995 SA ₁₆	1995 09 22.39653	23 28 47.76	-02 57 58.1		691	1995 SH ₁₆	1995 09 27.29296	23 28 29.37	-03 01 32.3	20.1 V 691
1995 SA ₁₆	1995 09 27.19282	23 25 48.24	-03 40 53.8	20.1 V	691	1995 SH ₁₆	1995 09 27.32260	23 28 28.17	-03 01 44.9	691
1995 SA ₁₆	1995 09 27.21365	23 25 47.43	-03 41 04.7		691	1995 SH ₁₆	1995 09 27.34345	23 28 27.31	-03 01 54.1	691
1995 SA ₁₆	1995 09 27.23478	23 25 46.63	-03 41 16.2		691	1995 SJ ₁₆	* 1995 09 18.26445	23 34 51.29	-02 13 07.8	691
1995 SB ₁₆	* 1995 09 18.26236	23 31 50.18	-02 06 06.1		691	1995 SJ ₁₆	1995 09 18.28578	23 34 50.16	-02 13 15.5	20.6 V 691
1995 SB ₁₆	1995 09 18.28369	23 31 49.09	-02 06 19.2	20.1 V	691	1995 SJ ₁₆	1995 09 18.30645	23 34 49.05	-02 13 22.7	691
1995 SB ₁₆	1995 09 18.30436	23 31 48.05	-02 06 31.7		691	1995 SJ ₁₆	1995 09 23.18511	23 30 50.22	-02 41 50.6	691
1995 SB ₁₆	1995 09 27.19232	23 25 05.08	-03 33 53.3	20.5 V	691	1995 SJ ₁₆	1995 09 23.20576	23 30 49.17	-02 41 58.1	21.6 V 691
1995 SB ₁₆	1995 09 27.21315	23 25 04.14	-03 34 04.9		691	1995 SJ ₁₆	1995 09 23.22643	23 30 48.11	-02 42 05.4	691
1995 SB ₁₆	1995 09 27.23428	23 25 03.22	-03 34 16.8		691	1995 SK ₁₆	* 1995 09 18.26456	23 35 00.88	-02 13 28.9	19.2 V 691
1995 SC ₁₆	* 1995 09 18.26265	23 32 15.16	-02 17 39.6	18.0 V	691	1995 SK ₁₆	1995 09 18.28589	23 34 59.88	-02 13 44.9	691
1995 SC ₁₆	1995 09 18.28398	23 32 14.31	-02 17 54.7		691	1995 SK ₁₆	1995 09 18.30656	23 34 58.90	-02 14 00.5	691
1995 SC ₁₆	1995 09 18.30466	23 32 13.49	-02 18 09.4		691	1995 SK ₁₆	1995 09 22.35673	23 31 58.32	-03 04 38.3	691
1995 SC ₁₆	1995 09 22.35516	23 29 42.48	-03 05 36.4	18.2 V	691	1995 SK ₁₆	1995 09 22.37777	23 31 57.28	-03 04 53.9	19.7 V 691
1995 SC ₁₆	1995 09 22.37621	23 29 41.63	-03 05 51.2		691	1995 SK ₁₆	1995 09 22.39870	23 31 56.31	-03 05 09.7	691
1995 SC ₁₆	1995 09 22.39714	23 29 40.81	-03 06 05.8		691	1995 SL ₁₆	* 1995 09 18.26459	23 35 03.31	-02 21 40.5	20.4 V 691
1995 SD ₁₆	* 1995 09 18.26308	23 32 52.47	-02 09 00.8	20.3 V	691	1995 SL ₁₆	1995 09 18.28592	23 35 01.87	-02 21 39.2	691
1995 SD ₁₆	1995 09 18.28441	23 32 51.34	-02 09 02.1		691	1995 SL ₁₆	1995 09 18.30658	23 35 00.49	-02 21 38.0	691
1995 SD ₁₆	1995 09 18.30508	23 32 50.24	-02 09 03.3		691	1995 SL ₁₆	1995 09 24.22964	23 28 40.28	-02 15 24.9	691
1995 SD ₁₆	1995 09 24.22897	23 27 42.31	-02 15 12.6		691	1995 SL ₁₆	1995 09 24.25034	23 28 38.90	-02 15 23.3	20.0 V 691
1995 SD ₁₆	1995 09 24.24967	23 27 41.22	-02 15 15.8	20.1 V	691	1995 SL ₁₆	1995 09 24.27116	23 28 37.56	-02 15 23.1	691
1995 SD ₁₆	1995 09 24.27049	23 27 40.14	-02 15 17.2		691	1995 SM ₁₆	* 1995 09 18.26493	23 35 32.63	-01 52 43.7	691
1995 SD ₁₆	1995 09 29.28101	23 23 31.48	-02 19 51.9	20.9 V	691	1995 SM ₁₆	1995 09 18.28626	23 35 31.56	-01 52 53.8	20.4 V 691

1995 SM ₁₆	1995 09 18.30693	23 35 30.52	-01 53 03.2		691	1995 ST ₁₆	1995 09 29.21854	23 30 26.18	-02 44 58.8		691
1995 SM ₁₆	1995 09 23.18566	23 31 37.29	-02 30 32.6	21.2 V	691	1995 ST ₁₆	1995 09 29.23929	23 30 25.27	-02 45 03.1		691
1995 SM ₁₆	1995 09 23.20630	23 31 36.26	-02 30 42.3		691	1995 ST ₁₆	1995 09 29.26013	23 30 24.38	-02 45 07.4	20.7 V	691
1995 SM ₁₆	1995 09 23.22698	23 31 35.26	-02 30 51.9		691	1995 SU ₁₆	* 1995 09 18.26716	23 38 45.97	-02 03 36.4	19.3 V	691
1995 SM ₁₆	1995 09 27.29292	23 28 25.88	-03 01 31.8		691	1995 SU ₁₆	1995 09 18.28849	23 38 44.87	-02 03 39.8		691
1995 SM ₁₆	1995 09 27.32256	23 28 24.50	-03 01 44.8		691	1995 SU ₁₆	1995 09 18.30916	23 38 43.82	-02 03 43.1		691
1995 SM ₁₆	1995 09 27.34341	23 28 23.52	-03 01 53.8	20.7 V	691	1995 SU ₁₆	1995 09 24.23326	23 33 53.67	-02 18 17.9		691
1995 SN ₁₆	* 1995 09 18.26549	23 36 21.14	-01 58 51.2		691	1995 SU ₁₆	1995 09 24.25396	23 33 52.67	-02 18 20.8	18.8 V	691
1995 SN ₁₆	1995 09 18.28682	23 36 20.23	-01 58 58.7		691	1995 SU ₁₆	1995 09 24.27478	23 33 51.63	-02 18 23.8		691
1995 SN ₁₆	1995 09 18.30749	23 36 19.31	-01 59 05.9	20.3 V	691	1995 SV ₁₆	* 1995 09 18.26720	23 38 49.67	-02 18 57.9		691
1995 SN ₁₆	1995 09 23.18656	23 32 55.23	-02 27 17.1	21.0 V	691	1995 SV ₁₆	1995 09 18.28853	23 38 48.63	-02 19 04.5	18.6 V	691
1995 SN ₁₆	1995 09 23.20721	23 32 54.33	-02 27 24.7		691	1995 SV ₁₆	1995 09 18.30921	23 38 47.63	-02 19 11.1		691
1995 SN ₁₆	1995 09 23.22788	23 32 53.45	-02 27 32.1		691	1995 SV ₁₆	1995 09 23.18800	23 35 00.28	-02 44 02.9		691
1995 SO ₁₆	* 1995 09 18.26604	23 37 08.68	-01 58 37.0	18.5 V	691	1995 SV ₁₆	1995 09 23.20865	23 34 59.30	-02 44 09.1	19.4 V	691
1995 SO ₁₆	1995 09 18.28737	23 37 07.55	-01 58 43.5		691	1995 SV ₁₆	1995 09 23.22932	23 34 58.31	-02 44 15.7		691
1995 SO ₁₆	1995 09 18.30804	23 37 06.47	-01 58 50.0		691	1995 SV ₁₆	1995 09 27.29531	23 31 53.06	-03 04 27.4	19.2 V	691
1995 SO ₁₆	1995 09 29.21721	23 28 30.57	-02 53 06.5		691	1995 SV ₁₆	1995 09 27.32495	23 31 51.67	-03 04 36.0		691
1995 SO ₁₆	1995 09 29.23796	23 28 29.62	-02 53 12.0	19.1 V	691	1995 SV ₁₆	1995 09 27.34580	23 31 50.71	-03 04 42.4		691
1995 SO ₁₆	1995 09 29.25880	23 28 28.62	-02 53 17.7		691	1995 SW ₁₆	* 1995 09 18.26748	23 39 13.70	-02 08 17.1	20.3 V	691
1995 SP ₁₆	* 1995 09 18.26647	23 37 45.85	-02 13 32.7		691	1995 SW ₁₆	1995 09 18.28881	23 39 12.49	-02 08 19.8		691
1995 SP ₁₆	1995 09 18.28780	23 37 44.73	-02 13 35.3	19.6 V	691	1995 SW ₁₆	1995 09 18.30948	23 39 11.33	-02 08 22.1		691
1995 SP ₁₆	1995 09 18.30847	23 37 43.65	-02 13 38.5		691	1995 SW ₁₆	1995 09 24.23333	23 34 00.05	-02 18 53.0	20.2 V	691
1995 SP ₁₆	1995 09 23.18707	23 33 40.00	-02 24 26.6	20.0 V	691	1995 SW ₁₆	1995 09 24.25403	23 33 58.97	-02 18 55.2		691
1995 SP ₁₆	1995 09 23.20772	23 33 38.97	-02 24 29.0		691	1995 SW ₁₆	1995 09 24.27485	23 33 57.84	-02 18 58.0		691
1995 SP ₁₆	1995 09 23.22839	23 33 37.88	-02 24 32.1		691	1995 SX ₁₆	* 1995 09 18.26754	23 39 18.36	-02 09 27.9		691
1995 SP ₁₆	1995 09 29.21742	23 28 48.89	-02 36 56.8	20.4 V	691	1995 SX ₁₆	1995 09 18.28886	23 39 17.28	-02 09 33.8	17.3 V	691
1995 SP ₁₆	1995 09 29.23817	23 28 47.89	-02 36 59.1		691	1995 SX ₁₆	1995 09 18.30954	23 39 16.25	-02 09 39.6		691
1995 SP ₁₆	1995 09 29.25901	23 28 46.87	-02 37 01.7		691	1995 SX ₁₆	1995 09 23.18825	23 35 21.56	-02 31 41.1	17.2 V	691
1995 SQ ₁₆	* 1995 09 18.26668	23 38 04.00	-02 20 54.5	21.0 V	691	1995 SX ₁₆	1995 09 23.20889	23 35 20.55	-02 31 46.8		691
1995 SQ ₁₆	1995 09 18.28801	23 38 03.11	-02 21 03.5		691	1995 SX ₁₆	1995 09 23.22956	23 35 19.54	-02 31 52.5		691
1995 SQ ₁₆	1995 09 18.30868	23 38 02.24	-02 21 14.0		691	1995 SY ₁₆	* 1995 09 18.26803	23 40 00.92	-02 16 56.9	20.2 V	691
1995 SQ ₁₆	1995 09 27.19729	23 32 15.36	-03 28 09.8	21.5 V	691	1995 SY ₁₆	1995 09 18.28936	23 39 59.88	-02 17 04.0		691
1995 SQ ₁₆	1995 09 27.21812	23 32 14.58	-03 28 18.9		691	1995 SY ₁₆	1995 09 18.31003	23 39 58.88	-02 17 11.7		691
1995 SQ ₁₆	1995 09 27.23925	23 32 13.73	-03 28 28.4		691	1995 SY ₁₆	1995 09 23.18886	23 36 14.61	-02 45 04.2		691
1995 SR ₁₆	* 1995 09 18.26670	23 38 06.16	-02 20 30.6	20.4 V	691	1995 SY ₁₆	1995 09 23.20951	23 36 13.63	-02 45 11.0	21.1 V	691
1995 SR ₁₆	1995 09 18.28803	23 38 04.93	-02 20 38.7		691	1995 SY ₁₆	1995 09 23.23018	23 36 12.66	-02 45 18.0		691
1995 SR ₁₆	1995 09 18.30870	23 38 03.76	-02 20 47.1		691	1995 SZ ₁₆	* 1995 09 18.26834	23 40 27.59	-02 08 08.4	21.0 V	691
1995 SR ₁₆	1995 09 27.29403	23 30 02.13	-03 19 02.7	20.7 V	691	1995 SZ ₁₆	1995 09 18.28966	23 40 26.53	-02 08 11.4		691
1995 SR ₁₆	1995 09 27.32366	23 30 00.55	-03 19 13.6		691	1995 SZ ₁₆	1995 09 18.31034	23 40 25.46	-02 08 14.5		691
1995 SR ₁₆	1995 09 27.34452	23 29 59.43	-03 19 21.4		691	1995 SZ ₁₆	1995 09 24.23441	23 35 33.67	-02 22 25.3		691
1995 SS ₁₆	* 1995 09 18.26683	23 38 17.12	-01 52 21.1		691	1995 SZ ₁₆	1995 09 24.25511	23 35 32.61	-02 22 27.9	20.7 V	691
1995 SS ₁₆	1995 09 18.28816	23 38 16.13	-01 52 27.3	19.9 V	691	1995 SZ ₁₆	1995 09 24.27594	23 35 31.57	-02 22 31.5		691
1995 SS ₁₆	1995 09 18.30883	23 38 15.16	-01 52 32.8		691	1995 SZ ₁₆	1995 09 29.21937	23 31 37.86	-02 33 31.0		691
1995 SS ₁₆	1995 09 24.23327	23 33 54.94	-02 19 53.4		691	1995 SZ ₁₆	1995 09 29.26096	23 31 35.83	-02 33 36.6	21.3 V	691
1995 SS ₁₆	1995 09 24.25398	23 33 54.04	-02 19 59.3		691	1995 SA ₁₇	* 1995 09 18.26862	23 40 52.33	-02 00 15.5	19.8 V	691
1995 SS ₁₆	1995 09 24.27480	23 33 53.10	-02 20 04.9	19.8 V	691	1995 SA ₁₇	1995 09 18.28995	23 40 51.33	-02 00 22.1		691
1995 SS ₁₆	1995 09 29.21856	23 30 27.36	-02 41 44.9		691	1995 SA ₁₇	1995 09 18.31062	23 40 50.32	-02 00 28.1		691
1995 SS ₁₆	1995 09 29.23931	23 30 26.47	-02 41 50.4		691	1995 SA ₁₇	1995 09 23.18949	23 37 08.85	-02 24 19.7		691
1995 SS ₁₆	1995 09 29.26015	23 30 25.61	-02 41 55.5	20.8 V	691	1995 SA ₁₇	1995 09 23.21013	23 37 07.90	-02 24 25.6		691
1995 ST ₁₆	* 1995 09 18.26683	23 38 17.47	-02 06 05.8		691	1995 SA ₁₇	1995 09 23.23080	23 37 06.94	-02 24 31.7	20.3 V	691
1995 ST ₁₆	1995 09 18.28816	23 38 16.48	-02 06 10.1		691	1995 SA ₁₇	1995 09 29.22013	23 32 43.73	-02 52 49.4	19.7 V	691
1995 ST ₁₆	1995 09 18.30884	23 38 15.56	-02 06 15.4	20.0 V	691	1995 SA ₁₇	1995 09 29.24088	23 32 42.79	-02 52 54.6		691

1995 SA ₁₇	1995 09 29.26172	23 32 41.85	-02 53 00.5	691	1995 SH ₁₇	1995 09 27.32829	23 36 40.93	-03 05 19.9	691
1995 SB ₁₇	* 1995 09 18.26886	23 41 13.00	-01 56 54.6	691	1995 SH ₁₇	1995 09 27.34914	23 36 39.93	-03 05 28.9	691
1995 SB ₁₇	1995 09 18.29018	23 41 11.54	-01 56 57.5	691	1995 SJ ₁₇	* 1995 09 18.31973	00 36 54.24	+00 31 25.5	19.5 V 691
1995 SB ₁₇	1995 09 18.31085	23 41 10.14	-01 57 00.2	20.7 V 691	1995 SJ ₁₇	1995 09 18.34040	00 36 52.87	+00 31 27.2	691
1995 SB ₁₇	1995 09 24.23384	23 34 43.61	-02 09 41.1	691	1995 SJ ₁₇	1995 09 18.37242	00 36 50.76	+00 31 30.0	691
1995 SB ₁₇	1995 09 24.25453	23 34 42.24	-02 09 44.1	20.9 V 691	1995 SJ ₁₇	1995 09 19.25502	00 35 53.41	+00 32 50.2	19.6 V 691
1995 SB ₁₇	1995 09 24.27535	23 34 40.87	-02 09 46.4	691	1995 SJ ₁₇	1995 09 19.27586	00 35 51.99	+00 32 52.1	691
1995 SB ₁₇	1995 09 29.28513	23 29 28.72	-02 19 23.1	21.1 V 691	1995 SJ ₁₇	1995 09 19.29669	00 35 50.59	+00 32 54.0	691
1995 SB ₁₇	1995 09 29.30609	23 29 27.46	-02 19 25.8	691	1995 SK ₁₇	* 1995 09 18.32236	00 40 41.34	+00 25 29.4	691
1995 SB ₁₇	1995 09 29.32718	23 29 26.10	-02 19 27.5	691	1995 SK ₁₇	1995 09 18.34303	00 40 40.30	+00 25 25.6	20.5 V 691
1995 SC ₁₇	* 1995 09 18.26894	23 41 20.19	-02 14 45.7	17.1 V 691	1995 SK ₁₇	1995 09 18.37506	00 40 38.76	+00 25 19.8	691
1995 SC ₁₇	1995 09 18.29027	23 41 19.10	-02 14 55.6	691	1995 SK ₁₇	1995 09 24.28790	00 35 45.73	+00 07 17.2	691
1995 SC ₁₇	1995 09 18.31094	23 41 18.05	-02 15 05.5	691	1995 SK ₁₇	1995 09 24.30871	00 35 44.66	+00 07 13.3	691
1995 SC ₁₇	1995 09 23.18967	23 37 24.96	-02 52 27.2	17.6 V 691	1995 SK ₁₇	1995 09 24.32962	00 35 43.52	+00 07 09.7	20.5 V 691
1995 SC ₁₇	1995 09 23.21032	23 37 23.95	-02 52 36.6	691	1995 SL ₁₇	* 1995 09 18.32344	00 42 15.05	+00 25 37.1	691
1995 SC ₁₇	1995 09 23.23099	23 37 22.95	-02 52 45.9	691	1995 SL ₁₇	1995 09 18.34411	00 42 14.09	+00 25 32.0	20.6 V 691
1995 SC ₁₇	1995 09 27.29698	23 34 17.84	-03 22 26.7	17.6 V 691	1995 SL ₁₇	1995 09 18.37614	00 42 12.48	+00 25 24.1	691
1995 SC ₁₇	1995 09 27.32662	23 34 16.45	-03 22 39.3	691	1995 SL ₁₇	1995 09 24.28907	00 37 26.85	+00 00 59.1	691
1995 SC ₁₇	1995 09 27.34747	23 34 15.47	-03 22 48.4	691	1995 SL ₁₇	1995 09 24.30988	00 37 25.83	+00 00 54.2	20.7 V 691
1995 SD ₁₇	* 1995 09 18.26964	23 42 20.47	-02 18 18.5	20.9 V 691	1995 SL ₁₇	1995 09 24.33079	00 37 24.75	+00 00 48.9	691
1995 SD ₁₇	1995 09 18.29097	23 42 19.57	-02 18 27.2	691	1995 SM ₁₇	* 1995 09 18.32374	00 42 41.29	+00 21 09.4	18.5 V 691
1995 SD ₁₇	1995 09 18.31164	23 42 18.72	-02 18 36.0	691	1995 SM ₁₇	1995 09 18.34441	00 42 40.39	+00 21 05.7	691
1995 SD ₁₇	1995 09 27.29844	23 36 23.64	-03 19 09.9	691	1995 SM ₁₇	1995 09 18.37644	00 42 38.91	+00 21 00.2	691
1995 SD ₁₇	1995 09 27.32807	23 36 22.47	-03 19 21.5	21.3 V 691	1995 SM ₁₇	1995 09 24.28960	00 38 13.16	+00 03 20.3	691
1995 SD ₁₇	1995 09 27.34893	23 36 21.65	-03 19 30.0	691	1995 SM ₁₇	1995 09 24.31041	00 38 12.17	+00 03 16.5	18.5 V 691
1995 SE ₁₇	* 1995 09 18.27004	23 42 55.18	-02 14 20.9	18.7 V 691	1995 SM ₁₇	1995 09 24.33132	00 38 11.13	+00 03 12.6	691
1995 SE ₁₇	1995 09 18.29137	23 42 54.18	-02 14 27.0	691	1995 SN ₁₇	* 1995 09 18.32409	00 43 11.95	+00 09 16.8	19.6 V 691
1995 SE ₁₇	1995 09 18.31204	23 42 53.23	-02 14 33.1	691	1995 SN ₁₇	1995 09 18.34477	00 43 10.91	+00 09 15.5	691
1995 SE ₁₇	1995 09 23.19092	23 39 13.27	-02 37 58.0	19.3 V 691	1995 SN ₁₇	1995 09 18.37679	00 43 09.26	+00 09 12.9	691
1995 SE ₁₇	1995 09 23.21157	23 39 12.30	-02 38 03.7	691	1995 SN ₁₇	1995 09 24.28957	00 38 10.68	+00 01 25.4	19.5 V 691
1995 SE ₁₇	1995 09 23.23224	23 39 11.34	-02 38 09.7	691	1995 SN ₁₇	1995 09 24.31038	00 38 09.60	+00 01 23.6	691
1995 SE ₁₇	1995 09 27.29828	23 36 10.00	-02 57 19.8	18.9 V 691	1995 SN ₁₇	1995 09 24.33129	00 38 08.47	+00 01 21.8	691
1995 SE ₁₇	1995 09 27.32791	23 36 08.62	-02 57 28.8	691	1995 SO ₁₇	* 1995 09 18.32495	00 44 25.84	+00 24 25.5	20.4 V 691
1995 SF ₁₇	* 1995 09 18.27023	23 43 11.46	-02 18 23.8	691	1995 SO ₁₇	1995 09 18.37765	00 44 23.20	+00 24 16.3	691
1995 SF ₁₇	1995 09 18.29156	23 43 10.38	-02 18 34.4	17.6 V 691	1995 SO ₁₇	1995 09 24.29045	00 39 26.32	+00 06 43.3	20.2 V 691
1995 SF ₁₇	1995 09 18.31223	23 43 09.36	-02 18 44.8	691	1995 SO ₁₇	1995 09 24.31125	00 39 25.17	+00 06 39.1	691
1995 SF ₁₇	1995 09 27.20001	23 36 11.02	-03 31 55.9	18.1 V 691	1995 SO ₁₇	1995 09 24.33217	00 39 24.10	+00 06 35.6	691
1995 SF ₁₇	1995 09 27.22084	23 36 10.00	-03 32 06.1	691	1995 SP ₁₇	* 1995 09 18.32555	00 45 18.31	+00 31 49.1	21.0 V 691
1995 SF ₁₇	1995 09 27.24197	23 36 09.01	-03 32 16.4	691	1995 SP ₁₇	1995 09 18.34623	00 45 17.26	+00 31 45.2	691
1995 SG ₁₇	* 1995 09 18.27035	23 43 22.36	-01 57 14.1	691	1995 SP ₁₇	1995 09 18.37825	00 45 15.61	+00 31 40.2	691
1995 SG ₁₇	1995 09 18.29168	23 43 21.35	-01 57 19.8	18.4 V 691	1995 SP ₁₇	1995 09 24.29103	00 40 16.94	+00 14 25.6	691
1995 SG ₁₇	1995 09 18.31236	23 43 20.40	-01 57 25.6	691	1995 SP ₁₇	1995 09 24.31184	00 40 15.82	+00 14 22.2	691
1995 SG ₁₇	1995 09 29.22193	23 35 19.07	-02 46 31.1	18.7 V 691	1995 SP ₁₇	1995 09 24.33275	00 40 14.69	+00 14 18.5	20.5 V 691
1995 SG ₁₇	1995 09 29.24267	23 35 18.16	-02 46 36.5	691	1995 SQ ₁₇	* 1995 09 18.32578	00 45 38.17	+00 18 18.9	20.6 V 691
1995 SG ₁₇	1995 09 29.26351	23 35 17.23	-02 46 41.8	691	1995 SQ ₁₇	1995 09 18.34645	00 45 36.91	+00 18 18.1	691
1995 SH ₁₇	* 1995 09 18.27055	23 43 39.50	-01 54 33.7	20.4 V 691	1995 SQ ₁₇	1995 09 18.37848	00 45 34.89	+00 18 15.7	691
1995 SH ₁₇	1995 09 18.29188	23 43 38.48	-01 54 44.2	691	1995 SQ ₁₇	1995 09 24.29049	00 39 29.91	+00 11 43.5	20.2 V 691
1995 SH ₁₇	1995 09 18.31255	23 43 37.47	-01 54 53.8	691	1995 SQ ₁₇	1995 09 24.31129	00 39 28.50	+00 11 42.1	691
1995 SH ₁₇	1995 09 23.19134	23 39 49.10	-02 33 30.3	691	1995 SQ ₁₇	1995 09 24.33220	00 39 27.19	+00 11 40.5	691
1995 SH ₁₇	1995 09 23.21198	23 39 48.11	-02 33 39.1	20.8 V 691	1995 SR ₁₇	* 1995 09 18.32633	00 46 25.14	+00 25 32.3	691
1995 SH ₁₇	1995 09 23.23265	23 39 47.13	-02 33 49.8	691	1995 SR ₁₇	1995 09 18.34700	00 46 24.05	+00 25 28.9	20.5 V 691
1995 SH ₁₇	1995 09 27.29865	23 36 42.27	-03 05 05.9	20.6 V 691	1995 SR ₁₇	1995 09 18.37902	00 46 22.37	+00 25 23.2	691

1995 SR ₁₇	1995 09 24.29171	00 41 15.74	+00 07 41.0	20.3 V	691	1995 SZ ₁₇	1995 09 24.31983	00 51 47.89	+00 11 50.2	20.4 V	691
1995 SR ₁₇	1995 09 24.31252	00 41 14.52	+00 07 36.9		691	1995 SZ ₁₇	1995 09 24.34074	00 51 46.83	+00 11 47.3		691
1995 SR ₁₇	1995 09 24.33343	00 41 13.33	+00 07 33.4		691	1995 SA ₁₈	* 1995 09 18.33468	00 58 28.25	+00 29 43.8		691
1995 SS ₁₇	* 1995 09 18.32793	00 48 44.01	+00 22 33.6	19.4 V	691	1995 SA ₁₈	1995 09 18.35535	00 58 27.44	+00 29 41.6	21.2 V	691
1995 SS ₁₇	1995 09 18.34860	00 48 42.85	+00 22 29.3		691	1995 SA ₁₈	1995 09 18.38738	00 58 26.16	+00 29 37.1		691
1995 SS ₁₇	1995 09 18.38063	00 48 41.02	+00 22 22.4		691	1995 SA ₁₈	1995 09 24.30079	00 54 22.00	+00 15 42.6	20.9 V	691
1995 SS ₁₇	1995 09 24.29303	00 43 10.29	+00 01 00.2		691	1995 SA ₁₈	1995 09 24.32160	00 54 21.06	+00 15 39.6		691
1995 SS ₁₇	1995 09 24.31384	00 43 08.98	+00 00 55.8	19.2 V	691	1995 SA ₁₈	1995 09 24.34251	00 54 20.08	+00 15 36.4		691
1995 SS ₁₇	1995 09 24.33475	00 43 07.75	+00 00 51.3		691	1995 SB ₁₈	* 1995 09 18.33481	00 58 39.90	+00 18 22.4		691
1995 ST ₁₇	* 1995 09 18.32805	00 48 54.27	+00 15 27.6	19.7 V	691	1995 SB ₁₈	1995 09 18.35549	00 58 39.03	+00 18 20.9	19.5 V	691
1995 ST ₁₇	1995 09 18.34872	00 48 53.05	+00 15 26.7		691	1995 SB ₁₈	1995 09 18.38752	00 58 37.68	+00 18 18.3		691
1995 ST ₁₇	1995 09 18.38074	00 48 51.17	+00 15 24.9		691	1995 SB ₁₈	1995 09 24.30075	00 54 18.94	+00 10 07.8	19.0 V	691
1995 ST ₁₇	1995 09 24.29294	00 43 02.22	+00 09 42.5		691	1995 SB ₁₈	1995 09 24.32156	00 54 17.93	+00 10 05.9		691
1995 ST ₁₇	1995 09 24.31374	00 43 00.91	+00 09 40.9	19.4 V	691	1995 SB ₁₈	1995 09 24.34248	00 54 16.79	+00 10 05.8		691
1995 ST ₁₇	1995 09 24.33466	00 42 59.63	+00 09 39.6		691	1995 SC ₁₈	* 1995 09 18.39204	23 21 43.41	-03 47 29.7	20.2 V	691
1995 ST ₁₇	1995 09 30.18244	00 36 58.99	+00 04 01.1	19.6 V	691	1995 SC ₁₈	1995 09 18.39977	23 21 42.97	-03 47 31.6		691
1995 ST ₁₇	1995 09 30.20464	00 36 57.58	+00 03 59.8		691	1995 SC ₁₈	1995 09 18.40726	23 21 42.62	-03 47 33.9		691
1995 ST ₁₇	1995 09 30.22692	00 36 56.05	+00 03 59.8		691	1995 SC ₁₈	1995 09 22.28422	23 18 36.81	-03 58 28.1	21.5 V	691
1995 SU ₁₇	* 1995 09 18.32832	00 49 17.40	+00 27 51.4		691	1995 SC ₁₈	1995 09 22.30506	23 18 35.79	-03 58 30.9		691
1995 SU ₁₇	1995 09 18.34899	00 49 16.37	+00 27 46.7	20.7 V	691	1995 SC ₁₈	1995 09 22.32597	23 18 34.78	-03 58 34.1		691
1995 SU ₁₇	1995 09 18.38102	00 49 14.75	+00 27 39.3		691	1995 SD ₁₈	* 1995 09 18.39205	23 21 46.31	-03 56 38.4	20.2 V	691
1995 SU ₁₇	1995 09 24.29382	00 44 18.06	+00 05 04.3		691	1995 SD ₁₈	1995 09 18.39978	23 21 45.88	-03 56 35.3		691
1995 SU ₁₇	1995 09 24.31462	00 44 16.84	+00 04 59.6		691	1995 SD ₁₈	1995 09 18.40727	23 21 45.47	-03 56 37.2		691
1995 SU ₁₇	1995 09 24.33553	00 44 15.68	+00 04 54.4	20.5 V	691	1995 SD ₁₈	1995 09 22.28407	23 18 23.89	-03 51 11.1		691
1995 SV ₁₇	* 1995 09 18.32847	00 49 30.63	+00 04 46.0	20.2 V	691	1995 SD ₁₈	1995 09 22.30491	23 18 22.76	-03 51 09.4		691
1995 SV ₁₇	1995 09 18.34914	00 49 29.53	+00 04 45.6		691	1995 SD ₁₈	1995 09 22.32581	23 18 21.64	-03 51 07.5	20.1 V	691
1995 SV ₁₇	1995 09 18.38117	00 49 27.82	+00 04 45.3		691	1995 SE ₁₈	* 1995 09 18.39465	23 25 47.99	-04 08 41.0	20.2 V	691
1995 SV ₁₇	1995 09 30.18352	00 38 32.84	+00 02 47.1	20.1 V	691	1995 SE ₁₈	1995 09 18.40238	23 25 47.53	-04 08 44.2		691
1995 SV ₁₇	1995 09 30.20572	00 38 31.56	+00 02 46.3		691	1995 SE ₁₈	1995 09 18.40987	23 25 47.16	-04 08 47.4		691
1995 SV ₁₇	1995 09 30.22801	00 38 30.23	+00 02 46.8		691	1995 SE ₁₈	1995 09 21.35099	23 23 17.31	-04 28 56.6		691
1995 SW ₁₇	* 1995 09 18.33003	00 51 45.61	+00 30 06.8	17.8 V	691	1995 SE ₁₈	1995 09 21.35657	23 23 17.03	-04 28 58.8	20.0 V	691
1995 SW ₁₇	1995 09 18.35070	00 51 44.62	+00 30 02.9		691	1995 SE ₁₈	1995 09 21.36207	23 23 16.72	-04 29 01.1		691
1995 SW ₁₇	1995 09 18.38273	00 51 43.09	+00 29 56.8		691	1995 SF ₁₈	* 1995 09 18.41837	01 13 41.41	+09 09 17.5	17.9 V	691
1995 SW ₁₇	1995 09 24.29564	00 46 55.80	+00 11 11.6		691	1995 SF ₁₈	1995 09 18.44759	01 13 40.44	+09 09 10.1		691
1995 SW ₁₇	1995 09 24.31644	00 46 54.68	+00 11 07.6	17.7 V	691	1995 SF ₁₈	1995 09 18.47742	01 13 39.41	+09 09 02.7		691
1995 SW ₁₇	1995 09 24.33736	00 46 53.61	+00 11 03.7		691	1995 SF ₁₈	1995 09 22.41885	01 11 30.88	+08 50 57.0	18.3 V	691
1995 SX ₁₇	* 1995 09 18.33179	00 54 18.61	+00 26 41.1	20.8 V	691	1995 SF ₁₈	1995 09 22.44934	01 11 29.71	+08 50 47.7		691
1995 SX ₁₇	1995 09 18.35247	00 54 17.60	+00 26 39.7		691	1995 SF ₁₈	1995 09 22.47741	01 11 28.62	+08 50 39.4		691
1995 SX ₁₇	1995 09 18.38450	00 54 16.05	+00 26 37.2		691	1995 SG ₁₈	* 1995 09 18.41986	01 15 50.50	+09 31 20.9		691
1995 SX ₁₇	1995 09 24.29734	00 49 23.09	+00 19 03.7	20.5 V	691	1995 SG ₁₈	1995 09 18.44908	01 15 49.31	+09 31 27.2	20.7 V	691
1995 SX ₁₇	1995 09 24.31815	00 49 21.95	+00 19 02.1		691	1995 SG ₁₈	1995 09 18.47891	01 15 48.02	+09 31 33.1		691
1995 SY ₁₇	1995 09 24.33906	00 49 20.80	+00 19 00.8		691	1995 SG ₁₈	1995 09 21.42877	01 13 47.76	+09 41 04.3		691
1995 SY ₁₇	* 1995 09 18.33197	00 54 33.71	+00 29 51.0	20.4 V	691	1995 SG ₁₈	1995 09 21.43484	01 13 47.45	+09 41 05.1	21.1 V	691
1995 SY ₁₇	1995 09 18.35264	00 54 32.83	+00 29 45.4		691	1995 SG ₁₈	1995 09 21.44214	01 13 47.12	+09 41 06.7		691
1995 SY ₁₇	1995 09 18.38467	00 54 31.50	+00 29 36.1		691	1995 SH ₁₈	* 1995 09 18.42081	01 17 12.34	+09 10 43.6	19.1 V	691
1995 SY ₁₇	1995 09 24.29797	00 50 17.74	+00 01 04.8	20.1 V	691	1995 SH ₁₈	1995 09 18.45003	01 17 11.19	+09 10 41.5		691
1995 SY ₁₇	1995 09 24.31878	00 50 16.72	+00 00 58.7		691	1995 SH ₁₈	1995 09 18.47985	01 17 09.98	+09 10 39.4		691
1995 SY ₁₇	1995 09 24.33969	00 50 15.73	+00 00 52.4		691	1995 SH ₁₈	1995 09 27.35853	01 10 52.47	+08 52 58.1		691
1995 SZ ₁₇	* 1995 09 18.33335	00 56 33.41	+00 23 48.3		691	1995 SH ₁₈	1995 09 27.37967	01 10 51.38	+08 52 54.6	19.6 V	691
1995 SZ ₁₇	1995 09 18.35402	00 56 32.42	+00 23 46.1	20.3 V	691	1995 SH ₁₈	1995 09 27.40075	01 10 50.27	+08 52 50.9		691
1995 SZ ₁₇	1995 09 18.38605	00 56 30.93	+00 23 42.5		691	1995 SJ ₁₈	* 1995 09 18.42128	01 17 53.64	+09 22 12.1		691
1995 SZ ₁₇	1995 09 24.29902	00 51 49.02	+00 11 52.2		691	1995 SJ ₁₈	1995 09 18.45050	01 17 52.47	+09 22 06.7	19.4 V	691

1995 SJ ₁₈	1995 09 18.48033	01 17 51.25	+09 22 00.5		691	1995 SQ ₁₈	1995 09 22.42221	01 16 37.96	+08 58 26.3		691
1995 SJ ₁₈	1995 09 27.35877	01 11 33.15	+08 48 25.0		691	1995 SQ ₁₈	1995 09 22.45269	01 16 36.41	+08 58 17.2	20.1 V	691
1995 SJ ₁₈	1995 09 27.37991	01 11 32.14	+08 48 19.4	20.4 V	691	1995 SQ ₁₈	1995 09 22.48075	01 16 34.95	+08 58 09.2		691
1995 SJ ₁₈	1995 09 27.40099	01 11 31.10	+08 48 13.9		691	1995 SQ ₁₈	1995 09 27.35910	01 12 16.34	+08 33 25.4		691
1995 SK ₁₈	* 1995 09 18.42132	01 17 56.30	+09 07 43.5		691	1995 SQ ₁₈	1995 09 27.38023	01 12 15.13	+08 33 18.3	20.1 V	691
1995 SK ₁₈	1995 09 18.45053	01 17 54.88	+09 07 40.8	20.0 V	691	1995 SQ ₁₈	1995 09 27.40131	01 12 13.90	+08 33 11.2		691
1995 SK ₁₈	1995 09 18.48036	01 17 53.39	+09 07 37.8		691	1995 SR ₁₈	* 1995 09 18.42261	01 19 48.50	+09 30 11.8		691
1995 SK ₁₈	1995 09 22.42085	01 14 40.22	+09 00 23.8		691	1995 SR ₁₈	1995 09 18.45183	01 19 47.76	+09 29 58.4	17.6 V	691
1995 SK ₁₈	1995 09 22.45133	01 14 38.60	+09 00 19.5	20.3 V	691	1995 SR ₁₈	1995 09 18.48167	01 19 46.94	+09 29 44.0		691
1995 SK ₁₈	1995 09 22.47939	01 14 37.08	+09 00 16.1		691	1995 SR ₁₈	1995 09 22.42321	01 18 04.99	+08 56 42.5		691
1995 SL ₁₈	* 1995 09 18.42176	01 18 34.45	+09 21 48.3		691	1995 SR ₁₈	1995 09 22.45370	01 18 04.06	+08 56 26.0	18.1 V	691
1995 SL ₁₈	1995 09 18.45097	01 18 33.31	+09 21 45.2	20.0 V	691	1995 SR ₁₈	1995 09 22.48177	01 18 03.18	+08 56 11.2		691
1995 SL ₁₈	1995 09 18.48080	01 18 32.05	+09 21 41.6		691	1995 SS ₁₈	* 1995 09 18.42263	01 19 50.47	+09 14 58.2		691
1995 SL ₁₈	1995 09 24.44545	01 14 20.87	+09 06 51.8		691	1995 SS ₁₈	1995 09 18.45185	01 19 49.20	+09 14 51.2		691
1995 SL ₁₈	1995 09 24.46658	01 14 19.85	+09 06 47.4	20.7 V	691	1995 SS ₁₈	1995 09 18.48168	01 19 47.83	+09 14 43.3	20.4 V	691
1995 SL ₁₈	1995 09 24.48770	01 14 18.83	+09 06 43.8		691	1995 SS ₁₈	1995 09 22.42240	01 16 54.68	+08 56 44.5		691
1995 SL ₁₈	1995 09 27.35893	01 12 00.50	+08 57 45.0	20.4 V	691	1995 SS ₁₈	1995 09 22.45288	01 16 53.24	+08 56 35.5	20.6 V	691
1995 SL ₁₈	1995 09 27.38006	01 11 59.42	+08 57 40.2		691	1995 SS ₁₈	1995 09 22.48095	01 16 51.95	+08 56 27.7		691
1995 SL ₁₈	1995 09 27.40114	01 11 58.31	+08 57 35.9		691	1995 SS ₁₈	1995 09 27.35960	01 13 00.14	+08 32 09.1		691
1995 SM ₁₈	* 1995 09 18.42181	01 18 39.29	+09 04 52.3		691	1995 SS ₁₈	1995 09 27.38074	01 12 59.11	+08 32 01.6		691
1995 SM ₁₈	1995 09 18.45103	01 18 38.29	+09 04 41.9		691	1995 SS ₁₈	1995 09 27.40181	01 12 58.01	+08 31 54.9	20.7 V	691
1995 SM ₁₈	1995 09 18.48086	01 18 37.20	+09 04 31.6	20.8 V	691	1995 ST ₁₈	* 1995 09 18.42265	01 19 52.19	+09 32 48.1		691
1995 SM ₁₈	1995 09 22.42202	01 16 21.45	+08 39 58.4	21.0 V	691	1995 ST ₁₈	1995 09 18.45187	01 19 51.09	+09 32 41.4	20.4 V	691
1995 SM ₁₈	1995 09 22.45250	01 16 20.34	+08 39 46.6		691	1995 ST ₁₈	1995 09 18.48170	01 19 50.06	+09 32 34.6		691
1995 SM ₁₈	1995 09 22.48057	01 16 19.27	+08 39 35.6		691	1995 ST ₁₈	1995 09 24.44668	01 16 08.02	+09 06 10.9	21.5 V	691
1995 SN ₁₈	* 1995 09 18.42195	01 18 51.66	+09 21 32.4		691	1995 ST ₁₈	1995 09 24.46782	01 16 07.06	+09 06 04.5		691
1995 SN ₁₈	1995 09 18.45117	01 18 50.42	+09 21 22.8	20.4 V	691	1995 ST ₁₈	1995 09 24.48894	01 16 06.15	+09 05 58.0		691
1995 SN ₁₈	1995 09 18.48100	01 18 49.07	+09 21 13.0		691	1995 SU ₁₈	* 1995 09 18.42272	01 19 58.27	+09 07 42.1	19.8 V	691
1995 SN ₁₈	1995 09 22.42178	01 16 00.43	+08 58 16.5	20.9 V	691	1995 SU ₁₈	1995 09 18.45194	01 19 57.24	+09 07 37.6		691
1995 SN ₁₈	1995 09 22.45226	01 15 59.03	+08 58 05.0		691	1995 SU ₁₈	1995 09 18.48177	01 19 56.13	+09 07 31.8		691
1995 SN ₁₈	1995 09 22.48032	01 15 57.75	+08 57 54.8		691	1995 SU ₁₈	1995 09 27.36048	01 14 16.37	+08 36 55.4	20.5 V	691
1995 SO ₁₈	* 1995 09 18.42198	01 18 53.76	+09 16 11.2	20.1 V	691	1995 SU ₁₈	1995 09 27.38162	01 14 15.48	+08 36 50.5		691
1995 SO ₁₈	1995 09 18.45120	01 18 52.59	+09 16 08.4		691	1995 SU ₁₈	1995 09 27.40270	01 14 14.54	+08 36 45.3		691
1995 SO ₁₈	1995 09 18.48102	01 18 51.35	+09 16 05.4		691	1995 SV ₁₈	* 1995 09 18.42329	01 20 47.40	+09 17 12.7	19.6 V	691
1995 SO ₁₈	1995 09 24.44565	01 14 38.29	+09 03 38.8		691	1995 SV ₁₈	1995 09 18.45251	01 20 46.48	+09 17 03.4		691
1995 SO ₁₈	1995 09 24.46678	01 14 37.28	+09 03 35.2	20.8 V	691	1995 SV ₁₈	1995 09 18.48234	01 20 45.43	+09 16 53.5		691
1995 SO ₁₈	1995 09 24.48790	01 14 36.28	+09 03 32.0		691	1995 SV ₁₈	1995 09 22.42357	01 18 35.43	+08 53 42.6		691
1995 SO ₁₈	1995 09 27.35913	01 12 19.15	+08 55 58.0	20.5 V	691	1995 SV ₁₈	1995 09 22.45405	01 18 34.37	+08 53 31.2	20.3 V	691
1995 SO ₁₈	1995 09 27.38027	01 12 18.08	+08 55 53.8		691	1995 SV ₁₈	1995 09 22.48212	01 18 33.36	+08 53 20.8		691
1995 SO ₁₈	1995 09 27.40134	01 12 16.95	+08 55 49.7		691	1995 SW ₁₈	* 1995 09 18.42372	01 21 24.40	+09 11 15.3	20.0 V	691
1995 SP ₁₈	* 1995 09 18.42244	01 19 33.75	+09 04 17.4	18.9 V	691	1995 SW ₁₈	1995 09 18.45294	01 21 23.23	+09 11 15.1		691
1995 SP ₁₈	1995 09 18.45166	01 19 32.61	+09 04 14.5		691	1995 SW ₁₈	1995 09 18.48276	01 21 21.98	+09 11 14.4		691
1995 SP ₁₈	1995 09 18.48149	01 19 31.39	+09 04 11.2		691	1995 SW ₁₈	1995 09 24.44740	01 17 10.21	+09 06 07.2	20.9 V	691
1995 SP ₁₈	1995 09 22.42243	01 16 57.50	+08 56 03.6	19.3 V	691	1995 SW ₁₈	1995 09 24.46853	01 17 09.13	+09 06 05.5		691
1995 SP ₁₈	1995 09 22.45292	01 16 56.24	+08 55 59.2		691	1995 SW ₁₈	1995 09 24.48965	01 17 08.10	+09 06 03.4		691
1995 SP ₁₈	1995 09 22.48098	01 16 55.06	+08 55 55.4		691	1995 SX ₁₈	* 1995 09 18.42422	01 22 07.50	+09 08 18.1		691
1995 SP ₁₈	1995 09 27.35991	01 13 26.99	+08 44 00.0	19.2 V	691	1995 SX ₁₈	1995 09 18.45343	01 22 06.27	+09 08 11.5	19.9 V	691
1995 SP ₁₈	1995 09 27.38105	01 13 26.07	+08 43 56.3		691	1995 SX ₁₈	1995 09 18.48326	01 22 04.95	+09 08 03.9		691
1995 SP ₁₈	1995 09 27.40213	01 13 25.08	+08 43 52.9		691	1995 SX ₁₈	1995 09 22.42404	01 19 16.31	+08 50 33.5		691
1995 SQ ₁₈	* 1995 09 18.42258	01 19 46.05	+09 15 58.0		691	1995 SX ₁₈	1995 09 22.45452	01 19 14.92	+08 50 24.7	20.3 V	691
1995 SQ ₁₈	1995 09 18.45180	01 19 44.69	+09 15 51.1		691	1995 SX ₁₈	1995 09 22.48258	01 19 13.62	+08 50 16.6		691
1995 SQ ₁₈	1995 09 18.48162	01 19 43.24	+09 15 44.1	19.7 V	691	1995 SY ₁₈	* 1995 09 18.42457	01 22 38.20	+09 09 26.6		691

1995 SY ₁₈	1995 09 18.45379	01 22 37.26	+09 09 24.6	19.8 V	691	1995 SF ₁₉	1995 09 18.48687	01 27 17.62	+09 21 54.6		691
1995 SY ₁₈	1995 09 18.48362	01 22 36.21	+09 09 22.1		691	1995 SF ₁₉	1995 09 24.45196	01 23 45.39	+09 09 28.6	20.3 V	691
1995 SY ₁₈	1995 09 27.36238	01 17 00.40	+08 51 25.7	20.1 V	691	1995 SF ₁₉	1995 09 24.47310	01 23 44.54	+09 09 25.3		691
1995 SY ₁₈	1995 09 27.38352	01 16 59.42	+08 51 22.0		691	1995 SF ₁₉	1995 09 24.49422	01 23 43.69	+09 09 22.2		691
1995 SY ₁₈	1995 09 27.40459	01 16 58.41	+08 51 18.6		691	1995 SF ₁₉	1995 09 27.36571	01 21 49.23	+09 02 09.3	20.1 V	691
1995 SZ ₁₈	* 1995 09 18.42646	01 25 21.70	+09 05 28.3		691	1995 SF ₁₉	1995 09 27.38685	01 21 48.34	+09 02 05.8		691
1995 SZ ₁₈	1995 09 18.45568	01 25 20.84	+09 05 17.3	18.4 V	691	1995 SF ₁₉	1995 09 27.40792	01 21 47.39	+09 02 02.5		691
1995 SZ ₁₈	1995 09 18.48551	01 25 19.90	+09 05 06.3		691	1995 SG ₁₉	* 1995 09 18.42826	01 27 57.98	+09 34 08.1		691
1995 SZ ₁₈	1995 09 22.42687	01 23 21.66	+08 40 07.3	18.9 V	691	1995 SG ₁₉	1995 09 18.45748	01 27 56.84	+09 34 07.5	20.3 V	691
1995 SZ ₁₈	1995 09 22.45735	01 23 20.61	+08 39 55.0		691	1995 SG ₁₉	1995 09 18.48731	01 27 55.58	+09 34 07.9		691
1995 SZ ₁₈	1995 09 22.48542	01 23 19.69	+08 39 44.0		691	1995 SG ₁₉	1995 09 30.43239	01 19 09.25	+09 28 52.5		691
1995 SA ₁₉	* 1995 09 18.42657	01 25 31.45	+09 24 21.2	20.2 V	691	1995 SG ₁₉	1995 09 30.45345	01 19 08.22	+09 28 51.3		691
1995 SA ₁₉	1995 09 18.45579	01 25 30.23	+09 24 16.3		691	1995 SG ₁₉	1995 09 30.47462	01 19 07.13	+09 28 50.3	20.8 V	691
1995 SA ₁₉	1995 09 18.48561	01 25 28.88	+09 24 11.5		691	1995 SH ₁₉	* 1995 09 18.42856	01 28 24.12	+09 08 53.0		691
1995 SA ₁₉	1995 09 24.45012	01 21 05.40	+09 06 14.7		691	1995 SH ₁₉	1995 09 18.45778	01 28 23.13	+09 08 47.0	20.2 V	691
1995 SA ₁₉	1995 09 24.47125	01 21 04.38	+09 06 10.8	20.7 V	691	1995 SH ₁₉	1995 09 18.48761	01 28 21.99	+09 08 40.5		691
1995 SA ₁₉	1995 09 24.49237	01 21 03.39	+09 06 06.4		691	1995 SH ₁₉	1995 09 22.42873	01 26 03.25	+08 54 17.4	20.5 V	691
1995 SA ₁₉	1995 09 27.36358	01 18 45.00	+08 56 12.6		691	1995 SH ₁₉	1995 09 22.45922	01 26 02.06	+08 54 10.5		691
1995 SA ₁₉	1995 09 27.38472	01 18 43.92	+08 56 08.2	20.6 V	691	1995 SH ₁₉	1995 09 22.48728	01 26 01.00	+08 54 03.6		691
1995 SA ₁₉	1995 09 27.40579	01 18 42.85	+08 56 03.2		691	1995 SH ₁₉	1995 09 27.36642	01 22 50.41	+08 34 17.9		691
1995 SB ₁₉	* 1995 09 18.42668	01 25 41.06	+09 20 11.9		691	1995 SH ₁₉	1995 09 27.38756	01 22 49.53	+08 34 13.5	20.9 V	691
1995 SB ₁₉	1995 09 18.45590	01 25 39.68	+09 20 10.4	20.3 V	691	1995 SH ₁₉	1995 09 27.40863	01 22 48.59	+08 34 07.5		691
1995 SB ₁₉	1995 09 18.48572	01 25 38.24	+09 20 08.9		691	1995 SJ ₁₉	* 1995 09 18.42940	01 29 36.35	+09 19 37.0	20.6 V	691
1995 SB ₁₉	1995 09 24.44995	01 20 51.30	+09 14 07.8	21.0 V	691	1995 SJ ₁₉	1995 09 18.45862	01 29 35.50	+09 19 27.9		691
1995 SB ₁₉	1995 09 24.47109	01 20 50.18	+09 14 06.1		691	1995 SJ ₁₉	1995 09 18.48845	01 29 34.53	+09 19 19.3		691
1995 SB ₁₉	1995 09 24.49220	01 20 49.07	+09 14 04.3		691	1995 SJ ₁₉	1995 09 22.42977	01 27 32.85	+08 59 08.9		691
1995 SB ₁₉	1995 09 30.42988	01 15 32.10	+09 05 06.6		691	1995 SJ ₁₉	1995 09 22.46025	01 27 31.76	+08 58 59.3		691
1995 SB ₁₉	1995 09 30.45094	01 15 30.89	+09 05 04.5	20.7 V	691	1995 SJ ₁₉	1995 09 22.48832	01 27 30.80	+08 58 50.4	21.2 V	691
1995 SB ₁₉	1995 09 30.47211	01 15 29.70	+09 05 02.0		691	1995 SK ₁₉	* 1995 09 18.42992	01 30 22.06	+09 13 35.2		691
1995 SC ₁₉	* 1995 09 18.42680	01 25 51.83	+09 13 51.3	20.3 V	691	1995 SK ₁₉	1995 09 18.45914	01 30 21.08	+09 13 31.1	19.9 V	691
1995 SC ₁₉	1995 09 18.45602	01 25 50.51	+09 13 44.4		691	1995 SK ₁₉	1995 09 18.48897	01 30 20.03	+09 13 26.9		691
1995 SC ₁₉	1995 09 18.48585	01 25 49.12	+09 13 37.6		691	1995 SK ₁₉	1995 09 27.36782	01 24 51.66	+08 49 53.0		691
1995 SC ₁₉	1995 09 22.42651	01 22 50.90	+08 58 10.7	20.7 V	691	1995 SK ₁₉	1995 09 27.38896	01 24 50.74	+08 49 48.9		691
1995 SC ₁₉	1995 09 22.45699	01 22 49.35	+08 58 03.0		691	1995 SK ₁₉	1995 09 27.41003	01 24 49.78	+08 49 45.0	20.6 V	691
1995 SC ₁₉	1995 09 22.48505	01 22 47.92	+08 57 56.1		691	1995 SL ₁₉	* 1995 09 18.43011	01 30 37.86	+09 27 30.8		691
1995 SD ₁₉	* 1995 09 18.42736	01 26 40.28	+09 14 07.8	18.6 V	691	1995 SL ₁₉	1995 09 18.45933	01 30 36.94	+09 27 29.8		691
1995 SD ₁₉	1995 09 18.45658	01 26 39.14	+09 14 06.4		691	1995 SL ₁₉	1995 09 18.48916	01 30 35.96	+09 27 28.3	20.2 V	691
1995 SD ₁₉	1995 09 18.48641	01 26 37.92	+09 14 05.2		691	1995 SL ₁₉	1995 09 24.45437	01 27 14.22	+09 20 21.5		691
1995 SD ₁₉	1995 09 24.45112	01 22 31.86	+09 08 45.5	19.2 V	691	1995 SL ₁₉	1995 09 24.47551	01 27 13.36	+09 20 19.1	21.0 V	691
1995 SD ₁₉	1995 09 24.47225	01 22 30.88	+09 08 43.8		691	1995 SL ₁₉	1995 09 24.49663	01 27 12.50	+09 20 17.2		691
1995 SD ₁₉	1995 09 24.49337	01 22 29.91	+09 08 42.1		691	1995 SL ₁₉	1995 09 30.43506	01 23 01.19	+09 08 41.6	20.6 V	691
1995 SE ₁₉	* 1995 09 18.42750	01 26 51.96	+09 23 30.7	18.7 V	691	1995 SL ₁₉	1995 09 30.45613	01 23 00.20	+09 08 38.8		691
1995 SE ₁₉	1995 09 18.45672	01 26 50.78	+09 23 25.4		691	1995 SL ₁₉	1995 09 30.47729	01 22 59.19	+09 08 35.6		691
1995 SE ₁₉	1995 09 18.48654	01 26 49.51	+09 23 20.5		691	1995 SM ₁₉	* 1995 09 18.43019	01 30 44.80	+09 11 07.3		691
1995 SE ₁₉	1995 09 24.45117	01 22 36.41	+09 05 01.9		691	1995 SM ₁₉	1995 09 18.45940	01 30 43.50	+09 11 07.4	18.7 V	691
1995 SE ₁₉	1995 09 24.47230	01 22 35.30	+09 04 58.1		691	1995 SM ₁₉	1995 09 18.48923	01 30 42.10	+09 11 07.8		691
1995 SE ₁₉	1995 09 24.49342	01 22 34.29	+09 04 53.8	19.3 V	691	1995 SM ₁₉	1995 09 24.45354	01 26 02.31	+09 10 53.8		691
1995 SE ₁₉	1995 09 27.36467	01 20 19.37	+08 54 43.6	19.3 V	691	1995 SM ₁₉	1995 09 24.47468	01 26 01.22	+09 10 53.2	19.3 V	691
1995 SE ₁₉	1995 09 27.38581	01 20 18.32	+08 54 38.9		691	1995 SM ₁₉	1995 09 24.49579	01 26 00.11	+09 10 52.8		691
1995 SE ₁₉	1995 09 27.40688	01 20 17.20	+08 54 34.2		691	1995 SM ₁₉	1995 09 30.43346	01 20 42.65	+09 07 31.8		691
1995 SF ₁₉	* 1995 09 18.42782	01 27 19.67	+09 22 01.1		691	1995 SM ₁₉	1995 09 30.45452	01 20 41.43	+09 07 30.9	18.9 V	691
1995 SF ₁₉	1995 09 18.45704	01 27 18.69	+09 21 58.0	19.7 V	691	1995 SM ₁₉	1995 09 30.47569	01 20 40.23	+09 07 29.6		691

1995 SN ₁₉	* 1995 09 18.43030	01 30 55.08	+09 24 11.6	20.3 V	691	1995 SU ₁₉	1995 09 27.39122	01 28 06.88	+08 32 49.8	691
1995 SN ₁₉	1995 09 18.45953	01 30 54.09	+09 24 04.9		691	1995 SU ₁₉	1995 09 27.41230	01 28 06.12	+08 32 40.3	691
1995 SN ₁₉	1995 09 18.48935	01 30 53.00	+09 23 58.1		691	1995 SV ₁₉	* 1995 09 18.43216	01 33 35.60	+09 19 40.2	691
1995 SN ₁₉	1995 09 27.36820	01 25 24.98	+08 46 18.3		691	1995 SV ₁₉	1995 09 18.46138	01 33 34.67	+09 19 31.0	20.4 V 691
1995 SN ₁₉	1995 09 27.38934	01 25 24.08	+08 46 10.3		691	1995 SV ₁₉	1995 09 18.49121	01 33 33.67	+09 19 21.5	691
1995 SN ₁₉	1995 09 27.41042	01 25 23.12	+08 46 04.1	20.7 V	691	1995 SV ₁₉	1995 09 22.43247	01 31 26.79	+08 57 55.0	691
1995 SO ₁₉	* 1995 09 18.43042	01 31 05.47	+09 10 53.2	20.6 V	691	1995 SV ₁₉	1995 09 22.46295	01 31 25.66	+08 57 45.0	20.6 V 691
1995 SO ₁₉	1995 09 18.45965	01 31 04.62	+09 10 45.0		691	1995 SV ₁₉	1995 09 22.49102	01 31 24.66	+08 57 35.0	691
1995 SO ₁₉	1995 09 18.48948	01 31 03.66	+09 10 36.0		691	1995 SW ₁₉	* 1995 09 18.43220	01 33 39.58	+09 07 31.9	691
1995 SO ₁₉	1995 09 22.43081	01 29 02.85	+08 50 45.3	21.0 V	691	1995 SW ₁₉	1995 09 18.46142	01 33 38.60	+09 07 26.6	19.2 V 691
1995 SO ₁₉	1995 09 22.46129	01 29 01.81	+08 50 35.8		691	1995 SW ₁₉	1995 09 18.49125	01 33 37.58	+09 07 21.3	691
1995 SO ₁₉	1995 09 22.48936	01 29 00.89	+08 50 26.6		691	1995 SW ₁₉	1995 09 22.43248	01 31 27.64	+08 55 08.3	19.8 V 691
1995 SP ₁₉	* 1995 09 18.43047	01 31 09.79	+09 11 39.1	19.3 V	691	1995 SW ₁₉	1995 09 22.46296	01 31 26.55	+08 55 02.5	691
1995 SP ₁₉	1995 09 18.45970	01 31 08.80	+09 11 33.3		691	1995 SW ₁₉	1995 09 22.49103	01 31 25.56	+08 54 56.7	691
1995 SP ₁₉	1995 09 18.48952	01 31 07.69	+09 11 28.0		691	1995 SW ₁₉	1995 09 27.37030	01 28 27.12	+08 38 07.7	691
1995 SP ₁₉	1995 09 27.36835	01 25 37.98	+08 41 33.1		691	1995 SW ₁₉	1995 09 27.39145	01 28 26.30	+08 38 03.3	691
1995 SP ₁₉	1995 09 27.38949	01 25 37.08	+08 41 28.6		691	1995 SW ₁₉	1995 09 27.41252	01 28 25.48	+08 37 58.7	19.7 V 691
1995 SP ₁₉	1995 09 27.41057	01 25 36.15	+08 41 23.6	19.7 V	691	1995 SX ₁₉	* 1995 09 18.43247	01 34 02.32	+09 17 21.4	16.4 V 691
1995 SQ ₁₉	* 1995 09 18.43068	01 31 27.36	+09 19 44.5		691	1995 SX ₁₉	1995 09 18.46169	01 34 01.36	+09 17 14.4	691
1995 SQ ₁₉	1995 09 18.45990	01 31 26.35	+09 19 32.6	19.7 V	691	1995 SX ₁₉	1995 09 18.49152	01 34 00.34	+09 17 07.5	691
1995 SQ ₁₉	1995 09 18.48973	01 31 25.23	+09 19 21.1		691	1995 SX ₁₉	1995 09 22.43274	01 31 49.91	+09 01 05.7	16.9 V 691
1995 SQ ₁₉	1995 09 22.43082	01 29 04.03	+08 52 06.8	20.4 V	691	1995 SX ₁₉	1995 09 22.46322	01 31 48.77	+09 00 57.9	691
1995 SQ ₁₉	1995 09 22.46130	01 29 02.77	+08 51 53.8		691	1995 SX ₁₉	1995 09 22.49129	01 31 47.75	+09 00 50.5	691
1995 SQ ₁₉	1995 09 22.48937	01 29 01.62	+08 51 41.5		691	1995 SX ₁₉	1995 09 27.37048	01 28 42.56	+08 38 35.9	16.9 V 691
1995 SR ₁₉	* 1995 09 18.43082	01 31 39.64	+09 25 14.3	18.6 V	691	1995 SX ₁₉	1995 09 27.39162	01 28 41.66	+08 38 30.0	691
1995 SR ₁₉	1995 09 18.46004	01 31 38.56	+09 25 10.3		691	1995 SX ₁₉	1995 09 27.41270	01 28 40.78	+08 38 23.8	691
1995 SR ₁₉	1995 09 18.48987	01 31 37.40	+09 25 06.4		691	1995 SY ₁₉	* 1995 09 18.43258	01 34 12.54	+09 10 02.4	691
1995 SR ₁₉	1995 09 24.45468	01 27 40.77	+09 10 02.7		691	1995 SY ₁₉	1995 09 18.46180	01 34 11.33	+09 09 54.5	20.4 V 691
1995 SR ₁₉	1995 09 24.47581	01 27 39.78	+09 09 58.8	19.0 V	691	1995 SY ₁₉	1995 09 18.49163	01 34 10.04	+09 09 46.6	691
1995 SR ₁₉	1995 09 24.49693	01 27 38.80	+09 09 55.0		691	1995 SY ₁₉	1995 09 22.43243	01 31 23.32	+08 51 44.4	691
1995 SR ₁₉	1995 09 27.36822	01 25 26.33	+09 00 56.1	18.9 V	691	1995 SY ₁₉	1995 09 22.46291	01 31 21.90	+08 51 35.6	20.7 V 691
1995 SR ₁₉	1995 09 27.38936	01 25 25.28	+09 00 51.8		691	1995 SY ₁₉	1995 09 22.49097	01 31 20.61	+08 51 27.3	691
1995 SR ₁₉	1995 09 27.41043	01 25 24.28	+09 00 48.3		691	1995 SZ ₁₉	* 1995 09 18.43261	01 34 14.95	+09 18 49.0	19.5 V 691
1995 SS ₁₉	* 1995 09 18.43097	01 31 52.59	+09 16 13.6	20.3 V	691	1995 SZ ₁₉	1995 09 18.46183	01 34 14.01	+09 18 45.3	691
1995 SS ₁₉	1995 09 18.46019	01 31 51.31	+09 16 10.7		691	1995 SZ ₁₉	1995 09 18.49166	01 34 12.98	+09 18 41.7	691
1995 SS ₁₉	1995 09 18.49001	01 31 49.93	+09 16 08.2		691	1995 SZ ₁₉	1995 09 27.37051	01 28 44.76	+08 55 59.3	19.6 V 691
1995 SS ₁₉	1995 09 24.45434	01 27 11.39	+09 05 43.8		691	1995 SZ ₁₉	1995 09 27.39165	01 28 43.80	+08 55 55.1	691
1995 SS ₁₉	1995 09 24.47547	01 27 10.32	+09 05 40.8	21.1 V	691	1995 SZ ₁₉	1995 09 27.41272	01 28 42.86	+08 55 51.3	691
1995 SS ₁₉	1995 09 24.49659	01 27 09.21	+09 05 38.0		691	1995 SA ₂₀	* 1995 09 18.43279	01 34 30.12	+09 14 31.9	691
1995 SS ₁₉	1995 09 27.36769	01 24 40.35	+08 59 17.0		691	1995 SA ₂₀	1995 09 18.46201	01 34 29.23	+09 14 24.0	691
1995 SS ₁₉	1995 09 27.38882	01 24 39.19	+08 59 13.9	21.2 V	691	1995 SA ₂₀	1995 09 18.49184	01 34 28.22	+09 14 16.2	20.6 V 691
1995 SS ₁₉	1995 09 27.40989	01 24 38.00	+08 59 10.9		691	1995 SA ₂₀	1995 09 22.43309	01 32 20.83	+08 55 59.4	21.0 V 691
1995 ST ₁₉	* 1995 09 18.43141	01 32 31.18	+09 17 04.6		691	1995 SA ₂₀	1995 09 22.46358	01 32 19.72	+08 55 50.3	691
1995 ST ₁₉	1995 09 18.46063	01 32 30.14	+09 17 01.5		691	1995 SA ₂₀	1995 09 22.49164	01 32 18.69	+08 55 42.1	691
1995 ST ₁₉	1995 09 18.49046	01 32 28.97	+09 16 59.3	19.5 V	691	1995 SB ₂₀	* 1995 09 18.43286	01 34 36.74	+09 10 00.2	20.4 V 691
1995 ST ₁₉	1995 09 24.45524	01 28 29.62	+09 08 16.3		691	1995 SB ₂₀	1995 09 18.46208	01 34 35.50	+09 09 54.1	691
1995 ST ₁₉	1995 09 24.47638	01 28 28.61	+09 08 13.8	20.5 V	691	1995 SB ₂₀	1995 09 18.49191	01 34 34.19	+09 09 47.9	691
1995 ST ₁₉	1995 09 24.49750	01 28 27.63	+09 08 10.9		691	1995 SB ₂₀	1995 09 22.43268	01 31 44.59	+08 55 46.1	20.7 V 691
1995 SU ₁₉	* 1995 09 18.43142	01 32 32.08	+09 32 44.7	20.8 V	691	1995 SB ₂₀	1995 09 22.46316	01 31 43.12	+08 55 39.2	691
1995 SU ₁₉	1995 09 18.46065	01 32 31.30	+09 32 33.1		691	1995 SB ₂₀	1995 09 22.49122	01 31 41.79	+08 55 32.6	691
1995 SU ₁₉	1995 09 18.49048	01 32 30.47	+09 32 22.8		691	1995 SB ₂₀	1995 09 27.36979	01 27 42.68	+08 35 23.7	691
1995 SU ₁₉	1995 09 27.37008	01 28 07.63	+08 32 58.6	21.0 V	691	1995 SB ₂₀	1995 09 27.39093	01 27 41.49	+08 35 18.8	20.9 V 691

1995 SB ₂₀	1995 09 27.41200	01 27 40.36	+08 35 12.9		691	1995 SL ₂₀	* 1995 09 18.43676	01 40 14.63	+09 16 09.7	17.7 V	691
1995 SC ₂₀	* 1995 09 18.43334	01 35 17.75	+09 29 42.3	19.2 V	691	1995 SL ₂₀	1995 09 18.46598	01 40 13.62	+09 16 12.7		691
1995 SC ₂₀	1995 09 18.46256	01 35 17.03	+09 29 36.8		691	1995 SL ₂₀	1995 09 18.49581	01 40 12.52	+09 16 15.6		691
1995 SC ₂₀	1995 09 18.49239	01 35 16.24	+09 29 30.9		691	1995 SL ₂₀	1995 09 24.46076	01 36 26.97	+09 25 02.2	18.2 V	691
1995 SC ₂₀	1995 09 24.45805	01 32 32.58	+09 07 45.9		691	1995 SL ₂₀	1995 09 24.48189	01 36 26.00	+09 25 03.6		691
1995 SC ₂₀	1995 09 24.47919	01 32 31.84	+09 07 40.5	19.6 V	691	1995 SL ₂₀	1995 09 24.50301	01 36 25.03	+09 25 04.8		691
1995 SC ₂₀	1995 09 24.50031	01 32 31.08	+09 07 35.2		691	1995 SM ₂₀	* 1995 09 18.43725	01 40 56.57	+09 32 25.3	19.1 V	691
1995 SD ₂₀	* 1995 09 18.43355	01 35 36.15	+09 19 00.7	19.7 V	691	1995 SM ₂₀	1995 09 18.46647	01 40 55.52	+09 32 25.8		691
1995 SD ₂₀	1995 09 18.46277	01 35 35.25	+09 18 53.5		691	1995 SM ₂₀	1995 09 18.49630	01 40 54.37	+09 32 25.8		691
1995 SD ₂₀	1995 09 18.49260	01 35 34.28	+09 18 46.2		691	1995 SM ₂₀	1995 09 24.46122	01 37 07.32	+09 32 13.8	19.8 V	691
1995 SD ₂₀	1995 09 22.43391	01 33 31.89	+09 01 53.5	20.7 V	691	1995 SM ₂₀	1995 09 24.48235	01 37 06.43	+09 32 13.7		691
1995 SD ₂₀	1995 09 22.46440	01 33 30.80	+09 01 45.0		691	1995 SM ₂₀	1995 09 24.50348	01 37 05.52	+09 32 13.4		691
1995 SD ₂₀	1995 09 22.49246	01 33 29.77	+09 01 37.7		691	1995 SN ₂₀	* 1995 09 18.43785	01 41 49.13	+09 06 37.3		691
1995 SD ₂₀	1995 09 27.37169	01 30 27.65	+08 37 36.9	20.6 V	691	1995 SN ₂₀	1995 09 18.46708	01 41 48.16	+09 06 27.3	20.3 V	691
1995 SD ₂₀	1995 09 27.39284	01 30 26.75	+08 37 32.8		691	1995 SN ₂₀	1995 09 18.49691	01 41 47.09	+09 06 16.9		691
1995 SD ₂₀	1995 09 27.41391	01 30 25.96	+08 37 25.6		691	1995 SN ₂₀	1995 09 22.43805	01 39 30.42	+08 43 00.5		691
1995 SE ₂₀	* 1995 09 18.43403	01 36 17.53	+09 13 29.3	19.0 V	691	1995 SN ₂₀	1995 09 22.46854	01 39 29.22	+08 42 49.5		691
1995 SE ₂₀	1995 09 18.46325	01 36 16.53	+09 13 24.7		691	1995 SN ₂₀	1995 09 22.49660	01 39 28.17	+08 42 38.8	20.8 V	691
1995 SE ₂₀	1995 09 18.49308	01 36 15.43	+09 13 19.8		691	1995 SO ₂₀	* 1995 09 18.43790	01 41 52.81	+09 07 52.1		691
1995 SE ₂₀	1995 09 27.37186	01 30 41.89	+08 46 16.0	20.0 V	691	1995 SO ₂₀	1995 09 18.46712	01 41 51.94	+09 07 41.9		691
1995 SE ₂₀	1995 09 27.39300	01 30 40.97	+08 46 11.6		691	1995 SO ₂₀	1995 09 18.49695	01 41 50.98	+09 07 31.6	20.1 V	691
1995 SE ₂₀	1995 09 27.41407	01 30 40.07	+08 46 07.1		691	1995 SO ₂₀	1995 09 22.43829	01 39 50.63	+08 44 07.5	20.6 V	691
1995 SF ₂₀	* 1995 09 18.43404	01 36 18.84	+09 17 24.1	19.4 V	691	1995 SO ₂₀	1995 09 22.46877	01 39 49.60	+08 43 56.3		691
1995 SF ₂₀	1995 09 18.46326	01 36 17.97	+09 17 15.9		691	1995 SO ₂₀	1995 09 22.49684	01 39 48.62	+08 43 45.7		691
1995 SF ₂₀	1995 09 18.49309	01 36 17.01	+09 17 07.6		691	1995 SP ₂₀	* 1995 09 18.43831	01 42 28.41	+09 06 37.0	18.4 V	691
1995 SF ₂₀	1995 09 22.43442	01 34 15.63	+08 57 56.1	19.8 V	691	1995 SP ₂₀	1995 09 18.46753	01 42 27.49	+09 06 27.5		691
1995 SF ₂₀	1995 09 22.46490	01 34 14.55	+08 57 46.6		691	1995 SP ₂₀	1995 09 18.49736	01 42 26.47	+09 06 17.6		691
1995 SF ₂₀	1995 09 22.49297	01 34 13.57	+08 57 38.0		691	1995 SP ₂₀	1995 09 22.43861	01 40 18.88	+08 44 06.0		691
1995 SG ₂₀	* 1995 09 18.43506	01 37 47.23	+09 28 50.2		691	1995 SP ₂₀	1995 09 22.46910	01 40 17.76	+08 43 55.3	18.8 V	691
1995 SG ₂₀	1995 09 18.46428	01 37 45.97	+09 28 59.0		691	1995 SP ₂₀	1995 09 22.49716	01 40 16.73	+08 43 45.2		691
1995 SG ₂₀	1995 09 18.49410	01 37 44.52	+09 29 07.3	20.6 V	691	1995 SQ ₂₀	* 1995 09 18.43879	01 43 10.09	+09 14 55.6	20.0 V	691
1995 SG ₂₀	1995 10 02.37321	01 25 00.51	+10 25 20.1	21.1 V	691	1995 SQ ₂₀	1995 09 18.46801	01 43 09.21	+09 14 52.0		691
1995 SG ₂₀	1995 10 02.39429	01 24 59.06	+10 25 23.4		691	1995 SQ ₂₀	1995 09 18.49784	01 43 08.23	+09 14 47.9		691
1995 SG ₂₀	1995 10 02.41554	01 24 57.63	+10 25 28.2		691	1995 SQ ₂₀	1995 09 27.37681	01 37 50.44	+08 51 55.0		691
1995 SH ₂₀	* 1995 09 18.43558	01 38 32.02	+09 05 16.0	20.4 V	691	1995 SQ ₂₀	1995 09 27.39795	01 37 49.47	+08 51 50.8		691
1995 SH ₂₀	1995 09 18.46480	01 38 31.09	+09 05 09.6		691	1995 SQ ₂₀	1995 09 27.41902	01 37 48.54	+08 51 47.0	20.3 V	691
1995 SH ₂₀	1995 09 18.49463	01 38 29.97	+09 05 03.7		691	1995 SR ₂₀	* 1995 09 18.43916	01 43 42.51	+09 03 06.0	18.9 V	691
1995 SH ₂₀	1995 09 22.43580	01 36 15.34	+08 51 06.2	20.8 V	691	1995 SR ₂₀	1995 09 18.46838	01 43 41.50	+09 02 59.2		691
1995 SH ₂₀	1995 09 22.46628	01 36 14.19	+08 50 59.7		691	1995 SR ₂₀	1995 09 18.49821	01 43 40.42	+09 02 52.0		691
1995 SH ₂₀	1995 09 22.49435	01 36 13.15	+08 50 53.4		691	1995 SR ₂₀	1995 09 22.43933	01 41 21.44	+08 46 52.2		691
1995 SJ ₂₀	* 1995 09 18.43581	01 38 52.29	+09 05 00.2		691	1995 SR ₂₀	1995 09 22.46982	01 41 20.21	+08 46 44.2	19.3 V	691
1995 SJ ₂₀	1995 09 18.46503	01 38 51.14	+09 04 56.0	20.7 V	691	1995 SR ₂₀	1995 09 22.49788	01 41 19.05	+08 46 36.7		691
1995 SJ ₂₀	1995 09 18.49486	01 38 49.91	+09 04 52.3		691	1995 SS ₂₀	* 1995 09 18.43924	01 43 49.31	+09 22 43.8		691
1995 SJ ₂₀	1995 09 27.37309	01 32 28.82	+08 40 37.1		691	1995 SS ₂₀	1995 09 18.46847	01 43 48.65	+09 22 33.1	19.2 V	691
1995 SJ ₂₀	1995 09 27.39423	01 32 27.78	+08 40 32.9	20.8 V	691	1995 SS ₂₀	1995 09 18.49830	01 43 47.89	+09 22 21.8		691
1995 SJ ₂₀	1995 09 27.41531	01 32 26.73	+08 40 28.9		691	1995 SS ₂₀	1995 09 22.43995	01 42 15.10	+08 57 00.2	19.7 V	691
1995 SK ₂₀	* 1995 09 18.43671	01 40 10.24	+09 10 40.5	20.0 V	691	1995 SS ₂₀	1995 09 22.47044	01 42 14.23	+08 56 48.0		691
1995 SK ₂₀	1995 09 18.46593	01 40 09.17	+09 10 31.7		691	1995 SS ₂₀	1995 09 22.49851	01 42 13.42	+08 56 36.4		691
1995 SK ₂₀	1995 09 18.49576	01 40 07.99	+09 10 22.1		691	1995 ST ₂₀	* 1995 09 18.43929	01 43 53.42	+09 05 51.3		691
1995 SK ₂₀	1995 09 22.43680	01 37 41.88	+08 49 36.1	20.4 V	691	1995 ST ₂₀	1995 09 18.46851	01 43 52.34	+09 05 42.2	20.1 V	691
1995 SK ₂₀	1995 09 22.46728	01 37 40.61	+08 49 25.9		691	1995 ST ₂₀	1995 09 18.49834	01 43 51.14	+09 05 34.8		691
1995 SK ₂₀	1995 09 22.49535	01 37 39.46	+08 49 16.5		691	1995 ST ₂₀	1995 09 22.43934	01 41 22.05	+08 48 23.3	20.4 V	691

1995 ST ₂₀	1995 09 22.46982	01 41 20.78	+08 48 14.9		691	1995 SC ₂₁	* 1995 09 19.14068	21 42 28.09	-00 37 05.7		691
1995 ST ₂₀	1995 09 22.49789	01 41 19.60	+08 48 07.0		691	1995 SC ₂₁	1995 09 19.16180	21 42 27.36	-00 37 10.6	21.1 V	691
1995 SU ₂₀	* 1995 09 18.44216	01 48 02.49	+09 07 32.5	20.0 V	691	1995 SC ₂₁	1995 09 19.18271	21 42 26.60	-00 37 15.1		691
1995 SU ₂₀	1995 09 18.47138	01 48 01.44	+09 07 23.9		691	1995 SC ₂₁	1995 09 23.12264	21 40 24.46	-00 51 54.6	20.9 V	691
1995 SU ₂₀	1995 09 18.50121	01 48 00.30	+09 07 15.2		691	1995 SC ₂₁	1995 09 23.14349	21 40 23.82	-00 51 59.9		691
1995 SU ₂₀	1995 09 22.44228	01 45 37.00	+08 47 16.5		691	1995 SC ₂₁	1995 09 23.16442	21 40 23.25	-00 52 04.1		691
1995 SU ₂₀	1995 09 22.47277	01 45 35.76	+08 47 06.7	20.5 V	691	1995 SD ₂₁	* 1995 09 19.19077	22 28 00.47	-09 52 38.7	19.1 V	691
1995 SU ₂₀	1995 09 22.50083	01 45 34.63	+08 46 57.4		691	1995 SD ₂₁	1995 09 19.21205	22 27 59.62	-09 52 42.6		691
1995 SV ₂₀	* 1995 09 18.44245	01 48 27.40	+09 26 30.3		691	1995 SD ₂₁	1995 09 19.23316	22 27 58.76	-09 52 46.3		691
1995 SV ₂₀	1995 09 18.47167	01 48 26.40	+09 26 19.3	20.9 V	691	1995 SD ₂₁	1995 09 25.17352	22 24 29.97	-10 09 36.4		691
1995 SV ₂₀	1995 09 18.50150	01 48 25.31	+09 26 07.9		691	1995 SD ₂₁	1995 09 25.19498	22 24 29.23	-10 09 39.0	19.1 V	691
1995 SV ₂₀	1995 09 22.47310	01 46 04.23	+09 01 19.0	21.1 V	691	1995 SD ₂₁	1995 09 25.21630	22 24 28.52	-10 09 42.2		691
1995 SV ₂₀	1995 09 22.50116	01 46 03.08	+09 01 07.8		691	1995 SE ₂₁	* 1995 09 19.19202	22 29 49.09	-09 52 10.2	17.7 V	691
1995 SW ₂₀	* 1995 09 19.12546	21 20 29.65	-00 12 12.5		691	1995 SE ₂₁	1995 09 19.21330	22 29 47.93	-09 52 03.3		691
1995 SW ₂₀	1995 09 19.14657	21 20 29.06	-00 12 15.9	20.9 V	691	1995 SE ₂₁	1995 09 19.23440	22 29 46.79	-09 51 56.4		691
1995 SW ₂₀	1995 09 19.16748	21 20 28.44	-00 12 20.3		691	1995 SE ₂₁	1995 09 25.23851	22 25 05.74	-09 18 04.4	17.3 V	691
1995 SW ₂₀	1995 09 24.10546	21 18 24.65	-00 27 53.9		691	1995 SE ₂₁	1995 09 25.25945	22 25 04.82	-09 17 57.0		691
1995 SW ₂₀	1995 09 24.12624	21 18 24.23	-00 27 57.9		691	1995 SE ₂₁	1995 09 25.28057	22 25 03.94	-09 17 49.4		691
1995 SW ₂₀	1995 09 24.14704	21 18 23.74	-00 28 01.7	21.1 V	691	1995 SF ₂₁	* 1995 09 19.19367	22 32 11.96	-09 50 01.0		691
1995 SX ₂₀	* 1995 09 19.13076	21 28 09.28	-00 09 12.0	19.5 V	691	1995 SF ₂₁	1995 09 19.21495	22 32 11.14	-09 50 06.8	19.5 V	691
1995 SX ₂₀	1995 09 19.15188	21 28 08.76	-00 09 25.3		691	1995 SF ₂₁	1995 09 19.23606	22 32 10.33	-09 50 12.2		691
1995 SX ₂₀	1995 09 19.17279	21 28 08.28	-00 09 38.3		691	1995 SF ₂₁	1995 09 25.17653	22 28 50.52	-10 14 28.4		691
1995 SX ₂₀	1995 09 23.11329	21 26 55.05	-00 50 13.8		691	1995 SF ₂₁	1995 09 25.19799	22 28 49.84	-10 14 32.6	19.7 V	691
1995 SX ₂₀	1995 09 23.13414	21 26 54.66	-00 50 26.0		691	1995 SF ₂₁	1995 09 25.21931	22 28 49.15	-10 14 37.6		691
1995 SX ₂₀	1995 09 23.15508	21 26 54.31	-00 50 38.8	19.7 V	691	1995 SG ₂₁	* 1995 09 19.19403	22 32 43.10	-09 52 39.8	18.1 V	691
1995 SY ₂₀	* 1995 09 19.13214	21 30 08.55	-00 28 38.3		691	1995 SG ₂₁	1995 09 19.21531	22 32 42.04	-09 52 43.7		691
1995 SY ₂₀	1995 09 19.15326	21 30 07.93	-00 28 44.4	21.1 V	691	1995 SG ₂₁	1995 09 19.23641	22 32 40.98	-09 52 47.5		691
1995 SY ₂₀	1995 09 19.17417	21 30 07.29	-00 28 50.1		691	1995 SG ₂₁	1995 09 25.17622	22 28 23.14	-10 08 22.9	18.2 V	691
1995 SY ₂₀	1995 09 23.11434	21 28 25.75	-00 47 08.9		691	1995 SG ₂₁	1995 09 25.19767	22 28 22.24	-10 08 25.6		691
1995 SY ₂₀	1995 09 23.13519	21 28 25.24	-00 47 14.3		691	1995 SG ₂₁	1995 09 25.21898	22 28 21.35	-10 08 28.3		691
1995 SY ₂₀	1995 09 23.15612	21 28 24.73	-00 47 20.2	21.4 V	691	1995 SH ₂₁	* 1995 09 19.19445	22 33 18.98	-09 50 30.1	19.9 V	691
1995 SZ ₂₀	* 1995 09 19.13758	21 37 58.94	-00 25 14.8		691	1995 SH ₂₁	1995 09 19.21572	22 33 17.93	-09 50 30.6		691
1995 SZ ₂₀	1995 09 19.15869	21 37 58.33	-00 25 21.1	20.8 V	691	1995 SH ₂₁	1995 09 19.23683	22 33 16.92	-09 50 31.7		691
1995 SZ ₂₀	1995 09 19.17960	21 37 57.71	-00 25 27.6		691	1995 SH ₂₁	1995 09 25.17653	22 28 50.02	-09 52 15.5	19.9 V	691
1995 SZ ₂₀	1995 09 23.11980	21 36 18.47	-00 45 03.4		691	1995 SH ₂₁	1995 09 25.19798	22 28 49.07	-09 52 15.3		691
1995 SZ ₂₀	1995 09 23.14065	21 36 17.97	-00 45 09.6	21.1 V	691	1995 SH ₂₁	1995 09 25.21929	22 28 48.17	-09 52 15.2		691
1995 SZ ₂₀	1995 09 23.16158	21 36 17.48	-00 45 15.7		691	1995 SH ₂₁	1995 10 01.19195	22 25 00.32	-09 50 36.8		691
1995 SA ₂₁	* 1995 09 19.13908	21 40 09.06	-00 08 25.7		691	1995 SH ₂₁	1995 10 01.21496	22 24 59.53	-09 50 36.0	20.3 V	691
1995 SA ₂₁	1995 09 19.16019	21 40 08.27	-00 08 27.5	21.0 V	691	1995 SH ₂₁	1995 10 01.23697	22 24 58.73	-09 50 34.9		691
1995 SA ₂₁	1995 09 19.18110	21 40 07.50	-00 08 30.1		691	1995 SJ ₂₁	* 1995 09 19.19462	22 33 34.03	-10 06 18.3		691
1995 SA ₂₁	1995 09 24.11865	21 37 26.55	-00 17 46.1		691	1995 SJ ₂₁	1995 09 19.21589	22 33 33.03	-10 06 18.6	20.9 V	691
1995 SA ₂₁	1995 09 24.13943	21 37 25.99	-00 17 47.3		691	1995 SJ ₂₁	1995 09 19.23700	22 33 32.02	-10 06 19.0		691
1995 SA ₂₁	1995 09 24.16023	21 37 25.31	-00 17 50.7	21.5 V	691	1995 SJ ₂₁	1995 09 25.17682	22 29 15.82	-10 06 23.3		691
1995 SA ₂₁	1995 09 30.12157	21 35 02.32	-00 28 19.8		691	1995 SJ ₂₁	1995 09 25.19828	22 29 14.90	-10 06 23.3	21.1 V	691
1995 SA ₂₁	1995 09 30.14348	21 35 01.82	-00 28 21.4		691	1995 SJ ₂₁	1995 09 25.21959	22 29 14.06	-10 06 22.7		691
1995 SA ₂₁	1995 09 30.16523	21 35 01.43	-00 28 24.5	21.2 V	691	1995 SK ₂₁	* 1995 09 19.19575	22 35 11.71	-09 48 50.2	20.8 V	691
1995 SB ₂₁	* 1995 09 19.13965	21 40 58.23	-00 34 15.2	19.1 V	691	1995 SK ₂₁	1995 09 19.21702	22 35 10.73	-09 48 52.4		691
1995 SB ₂₁	1995 09 19.16076	21 40 57.55	-00 34 21.5		691	1995 SK ₂₁	1995 09 19.23813	22 35 09.78	-09 48 55.2		691
1995 SB ₂₁	1995 09 19.18167	21 40 56.96	-00 34 27.1		691	1995 SK ₂₁	1995 09 25.17812	22 31 07.73	-09 58 32.7	21.4 V	691
1995 SB ₂₁	1995 09 23.12180	21 39 12.05	-00 52 59.8		691	1995 SK ₂₁	1995 09 25.19958	22 31 06.87	-09 58 34.0		691
1995 SB ₂₁	1995 09 23.14265	21 39 11.52	-00 53 05.9	19.3 V	691	1995 SK ₂₁	1995 09 25.22089	22 31 06.04	-09 58 35.8		691
1995 SB ₂₁	1995 09 23.16358	21 39 10.99	-00 53 11.7		691	1995 SL ₂₁	* 1995 09 19.19601	22 35 34.84	-09 59 06.9		691

1995 SL ₂₁	1995 09 19.21729	22 35 33.59	−09 59 08.4	19.5 V	691	1995 SR ₂₁	1995 09 20.28529	22 46 53.69	−09 57 46.3	20.7 V	691
1995 SL ₂₁	1995 09 19.23839	22 35 32.35	−09 59 10.1		691	1995 SS ₂₁	* 1995 09 19.20583	22 49 44.54	−10 13 23.6		691
1995 SL ₂₁	1995 09 25.17753	22 30 17.07	−10 04 00.7		691	1995 SS ₂₁	1995 09 19.22710	22 49 43.32	−10 13 24.8	19.5 V	691
1995 SL ₂₁	1995 09 25.19899	22 30 15.96	−10 04 01.4	19.6 V	691	1995 SS ₂₁	1995 09 19.24820	22 49 42.11	−10 13 26.1		691
1995 SL ₂₁	1995 09 25.22030	22 30 14.88	−10 04 01.8		691	1995 SS ₂₁	1995 10 01.20275	22 40 35.00	−10 13 24.8	19.7 V	691
1995 SL ₂₁	1995 10 01.19252	22 25 49.71	−10 04 13.6	19.8 V	691	1995 SS ₂₁	1995 10 01.22575	22 40 34.11	−10 13 23.5		691
1995 SL ₂₁	1995 10 01.21553	22 25 48.77	−10 04 13.0		691	1995 SS ₂₁	1995 10 01.24776	22 40 33.26	−10 13 22.2		691
1995 SL ₂₁	1995 10 01.23754	22 25 47.84	−10 04 12.3		691	1995 ST ₂₁	* 1995 09 19.21131	22 26 56.28	−10 05 13.8		691
1995 SM ₂₁	* 1995 09 19.19665	22 36 29.80	−09 59 06.5	17.9 V	691	1995 ST ₂₁	1995 09 19.23242	22 26 55.46	−10 05 15.4	20.0 V	691
1995 SM ₂₁	1995 09 19.21792	22 36 28.61	−09 59 05.6		691	1995 ST ₂₁	1995 09 25.17318	22 23 52.34	−10 10 54.1		691
1995 SM ₂₁	1995 09 19.23903	22 36 27.43	−09 59 04.8		691	1995 ST ₂₁	1995 09 25.19464	22 23 51.72	−10 10 54.0	20.3 V	691
1995 SM ₂₁	1995 09 25.17849	22 31 40.20	−09 52 31.3		691	1995 ST ₂₁	1995 09 25.21596	22 23 51.10	−10 10 54.5		691
1995 SM ₂₁	1995 09 25.19995	22 31 39.20	−09 52 29.4	18.0 V	691	1995 SU ₂₁	* 1995 09 19.25602	00 37 19.62	+00 43 46.6	17.7 V	691
1995 SM ₂₁	1995 09 25.22126	22 31 38.22	−09 52 27.6		691	1995 SU ₂₁	1995 09 19.27686	00 37 18.75	+00 43 41.0		691
1995 SM ₂₁	1995 10 01.30265	22 27 48.47	−09 40 47.1	18.4 V	691	1995 SU ₂₁	1995 09 19.29770	00 37 17.86	+00 43 35.2		691
1995 SM ₂₁	1995 10 01.32502	22 27 47.70	−09 40 44.2		691	1995 SU ₂₁	1995 09 24.28654	00 33 47.83	+00 20 22.2	17.4 V	691
1995 SM ₂₁	1995 10 01.34689	22 27 46.97	−09 40 40.7		691	1995 SU ₂₁	1995 09 24.30735	00 33 46.93	+00 20 16.1		691
1995 SN ₂₁	* 1995 09 19.19681	22 36 43.33	−10 06 52.8		691	1995 SU ₂₁	1995 09 24.32826	00 33 45.98	+00 20 10.1		691
1995 SN ₂₁	1995 09 19.21808	22 36 42.33	−10 06 54.2		691	1995 SV ₂₁	* 1995 09 19.25610	00 37 26.58	+00 39 30.3	21.2 V	691
1995 SN ₂₁	1995 09 19.23919	22 36 41.35	−10 06 55.7	20.9 V	691	1995 SV ₂₁	1995 09 19.27694	00 37 25.61	+00 39 23.0		691
1995 SN ₂₁	1995 09 25.17907	22 32 29.98	−10 11 44.6		691	1995 SV ₂₁	1995 09 19.29777	00 37 24.57	+00 39 17.2		691
1995 SN ₂₁	1995 09 25.20052	22 32 29.11	−10 11 45.8	20.9 V	691	1995 SV ₂₁	1995 09 24.28628	00 33 25.57	+00 13 32.3	21.0 V	691
1995 SN ₂₁	1995 09 25.22184	22 32 28.25	−10 11 46.7		691	1995 SV ₂₁	1995 09 24.30709	00 33 24.54	+00 13 25.9		691
1995 SN ₂₁	1995 10 01.19464	22 28 52.89	−10 13 25.4		691	1995 SV ₂₁	1995 09 24.32800	00 33 23.48	+00 13 19.0		691
1995 SN ₂₁	1995 10 01.21764	22 28 52.12	−10 13 24.9	21.2 V	691	1995 SW ₂₁	* 1995 09 19.25625	00 37 39.57	+00 37 36.0	19.6 V	691
1995 SN ₂₁	1995 10 01.23966	22 28 51.37	−10 13 24.8		691	1995 SW ₂₁	1995 09 19.27709	00 37 38.39	+00 37 30.7		691
1995 SO ₂₁	* 1995 09 19.19895	22 39 48.67	−10 00 22.1		691	1995 SW ₂₁	1995 09 19.29792	00 37 37.19	+00 37 25.5		691
1995 SO ₂₁	1995 09 19.22022	22 39 47.68	−10 00 22.1	19.2 V	691	1995 SW ₂₁	1995 09 24.28604	00 32 54.83	+00 15 45.6		691
1995 SO ₂₁	1995 09 19.24133	22 39 46.70	−10 00 22.1		691	1995 SW ₂₁	1995 09 24.30685	00 32 53.60	+00 15 39.9	19.7 V	691
1995 SO ₂₁	1995 09 25.18125	22 35 39.47	−09 57 42.1	19.4 V	691	1995 SW ₂₁	1995 09 24.32777	00 32 52.33	+00 15 34.4		691
1995 SO ₂₁	1995 09 25.20271	22 35 38.59	−09 57 41.6		691	1995 SX ₂₁	* 1995 09 19.25688	00 38 33.65	+00 38 34.8		691
1995 SO ₂₁	1995 09 25.22402	22 35 37.75	−09 57 40.4		691	1995 SX ₂₁	1995 09 19.27772	00 38 32.67	+00 38 28.7	20.2 V	691
1995 SP ₂₁	* 1995 09 19.19987	22 41 09.16	−09 56 06.4	20.2 V	691	1995 SX ₂₁	1995 09 19.29855	00 38 31.67	+00 38 23.0		691
1995 SP ₂₁	1995 09 19.22115	22 41 08.24	−09 56 10.6		691	1995 SX ₂₁	1995 09 24.28709	00 34 35.88	+00 13 44.4	19.8 V	691
1995 SP ₂₁	1995 09 19.24226	22 41 07.31	−09 56 14.5		691	1995 SX ₂₁	1995 09 24.30790	00 34 34.88	+00 13 37.5		691
1995 SP ₂₁	1995 09 25.18226	22 37 06.69	−10 12 05.5		691	1995 SX ₂₁	1995 09 24.32881	00 34 33.79	+00 13 31.5		691
1995 SP ₂₁	1995 09 25.20372	22 37 05.88	−10 12 08.3		691	1995 SY ₂₁	* 1995 09 19.25716	00 38 58.63	+00 55 37.6	20.4 V	691
1995 SP ₂₁	1995 09 25.22503	22 37 04.99	−10 12 11.5	20.1 V	691	1995 SY ₂₁	1995 09 19.27800	00 38 57.67	+00 55 30.8		691
1995 SQ ₂₁	* 1995 09 19.20346	22 46 19.60	−09 46 34.4		691	1995 SY ₂₁	1995 09 19.29884	00 38 56.72	+00 55 23.7		691
1995 SQ ₂₁	1995 09 19.22473	22 46 18.44	−09 46 38.7	19.6 V	691	1995 SY ₂₁	1995 09 24.28747	00 35 08.72	+00 27 22.2	20.2 V	691
1995 SQ ₂₁	1995 09 19.24584	22 46 17.30	−09 46 43.8		691	1995 SY ₂₁	1995 09 24.30828	00 35 07.75	+00 27 14.8		691
1995 SQ ₂₁	1995 09 20.27192	22 45 24.47	−09 50 11.4	19.2 V	691	1995 SY ₂₁	1995 09 24.32919	00 35 06.72	+00 27 07.6		691
1995 SQ ₂₁	1995 09 20.27872	22 45 24.10	−09 50 13.0		691	1995 SZ ₂₁	* 1995 09 19.25723	00 39 04.42	+00 44 35.4		691
1995 SQ ₂₁	1995 09 20.28425	22 45 23.81	−09 50 14.0		691	1995 SZ ₂₁	1995 09 19.27807	00 39 03.01	+00 44 38.8	19.2 V	691
1995 SQ ₂₁	1995 09 25.18527	22 41 27.35	−10 04 49.8		691	1995 SZ ₂₁	1995 09 19.29890	00 39 01.69	+00 44 40.6		691
1995 SQ ₂₁	1995 09 25.20673	22 41 26.37	−10 04 53.6		691	1995 SZ ₂₁	1995 09 25.30249	00 32 38.60	+00 53 12.1		691
1995 SQ ₂₁	1995 09 25.22804	22 41 25.29	−10 04 56.7	19.6 V	691	1995 SZ ₂₁	1995 09 25.32337	00 32 37.15	+00 53 13.3	19.7 V	691
1995 SR ₂₁	* 1995 09 19.20446	22 47 45.88	−09 53 29.8		691	1995 SZ ₂₁	1995 09 25.34425	00 32 35.73	+00 53 15.3		691
1995 SR ₂₁	1995 09 19.22573	22 47 44.79	−09 53 35.5	21.2 V	691	1995 SA ₂₂	* 1995 09 19.25735	00 39 14.40	+00 57 40.1		691
1995 SR ₂₁	1995 09 19.24684	22 47 43.71	−09 53 40.6		691	1995 SA ₂₂	1995 09 19.27818	00 39 13.35	+00 57 39.5	18.1 V	691
1995 SR ₂₁	1995 09 20.27296	22 46 54.33	−09 57 43.6		691	1995 SA ₂₂	1995 09 19.29902	00 39 12.30	+00 57 38.9		691
1995 SR ₂₁	1995 09 20.27976	22 46 53.99	−09 57 45.1		691	1995 SA ₂₂	1995 09 25.30330	00 34 05.82	+00 54 43.4	17.9 V	691

1995 SA ₂₂	1995 09 25.32417	00 34 04.65	+00 54 42.4	691	1995 SK ₂₂	1995 09 19.30278	00 44 38.24	+00 56 54.0	21.2 V	691
1995 SA ₂₂	1995 09 25.34505	00 34 03.50	+00 54 41.7	691	1995 SK ₂₂	1995 09 30.30069	00 35 53.80	+00 33 42.1	21.4 V	691
1995 SB ₂₂	* 1995 09 19.25737	00 39 16.90	+00 49 06.2	691	1995 SK ₂₂	1995 09 30.32287	00 35 52.73	+00 33 39.4		691
1995 SB ₂₂	1995 09 19.27822	00 39 16.06	+00 48 58.4	20.9 V 691	1995 SK ₂₂	1995 09 30.34401	00 35 51.62	+00 33 36.1		691
1995 SB ₂₂	1995 09 19.29905	00 39 15.20	+00 48 51.3	691	1995 SL ₂₂	* 1995 09 19.26118	00 44 46.14	+01 00 48.4		691
1995 SB ₂₂	1995 09 24.28798	00 35 52.86	+00 18 08.7	691	1995 SL ₂₂	1995 09 19.28201	00 44 44.78	+01 00 51.0		691
1995 SB ₂₂	1995 09 24.30879	00 35 51.98	+00 18 00.7	20.3 V 691	1995 SL ₂₂	1995 09 19.30284	00 44 43.46	+01 00 53.6	20.5 V	691
1995 SB ₂₂	1995 09 24.32971	00 35 51.04	+00 17 52.6	691	1995 SL ₂₂	1995 09 25.36943	00 38 10.56	+01 12 18.4		691
1995 SC ₂₂	* 1995 09 19.25764	00 39 39.59	+00 41 42.8	18.4 V 691	1995 SL ₂₂	1995 09 25.39032	00 38 09.14	+01 12 20.8	20.0 V	691
1995 SC ₂₂	1995 09 19.27848	00 39 38.61	+00 41 35.5	691	1995 SL ₂₂	1995 09 25.41117	00 38 07.74	+01 12 22.9		691
1995 SC ₂₂	1995 09 19.29931	00 39 37.65	+00 41 28.1	691	1995 SL ₂₂	1995 09 30.36341	00 32 39.61	+01 21 30.4		691
1995 SC ₂₂	1995 09 24.28789	00 35 45.25	+00 11 37.0	18.0 V 691	1995 SL ₂₂	1995 09 30.38459	00 32 38.16	+01 21 32.6		691
1995 SC ₂₂	1995 09 24.30870	00 35 44.23	+00 11 28.9	691	1995 SL ₂₂	1995 09 30.40537	00 32 36.78	+01 21 35.0	20.5 V	691
1995 SC ₂₂	1995 09 24.32962	00 35 43.16	+00 11 21.6	691	1995 SM ₂₂	* 1995 09 19.26126	00 44 53.61	+00 45 36.9		691
1995 SD ₂₂	* 1995 09 19.25814	00 40 22.90	+00 59 25.7	19.6 V 691	1995 SM ₂₂	1995 09 19.28210	00 44 52.49	+00 45 30.6		691
1995 SD ₂₂	1995 09 19.27898	00 40 21.96	+00 59 22.4	691	1995 SM ₂₂	1995 09 19.30293	00 44 51.38	+00 45 24.3	20.6 V	691
1995 SD ₂₂	1995 09 19.29981	00 40 21.02	+00 59 19.1	691	1995 SM ₂₂	1995 09 24.29110	00 40 22.89	+00 19 06.7	20.5 V	691
1995 SD ₂₂	1995 09 25.30446	00 35 45.90	+00 43 27.7	691	1995 SM ₂₂	1995 09 24.31191	00 40 21.65	+00 19 00.2		691
1995 SD ₂₂	1995 09 25.32533	00 35 44.86	+00 43 24.1	19.9 V 691	1995 SM ₂₂	1995 09 24.33282	00 40 20.50	+00 18 53.3		691
1995 SD ₂₂	1995 09 25.34620	00 35 43.83	+00 43 20.7	691	1995 SN ₂₂	* 1995 09 19.26152	00 45 16.20	+00 38 23.1		691
1995 SE ₂₂	* 1995 09 19.25823	00 40 31.02	+00 55 40.0	691	1995 SN ₂₂	1995 09 19.28236	00 45 15.30	+00 38 17.6	20.6 V	691
1995 SE ₂₂	1995 09 19.27907	00 40 29.94	+00 55 31.7	17.9 V 691	1995 SN ₂₂	1995 09 19.30320	00 45 14.38	+00 38 12.0		691
1995 SE ₂₂	1995 09 19.29990	00 40 28.88	+00 55 23.4	691	1995 SN ₂₂	1995 09 24.29201	00 41 41.81	+00 15 18.3	20.3 V	691
1995 SE ₂₂	1995 09 24.28821	00 36 12.65	+00 21 47.3	17.7 V 691	1995 SN ₂₂	1995 09 24.31282	00 41 40.78	+00 15 12.7		691
1995 SE ₂₂	1995 09 24.30902	00 36 11.55	+00 21 38.5	691	1995 SN ₂₂	1995 09 24.33374	00 41 39.89	+00 15 07.2		691
1995 SE ₂₂	1995 09 24.32993	00 36 10.37	+00 21 29.9	691	1995 SO ₂₂	* 1995 09 19.26163	00 45 25.78	+00 37 55.3	19.1 V	691
1995 SF ₂₂	* 1995 09 19.25826	00 40 33.58	+01 01 29.2	20.4 V 691	1995 SO ₂₂	1995 09 19.28248	00 45 24.83	+00 37 49.9		691
1995 SF ₂₂	1995 09 19.27910	00 40 32.66	+01 01 21.6	691	1995 SO ₂₂	1995 09 19.30331	00 45 23.87	+00 37 44.8		691
1995 SF ₂₂	1995 09 19.29994	00 40 31.78	+01 01 13.3	691	1995 SO ₂₂	1995 09 24.29196	00 41 37.12	+00 16 26.0	18.9 V	691
1995 SF ₂₂	1995 09 24.28868	00 36 53.00	+00 28 56.5	691	1995 SO ₂₂	1995 09 24.31276	00 41 36.07	+00 16 20.7		691
1995 SF ₂₂	1995 09 24.30949	00 36 52.05	+00 28 48.4	691	1995 SO ₂₂	1995 09 24.33368	00 41 35.08	+00 16 15.2		691
1995 SF ₂₂	1995 09 24.33040	00 36 51.03	+00 28 39.9	20.2 V 691	1995 SP ₂₂	* 1995 09 19.26170	00 45 31.07	+01 01 01.7		691
1995 SG ₂₂	* 1995 09 19.25906	00 41 42.85	+00 43 59.7	18.8 V 691	1995 SP ₂₂	1995 09 19.28254	00 45 30.13	+01 00 56.0		691
1995 SG ₂₂	1995 09 19.27990	00 41 41.76	+00 43 51.5	691	1995 SP ₂₂	1995 09 19.30337	00 45 29.20	+01 00 50.1	21.0 V	691
1995 SG ₂₂	1995 09 19.30073	00 41 40.69	+00 43 43.3	691	1995 SP ₂₂	1995 09 25.30806	00 40 57.63	+00 34 33.6		691
1995 SG ₂₂	1995 09 24.28901	00 37 21.89	+00 10 16.4	18.6 V 691	1995 SP ₂₂	1995 09 25.32893	00 40 56.63	+00 34 28.5	20.7 V	691
1995 SG ₂₂	1995 09 24.30982	00 37 20.77	+00 10 07.9	691	1995 SP ₂₂	1995 09 25.34980	00 40 55.61	+00 34 22.9		691
1995 SG ₂₂	1995 09 24.33073	00 37 19.58	+00 09 59.3	691	1995 SP ₂₂	1995 09 30.18251	00 37 05.56	+00 12 58.7	21.0 V	691
1995 SH ₂₂	* 1995 09 19.25914	00 41 49.73	+00 56 43.1	691	1995 SP ₂₂	1995 09 30.20472	00 37 04.41	+00 12 51.5		691
1995 SH ₂₂	1995 09 19.27998	00 41 48.42	+00 56 46.6	20.1 V 691	1995 SP ₂₂	1995 09 30.22701	00 37 03.29	+00 12 46.0		691
1995 SH ₂₂	1995 09 19.30081	00 41 47.08	+00 56 50.0	691	1995 SQ ₂₂	* 1995 09 19.26199	00 45 56.93	+00 56 09.9	19.7 V	691
1995 SH ₂₂	1995 09 25.36746	00 35 19.96	+01 12 37.9	691	1995 SQ ₂₂	1995 09 19.28283	00 45 56.00	+00 56 04.4		691
1995 SH ₂₂	1995 09 25.38835	00 35 18.51	+01 12 41.1	20.0 V 691	1995 SQ ₂₂	1995 09 19.30367	00 45 55.10	+00 55 58.9		691
1995 SH ₂₂	1995 09 25.40920	00 35 17.10	+01 12 44.3	691	1995 SQ ₂₂	1995 09 30.18271	00 37 22.11	+00 11 06.2	18.7 V	691
1995 SJ ₂₂	* 1995 09 19.26057	00 43 53.95	+00 41 28.1	20.5 V 691	1995 SQ ₂₂	1995 09 30.20491	00 37 20.93	+00 11 00.8		691
1995 SJ ₂₂	1995 09 19.28141	00 43 52.72	+00 41 27.6	691	1995 SQ ₂₂	1995 09 30.22720	00 37 19.73	+00 10 56.5		691
1995 SJ ₂₂	1995 09 19.30224	00 43 51.50	+00 41 26.2	691	1995 SR ₂₂	* 1995 09 19.26208	00 46 04.49	+00 39 27.2	19.8 V	691
1995 SJ ₂₂	1995 09 25.30602	00 38 01.10	+00 36 30.4	691	1995 SR ₂₂	1995 09 19.28292	00 46 03.42	+00 39 22.1		691
1995 SJ ₂₂	1995 09 25.32689	00 37 59.73	+00 36 29.0	20.3 V 691	1995 SR ₂₂	1995 09 19.30375	00 46 02.36	+00 39 17.0		691
1995 SJ ₂₂	1995 09 25.34776	00 37 58.43	+00 36 28.2	691	1995 SR ₂₂	1995 09 24.29209	00 41 48.97	+00 18 40.7		691
1995 SK ₂₂	* 1995 09 19.26111	00 44 40.22	+00 56 59.4	691	1995 SR ₂₂	1995 09 24.31290	00 41 47.83	+00 18 35.4		691
1995 SK ₂₂	1995 09 19.28195	00 44 39.20	+00 56 56.8	691	1995 SR ₂₂	1995 09 24.33381	00 41 46.74	+00 18 29.9	19.5 V	691

1995 SS ₂₂	* 1995 09 19.26229	00 46 22.23	+00 41 45.2		691	1995 SA ₂₃	1995 09 19.28516	00 49 17.76	+00 51 17.2	20.3 V	691
1995 SS ₂₂	1995 09 19.28312	00 46 20.98	+00 41 43.0	21.3 V	691	1995 SA ₂₃	1995 09 19.30600	00 49 16.72	+00 51 09.9		691
1995 SS ₂₂	1995 09 19.30395	00 46 19.75	+00 41 41.3		691	1995 SA ₂₃	1995 09 24.29439	00 45 07.67	+00 21 49.3		691
1995 SS ₂₂	1995 09 25.30770	00 40 27.07	+00 33 02.2		691	1995 SA ₂₃	1995 09 24.31520	00 45 06.50	+00 21 41.7	20.0 V	691
1995 SS ₂₂	1995 09 25.32857	00 40 25.80	+00 33 00.1	21.3 V	691	1995 SA ₂₃	1995 09 24.33611	00 45 05.40	+00 21 34.4		691
1995 SS ₂₂	1995 09 25.34945	00 40 24.50	+00 32 58.4		691	1995 SB ₂₃	* 1995 09 19.26499	00 50 16.72	+00 40 04.4		691
1995 ST ₂₂	* 1995 09 19.26233	00 46 26.20	+00 37 44.4		691	1995 SB ₂₃	1995 09 19.28583	00 50 15.62	+00 40 05.3		691
1995 ST ₂₂	1995 09 19.28317	00 46 25.04	+00 37 41.5	21.0 V	691	1995 SB ₂₃	1995 09 19.30667	00 50 14.47	+00 40 05.6	21.2 V	691
1995 ST ₂₂	1995 09 19.30400	00 46 23.91	+00 37 38.7		691	1995 SB ₂₃	1995 09 30.30365	00 40 10.08	+00 47 24.2		691
1995 ST ₂₂	1995 09 24.29208	00 41 48.11	+00 25 04.7		691	1995 SB ₂₃	1995 09 30.32583	00 40 08.73	+00 47 26.1	21.2 V	691
1995 ST ₂₂	1995 09 24.31289	00 41 46.86	+00 25 01.6		691	1995 SB ₂₃	1995 09 30.34696	00 40 07.47	+00 47 26.5		691
1995 ST ₂₂	1995 09 24.33380	00 41 45.62	+00 24 58.2	20.6 V	691	1995 SC ₂₃	* 1995 09 19.26520	00 50 34.51	+00 35 09.4		691
1995 ST ₂₂	1995 09 30.18175	00 35 59.01	+00 09 53.9	20.8 V	691	1995 SC ₂₃	1995 09 19.28604	00 50 33.54	+00 35 04.9	20.0 V	691
1995 ST ₂₂	1995 09 30.20394	00 35 57.62	+00 09 50.6		691	1995 SC ₂₃	1995 09 19.30687	00 50 32.47	+00 35 00.5		691
1995 ST ₂₂	1995 09 30.22623	00 35 56.21	+00 09 47.2		691	1995 SC ₂₃	1995 09 24.29539	00 46 34.40	+00 15 53.5	19.8 V	691
1995 SU ₂₂	* 1995 09 19.26237	00 46 29.13	+00 38 51.6		691	1995 SC ₂₃	1995 09 24.31620	00 46 33.25	+00 15 48.8		691
1995 SU ₂₂	1995 09 19.28321	00 46 28.07	+00 38 45.9		691	1995 SC ₂₃	1995 09 24.33711	00 46 32.14	+00 15 43.8		691
1995 SU ₂₂	1995 09 19.30404	00 46 27.00	+00 38 40.1	17.3 V	691	1995 SD ₂₃	* 1995 09 19.26591	00 51 35.89	+00 44 00.4	20.1 V	691
1995 SU ₂₂	1995 09 24.29241	00 42 16.43	+00 15 12.1		691	1995 SD ₂₃	1995 09 19.30758	00 51 33.70	+00 43 51.5		691
1995 SU ₂₂	1995 09 24.31322	00 42 15.24	+00 15 06.1	17.1 V	691	1995 SD ₂₃	1995 09 24.29579	00 47 09.29	+00 25 46.8		691
1995 SU ₂₂	1995 09 24.33413	00 42 14.11	+00 15 00.3		691	1995 SD ₂₃	1995 09 24.31660	00 47 08.05	+00 25 42.2		691
1995 SV ₂₂	* 1995 09 19.26237	00 46 29.55	+01 03 29.3	18.9 V	691	1995 SD ₂₃	1995 09 24.33751	00 47 06.87	+00 25 37.6	19.9 V	691
1995 SV ₂₂	1995 09 19.28321	00 46 28.34	+01 03 25.0		691	1995 SE ₂₃	* 1995 09 19.26594	00 51 38.41	+00 36 08.7	18.1 V	691
1995 SV ₂₂	1995 09 19.30404	00 46 27.13	+01 03 20.7		691	1995 SE ₂₃	1995 09 19.28678	00 51 37.43	+00 36 05.3		691
1995 SV ₂₂	1995 09 25.30781	00 40 36.68	+00 41 32.3		691	1995 SE ₂₃	1995 09 19.30761	00 51 36.42	+00 36 01.6		691
1995 SV ₂₂	1995 09 25.32868	00 40 35.41	+00 41 27.3	18.6 V	691	1995 SE ₂₃	1995 09 24.29613	00 47 38.44	+00 21 30.4	17.8 V	691
1995 SV ₂₂	1995 09 25.34956	00 40 34.10	+00 41 22.9		691	1995 SE ₂₃	1995 09 24.31694	00 47 37.32	+00 21 26.7		691
1995 SW ₂₂	* 1995 09 19.26281	00 47 07.69	+00 56 11.4		691	1995 SE ₂₃	1995 09 24.33785	00 47 36.22	+00 21 23.0		691
1995 SW ₂₂	1995 09 19.28365	00 47 06.44	+00 56 07.6	19.7 V	691	1995 SF ₂₃	* 1995 09 19.26738	00 53 43.45	+00 52 04.5	21.4 V	691
1995 SW ₂₂	1995 09 19.30448	00 47 05.19	+00 56 03.8		691	1995 SF ₂₃	1995 09 19.28822	00 53 42.60	+00 51 55.9		691
1995 SW ₂₂	1995 09 25.30816	00 41 06.76	+00 36 47.3		691	1995 SF ₂₃	1995 09 19.30906	00 53 41.72	+00 51 47.2		691
1995 SW ₂₂	1995 09 25.32903	00 41 05.46	+00 36 43.1	19.3 V	691	1995 SF ₂₃	1995 09 24.29787	00 50 09.04	+00 13 48.2	21.2 V	691
1995 SW ₂₂	1995 09 25.34990	00 41 04.14	+00 36 39.1		691	1995 SF ₂₃	1995 09 24.31868	00 50 08.03	+00 13 38.6		691
1995 SX ₂₂	* 1995 09 19.26297	00 47 21.41	+00 47 43.8		691	1995 SF ₂₃	1995 09 24.33959	00 50 07.07	+00 13 29.1		691
1995 SX ₂₂	1995 09 19.28381	00 47 20.57	+00 47 35.9	21.1 V	691	1995 SG ₂₃	* 1995 09 19.26765	00 54 07.04	+00 37 54.3		691
1995 SX ₂₂	1995 09 19.30465	00 47 19.74	+00 47 28.1		691	1995 SG ₂₃	1995 09 19.28849	00 54 05.98	+00 37 53.7		691
1995 SX ₂₂	1995 09 24.29361	00 44 00.55	+00 15 18.7		691	1995 SG ₂₃	1995 09 19.30933	00 54 04.90	+00 37 52.4	20.7 V	691
1995 SX ₂₂	1995 09 24.31442	00 43 59.61	+00 15 10.1		691	1995 SG ₂₃	1995 09 30.18756	00 44 22.54	+00 28 36.0		691
1995 SX ₂₂	1995 09 24.33534	00 43 58.73	+00 15 02.5	20.7 V	691	1995 SG ₂₃	1995 09 30.20976	00 44 21.28	+00 28 35.5	20.4 V	691
1995 SY ₂₂	* 1995 09 19.26392	00 48 43.53	+00 48 50.7	20.0 V	691	1995 SG ₂₃	1995 09 30.23205	00 44 19.99	+00 28 34.1		691
1995 SY ₂₂	1995 09 19.28476	00 48 42.61	+00 48 42.9		691	1995 SH ₂₃	* 1995 09 19.26772	00 54 13.07	+00 43 18.9		691
1995 SY ₂₂	1995 09 19.30559	00 48 41.71	+00 48 34.8		691	1995 SH ₂₃	1995 09 19.28856	00 54 12.14	+00 43 10.4	21.0 V	691
1995 SY ₂₂	1995 09 24.29436	00 45 05.53	+00 16 15.8		691	1995 SH ₂₃	1995 09 19.30940	00 54 11.19	+00 43 01.7		691
1995 SY ₂₂	1995 09 24.31517	00 45 04.54	+00 16 08.0	19.9 V	691	1995 SH ₂₃	1995 09 24.29804	00 50 23.86	+00 09 07.5	20.7 V	691
1995 SY ₂₂	1995 09 24.33609	00 45 03.59	+00 15 59.7		691	1995 SH ₂₃	1995 09 24.31885	00 50 22.80	+00 08 58.9		691
1995 SZ ₂₂	* 1995 09 19.26419	00 49 07.20	+00 58 35.0	19.3 V	691	1995 SH ₂₃	1995 09 24.33976	00 50 21.77	+00 08 50.4		691
1995 SZ ₂₂	1995 09 19.28503	00 49 06.17	+00 58 26.2		691	1995 SJ ₂₃	* 1995 09 19.26846	00 55 16.94	+00 40 29.9	18.6 V	691
1995 SZ ₂₂	1995 09 19.30586	00 49 05.13	+00 58 17.4		691	1995 SJ ₂₃	1995 09 19.28930	00 55 15.86	+00 40 25.5		691
1995 SZ ₂₂	1995 09 24.29429	00 44 58.98	+00 22 52.8	18.9 V	691	1995 SJ ₂₃	1995 09 19.31013	00 55 14.77	+00 40 21.3		691
1995 SZ ₂₂	1995 09 24.31509	00 44 57.81	+00 22 44.0		691	1995 SJ ₂₃	1995 09 24.29841	00 50 56.33	+00 23 24.0	18.4 V	691
1995 SZ ₂₂	1995 09 24.33601	00 44 56.72	+00 22 34.9		691	1995 SJ ₂₃	1995 09 24.31922	00 50 55.12	+00 23 19.7		691
1995 SA ₂₃	* 1995 09 19.26433	00 49 18.78	+00 51 24.1		691	1995 SJ ₂₃	1995 09 24.34013	00 50 53.95	+00 23 15.2		691

1995 SK ₂₃	* 1995 09 19.26847	00 55 17.53	+00 55 16.7	18.2 V	691	1995 SR ₂₃	1995 09 24.32116	00 53 43.03	+00 13 25.8	691
1995 SK ₂₃	1995 09 19.28931	00 55 16.51	+00 55 14.3		691	1995 SR ₂₃	1995 09 24.34208	00 53 42.10	+00 13 17.3	691
1995 SK ₂₃	1995 09 19.31014	00 55 15.49	+00 55 12.1		691	1995 SS ₂₃	* 1995 09 19.33634	23 18 42.92	-01 14 45.8	691
1995 SK ₂₃	1995 09 25.31449	00 50 14.43	+00 43 43.9	17.7 V	691	1995 SS ₂₃	1995 09 19.34177	23 18 42.76	-01 14 55.7	19.3 V 691
1995 SK ₂₃	1995 09 25.33536	00 50 13.29	+00 43 41.4		691	1995 SS ₂₃	1995 09 19.34715	23 18 42.60	-01 15 05.5	691
1995 SK ₂₃	1995 09 25.35623	00 50 12.15	+00 43 38.9		691	1995 SS ₂₃	1995 09 21.39301	23 17 48.68	-02 16 16.2	19.2 V 691
1995 SK ₂₃	1995 09 30.30752	00 45 45.05	+00 33 55.1		691	1995 SS ₂₃	1995 09 21.39753	23 17 48.56	-02 16 24.1	691
1995 SK ₂₃	1995 09 30.32970	00 45 43.79	+00 33 52.5	17.8 V	691	1995 SS ₂₃	1995 09 21.40760	23 17 48.20	-02 16 39.5	691
1995 SK ₂₃	1995 09 30.35083	00 45 42.57	+00 33 49.9		691	1995 ST ₂₃	* 1995 09 19.35640	00 36 28.97	+01 23 48.7	691
1995 SL ₂₃	* 1995 09 19.26867	00 55 34.96	+00 58 21.3		691	1995 ST ₂₃	1995 09 19.37726	00 36 28.07	+01 23 33.7	20.5 V 691
1995 SL ₂₃	1995 09 19.28951	00 55 33.92	+00 58 19.9	21.3 V	691	1995 ST ₂₃	1995 09 19.39899	00 36 27.13	+01 23 17.5	691
1995 SL ₂₃	1995 09 19.31034	00 55 32.81	+00 58 18.4		691	1995 ST ₂₃	1995 09 24.28606	00 32 58.96	+00 22 37.1	691
1995 SL ₂₃	1995 09 25.31455	00 50 20.25	+00 51 40.5		691	1995 ST ₂₃	1995 09 24.30688	00 32 58.03	+00 22 21.2	20.5 V 691
1995 SL ₂₃	1995 09 25.33542	00 50 19.10	+00 51 38.9	21.0 V	691	1995 ST ₂₃	1995 09 24.32780	00 32 57.05	+00 22 05.3	691
1995 SL ₂₃	1995 09 25.35630	00 50 17.94	+00 51 38.1		691	1995 SU ₂₃	* 1995 09 19.35793	00 38 41.36	+01 26 43.1	691
1995 SL ₂₃	1995 09 30.30753	00 45 46.02	+00 46 01.3		691	1995 SU ₂₃	1995 09 19.37879	00 38 40.40	+01 26 34.6	691
1995 SL ₂₃	1995 09 30.32971	00 45 44.76	+00 45 59.9		691	1995 SU ₂₃	1995 09 19.40052	00 38 39.41	+01 26 26.1	20.6 V 691
1995 SL ₂₃	1995 09 30.35084	00 45 43.54	+00 45 58.4	21.3 V	691	1995 SU ₂₃	1995 09 25.30335	00 34 09.68	+00 45 29.8	20.3 V 691
1995 SM ₂₃	* 1995 09 19.26898	00 56 01.56	+00 39 17.4		691	1995 SU ₂₃	1995 09 25.32422	00 34 08.65	+00 45 20.2	691
1995 SM ₂₃	1995 09 19.28982	00 56 00.64	+00 39 13.5	20.8 V	691	1995 SU ₂₃	1995 09 25.34509	00 34 07.61	+00 45 11.4	691
1995 SM ₂₃	1995 09 19.31065	00 55 59.65	+00 39 09.6		691	1995 SV ₂₃	* 1995 09 19.35832	00 39 15.37	+01 29 37.9	20.5 V 691
1995 SM ₂₃	1995 09 24.29915	00 52 00.38	+00 23 02.2		691	1995 SV ₂₃	1995 09 19.37918	00 39 14.40	+01 29 29.4	691
1995 SM ₂₃	1995 09 24.31996	00 51 59.18	+00 22 58.4		691	1995 SV ₂₃	1995 09 19.40091	00 39 13.41	+01 29 20.3	691
1995 SM ₂₃	1995 09 24.34087	00 51 58.06	+00 22 53.9	20.4 V	691	1995 SV ₂₃	1995 09 25.30373	00 34 43.22	+00 48 24.9	691
1995 SN ₂₃	* 1995 09 19.26898	00 56 02.01	+00 47 55.3	20.0 V	691	1995 SV ₂₃	1995 09 25.32460	00 34 42.18	+00 48 15.8	20.3 V 691
1995 SN ₂₃	1995 09 19.28982	00 56 01.07	+00 47 49.0		691	1995 SV ₂₃	1995 09 25.34548	00 34 41.12	+00 48 06.8	691
1995 SN ₂₃	1995 09 19.31066	00 56 00.14	+00 47 43.1		691	1995 SW ₂₃	* 1995 09 19.35870	00 39 48.01	+01 10 07.2	20.9 V 691
1995 SN ₂₃	1995 09 24.29932	00 52 14.48	+00 23 16.0		691	1995 SW ₂₃	1995 09 19.37956	00 39 46.97	+01 10 02.6	691
1995 SN ₂₃	1995 09 24.32012	00 52 13.40	+00 23 10.0	20.1 V	691	1995 SW ₂₃	1995 09 19.40129	00 39 45.89	+01 09 57.6	691
1995 SN ₂₃	1995 09 24.34104	00 52 12.33	+00 23 03.5		691	1995 SW ₂₃	1995 09 25.30387	00 34 55.40	+00 47 49.7	691
1995 SO ₂₃	* 1995 09 19.26900	00 56 03.46	+00 42 03.5		691	1995 SW ₂₃	1995 09 25.32474	00 34 54.30	+00 47 44.7	20.6 V 691
1995 SO ₂₃	1995 09 19.28984	00 56 02.60	+00 41 56.9	20.7 V	691	1995 SW ₂₃	1995 09 25.34562	00 34 53.18	+00 47 39.7	691
1995 SO ₂₃	1995 09 19.31068	00 56 01.69	+00 41 50.5		691	1995 SX ₂₃	* 1995 09 19.35910	00 40 22.78	+01 19 45.9	691
1995 SO ₂₃	1995 09 24.29950	00 52 30.26	+00 16 01.7	20.3 V	691	1995 SX ₂₃	1995 09 19.37996	00 40 21.75	+01 19 37.5	19.7 V 691
1995 SO ₂₃	1995 09 24.32031	00 52 29.27	+00 15 55.1		691	1995 SX ₂₃	1995 09 19.40169	00 40 20.70	+01 19 28.8	691
1995 SO ₂₃	1995 09 24.34122	00 52 28.32	+00 15 48.5		691	1995 SX ₂₃	1995 09 25.30432	00 35 34.11	+00 39 08.3	691
1995 SP ₂₃	* 1995 09 19.26928	00 56 27.73	+00 36 40.6		691	1995 SX ₂₃	1995 09 25.32519	00 35 33.01	+00 38 59.4	19.3 V 691
1995 SP ₂₃	1995 09 19.29012	00 56 26.92	+00 36 33.5	20.4 V	691	1995 SX ₂₃	1995 09 25.34607	00 35 31.92	+00 38 50.8	691
1995 SP ₂₃	1995 09 19.31096	00 56 26.13	+00 36 27.9		691	1995 SY ₂₃	* 1995 09 19.35928	00 40 38.09	+01 23 23.8	21.3 V 691
1995 SP ₂₃	1995 09 24.29999	00 53 13.02	+00 11 13.9	20.4 V	691	1995 SY ₂₃	1995 09 19.38014	00 40 37.03	+01 23 19.7	691
1995 SP ₂₃	1995 09 24.32080	00 53 12.19	+00 11 07.2		691	1995 SY ₂₃	1995 09 19.40186	00 40 35.96	+01 23 15.6	691
1995 SP ₂₃	1995 09 24.34172	00 53 11.29	+00 11 00.6		691	1995 SY ₂₃	1995 09 25.30441	00 35 42.12	+01 03 32.9	691
1995 SQ ₂₃	* 1995 09 19.26939	00 56 37.32	+00 43 30.0	20.5 V	691	1995 SY ₂₃	1995 09 25.32528	00 35 40.98	+01 03 28.5	21.0 V 691
1995 SQ ₂₃	1995 09 19.29023	00 56 36.46	+00 43 21.7		691	1995 SY ₂₃	1995 09 25.34616	00 35 39.89	+01 03 23.8	691
1995 SQ ₂₃	1995 09 19.31107	00 56 35.59	+00 43 13.5		691	1995 SZ ₂₃	* 1995 09 19.35993	00 41 34.03	+01 24 52.1	20.9 V 691
1995 SQ ₂₃	1995 09 24.29990	00 53 04.71	+00 10 20.1		691	1995 SZ ₂₃	1995 09 19.38078	00 41 32.72	+01 24 52.5	691
1995 SQ ₂₃	1995 09 24.32071	00 53 03.77	+00 10 11.7		691	1995 SZ ₂₃	1995 09 19.40250	00 41 31.36	+01 24 53.0	691
1995 SQ ₂₃	1995 09 24.34162	00 53 02.80	+00 10 03.4	20.2 V	691	1995 SZ ₂₃	1995 09 25.36750	00 35 23.93	+01 26 24.9	20.6 V 691
1995 SR ₂₃	* 1995 09 19.26978	00 57 10.84	+00 47 08.2	19.7 V	691	1995 SZ ₂₃	1995 09 25.38839	00 35 22.50	+01 26 25.1	691
1995 SR ₂₃	1995 09 19.29062	00 57 09.99	+00 46 59.8		691	1995 SZ ₂₃	1995 09 25.40925	00 35 21.12	+01 26 25.4	691
1995 SR ₂₃	1995 09 19.31145	00 57 09.15	+00 46 51.7		691	1995 SA ₂₄	* 1995 09 19.35995	00 41 36.20	+01 12 23.5	20.4 V 691
1995 SR ₂₃	1995 09 24.30035	00 53 43.94	+00 13 34.2	19.5 V	691	1995 SA ₂₄	1995 09 19.38081	00 41 35.22	+01 12 15.9	691

1995 SA ₂₄	1995 09 19.40254	00 41 34.27	+01 12 07.8		691	1995 SG ₂₄	1995 09 25.35002	00 41 14.38	+01 04 00.8		691
1995 SA ₂₄	1995 09 25.32625	00 37 04.68	+00 35 40.1		691	1995 SG ₂₄	1995 09 30.30274	00 38 51.55	+00 49 22.6		691
1995 SA ₂₄	1995 09 25.34713	00 37 03.65	+00 35 32.1	20.2 V	691	1995 SG ₂₄	1995 09 30.32493	00 38 50.90	+00 49 18.6	20.6 V	691
1995 SA ₂₄	1995 09 30.17984	00 33 13.91	+00 05 24.8		691	1995 SG ₂₄	1995 09 30.34607	00 38 50.27	+00 49 14.7		691
1995 SA ₂₄	1995 09 30.22435	00 33 11.63	+00 05 08.2	20.0 V	691	1995 SH ₂₄	* 1995 09 19.36163	00 44 01.55	+01 26 24.5	20.4 V	691
1995 SB ₂₄	* 1995 09 19.36009	00 41 48.27	+01 14 22.7		691	1995 SH ₂₄	1995 09 19.38249	00 44 00.57	+01 26 23.8		691
1995 SB ₂₄	1995 09 19.38095	00 41 47.30	+01 14 06.8	21.0 V	691	1995 SH ₂₄	1995 09 19.40422	00 43 59.52	+01 26 23.2		691
1995 SB ₂₄	1995 09 19.40268	00 41 46.28	+01 13 49.0		691	1995 SH ₂₄	1995 09 25.37015	00 39 13.19	+01 23 04.3		691
1995 SB ₂₄	1995 09 24.28952	00 38 06.15	+00 10 22.7	20.9 V	691	1995 SH ₂₄	1995 09 25.39104	00 39 12.12	+01 23 03.3	20.2 V	691
1995 SB ₂₄	1995 09 24.31033	00 38 05.16	+00 10 06.5		691	1995 SH ₂₄	1995 09 25.41190	00 39 11.06	+01 23 02.5		691
1995 SB ₂₄	1995 09 24.33124	00 38 04.11	+00 09 50.5		691	1995 SH ₂₄	1995 09 30.36485	00 35 01.71	+01 20 01.8		691
1995 SC ₂₄	* 1995 09 19.36010	00 41 49.10	+01 08 39.7	20.9 V	691	1995 SH ₂₄	1995 09 30.38603	00 35 00.61	+01 20 01.0	20.7 V	691
1995 SC ₂₄	1995 09 19.38096	00 41 48.51	+01 08 35.4		691	1995 SH ₂₄	1995 09 30.40680	00 34 59.51	+01 20 00.6		691
1995 SC ₂₄	1995 09 19.40270	00 41 47.92	+01 08 30.9		691	1995 SJ ₂₄	* 1995 09 19.36181	00 44 16.99	+01 18 30.1	20.9 V	691
1995 SC ₂₄	1995 09 25.30675	00 39 04.77	+00 47 34.9		691	1995 SJ ₂₄	1995 09 19.38266	00 44 15.94	+01 18 23.4		691
1995 SC ₂₄	1995 09 25.32763	00 39 04.21	+00 47 30.2	20.6 V	691	1995 SJ ₂₄	1995 09 19.40439	00 44 14.68	+01 18 16.0		691
1995 SC ₂₄	1995 09 25.34851	00 39 03.60	+00 47 26.1		691	1995 SJ ₂₄	1995 09 25.30667	00 38 57.62	+00 45 07.3		691
1995 SC ₂₄	1995 09 30.18228	00 36 45.56	+00 30 10.1	20.8 V	691	1995 SJ ₂₄	1995 09 25.32754	00 38 56.48	+00 44 59.7	20.6 V	691
1995 SC ₂₄	1995 09 30.20449	00 36 44.89	+00 30 06.3		691	1995 SJ ₂₄	1995 09 25.34841	00 38 55.27	+00 44 52.8		691
1995 SC ₂₄	1995 09 30.22679	00 36 44.29	+00 30 01.0		691	1995 SJ ₂₄	1995 09 30.18064	00 34 23.39	+00 17 21.0		691
1995 SD ₂₄	* 1995 09 19.36063	00 42 35.35	+01 20 41.4	17.9 V	691	1995 SJ ₂₄	1995 09 30.20284	00 34 22.09	+00 17 13.0		691
1995 SD ₂₄	1995 09 19.38149	00 42 34.43	+01 20 32.6		691	1995 SJ ₂₄	1995 09 30.22513	00 34 20.76	+00 17 05.7	20.9 V	691
1995 SD ₂₄	1995 09 19.40322	00 42 33.47	+01 20 23.3		691	1995 SK ₂₄	* 1995 09 19.36183	00 44 18.84	+01 14 33.8		691
1995 SD ₂₄	1995 09 25.30617	00 38 14.60	+00 37 55.9	17.2 V	691	1995 SK ₂₄	1995 09 19.38269	00 44 17.91	+01 14 28.7	21.2 V	691
1995 SD ₂₄	1995 09 25.32705	00 38 13.57	+00 37 46.6		691	1995 SK ₂₄	1995 09 19.40442	00 44 16.94	+01 14 22.6		691
1995 SD ₂₄	1995 09 25.34792	00 38 12.58	+00 37 37.5		691	1995 SK ₂₄	1995 09 25.30738	00 39 58.77	+00 48 03.0		691
1995 SD ₂₄	1995 09 30.18072	00 34 30.53	+00 02 39.8	17.7 V	691	1995 SK ₂₄	1995 09 25.32825	00 39 57.84	+00 47 57.0	20.3 V	691
1995 SD ₂₄	1995 09 30.20293	00 34 29.47	+00 02 30.2		691	1995 SK ₂₄	1995 09 25.34913	00 39 56.86	+00 47 51.5		691
1995 SD ₂₄	1995 09 30.22522	00 34 28.40	+00 02 20.8		691	1995 SL ₂₄	* 1995 09 19.36185	00 44 20.91	+01 32 45.8	20.7 V	691
1995 SE ₂₄	* 1995 09 19.36091	00 42 59.03	+01 35 10.4	19.7 V	691	1995 SL ₂₄	1995 09 19.38271	00 44 19.80	+01 32 41.5		691
1995 SE ₂₄	1995 09 19.38176	00 42 57.98	+01 35 06.1		691	1995 SL ₂₄	1995 09 19.40444	00 44 18.64	+01 32 36.6		691
1995 SE ₂₄	1995 09 19.40349	00 42 56.87	+01 35 01.5		691	1995 SL ₂₄	1995 09 30.29977	00 34 34.00	+00 53 07.7		691
1995 SE ₂₄	1995 09 25.36921	00 37 51.47	+01 13 56.1		691	1995 SL ₂₄	1995 09 30.32195	00 34 32.72	+00 53 02.9	20.6 V	691
1995 SE ₂₄	1995 09 25.39010	00 37 50.30	+01 13 51.5	19.4 V	691	1995 SL ₂₄	1995 09 30.34308	00 34 31.54	+00 52 57.9		691
1995 SE ₂₄	1995 09 25.41096	00 37 49.15	+01 13 47.0		691	1995 SM ₂₄	* 1995 09 19.36190	00 44 24.70	+01 36 08.2	19.6 V	691
1995 SE ₂₄	1995 09 30.29894	00 33 22.25	+00 55 49.0		691	1995 SM ₂₄	1995 09 19.38276	00 44 23.81	+01 36 03.1		691
1995 SE ₂₄	1995 09 30.32112	00 33 20.98	+00 55 44.0	19.4 V	691	1995 SM ₂₄	1995 09 19.40448	00 44 22.87	+01 35 57.5		691
1995 SE ₂₄	1995 09 30.34225	00 33 19.76	+00 55 39.3		691	1995 SM ₂₄	1995 09 25.37077	00 40 07.22	+01 10 24.8	19.2 V	691
1995 SF ₂₄	* 1995 09 19.36111	00 43 16.23	+01 29 01.0		691	1995 SM ₂₄	1995 09 25.39167	00 40 06.27	+01 10 19.3		691
1995 SF ₂₄	1995 09 19.38196	00 43 15.32	+01 28 52.5		691	1995 SM ₂₄	1995 09 25.41253	00 40 05.33	+01 10 13.9		691
1995 SF ₂₄	1995 09 19.40369	00 43 14.37	+01 28 43.8	20.0 V	691	1995 SN ₂₄	* 1995 09 19.36255	00 45 21.03	+01 17 15.7		691
1995 SF ₂₄	1995 09 25.30667	00 38 57.66	+00 46 54.7		691	1995 SN ₂₄	1995 09 19.38341	00 45 20.11	+01 17 09.0	19.1 V	691
1995 SF ₂₄	1995 09 25.32754	00 38 56.66	+00 46 45.4	19.4 V	691	1995 SN ₂₄	1995 09 19.40513	00 45 19.15	+01 17 02.0		691
1995 SF ₂₄	1995 09 25.34842	00 38 55.63	+00 46 36.4		691	1995 SN ₂₄	1995 09 25.30808	00 40 59.73	+00 44 54.9		691
1995 SF ₂₄	1995 09 30.18112	00 35 05.05	+00 11 16.1	19.6 V	691	1995 SN ₂₄	1995 09 25.32895	00 40 58.71	+00 44 47.5	18.5 V	691
1995 SF ₂₄	1995 09 30.20332	00 35 03.90	+00 11 05.8		691	1995 SN ₂₄	1995 09 25.34983	00 40 57.66	+00 44 40.3		691
1995 SF ₂₄	1995 09 30.22562	00 35 02.76	+00 10 56.2		691	1995 SO ₂₄	* 1995 09 19.36324	00 46 21.09	+01 21 30.9	20.9 V	691
1995 SG ₂₄	* 1995 09 19.36163	00 44 01.27	+01 21 34.6		691	1995 SO ₂₄	1995 09 19.38410	00 46 20.05	+01 21 26.1		691
1995 SG ₂₄	1995 09 19.38249	00 44 00.68	+01 21 30.7	20.7 V	691	1995 SO ₂₄	1995 09 19.40583	00 46 18.94	+01 21 21.5		691
1995 SG ₂₄	1995 09 19.40422	00 44 00.05	+01 21 26.8		691	1995 SO ₂₄	1995 09 25.30835	00 41 23.18	+00 57 51.4		691
1995 SG ₂₄	1995 09 25.30826	00 41 15.51	+01 04 09.0		691	1995 SO ₂₄	1995 09 25.32922	00 41 22.13	+00 57 45.8	20.5 V	691
1995 SG ₂₄	1995 09 25.32914	00 41 14.94	+01 04 04.7	20.5 V	691	1995 SO ₂₄	1995 09 25.35010	00 41 20.97	+00 57 40.6		691

1995 SP ₂₄	* 1995 09 19.36434	00 47 56.15	+01 07 46.7		691	1995 SV ₂₄	1995 09 25.33300	00 46 49.02	+00 57 23.8		691
1995 SP ₂₄	1995 09 19.38520	00 47 55.37	+01 07 32.7	18.0 V	691	1995 SV ₂₄	1995 09 25.35387	00 46 48.06	+00 57 19.3		691
1995 SP ₂₄	1995 09 19.40693	00 47 54.55	+01 07 17.9		691	1995 SV ₂₄	1995 09 30.30558	00 42 57.27	+00 39 25.7	18.3 V	691
1995 SP ₂₄	1995 09 24.29427	00 44 57.57	+00 11 26.3	17.8 V	691	1995 SV ₂₄	1995 09 30.32776	00 42 56.18	+00 39 20.9		691
1995 SP ₂₄	1995 09 24.31508	00 44 56.64	+00 11 12.0		691	1995 SV ₂₄	1995 09 30.34890	00 42 55.14	+00 39 16.4		691
1995 SP ₂₄	1995 09 24.33600	00 44 55.78	+00 10 57.5		691	1995 SW ₂₄	* 1995 09 19.36663	00 51 14.72	+01 30 01.5		691
1995 SQ ₂₄	* 1995 09 19.36436	00 47 57.74	+01 11 16.7	20.9 V	691	1995 SW ₂₄	1995 09 19.38749	00 51 13.54	+01 29 58.8		691
1995 SQ ₂₄	1995 09 19.38522	00 47 56.79	+01 11 11.1		691	1995 SW ₂₄	1995 09 19.40921	00 51 12.32	+01 29 55.9	19.7 V	691
1995 SQ ₂₄	1995 09 19.40694	00 47 55.82	+01 11 05.1		691	1995 SW ₂₄	1995 09 25.37451	00 45 30.65	+01 16 13.2		691
1995 SQ ₂₄	1995 09 25.30982	00 43 29.89	+00 44 33.1	20.4 V	691	1995 SW ₂₄	1995 09 25.39540	00 45 29.37	+01 16 10.1	19.3 V	691
1995 SQ ₂₄	1995 09 25.33069	00 43 28.88	+00 44 27.0		691	1995 SW ₂₄	1995 09 25.41626	00 45 28.05	+01 16 07.2		691
1995 SQ ₂₄	1995 09 25.35156	00 43 27.88	+00 44 21.5		691	1995 SX ₂₄	* 1995 09 19.36688	00 51 36.49	+01 06 51.2		691
1995 SQ ₂₄	1995 09 30.18427	00 39 37.83	+00 22 16.4		691	1995 SX ₂₄	1995 09 19.38774	00 51 35.52	+01 06 47.9		691
1995 SQ ₂₄	1995 09 30.20648	00 39 36.75	+00 22 10.4	21.1 V	691	1995 SX ₂₄	1995 09 19.40947	00 51 34.57	+01 06 44.7	21.0 V	691
1995 SQ ₂₄	1995 09 30.22877	00 39 35.66	+00 22 05.2		691	1995 SX ₂₄	1995 09 25.31228	00 47 03.23	+00 52 17.4		691
1995 SR ₂₄	* 1995 09 19.36447	00 48 07.95	+01 16 49.2		691	1995 SX ₂₄	1995 09 25.33315	00 47 02.22	+00 52 14.4	20.6 V	691
1995 SR ₂₄	1995 09 19.38533	00 48 07.03	+01 16 41.1	20.0 V	691	1995 SX ₂₄	1995 09 25.35403	00 47 01.18	+00 52 11.3		691
1995 SR ₂₄	1995 09 19.40706	00 48 06.07	+01 16 32.3		691	1995 SX ₂₄	1995 09 30.30562	00 43 01.18	+00 39 48.1		691
1995 SR ₂₄	1995 09 25.31001	00 43 46.73	+00 36 57.1	19.2 V	691	1995 SX ₂₄	1995 09 30.32781	00 43 00.07	+00 39 45.3		691
1995 SR ₂₄	1995 09 25.33088	00 43 45.75	+00 36 48.4		691	1995 SX ₂₄	1995 09 30.34894	00 42 58.96	+00 39 42.2	20.7 V	691
1995 SR ₂₄	1995 09 25.35176	00 43 44.76	+00 36 40.1		691	1995 SY ₂₄	* 1995 09 19.36701	00 51 47.32	+01 12 38.7		691
1995 SR ₂₄	1995 09 30.18454	00 40 01.09	+00 04 01.4		691	1995 SY ₂₄	1995 09 19.38787	00 51 46.49	+01 12 32.7	21.0 V	691
1995 SR ₂₄	1995 09 30.20674	00 40 00.01	+00 03 52.6	19.4 V	691	1995 SY ₂₄	1995 09 19.40960	00 51 45.63	+01 12 27.1		691
1995 SR ₂₄	1995 09 30.22904	00 39 58.95	+00 03 44.0		691	1995 SY ₂₄	1995 09 25.31279	00 47 47.55	+00 43 55.6	20.9 V	691
1995 SS ₂₄	* 1995 09 19.36540	00 49 27.67	+01 25 04.8	20.3 V	691	1995 SY ₂₄	1995 09 25.33366	00 47 46.61	+00 43 49.7		691
1995 SS ₂₄	1995 09 19.38625	00 49 26.60	+01 24 58.8		691	1995 SY ₂₄	1995 09 25.35454	00 47 45.70	+00 43 43.2		691
1995 SS ₂₄	1995 09 19.40798	00 49 25.51	+01 24 52.2		691	1995 SY ₂₄	1995 09 30.18749	00 44 16.21	+00 19 51.0		691
1995 SS ₂₄	1995 09 25.31045	00 44 24.51	+00 54 43.7	20.0 V	691	1995 SY ₂₄	1995 09 30.20969	00 44 15.25	+00 19 44.3		691
1995 SS ₂₄	1995 09 25.33132	00 44 23.36	+00 54 37.1		691	1995 SY ₂₄	1995 09 30.23198	00 44 14.17	+00 19 37.7	20.7 V	691
1995 SS ₂₄	1995 09 25.35219	00 44 22.21	+00 54 30.7		691	1995 SZ ₂₄	* 1995 09 19.36705	00 51 50.87	+01 25 01.4	20.4 V	691
1995 SS ₂₄	1995 09 30.18454	00 40 01.21	+00 29 35.2		691	1995 SZ ₂₄	1995 09 19.38791	00 51 49.72	+01 25 01.3		691
1995 SS ₂₄	1995 09 30.20674	00 39 59.99	+00 29 28.2		691	1995 SZ ₂₄	1995 09 19.40963	00 51 48.55	+01 25 00.8		691
1995 SS ₂₄	1995 09 30.22903	00 39 58.73	+00 29 22.2	20.1 V	691	1995 SZ ₂₄	1995 09 25.37509	00 46 20.82	+01 22 59.7	19.8 V	691
1995 ST ₂₄	* 1995 09 19.36561	00 49 46.49	+01 27 56.0		691	1995 SZ ₂₄	1995 09 25.39598	00 46 19.64	+01 22 59.1		691
1995 ST ₂₄	1995 09 19.38647	00 49 45.40	+01 27 49.0	19.3 V	691	1995 SZ ₂₄	1995 09 25.41684	00 46 18.41	+01 22 58.7		691
1995 ST ₂₄	1995 09 19.40820	00 49 44.27	+01 27 41.5		691	1995 SZ ₂₄	1995 09 30.36942	00 41 36.66	+01 21 05.0		691
1995 ST ₂₄	1995 09 25.31062	00 44 39.15	+00 53 37.9	18.9 V	691	1995 SZ ₂₄	1995 09 30.39059	00 41 35.42	+01 21 05.0	20.1 V	691
1995 ST ₂₄	1995 09 25.33148	00 44 37.98	+00 53 30.5		691	1995 SZ ₂₄	1995 09 30.41136	00 41 34.21	+01 21 04.3		691
1995 ST ₂₄	1995 09 25.35236	00 44 36.79	+00 53 23.4		691	1995 SA ₂₅	* 1995 09 19.36849	00 53 55.65	+01 06 46.5	20.1 V	691
1995 SU ₂₄	* 1995 09 19.36615	00 50 32.80	+01 08 47.8	20.5 V	691	1995 SA ₂₅	1995 09 19.38935	00 53 54.58	+01 06 37.1		691
1995 SU ₂₄	1995 09 19.38700	00 50 31.72	+01 08 48.7		691	1995 SA ₂₅	1995 09 19.41108	00 53 53.55	+01 06 27.9		691
1995 SU ₂₄	1995 09 19.40873	00 50 30.62	+01 08 50.1		691	1995 SA ₂₅	1995 09 24.29765	00 49 50.37	+00 29 29.0		691
1995 SU ₂₄	1995 09 25.37446	00 45 26.84	+01 13 24.6		691	1995 SA ₂₅	1995 09 24.31846	00 49 49.30	+00 29 16.4	20.0 V	691
1995 SU ₂₄	1995 09 25.39536	00 45 25.66	+01 13 25.9	20.0 V	691	1995 SA ₂₅	1995 09 24.33937	00 49 48.15	+00 29 06.9		691
1995 SU ₂₄	1995 09 25.41621	00 45 24.48	+01 13 26.6		691	1995 SB ₂₅	* 1995 09 19.36853	00 53 59.09	+01 17 24.6	18.5 V	691
1995 SU ₂₄	1995 09 30.36891	00 40 52.63	+01 16 58.9	20.4 V	691	1995 SB ₂₅	1995 09 19.38939	00 53 57.87	+01 17 24.9		691
1995 SU ₂₄	1995 09 30.39008	00 40 51.37	+01 17 00.0		691	1995 SB ₂₅	1995 09 19.41111	00 53 56.61	+01 17 24.7		691
1995 SU ₂₄	1995 09 30.41085	00 40 50.16	+01 17 00.3		691	1995 SB ₂₅	1995 09 25.37632	00 48 07.18	+01 17 21.5	18.1 V	691
1995 SV ₂₄	* 1995 09 19.36659	00 51 11.17	+01 18 27.2		691	1995 SB ₂₅	1995 09 25.41806	00 48 04.49	+01 17 21.3		691
1995 SV ₂₄	1995 09 19.38745	00 51 10.26	+01 18 22.9	18.7 V	691	1995 SB ₂₅	1995 09 30.37028	00 42 51.10	+01 17 00.2	18.2 V	691
1995 SV ₂₄	1995 09 19.40918	00 51 09.33	+01 18 18.5		691	1995 SB ₂₅	1995 09 30.39145	00 42 49.67	+01 17 00.1		691
1995 SV ₂₄	1995 09 25.31213	00 46 50.00	+00 57 28.3	18.2 V	691	1995 SB ₂₅	1995 09 30.41222	00 42 48.29	+01 16 59.9		691

1995 SC ₂₅	* 1995 09 19.36859	00 54 04.15	+01 13 01.6	21.0 V	691	1995 SL ₂₅	* 1995 09 19.42181	01 15 32.18	+10 01 10.9		691
1995 SC ₂₅	1995 09 19.38945	00 54 03.19	+01 12 56.2		691	1995 SL ₂₅	1995 09 19.45087	01 15 30.93	+10 00 56.1	19.0 V	691
1995 SC ₂₅	1995 09 19.41118	00 54 02.26	+01 12 49.8		691	1995 SL ₂₅	1995 09 19.47970	01 15 29.71	+10 00 42.0		691
1995 SC ₂₅	1995 09 30.18851	00 45 44.42	+00 23 54.0		691	1995 SL ₂₅	1995 09 24.44376	01 11 48.58	+09 15 37.0	19.7 V	691
1995 SC ₂₅	1995 09 30.21071	00 45 43.34	+00 23 47.8	20.2 V	691	1995 SL ₂₅	1995 09 24.46490	01 11 47.49	+09 15 24.0		691
1995 SC ₂₅	1995 09 30.23300	00 45 42.20	+00 23 42.1		691	1995 SL ₂₅	1995 09 24.48602	01 11 46.42	+09 15 11.6		691
1995 SD ₂₅	* 1995 09 19.36948	00 55 21.25	+01 08 52.6		691	1995 SM ₂₅	* 1995 09 19.42253	01 16 33.72	+09 55 07.6	20.0 V	691
1995 SD ₂₅	1995 09 19.39034	00 55 20.52	+01 08 43.6	20.5 V	691	1995 SM ₂₅	1995 09 19.45158	01 16 32.52	+09 55 00.1		691
1995 SD ₂₅	1995 09 19.41207	00 55 19.77	+01 08 33.4		691	1995 SM ₂₅	1995 09 19.48041	01 16 31.33	+09 54 52.9		691
1995 SD ₂₅	1995 09 24.29955	00 52 34.82	+00 30 28.9	20.1 V	691	1995 SM ₂₅	1995 09 24.44452	01 13 00.46	+09 31 08.5	20.7 V	691
1995 SD ₂₅	1995 09 24.32036	00 52 33.96	+00 30 19.2		691	1995 SM ₂₅	1995 09 24.46565	01 12 59.48	+09 31 01.5		691
1995 SD ₂₅	1995 09 24.34128	00 52 33.15	+00 30 08.7		691	1995 SM ₂₅	1995 09 24.48677	01 12 58.51	+09 30 55.1		691
1995 SE ₂₅	* 1995 09 19.36972	00 55 42.46	+01 24 29.7		691	1995 SN ₂₅	* 1995 09 19.42423	01 19 01.16	+09 42 44.2		691
1995 SE ₂₅	1995 09 19.39058	00 55 41.54	+01 24 22.3	20.3 V	691	1995 SN ₂₅	1995 09 19.45328	01 18 59.97	+09 42 43.3	20.5 V	691
1995 SE ₂₅	1995 09 19.41231	00 55 40.63	+01 24 14.8		691	1995 SN ₂₅	1995 09 19.48211	01 18 58.75	+09 42 42.8		691
1995 SE ₂₅	1995 09 25.31523	00 51 18.67	+00 50 08.1		691	1995 SN ₂₅	1995 09 25.43148	01 14 42.75	+09 38 38.1	20.3 V	691
1995 SE ₂₅	1995 09 25.33610	00 51 17.68	+00 50 01.0	20.0 V	691	1995 SN ₂₅	1995 09 25.45258	01 14 41.68	+09 38 36.8		691
1995 SE ₂₅	1995 09 25.35698	00 51 16.67	+00 49 54.0		691	1995 SN ₂₅	1995 09 25.47377	01 14 40.73	+09 38 35.7		691
1995 SF ₂₅	* 1995 09 19.37025	00 56 28.37	+01 08 20.5	20.1 V	691	1995 SO ₂₅	* 1995 09 19.42434	01 19 10.70	+10 06 20.8	20.9 V	691
1995 SF ₂₅	1995 09 19.39111	00 56 27.49	+01 08 14.4		691	1995 SO ₂₅	1995 09 19.45339	01 19 09.44	+10 06 15.1		691
1995 SF ₂₅	1995 09 25.31595	00 52 21.24	+00 37 41.1	19.6 V	691	1995 SO ₂₅	1995 09 19.48222	01 19 08.16	+10 06 10.3		691
1995 SF ₂₅	1995 09 25.33682	00 52 20.30	+00 37 34.6		691	1995 SO ₂₅	1995 09 25.43147	01 14 41.89	+09 46 08.8		691
1995 SF ₂₅	1995 09 25.35770	00 52 19.35	+00 37 28.0		691	1995 SO ₂₅	1995 09 25.45257	01 14 40.81	+09 46 03.8		691
1995 SF ₂₅	1995 09 30.19059	00 48 44.76	+00 12 05.9		691	1995 SO ₂₅	1995 09 25.47376	01 14 39.80	+09 45 59.4	21.3 V	691
1995 SF ₂₅	1995 09 30.21279	00 48 43.72	+00 11 58.6		691	1995 SP ₂₅	* 1995 09 19.42451	01 19 25.71	+09 44 42.2	18.8 V	691
1995 SF ₂₅	1995 09 30.23508	00 48 42.70	+00 11 51.4	19.7 V	691	1995 SP ₂₅	1995 09 19.45357	01 19 24.68	+09 44 37.4		691
1995 SG ₂₅	* 1995 09 19.37090	00 57 24.62	+01 07 44.8	20.2 V	691	1995 SP ₂₅	1995 09 19.48240	01 19 23.66	+09 44 33.1		691
1995 SG ₂₅	1995 09 19.39176	00 57 23.56	+01 07 38.1		691	1995 SP ₂₅	1995 09 30.42759	01 12 13.69	+09 08 11.4		691
1995 SG ₂₅	1995 09 19.41349	00 57 22.48	+01 07 31.3		691	1995 SP ₂₅	1995 09 30.44865	01 12 12.72	+09 08 06.2	18.9 V	691
1995 SG ₂₅	1995 09 25.31597	00 52 23.17	+00 35 35.3	19.8 V	691	1995 SP ₂₅	1995 09 30.46982	01 12 11.76	+09 08 01.2		691
1995 SG ₂₅	1995 09 25.33684	00 52 21.96	+00 35 28.6		691	1995 SQ ₂₅	* 1995 09 19.42458	01 19 32.14	+10 00 32.4		691
1995 SG ₂₅	1995 09 25.35772	00 52 20.82	+00 35 21.1		691	1995 SQ ₂₅	1995 09 19.45364	01 19 30.78	+10 00 35.0		691
1995 SG ₂₅	1995 09 30.19000	00 47 53.66	+00 08 25.6		691	1995 SQ ₂₅	1995 09 19.48246	01 19 29.44	+10 00 38.4	20.2 V	691
1995 SG ₂₅	1995 09 30.21220	00 47 52.34	+00 08 18.2	20.1 V	691	1995 SQ ₂₅	1995 09 26.40466	01 13 50.94	+10 10 14.4		691
1995 SG ₂₅	1995 09 30.23449	00 47 51.05	+00 08 10.5		691	1995 SQ ₂₅	1995 09 26.42617	01 13 49.74	+10 10 15.5	20.6 V	691
1995 SH ₂₅	* 1995 09 19.37151	00 58 17.22	+01 07 48.1	20.9 V	691	1995 SQ ₂₅	1995 09 26.44733	01 13 48.63	+10 10 16.7		691
1995 SH ₂₅	1995 09 19.39237	00 58 16.36	+01 07 41.9		691	1995 SR ₂₅	* 1995 09 19.42508	01 20 15.10	+09 37 54.9		691
1995 SH ₂₅	1995 09 25.31718	00 54 07.31	+00 37 56.9		691	1995 SR ₂₅	1995 09 19.45414	01 20 14.01	+09 37 49.4	18.7 V	691
1995 SH ₂₅	1995 09 25.33805	00 54 06.37	+00 37 50.7	20.5 V	691	1995 SR ₂₅	1995 09 19.48297	01 20 12.95	+09 37 44.6		691
1995 SH ₂₅	1995 09 25.35893	00 54 05.42	+00 37 44.3		691	1995 SR ₂₅	1995 09 24.44732	01 17 03.26	+09 21 11.7	19.3 V	691
1995 SJ ₂₅	* 1995 09 19.42051	01 13 39.11	+09 50 09.4	19.8 V	691	1995 SR ₂₅	1995 09 24.46846	01 17 02.36	+09 21 07.1		691
1995 SJ ₂₅	1995 09 19.44956	01 13 37.76	+09 50 04.7		691	1995 SR ₂₅	1995 09 24.48958	01 17 01.47	+09 21 02.4		691
1995 SJ ₂₅	1995 09 19.47839	01 13 36.47	+09 50 00.8		691	1995 SS ₂₅	* 1995 09 19.42537	01 20 39.88	+09 53 23.0	20.4 V	691
1995 SJ ₂₅	1995 09 21.42795	01 12 09.31	+09 44 52.4		691	1995 SS ₂₅	1995 09 19.45443	01 20 38.90	+09 53 14.3		691
1995 SJ ₂₅	1995 09 21.43402	01 12 09.04	+09 44 51.6	20.2 V	691	1995 SS ₂₅	1995 09 19.48325	01 20 37.94	+09 53 05.6		691
1995 SJ ₂₅	1995 09 21.44132	01 12 08.67	+09 44 50.2		691	1995 SS ₂₅	1995 09 24.44778	01 17 43.32	+09 25 48.1		691
1995 SK ₂₅	* 1995 09 19.42172	01 15 24.18	+09 38 57.1		691	1995 SS ₂₅	1995 09 24.46892	01 17 42.46	+09 25 40.4		691
1995 SK ₂₅	1995 09 19.45078	01 15 23.18	+09 38 50.8	20.5 V	691	1995 SS ₂₅	1995 09 24.49004	01 17 41.62	+09 25 32.7	21.0 V	691
1995 SK ₂₅	1995 09 19.47961	01 15 22.27	+09 38 44.1		691	1995 ST ₂₅	* 1995 09 19.42539	01 20 42.01	+09 39 50.3	20.6 V	691
1995 SK ₂₅	1995 09 24.44420	01 12 32.90	+09 16 39.2		691	1995 ST ₂₅	1995 09 19.45445	01 20 41.10	+09 39 43.2		691
1995 SK ₂₅	1995 09 24.46534	01 12 32.05	+09 16 32.5	21.3 V	691	1995 ST ₂₅	1995 09 19.48328	01 20 40.20	+09 39 37.4		691
1995 SK ₂₅	1995 09 24.48646	01 12 31.24	+09 16 26.1		691	1995 ST ₂₅	1995 09 24.44799	01 18 01.12	+09 18 44.0	21.5 V	691

1995 ST ₂₅	1995 09 24.46912	01 18 00.30	+09 18 37.7	691	1995 SB ₂₆	* 1995 09 19.42659	01 22 25.76	+09 52 16.9	19.9 V	691
1995 ST ₂₅	1995 09 24.49025	01 17 59.48	+09 18 31.2	691	1995 SB ₂₆	1995 09 19.45565	01 22 24.76	+09 52 07.7		691
1995 SU ₂₅	* 1995 09 19.42546	01 20 47.88	+09 49 04.7	691	1995 SB ₂₆	1995 09 19.48448	01 22 23.71	+09 51 58.9		691
1995 SU ₂₅	1995 09 19.45452	01 20 46.88	+09 48 56.8	18.4 V	691	1995 SB ₂₆	1995 09 24.44886	01 19 16.72	+09 23 33.8	691
1995 SU ₂₅	1995 09 19.48335	01 20 45.91	+09 48 49.6	691	1995 SB ₂₆	1995 09 24.47000	01 19 15.81	+09 23 25.6	20.4 V	691
1995 SU ₂₅	1995 09 24.44789	01 17 52.31	+09 25 36.0	18.9 V	691	1995 SB ₂₆	1995 09 24.49112	01 19 14.91	+09 23 17.9	691
1995 SU ₂₅	1995 09 24.46902	01 17 51.51	+09 25 29.6	691	1995 SC ₂₆	* 1995 09 19.42672	01 22 37.41	+10 05 28.9	20.0 V	691
1995 SU ₂₅	1995 09 24.49015	01 17 50.71	+09 25 23.3	691	1995 SC ₂₆	1995 09 19.45578	01 22 36.06	+10 05 22.5		691
1995 SV ₂₅	* 1995 09 19.42619	01 21 51.01	+09 59 17.0	20.6 V	691	1995 SC ₂₆	1995 09 19.48460	01 22 34.76	+10 05 15.8	691
1995 SV ₂₅	1995 09 19.45524	01 21 49.67	+09 59 12.9	691	1995 SC ₂₆	1995 09 25.43360	01 17 46.09	+09 40 45.6	20.2 V	691
1995 SV ₂₅	1995 09 19.48407	01 21 48.36	+09 59 08.0	691	1995 SC ₂₆	1995 09 25.45470	01 17 44.95	+09 40 39.8		691
1995 SV ₂₅	1995 09 25.43308	01 17 01.62	+09 40 57.3	20.9 V	691	1995 SC ₂₆	1995 09 25.47588	01 17 43.85	+09 40 34.3	691
1995 SV ₂₅	1995 09 25.47537	01 16 59.35	+09 40 47.9	691	1995 SC ₂₆	1995 09 30.42835	01 13 19.38	+09 17 12.1		691
1995 SV ₂₅	1995 09 30.42777	01 12 29.36	+09 22 05.5	21.0 V	691	1995 SC ₂₆	1995 09 30.44941	01 13 18.18	+09 17 05.8	20.1 V
1995 SV ₂₅	1995 09 30.44883	01 12 28.11	+09 22 00.0	691	1995 SC ₂₆	1995 09 30.47057	01 13 16.97	+09 16 58.9		691
1995 SV ₂₅	1995 09 30.47000	01 12 26.88	+09 21 54.9	691	1995 SD ₂₆	* 1995 09 19.42680	01 22 43.69	+10 01 17.8	18.5 V	691
1995 SW ₂₅	* 1995 09 19.42627	01 21 58.43	+09 44 08.7	17.9 V	691	1995 SD ₂₆	1995 09 19.45585	01 22 42.39	+10 01 15.2	691
1995 SW ₂₅	1995 09 19.45533	01 21 57.39	+09 44 07.1	691	1995 SD ₂₆	1995 09 19.48468	01 22 41.10	+10 01 12.9		691
1995 SW ₂₅	1995 09 19.48416	01 21 56.39	+09 44 06.0	691	1995 SD ₂₆	1995 09 25.43373	01 17 57.26	+09 49 49.7	18.9 V	691
1995 SW ₂₅	1995 09 25.43391	01 18 13.38	+09 36 12.9	17.8 V	691	1995 SD ₂₆	1995 09 25.45483	01 17 56.13	+09 49 46.7	691
1995 SW ₂₅	1995 09 25.45502	01 18 12.43	+09 36 10.5	691	1995 SD ₂₆	1995 09 25.47601	01 17 55.00	+09 49 43.7		691
1995 SW ₂₅	1995 09 25.47620	01 18 11.50	+09 36 08.2	691	1995 SE ₂₆	* 1995 09 19.42693	01 22 55.12	+09 50 05.2	19.8 V	691
1995 SW ₂₅	1995 09 30.42917	01 14 30.27	+09 25 46.4	18.3 V	691	1995 SE ₂₆	1995 09 19.45598	01 22 53.89	+09 49 57.3	691
1995 SW ₂₅	1995 09 30.45023	01 14 29.21	+09 25 43.2	691	1995 SE ₂₆	1995 09 19.48481	01 22 52.66	+09 49 50.0		691
1995 SW ₂₅	1995 09 30.47140	01 14 28.16	+09 25 39.9	691	1995 SE ₂₆	1995 09 24.44884	01 19 14.89	+09 26 05.1		691
1995 SX ₂₅	* 1995 09 19.42628	01 21 59.22	+10 01 59.1	691	1995 SE ₂₆	1995 09 24.46997	01 19 13.85	+09 25 58.2		691
1995 SX ₂₅	1995 09 19.45534	01 21 58.08	+10 01 47.9	19.5 V	691	1995 SE ₂₆	1995 09 24.49109	01 19 12.85	+09 25 51.8	20.6 V
1995 SX ₂₅	1995 09 19.48417	01 21 56.95	+10 01 37.1	691	1995 SF ₂₆	* 1995 09 19.42711	01 23 10.70	+09 45 47.5		691
1995 SX ₂₅	1995 09 24.44836	01 18 33.12	+09 27 48.2	20.0 V	691	1995 SF ₂₆	1995 09 19.45616	01 23 09.28	+09 45 47.8	19.8 V
1995 SX ₂₅	1995 09 24.46949	01 18 32.18	+09 27 39.0	691	1995 SF ₂₆	1995 09 19.48498	01 23 07.83	+09 45 49.0		691
1995 SX ₂₅	1995 09 24.49061	01 18 31.21	+09 27 29.7	691	1995 SF ₂₆	1995 10 01.43098	01 12 14.77	+09 43 12.7		691
1995 SY ₂₅	* 1995 09 19.42629	01 22 00.15	+09 53 18.1	20.3 V	691	1995 SF ₂₆	1995 10 01.45202	01 12 13.46	+09 43 11.7	20.4 V
1995 SY ₂₅	1995 09 19.45535	01 21 59.20	+09 53 16.5	691	1995 SF ₂₆	1995 10 01.47320	01 12 12.17	+09 43 10.3		691
1995 SY ₂₅	1995 09 19.48418	01 21 58.27	+09 53 15.2	691	1995 SG ₂₆	* 1995 09 19.42765	01 23 57.71	+09 54 37.6	19.3 V	691
1995 SY ₂₅	1995 09 25.43407	01 18 27.16	+09 44 09.0	691	1995 SG ₂₆	1995 09 19.45671	01 23 56.63	+09 54 31.8		691
1995 SY ₂₅	1995 09 25.45518	01 18 26.24	+09 44 06.4	20.4 V	691	1995 SG ₂₆	1995 09 19.48554	01 23 55.58	+09 54 26.3	691
1995 SY ₂₅	1995 09 25.47636	01 18 25.33	+09 44 03.5	691	1995 SG ₂₆	1995 09 30.43044	01 16 20.63	+09 11 20.2		691
1995 SY ₂₅	1995 09 30.42939	01 14 49.42	+09 32 09.1	20.6 V	691	1995 SG ₂₆	1995 09 30.45150	01 16 19.60	+09 11 14.2	19.5 V
1995 SY ₂₅	1995 09 30.45045	01 14 48.37	+09 32 05.4	691	1995 SG ₂₆	1995 09 30.47267	01 16 18.61	+09 11 08.5		691
1995 SY ₂₅	1995 09 30.47162	01 14 47.32	+09 32 01.8	691	1995 SH ₂₆	* 1995 09 19.42818	01 24 43.32	+09 51 26.5	17.9 V	691
1995 SZ ₂₅	* 1995 09 19.42649	01 22 17.16	+10 03 33.5	20.2 V	691	1995 SH ₂₆	1995 09 19.45723	01 24 42.06	+09 51 21.0	691
1995 SZ ₂₅	1995 09 19.45555	01 22 16.06	+10 03 28.8	691	1995 SH ₂₆	1995 09 19.48606	01 24 40.83	+09 51 16.1		691
1995 SZ ₂₅	1995 09 19.48437	01 22 14.99	+10 03 22.2	691	1995 SH ₂₆	1995 09 30.43022	01 16 01.69	+09 10 51.2	18.2 V	691
1995 SZ ₂₅	1995 09 30.42928	01 14 40.24	+09 19 46.5	691	1995 SH ₂₆	1995 09 30.45128	01 16 00.54	+09 10 45.6		691
1995 SZ ₂₅	1995 09 30.45034	01 14 39.23	+09 19 40.8	20.4 V	691	1995 SH ₂₆	1995 09 30.47245	01 15 59.39	+09 10 40.0	691
1995 SZ ₂₅	1995 09 30.47151	01 14 38.24	+09 19 34.9	691	1995 SJ ₂₆	* 1995 09 19.42835	01 24 58.43	+09 39 50.8		691
1995 SA ₂₆	* 1995 09 19.42653	01 22 20.96	+09 46 56.7	691	1995 SJ ₂₆	1995 09 19.45741	01 24 57.45	+09 39 37.1		691
1995 SA ₂₆	1995 09 19.45559	01 22 19.79	+09 46 55.8	691	1995 SJ ₂₆	1995 09 19.48624	01 24 56.41	+09 39 24.1	20.3 V	691
1995 SA ₂₆	1995 09 19.48442	01 22 18.59	+09 46 54.7	20.4 V	691	1995 SJ ₂₆	1995 09 27.36452	01 20 06.38	+08 35 02.7	691
1995 SA ₂₆	1995 09 25.43381	01 18 04.97	+09 41 26.9	691	1995 SJ ₂₆	1995 09 27.38566	01 20 05.52	+08 34 51.4	20.4 V	691
1995 SA ₂₆	1995 09 25.45492	01 18 03.96	+09 41 25.4	691	1995 SJ ₂₆	1995 09 27.40674	01 20 04.56	+08 34 40.4		691
1995 SA ₂₆	1995 09 25.47610	01 18 02.99	+09 41 23.4	21.0 V	691	1995 SK ₂₆	* 1995 09 19.42872	01 25 30.51	+09 37 37.3	19.6 V

1995 SK ₂₆	1995 09 19.45778	01 25 29.19	+09 37 33.2	691	1995 SR ₂₆	1995 09 19.46023	01 29 02.03	+09 40 40.1	17.9 V	691
1995 SK ₂₆	1995 09 19.48660	01 25 27.89	+09 37 29.0	691	1995 SR ₂₆	1995 09 19.48906	01 29 01.02	+09 40 33.5		691
1995 SK ₂₆	1995 09 24.45046	01 21 34.86	+09 24 38.9	691	1995 SR ₂₆	1995 09 24.45353	01 26 01.26	+09 19 54.1		691
1995 SK ₂₆	1995 09 24.47159	01 21 33.76	+09 24 35.1	20.2 V 691	1995 SR ₂₆	1995 09 24.47467	01 26 00.42	+09 19 48.3	18.3 V	691
1995 SK ₂₆	1995 09 24.49271	01 21 32.68	+09 24 31.3	691	1995 SR ₂₆	1995 09 24.49579	01 25 59.56	+09 19 42.7		691
1995 SK ₂₆	1995 09 30.43041	01 16 18.12	+09 05 32.6	19.8 V 691	1995 SS ₂₆	* 1995 09 19.43192	01 30 07.48	+09 47 01.1		691
1995 SK ₂₆	1995 09 30.45147	01 16 16.92	+09 05 28.0	691	1995 SS ₂₆	1995 09 19.46098	01 30 06.44	+09 46 54.9	19.7 V	691
1995 SK ₂₆	1995 09 30.47264	01 16 15.71	+09 05 23.4	691	1995 SS ₂₆	1995 09 19.48980	01 30 05.41	+09 46 48.8		691
1995 SL ₂₆	* 1995 09 19.42924	01 26 15.34	+10 03 18.6	19.0 V 691	1995 SS ₂₆	1995 09 24.45420	01 26 58.85	+09 27 13.1	20.5 V	691
1995 SL ₂₆	1995 09 19.45830	01 26 14.11	+10 03 12.3	691	1995 SS ₂₆	1995 09 24.47533	01 26 57.94	+09 27 07.6		691
1995 SL ₂₆	1995 09 19.48712	01 26 12.87	+10 03 06.2	691	1995 SS ₂₆	1995 09 24.49645	01 26 57.04	+09 27 02.1		691
1995 SL ₂₆	1995 09 25.43638	01 21 47.03	+09 39 06.7	19.3 V 691	1995 ST ₂₆	* 1995 09 19.43250	01 30 57.55	+09 55 33.0	18.5 V	691
1995 SL ₂₆	1995 09 25.45748	01 21 46.00	+09 39 01.1	691	1995 ST ₂₆	1995 09 19.46156	01 30 56.57	+09 55 27.5		691
1995 SM ₂₆	* 1995 09 19.42927	01 26 17.74	+09 36 42.4	691	1995 ST ₂₆	1995 09 19.49038	01 30 55.61	+09 55 21.8		691
1995 SM ₂₆	1995 09 19.45832	01 26 16.39	+09 36 45.1	691	1995 ST ₂₆	1995 09 30.43583	01 24 07.46	+09 14 03.2	18.6 V	691
1995 SM ₂₆	1995 09 19.48715	01 26 15.10	+09 36 45.6	20.8 V 691	1995 ST ₂₆	1995 09 30.45689	01 24 06.57	+09 13 57.9		691
1995 SM ₂₆	1995 09 25.43623	01 21 34.62	+09 40 33.1	21.4 V 691	1995 ST ₂₆	1995 09 30.47806	01 24 05.67	+09 13 52.4		691
1995 SM ₂₆	1995 09 25.45734	01 21 33.55	+09 40 33.3	691	1995 SU ₂₆	* 1995 09 19.43275	01 31 19.63	+09 41 27.3	19.2 V	691
1995 SM ₂₆	1995 10 01.43373	01 16 12.88	+09 40 37.9	691	1995 SU ₂₆	1995 09 19.46181	01 31 18.62	+09 41 21.2		691
1995 SM ₂₆	1995 10 01.45477	01 16 11.66	+09 40 37.4	21.0 V 691	1995 SU ₂₆	1995 09 19.49064	01 31 17.64	+09 41 14.9		691
1995 SM ₂₆	1995 10 01.47595	01 16 10.43	+09 40 37.1	691	1995 SU ₂₆	1995 09 24.45517	01 28 22.84	+09 21 23.2		691
1995 SN ₂₆	* 1995 09 19.42989	01 27 11.95	+09 41 40.7	691	1995 SU ₂₆	1995 09 24.47630	01 28 22.02	+09 21 17.7	19.4 V	691
1995 SN ₂₆	1995 09 19.45895	01 27 10.75	+09 41 38.5	19.8 V 691	1995 SU ₂₆	1995 09 24.49742	01 28 21.19	+09 21 12.2		691
1995 SN ₂₆	1995 09 19.48777	01 27 09.56	+09 41 37.0	691	1995 SV ₂₆	* 1995 09 19.43337	01 32 13.26	+09 35 54.0		691
1995 SN ₂₆	1995 09 30.43197	01 18 33.58	+09 23 09.6	20.1 V 691	1995 SV ₂₆	1995 09 19.46243	01 32 11.99	+09 35 45.0	18.9 V	691
1995 SN ₂₆	1995 09 30.45304	01 18 32.42	+09 23 06.7	691	1995 SV ₂₆	1995 09 19.49125	01 32 10.75	+09 35 35.8		691
1995 SN ₂₆	1995 09 30.47420	01 18 31.25	+09 23 03.5	691	1995 SV ₂₆	1995 09 24.45524	01 28 29.14	+09 08 06.0		691
1995 SO ₂₆	* 1995 09 19.43025	01 27 42.50	+09 47 42.4	17.8 V 691	1995 SV ₂₆	1995 09 24.47637	01 28 28.09	+09 07 58.3	20.2 V	691
1995 SO ₂₆	1995 09 19.45931	01 27 41.59	+09 47 32.2	691	1995 SV ₂₆	1995 09 24.49749	01 28 27.04	+09 07 50.9		691
1995 SO ₂₆	1995 09 19.48813	01 27 40.66	+09 47 22.1	691	1995 SW ₂₆	* 1995 09 19.43347	01 32 21.53	+09 38 24.0	20.2 V	691
1995 SO ₂₆	1995 09 24.45278	01 24 56.42	+09 16 38.1	18.4 V 691	1995 SW ₂₆	1995 09 19.46253	01 32 20.59	+09 38 24.1		691
1995 SO ₂₆	1995 09 24.47392	01 24 55.65	+09 16 29.8	691	1995 SW ₂₆	1995 09 19.49135	01 32 19.69	+09 38 24.0		691
1995 SO ₂₆	1995 09 24.49504	01 24 54.87	+09 16 21.4	691	1995 SW ₂₆	1995 09 25.44134	01 28 56.94	+09 35 54.2	20.4 V	691
1995 SO ₂₆	1995 09 27.36664	01 23 10.21	+08 57 20.2	691	1995 SW ₂₆	1995 09 25.46245	01 28 56.04	+09 35 53.5		691
1995 SO ₂₆	1995 09 27.38779	01 23 09.43	+08 57 11.9	18.3 V 691	1995 SW ₂₆	1995 09 30.43669	01 25 22.17	+09 29 58.8	20.4 V	691
1995 SO ₂₆	1995 09 27.40886	01 23 08.55	+08 57 03.4	691	1995 SW ₂₆	1995 09 30.45775	01 25 21.14	+09 29 56.7		691
1995 SP ₂₆	* 1995 09 19.43088	01 28 37.07	+09 50 55.0	691	1995 SW ₂₆	1995 09 30.47892	01 25 20.11	+09 29 54.8		691
1995 SP ₂₆	1995 09 19.45993	01 28 36.10	+09 50 50.4	20.3 V 691	1995 SX ₂₆	* 1995 09 19.43359	01 32 31.90	+10 01 26.4		691
1995 SP ₂₆	1995 09 19.48876	01 28 35.14	+09 50 46.4	691	1995 SX ₂₆	1995 09 19.46264	01 32 30.66	+10 01 20.0		691
1995 SP ₂₆	1995 09 30.43415	01 21 42.45	+09 17 23.0	691	1995 SX ₂₆	1995 09 19.49147	01 32 29.44	+10 01 13.9	20.5 V	691
1995 SP ₂₆	1995 09 30.45522	01 21 41.52	+09 17 18.6	20.4 V 691	1995 SX ₂₆	1995 09 25.44074	01 28 04.54	+09 36 58.9		691
1995 SP ₂₆	1995 09 30.47639	01 21 40.62	+09 17 13.8	691	1995 SX ₂₆	1995 09 25.46184	01 28 03.48	+09 36 53.2	20.6 V	691
1995 SQ ₂₆	* 1995 09 19.43113	01 28 58.76	+09 42 09.8	19.4 V 691	1995 SY ₂₆	* 1995 09 19.43369	01 32 40.70	+09 40 48.0	19.9 V	691
1995 SQ ₂₆	1995 09 19.46019	01 28 58.02	+09 41 59.1	691	1995 SY ₂₆	1995 09 19.46274	01 32 39.47	+09 40 46.0		691
1995 SQ ₂₆	1995 09 19.48902	01 28 57.26	+09 41 49.2	691	1995 SY ₂₆	1995 09 19.49157	01 32 38.24	+09 40 43.6		691
1995 SQ ₂₆	1995 09 24.45399	01 26 41.07	+09 10 06.7	20.1 V 691	1995 SY ₂₆	1995 09 24.45556	01 28 57.21	+09 32 17.7	20.3 V	691
1995 SQ ₂₆	1995 09 24.47513	01 26 40.38	+09 09 57.6	691	1995 SY ₂₆	1995 09 24.47670	01 28 56.15	+09 32 15.4		691
1995 SQ ₂₆	1995 09 24.49625	01 26 39.68	+09 09 49.2	691	1995 SY ₂₆	1995 09 24.49781	01 28 55.09	+09 32 12.7		691
1995 SQ ₂₆	1995 09 27.36798	01 25 05.47	+08 49 28.7	19.8 V 691	1995 SZ ₂₆	* 1995 09 19.43414	01 33 20.05	+09 45 54.6		691
1995 SQ ₂₆	1995 09 27.38912	01 25 04.70	+08 49 19.7	691	1995 SZ ₂₆	1995 09 19.46320	01 33 19.09	+09 45 46.9	20.4 V	691
1995 SQ ₂₆	1995 09 27.41019	01 25 03.86	+08 49 10.2	691	1995 SZ ₂₆	1995 09 19.49203	01 33 18.17	+09 45 39.4		691
1995 SR ₂₆	* 1995 09 19.43118	01 29 03.03	+09 40 46.8	691	1995 SZ ₂₆	1995 09 24.45662	01 30 28.97	+09 24 40.3		691

1995 SZ ₂₆	1995 09 24.47776	01 30 28.16	+09 24 35.1	19.9 V	691	1995 SJ ₂₇	* 1995 09 19.43579	01 35 42.50	+09 59 35.2	20.5 V	691
1995 SZ ₂₆	1995 09 24.49888	01 30 27.32	+09 24 29.7		691	1995 SJ ₂₇	1995 09 19.46485	01 35 41.57	+09 59 29.8		691
1995 SA ₂₇	* 1995 09 19.43427	01 33 30.86	+09 38 00.5		691	1995 SJ ₂₇	1995 09 19.49367	01 35 40.68	+09 59 24.5		691
1995 SA ₂₇	1995 09 19.46333	01 33 29.95	+09 37 54.1	20.6 V	691	1995 SJ ₂₇	1995 09 25.44369	01 32 20.53	+09 39 40.2	21.1 V	691
1995 SA ₂₇	1995 09 19.49216	01 33 29.07	+09 37 47.5		691	1995 SJ ₂₇	1995 09 25.46480	01 32 19.73	+09 39 35.8		691
1995 SA ₂₇	1995 09 24.45684	01 30 47.63	+09 16 38.8	21.0 V	691	1995 SK ₂₇	* 1995 09 19.43623	01 36 20.68	+10 04 23.8		691
1995 SA ₂₇	1995 09 24.47797	01 30 46.83	+09 16 32.8		691	1995 SK ₂₇	1995 09 19.46529	01 36 19.65	+10 04 20.8	19.1 V	691
1995 SA ₂₇	1995 09 24.49910	01 30 46.04	+09 16 27.0		691	1995 SK ₂₇	1995 09 19.49411	01 36 18.61	+10 04 17.4		691
1995 SB ₂₇	* 1995 09 19.43449	01 33 49.86	+09 36 29.0		691	1995 SK ₂₇	1995 09 25.44380	01 32 29.66	+09 51 23.9	19.5 V	691
1995 SB ₂₇	1995 09 19.46354	01 33 48.49	+09 36 23.9	17.6 V	691	1995 SK ₂₇	1995 09 25.46490	01 32 28.72	+09 51 20.8		691
1995 SB ₂₇	1995 09 19.49236	01 33 47.13	+09 36 18.7		691	1995 SL ₂₇	* 1995 09 19.43637	01 36 32.82	+09 43 23.4	20.1 V	691
1995 SB ₂₇	1995 09 24.47726	01 29 45.12	+09 19 43.0	18.1 V	691	1995 SL ₂₇	1995 09 19.46542	01 36 31.61	+09 43 20.6		691
1995 SB ₂₇	1995 09 24.49838	01 29 43.98	+09 19 38.2		691	1995 SL ₂₇	1995 09 19.49425	01 36 30.46	+09 43 17.3		691
1995 SC ₂₇	* 1995 09 19.43459	01 33 58.89	+09 57 53.9	19.1 V	691	1995 SL ₂₇	1995 09 24.45837	01 33 00.76	+09 32 42.3		691
1995 SC ₂₇	1995 09 19.46365	01 33 58.13	+09 57 42.2		691	1995 SL ₂₇	1995 09 24.47951	01 32 59.74	+09 32 39.0	21.0 V	691
1995 SC ₂₇	1995 09 19.49248	01 33 57.37	+09 57 30.6		691	1995 SL ₂₇	1995 09 24.50063	01 32 58.73	+09 32 35.7		691
1995 SC ₂₇	1995 09 24.45745	01 31 40.27	+09 21 16.6		691	1995 SM ₂₇	* 1995 09 19.43688	01 37 17.31	+10 02 43.7	20.6 V	691
1995 SC ₂₇	1995 09 24.47858	01 31 39.56	+09 21 06.7	19.6 V	691	1995 SM ₂₇	1995 09 19.46594	01 37 16.19	+10 02 32.7		691
1995 SC ₂₇	1995 09 24.49971	01 31 38.85	+09 20 56.7		691	1995 SM ₂₇	1995 09 19.49476	01 37 15.03	+10 02 22.4		691
1995 SC ₂₇	1995 09 27.37141	01 30 02.67	+08 57 44.3		691	1995 SM ₂₇	1995 09 24.45901	01 33 55.63	+09 30 42.6		691
1995 SC ₂₇	1995 09 27.39255	01 30 01.86	+08 57 33.6	19.4 V	691	1995 SM ₂₇	1995 09 24.48014	01 33 54.63	+09 30 35.0	21.1 V	691
1995 SC ₂₇	1995 09 27.41362	01 30 01.06	+08 57 23.0		691	1995 SM ₂₇	1995 09 24.50126	01 33 53.69	+09 30 26.4		691
1995 SD ₂₇	* 1995 09 19.43476	01 34 13.37	+10 00 45.7		691	1995 SN ₂₇	* 1995 09 19.43710	01 37 36.09	+09 47 22.8	18.9 V	691
1995 SD ₂₇	1995 09 19.46382	01 34 12.31	+10 00 41.1	20.2 V	691	1995 SN ₂₇	1995 09 19.46616	01 37 35.12	+09 47 19.3		691
1995 SD ₂₇	1995 09 19.49264	01 34 11.28	+10 00 35.9		691	1995 SN ₂₇	1995 09 19.49498	01 37 34.15	+09 47 15.6		691
1995 SD ₂₇	1995 09 25.44233	01 30 22.36	+09 42 23.8	20.6 V	691	1995 SN ₂₇	1995 09 30.44033	01 30 37.31	+09 18 51.5	19.1 V	691
1995 SD ₂₇	1995 09 25.46343	01 30 21.42	+09 42 19.5		691	1995 SN ₂₇	1995 09 30.46139	01 30 36.37	+09 18 47.5		691
1995 SE ₂₇	* 1995 09 19.43546	01 35 14.53	+09 44 34.4		691	1995 SN ₂₇	1995 09 30.48256	01 30 35.43	+09 18 43.6		691
1995 SE ₂₇	1995 09 19.46452	01 35 13.47	+09 44 29.3	19.9 V	691	1995 SO ₂₇	* 1995 09 19.43753	01 38 13.44	+09 53 55.3	17.9 V	691
1995 SE ₂₇	1995 09 19.49335	01 35 12.46	+09 44 23.9		691	1995 SO ₂₇	1995 09 19.46659	01 38 12.56	+09 53 42.5		691
1995 SE ₂₇	1995 09 24.45777	01 32 07.95	+09 28 39.1		691	1995 SO ₂₇	1995 09 19.49542	01 38 11.69	+09 53 29.5		691
1995 SE ₂₇	1995 09 24.47890	01 32 07.09	+09 28 34.9	20.9 V	691	1995 SO ₂₇	1995 09 24.46015	01 35 34.74	+09 14 47.2	18.3 V	691
1995 SE ₂₇	1995 09 24.50002	01 32 06.21	+09 28 30.5		691	1995 SO ₂₇	1995 09 24.48129	01 35 33.96	+09 14 36.8		691
1995 SE ₂₇	1995 09 30.43846	01 27 55.31	+09 06 38.8	20.1 V	691	1995 SO ₂₇	1995 09 24.50241	01 35 33.17	+09 14 26.4		691
1995 SE ₂₇	1995 09 30.45952	01 27 54.33	+09 06 34.3		691	1995 SO ₂₇	1995 09 27.37401	01 33 48.06	+08 50 28.5	18.3 V	691
1995 SE ₂₇	1995 09 30.48069	01 27 53.35	+09 06 28.9		691	1995 SO ₂₇	1995 09 27.39515	01 33 47.21	+08 50 18.0		691
1995 SF ₂₇	* 1995 09 19.43555	01 35 21.80	+09 57 57.4		691	1995 SO ₂₇	1995 09 27.41622	01 33 46.34	+08 50 07.1		691
1995 SF ₂₇	1995 09 19.46461	01 35 20.88	+09 57 44.9		691	1995 SP ₂₇	* 1995 09 19.43783	01 38 39.87	+10 02 18.6	19.8 V	691
1995 SF ₂₇	1995 09 19.49344	01 35 19.99	+09 57 32.1	20.7 V	691	1995 SP ₂₇	1995 09 19.46689	01 38 38.80	+10 02 13.9		691
1995 SF ₂₇	1995 09 24.45811	01 32 37.98	+09 19 30.0		691	1995 SP ₂₇	1995 09 19.49572	01 38 37.90	+10 02 10.0		691
1995 SF ₂₇	1995 09 24.47925	01 32 37.18	+09 19 20.6	21.5 V	691	1995 SP ₂₇	1995 09 25.44555	01 35 01.67	+09 45 21.5	20.2 V	691
1995 SF ₂₇	1995 09 24.50037	01 32 36.39	+09 19 10.1		691	1995 SP ₂₇	1995 09 25.46666	01 35 00.75	+09 45 17.5		691
1995 SG ₂₇	* 1995 09 19.43567	01 35 32.67	+09 38 24.2		691	1995 SQ ₂₇	* 1995 09 19.43789	01 38 44.43	+09 56 24.2	19.3 V	691
1995 SG ₂₇	1995 09 19.46473	01 35 31.66	+09 38 21.5		691	1995 SQ ₂₇	1995 09 19.46695	01 38 43.54	+09 56 13.7		691
1995 SG ₂₇	1995 09 19.49356	01 35 30.65	+09 38 18.5	19.8 V	691	1995 SQ ₂₇	1995 09 19.49578	01 38 42.69	+09 56 03.5		691
1995 SG ₂₇	1995 09 24.45800	01 32 28.45	+09 28 17.9	20.4 V	691	1995 SQ ₂₇	1995 09 24.46049	01 36 04.41	+09 24 05.6	19.9 V	691
1995 SG ₂₇	1995 09 24.50026	01 32 26.65	+09 28 11.8		691	1995 SQ ₂₇	1995 09 24.48163	01 36 03.59	+09 23 56.7		691
1995 SH ₂₇	* 1995 09 18.25657	23 23 28.77	-02 06 09.4		691	1995 SQ ₂₇	1995 09 24.50275	01 36 02.78	+09 23 47.9		691
1995 SH ₂₇	1995 09 18.27790	23 23 27.86	-02 06 19.8		691	1995 SR ₂₇	* 1995 09 19.43791	01 38 46.41	+10 04 11.5	19.9 V	691
1995 SH ₂₇	1995 09 18.29858	23 23 27.00	-02 06 30.3	20.7 V	691	1995 SR ₂₇	1995 09 19.46696	01 38 44.94	+10 04 08.9		691
1995 SH ₂₇	1995 09 23.19835	23 20 07.36	-02 45 54.4		691	1995 SR ₂₇	1995 09 19.49579	01 38 43.49	+10 04 06.3		691
1995 SH ₂₇	1995 09 23.21902	23 20 06.50	-02 46 04.1	21.3 V	691	1995 SR ₂₇	1995 09 25.44447	01 33 28.52	+09 53 08.9	20.2 V	691

1995 SR ₂₇	1995 09 25.46558	01 33 27.26	+09 53 06.2		691	1995 SZ ₂₇	1995 09 30.48737	01 37 32.13	+09 10 40.9		691
1995 SR ₂₇	1995 10 01.44147	01 27 23.79	+09 37 33.2	20.2 V	691	1995 SA ₂₈	* 1995 09 20.11866	21 22 45.26	+00 17 04.4		691
1995 SR ₂₇	1995 10 01.46251	01 27 22.43	+09 37 29.9		691	1995 SA ₂₈	1995 09 20.13944	21 22 44.87	+00 16 55.9	19.6 V	691
1995 SR ₂₇	1995 10 01.48370	01 27 21.03	+09 37 26.0		691	1995 SA ₂₈	1995 09 20.16053	21 22 44.46	+00 16 47.3		691
1995 SS ₂₇	* 1995 09 19.43813	01 39 05.35	+09 48 15.3	19.2 V	691	1995 SA ₂₈	1995 09 24.10777	21 21 44.70	-00 11 02.5		691
1995 SS ₂₇	1995 09 19.46718	01 39 04.06	+09 48 13.4		691	1995 SA ₂₈	1995 09 24.12855	21 21 44.43	-00 11 10.8	20.1 V	691
1995 SS ₂₇	1995 09 19.49601	01 39 02.78	+09 48 11.0		691	1995 SA ₂₈	1995 09 24.14936	21 21 44.14	-00 11 19.8		691
1995 SS ₂₇	1995 09 25.44511	01 34 23.35	+09 39 05.9	19.4 V	691	1995 SB ₂₈	* 1995 09 20.12243	21 28 11.75	+00 18 50.0	19.0 V	691
1995 SS ₂₇	1995 09 25.46621	01 34 22.21	+09 39 03.5		691	1995 SB ₂₈	1995 09 20.14321	21 28 11.29	+00 18 43.5		691
1995 ST ₂₇	* 1995 09 19.43859	01 39 45.56	+10 00 33.5	17.9 V	691	1995 SB ₂₈	1995 09 20.16430	21 28 10.84	+00 18 34.5		691
1995 ST ₂₇	1995 09 19.46765	01 39 44.59	+10 00 18.9		691	1995 SB ₂₈	1995 09 25.11536	21 26 48.46	-00 07 02.9		691
1995 ST ₂₇	1995 09 19.49648	01 39 43.63	+10 00 04.1		691	1995 SB ₂₈	1995 09 25.13624	21 26 48.14	-00 07 09.4	19.0 V	691
1995 ST ₂₇	1995 09 27.37480	01 34 56.52	+08 49 03.9	18.4 V	691	1995 SB ₂₈	1995 09 25.15720	21 26 47.82	-00 07 15.7		691
1995 ST ₂₇	1995 09 27.39594	01 34 55.61	+08 48 51.8		691	1995 SC ₂₈	* 1995 09 20.12327	21 29 24.14	+00 08 50.5	18.0 V	691
1995 ST ₂₇	1995 09 27.41701	01 34 54.71	+08 48 39.7		691	1995 SC ₂₈	1995 09 20.14405	21 29 23.68	+00 08 42.5		691
1995 SU ₂₇	* 1995 09 19.43880	01 40 03.20	+10 01 36.5		691	1995 SC ₂₈	1995 09 20.16513	21 29 23.22	+00 08 34.3		691
1995 SU ₂₇	1995 09 19.46785	01 40 02.24	+10 01 31.4		691	1995 SC ₂₈	1995 09 24.11228	21 28 15.43	-00 16 32.2		691
1995 SU ₂₇	1995 09 19.49668	01 40 01.34	+10 01 25.6	20.5 V	691	1995 SC ₂₈	1995 09 24.13306	21 28 15.09	-00 16 40.1	18.0 V	691
1995 SU ₂₇	1995 09 30.44222	01 33 20.92	+09 19 59.1		691	1995 SC ₂₈	1995 09 24.15387	21 28 14.76	-00 16 48.0		691
1995 SU ₂₇	1995 09 30.46328	01 33 20.02	+09 19 53.7		691	1995 SC ₂₈	1995 09 29.14209	21 27 24.21	-00 47 05.4	17.5 V	691
1995 SU ₂₇	1995 09 30.48445	01 33 19.12	+09 19 48.3	20.6 V	691	1995 SC ₂₈	1995 09 29.16281	21 27 24.06	-00 47 12.6		691
1995 SV ₂₇	* 1995 09 19.43903	01 40 23.62	+09 40 51.8	18.0 V	691	1995 SC ₂₈	1995 09 29.18366	21 27 23.90	-00 47 20.2		691
1995 SV ₂₇	1995 09 19.46809	01 40 22.54	+09 40 40.3		691	1995 SD ₂₈	* 1995 09 20.12439	21 31 01.10	+00 04 20.5		691
1995 SV ₂₇	1995 09 19.49692	01 40 21.46	+09 40 28.6		691	1995 SD ₂₈	1995 09 20.14517	21 31 00.46	+00 04 14.0		691
1995 SV ₂₇	1995 09 27.37488	01 35 03.90	+08 43 52.0	18.3 V	691	1995 SD ₂₈	1995 09 20.16625	21 30 59.82	+00 04 07.5	19.4 V	691
1995 SV ₂₇	1995 09 27.39602	01 35 02.90	+08 43 42.5		691	1995 SD ₂₈	1995 09 29.14206	21 27 21.75	-00 41 17.3	19.2 V	691
1995 SV ₂₇	1995 09 27.41710	01 35 01.90	+08 43 32.5		691	1995 SD ₂₈	1995 09 29.16278	21 27 21.36	-00 41 23.4		691
1995 SW ₂₇	* 1995 09 19.43930	01 40 47.26	+10 03 18.9	19.4 V	691	1995 SD ₂₈	1995 09 29.18363	21 27 20.96	-00 41 29.7		691
1995 SW ₂₇	1995 09 19.46836	01 40 46.44	+10 03 15.5		691	1995 SE ₂₈	* 1995 09 20.12630	21 33 46.69	+00 11 21.5		691
1995 SW ₂₇	1995 09 19.49719	01 40 45.56	+10 03 11.6		691	1995 SE ₂₈	1995 09 20.14708	21 33 46.17	+00 11 16.3	19.4 V	691
1995 SW ₂₇	1995 09 25.44735	01 37 37.89	+09 48 47.1	19.8 V	691	1995 SE ₂₈	1995 09 20.16817	21 33 45.66	+00 11 11.2		691
1995 SW ₂₇	1995 09 25.46846	01 37 37.07	+09 48 43.8		691	1995 SE ₂₈	1995 09 30.11887	21 31 07.88	-00 26 36.6	19.7 V	691
1995 SW ₂₇	1995 09 30.44300	01 34 28.86	+09 33 46.4	19.7 V	691	1995 SE ₂₈	1995 09 30.14077	21 31 07.66	-00 26 41.1		691
1995 SW ₂₇	1995 09 30.46407	01 34 27.98	+09 33 42.1		691	1995 SE ₂₈	1995 09 30.16253	21 31 07.44	-00 26 45.8		691
1995 SW ₂₇	1995 09 30.48524	01 34 27.10	+09 33 38.0		691	1995 SF ₂₈	* 1995 09 20.12809	21 36 21.82	+00 04 29.3		691
1995 SX ₂₇	* 1995 09 19.44097	01 43 11.49	+09 58 54.2	18.7 V	691	1995 SF ₂₈	1995 09 20.14887	21 36 21.37	+00 04 17.0	19.3 V	691
1995 SX ₂₇	1995 09 19.47003	01 43 10.33	+09 58 58.2		691	1995 SF ₂₈	1995 09 20.16996	21 36 20.88	+00 04 05.2		691
1995 SX ₂₇	1995 09 19.49885	01 43 09.19	+09 59 01.9		691	1995 SF ₂₈	1995 09 24.11705	21 35 08.45	-00 32 44.2	19.8 V	691
1995 SX ₂₇	1995 09 29.41563	01 35 45.32	+10 17 23.2	19.0 V	691	1995 SF ₂₈	1995 09 24.13783	21 35 08.12	-00 32 55.6		691
1995 SX ₂₇	1995 09 29.42332	01 35 44.90	+10 17 24.0		691	1995 SF ₂₈	1995 09 24.15864	21 35 07.76	-00 33 06.9		691
1995 SX ₂₇	1995 09 29.43091	01 35 44.52	+10 17 24.6		691	1995 SG ₂₈	* 1995 09 20.13040	21 39 41.45	+00 22 32.0	20.9 V	691
1995 SY ₂₇	* 1995 09 19.44195	01 44 36.42	+10 05 44.8		691	1995 SG ₂₈	1995 09 20.17226	21 39 40.25	+00 22 17.0		691
1995 SY ₂₇	1995 09 19.47101	01 44 35.19	+10 05 43.8	19.0 V	691	1995 SG ₂₈	1995 09 30.12221	21 35 57.82	-00 37 59.8	21.4 V	691
1995 SY ₂₇	1995 09 19.49983	01 44 33.99	+10 05 42.6		691	1995 SG ₂₈	1995 09 30.14412	21 35 57.42	-00 38 07.1		691
1995 SY ₂₇	1995 10 01.44653	01 34 42.37	+09 51 18.8	19.1 V	691	1995 SG ₂₈	1995 09 30.16587	21 35 57.03	-00 38 15.2		691
1995 SY ₂₇	1995 10 01.46758	01 34 41.12	+09 51 16.5		691	1995 SH ₂₈	* 1995 09 20.18032	22 24 56.85	-09 29 21.6		691
1995 SY ₂₇	1995 10 01.48876	01 34 39.87	+09 51 14.0		691	1995 SH ₂₈	1995 09 20.20218	22 24 56.19	-09 29 18.9	18.5 V	691
1995 SZ ₂₇	* 1995 09 19.44235	01 45 11.46	+10 00 39.7		691	1995 SH ₂₈	1995 09 20.22326	22 24 55.59	-09 29 16.8		691
1995 SZ ₂₇	1995 09 19.47141	01 45 10.40	+10 00 32.8		691	1995 SH ₂₈	1995 09 25.23748	22 23 06.03	-09 19 13.4	18.9 V	691
1995 SZ ₂₇	1995 09 19.50024	01 45 09.37	+10 00 26.4	20.7 V	691	1995 SH ₂₈	1995 09 25.25842	22 23 05.60	-09 19 10.4		691
1995 SZ ₂₇	1995 09 30.44514	01 37 34.21	+09 10 54.1	21.1 V	691	1995 SH ₂₈	1995 09 25.27954	22 23 05.21	-09 19 07.4		691
1995 SZ ₂₇	1995 09 30.46620	01 37 33.17	+09 10 47.6		691	1995 SJ ₂₈	* 1995 09 20.18196	22 27 18.32	-09 14 44.1		691

1995 SJ ₂₈	1995 09 20.20381	22 27 17.51	−09 14 55.6		691	1995 SR ₂₈	1995 09 20.22801	22 31 46.94	−09 33 05.6		691
1995 SJ ₂₈	1995 09 20.22489	22 27 16.77	−09 15 08.1	21.1 V	691	1995 SR ₂₈	1995 09 25.17650	22 28 47.92	−09 51 24.2		691
1995 SJ ₂₈	1995 09 25.17365	22 24 41.28	−09 59 17.3	21.4 V	691	1995 SR ₂₈	1995 09 25.19796	22 28 47.15	−09 51 28.7	19.9 V	691
1995 SJ ₂₈	1995 09 25.19511	22 24 40.58	−09 59 26.8		691	1995 SR ₂₈	1995 09 25.21927	22 28 46.41	−09 51 33.0		691
1995 SJ ₂₈	1995 09 25.21643	22 24 39.90	−09 59 38.6		691	1995 SS ₂₈	* 1995 09 20.18516	22 31 56.14	−09 34 00.5	17.5 V	691
1995 SK ₂₈	* 1995 09 20.18247	22 28 02.63	−09 38 25.8		691	1995 SS ₂₈	1995 09 20.20701	22 31 55.23	−09 34 07.6		691
1995 SK ₂₈	1995 09 20.20432	22 28 01.80	−09 38 34.9	18.7 V	691	1995 SS ₂₈	1995 09 20.22809	22 31 54.35	−09 34 14.3		691
1995 SK ₂₈	1995 09 20.22540	22 28 01.01	−09 38 43.7		691	1995 SS ₂₈	1995 09 25.17661	22 28 57.49	−09 58 11.9		691
1995 SK ₂₈	1995 09 25.17420	22 25 28.13	−10 10 24.5	18.9 V	691	1995 SS ₂₈	1995 09 25.19807	22 28 56.75	−09 58 17.4	17.6 V	691
1995 SK ₂₈	1995 09 25.19566	22 25 27.48	−10 10 31.4		691	1995 SS ₂₈	1995 09 25.21938	22 28 56.02	−09 58 23.0		691
1995 SK ₂₈	1995 09 25.21697	22 25 26.83	−10 10 39.1		691	1995 ST ₂₈	* 1995 09 20.18523	22 32 01.62	−09 27 21.7		691
1995 SL ₂₈	* 1995 09 20.18383	22 30 00.47	−09 35 00.2	18.2 V	691	1995 ST ₂₈	1995 09 20.20708	22 32 00.87	−09 27 27.0	20.4 V	691
1995 SL ₂₈	1995 09 20.20568	22 29 59.80	−09 35 08.4		691	1995 ST ₂₈	1995 09 20.22816	22 32 00.13	−09 27 31.9		691
1995 SL ₂₈	1995 09 20.22676	22 29 59.09	−09 35 16.7		691	1995 ST ₂₈	1995 09 25.17715	22 29 43.71	−09 44 15.8		691
1995 SL ₂₈	1995 09 25.17581	22 27 48.16	−10 05 12.6	18.3 V	691	1995 ST ₂₈	1995 09 25.19861	22 29 43.15	−09 44 19.7		691
1995 SL ₂₈	1995 09 25.19727	22 27 47.61	−10 05 19.2		691	1995 ST ₂₈	1995 09 25.21992	22 29 42.61	−09 44 22.9	20.8 V	691
1995 SL ₂₈	1995 09 25.21859	22 27 47.06	−10 05 26.7		691	1995 ST ₂₈	1995 10 01.19399	22 27 56.63	−09 58 25.6		691
1995 SM ₂₈	* 1995 09 20.18403	22 30 17.70	−09 20 03.9		691	1995 ST ₂₈	1995 10 01.21700	22 27 56.26	−09 58 27.6		691
1995 SM ₂₈	1995 09 20.20588	22 30 16.90	−09 20 12.0	19.4 V	691	1995 ST ₂₈	1995 10 01.23902	22 27 55.92	−09 58 29.8	20.9 V	691
1995 SM ₂₈	1995 09 20.22696	22 30 16.10	−09 20 19.7		691	1995 SU ₂₈	* 1995 09 20.18538	22 32 15.03	−09 13 58.7		691
1995 SM ₂₈	1995 09 25.17574	22 27 41.95	−09 48 42.8		691	1995 SU ₂₈	1995 09 20.20723	22 32 14.09	−09 14 02.5	20.5 V	691
1995 SM ₂₈	1995 09 25.19720	22 27 41.32	−09 48 49.5		691	1995 SU ₂₈	1995 09 20.22831	22 32 13.15	−09 14 06.0		691
1995 SM ₂₈	1995 09 25.21851	22 27 40.66	−09 48 56.3	19.4 V	691	1995 SU ₂₈	1995 09 25.24118	22 28 56.92	−09 26 21.4	20.2 V	691
1995 SN ₂₈	* 1995 09 20.18404	22 30 18.40	−09 12 49.4	19.7 V	691	1995 SU ₂₈	1995 09 25.26212	22 28 56.12	−09 26 24.0		691
1995 SN ₂₈	1995 09 20.20589	22 30 17.72	−09 12 59.7		691	1995 SU ₂₈	1995 09 25.28324	22 28 55.31	−09 26 26.6		691
1995 SN ₂₈	1995 09 20.22697	22 30 17.05	−09 13 09.5		691	1995 SU ₂₈	1995 10 01.30124	22 25 45.89	−09 36 57.7	20.9 V	691
1995 SN ₂₈	1995 09 25.17619	22 28 20.81	−09 48 57.6	19.7 V	691	1995 SU ₂₈	1995 10 01.32361	22 25 45.28	−09 36 59.6		691
1995 SN ₂₈	1995 09 25.19765	22 28 20.34	−09 49 05.9		691	1995 SU ₂₈	1995 10 01.34548	22 25 44.64	−09 37 00.8		691
1995 SN ₂₈	1995 09 25.21897	22 28 19.85	−09 49 14.5		691	1995 SV ₂₈	* 1995 09 20.18606	22 33 13.75	−09 12 31.8	20.4 V	691
1995 SO ₂₈	* 1995 09 20.18405	22 30 20.06	−09 31 18.4	18.3 V	691	1995 SV ₂₈	1995 09 20.20791	22 33 12.80	−09 12 35.5		691
1995 SO ₂₈	1995 09 20.20589	22 30 18.31	−09 31 08.1		691	1995 SV ₂₈	1995 09 20.22899	22 33 11.80	−09 12 41.0		691
1995 SO ₂₈	1995 09 20.22696	22 30 16.59	−09 30 57.9		691	1995 SV ₂₈	1995 09 25.24174	22 29 44.93	−09 24 28.7		691
1995 SO ₂₈	1995 09 26.16695	22 23 15.33	−08 42 43.6	18.6 V	691	1995 SV ₂₈	1995 09 25.26267	22 29 44.10	−09 24 31.5	20.5 V	691
1995 SO ₂₈	1995 09 26.18812	22 23 13.93	−08 42 32.5		691	1995 SV ₂₈	1995 09 25.28379	22 29 43.23	−09 24 34.1		691
1995 SO ₂₈	1995 09 26.20924	22 23 12.50	−08 42 22.4		691	1995 SV ₂₈	1995 10 01.30167	22 26 23.55	−09 34 15.4		691
1995 SP ₂₈	* 1995 09 20.18421	22 30 33.85	−09 11 52.8	20.4 V	691	1995 SV ₂₈	1995 10 01.32404	22 26 22.90	−09 34 17.4	21.0 V	691
1995 SP ₂₈	1995 09 20.20606	22 30 33.00	−09 11 56.2		691	1995 SV ₂₈	1995 10 01.34591	22 26 22.24	−09 34 18.4		691
1995 SP ₂₈	1995 09 20.22714	22 30 32.15	−09 11 59.4		691	1995 SW ₂₈	* 1995 09 20.18711	22 34 44.53	−09 31 46.0		691
1995 SP ₂₈	1995 09 25.24038	22 27 47.38	−09 23 30.2		691	1995 SW ₂₈	1995 09 20.20896	22 34 43.66	−09 31 52.4	20.5 V	691
1995 SP ₂₈	1995 09 25.26132	22 27 46.70	−09 23 33.1	20.3 V	691	1995 SW ₂₈	1995 09 20.23004	22 34 42.76	−09 31 59.0		691
1995 SP ₂₈	1995 09 25.28244	22 27 46.01	−09 23 35.1		691	1995 SW ₂₈	1995 09 25.17853	22 31 43.95	−09 55 48.6	20.7 V	691
1995 SP ₂₈	1995 10 01.30104	22 25 28.69	−09 31 54.5		691	1995 SW ₂₈	1995 09 25.19999	22 31 43.19	−09 55 53.9		691
1995 SP ₂₈	1995 10 01.32341	22 25 28.25	−09 31 56.0	20.8 V	691	1995 SW ₂₈	1995 09 25.22131	22 31 42.45	−09 56 00.1		691
1995 SP ₂₈	1995 10 01.34528	22 25 27.84	−09 31 56.9		691	1995 SX ₂₈	* 1995 09 20.18719	22 34 51.96	−09 16 19.9	18.2 V	691
1995 SQ ₂₈	* 1995 09 20.18485	22 31 29.00	−09 42 09.7		691	1995 SX ₂₈	1995 09 20.20904	22 34 51.13	−09 16 24.8		691
1995 SQ ₂₈	1995 09 20.20670	22 31 27.95	−09 42 09.3	18.7 V	691	1995 SX ₂₈	1995 09 20.23012	22 34 50.32	−09 16 29.5		691
1995 SQ ₂₈	1995 09 20.22778	22 31 26.92	−09 42 08.6		691	1995 SX ₂₈	1995 09 25.24327	22 31 58.22	−09 33 45.7	17.9 V	691
1995 SQ ₂₈	1995 09 25.24034	22 27 44.35	−09 38 48.4	18.4 V	691	1995 SX ₂₈	1995 09 25.26421	22 31 57.52	−09 33 49.7		691
1995 SQ ₂₈	1995 09 25.26128	22 27 43.44	−09 38 47.2		691	1995 SX ₂₈	1995 09 25.28533	22 31 56.76	−09 33 53.7		691
1995 SQ ₂₈	1995 09 25.28240	22 27 42.48	−09 38 46.1		691	1995 SX ₂₈	1995 10 01.19482	22 29 08.44	−09 50 40.2	18.7 V	691
1995 SR ₂₈	* 1995 09 20.18508	22 31 48.64	−09 32 55.6		691	1995 SX ₂₈	1995 10 01.21782	22 29 07.81	−09 50 43.2		691
1995 SR ₂₈	1995 09 20.20693	22 31 47.79	−09 33 01.0	20.7 V	691	1995 SX ₂₈	1995 10 01.23984	22 29 07.23	−09 50 46.8		691

1995 SY ₂₈	* 1995 09 20.18728	22 34 59.42	-09 19 11.2	20.5 V	691	1995 SG ₂₉	1995 09 20.23230	22 37 58.94	-09 35 24.9	21.1 V	691
1995 SY ₂₈	1995 09 20.20913	22 34 58.53	-09 19 17.2		691	1995 SG ₂₉	1995 09 25.18050	22 34 33.82	-09 47 29.2	21.0 V	691
1995 SY ₂₈	1995 09 20.23021	22 34 57.64	-09 19 23.6		691	1995 SG ₂₉	1995 09 25.20195	22 34 32.94	-09 47 32.2		691
1995 SY ₂₈	1995 09 25.24316	22 31 48.14	-09 41 44.7	20.3 V	691	1995 SG ₂₉	1995 09 25.22326	22 34 32.06	-09 47 35.3		691
1995 SY ₂₈	1995 09 25.26409	22 31 47.38	-09 41 50.2		691	1995 SG ₂₉	1995 10 01.19630	22 31 16.37	-09 57 10.3	21.4 V	691
1995 SY ₂₈	1995 09 25.28521	22 31 46.59	-09 41 55.7		691	1995 SG ₂₉	1995 10 01.21930	22 31 15.71	-09 57 12.5		691
1995 SZ ₂₈	* 1995 09 20.18794	22 35 56.15	-09 38 15.3	19.8 V	691	1995 SG ₂₉	1995 10 01.24132	22 31 15.06	-09 57 14.0		691
1995 SZ ₂₈	1995 09 20.20978	22 35 55.19	-09 38 20.3		691	1995 SH ₂₉	* 1995 09 20.19011	22 39 04.46	-09 35 13.9	20.3 V	691
1995 SZ ₂₈	1995 09 25.17918	22 32 40.12	-09 54 45.5	20.4 V	691	1995 SH ₂₉	1995 09 20.21196	22 39 03.46	-09 35 21.5		691
1995 SZ ₂₈	1995 09 25.20064	22 32 39.28	-09 54 49.6		691	1995 SH ₂₉	1995 09 20.23304	22 39 02.48	-09 35 28.7		691
1995 SZ ₂₈	1995 09 25.22195	22 32 38.47	-09 54 53.6		691	1995 SH ₂₉	1995 09 25.18122	22 35 36.39	-10 01 37.3	20.4 V	691
1995 SA ₂₉	* 1995 09 20.18802	22 36 03.20	-09 36 20.0	18.8 V	691	1995 SH ₂₉	1995 09 25.20268	22 35 35.52	-10 01 43.7		691
1995 SA ₂₉	1995 09 20.20986	22 36 02.01	-09 36 25.2		691	1995 SH ₂₉	1995 09 25.22399	22 35 34.65	-10 01 50.2		691
1995 SA ₂₉	1995 09 20.23094	22 36 00.85	-09 36 29.8		691	1995 SJ ₂₉	* 1995 09 20.19080	22 40 04.33	-09 30 38.0		691
1995 SA ₂₉	1995 10 01.19378	22 27 38.31	-10 10 09.8	19.0 V	691	1995 SJ ₂₉	1995 09 20.21265	22 40 03.10	-09 30 36.0	20.3 V	691
1995 SA ₂₉	1995 10 01.21678	22 27 37.36	-10 10 12.9		691	1995 SJ ₂₉	1995 09 20.23372	22 40 01.89	-09 30 33.8		691
1995 SA ₂₉	1995 10 01.23879	22 27 36.47	-10 10 15.7		691	1995 SJ ₂₉	1995 09 25.24585	22 35 41.33	-09 21 30.2		691
1995 SB ₂₉	* 1995 09 20.18805	22 36 06.03	-09 13 26.6		691	1995 SJ ₂₉	1995 09 25.26678	22 35 40.26	-09 21 27.5	20.2 V	691
1995 SB ₂₉	1995 09 20.20990	22 36 05.27	-09 13 19.5		691	1995 SJ ₂₉	1995 09 25.28790	22 35 39.21	-09 21 25.3		691
1995 SB ₂₉	1995 09 20.23098	22 36 04.53	-09 13 12.5	19.9 V	691	1995 SJ ₂₉	1995 10 02.23179	22 30 40.14	-09 04 28.0		691
1995 SB ₂₉	1995 09 26.28132	22 33 32.65	-08 36 56.3	20.1 V	691	1995 SJ ₂₉	1995 10 02.25316	22 30 39.26	-09 04 23.5		691
1995 SB ₂₉	1995 09 26.30242	22 33 32.12	-08 36 48.3		691	1995 SJ ₂₉	1995 10 02.27438	22 30 38.41	-09 04 20.2	20.8 V	691
1995 SB ₂₉	1995 09 26.32351	22 33 31.65	-08 36 40.4		691	1995 SD ₃₀	* 1995 09 17.29263	23 28 04.30	-03 42 59.1	21.3 V	691
1995 SC ₂₉	* 1995 09 20.18827	22 36 24.78	-09 11 21.6	18.8 V	691	1995 SD ₃₀	1995 09 17.31347	23 28 03.28	-03 43 11.9		691
1995 SC ₂₉	1995 09 20.21011	22 36 23.66	-09 11 23.4		691	1995 SD ₃₀	1995 09 18.39563	23 27 12.49	-03 53 49.0	21.6 V	691
1995 SC ₂₉	1995 09 20.23119	22 36 22.57	-09 11 25.0		691	1995 SD ₃₀	1995 09 18.40336	23 27 12.11	-03 53 53.4		691
1995 SC ₂₉	1995 10 01.30340	22 28 53.42	-09 16 39.9	19.2 V	691	1995 SD ₃₀	1995 09 18.41085	23 27 11.75	-03 53 57.8		691
1995 SC ₂₉	1995 10 01.32577	22 28 52.68	-09 16 39.9		691	1995 SE ₃₀	* 1995 09 17.33347	23 25 44.06	-03 02 36.3	19.8 V	691
1995 SC ₂₉	1995 10 01.34764	22 28 51.97	-09 16 39.3		691	1995 SE ₃₀	1995 09 17.35449	23 25 42.93	-03 02 41.3		691
1995 SD ₂₉	* 1995 09 20.18848	22 36 43.18	-09 34 48.8		691	1995 SE ₃₀	1995 09 17.37547	23 25 41.78	-03 02 46.5		691
1995 SD ₂₉	1995 09 20.21033	22 36 42.19	-09 34 58.3	19.4 V	691	1995 SE ₃₀	1995 09 22.34939	23 21 21.95	-03 22 58.7		691
1995 SD ₂₉	1995 09 20.23141	22 36 41.21	-09 35 06.8		691	1995 SE ₃₀	1995 09 22.37043	23 21 20.86	-03 23 03.5	20.6 V	691
1995 SD ₂₉	1995 09 25.17967	22 33 21.91	-10 07 07.5	19.4 V	691	1995 SE ₃₀	1995 09 22.39135	23 21 19.73	-03 23 08.6		691
1995 SD ₂₉	1995 09 25.20112	22 33 21.08	-10 07 15.3		691	1995 SF ₃₀	* 1995 09 17.33675	23 30 28.49	-03 21 21.1	20.0 V	691
1995 SD ₂₉	1995 09 25.22244	22 33 20.20	-10 07 23.2		691	1995 SF ₃₀	1995 09 17.35778	23 30 27.43	-03 21 26.7		691
1995 SE ₂₉	* 1995 09 20.18897	22 37 25.84	-09 37 59.4		691	1995 SF ₃₀	1995 09 17.37875	23 30 26.38	-03 21 32.2		691
1995 SE ₂₉	1995 09 20.21082	22 37 25.01	-09 38 04.0	19.8 V	691	1995 SF ₃₀	1995 09 22.28967	23 26 28.94	-03 43 11.8		691
1995 SE ₂₉	1995 09 20.23190	22 37 24.17	-09 38 08.0		691	1995 SF ₃₀	1995 09 22.31051	23 26 27.96	-03 43 17.2		691
1995 SE ₂₉	1995 09 25.18045	22 34 29.96	-09 52 52.5		691	1995 SF ₃₀	1995 09 22.33142	23 26 26.92	-03 43 22.8	20.4 V	691
1995 SE ₂₉	1995 09 25.20191	22 34 29.23	-09 52 56.5		691	1995 SG ₃₀	* 1995 09 17.34338	23 40 02.52	-03 00 37.8	20.5 V	691
1995 SE ₂₉	1995 09 25.22322	22 34 28.50	-09 52 59.8	20.0 V	691	1995 SG ₃₀	1995 09 17.36440	23 40 01.38	-03 00 42.8		691
1995 SE ₂₉	1995 10 01.19651	22 31 34.67	-10 06 55.2		691	1995 SG ₃₀	1995 09 17.38538	23 40 00.31	-03 00 48.2		691
1995 SE ₂₉	1995 10 01.21951	22 31 34.05	-10 06 57.5	20.4 V	691	1995 SG ₃₀	1995 09 22.35938	23 35 47.31	-03 20 47.0		691
1995 SE ₂₉	1995 10 01.24153	22 31 33.45	-10 07 00.2		691	1995 SG ₃₀	1995 09 22.38042	23 35 46.27	-03 20 52.4	21.6 V	691
1995 SF ₂₉	* 1995 09 20.18933	22 37 56.74	-09 35 26.9	18.7 V	691	1995 SG ₃₀	1995 09 22.40135	23 35 45.17	-03 20 57.4		691
1995 SF ₂₉	1995 09 20.21118	22 37 55.83	-09 35 34.0		691	1995 SH ₃₀	* 1995 09 18.20465	23 40 13.67	-02 34 06.0		691
1995 SF ₂₉	1995 09 20.23226	22 37 54.93	-09 35 40.4		691	1995 SH ₃₀	1995 09 18.22550	23 40 12.65	-02 34 14.8		691
1995 SF ₂₉	1995 09 25.18064	22 34 46.72	-09 59 40.9		691	1995 SH ₃₀	1995 09 18.24651	23 40 11.67	-02 34 23.2	19.9 V	691
1995 SF ₂₉	1995 09 25.20210	22 34 45.92	-09 59 47.0	19.2 V	691	1995 SH ₃₀	1995 09 27.19809	23 33 24.66	-03 32 49.1		691
1995 SF ₂₉	1995 09 25.22342	22 34 45.13	-09 59 52.9		691	1995 SH ₃₀	1995 09 27.21892	23 33 23.75	-03 32 57.6	20.7 V	691
1995 SG ₂₉	* 1995 09 20.18938	22 38 00.98	-09 35 17.4		691	1995 SH ₃₀	1995 09 27.24005	23 33 22.75	-03 33 05.3		691
1995 SG ₂₉	1995 09 20.21123	22 37 59.98	-09 35 21.2		691	1995 SJ ₃₀	* 1995 09 18.25821	23 25 51.00	-02 19 06.6	19.9 V	691

1995 SJ ₃₀	1995 09 18.27954	23 25 49.84	−02 19 12.2		691	1995 SR ₃₀	* 1995 09 20.19137	22 40 53.73	−09 30 38.2		691
1995 SJ ₃₀	1995 09 18.30021	23 25 48.75	−02 19 17.7		691	1995 SR ₃₀	1995 09 20.21322	22 40 52.65	−09 30 43.7		691
1995 SJ ₃₀	1995 09 27.28586	23 18 12.04	−02 58 31.5	20.2 V	691	1995 SR ₃₀	1995 09 20.23430	22 40 51.61	−09 30 48.7	20.6 V	691
1995 SJ ₃₀	1995 09 27.31548	23 18 10.58	−02 58 38.6		691	1995 SR ₃₀	1995 09 25.18228	22 37 08.16	−09 49 27.7		691
1995 SJ ₃₀	1995 09 27.33634	23 18 09.53	−02 58 43.7		691	1995 SR ₃₀	1995 09 25.20374	22 37 07.22	−09 49 32.3	20.8 V	691
1995 SK ₃₀	* 1995 09 18.34514	00 43 43.24	+00 30 32.2	20.7 V	691	1995 SR ₃₀	1995 09 25.22505	22 37 06.31	−09 49 36.8		691
1995 SK ₃₀	1995 09 18.37717	00 43 41.80	+00 30 24.5	20.7 V	691	1995 SR ₃₀	1995 10 01.19769	22 33 17.06	−10 07 45.9		691
1995 SK ₃₀	1995 09 24.29039	00 39 21.63	+00 05 35.9		691	1995 SR ₃₀	1995 10 01.22069	22 33 16.23	−10 07 49.5	21.0 V	691
1995 SK ₃₀	1995 09 24.31120	00 39 20.60	+00 05 30.4		691	1995 SR ₃₀	1995 10 01.24271	22 33 15.44	−10 07 52.7		691
1995 SK ₃₀	1995 09 24.33212	00 39 19.63	+00 05 25.6	20.5 V	691	1995 SS ₃₀	* 1995 09 20.19139	22 40 55.58	−09 38 01.0	20.1 V	691
1995 SL ₃₀	* 1995 09 18.35573	00 59 00.62	+00 27 57.6	19.8 V	691	1995 SS ₃₀	1995 09 20.21324	22 40 54.34	−09 38 03.5		691
1995 SL ₃₀	1995 09 18.38776	00 58 59.08	+00 27 51.5	19.7 V	691	1995 SS ₃₀	1995 09 20.23431	22 40 53.11	−09 38 05.8		691
1995 SL ₃₀	1995 09 24.30059	00 54 05.00	+00 08 55.8	19.5 V	691	1995 SS ₃₀	1995 09 22.26076	22 39 01.81	−09 41 34.2	19.8 V	691
1995 SL ₃₀	1995 09 24.32140	00 54 03.91	+00 08 51.6		691	1995 SS ₃₀	1995 09 22.26700	22 39 01.43	−09 41 34.8		691
1995 SL ₃₀	1995 09 24.34231	00 54 02.76	+00 08 47.6		691	1995 SS ₃₀	1995 09 22.27601	22 39 00.91	−09 41 35.7		691
1995 SM ₃₀	* 1995 09 19.22559	22 47 32.67	−09 46 39.0	20.7 V	691	1995 SS ₃₀	1995 09 25.18182	22 36 28.40	−09 45 49.9	20.2 V	691
1995 SM ₃₀	1995 09 19.24668	22 47 30.47	−09 46 31.6		691	1995 SS ₃₀	1995 09 25.20327	22 36 27.27	−09 45 52.4		691
1995 SM ₃₀	1995 09 20.19485	22 45 55.29	−09 40 24.1	21.1 V	691	1995 SS ₃₀	1995 09 25.22458	22 36 26.15	−09 45 54.0		691
1995 SM ₃₀	1995 09 20.21669	22 45 53.02	−09 40 15.7		691	1995 SS ₃₀	1995 10 01.19661	22 31 43.21	−09 51 42.5	20.2 V	691
1995 SM ₃₀	1995 09 20.23775	22 45 50.87	−09 40 07.5		691	1995 SS ₃₀	1995 10 01.21961	22 31 42.15	−09 51 42.6		691
1995 SM ₃₀	1995 09 20.27219	22 45 47.29	−09 39 54.3		691	1995 SS ₃₀	1995 10 01.24162	22 31 41.16	−09 51 43.8		691
1995 SM ₃₀	1995 09 20.27898	22 45 46.61	−09 39 51.9	20.4 V	691	1995 ST ₃₀	* 1995 09 20.19140	22 40 56.17	−09 28 42.3	20.0 V	691
1995 SM ₃₀	1995 09 20.28451	22 45 46.05	−09 39 49.6		691	1995 ST ₃₀	1995 09 20.21325	22 40 55.16	−09 28 46.8		691
1995 SM ₃₀	1995 09 22.26315	22 42 29.31	−09 26 39.0	20.7 V	691	1995 ST ₃₀	1995 09 20.23433	22 40 54.20	−09 28 50.9		691
1995 SM ₃₀	1995 09 22.26939	22 42 28.72	−09 26 37.3		691	1995 ST ₃₀	1995 09 25.18250	22 37 27.31	−09 43 38.4		691
1995 SM ₃₀	1995 09 22.27840	22 42 27.78	−09 26 33.4		691	1995 ST ₃₀	1995 09 25.20396	22 37 26.46	−09 43 41.8	20.1 V	691
1995 SM ₃₀	1995 09 26.17563	22 36 11.84	−08 59 03.7		691	1995 ST ₃₀	1995 09 25.22527	22 37 25.58	−09 43 45.4		691
1995 SM ₃₀	1995 09 26.19678	22 36 09.77	−08 58 54.8		691	1995 ST ₃₀	1995 10 01.19814	22 33 56.28	−09 57 24.5		691
1995 SM ₃₀	1995 09 26.21789	22 36 07.76	−08 58 45.5	20.6 V	691	1995 ST ₃₀	1995 10 01.22115	22 33 55.48	−09 57 27.5		691
1995 SN ₃₀	* 1995 09 19.42291	01 17 06.71	+10 04 22.8		691	1995 ST ₃₀	1995 10 01.24316	22 33 54.77	−09 57 29.7	21.2 V	691
1995 SN ₃₀	1995 09 19.45196	01 17 05.34	+10 04 18.0		691	1995 SU ₃₀	* 1995 09 20.19246	22 42 27.72	−09 21 07.3		691
1995 SN ₃₀	1995 09 19.48078	01 17 03.99	+10 04 13.2	20.5 V	691	1995 SU ₃₀	1995 09 20.21431	22 42 26.80	−09 21 14.4	19.7 V	691
1995 SN ₃₀	1995 09 25.45084	01 12 10.99	+09 44 27.7		691	1995 SU ₃₀	1995 09 20.23538	22 42 25.89	−09 21 21.2		691
1995 SN ₃₀	1995 09 25.47203	01 12 09.81	+09 44 23.0	20.7 V	691	1995 SU ₃₀	1995 10 01.19952	22 35 55.74	−10 11 44.0		691
1995 SO ₃₀	* 1995 09 19.43421	01 33 26.28	+09 44 21.1		691	1995 SU ₃₀	1995 10 01.22253	22 35 55.02	−10 11 49.2	20.5 V	691
1995 SO ₃₀	1995 09 19.46327	01 33 25.26	+09 44 15.1		691	1995 SU ₃₀	1995 10 01.24454	22 35 54.36	−10 11 53.9		691
1995 SO ₃₀	1995 09 19.49210	01 33 24.29	+09 44 08.3	19.3 V	691	1995 SV ₃₀	* 1995 09 20.19311	22 43 24.06	−09 31 36.0		691
1995 SO ₃₀	1995 09 24.45662	01 30 28.97	+09 24 40.3		691	1995 SV ₃₀	1995 09 20.21495	22 43 23.00	−09 31 39.3	19.8 V	691
1995 SO ₃₀	1995 09 24.47776	01 30 28.16	+09 24 35.1	19.9 V	691	1995 SV ₃₀	1995 09 20.23603	22 43 21.97	−09 31 42.4		691
1995 SO ₃₀	1995 09 24.49888	01 30 27.32	+09 24 29.7		691	1995 SV ₃₀	1995 09 20.27082	22 43 20.19	−09 31 47.5	20.2 V	691
1995 SP ₃₀	* 1995 09 20.19080	22 40 04.42	−09 31 47.3		691	1995 SV ₃₀	1995 09 20.27762	22 43 19.88	−09 31 48.8		691
1995 SP ₃₀	1995 09 20.21265	22 40 03.23	−09 31 50.4	19.9 V	691	1995 SV ₃₀	1995 09 20.28315	22 43 19.62	−09 31 49.4		691
1995 SP ₃₀	1995 09 20.23372	22 40 02.08	−09 31 53.2		691	1995 SV ₃₀	1995 09 22.26268	22 41 48.40	−09 36 16.4	19.7 V	691
1995 SP ₃₀	1995 09 22.26046	22 38 17.55	−09 36 03.7	20.7 V	691	1995 SV ₃₀	1995 09 22.26892	22 41 48.15	−09 36 17.2		691
1995 SP ₃₀	1995 09 22.26670	22 38 17.16	−09 36 04.2		691	1995 SV ₃₀	1995 09 22.27793	22 41 47.69	−09 36 18.7		691
1995 SP ₃₀	1995 09 22.27572	22 38 16.72	−09 36 05.1		691	1995 SV ₃₀	1995 09 25.24859	22 39 38.16	−09 42 11.2	19.6 V	691
1995 SQ ₃₀	* 1995 09 20.19089	22 40 12.16	−09 25 37.8		691	1995 SV ₃₀	1995 09 25.26952	22 39 37.25	−09 42 13.5		691
1995 SQ ₃₀	1995 09 20.21274	22 40 11.24	−09 25 46.3	20.6 V	691	1995 SV ₃₀	1995 10 01.19946	22 35 49.98	−09 50 43.4		691
1995 SQ ₃₀	1995 09 20.23382	22 40 10.33	−09 25 54.0		691	1995 SV ₃₀	1995 10 01.22246	22 35 49.16	−09 50 45.0	20.0 V	691
1995 SQ ₃₀	1995 09 25.18225	22 37 05.65	−09 54 47.8	20.7 V	691	1995 SV ₃₀	1995 10 01.24447	22 35 48.35	−09 50 46.4		691
1995 SQ ₃₀	1995 09 25.20371	22 37 04.90	−09 54 55.2		691	1995 SW ₃₀	* 1995 09 20.19316	22 43 28.36	−09 20 54.6		691
1995 SQ ₃₀	1995 09 25.22502	22 37 04.13	−09 55 02.0		691	1995 SW ₃₀	1995 09 20.21500	22 43 27.33	−09 21 03.9	20.7 V	691

1995 SW ₃₀	1995 09 20.23608	22 43 26.34	-09 21 12.8	691	1995 SC ₃₁	1995 09 20.25411	22 46 36.36	-09 40 58.4	20.0 V	691
1995 SW ₃₀	1995 09 25.18425	22 39 58.64	-09 55 17.9	691	1995 SC ₃₁	1995 09 20.25958	22 46 36.08	-09 40 59.1		691
1995 SW ₃₀	1995 09 25.20571	22 39 57.80	-09 55 26.2	691	1995 SC ₃₁	1995 09 20.26504	22 46 35.78	-09 40 59.6		691
1995 SW ₃₀	1995 09 25.22702	22 39 56.88	-09 55 34.8	20.4 V	691	1995 SC ₃₁	1995 09 25.18619	22 42 47.39	-09 47 12.1	691
1995 SX ₃₀	* 1995 09 20.19324	22 43 35.23	-09 26 19.8	691	1995 SC ₃₁	1995 09 25.20765	22 42 46.43	-09 47 13.5	20.0 V	691
1995 SX ₃₀	1995 09 20.21509	22 43 34.32	-09 26 23.2	691	1995 SC ₃₁	1995 09 25.22896	22 42 45.47	-09 47 14.6		691
1995 SX ₃₀	1995 09 20.23616	22 43 33.44	-09 26 26.3	20.4 V	691	1995 SC ₃₁	1995 10 01.20162	22 38 57.68	-09 50 08.7	691
1995 SX ₃₀	1995 10 01.20032	22 37 04.49	-09 46 11.0	20.4 V	691	1995 SC ₃₁	1995 10 01.22463	22 38 56.84	-09 50 08.0	20.2 V
1995 SX ₃₀	1995 10 01.22332	22 37 03.79	-09 46 12.5	691	1995 SC ₃₁	1995 10 01.24664	22 38 56.10	-09 50 08.1		691
1995 SX ₃₀	1995 10 01.24534	22 37 03.12	-09 46 14.4	691	1995 SD ₃₁	* 1995 09 20.19620	22 47 51.74	-09 17 05.6	18.7 V	691
1995 SY ₃₀	* 1995 09 20.19334	22 43 44.08	-09 26 42.0	19.5 V	691	1995 SD ₃₁	1995 09 20.21805	22 47 50.78	-09 17 15.7	691
1995 SY ₃₀	1995 09 20.21519	22 43 43.04	-09 26 52.6	691	1995 SD ₃₁	1995 09 20.23913	22 47 49.87	-09 17 25.2		691
1995 SY ₃₀	1995 09 20.23626	22 43 42.04	-09 27 02.3	691	1995 SD ₃₁	1995 09 25.18738	22 44 30.42	-09 53 06.1	18.7 V	691
1995 SY ₃₀	1995 09 22.26295	22 42 11.36	-09 42 34.6	691	1995 SD ₃₁	1995 09 25.20884	22 44 29.57	-09 53 15.4		691
1995 SY ₃₀	1995 09 22.26919	22 42 11.10	-09 42 39.3	691	1995 SD ₃₁	1995 09 25.23015	22 44 28.71	-09 53 24.3		691
1995 SY ₃₀	1995 09 22.27820	22 42 10.66	-09 42 41.5	19.3 V	691	1995 SE ₃₁	* 1995 09 20.19637	22 48 06.93	-09 31 44.5	691
1995 SY ₃₀	1995 09 25.18436	22 40 08.55	-10 03 53.5	19.9 V	691	1995 SE ₃₁	1995 09 20.21823	22 48 06.32	-09 31 47.8	691
1995 SY ₃₀	1995 09 25.20582	22 40 07.65	-10 04 02.8	691	1995 SE ₃₁	1995 09 20.23931	22 48 05.64	-09 31 49.5	21.2 V	691
1995 SY ₃₀	1995 09 25.22713	22 40 06.72	-10 04 11.6	691	1995 SE ₃₁	1995 09 25.25282	22 45 44.96	-09 39 32.4		691
1995 SZ ₃₀	* 1995 09 20.19357	22 44 04.13	-09 13 42.5	691	1995 SE ₃₁	1995 09 25.27376	22 45 44.41	-09 39 35.0	20.8 V	691
1995 SZ ₃₀	1995 09 20.21542	22 44 03.20	-09 13 49.8	19.8 V	691	1995 SE ₃₁	1995 09 25.29488	22 45 43.80	-09 39 36.4	691
1995 SZ ₃₀	1995 09 20.23650	22 44 02.30	-09 13 56.2	691	1995 SE ₃₁	1995 10 01.20455	22 43 11.10	-09 47 11.0	21.1 V	691
1995 SZ ₃₀	1995 09 22.26327	22 42 39.90	-09 24 47.0	19.0 V	691	1995 SE ₃₁	1995 10 01.22755	22 43 10.53	-09 47 13.8	691
1995 SZ ₃₀	1995 09 22.26952	22 42 39.64	-09 24 49.2	691	1995 SE ₃₁	1995 10 01.24957	22 43 09.95	-09 47 15.2		691
1995 SZ ₃₀	1995 09 22.27853	22 42 39.26	-09 24 52.0	691	1995 SF ₃₁	* 1995 09 20.19682	22 48 45.96	-09 13 03.2		691
1995 SA ₃₁	* 1995 09 20.19380	22 44 23.87	-09 28 05.7	691	1995 SF ₃₁	1995 09 20.21867	22 48 44.96	-09 13 05.7		691
1995 SA ₃₁	1995 09 20.21565	22 44 22.98	-09 28 12.6	19.9 V	691	1995 SF ₃₁	1995 09 20.23975	22 48 43.87	-09 13 07.9	20.2 V
1995 SA ₃₁	1995 09 20.23673	22 44 22.08	-09 28 19.3	691	1995 SF ₃₁	1995 09 25.25232	22 45 01.56	-09 20 13.0		691
1995 SA ₃₁	1995 09 22.26356	22 43 04.49	-09 38 40.3	691	1995 SF ₃₁	1995 09 25.27325	22 45 00.66	-09 20 14.2	20.0 V	691
1995 SA ₃₁	1995 09 22.26980	22 43 04.25	-09 38 42.1	691	1995 SF ₃₁	1995 09 25.29437	22 44 59.75	-09 20 15.8		691
1995 SA ₃₁	1995 09 22.27881	22 43 03.87	-09 38 45.0	19.9 V	691	1995 SF ₃₁	1995 10 01.31194	22 41 12.24	-09 24 50.0	691
1995 SA ₃₁	1995 09 25.18522	22 41 23.09	-09 52 18.0	691	1995 SF ₃₁	1995 10 01.33430	22 41 11.44	-09 24 50.5	20.7 V	691
1995 SA ₃₁	1995 09 25.20668	22 41 22.32	-09 52 24.1	20.0 V	691	1995 SF ₃₁	1995 10 01.35617	22 41 10.67	-09 24 51.0	691
1995 SA ₃₁	1995 09 25.22799	22 41 21.57	-09 52 29.7	691	1995 SG ₃₁	* 1995 09 20.19703	22 49 03.53	-09 18 35.1		691
1995 SB ₃₁	* 1995 09 20.19518	22 46 23.80	-09 36 07.3	691	1995 SG ₃₁	1995 09 20.21888	22 49 02.57	-09 18 45.8	20.9 V	691
1995 SB ₃₁	1995 09 20.21703	22 46 22.55	-09 36 10.2	691	1995 SG ₃₁	1995 09 20.23995	22 49 01.65	-09 18 56.5		691
1995 SB ₃₁	1995 09 20.23810	22 46 21.35	-09 36 12.5	18.3 V	691	1995 SG ₃₁	1995 09 25.18823	22 45 43.81	-09 57 55.9	691
1995 SB ₃₁	1995 09 20.25393	22 46 20.42	-09 36 14.6	18.4 V	691	1995 SG ₃₁	1995 09 25.20969	22 45 42.98	-09 58 05.1	21.3 V
1995 SB ₃₁	1995 09 20.25940	22 46 20.12	-09 36 15.4	691	1995 SG ₃₁	1995 09 25.23100	22 45 42.11	-09 58 14.6		691
1995 SB ₃₁	1995 09 20.26486	22 46 19.81	-09 36 15.9	691	1995 SH ₃₁	* 1995 09 20.19719	22 49 17.30	-09 41 16.6	20.9 V	691
1995 SB ₃₁	1995 09 20.27256	22 46 19.37	-09 36 16.8	17.9 V	691	1995 SH ₃₁	1995 09 20.21903	22 49 16.33	-09 41 24.0	691
1995 SB ₃₁	1995 09 20.27936	22 46 18.99	-09 36 17.6	691	1995 SH ₃₁	1995 09 20.24011	22 49 15.40	-09 41 31.3		691
1995 SB ₃₁	1995 09 20.28488	22 46 18.68	-09 36 18.2	691	1995 SH ₃₁	1995 09 25.18843	22 46 00.58	-10 07 43.5		691
1995 SB ₃₁	1995 09 25.18575	22 42 09.01	-09 44 04.4	691	1995 SH ₃₁	1995 09 25.20988	22 45 59.76	-10 07 50.2		691
1995 SB ₃₁	1995 09 25.20721	22 42 07.95	-09 44 06.4	18.1 V	691	1995 SH ₃₁	1995 09 25.23120	22 45 58.92	-10 07 56.7	20.9 V
1995 SB ₃₁	1995 09 25.22852	22 42 06.89	-09 44 08.0	691	1995 SJ ₃₁	* 1995 09 20.27135	22 44 35.08	-09 43 43.8	18.6 V	691
1995 SB ₃₁	1995 10 01.20086	22 37 51.72	-09 49 01.4	18.3 V	691	1995 SJ ₃₁	1995 09 20.27815	22 44 34.71	-09 43 44.9	691
1995 SB ₃₁	1995 10 01.22386	22 37 50.80	-09 49 01.8	691	1995 SJ ₃₁	1995 09 20.28368	22 44 34.42	-09 43 45.7		691
1995 SB ₃₁	1995 10 01.24588	22 37 49.94	-09 49 02.4	691	1995 SJ ₃₁	1995 09 25.20604	22 40 26.98	-09 54 18.3	19.0 V	691
1995 SC ₃₁	* 1995 09 20.19536	22 46 39.47	-09 40 52.2	691	1995 SJ ₃₁	1995 09 25.22735	22 40 25.92	-09 54 20.8		691
1995 SC ₃₁	1995 09 20.21721	22 46 38.32	-09 40 54.7	19.9 V	691	1995 SK ₃₁	* 1995 09 21.11313	21 22 29.34	+00 45 24.2	691
1995 SC ₃₁	1995 09 20.23829	22 46 37.23	-09 40 56.6	691	1995 SK ₃₁	1995 09 21.13592	21 22 28.99	+00 45 12.2	20.5 V	691

1995 SK ₃₁	1995 09 21.15672	21 22 28.65	+00 45 01.7	691	1995 SS ₃₁	1995 09 25.25190	22 44 25.43	-09 21 04.6	20.0 V	691
1995 SK ₃₁	1995 09 25.11180	21 21 40.68	+00 10 32.9	691	1995 SS ₃₁	1995 09 25.27284	22 44 24.62	-09 21 11.9		691
1995 SK ₃₁	1995 09 25.13269	21 21 40.47	+00 10 22.4	20.7 V	691	1995 SS ₃₁	1995 09 25.29396	22 44 23.81	-09 21 19.8	691
1995 SK ₃₁	1995 09 25.15365	21 21 40.23	+00 10 11.5	691	1995 SS ₃₁	1995 10 01.20305	22 41 01.30	-09 54 07.3		691
1995 SL ₃₁	* 1995 09 21.11514	21 25 22.72	+00 46 27.6	691	1995 SS ₃₁	1995 10 01.22605	22 41 00.54	-09 54 14.8	20.0 V	691
1995 SL ₃₁	1995 09 21.13792	21 25 22.04	+00 46 21.7	18.2 V	691	1995 SS ₃₁	1995 10 01.24807	22 40 59.84	-09 54 21.6	691
1995 SL ₃₁	1995 09 21.15871	21 25 21.40	+00 46 16.3	691	1995 ST ₃₁	* 1995 09 21.17783	22 48 29.09	-09 13 18.7	20.0 V	691
1995 SL ₃₁	1995 09 26.10741	21 23 15.34	+00 25 15.0	18.2 V	691	1995 ST ₃₁	1995 09 21.18502	22 48 28.75	-09 13 23.3	691
1995 SL ₃₁	1995 09 26.12820	21 23 14.89	+00 25 10.0	691	1995 ST ₃₁	1995 09 21.19213	22 48 28.48	-09 13 29.0		691
1995 SL ₃₁	1995 09 26.14908	21 23 14.40	+00 25 04.8	691	1995 ST ₃₁	1995 09 25.18840	22 45 58.38	-09 59 01.5	20.0 V	691
1995 SM ₃₁	* 1995 09 21.11660	21 27 29.23	+00 51 09.2	19.4 V	691	1995 ST ₃₁	1995 09 25.20986	22 45 57.56	-09 59 16.0	691
1995 SM ₃₁	1995 09 21.13938	21 27 28.62	+00 51 03.2	691	1995 ST ₃₁	1995 09 25.23117	22 45 56.75	-09 59 30.1		691
1995 SM ₃₁	1995 09 21.16017	21 27 28.03	+00 50 58.2	691	1995 SU ₃₁	* 1995 09 21.17800	22 48 43.98	-08 56 54.3		691
1995 SM ₃₁	1995 09 26.10904	21 25 36.46	+00 32 22.5	691	1995 SU ₃₁	1995 09 21.18519	22 48 43.56	-08 56 53.9		691
1995 SM ₃₁	1995 09 26.12984	21 25 36.06	+00 32 18.3	19.3 V	691	1995 SU ₃₁	1995 09 21.19230	22 48 43.25	-08 56 54.2	21.0 V
1995 SM ₃₁	1995 09 26.15071	21 25 35.66	+00 32 13.7	691	1995 SU ₃₁	1995 09 26.18159	22 44 47.77	-08 52 37.3		691
1995 SN ₃₁	* 1995 09 21.11965	21 31 53.28	+00 34 03.6	19.1 V	691	1995 SU ₃₁	1995 09 26.20275	22 44 46.76	-08 52 35.6	691
1995 SN ₃₁	1995 09 21.14243	21 31 52.71	+00 33 59.3	691	1995 SU ₃₁	1995 09 26.22387	22 44 45.82	-08 52 34.0	20.9 V	691
1995 SN ₃₁	1995 09 21.16322	21 31 52.13	+00 33 55.5	691	1995 SV ₃₁	* 1995 09 21.17811	22 48 53.45	-08 49 57.6		691
1995 SN ₃₁	1995 09 25.11790	21 30 28.71	+00 21 46.6	691	1995 SV ₃₁	1995 09 21.18530	22 48 53.21	-08 50 00.6	18.2 V	691
1995 SN ₃₁	1995 09 25.13878	21 30 28.25	+00 21 42.3	19.2 V	691	1995 SV ₃₁	1995 09 21.19241	22 48 52.83	-08 50 00.6	691
1995 SN ₃₁	1995 09 25.15974	21 30 27.83	+00 21 38.6	691	1995 SV ₃₁	1995 10 01.31364	22 43 39.75	-09 19 50.1		691
1995 SO ₃₁	* 1995 09 21.12032	21 32 51.39	+00 29 28.4	691	1995 SV ₃₁	1995 10 01.33601	22 43 39.21	-09 19 52.2	19.9 V	691
1995 SO ₃₁	1995 09 21.14310	21 32 50.88	+00 29 22.2	20.1 V	691	1995 SV ₃₁	1995 10 01.35788	22 43 38.67	-09 19 54.4	691
1995 SO ₃₁	1995 09 21.16390	21 32 50.28	+00 29 16.4	691	1995 SW ₃₁	* 1995 09 21.17836	22 49 14.91	-09 05 50.3	18.9 V	691
1995 SO ₃₁	1995 09 25.11866	21 31 34.66	+00 11 48.7	20.1 V	691	1995 SW ₃₁	1995 09 21.18555	22 49 14.64	-09 05 55.1	691
1995 SO ₃₁	1995 09 25.13955	21 31 34.28	+00 11 42.7	691	1995 SW ₃₁	1995 09 21.19266	22 49 14.43	-09 06 00.5		691
1995 SO ₃₁	1995 09 25.16051	21 31 33.94	+00 11 37.5	691	1995 SW ₃₁	1995 09 25.18931	22 47 17.55	-09 50 05.7	18.8 V	691
1995 SO ₃₁	1995 09 30.11847	21 30 33.48	-00 09 22.4	691	1995 SW ₃₁	1995 09 25.21078	22 47 16.93	-09 50 20.0		691
1995 SO ₃₁	1995 09 30.14037	21 30 33.30	-00 09 27.4	20.3 V	691	1995 SW ₃₁	1995 09 25.23209	22 47 16.30	-09 50 33.6	691
1995 SO ₃₁	1995 09 30.16213	21 30 33.07	-00 09 32.8	691	1995 SX ₃₁	* 1995 09 21.17932	22 50 38.79	-08 55 23.3		691
1995 SP ₃₁	* 1995 09 21.12257	21 36 06.19	+00 38 32.7	18.8 V	691	1995 SX ₃₁	1995 09 21.18651	22 50 38.44	-08 55 24.5	691
1995 SP ₃₁	1995 09 21.14535	21 36 05.44	+00 38 25.6	691	1995 SX ₃₁	1995 09 21.19363	22 50 38.03	-08 55 23.4	20.6 V	691
1995 SP ₃₁	1995 09 21.16614	21 36 04.76	+00 38 18.7	691	1995 SX ₃₁	1995 09 26.18290	22 46 41.18	-08 56 25.8	20.6 V	691
1995 SP ₃₁	1995 09 25.12056	21 34 18.71	+00 17 54.6	18.8 V	691	1995 SX ₃₁	1995 09 26.20406	22 46 40.19	-08 56 25.4	691
1995 SP ₃₁	1995 09 25.14144	21 34 18.19	+00 17 48.3	691	1995 SX ₃₁	1995 09 26.22518	22 46 39.19	-08 56 25.3		691
1995 SP ₃₁	1995 09 25.16240	21 34 17.66	+00 17 41.9	691	1995 SX ₃₁	1995 10 02.24013	22 42 42.52	-08 52 59.5		691
1995 SQ ₃₁	* 1995 09 21.12447	21 38 50.72	+00 40 07.3	19.4 V	691	1995 SX ₃₁	1995 10 02.26150	22 42 41.74	-08 52 58.2	691
1995 SQ ₃₁	1995 09 21.14725	21 38 49.98	+00 40 00.5	691	1995 SX ₃₁	1995 10 02.28272	22 42 40.98	-08 52 56.8	20.7 V	691
1995 SQ ₃₁	1995 09 21.16804	21 38 49.29	+00 39 54.2	691	1995 SY ₃₁	* 1995 09 21.17942	22 50 47.10	-08 56 11.1	21.3 V	691
1995 SQ ₃₁	1995 09 25.12229	21 36 48.22	+00 21 38.2	691	1995 SY ₃₁	1995 09 21.18661	22 50 46.76	-08 56 12.7		691
1995 SQ ₃₁	1995 09 25.14316	21 36 47.62	+00 21 32.0	19.7 V	691	1995 SY ₃₁	1995 09 21.19373	22 50 46.44	-08 56 13.7	691
1995 SQ ₃₁	1995 09 25.16412	21 36 47.01	+00 21 26.5	691	1995 SY ₃₁	1995 10 01.31460	22 45 03.31	-09 16 15.7		691
1995 SR ₃₁	* 1995 09 21.12597	21 41 00.99	+00 32 46.3	691	1995 SY ₃₁	1995 10 01.33697	22 45 02.68	-09 16 16.8		691
1995 SR ₃₁	1995 09 21.14875	21 41 00.31	+00 32 44.3	19.7 V	691	1995 SY ₃₁	1995 10 01.35884	22 45 02.08	-09 16 18.5	21.1 V
1995 SR ₃₁	1995 09 21.16955	21 40 59.68	+00 32 43.0	691	1995 SZ ₃₁	* 1995 09 21.25446	22 26 13.77	-08 21 37.7		691
1995 SR ₃₁	1995 09 26.11838	21 39 04.78	+00 27 08.5	19.7 V	691	1995 SZ ₃₁	1995 09 21.27597	22 26 13.06	-08 21 46.6	19.7 V
1995 SR ₃₁	1995 09 26.13917	21 39 04.32	+00 27 06.8	691	1995 SZ ₃₁	1995 09 21.29713	22 26 12.37	-08 21 55.2		691
1995 SR ₃₁	1995 09 26.16005	21 39 03.89	+00 27 05.4	691	1995 SZ ₃₁	1995 09 26.16715	22 23 49.89	-08 54 05.6		691
1995 SS ₃₁	* 1995 09 21.17688	22 47 06.76	-08 55 39.7	20.8 V	691	1995 SZ ₃₁	1995 09 26.18832	22 23 49.31	-08 54 13.1	20.2 V
1995 SS ₃₁	1995 09 21.18407	22 47 06.41	-08 55 42.3	691	1995 SZ ₃₁	1995 09 26.20945	22 23 48.70	-08 54 21.0		691
1995 SS ₃₁	1995 09 21.19118	22 47 06.14	-08 55 45.3	691	1995 SA ₃₂	* 1995 09 21.25508	22 27 07.58	-08 33 57.2	20.1 V	691

1995 SA ₃₂	1995 09 21.27659	22 27 06.76	-08 34 06.5	691	1995 SH ₃₂	1995 10 02.22696	22 23 16.15	-08 54 51.3	19.4 V	691
1995 SA ₃₂	1995 09 21.29775	22 27 05.95	-08 34 15.7	691	1995 SH ₃₂	1995 10 02.24833	22 23 15.38	-08 54 53.9		691
1995 SA ₃₂	1995 09 26.16751	22 24 28.26	-09 07 56.6	20.5 V	691	1995 SH ₃₂	1995 10 02.26955	22 23 14.53	-08 54 56.2	691
1995 SA ₃₂	1995 09 26.18867	22 24 27.64	-09 08 04.6	691	1995 SJ ₃₂	* 1995 09 21.25861	22 32 14.02	-08 28 26.2	20.1 V	691
1995 SA ₃₂	1995 09 26.20980	22 24 26.97	-09 08 12.3	691	1995 SJ ₃₂	1995 09 21.28013	22 32 13.07	-08 28 32.9		691
1995 SB ₃₂	* 1995 09 21.25551	22 27 45.51	-08 28 17.6	691	1995 SJ ₃₂	1995 09 21.30129	22 32 12.13	-08 28 38.4		691
1995 SB ₃₂	1995 09 21.27703	22 27 44.59	-08 28 21.9	18.3 V	691	1995 SJ ₃₂	1995 09 26.17055	22 28 52.06	-08 50 55.3	691
1995 SB ₃₂	1995 09 21.29819	22 27 43.70	-08 28 25.9	691	1995 SJ ₃₂	1995 09 26.19172	22 28 51.18	-08 51 00.5		691
1995 SB ₃₂	1995 09 26.16776	22 24 49.81	-08 42 21.2	691	1995 SJ ₃₂	1995 09 26.21284	22 28 50.38	-08 51 06.2	20.5 V	691
1995 SB ₃₂	1995 09 26.18892	22 24 49.08	-08 42 24.4	18.7 V	691	1995 SK ₃₂	* 1995 09 21.25912	22 32 58.20	-08 32 14.9	18.9 V
1995 SB ₃₂	1995 09 26.21005	22 24 48.35	-08 42 27.6	691	1995 SK ₃₂	1995 09 21.28063	22 32 57.04	-08 32 12.5		691
1995 SC ₃₂	* 1995 09 21.25553	22 27 47.08	-08 13 34.5	20.6 V	691	1995 SK ₃₂	1995 09 21.30179	22 32 55.88	-08 32 09.8	691
1995 SC ₃₂	1995 09 21.27705	22 27 46.22	-08 13 36.7	691	1995 SK ₃₂	1995 09 26.27806	22 28 50.16	-08 21 15.0	19.2 V	691
1995 SC ₃₂	1995 09 21.29821	22 27 45.35	-08 13 38.1	691	1995 SK ₃₂	1995 09 26.29915	22 28 49.13	-08 21 12.4		691
1995 SC ₃₂	1995 09 26.27526	22 24 47.82	-08 19 20.4	21.0 V	691	1995 SK ₃₂	1995 09 26.32023	22 28 48.15	-08 21 08.9	691
1995 SC ₃₂	1995 09 26.29636	22 24 47.11	-08 19 21.4	691	1995 SL ₃₂	* 1995 09 21.25984	22 33 59.81	-08 21 26.6	20.1 V	691
1995 SC ₃₂	1995 09 26.31744	22 24 46.39	-08 19 22.8	691	1995 SL ₃₂	1995 09 21.28135	22 33 58.80	-08 21 32.8		691
1995 SD ₃₂	* 1995 09 21.25584	22 28 13.31	-08 24 39.0	691	1995 SL ₃₂	1995 09 21.30251	22 33 57.77	-08 21 38.5		691
1995 SD ₃₂	1995 09 21.27735	22 28 12.59	-08 24 48.3	691	1995 SL ₃₂	1995 09 26.17162	22 30 24.50	-08 42 39.9		691
1995 SD ₃₂	1995 09 21.29851	22 28 11.91	-08 24 57.0	20.0 V	691	1995 SL ₃₂	1995 09 26.19278	22 30 23.57	-08 42 45.0	20.5 V
1995 SD ₃₂	1995 09 26.16864	22 26 06.49	-08 56 25.4	20.6 V	691	1995 SL ₃₂	1995 09 26.21391	22 30 22.70	-08 42 49.7	691
1995 SD ₃₂	1995 09 26.18981	22 26 05.98	-08 56 32.9	691	1995 SL ₃₂	1995 10 02.22902	22 26 40.02	-09 04 46.9		691
1995 SD ₃₂	1995 09 26.21094	22 26 05.43	-08 56 39.8	691	1995 SL ₃₂	1995 10 02.25038	22 26 39.23	-09 04 50.5		691
1995 SE ₃₂	* 1995 09 21.25679	22 29 36.37	-08 33 33.3	17.8 V	691	1995 SL ₃₂	1995 10 02.27161	22 26 38.52	-09 04 54.5	20.7 V
1995 SE ₃₂	1995 09 21.27831	22 29 35.68	-08 33 39.2	691	1995 SM ₃₂	* 1995 09 21.26005	22 34 18.37	-08 23 12.1	21.4 V	691
1995 SE ₃₂	1995 09 21.29947	22 29 34.99	-08 33 45.1	691	1995 SM ₃₂	1995 09 21.28156	22 34 17.49	-08 23 16.8		691
1995 SE ₃₂	1995 09 26.16951	22 27 21.57	-08 54 40.8	18.5 V	691	1995 SM ₃₂	1995 09 21.30272	22 34 16.53	-08 23 20.7	691
1995 SE ₃₂	1995 09 26.19068	22 27 21.03	-08 54 45.7	691	1995 SM ₃₂	1995 10 02.22963	22 27 33.54	-08 58 53.0		691
1995 SE ₃₂	1995 09 26.21180	22 27 20.47	-08 54 50.7	691	1995 SM ₃₂	1995 10 02.27223	22 27 32.17	-08 58 59.4	20.4 V	691
1995 SE ₃₂	1995 10 01.30112	22 25 35.40	-09 13 04.3	691	1995 SN ₃₂	* 1995 09 21.26102	22 35 42.70	-08 33 23.6	20.0 V	691
1995 SE ₃₂	1995 10 01.32349	22 25 34.99	-09 13 08.7	18.9 V	691	1995 SN ₃₂	1995 09 21.28253	22 35 41.59	-08 33 31.2	691
1995 SE ₃₂	1995 10 01.34536	22 25 34.59	-09 13 12.7	691	1995 SN ₃₂	1995 09 21.30369	22 35 40.53	-08 33 38.2		691
1995 SF ₃₂	* 1995 09 21.25729	22 30 19.24	-08 36 12.6	691	1995 SN ₃₂	1995 10 01.30331	22 28 44.92	-09 23 49.4	20.5 V	691
1995 SF ₃₂	1995 09 21.27880	22 30 18.28	-08 36 18.2	19.3 V	691	1995 SN ₃₂	1995 10 01.32567	22 28 44.14	-09 23 55.1	691
1995 SF ₃₂	1995 09 26.16933	22 27 05.88	-08 56 21.1	691	1995 SN ₃₂	1995 10 01.34754	22 28 43.34	-09 24 00.9		691
1995 SF ₃₂	1995 09 26.19049	22 27 05.07	-08 56 25.7	19.2 V	691	1995 SO ₃₂	* 1995 09 21.26199	22 37 06.13	-08 30 20.0	691
1995 SF ₃₂	1995 09 26.21162	22 27 04.27	-08 56 30.7	691	1995 SO ₃₂	1995 09 21.28350	22 37 05.08	-08 30 23.1	18.9 V	691
1995 SG ₃₂	* 1995 09 21.25738	22 30 27.38	-08 19 31.9	19.6 V	691	1995 SO ₃₂	1995 09 21.30466	22 37 04.09	-08 30 26.3	691
1995 SG ₃₂	1995 09 21.27890	22 30 26.58	-08 19 37.7	691	1995 SO ₃₂	1995 09 26.17398	22 33 48.62	-08 41 39.6	19.2 V	691
1995 SG ₃₂	1995 09 21.30006	22 30 25.79	-08 19 43.5	691	1995 SO ₃₂	1995 09 26.19514	22 33 47.78	-08 41 41.9		691
1995 SG ₃₂	1995 09 26.16970	22 27 38.62	-08 41 00.9	691	1995 SO ₃₂	1995 09 26.21627	22 33 46.98	-08 41 44.3		691
1995 SG ₃₂	1995 09 26.19087	22 27 37.92	-08 41 05.8	20.0 V	691	1995 SP ₃₂	* 1995 09 21.26225	22 37 28.60	-08 35 57.2	691
1995 SG ₃₂	1995 09 26.21200	22 27 37.22	-08 41 10.9	691	1995 SP ₃₂	1995 09 21.28376	22 37 27.75	-08 36 02.2	20.9 V	691
1995 SG ₃₂	1995 10 02.22768	22 24 44.02	-09 04 06.9	20.3 V	691	1995 SP ₃₂	1995 09 21.30492	22 37 26.99	-08 36 07.1	691
1995 SG ₃₂	1995 10 02.24905	22 24 43.44	-09 04 11.1	691	1995 SP ₃₂	1995 09 26.17460	22 34 43.02	-08 55 00.1	20.9 V	691
1995 SG ₃₂	1995 10 02.27027	22 24 42.88	-09 04 15.5	691	1995 SP ₃₂	1995 09 26.19577	22 34 42.35	-08 55 05.3		691
1995 SH ₃₂	* 1995 09 21.25799	22 31 19.65	-08 24 26.0	18.5 V	691	1995 SP ₃₂	1995 09 26.21690	22 34 41.68	-08 55 09.8	691
1995 SH ₃₂	1995 09 21.27950	22 31 18.51	-08 24 30.6	691	1995 SQ ₃₂	* 1995 09 21.26267	22 38 05.14	-08 36 25.7	18.6 V	691
1995 SH ₃₂	1995 09 21.30065	22 31 17.37	-08 24 34.9	691	1995 SQ ₃₂	1995 09 21.28418	22 38 04.01	-08 36 24.2		691
1995 SH ₃₂	1995 09 26.16949	22 27 20.37	-08 40 04.1	19.1 V	691	1995 SQ ₃₂	1995 09 21.30534	22 38 02.95	-08 36 22.5	691
1995 SH ₃₂	1995 09 26.19066	22 27 19.36	-08 40 06.5	691	1995 SQ ₃₂	1995 09 26.28202	22 34 32.92	-08 28 38.9	19.1 V	691
1995 SH ₃₂	1995 09 26.21178	22 27 18.37	-08 40 10.2	691	1995 SQ ₃₂	1995 09 26.30311	22 34 32.04	-08 28 36.3		691

1995 SQ ₃₂	1995 09 26.32420	22 34 31.19	-08 28 33.8		691	1995 SX ₃₂	* 1995 09 21.26461	22 40 53.61	-08 06 44.4		691
1995 SQ ₃₂	1995 10 02.29708	22 31 23.71	-08 14 31.6	19.0 V	691	1995 SX ₃₂	1995 09 21.28612	22 40 52.62	-08 06 51.4	20.4 V	691
1995 SQ ₃₂	1995 10 02.31829	22 31 23.10	-08 14 27.9		691	1995 SX ₃₂	1995 09 21.30729	22 40 51.72	-08 06 57.5		691
1995 SQ ₃₂	1995 10 02.33954	22 31 22.52	-08 14 24.1		691	1995 SX ₃₂	1995 09 26.28414	22 37 37.01	-08 30 26.0		691
1995 SR ₃₂	* 1995 09 21.26271	22 38 08.68	-08 25 39.2	18.2 V	691	1995 SX ₃₂	1995 09 26.30524	22 37 36.22	-08 30 32.0		691
1995 SR ₃₂	1995 09 21.28422	22 38 07.73	-08 25 43.7		691	1995 SX ₃₂	1995 09 26.32632	22 37 35.41	-08 30 37.0	21.2 V	691
1995 SR ₃₂	1995 09 21.30538	22 38 06.82	-08 25 48.9		691	1995 SY ₃₂	* 1995 09 21.26487	22 41 16.13	-08 31 03.6	19.3 V	691
1995 SR ₃₂	1995 09 26.17477	22 34 57.29	-08 43 11.6	18.5 V	691	1995 SY ₃₂	1995 09 21.28638	22 41 15.01	-08 30 59.1		691
1995 SR ₃₂	1995 09 26.19594	22 34 56.48	-08 43 15.7		691	1995 SY ₃₂	1995 09 21.30754	22 41 13.78	-08 30 55.5		691
1995 SR ₃₂	1995 09 26.21706	22 34 55.70	-08 43 20.4		691	1995 SY ₃₂	1995 09 26.28383	22 37 09.76	-08 14 10.2		691
1995 SS ₃₂	* 1995 09 21.26282	22 38 17.93	-08 25 28.2	20.4 V	691	1995 SY ₃₂	1995 09 26.30492	22 37 08.77	-08 14 05.5	19.7 V	691
1995 SS ₃₂	1995 09 21.28433	22 38 16.93	-08 25 38.2		691	1995 SY ₃₂	1995 09 26.32600	22 37 07.76	-08 14 00.7		691
1995 SS ₃₂	1995 09 21.30549	22 38 15.98	-08 25 47.2		691	1995 SZ ₃₂	* 1995 09 21.26509	22 41 35.09	-08 20 26.7		691
1995 SS ₃₂	1995 10 01.30562	22 32 05.50	-09 33 00.2		691	1995 SZ ₃₂	1995 09 21.28660	22 41 34.08	-08 20 33.8	20.3 V	691
1995 SS ₃₂	1995 10 01.32799	22 32 04.83	-09 33 07.3		691	1995 SZ ₃₂	1995 09 21.30776	22 41 33.13	-08 20 40.8		691
1995 SS ₃₂	1995 10 01.34986	22 32 04.11	-09 33 15.4	21.1 V	691	1995 SZ ₃₂	1995 09 26.19814	22 38 07.82	-08 47 04.4		691
1995 ST ₃₂	* 1995 09 21.26298	22 38 32.26	-08 12 15.6		691	1995 SZ ₃₂	1995 09 26.21927	22 38 06.95	-08 47 10.8	20.5 V	691
1995 ST ₃₂	1995 09 21.28449	22 38 31.40	-08 12 22.4	18.1 V	691	1995 SA ₃₃	* 1995 09 21.26518	22 41 43.02	-08 14 44.4		691
1995 ST ₃₂	1995 09 21.30566	22 38 30.60	-08 12 29.0		691	1995 SA ₃₃	1995 09 21.28669	22 41 41.94	-08 14 50.8	19.7 V	691
1995 ST ₃₂	1995 09 26.28291	22 35 50.36	-08 36 20.3	18.5 V	691	1995 SA ₃₃	1995 09 21.30785	22 41 40.92	-08 14 56.9		691
1995 ST ₃₂	1995 09 26.30401	22 35 49.69	-08 36 25.5		691	1995 SA ₃₃	1995 09 26.28451	22 38 08.53	-08 37 32.2		691
1995 ST ₃₂	1995 09 26.32509	22 35 49.03	-08 36 31.2		691	1995 SA ₃₃	1995 09 26.30560	22 38 07.65	-08 37 37.4		691
1995 ST ₃₂	1995 10 02.23375	22 33 29.65	-08 59 24.0		691	1995 SA ₃₃	1995 09 26.32668	22 38 06.76	-08 37 42.4	20.1 V	691
1995 ST ₃₂	1995 10 02.25512	22 33 29.16	-08 59 28.1	18.8 V	691	1995 SB ₃₃	* 1995 09 21.26596	22 42 49.85	-08 07 49.2		691
1995 ST ₃₂	1995 10 02.27634	22 33 28.72	-08 59 32.3		691	1995 SB ₃₃	1995 09 21.28747	22 42 48.97	-08 07 58.5		691
1995 SU ₃₂	1995 07 26.39407	23 08 55.40	-01 54 48.3		691	1995 SB ₃₃	1995 09 21.30863	22 42 48.12	-08 08 07.5	18.7 V	691
1995 SU ₃₂	1995 07 26.41492	23 08 55.13	-01 54 53.1	20.2 V	691	1995 SB ₃₃	1995 09 26.17820	22 39 54.45	-08 41 15.4		691
1995 SU ₃₂	1995 07 26.43587	23 08 54.82	-01 54 58.3		691	1995 SB ₃₃	1995 09 26.19937	22 39 53.75	-08 41 23.6	18.8 V	691
1995 SU ₃₂	* 1995 09 21.26315	22 38 46.36	-08 17 44.3	19.6 V	691	1995 SB ₃₃	1995 09 26.22049	22 39 53.03	-08 41 31.9		691
1995 SU ₃₂	1995 09 21.28466	22 38 45.58	-08 17 53.2		691	1995 SB ₃₃	1995 10 01.30932	22 37 25.65	-09 11 57.5		691
1995 SU ₃₂	1995 09 21.30582	22 38 44.87	-08 18 02.0		691	1995 SB ₃₃	1995 10 01.33169	22 37 25.06	-09 12 04.7		691
1995 SU ₃₂	1995 09 26.17564	22 36 12.84	-08 51 08.8		691	1995 SB ₃₃	1995 10 01.35356	22 37 24.47	-09 12 12.1	19.3 V	691
1995 SU ₃₂	1995 09 26.19681	22 36 12.21	-08 51 17.0	19.8 V	691	1995 SC ₃₃	* 1995 09 21.26607	22 42 59.75	-08 12 31.8		691
1995 SU ₃₂	1995 09 26.21794	22 36 11.57	-08 51 25.5		691	1995 SC ₃₃	1995 09 21.28758	22 42 58.98	-08 12 41.2	19.6 V	691
1995 SU ₃₂	1995 10 01.30687	22 33 53.72	-09 23 16.4		691	1995 SC ₃₃	1995 09 21.30875	22 42 58.24	-08 12 50.5		691
1995 SU ₃₂	1995 10 01.32924	22 33 53.15	-09 23 24.4	20.2 V	691	1995 SC ₃₃	1995 09 26.17869	22 40 37.20	-08 46 14.4		691
1995 SU ₃₂	1995 10 01.35111	22 33 52.60	-09 23 32.1		691	1995 SC ₃₃	1995 09 26.19986	22 40 36.61	-08 46 22.7	19.8 V	691
1995 SV ₃₂	* 1995 09 21.26345	22 39 12.85	-08 28 44.0	20.5 V	691	1995 SC ₃₃	1995 09 26.22099	22 40 36.02	-08 46 30.8		691
1995 SV ₃₂	1995 09 21.28496	22 39 12.06	-08 28 50.9		691	1995 SC ₃₃	1995 10 01.31028	22 38 48.46	-09 16 02.4		691
1995 SV ₃₂	1995 09 21.30613	22 39 11.35	-08 28 57.1		691	1995 SC ₃₃	1995 10 01.33264	22 38 48.00	-09 16 09.1	20.4 V	691
1995 SV ₃₂	1995 09 26.17597	22 36 41.15	-08 52 34.9		691	1995 SC ₃₃	1995 10 01.35452	22 38 47.57	-09 16 15.9		691
1995 SV ₃₂	1995 09 26.19714	22 36 40.42	-08 52 41.8		691	1995 SD ₃₃	* 1995 09 21.26670	22 43 54.35	-08 25 49.0		691
1995 SV ₃₂	1995 09 26.21826	22 36 39.78	-08 52 48.0	20.8 V	691	1995 SD ₃₃	1995 09 21.28821	22 43 53.40	-08 25 54.0		691
1995 SV ₃₂	1995 10 01.30729	22 34 30.09	-09 14 19.0		691	1995 SD ₃₃	1995 09 21.30937	22 43 52.49	-08 25 59.2	18.5 V	691
1995 SV ₃₂	1995 10 01.32966	22 34 29.56	-09 14 24.1	21.1 V	691	1995 SD ₃₃	1995 09 26.17882	22 40 47.89	-08 43 56.6	18.9 V	691
1995 SV ₃₂	1995 10 01.35153	22 34 29.06	-09 14 29.4		691	1995 SD ₃₃	1995 09 26.19998	22 40 47.12	-08 44 01.1		691
1995 SW ₃₂	* 1995 09 21.26455	22 40 48.17	-08 08 04.7	17.5 V	691	1995 SD ₃₃	1995 09 26.22111	22 40 46.35	-08 44 05.2		691
1995 SW ₃₂	1995 09 21.28606	22 40 47.24	-08 08 04.9		691	1995 SE ₃₃	* 1995 09 21.26695	22 44 16.05	-08 15 00.3	17.3 V	691
1995 SW ₃₂	1995 09 21.30722	22 40 46.38	-08 08 05.0		691	1995 SE ₃₃	1995 09 21.28846	22 44 14.85	-08 14 59.2		691
1995 SW ₃₂	1995 09 26.28430	22 37 50.40	-08 07 21.5	17.9 V	691	1995 SE ₃₃	1995 09 21.30962	22 44 13.67	-08 14 58.6		691
1995 SW ₃₂	1995 09 26.30540	22 37 49.67	-08 07 20.7		691	1995 SE ₃₃	1995 09 26.28591	22 40 09.73	-08 10 09.5	17.6 V	691
1995 SW ₃₂	1995 09 26.32648	22 37 48.95	-08 07 20.2		691	1995 SE ₃₃	1995 09 26.30700	22 40 08.72	-08 10 07.8		691

1995 SE ₃₃	1995 09 26.32808	22 40 07.72	-08 10 06.0		691	1995 SO ₃₃	1995 09 26.29027	22 46 27.64	-08 24 31.9	18.2 V	691
1995 SF ₃₃	* 1995 09 21.26747	22 45 00.94	-08 25 10.4	18.9 V	691	1995 SO ₃₃	1995 09 26.31137	22 46 26.84	-08 24 35.9		691
1995 SF ₃₃	1995 09 21.28898	22 45 00.14	-08 25 16.6		691	1995 SO ₃₃	1995 09 26.33245	22 46 26.05	-08 24 40.3		691
1995 SF ₃₃	1995 09 21.31014	22 44 59.37	-08 25 22.7		691	1995 SO ₃₃	1995 10 02.24040	22 43 06.15	-08 42 52.3		691
1995 SF ₃₃	1995 09 26.17988	22 42 20.31	-08 47 28.8	19.5 V	691	1995 SO ₃₃	1995 10 02.26177	22 43 05.47	-08 42 56.2		691
1995 SF ₃₃	1995 09 26.20105	22 42 19.65	-08 47 34.0		691	1995 SO ₃₃	1995 10 02.28300	22 43 04.78	-08 42 59.5	18.5 V	691
1995 SF ₃₃	1995 09 26.22218	22 42 18.98	-08 47 39.5		691	1995 SP ₃₃	* 1995 09 21.36982	23 19 34.83	-02 26 26.9		691
1995 SG ₃₃	* 1995 09 21.26791	22 45 39.00	-08 13 01.5		691	1995 SP ₃₃	1995 09 21.37532	23 19 34.54	-02 26 29.8	18.8 V	691
1995 SG ₃₃	1995 09 21.28942	22 45 37.94	-08 13 08.6	21.1 V	691	1995 SP ₃₃	1995 09 21.38368	23 19 34.09	-02 26 32.6		691
1995 SG ₃₃	1995 09 21.31058	22 45 36.83	-08 13 16.6		691	1995 SP ₃₃	1995 09 23.17633	23 18 03.76	-02 38 42.8		691
1995 SG ₃₃	1995 09 26.17949	22 41 46.31	-08 39 36.2	20.9 V	691	1995 SP ₃₃	1995 09 23.19698	23 18 02.67	-02 38 51.2	19.4 V	691
1995 SG ₃₃	1995 09 26.20066	22 41 45.33	-08 39 43.9		691	1995 SP ₃₃	1995 09 23.21766	23 18 01.60	-02 38 59.6		691
1995 SG ₃₃	1995 09 26.22178	22 41 44.40	-08 39 50.0		691	1995 SQ ₃₃	* 1995 09 21.11352	21 23 03.01	+00 39 05.6	20.9 V	691
1995 SH ₃₃	* 1995 09 21.26877	22 46 53.20	-08 19 40.4	19.8 V	691	1995 SQ ₃₃	1995 09 21.15710	21 23 01.90	+00 38 46.3		691
1995 SH ₃₃	1995 09 21.29028	22 46 52.26	-08 19 47.1		691	1995 SQ ₃₃	1995 09 30.11144	21 20 25.20	-00 25 37.3		691
1995 SH ₃₃	1995 09 21.31144	22 46 51.35	-08 19 53.8		691	1995 SQ ₃₃	1995 09 30.13335	21 20 24.85	-00 25 46.3		691
1995 SH ₃₃	1995 09 26.18082	22 43 40.91	-08 44 30.1		691	1995 SQ ₃₃	1995 09 30.15510	21 20 24.58	-00 25 55.3	21.6 V	691
1995 SH ₃₃	1995 09 26.20198	22 43 40.10	-08 44 36.3	19.9 V	691	1995 SR ₃₃	* 1995 09 22.35233	23 25 37.03	-03 02 09.9		691
1995 SH ₃₃	1995 09 26.22310	22 43 39.29	-08 44 42.0		691	1995 SR ₃₃	1995 09 22.37337	23 25 36.08	-03 02 15.7	21.6 V	691
1995 SJ ₃₃	* 1995 09 21.26912	22 47 23.92	-08 16 49.6		691	1995 SR ₃₃	1995 09 22.39430	23 25 35.17	-03 02 20.9		691
1995 SJ ₃₃	1995 09 21.29063	22 47 23.09	-08 16 57.4	18.3 V	691	1995 SR ₃₃	1995 09 27.28859	23 22 11.12	-03 23 28.1		691
1995 SJ ₃₃	1995 09 21.31179	22 47 22.27	-08 17 05.3		691	1995 SR ₃₃	1995 09 27.31823	23 22 09.89	-03 23 35.5	21.4 V	691
1995 SJ ₃₃	1995 09 26.18157	22 44 45.84	-08 45 08.0		691	1995 SR ₃₃	1995 09 27.33908	23 22 09.01	-03 23 41.3		691
1995 SJ ₃₃	1995 09 26.20273	22 44 45.19	-08 45 14.8		691	1995 SS ₃₃	* 1995 09 22.35283	23 26 20.29	-03 09 09.4	20.8 V	691
1995 SJ ₃₃	1995 09 26.22386	22 44 44.53	-08 45 21.3	18.7 V	691	1995 SS ₃₃	1995 09 22.37387	23 26 19.23	-03 09 16.7		691
1995 SK ₃₃	* 1995 09 21.26990	22 48 31.04	-08 08 50.5	20.6 V	691	1995 SS ₃₃	1995 09 22.39480	23 26 18.23	-03 09 24.0		691
1995 SK ₃₃	1995 09 21.29141	22 48 30.12	-08 08 53.9		691	1995 SS ₃₃	1995 09 27.19064	23 22 39.50	-03 36 44.3		691
1995 SK ₃₃	1995 09 21.31257	22 48 29.20	-08 08 58.3		691	1995 SS ₃₃	1995 09 27.21147	23 22 38.53	-03 36 51.3		691
1995 SK ₃₃	1995 09 26.28935	22 45 07.50	-08 23 26.1	20.9 V	691	1995 SS ₃₃	1995 09 27.23260	23 22 37.56	-03 36 58.7	20.9 V	691
1995 SK ₃₃	1995 09 26.31044	22 45 06.63	-08 23 29.7		691	1995 ST ₃₃	* 1995 09 22.35298	23 26 32.97	-03 13 33.3	20.1 V	691
1995 SK ₃₃	1995 09 26.33152	22 45 05.79	-08 23 33.2		691	1995 ST ₃₃	1995 09 22.37402	23 26 31.85	-03 13 42.8		691
1995 SL ₃₃	* 1995 09 21.26994	22 48 34.73	-08 26 17.9		691	1995 ST ₃₃	1995 09 22.39494	23 26 30.78	-03 13 51.8		691
1995 SL ₃₃	1995 09 21.29145	22 48 33.77	-08 26 21.3	20.2 V	691	1995 ST ₃₃	1995 09 27.19061	23 22 36.44	-03 48 23.7	20.0 V	691
1995 SL ₃₃	1995 09 21.31261	22 48 32.83	-08 26 25.6		691	1995 ST ₃₃	1995 09 27.21143	23 22 35.38	-03 48 32.6		691
1995 SL ₃₃	1995 09 26.18203	22 45 26.00	-08 39 38.1		691	1995 ST ₃₃	1995 09 27.23256	23 22 34.35	-03 48 41.8		691
1995 SL ₃₃	1995 09 26.20319	22 45 25.19	-08 39 41.9		691	1995 SU ₃₃	* 1995 09 22.35333	23 27 03.84	-03 09 16.4	20.1 V	691
1995 SL ₃₃	1995 09 26.22432	22 45 24.42	-08 39 44.5	20.9 V	691	1995 SU ₃₃	1995 09 22.37437	23 27 02.79	-03 09 20.6		691
1995 SM ₃₃	* 1995 09 21.27000	22 48 40.40	-08 13 34.4		691	1995 SU ₃₃	1995 09 22.39530	23 27 01.79	-03 09 24.6		691
1995 SM ₃₃	1995 09 21.29152	22 48 39.58	-08 13 39.3	20.9 V	691	1995 SU ₃₃	1995 09 27.28939	23 23 20.21	-03 24 33.5		691
1995 SM ₃₃	1995 09 21.31268	22 48 38.74	-08 13 44.8		691	1995 SU ₃₃	1995 09 27.31903	23 23 18.86	-03 24 38.5	20.1 V	691
1995 SM ₃₃	1995 10 02.24023	22 42 51.54	-08 52 04.3		691	1995 SU ₃₃	1995 09 27.33988	23 23 17.90	-03 24 42.8		691
1995 SM ₃₃	1995 10 02.26160	22 42 50.95	-08 52 07.4	21.5 V	691	1995 SV ₃₃	* 1995 09 22.35693	23 32 15.27	-03 20 50.1		691
1995 SM ₃₃	1995 10 02.28283	22 42 50.40	-08 52 10.9		691	1995 SV ₃₃	1995 09 22.37797	23 32 14.06	-03 20 51.8		691
1995 SN ₃₃	* 1995 09 21.27062	22 49 33.82	-08 20 47.7	20.6 V	691	1995 SV ₃₃	1995 09 22.39889	23 32 12.89	-03 20 53.2	20.7 V	691
1995 SN ₃₃	1995 09 21.29213	22 49 32.72	-08 20 56.1		691	1995 SV ₃₃	1995 09 27.29261	23 27 58.78	-03 25 02.2	20.6 V	691
1995 SN ₃₃	1995 09 21.31329	22 49 31.63	-08 21 04.3		691	1995 SV ₃₃	1995 09 27.32224	23 27 57.26	-03 25 03.6		691
1995 SN ₃₃	1995 09 26.18221	22 45 41.98	-08 51 03.0		691	1995 SV ₃₃	1995 09 27.34309	23 27 56.17	-03 25 04.4		691
1995 SN ₃₃	1995 09 26.20338	22 45 40.99	-08 51 10.2	20.9 V	691	1995 SW ₃₃	* 1995 09 22.35758	23 33 11.92	-03 19 36.7		691
1995 SN ₃₃	1995 09 26.22450	22 45 39.99	-08 51 17.6		691	1995 SW ₃₃	1995 09 22.37862	23 33 10.80	-03 19 41.8	20.7 V	691
1995 SO ₃₃	* 1995 09 21.27069	22 49 39.67	-08 06 38.5	17.8 V	691	1995 SW ₃₃	1995 09 22.39955	23 33 09.71	-03 19 46.4		691
1995 SO ₃₃	1995 09 21.29220	22 49 38.82	-08 06 43.3		691	1995 SW ₃₃	1995 09 27.19519	23 29 13.12	-03 36 46.9	20.2 V	691
1995 SO ₃₃	1995 09 21.31336	22 49 37.95	-08 06 48.1		691	1995 SW ₃₃	1995 09 27.21602	23 29 12.12	-03 36 50.8		691

1995 SW ₃₃	1995 09 27.23714	23 29 11.04	-03 36 55.4	691	1995 SF ₃₄	1995 09 27.29695	23 34 15.02	-03 18 03.4	20.7 V	691
1995 SX ₃₃	* 1995 09 22.35873	23 34 51.44	-03 09 13.2	691	1995 SF ₃₄	1995 09 27.32658	23 34 13.45	-03 18 09.0		691
1995 SX ₃₃	1995 09 22.37977	23 34 50.23	-03 09 17.3	691	1995 SF ₃₄	1995 09 27.34744	23 34 12.39	-03 18 12.8		691
1995 SX ₃₃	1995 09 22.40070	23 34 48.98	-03 09 21.3	21.2 V 691	1995 SG ₃₄	* 1995 09 22.36121	23 38 26.60	-03 19 35.2		691
1995 SX ₃₃	1995 09 27.29421	23 30 17.79	-03 24 34.9	691	1995 SG ₃₄	1995 09 22.38226	23 38 25.39	-03 19 41.5		691
1995 SX ₃₃	1995 09 27.32384	23 30 16.12	-03 24 40.4	21.3 V 691	1995 SG ₃₄	1995 09 22.40318	23 38 24.22	-03 19 47.9	20.9 V	691
1995 SX ₃₃	1995 09 27.34469	23 30 14.94	-03 24 43.8	691	1995 SG ₃₄	1995 09 27.19857	23 34 06.22	-03 42 28.9		691
1995 SY ₃₃	* 1995 09 22.35964	23 36 10.39	-02 56 26.1	691	1995 SG ₃₄	1995 09 27.21940	23 34 05.11	-03 42 34.6		691
1995 SY ₃₃	1995 09 22.38069	23 36 09.37	-02 56 28.9	20.8 V 691	1995 SG ₃₄	1995 09 27.24052	23 34 03.94	-03 42 40.5	20.4 V	691
1995 SY ₃₃	1995 09 22.40161	23 36 08.31	-02 56 31.8	691	1995 SH ₃₄	* 1995 09 22.36160	23 38 59.97	-03 07 34.3		691
1995 SY ₃₃	1995 09 27.29554	23 32 12.82	-03 06 21.7	20.6 V 691	1995 SH ₃₄	1995 09 22.38264	23 38 58.59	-03 07 30.5	21.2 V	691
1995 SY ₃₃	1995 09 27.32518	23 32 11.38	-03 06 25.1	691	1995 SH ₃₄	1995 09 22.40356	23 38 57.20	-03 07 26.9		691
1995 SY ₃₃	1995 09 27.34603	23 32 10.36	-03 06 27.6	691	1995 SH ₃₄	1995 09 29.21954	23 31 52.20	-02 46 04.7		691
1995 SZ ₃₃	* 1995 09 22.35984	23 36 27.93	-03 02 09.7	21.6 V 691	1995 SH ₃₄	1995 09 29.24028	23 31 50.88	-02 46 00.4	21.7 V	691
1995 SZ ₃₃	1995 09 22.38089	23 36 26.98	-03 02 19.2	691	1995 SH ₃₄	1995 09 29.26112	23 31 49.56	-02 45 56.5		691
1995 SZ ₃₃	1995 09 22.40182	23 36 26.04	-03 02 27.9	691	1995 SJ ₃₄	* 1995 09 22.36180	23 39 16.98	-03 05 36.4	20.7 V	691
1995 SZ ₃₃	1995 09 27.19774	23 32 54.76	-03 36 48.4	21.4 V 691	1995 SJ ₃₄	1995 09 22.38283	23 39 15.37	-03 05 31.0		691
1995 SZ ₃₃	1995 09 27.21858	23 32 53.85	-03 36 56.3	691	1995 SJ ₃₄	1995 09 22.40375	23 39 13.80	-03 05 26.2		691
1995 SZ ₃₃	1995 09 27.23970	23 32 52.87	-03 37 05.3	691	1995 SJ ₃₄	1995 09 29.21904	23 31 09.43	-02 37 23.9	21.0 V	691
1995 SA ₃₄	* 1995 09 22.36024	23 37 01.92	-03 08 16.5	20.0 V 691	1995 SJ ₃₄	1995 09 29.23979	23 31 07.95	-02 37 18.9		691
1995 SA ₃₄	1995 09 22.38128	23 37 01.03	-03 08 23.7	691	1995 SJ ₃₄	1995 09 29.26062	23 31 06.50	-02 37 13.5		691
1995 SA ₃₄	1995 09 22.40221	23 37 00.14	-03 08 31.0	691	1995 SK ₃₄	* 1995 09 22.36275	23 40 39.25	-02 58 18.3	19.5 V	691
1995 SA ₃₄	1995 09 27.19831	23 33 43.94	-03 35 36.0	691	1995 SK ₃₄	1995 09 22.38379	23 40 37.97	-02 58 19.1		691
1995 SA ₃₄	1995 09 27.21914	23 33 43.11	-03 35 43.1	691	1995 SK ₃₄	1995 09 22.40471	23 40 36.68	-02 58 20.4		691
1995 SA ₃₄	1995 09 27.24027	23 33 42.21	-03 35 49.8	19.8 V 691	1995 SK ₃₄	1995 09 27.29805	23 35 49.68	-03 01 42.8	19.6 V	691
1995 SB ₃₄	* 1995 09 22.36036	23 37 12.76	-03 22 52.5	18.8 V 691	1995 SK ₃₄	1995 09 27.32768	23 35 47.90	-03 01 44.1		691
1995 SB ₃₄	1995 09 22.38141	23 37 11.79	-03 23 00.8	691	1995 SK ₃₄	1995 09 27.34852	23 35 46.67	-03 01 44.9		691
1995 SB ₃₄	1995 09 22.40233	23 37 10.83	-03 23 09.4	691	1995 SL ₃₄	* 1995 09 22.36309	23 41 09.16	-03 16 06.9		691
1995 SB ₃₄	1995 09 27.19823	23 33 36.89	-03 53 44.5	18.8 V 691	1995 SL ₃₄	1995 09 22.38413	23 41 08.12	-03 16 12.1		691
1995 SB ₃₄	1995 09 27.21906	23 33 35.98	-03 53 52.4	691	1995 SL ₃₄	1995 09 22.40506	23 41 07.11	-03 16 17.6	21.3 V	691
1995 SB ₃₄	1995 09 27.24019	23 33 34.98	-03 54 00.3	691	1995 SL ₃₄	1995 09 27.20087	23 37 25.18	-03 35 43.8	21.4 V	691
1995 SC ₃₄	* 1995 09 22.36038	23 37 14.01	-03 02 14.0	21.4 V 691	1995 SL ₃₄	1995 09 27.22170	23 37 24.17	-03 35 49.1		691
1995 SC ₃₄	1995 09 22.38142	23 37 12.96	-03 02 21.1	691	1995 SL ₃₄	1995 09 27.24282	23 37 23.23	-03 35 54.2		691
1995 SC ₃₄	1995 09 22.40235	23 37 12.06	-03 02 30.5	691	1995 SM ₃₄	* 1995 09 22.36311	23 41 10.60	-03 06 14.7	21.0 V	691
1995 SC ₃₄	1995 09 27.19824	23 33 37.77	-03 33 05.0	21.3 V 691	1995 SM ₃₄	1995 09 22.38415	23 41 09.67	-03 06 23.3		691
1995 SC ₃₄	1995 09 27.21907	23 33 36.88	-03 33 12.8	691	1995 SM ₃₄	1995 09 22.40508	23 41 08.74	-03 06 31.2		691
1995 SC ₃₄	1995 09 27.24020	23 33 35.86	-03 33 20.3	691	1995 SM ₃₄	1995 09 27.20105	23 37 40.93	-03 37 26.9		691
1995 SD ₃₄	* 1995 09 22.36072	23 37 43.41	-02 58 16.5	691	1995 SM ₃₄	1995 09 27.22188	23 37 40.00	-03 37 35.3	20.8 V	691
1995 SD ₃₄	1995 09 22.38176	23 37 42.52	-02 58 22.1	21.7 V 691	1995 SM ₃₄	1995 09 27.24301	23 37 39.11	-03 37 43.2		691
1995 SD ₃₄	1995 09 22.40269	23 37 41.61	-02 58 28.5	691	1995 SN ₃₄	* 1995 09 22.36316	23 41 14.86	-03 18 12.9	19.9 V	691
1995 SD ₃₄	1995 09 27.29700	23 34 19.57	-03 21 03.7	691	1995 SN ₃₄	1995 09 22.38420	23 41 13.79	-03 18 15.2		691
1995 SD ₃₄	1995 09 27.32664	23 34 18.29	-03 21 11.9	691	1995 SN ₃₄	1995 09 22.40513	23 41 12.71	-03 18 17.6		691
1995 SD ₃₄	1995 09 27.34749	23 34 17.41	-03 21 17.7	21.1 V 691	1995 SN ₃₄	1995 09 27.29899	23 37 11.28	-03 26 47.0	19.8 V	691
1995 SE ₃₄	* 1995 09 22.36073	23 37 44.24	-03 11 05.1	20.9 V 691	1995 SN ₃₄	1995 09 27.32862	23 37 09.75	-03 26 50.3		691
1995 SE ₃₄	1995 09 22.38177	23 37 43.17	-03 11 13.1	691	1995 SN ₃₄	1995 09 27.34947	23 37 08.70	-03 26 53.0		691
1995 SE ₃₄	1995 09 22.40269	23 37 42.09	-03 11 21.0	691	1995 SO ₃₄	* 1995 09 22.36329	23 41 26.75	-03 14 45.3		691
1995 SE ₃₄	1995 09 27.19837	23 33 49.11	-03 40 43.3	691	1995 SO ₃₄	1995 09 22.38434	23 41 25.79	-03 14 51.4	18.8 V	691
1995 SE ₃₄	1995 09 27.21920	23 33 48.11	-03 40 50.7	21.1 V 691	1995 SO ₃₄	1995 09 22.40527	23 41 24.84	-03 14 57.4		691
1995 SE ₃₄	1995 09 27.24033	23 33 47.03	-03 40 58.4	691	1995 SO ₃₄	1995 09 27.20123	23 37 57.08	-03 37 28.1	18.9 V	691
1995 SF ₃₄	* 1995 09 22.36120	23 38 25.43	-03 02 29.9	691	1995 SO ₃₄	1995 09 27.22207	23 37 56.14	-03 37 34.2		691
1995 SF ₃₄	1995 09 22.38224	23 38 24.28	-03 02 34.0	21.0 V 691	1995 SO ₃₄	1995 09 27.24319	23 37 55.23	-03 37 39.9		691
1995 SF ₃₄	1995 09 22.40317	23 38 23.15	-03 02 38.5	691	1995 SP ₃₄	* 1995 09 22.36329	23 41 26.76	-03 07 49.4	20.6 V	691

1995 SP ₃₄	1995 09 22.38434	23 41 25.75	-03 07 56.6	691	1995 SY ₃₄	1995 09 22.45688	01 22 39.33	+08 48 37.7	20.9 V	691
1995 SP ₃₄	1995 09 22.40527	23 41 24.75	-03 08 03.8	691	1995 SY ₃₄	1995 09 22.48494	01 22 38.12	+08 48 35.7		691
1995 SP ₃₄	1995 09 27.20113	23 37 47.98	-03 34 58.4	691	1995 SY ₃₄	1995 09 27.36380	01 19 03.59	+08 41 46.5	20.8 V	691
1995 SP ₃₄	1995 09 27.22196	23 37 46.98	-03 35 05.3	20.6 V	691	1995 SY ₃₄	1995 09 27.38494	01 19 02.63	+08 41 44.2	691
1995 SP ₃₄	1995 09 27.24309	23 37 46.06	-03 35 12.8	691	1995 SY ₃₄	1995 09 27.40601	01 19 01.60	+08 41 43.0		691
1995 SQ ₃₄	* 1995 09 22.36335	23 41 31.77	-03 04 08.0	691	1995 SZ ₃₄	* 1995 09 22.42739	01 24 07.09	+08 52 03.2	20.9 V	691
1995 SQ ₃₄	1995 09 22.38440	23 41 30.70	-03 04 10.1	20.3 V	691	1995 SZ ₃₄	1995 09 22.45787	01 24 05.24	+08 52 04.2	691
1995 SQ ₃₄	1995 09 22.40532	23 41 29.61	-03 04 12.2	691	1995 SZ ₃₄	1995 09 22.48593	01 24 03.60	+08 52 05.1		691
1995 SQ ₃₄	1995 09 27.29918	23 37 28.21	-03 12 15.5	691	1995 SZ ₃₄	1995 09 27.38500	01 19 07.74	+08 53 44.6		691
1995 SQ ₃₄	1995 09 27.32882	23 37 26.68	-03 12 18.1	20.1 V	691	1995 SZ ₃₄	1995 09 27.40607	01 19 06.33	+08 53 44.8	21.0 V
1995 SQ ₃₄	1995 09 27.34967	23 37 25.66	-03 12 20.3	691	1995 SA ₃₅	* 1995 09 22.42838	01 25 32.12	+08 41 25.2		691
1995 SR ₃₄	* 1995 09 22.36378	23 42 08.46	-03 10 19.2	19.7 V	691	1995 SA ₃₅	1995 09 22.45886	01 25 30.68	+08 41 26.6	21.3 V
1995 SR ₃₄	1995 09 22.38482	23 42 07.10	-03 10 19.4	691	1995 SA ₃₅	1995 09 22.48692	01 25 29.36	+08 41 28.7		691
1995 SR ₃₄	1995 09 22.40574	23 42 05.76	-03 10 19.6	691	1995 SA ₃₅	1995 09 27.36556	01 21 35.86	+08 45 44.2		691
1995 SR ₃₄	1995 09 27.29902	23 37 14.14	-03 10 10.1	19.6 V	691	1995 SA ₃₅	1995 09 27.38669	01 21 34.76	+08 45 45.4	21.4 V
1995 SR ₃₄	1995 09 27.32865	23 37 12.32	-03 10 09.6	691	1995 SA ₃₅	1995 09 27.40777	01 21 33.62	+08 45 46.1		691
1995 SR ₃₄	1995 09 27.34950	23 37 11.06	-03 10 09.7	691	1995 SB ₃₅	* 1995 09 22.43008	01 28 00.04	+08 54 30.4		691
1995 SS ₃₄	* 1995 09 22.36423	23 42 48.07	-03 08 36.3	20.6 V	691	1995 SB ₃₅	1995 09 22.46057	01 27 58.79	+08 54 26.5	21.4 V
1995 SS ₃₄	1995 09 22.38528	23 42 46.95	-03 08 44.2	691	1995 SB ₃₅	1995 09 22.48863	01 27 57.67	+08 54 22.8		691
1995 SS ₃₄	1995 09 22.40620	23 42 45.89	-03 08 52.0	691	1995 SB ₃₅	1995 09 27.36765	01 24 37.27	+08 43 22.5		691
1995 SS ₃₄	1995 09 27.20188	23 38 52.57	-03 37 47.7	691	1995 SB ₃₅	1995 09 27.38879	01 24 36.33	+08 43 19.8	21.3 V	691
1995 SS ₃₄	1995 09 27.22270	23 38 51.53	-03 37 55.5	691	1995 SB ₃₅	1995 09 27.40986	01 24 35.35	+08 43 16.7		691
1995 SS ₃₄	1995 09 27.24383	23 38 50.49	-03 38 02.8	20.6 V	691	1995 SC ₃₅	* 1995 09 22.43152	01 30 04.30	+08 38 55.8	21.6 V
1995 ST ₃₄	* 1995 09 22.36435	23 42 58.06	-03 00 36.7	691	1995 SC ₃₅	1995 09 22.46200	01 30 02.60	+08 39 08.1		691
1995 ST ₃₄	1995 09 22.38539	23 42 57.00	-03 00 43.5	691	1995 SC ₃₅	1995 09 22.49005	01 30 01.06	+08 39 18.2		691
1995 ST ₃₄	1995 09 22.40632	23 42 55.96	-03 00 50.0	20.8 V	691	1995 SC ₃₅	1995 09 30.43443	01 22 06.49	+09 28 49.0	691
1995 ST ₃₄	1995 09 27.30028	23 39 03.27	-03 26 27.3	691	1995 SC ₃₅	1995 09 30.45549	01 22 05.08	+09 28 57.1	21.3 V	691
1995 ST ₃₄	1995 09 27.32991	23 39 01.84	-03 26 37.0	20.6 V	691	1995 SC ₃₅	1995 09 30.47665	01 22 03.63	+09 29 04.5	691
1995 ST ₃₄	1995 09 27.35077	23 39 00.81	-03 26 42.9	691	1995 SD ₃₅	* 1995 09 22.43234	01 31 15.92	+08 31 45.1	19.4 V	691
1995 SU ₃₄	* 1995 09 22.42242	01 16 56.03	+08 54 44.4	20.9 V	691	1995 SD ₃₅	1995 09 22.46283	01 31 14.54	+08 31 48.2	691
1995 SU ₃₄	1995 09 22.45290	01 16 54.77	+08 54 38.1	691	1995 SD ₃₅	1995 09 22.49089	01 31 13.18	+08 31 49.5		691
1995 SU ₃₄	1995 09 22.48096	01 16 53.55	+08 54 32.7	691	1995 SD ₃₅	1995 09 27.36952	01 27 19.21	+08 37 09.5	19.3 V	691
1995 SU ₃₄	1995 09 27.38097	01 13 18.68	+08 37 21.6	20.9 V	691	1995 SD ₃₅	1995 09 27.39066	01 27 18.11	+08 37 10.8	691
1995 SU ₃₄	1995 09 27.40204	01 13 17.68	+08 37 16.5	691	1995 SD ₃₅	1995 09 27.41173	01 27 17.01	+08 37 11.9		691
1995 SV ₃₄	* 1995 09 22.42273	01 17 22.99	+08 58 44.8	691	1995 SE ₃₅	* 1995 09 22.43414	01 33 51.21	+08 54 27.2		691
1995 SV ₃₄	1995 09 22.45321	01 17 21.72	+08 58 41.8	21.7 V	691	1995 SE ₃₅	1995 09 22.46461	01 33 49.50	+08 54 23.1	20.4 V
1995 SV ₃₄	1995 09 22.48128	01 17 20.54	+08 58 38.8	691	1995 SE ₃₅	1995 09 22.49267	01 33 47.95	+08 54 19.1		691
1995 SV ₃₄	1995 09 27.36016	01 13 48.77	+08 49 46.0	691	1995 SE ₃₅	1995 09 27.37082	01 29 11.91	+08 41 44.6		691
1995 SV ₃₄	1995 09 27.38130	01 13 47.84	+08 49 42.3	691	1995 SE ₃₅	1995 09 27.39196	01 29 10.58	+08 41 41.0		691
1995 SV ₃₄	1995 09 27.40238	01 13 46.83	+08 49 40.5	21.1 V	691	1995 SE ₃₅	1995 09 27.41303	01 29 09.25	+08 41 37.1	20.6 V
1995 SW ₃₄	* 1995 09 22.42616	01 22 20.40	+08 53 03.7	19.0 V	691	1995 SF ₃₅	* 1995 09 22.43432	01 34 06.95	+08 37 58.8	691
1995 SW ₃₄	1995 09 22.45665	01 22 19.17	+08 52 58.8	691	1995 SF ₃₅	1995 09 22.46480	01 34 05.71	+08 37 58.6	20.6 V	691
1995 SW ₃₄	1995 09 22.48471	01 22 18.09	+08 52 54.4	691	1995 SF ₃₅	1995 09 22.49287	01 34 04.59	+08 37 58.2		691
1995 SW ₃₄	1995 09 27.36378	01 19 02.21	+08 38 39.1	691	1995 SF ₃₅	1995 09 27.37183	01 30 39.53	+08 36 03.6	20.4 V	691
1995 SW ₃₄	1995 09 27.38492	01 19 01.24	+08 38 35.0	18.9 V	691	1995 SF ₃₅	1995 09 27.39297	01 30 38.47	+08 36 03.9	691
1995 SW ₃₄	1995 09 27.40600	01 19 00.26	+08 38 30.9	691	1995 SF ₃₅	1995 09 27.41404	01 30 37.49	+08 36 02.2		691
1995 SX ₃₄	* 1995 09 22.42617	01 22 20.84	+08 59 25.4	20.5 V	691	1995 SG ₃₅	* 1995 09 22.43664	01 37 28.12	+08 56 16.7	691
1995 SX ₃₄	1995 09 22.45665	01 22 19.56	+08 59 19.0	691	1995 SG ₃₅	1995 09 22.46712	01 37 26.86	+08 56 14.2	20.7 V	691
1995 SX ₃₄	1995 09 22.48471	01 22 18.41	+08 59 13.5	691	1995 SG ₃₅	1995 09 22.49519	01 37 25.70	+08 56 11.6		691
1995 SX ₃₄	1995 09 27.36368	01 18 53.78	+08 41 42.3	691	1995 SG ₃₅	1995 09 27.37412	01 33 57.67	+08 48 07.2	20.8 V	691
1995 SX ₃₄	1995 09 27.38482	01 18 52.80	+08 41 37.1	20.4 V	691	1995 SG ₃₅	1995 09 27.39526	01 33 56.66	+08 48 05.1	691
1995 SY ₃₄	* 1995 09 22.42640	01 22 40.65	+08 48 40.3	691	1995 SG ₃₅	1995 09 27.41633	01 33 55.67	+08 48 02.2		691

1995 SH ₃₅	* 1995 09 22.43685	01 37 46.11	+08 37 08.5		691	1995 SQ ₃₅	1995 09 27.33715	23 19 21.60	-03 11 00.8		691
1995 SH ₃₅	1995 09 22.46733	01 37 44.71	+08 37 24.3	20.1 V	691	1995 SR ₃₅	* 1995 09 23.17957	23 22 49.63	-02 36 45.1	18.8 V	691
1995 SH ₃₅	1995 09 22.49539	01 37 43.41	+08 37 38.5		691	1995 SR ₃₅	1995 09 23.20021	23 22 48.75	-02 36 52.3		691
1995 SH ₃₅	1995 10 01.44326	01 29 59.05	+09 52 14.6	20.0 V	691	1995 SR ₃₅	1995 09 23.22089	23 22 47.86	-02 36 59.4		691
1995 SH ₃₅	1995 10 01.46430	01 29 57.71	+09 52 24.8		691	1995 SR ₃₅	1995 09 27.28710	23 20 02.08	-02 59 20.1		691
1995 SH ₃₅	1995 10 01.48549	01 29 56.41	+09 52 34.7		691	1995 SR ₃₅	1995 09 27.31674	23 20 00.88	-02 59 29.2		691
1995 SJ ₃₅	* 1995 09 22.43686	01 37 46.82	+08 44 48.5		691	1995 SR ₃₅	1995 09 27.33759	23 20 00.03	-02 59 36.2	18.8 V	691
1995 SJ ₃₅	1995 09 22.46734	01 37 45.55	+08 44 48.2	21.0 V	691	1995 SS ₃₅	* 1995 09 23.18068	23 24 25.93	-02 29 00.4		691
1995 SJ ₃₅	1995 09 22.49540	01 37 44.40	+08 44 48.0		691	1995 SS ₃₅	1995 09 23.20133	23 24 25.07	-02 29 13.4	19.2 V	691
1995 SJ ₃₅	1995 09 27.37433	01 34 16.16	+08 43 07.0	21.0 V	691	1995 SS ₃₅	1995 09 23.22200	23 24 24.21	-02 29 25.7		691
1995 SJ ₃₅	1995 09 27.39547	01 34 15.16	+08 43 06.4		691	1995 SS ₃₅	1995 09 27.28829	23 21 45.11	-03 09 34.3	18.9 V	691
1995 SJ ₃₅	1995 09 27.41655	01 34 14.20	+08 43 05.9		691	1995 SS ₃₅	1995 09 27.31793	23 21 43.95	-03 09 51.5		691
1995 SK ₃₅	* 1995 09 22.43816	01 39 39.48	+08 33 04.6	21.4 V	691	1995 SS ₃₅	1995 09 27.33879	23 21 43.13	-03 10 04.0		691
1995 SK ₃₅	1995 09 22.46864	01 39 38.11	+08 33 05.2		691	1995 ST ₃₅	* 1995 09 23.18222	23 26 39.63	-02 27 23.3		691
1995 SK ₃₅	1995 09 22.49670	01 39 36.84	+08 33 05.6		691	1995 ST ₃₅	1995 09 23.20287	23 26 38.46	-02 27 33.2		691
1995 SK ₃₅	1995 09 27.37541	01 35 49.25	+08 33 07.7		691	1995 ST ₃₅	1995 09 23.22354	23 26 37.32	-02 27 43.0	19.4 V	691
1995 SK ₃₅	1995 09 27.39655	01 35 48.13	+08 33 08.2		691	1995 ST ₃₅	1995 09 27.28918	23 23 01.79	-02 58 58.5	19.5 V	691
1995 SK ₃₅	1995 09 27.41762	01 35 47.00	+08 33 07.9	21.3 V	691	1995 ST ₃₅	1995 09 27.31881	23 23 00.19	-02 59 11.7		691
1995 SL ₃₅	* 1995 09 22.43874	01 40 29.64	+08 58 51.2		691	1995 ST ₃₅	1995 09 27.33966	23 22 59.06	-02 59 21.8		691
1995 SL ₃₅	1995 09 22.46921	01 40 27.93	+08 58 58.1	18.7 V	691	1995 SU ₃₅	* 1995 09 23.18246	23 27 00.74	-02 25 12.3		691
1995 SL ₃₅	1995 09 22.49727	01 40 26.35	+08 59 04.0		691	1995 SU ₃₅	1995 09 23.20311	23 26 59.65	-02 25 18.5	18.1 V	691
1995 SL ₃₅	1995 09 30.44159	01 32 26.69	+09 26 15.1		691	1995 SU ₃₅	1995 09 23.22378	23 26 58.52	-02 25 24.5		691
1995 SL ₃₅	1995 09 30.46265	01 32 25.29	+09 26 19.0		691	1995 SU ₃₅	1995 09 29.21264	23 21 54.74	-02 54 38.0	19.0 V	691
1995 SL ₃₅	1995 09 30.48381	01 32 23.88	+09 26 23.2	18.4 V	691	1995 SU ₃₅	1995 09 29.23339	23 21 53.68	-02 54 43.2		691
1995 SM ₃₅	* 1995 09 23.11386	21 27 44.02	-00 40 15.3	20.8 V	691	1995 SU ₃₅	1995 09 29.25422	23 21 52.63	-02 54 49.0		691
1995 SM ₃₅	1995 09 23.13470	21 27 43.45	-00 40 18.3		691	1995 SV ₃₅	* 1995 09 23.18321	23 28 05.48	-02 30 23.4	20.2 V	691
1995 SM ₃₅	1995 09 23.15564	21 27 42.89	-00 40 22.0		691	1995 SV ₃₅	1995 09 23.20386	23 28 04.33	-02 30 27.9		691
1995 SM ₃₅	1995 09 29.14071	21 25 24.34	-00 56 45.1		691	1995 SV ₃₅	1995 09 23.22453	23 28 03.20	-02 30 32.3		691
1995 SM ₃₅	1995 09 29.16142	21 25 23.90	-00 56 48.4		691	1995 SV ₃₅	1995 09 29.21331	23 22 53.00	-02 51 09.2	20.2 V	691
1995 SM ₃₅	1995 09 29.18227	21 25 23.47	-00 56 51.4	20.3 V	691	1995 SV ₃₅	1995 09 29.23406	23 22 51.92	-02 51 13.2		691
1995 SN ₃₅	* 1995 09 23.12165	21 38 58.69	-00 54 53.8		691	1995 SV ₃₅	1995 09 29.25490	23 22 50.86	-02 51 16.9		691
1995 SN ₃₅	1995 09 23.14250	21 38 58.06	-00 54 57.4		691	1995 SW ₃₅	* 1995 09 23.18498	23 30 38.68	-02 35 35.4		691
1995 SN ₃₅	1995 09 23.16343	21 38 57.41	-00 55 00.7	20.8 V	691	1995 SW ₃₅	1995 09 23.20563	23 30 37.58	-02 35 42.5	21.0 V	691
1995 SN ₃₅	1995 09 29.14832	21 36 23.30	-01 10 46.9		691	1995 SW ₃₅	1995 09 23.22630	23 30 36.48	-02 35 49.1		691
1995 SN ₃₅	1995 09 29.16903	21 36 22.82	-01 10 50.4	20.1 V	691	1995 SW ₃₅	1995 09 27.29206	23 27 11.61	-02 57 13.1		691
1995 SN ₃₅	1995 09 29.18988	21 36 22.32	-01 10 53.2		691	1995 SW ₃₅	1995 09 27.32170	23 27 10.11	-02 57 22.2		691
1995 SO ₃₅	* 1995 09 23.12208	21 39 35.87	-01 10 03.6	20.9 V	691	1995 SW ₃₅	1995 09 27.34255	23 27 09.06	-02 57 28.3	20.8 V	691
1995 SO ₃₅	1995 09 23.14292	21 39 35.25	-01 10 04.8		691	1995 SX ₃₅	* 1995 09 23.18800	23 35 00.24	-02 42 51.5		691
1995 SO ₃₅	1995 09 23.16386	21 39 34.58	-01 10 04.6		691	1995 SX ₃₅	1995 09 23.20865	23 34 59.40	-02 43 02.5	20.3 V	691
1995 SO ₃₅	1995 09 29.16967	21 37 18.44	-01 11 15.7	20.8 V	691	1995 SX ₃₅	1995 09 23.22932	23 34 58.54	-02 43 14.2		691
1995 SO ₃₅	1995 09 29.19052	21 37 18.02	-01 11 15.9		691	1995 SX ₃₅	1995 09 27.29559	23 32 17.37	-03 19 37.0		691
1995 SP ₃₅	* 1995 09 23.17917	23 22 15.22	-02 30 49.3		691	1995 SX ₃₅	1995 09 27.32523	23 32 16.17	-03 19 53.2	20.5 V	691
1995 SP ₃₅	1995 09 23.19982	23 22 14.37	-02 31 00.3		691	1995 SX ₃₅	1995 09 27.34608	23 32 15.32	-03 20 04.0		691
1995 SP ₃₅	1995 09 23.22049	23 22 13.54	-02 31 11.2	20.2 V	691	1995 SY ₃₅	* 1995 09 23.18892	23 36 19.94	-02 48 20.7	18.8 V	691
1995 SP ₃₅	1995 09 27.28694	23 19 47.49	-03 06 11.3	20.1 V	691	1995 SY ₃₅	1995 09 23.20957	23 36 19.27	-02 48 35.1		691
1995 SP ₃₅	1995 09 27.31657	23 19 46.36	-03 06 26.0		691	1995 SY ₃₅	1995 09 23.23025	23 36 18.56	-02 48 50.1		691
1995 SP ₃₅	1995 09 27.33743	23 19 45.62	-03 06 36.7		691	1995 SY ₃₅	1995 09 27.19883	23 34 28.83	-03 33 59.1	19.4 V	691
1995 SQ ₃₅	* 1995 09 23.17955	23 22 48.01	-02 37 50.9	19.9 V	691	1995 SY ₃₅	1995 09 27.21966	23 34 28.23	-03 34 12.7		691
1995 SQ ₃₅	1995 09 23.20019	23 22 46.91	-02 38 00.5		691	1995 SY ₃₅	1995 09 27.24079	23 34 27.59	-03 34 26.8		691
1995 SQ ₃₅	1995 09 23.22086	23 22 45.83	-02 38 10.7		691	1995 SZ ₃₅	* 1995 09 23.18921	23 36 44.81	-02 28 05.8		691
1995 SQ ₃₅	1995 09 27.28667	23 19 24.13	-03 10 36.7		691	1995 SZ ₃₅	1995 09 23.20986	23 36 43.99	-02 28 16.3	19.9 V	691
1995 SQ ₃₅	1995 09 27.31630	23 19 22.65	-03 10 50.3	19.7 V	691	1995 SZ ₃₅	1995 09 23.23053	23 36 43.14	-02 28 27.3		691

1995 SZ ₃₅	1995 09 27.29685	23 34 05.96	-03 02 26.1		691	1995 SJ ₃₆	1995 09 23.23523	23 43 30.25	-02 52 21.7		691
1995 SZ ₃₅	1995 09 27.32648	23 34 04.76	-03 02 41.0	19.9 V	691	1995 SJ ₃₆	1995 09 27.30079	23 39 47.41	-02 56 35.0	20.1 V	691
1995 SZ ₃₅	1995 09 27.34734	23 34 03.93	-03 02 51.3		691	1995 SJ ₃₆	1995 09 27.33042	23 39 45.76	-02 56 36.1		691
1995 SA ₃₆	* 1995 09 23.19072	23 38 55.54	-02 43 15.4	21.0 V	691	1995 SJ ₃₆	1995 09 27.35127	23 39 44.55	-02 56 37.6		691
1995 SA ₃₆	1995 09 23.21137	23 38 54.61	-02 43 20.2		691	1995 SK ₃₆	* 1995 09 23.36484	23 31 11.33	-02 36 06.7		691
1995 SA ₃₆	1995 09 23.23204	23 38 53.66	-02 43 26.8		691	1995 SK ₃₆	1995 09 23.37029	23 31 11.03	-02 36 08.1	21.2 V	691
1995 SA ₃₆	1995 09 27.32779	23 35 58.19	-03 02 25.1	21.2 V	691	1995 SK ₃₆	1995 09 23.37565	23 31 10.73	-02 36 08.4		691
1995 SA ₃₆	1995 09 27.34865	23 35 57.28	-03 02 31.0		691	1995 SK ₃₆	1995 09 29.21561	23 26 11.89	-02 49 01.2		691
1995 SB ₃₆	* 1995 09 23.19130	23 39 45.70	-02 36 29.7	21.1 V	691	1995 SK ₃₆	1995 09 29.23635	23 26 10.81	-02 49 03.2	21.3 V	691
1995 SB ₃₆	1995 09 23.21194	23 39 44.43	-02 36 31.8		691	1995 SK ₃₆	1995 09 29.25719	23 26 09.72	-02 49 05.9		691
1995 SB ₃₆	1995 09 23.23261	23 39 43.18	-02 36 33.7		691	1995 SL ₃₆	* 1995 09 23.36517	23 31 40.24	-02 11 05.9	20.4 V	691
1995 SB ₃₆	1995 09 29.22113	23 34 09.71	-02 43 01.5	21.4 V	691	1995 SL ₃₆	1995 09 23.37062	23 31 39.97	-02 11 08.0		691
1995 SB ₃₆	1995 09 29.24187	23 34 08.53	-02 43 02.4		691	1995 SL ₃₆	1995 09 23.37598	23 31 39.68	-02 11 11.1		691
1995 SB ₃₆	1995 09 29.26271	23 34 07.28	-02 43 03.6		691	1995 SL ₃₆	1995 09 24.23124	23 30 58.29	-02 18 21.0		691
1995 SC ₃₆	* 1995 09 23.19189	23 40 36.95	-02 29 52.8	18.8 V	691	1995 SL ₃₆	1995 09 24.25194	23 30 57.30	-02 18 31.1	19.6 V	691
1995 SC ₃₆	1995 09 23.21253	23 40 35.84	-02 30 03.1		691	1995 SL ₃₆	1995 09 24.27276	23 30 56.25	-02 18 41.8		691
1995 SC ₃₆	1995 09 23.23320	23 40 34.72	-02 30 13.9		691	1995 SM ₃₆	* 1995 09 24.11240	21 28 25.54	-00 32 36.9		691
1995 SC ₃₆	1995 09 27.29895	23 37 08.19	-03 04 04.9		691	1995 SM ₃₆	1995 09 24.13318	21 28 25.10	-00 32 43.7	20.6 V	691
1995 SC ₃₆	1995 09 27.32858	23 37 06.61	-03 04 19.6	19.0 V	691	1995 SM ₃₆	1995 09 24.15398	21 28 24.71	-00 32 50.7		691
1995 SC ₃₆	1995 09 27.34943	23 37 05.52	-03 04 29.8		691	1995 SM ₃₆	1995 09 29.14193	21 27 10.39	-00 59 29.8		691
1995 SD ₃₆	* 1995 09 23.19200	23 40 46.95	-02 46 11.7	19.6 V	691	1995 SM ₃₆	1995 09 29.16265	21 27 10.14	-00 59 35.9	19.9 V	691
1995 SD ₃₆	1995 09 23.21265	23 40 45.84	-02 46 16.8		691	1995 SM ₃₆	1995 09 29.18350	21 27 09.88	-00 59 42.8		691
1995 SD ₃₆	1995 09 23.23332	23 40 44.76	-02 46 22.1		691	1995 SN ₃₆	* 1995 09 24.11266	21 28 48.02	-00 09 23.8	20.8 V	691
1995 SD ₃₆	1995 09 27.29914	23 37 24.38	-03 02 52.3		691	1995 SN ₃₆	1995 09 24.13344	21 28 47.59	-00 09 34.8		691
1995 SD ₃₆	1995 09 27.32877	23 37 22.85	-03 02 59.5	19.7 V	691	1995 SN ₃₆	1995 09 24.15424	21 28 47.19	-00 09 45.8		691
1995 SD ₃₆	1995 09 27.34962	23 37 21.78	-03 03 04.3		691	1995 SN ₃₆	1995 09 29.14223	21 27 36.23	-00 53 26.5	20.4 V	691
1995 SE ₃₆	* 1995 09 23.19238	23 41 19.37	-02 38 17.9		691	1995 SN ₃₆	1995 09 29.16294	21 27 35.97	-00 53 37.4		691
1995 SE ₃₆	1995 09 23.21303	23 41 18.44	-02 38 24.8	18.2 V	691	1995 SN ₃₆	1995 09 29.18380	21 27 35.72	-00 53 48.2		691
1995 SE ₃₆	1995 09 23.23370	23 41 17.50	-02 38 32.0		691	1995 SO ₃₆	* 1995 09 24.11466	21 31 41.35	-00 17 47.1	20.8 V	691
1995 SE ₃₆	1995 09 27.29982	23 38 23.73	-03 00 42.0	18.3 V	691	1995 SO ₃₆	1995 09 24.13544	21 31 40.92	-00 17 56.3		691
1995 SE ₃₆	1995 09 27.32946	23 38 22.42	-03 00 51.7		691	1995 SO ₃₆	1995 09 24.15625	21 31 40.46	-00 18 04.9		691
1995 SE ₃₆	1995 09 27.35031	23 38 21.52	-03 00 58.2		691	1995 SO ₃₆	1995 09 29.14410	21 30 18.18	-00 52 50.6	20.3 V	691
1995 SF ₃₆	* 1995 09 23.19241	23 41 21.94	-02 39 50.6		691	1995 SO ₃₆	1995 09 29.16481	21 30 17.89	-00 52 59.3		691
1995 SF ₃₆	1995 09 23.21305	23 41 20.69	-02 39 56.6	21.1 V	691	1995 SO ₃₆	1995 09 29.18567	21 30 17.58	-00 53 07.8		691
1995 SF ₃₆	1995 09 23.23372	23 41 19.38	-02 40 02.7		691	1995 SP ₃₆	* 1995 09 24.11797	21 36 27.63	-00 08 03.6	20.5 V	691
1995 SF ₃₆	1995 09 27.29913	23 37 23.91	-03 00 10.7		691	1995 SP ₃₆	1995 09 24.13875	21 36 27.28	-00 08 16.1		691
1995 SF ₃₆	1995 09 27.32876	23 37 22.17	-03 00 19.6	20.8 V	691	1995 SP ₃₆	1995 09 24.15955	21 36 26.91	-00 08 28.2		691
1995 SF ₃₆	1995 09 27.34961	23 37 20.94	-03 00 25.8		691	1995 SP ₃₆	1995 09 29.14758	21 35 19.65	-00 56 12.1	20.2 V	691
1995 SG ₃₆	* 1995 09 23.19288	23 42 02.50	-02 29 09.4	20.1 V	691	1995 SP ₃₆	1995 09 29.16830	21 35 19.40	-00 56 23.8		691
1995 SG ₃₆	1995 09 23.21352	23 42 01.36	-02 29 13.2		691	1995 SP ₃₆	1995 09 29.18915	21 35 19.17	-00 56 35.6		691
1995 SG ₃₆	1995 09 23.23419	23 42 00.23	-02 29 17.4		691	1995 SQ ₃₆	* 1995 09 24.22512	23 22 08.67	-01 57 26.9	19.9 V	691
1995 SG ₃₆	1995 09 29.22299	23 36 50.91	-02 47 56.0	20.3 V	691	1995 SQ ₃₆	1995 09 24.24582	23 22 07.71	-01 57 33.7		691
1995 SG ₃₆	1995 09 29.24373	23 36 49.84	-02 47 58.9		691	1995 SQ ₃₆	1995 09 24.26664	23 22 06.74	-01 57 40.8		691
1995 SG ₃₆	1995 09 29.26457	23 36 48.70	-02 48 03.3		691	1995 SQ ₃₆	1995 09 29.21030	23 18 31.94	-02 24 53.2		691
1995 SH ₃₆	* 1995 09 23.19302	23 42 14.90	-02 49 34.3	19.8 V	691	1995 SQ ₃₆	1995 09 29.23105	23 18 31.04	-02 24 59.9	20.6 V	691
1995 SH ₃₆	1995 09 23.21366	23 42 13.66	-02 49 38.5		691	1995 SQ ₃₆	1995 09 29.25189	23 18 30.18	-02 25 06.3		691
1995 SH ₃₆	1995 09 23.23433	23 42 12.43	-02 49 42.9		691	1995 SR ₃₆	* 1995 09 24.22523	23 22 17.81	-02 14 12.4	19.7 V	691
1995 SH ₃₆	1995 09 27.29989	23 38 29.33	-03 03 19.9	19.5 V	691	1995 SR ₃₆	1995 09 24.24593	23 22 16.86	-02 14 18.5		691
1995 SH ₃₆	1995 09 27.32952	23 38 27.65	-03 03 25.7		691	1995 SR ₃₆	1995 09 24.26675	23 22 15.94	-02 14 24.8		691
1995 SH ₃₆	1995 09 27.35037	23 38 26.47	-03 03 26.8		691	1995 SR ₃₆	1995 09 29.21049	23 18 48.46	-02 38 37.0	20.6 V	691
1995 SJ ₃₆	* 1995 09 23.19392	23 43 32.57	-02 52 19.2	20.8 V	691	1995 SR ₃₆	1995 09 29.23124	23 18 47.58	-02 38 42.8		691
1995 SJ ₃₆	1995 09 23.21456	23 43 31.40	-02 52 19.9		691	1995 SR ₃₆	1995 09 29.25208	23 18 46.73	-02 38 48.6		691

1995 SS ₃₆	* 1995 09 24.22558	23 22 48.49	-01 55 30.1		691	1995 SA ₃₇	1995 09 29.23466	23 23 43.59	-02 24 05.6		691
1995 SS ₃₆	1995 09 24.24628	23 22 47.36	-01 55 36.7	19.2 V	691	1995 SA ₃₇	1995 09 29.25549	23 23 42.67	-02 24 11.6		691
1995 SS ₃₆	1995 09 24.26710	23 22 46.25	-01 55 43.3		691	1995 SB ₃₇	* 1995 09 24.22948	23 28 26.51	-02 02 27.4	19.6 V	691
1995 SS ₃₆	1995 09 29.27763	23 18 38.87	-02 21 04.3		691	1995 SB ₃₇	1995 09 24.25018	23 28 25.39	-02 02 35.4		691
1995 SS ₃₆	1995 09 29.29859	23 18 37.84	-02 21 10.7	19.7 V	691	1995 SB ₃₇	1995 09 24.27100	23 28 24.28	-02 02 44.2		691
1995 SS ₃₆	1995 09 29.31968	23 18 36.79	-02 21 16.7		691	1995 SB ₃₇	1995 09 29.23502	23 24 15.31	-02 35 28.7	20.6 V	691
1995 ST ₃₆	* 1995 09 24.22558	23 22 48.53	-02 06 06.8		691	1995 SB ₃₇	1995 09 29.25586	23 24 14.26	-02 35 36.8		691
1995 ST ₃₆	1995 09 24.24628	23 22 47.46	-02 06 10.2	19.8 V	691	1995 SC ₃₇	* 1995 09 24.22964	23 28 40.33	-02 06 33.5	19.2 V	691
1995 ST ₃₆	1995 09 24.26710	23 22 46.39	-02 06 13.3		691	1995 SC ₃₇	1995 09 24.25034	23 28 39.41	-02 06 39.9		691
1995 ST ₃₆	1995 09 29.27777	23 18 51.06	-02 19 40.8	20.7 V	691	1995 SC ₃₇	1995 09 24.27117	23 28 38.47	-02 06 46.9		691
1995 ST ₃₆	1995 09 29.29873	23 18 50.07	-02 19 44.6		691	1995 SC ₃₇	1995 09 29.21495	23 25 15.14	-02 33 05.7	20.1 V	691
1995 ST ₃₆	1995 09 29.31982	23 18 49.09	-02 19 47.7		691	1995 SC ₃₇	1995 09 29.23570	23 25 14.29	-02 33 11.6		691
1995 SU ₃₆	* 1995 09 24.22595	23 23 20.73	-02 18 41.8		691	1995 SC ₃₇	1995 09 29.25654	23 25 13.43	-02 33 18.1		691
1995 SU ₃₆	1995 09 24.24665	23 23 19.73	-02 18 45.6	20.3 V	691	1995 SD ₃₇	* 1995 09 24.22987	23 29 00.31	-02 04 13.7		691
1995 SU ₃₆	1995 09 24.26747	23 23 18.79	-02 18 49.7		691	1995 SD ₃₇	1995 09 24.25057	23 28 59.09	-02 04 18.1		691
1995 SU ₃₆	1995 09 29.21127	23 19 56.07	-02 32 55.6		691	1995 SD ₃₇	1995 09 24.27139	23 28 57.85	-02 04 23.7	19.2 V	691
1995 SU ₃₆	1995 09 29.23202	23 19 55.22	-02 32 58.3	21.1 V	691	1995 SD ₃₇	1995 09 29.21446	23 24 32.37	-02 23 49.4	19.6 V	691
1995 SU ₃₆	1995 09 29.25286	23 19 54.40	-02 33 01.9		691	1995 SD ₃₇	1995 09 29.23521	23 24 31.25	-02 23 53.1		691
1995 SV ₃₆	* 1995 09 24.22629	23 23 49.96	-02 09 32.3	20.4 V	691	1995 SD ₃₇	1995 09 29.25604	23 24 30.13	-02 23 58.0		691
1995 SV ₃₆	1995 09 24.24699	23 23 49.11	-02 09 40.9		691	1995 SE ₃₇	* 1995 09 24.23011	23 29 20.53	-01 59 14.9		691
1995 SV ₃₆	1995 09 24.26781	23 23 48.23	-02 09 49.3		691	1995 SE ₃₇	1995 09 24.25081	23 29 19.42	-01 59 22.6	18.5 V	691
1995 SV ₃₆	1995 09 29.21177	23 20 39.80	-02 43 13.7	21.6 V	691	1995 SE ₃₇	1995 09 24.27163	23 29 18.31	-01 59 30.7		691
1995 SV ₃₆	1995 09 29.23252	23 20 39.03	-02 43 22.1		691	1995 SE ₃₇	1995 09 29.21487	23 25 08.04	-02 29 37.2		691
1995 SV ₃₆	1995 09 29.25336	23 20 38.22	-02 43 30.1		691	1995 SE ₃₇	1995 09 29.23562	23 25 07.01	-02 29 44.0	19.3 V	691
1995 SW ₃₆	* 1995 09 24.22680	23 24 34.27	-01 58 46.7		691	1995 SE ₃₇	1995 09 29.25646	23 25 05.95	-02 29 51.7		691
1995 SW ₃₆	1995 09 24.24750	23 24 33.44	-01 58 55.6	20.9 V	691	1995 SF ₃₇	* 1995 09 24.23049	23 29 54.08	-02 01 20.8		691
1995 SW ₃₆	1995 09 24.26833	23 24 32.58	-01 59 05.3		691	1995 SF ₃₇	1995 09 24.25119	23 29 52.76	-02 01 26.7	20.3 V	691
1995 SW ₃₆	1995 09 29.21224	23 21 19.68	-02 35 14.2		691	1995 SF ₃₇	1995 09 24.27201	23 29 51.51	-02 01 33.0		691
1995 SW ₃₆	1995 09 29.23298	23 21 18.86	-02 35 23.2		691	1995 SF ₃₇	1995 09 29.21490	23 25 10.21	-02 25 39.8		691
1995 SW ₃₆	1995 09 29.25382	23 21 18.07	-02 35 31.5	21.6 V	691	1995 SF ₃₇	1995 09 29.23564	23 25 08.98	-02 25 45.9		691
1995 SX ₃₆	* 1995 09 24.22749	23 25 34.15	-01 53 44.4		691	1995 SF ₃₇	1995 09 29.25648	23 25 07.79	-02 25 51.7	21.1 V	691
1995 SX ₃₆	1995 09 24.24819	23 25 33.24	-01 53 49.5	18.6 V	691	1995 SG ₃₇	* 1995 09 24.23054	23 29 57.64	-01 56 08.4	20.0 V	691
1995 SX ₃₆	1995 09 24.26902	23 25 32.30	-01 53 54.8		691	1995 SG ₃₇	1995 09 24.25123	23 29 56.53	-01 56 13.0		691
1995 SX ₃₆	1995 09 29.27992	23 21 57.65	-02 14 22.8		691	1995 SG ₃₇	1995 09 24.27205	23 29 55.40	-01 56 18.5		691
1995 SX ₃₆	1995 09 29.30089	23 21 56.77	-02 14 28.0	19.2 V	691	1995 SG ₃₇	1995 09 29.28268	23 25 55.99	-02 15 43.5		691
1995 SX ₃₆	1995 09 29.32198	23 21 55.87	-02 14 32.9		691	1995 SG ₃₇	1995 09 29.30364	23 25 54.97	-02 15 48.2	20.6 V	691
1995 SY ₃₆	* 1995 09 24.22802	23 26 20.17	-01 57 03.0	18.2 V	691	1995 SG ₃₇	1995 09 29.32473	23 25 53.94	-02 15 53.0		691
1995 SY ₃₆	1995 09 24.24873	23 26 19.36	-01 57 13.0		691	1995 SH ₃₇	* 1995 09 24.23148	23 31 19.21	-02 11 29.4		691
1995 SY ₃₆	1995 09 24.26955	23 26 18.54	-01 57 23.0		691	1995 SH ₃₇	1995 09 24.25218	23 31 18.27	-02 11 33.8	20.0 V	691
1995 SY ₃₆	1995 09 29.21357	23 23 15.31	-02 36 34.6	19.0 V	691	1995 SH ₃₇	1995 09 24.27300	23 31 17.25	-02 11 39.0		691
1995 SY ₃₆	1995 09 29.23432	23 23 14.54	-02 36 44.1		691	1995 SH ₃₇	1995 09 29.21662	23 27 39.27	-02 30 33.9		691
1995 SY ₃₆	1995 09 29.25516	23 23 13.77	-02 36 53.6		691	1995 SH ₃₇	1995 09 29.23737	23 27 38.34	-02 30 38.5	21.0 V	691
1995 SZ ₃₆	* 1995 09 24.22861	23 27 11.28	-01 52 49.0	20.6 V	691	1995 SH ₃₇	1995 09 29.25820	23 27 37.41	-02 30 42.9		691
1995 SZ ₃₆	1995 09 24.24931	23 27 10.26	-01 52 56.8		691	1995 SJ ₃₇	* 1995 09 24.23164	23 31 33.00	-02 09 52.0	18.4 V	691
1995 SZ ₃₆	1995 09 24.27014	23 27 09.27	-01 53 04.8		691	1995 SJ ₃₇	1995 09 24.25234	23 31 32.18	-02 10 01.4		691
1995 SZ ₃₆	1995 09 29.21375	23 23 31.06	-02 23 32.7	21.1 V	691	1995 SJ ₃₇	1995 09 24.27316	23 31 31.31	-02 10 11.1		691
1995 SZ ₃₆	1995 09 29.23450	23 23 30.16	-02 23 40.4		691	1995 SJ ₃₇	1995 09 29.21704	23 28 15.45	-02 47 41.1	19.4 V	691
1995 SZ ₃₆	1995 09 29.25534	23 23 29.27	-02 23 47.0		691	1995 SJ ₃₇	1995 09 29.23778	23 28 14.62	-02 47 50.2		691
1995 SA ₃₇	* 1995 09 24.22878	23 27 25.33	-01 59 47.2		691	1995 SJ ₃₇	1995 09 29.25862	23 28 13.77	-02 47 59.5		691
1995 SA ₃₇	1995 09 24.24948	23 27 24.34	-01 59 53.3	19.6 V	691	1995 SK ₃₇	* 1995 09 24.23199	23 32 03.99	-02 17 20.4		691
1995 SA ₃₇	1995 09 24.27030	23 27 23.37	-01 59 59.6		691	1995 SK ₃₇	1995 09 24.25269	23 32 02.83	-02 17 26.0		691
1995 SA ₃₇	1995 09 29.21391	23 23 44.50	-02 24 00.1	20.1 V	691	1995 SK ₃₇	1995 09 24.27351	23 32 01.56	-02 17 32.4	19.6 V	691

1995 SK ₃₇	1995 09 29.21648	23 27 27.44	-02 39 46.1	20.7 V	691	1995 ST ₃₇	1995 09 24.27473	23 33 47.45	-02 10 40.4	691
1995 SK ₃₇	1995 09 29.23723	23 27 26.29	-02 39 51.3		691	1995 ST ₃₇	1995 09 29.21824	23 29 59.98	-02 40 28.9	691
1995 SK ₃₇	1995 09 29.25806	23 27 25.14	-02 39 57.0		691	1995 ST ₃₇	1995 09 29.23899	23 29 59.01	-02 40 36.4	20.8 V 691
1995 SL ₃₇	* 1995 09 24.23229	23 32 29.45	-01 57 42.3	19.9 V	691	1995 ST ₃₇	1995 09 29.25983	23 29 58.04	-02 40 43.7	691
1995 SL ₃₇	1995 09 24.25298	23 32 28.14	-01 57 47.0		691	1995 SU ₃₇	* 1995 09 24.23335	23 34 01.44	-02 03 35.6	691
1995 SL ₃₇	1995 09 24.27380	23 32 26.78	-01 57 51.5		691	1995 SU ₃₇	1995 09 24.25405	23 34 00.34	-02 03 38.2	18.5 V 691
1995 SL ₃₇	1995 09 29.28361	23 27 17.20	-02 15 25.4	20.7 V	691	1995 SU ₃₇	1995 09 24.27487	23 33 59.19	-02 03 40.9	691
1995 SL ₃₇	1995 09 29.30457	23 27 15.84	-02 15 30.0		691	1995 SU ₃₇	1995 09 29.28521	23 29 35.32	-02 13 43.8	691
1995 SL ₃₇	1995 09 29.32566	23 27 14.54	-02 15 34.1		691	1995 SU ₃₇	1995 09 29.30617	23 29 34.23	-02 13 46.1	19.2 V 691
1995 SM ₃₇	* 1995 09 24.23236	23 32 35.93	-01 52 54.2		691	1995 SU ₃₇	1995 09 29.32726	23 29 33.11	-02 13 48.5	691
1995 SM ₃₇	1995 09 24.25306	23 32 35.03	-01 53 00.4	20.2 V	691	1995 SV ₃₇	* 1995 09 24.23354	23 34 17.79	-01 51 21.5	691
1995 SM ₃₇	1995 09 24.27389	23 32 34.07	-01 53 06.7		691	1995 SV ₃₇	1995 09 24.25423	23 34 16.47	-01 51 23.9	19.5 V 691
1995 SM ₃₇	1995 09 29.28470	23 28 51.41	-02 18 19.2		691	1995 SV ₃₇	1995 09 24.27505	23 34 15.12	-01 51 26.3	691
1995 SM ₃₇	1995 09 29.30566	23 28 50.50	-02 18 25.0		691	1995 SV ₃₇	1995 09 29.28489	23 29 07.61	-02 00 06.4	691
1995 SM ₃₇	1995 09 29.32676	23 28 49.55	-02 18 31.3	21.2 V	691	1995 SV ₃₇	1995 09 29.30585	23 29 06.31	-02 00 08.5	20.2 V 691
1995 SN ₃₇	* 1995 09 24.23239	23 32 38.69	-01 57 36.2		691	1995 SV ₃₇	1995 09 29.32694	23 29 05.03	-02 00 10.4	691
1995 SN ₃₇	1995 09 24.25309	23 32 37.63	-01 57 43.9	17.5 V	691	1995 SW ₃₇	* 1995 09 24.23358	23 34 21.00	-02 05 24.0	18.5 V 691
1995 SN ₃₇	1995 09 24.27391	23 32 36.51	-01 57 51.6		691	1995 SW ₃₇	1995 09 24.25427	23 34 19.70	-02 05 28.3	691
1995 SN ₃₇	1995 09 29.21712	23 28 22.88	-02 27 57.7		691	1995 SW ₃₇	1995 09 24.27509	23 34 18.36	-02 05 32.7	691
1995 SN ₃₇	1995 09 29.23787	23 28 21.82	-02 28 05.0	18.1 V	691	1995 SW ₃₇	1995 09 29.28495	23 29 13.07	-02 21 56.8	691
1995 SN ₃₇	1995 09 29.25870	23 28 20.73	-02 28 12.6		691	1995 SW ₃₇	1995 09 29.30591	23 29 11.78	-02 22 00.9	19.1 V 691
1995 SO ₃₇	* 1995 09 24.23261	23 32 57.29	-02 14 13.0	19.1 V	691	1995 SW ₃₇	1995 09 29.32700	23 29 10.48	-02 22 04.8	691
1995 SO ₃₇	1995 09 24.25331	23 32 56.19	-02 14 19.9		691	1995 SX ₃₇	* 1995 09 24.23421	23 35 16.02	-02 09 29.8	691
1995 SO ₃₇	1995 09 29.21739	23 28 46.02	-02 40 23.6	20.0 V	691	1995 SX ₃₇	1995 09 24.25491	23 35 14.96	-02 09 36.9	18.5 V 691
1995 SO ₃₇	1995 09 29.23813	23 28 44.98	-02 40 29.8		691	1995 SX ₃₇	1995 09 24.27573	23 35 13.89	-02 09 43.8	691
1995 SO ₃₇	1995 09 29.25897	23 28 43.92	-02 40 36.3		691	1995 SX ₃₇	1995 09 29.21910	23 31 14.63	-02 36 13.2	19.3 V 691
1995 SP ₃₇	* 1995 09 24.23261	23 32 57.54	-01 59 59.2	20.2 V	691	1995 SX ₃₇	1995 09 29.23985	23 31 13.62	-02 36 19.7	691
1995 SP ₃₇	1995 09 24.25331	23 32 56.46	-02 00 03.0		691	1995 SX ₃₇	1995 09 29.26069	23 31 12.58	-02 36 26.4	691
1995 SP ₃₇	1995 09 24.27413	23 32 55.38	-02 00 07.1		691	1995 SY ₃₇	* 1995 09 24.23432	23 35 25.21	-02 11 43.5	691
1995 SP ₃₇	1995 09 29.28463	23 28 45.58	-02 16 13.1		691	1995 SY ₃₇	1995 09 24.25502	23 35 24.15	-02 11 51.0	19.8 V 691
1995 SP ₃₇	1995 09 29.30559	23 28 44.53	-02 16 17.3	21.1 V	691	1995 SY ₃₇	1995 09 24.27584	23 35 23.11	-02 11 58.3	691
1995 SP ₃₇	1995 09 29.32669	23 28 43.45	-02 16 21.2		691	1995 SY ₃₇	1995 09 29.21928	23 31 29.71	-02 39 54.8	20.3 V 691
1995 SQ ₃₇	* 1995 09 24.23263	23 32 58.97	-02 07 48.7		691	1995 SY ₃₇	1995 09 29.24003	23 31 28.72	-02 40 01.8	691
1995 SQ ₃₇	1995 09 24.25333	23 32 58.02	-02 07 56.8	20.2 V	691	1995 SY ₃₇	1995 09 29.26086	23 31 27.72	-02 40 09.0	691
1995 SQ ₃₇	1995 09 24.27415	23 32 57.01	-02 08 05.0		691	1995 SZ ₃₇	* 1995 09 24.23436	23 35 28.59	-02 03 58.2	691
1995 SQ ₃₇	1995 09 29.21772	23 29 15.12	-02 40 02.7	21.1 V	691	1995 SZ ₃₇	1995 09 24.25506	23 35 27.61	-02 04 03.6	691
1995 SQ ₃₇	1995 09 29.23847	23 29 14.20	-02 40 10.6		691	1995 SZ ₃₇	1995 09 24.27588	23 35 26.61	-02 04 09.2	20.6 V 691
1995 SQ ₃₇	1995 09 29.25931	23 29 13.23	-02 40 18.7		691	1995 SZ ₃₇	1995 09 29.21943	23 31 43.20	-02 25 46.4	691
1995 SR ₃₇	* 1995 09 24.23281	23 33 14.56	-01 54 05.3	18.1 V	691	1995 SZ ₃₇	1995 09 29.24018	23 31 42.28	-02 25 52.2	21.2 V 691
1995 SR ₃₇	1995 09 24.25351	23 33 13.32	-01 54 08.2		691	1995 SZ ₃₇	1995 09 29.26102	23 31 41.31	-02 25 57.5	691
1995 SR ₃₇	1995 09 24.27432	23 33 12.06	-01 54 10.9		691	1995 SA ₃₈	* 1995 09 24.23453	23 35 44.03	-02 13 56.9	19.8 V 691
1995 SR ₃₇	1995 09 29.28444	23 28 28.36	-02 04 50.3		691	1995 SA ₃₈	1995 09 24.25523	23 35 42.95	-02 14 07.4	691
1995 SR ₃₇	1995 09 29.30539	23 28 27.17	-02 04 52.7	18.9 V	691	1995 SA ₃₈	1995 09 24.27605	23 35 41.85	-02 14 17.8	691
1995 SR ₃₇	1995 09 29.32649	23 28 25.99	-02 04 55.4		691	1995 SA ₃₈	1995 09 29.21944	23 31 44.06	-02 54 33.3	20.7 V 691
1995 SS ₃₇	* 1995 09 24.23309	23 33 39.36	-01 58 47.1		691	1995 SA ₃₈	1995 09 29.24019	23 31 43.01	-02 54 43.6	691
1995 SS ₃₇	1995 09 24.25379	23 33 38.30	-01 58 54.1	20.7 V	691	1995 SA ₃₈	1995 09 29.26103	23 31 41.95	-02 54 53.8	691
1995 SS ₃₇	1995 09 24.27461	23 33 37.08	-01 59 02.5		691	1995 SB ₃₈	* 1995 09 24.23529	23 36 49.37	-02 17 09.9	17.2 V 691
1995 SS ₃₇	1995 09 29.21793	23 29 32.71	-02 27 24.6	21.3 V	691	1995 SB ₃₈	1995 09 24.25599	23 36 48.29	-02 17 18.9	691
1995 SS ₃₇	1995 09 29.23867	23 29 31.66	-02 27 31.4		691	1995 SB ₃₈	1995 09 24.27681	23 36 47.20	-02 17 27.8	691
1995 SS ₃₇	1995 09 29.25951	23 29 30.55	-02 27 38.5		691	1995 SB ₃₈	1995 09 29.22019	23 32 49.06	-02 52 10.8	691
1995 ST ₃₇	* 1995 09 24.23321	23 33 49.46	-02 10 25.1		691	1995 SB ₃₈	1995 09 29.24094	23 32 48.02	-02 52 19.2	17.8 V 691
1995 ST ₃₇	1995 09 24.25391	23 33 48.47	-02 10 32.8	19.9 V	691	1995 SB ₃₈	1995 09 29.26178	23 32 46.97	-02 52 28.0	691

1995 SC ₃₈	* 1995 09 24.23550	23 37 07.92	-02 04 09.0	19.1 V	691	1995 SL ₃₈	1995 09 29.26478	23 37 06.74	-02 45 54.0	18.9 V	691
1995 SC ₃₈	1995 09 24.25620	23 37 06.91	-02 04 20.5		691	1995 SM ₃₈	* 1995 09 24.24601	23 22 24.45	-02 11 45.2		691
1995 SC ₃₈	1995 09 24.27702	23 37 05.89	-02 04 31.9		691	1995 SM ₃₈	1995 09 24.26683	23 22 23.24	-02 11 47.6	19.1 V	691
1995 SC ₃₈	1995 09 29.22058	23 33 22.14	-02 48 35.3	20.1 V	691	1995 SM ₃₈	1995 09 29.27721	23 17 52.14	-02 20 30.6	19.9 V	691
1995 SC ₃₈	1995 09 29.24132	23 33 21.19	-02 48 45.6		691	1995 SM ₃₈	1995 09 29.29818	23 17 51.00	-02 20 32.3		691
1995 SC ₃₈	1995 09 29.26216	23 33 20.21	-02 48 56.6		691	1995 SM ₃₈	1995 09 29.31927	23 17 49.86	-02 20 34.5		691
1995 SD ₃₈	* 1995 09 24.23551	23 37 08.62	-01 54 44.4		691	1995 SN ₃₈	* 1995 09 24.24800	23 25 16.56	-02 14 13.6	21.1 V	691
1995 SD ₃₈	1995 09 24.25621	23 37 07.61	-01 54 55.3	17.6 V	691	1995 SN ₃₈	1995 09 24.26882	23 25 15.45	-02 14 19.5		691
1995 SD ₃₈	1995 09 24.27703	23 37 06.60	-01 55 06.7		691	1995 SN ₃₈	1995 09 29.21213	23 21 10.45	-02 37 47.1		691
1995 SD ₃₈	1995 09 29.22060	23 33 24.45	-02 38 08.7	18.3 V	691	1995 SN ₃₈	1995 09 29.23288	23 21 09.43	-02 37 52.8	21.5 V	691
1995 SD ₃₈	1995 09 29.24135	23 33 23.53	-02 38 19.1		691	1995 SN ₃₈	1995 09 29.25371	23 21 08.40	-02 37 58.1		691
1995 SD ₃₈	1995 09 29.26219	23 33 22.54	-02 38 29.8		691	1995 SO ₃₈	* 1995 09 24.25281	23 32 13.02	-02 10 45.4	19.7 V	691
1995 SE ₃₈	* 1995 09 24.23562	23 37 17.93	-01 55 48.8	18.0 V	691	1995 SO ₃₈	1995 09 24.27363	23 32 11.87	-02 10 48.3		691
1995 SE ₃₈	1995 09 24.25632	23 37 16.94	-01 55 52.8		691	1995 SO ₃₈	1995 09 29.28398	23 27 48.58	-02 21 19.6	20.4 V	691
1995 SE ₃₈	1995 09 24.27714	23 37 15.96	-01 55 56.9		691	1995 SO ₃₈	1995 09 29.30494	23 27 47.47	-02 21 22.1		691
1995 SE ₃₈	1995 09 29.28796	23 33 33.30	-02 11 31.9	18.6 V	691	1995 SO ₃₈	1995 09 29.32603	23 27 46.36	-02 21 24.9		691
1995 SE ₃₈	1995 09 29.30892	23 33 32.38	-02 11 35.6		691	1995 SP ₃₈	* 1995 09 24.29153	00 41 00.24	+00 30 41.5	19.4 V	691
1995 SE ₃₈	1995 09 29.33001	23 33 31.44	-02 11 39.4		691	1995 SP ₃₈	1995 09 24.31233	00 40 58.06	+00 30 54.0		691
1995 SF ₃₈	* 1995 09 24.23564	23 37 20.23	-02 01 20.6	19.2 V	691	1995 SP ₃₈	1995 09 24.33323	00 40 55.93	+00 31 06.5		691
1995 SF ₃₈	1995 09 24.25634	23 37 19.05	-02 01 28.5		691	1995 SP ₃₈	1995 09 25.30691	00 39 18.13	+00 41 00.4		691
1995 SF ₃₈	1995 09 24.27716	23 37 17.89	-02 01 36.3		691	1995 SP ₃₈	1995 09 25.32777	00 39 15.98	+00 41 12.7	19.4 V	691
1995 SF ₃₈	1995 09 29.22030	23 32 58.62	-02 31 32.4	20.2 V	691	1995 SP ₃₈	1995 09 25.34863	00 39 13.77	+00 41 25.6		691
1995 SF ₃₈	1995 09 29.26189	23 32 56.37	-02 31 47.1		691	1995 SQ ₃₈	* 1995 09 24.29336	00 43 38.73	+00 09 25.6	17.8 V	691
1995 SG ₃₈	* 1995 09 24.23729	23 39 42.58	-02 04 33.0		691	1995 SQ ₃₈	1995 09 24.31417	00 43 37.41	+00 09 28.5		691
1995 SG ₃₈	1995 09 24.25799	23 39 41.47	-02 04 44.0	20.2 V	691	1995 SQ ₃₈	1995 09 24.33508	00 43 36.14	+00 09 31.1		691
1995 SG ₃₈	1995 09 24.27881	23 39 40.36	-02 04 55.0		691	1995 SQ ₃₈	1995 09 30.18293	00 37 41.35	+00 21 55.6		691
1995 SG ₃₈	1995 09 29.22213	23 35 36.40	-02 46 58.4	21.0 V	691	1995 SQ ₃₈	1995 09 30.20513	00 37 39.96	+00 21 58.7	18.3 V	691
1995 SG ₃₈	1995 09 29.24287	23 35 35.35	-02 47 09.2		691	1995 SQ ₃₈	1995 09 30.22741	00 37 38.55	+00 22 01.7		691
1995 SG ₃₈	1995 09 29.26371	23 35 34.28	-02 47 19.4		691	1995 SR ₃₈	* 1995 09 24.29355	00 43 55.42	+00 08 17.3		691
1995 SH ₃₈	* 1995 09 24.23746	23 39 57.15	-02 11 53.2	18.4 V	691	1995 SR ₃₈	1995 09 24.31436	00 43 53.97	+00 08 18.7	20.6 V	691
1995 SH ₃₈	1995 09 24.25816	23 39 56.15	-02 12 01.8		691	1995 SR ₃₈	1995 09 24.33527	00 43 52.61	+00 08 20.5		691
1995 SH ₃₈	1995 09 24.27898	23 39 55.17	-02 12 10.6		691	1995 SR ₃₈	1995 09 30.18289	00 37 38.14	+00 16 12.2	20.2 V	691
1995 SH ₃₈	1995 09 29.22261	23 36 18.08	-02 45 25.9	19.4 V	691	1995 SR ₃₈	1995 09 30.20509	00 37 36.69	+00 16 15.7		691
1995 SH ₃₈	1995 09 29.24336	23 36 17.13	-02 45 34.3		691	1995 SR ₃₈	1995 09 30.22738	00 37 35.19	+00 16 17.9		691
1995 SH ₃₈	1995 09 29.26419	23 36 16.19	-02 45 42.2		691	1995 SS ₃₈	* 1995 09 24.30194	00 56 01.91	+00 31 14.0	20.4 V	691
1995 SJ ₃₈	* 1995 09 24.23767	23 40 15.34	-02 00 39.6	19.8 V	691	1995 SS ₃₈	1995 09 24.32275	00 56 00.85	+00 31 09.1		691
1995 SJ ₃₈	1995 09 24.25837	23 40 14.33	-02 00 48.1		691	1995 SS ₃₈	1995 09 24.34367	00 55 59.82	+00 31 03.4		691
1995 SJ ₃₈	1995 09 24.27919	23 40 13.31	-02 00 56.6		691	1995 SS ₃₈	1995 09 30.19226	00 51 09.80	+00 06 29.3		691
1995 SJ ₃₈	1995 09 29.22272	23 36 27.39	-02 33 01.8	20.8 V	691	1995 SS ₃₈	1995 09 30.21447	00 51 08.59	+00 06 23.7	20.5 V	691
1995 SJ ₃₈	1995 09 29.24346	23 36 26.40	-02 33 09.8		691	1995 SS ₃₈	1995 09 30.23676	00 51 07.41	+00 06 18.0		691
1995 SJ ₃₈	1995 09 29.26430	23 36 25.41	-02 33 17.5		691	1995 ST ₃₈	* 1995 09 24.44489	01 13 32.85	+09 12 41.9	20.9 V	691
1995 SK ₃₈	* 1995 09 24.23783	23 40 29.62	-02 00 59.5		691	1995 ST ₃₈	1995 09 24.46603	01 13 32.02	+09 12 35.4		691
1995 SK ₃₈	1995 09 24.25853	23 40 28.59	-02 01 10.0		691	1995 ST ₃₈	1995 09 24.48715	01 13 31.23	+09 12 29.3		691
1995 SK ₃₈	1995 09 24.27935	23 40 27.74	-02 01 23.2	19.1 V	691	1995 ST ₃₈	1995 09 27.35882	01 11 42.33	+08 58 39.4	20.9 V	691
1995 SK ₃₈	1995 09 29.22305	23 36 56.45	-02 47 54.8	20.3 V	691	1995 ST ₃₈	1995 09 27.37996	01 11 41.49	+08 58 32.7		691
1995 SK ₃₈	1995 09 29.24380	23 36 55.52	-02 48 06.4		691	1995 ST ₃₈	1995 09 27.40104	01 11 40.63	+08 58 26.3		691
1995 SK ₃₈	1995 09 29.26464	23 36 54.58	-02 48 17.8		691	1995 SU ₃₈	* 1995 09 24.44731	01 17 02.03	+09 33 49.8		691
1995 SL ₃₈	* 1995 09 24.23788	23 40 33.96	-02 20 42.6	18.1 V	691	1995 SU ₃₈	1995 09 24.46844	01 17 01.09	+09 33 45.5	20.9 V	691
1995 SL ₃₈	1995 09 24.25858	23 40 33.05	-02 20 48.8		691	1995 SU ₃₈	1995 09 24.48956	01 17 00.21	+09 33 39.8		691
1995 SL ₃₈	1995 09 24.27941	23 40 32.15	-02 20 55.4		691	1995 SU ₃₈	1995 09 30.42787	01 12 38.29	+09 09 15.0		691
1995 SL ₃₈	1995 09 29.22319	23 37 08.50	-02 45 42.0		691	1995 SU ₃₈	1995 09 30.44894	01 12 37.31	+09 09 09.5	20.9 V	691
1995 SL ₃₈	1995 09 29.24394	23 37 07.63	-02 45 48.1		691	1995 SU ₃₈	1995 09 30.47010	01 12 36.31	+09 09 03.8		691

1995 SV ₃₈	* 1995 09 24.44786	01 17 50.23	+09 16 09.2		691	1995 SD ₃₉	1995 09 27.40953	01 24 06.07	+08 57 25.6	21.2 V	691
1995 SV ₃₈	1995 09 24.46900	01 17 49.22	+09 16 09.4	20.4 V	691	1995 SE ₃₉	* 1995 09 24.45390	01 26 33.32	+09 09 13.2		691
1995 SV ₃₈	1995 09 24.49012	01 17 48.24	+09 16 09.7		691	1995 SE ₃₉	1995 09 24.47504	01 26 32.48	+09 09 08.5		691
1995 SV ₃₈	1995 09 30.42817	01 13 03.77	+09 16 25.8		691	1995 SE ₃₉	1995 09 24.49616	01 26 31.64	+09 09 03.9	20.5 V	691
1995 SV ₃₈	1995 09 30.44923	01 13 02.68	+09 16 25.6	20.0 V	691	1995 SE ₃₉	1995 09 27.36764	01 24 36.82	+08 57 45.1		691
1995 SV ₃₈	1995 09 30.47040	01 13 01.62	+09 16 25.1		691	1995 SE ₃₉	1995 09 27.38879	01 24 35.93	+08 57 39.9	20.2 V	691
1995 SW ₃₈	* 1995 09 24.44867	01 18 59.65	+09 23 43.6		691	1995 SE ₃₉	1995 09 27.40986	01 24 34.99	+08 57 34.7		691
1995 SW ₃₈	1995 09 24.46980	01 18 58.82	+09 23 32.8	20.5 V	691	1995 SF ₃₉	* 1995 09 24.45452	01 27 26.55	+09 15 25.8	21.4 V	691
1995 SW ₃₈	1995 09 24.49092	01 18 57.98	+09 23 22.0		691	1995 SF ₃₉	1995 09 24.47565	01 27 25.80	+09 15 18.1		691
1995 SW ₃₈	1995 09 27.36245	01 17 06.80	+08 58 37.5	20.6 V	691	1995 SF ₃₉	1995 09 24.49678	01 27 25.04	+09 15 09.9		691
1995 SW ₃₈	1995 09 27.38359	01 17 05.96	+08 58 26.2		691	1995 SF ₃₉	1995 09 27.36841	01 25 42.92	+08 56 28.2		691
1995 SW ₃₈	1995 09 27.40467	01 17 05.05	+08 58 15.8		691	1995 SF ₃₉	1995 09 27.38955	01 25 42.18	+08 56 19.0		691
1995 SX ₃₈	* 1995 09 24.45002	01 20 56.72	+09 33 28.3		691	1995 SF ₃₉	1995 09 27.41063	01 25 41.32	+08 56 10.6	21.1 V	691
1995 SX ₃₈	1995 09 24.47115	01 20 55.70	+09 33 23.5	20.0 V	691	1995 SG ₃₉	* 1995 09 24.45499	01 28 07.52	+09 29 29.4	19.8 V	691
1995 SX ₃₈	1995 09 24.49227	01 20 54.70	+09 33 18.8		691	1995 SG ₃₉	1995 09 24.47612	01 28 06.47	+09 29 24.2		691
1995 SX ₃₈	1995 09 30.43026	01 16 04.87	+09 10 07.3	20.0 V	691	1995 SG ₃₉	1995 09 24.49724	01 28 05.40	+09 29 19.1		691
1995 SX ₃₈	1995 09 30.45132	01 16 03.75	+09 10 02.1		691	1995 SG ₃₉	1995 09 30.43505	01 23 00.41	+09 04 12.0		691
1995 SX ₃₈	1995 09 30.47249	01 16 02.64	+09 09 56.6		691	1995 SG ₃₉	1995 09 30.45612	01 22 59.26	+09 04 06.4	19.2 V	691
1995 SY ₃₈	* 1995 09 24.45101	01 22 22.69	+09 18 41.5		691	1995 SG ₃₉	1995 09 30.47728	01 22 58.08	+09 04 00.4		691
1995 SY ₃₈	1995 09 24.47214	01 22 21.55	+09 18 43.4	21.2 V	691	1995 SH ₃₉	* 1995 09 24.45609	01 29 42.96	+09 13 14.6	18.1 V	691
1995 SY ₃₈	1995 09 24.49326	01 22 20.43	+09 18 45.4		691	1995 SH ₃₉	1995 09 24.47723	01 29 42.20	+09 13 08.6		691
1995 SY ₃₈	1995 09 30.43085	01 16 56.31	+09 26 39.7		691	1995 SH ₃₉	1995 09 24.49835	01 29 41.43	+09 13 02.4		691
1995 SY ₃₈	1995 09 30.45191	01 16 55.00	+09 26 40.9		691	1995 SH ₃₉	1995 09 27.36997	01 27 57.95	+08 58 37.1	18.0 V	691
1995 SY ₃₈	1995 09 30.47308	01 16 53.72	+09 26 42.0	21.1 V	691	1995 SH ₃₉	1995 09 27.39111	01 27 57.07	+08 58 30.3		691
1995 SZ ₃₈	* 1995 09 24.45235	01 24 18.47	+09 09 38.2		691	1995 SH ₃₉	1995 09 27.41218	01 27 56.21	+08 58 23.7		691
1995 SZ ₃₈	1995 09 24.47348	01 24 17.71	+09 09 33.7		691	1995 SJ ₃₉	* 1995 09 24.45752	01 31 46.37	+09 03 55.3	18.9 V	691
1995 SZ ₃₈	1995 09 24.49460	01 24 16.91	+09 09 29.0	20.9 V	691	1995 SJ ₃₉	1995 09 24.47865	01 31 45.58	+09 03 47.3		691
1995 SZ ₃₈	1995 09 27.36618	01 22 29.96	+08 58 48.8		691	1995 SJ ₃₉	1995 09 24.49977	01 31 44.77	+09 03 39.6		691
1995 SZ ₃₈	1995 09 27.38732	01 22 29.15	+08 58 44.0		691	1995 SJ ₃₉	1995 09 27.37133	01 29 56.41	+08 45 30.3		691
1995 SZ ₃₈	1995 09 27.40840	01 22 28.22	+08 58 38.9	20.4 V	691	1995 SJ ₃₉	1995 09 27.39247	01 29 55.46	+08 45 19.8	18.7 V	691
1995 SA ₃₉	* 1995 09 24.45267	01 24 46.54	+09 23 56.5	20.9 V	691	1995 SJ ₃₉	1995 09 27.41355	01 29 54.57	+08 45 11.4		691
1995 SA ₃₉	1995 09 24.47380	01 24 45.59	+09 23 53.9		691	1995 SK ₃₉	* 1995 09 24.45801	01 32 29.30	+09 03 20.7		691
1995 SA ₃₉	1995 09 24.49492	01 24 44.61	+09 23 51.0		691	1995 SK ₃₉	1995 09 24.47915	01 32 28.55	+09 03 13.5	20.8 V	691
1995 SA ₃₉	1995 09 30.43301	01 20 03.65	+09 10 17.4		691	1995 SK ₃₉	1995 09 24.50027	01 32 27.74	+09 03 06.2		691
1995 SA ₃₉	1995 09 30.45408	01 20 02.60	+09 10 14.2	20.6 V	691	1995 SK ₃₉	1995 09 27.37185	01 30 41.50	+08 46 05.9	20.4 V	691
1995 SA ₃₉	1995 09 30.47524	01 20 01.55	+09 10 10.8		691	1995 SK ₃₉	1995 09 27.39300	01 30 40.64	+08 45 57.8		691
1995 SB ₃₉	* 1995 09 24.45297	01 25 12.79	+09 32 25.3	21.4 V	691	1995 SK ₃₉	1995 09 27.41407	01 30 39.78	+08 45 49.6		691
1995 SB ₃₉	1995 09 24.47411	01 25 11.89	+09 32 23.2		691	1995 SL ₃₉	* 1995 09 25.12057	21 34 19.25	-00 04 40.5	20.0 V	691
1995 SB ₃₉	1995 09 24.49523	01 25 10.90	+09 32 22.0		691	1995 SL ₃₉	1995 09 25.14144	21 34 18.64	-00 04 40.8		691
1995 SB ₃₉	1995 09 30.43343	01 20 39.43	+09 26 17.4		691	1995 SL ₃₉	1995 09 25.16240	21 34 18.01	-00 04 41.0		691
1995 SB ₃₉	1995 09 30.45449	01 20 38.41	+09 26 15.6		691	1995 SL ₃₉	1995 10 02.10404	21 31 38.86	-00 04 56.3		691
1995 SB ₃₉	1995 09 30.47566	01 20 37.39	+09 26 14.1	21.2 V	691	1995 SL ₃₉	1995 10 02.12515	21 31 38.48	-00 04 56.8		691
1995 SC ₃₉	* 1995 09 24.45339	01 25 49.11	+09 05 42.6	20.8 V	691	1995 SL ₃₉	1995 10 02.14634	21 31 38.06	-00 04 56.7	20.0 V	691
1995 SC ₃₉	1995 09 24.47452	01 25 48.07	+09 05 34.2		691	1995 SM ₃₉	* 1995 09 25.12118	21 35 12.29	+00 11 23.6		691
1995 SC ₃₉	1995 09 24.49564	01 25 47.01	+09 05 26.3		691	1995 SM ₃₉	1995 09 25.14206	21 35 11.89	+00 11 13.4	20.8 V	691
1995 SC ₃₉	1995 09 27.36685	01 23 27.75	+08 46 54.0	20.8 V	691	1995 SM ₃₉	1995 09 25.16302	21 35 11.52	+00 11 04.0		691
1995 SC ₃₉	1995 09 27.38799	01 23 26.61	+08 46 45.3		691	1995 SM ₃₉	1995 09 30.12080	21 33 55.46	-00 26 35.7	21.1 V	691
1995 SD ₃₉	* 1995 09 24.45357	01 26 04.89	+09 12 35.4		691	1995 SM ₃₉	1995 09 30.14271	21 33 55.15	-00 26 45.6		691
1995 SD ₃₉	1995 09 24.47471	01 26 04.03	+09 12 28.6	21.4 V	691	1995 SM ₃₉	1995 09 30.16446	21 33 54.86	-00 26 55.3		691
1995 SD ₃₉	1995 09 24.49583	01 26 03.18	+09 12 22.6		691	1995 SN ₃₉	* 1995 09 25.12300	21 37 49.85	+00 16 45.8	20.5 V	691
1995 SD ₃₉	1995 09 27.36731	01 24 07.92	+08 57 38.7		691	1995 SN ₃₉	1995 09 25.14387	21 37 49.14	+00 16 48.1		691
1995 SD ₃₉	1995 09 27.38845	01 24 07.02	+08 57 32.3		691	1995 SN ₃₉	1995 09 25.16483	21 37 48.40	+00 16 50.3		691

1995 SN ₃₉	1995 10 02.17033	21 34 39.30	+00 30 58.3		691	1995 SW ₃₉	1995 10 01.20460	22 43 15.31	-10 10 02.6	20.3 V	691
1995 SN ₃₉	1995 10 02.19174	21 34 38.81	+00 31 01.0	20.6 V	691	1995 SW ₃₉	1995 10 01.22760	22 43 14.44	-10 10 04.9		691
1995 SO ₃₉	* 1995 09 25.12382	21 39 00.82	+00 10 52.3	19.6 V	691	1995 SW ₃₉	1995 10 01.24961	22 43 13.59	-10 10 06.6		691
1995 SO ₃₉	1995 09 25.14470	21 39 00.22	+00 10 49.2		691	1995 SX ₃₉	* 1995 09 25.18941	22 47 26.15	-09 59 27.2		691
1995 SO ₃₉	1995 09 25.16565	21 38 59.64	+00 10 46.1		691	1995 SX ₃₉	1995 09 25.21087	22 47 25.31	-09 59 30.5	20.1 V	691
1995 SO ₃₉	1995 10 02.10730	21 36 21.76	-00 04 51.3	19.1 V	691	1995 SX ₃₉	1995 09 25.23218	22 47 24.47	-09 59 33.1		691
1995 SO ₃₉	1995 10 02.12841	21 36 21.36	-00 04 53.9		691	1995 SX ₃₉	1995 10 01.20511	22 43 59.67	-10 10 26.5	20.5 V	691
1995 SO ₃₉	1995 10 02.14961	21 36 20.93	-00 04 57.1		691	1995 SX ₃₉	1995 10 01.22811	22 43 58.92	-10 10 28.8		691
1995 SP ₃₉	* 1995 09 25.12557	21 41 32.43	-00 01 31.0	20.9 V	691	1995 SX ₃₉	1995 10 01.25013	22 43 58.18	-10 10 30.2		691
1995 SP ₃₉	1995 09 25.14645	21 41 32.02	-00 01 36.0		691	1995 SY ₃₉	* 1995 09 25.24138	22 29 14.13	-09 17 12.0		691
1995 SP ₃₉	1995 09 30.12521	21 40 17.36	-00 21 39.1	21.2 V	691	1995 SY ₃₉	1995 09 25.26232	22 29 13.42	-09 17 16.3	20.0 V	691
1995 SP ₃₉	1995 09 30.14712	21 40 17.07	-00 21 44.5		691	1995 SY ₃₉	1995 09 25.28344	22 29 12.67	-09 17 20.6		691
1995 SP ₃₉	1995 09 30.16887	21 40 16.76	-00 21 49.8		691	1995 SY ₃₉	1995 10 01.30150	22 26 08.20	-09 36 22.0		691
1995 SQ ₃₉	* 1995 09 25.18418	22 39 52.88	-09 51 15.8		691	1995 SY ₃₉	1995 10 01.32386	22 26 07.55	-09 36 26.1	20.3 V	691
1995 SQ ₃₉	1995 09 25.20564	22 39 52.09	-09 51 21.3	21.2 V	691	1995 SY ₃₉	1995 10 01.34573	22 26 06.93	-09 36 29.5		691
1995 SQ ₃₉	1995 09 25.22695	22 39 51.32	-09 51 27.2		691	1995 SZ ₃₉	* 1995 09 25.24175	22 29 46.18	-09 38 50.5	20.5 V	691
1995 SQ ₃₉	1995 10 01.20010	22 36 45.68	-10 14 18.9		691	1995 SZ ₃₉	1995 09 25.26269	22 29 45.32	-09 38 52.0		691
1995 SQ ₃₉	1995 10 01.22310	22 36 45.00	-10 14 23.4		691	1995 SZ ₃₉	1995 09 25.28381	22 29 44.50	-09 38 53.4		691
1995 SQ ₃₉	1995 10 01.24512	22 36 44.41	-10 14 28.1	21.8 V	691	1995 SZ ₃₉	1995 10 01.30158	22 26 15.80	-09 42 18.1	20.9 V	691
1995 SR ₃₉	* 1995 09 25.18697	22 43 54.73	-10 07 18.6		691	1995 SZ ₃₉	1995 10 01.32395	22 26 15.06	-09 42 18.3		691
1995 SR ₃₉	1995 09 25.20843	22 43 53.68	-10 07 18.0	20.5 V	691	1995 SZ ₃₉	1995 10 01.34582	22 26 14.38	-09 42 18.9		691
1995 SR ₃₉	1995 09 25.22974	22 43 52.63	-10 07 16.8		691	1995 SA ₄₀	* 1995 09 25.24249	22 30 50.40	-09 13 13.8	19.7 V	691
1995 SR ₃₉	1995 10 01.20210	22 39 39.02	-10 00 01.5	20.7 V	691	1995 SA ₄₀	1995 09 25.26343	22 30 49.63	-09 13 19.5		691
1995 SR ₃₉	1995 10 01.22510	22 39 38.08	-09 59 59.6		691	1995 SA ₄₀	1995 09 25.28455	22 30 48.79	-09 13 25.4		691
1995 SR ₃₉	1995 10 01.24712	22 39 37.21	-09 59 57.3		691	1995 SA ₄₀	1995 10 01.30257	22 27 41.07	-09 38 01.5	20.6 V	691
1995 SS ₃₉	* 1995 09 25.18698	22 43 55.51	-09 55 35.2	19.6 V	691	1995 SA ₄₀	1995 10 01.32494	22 27 40.42	-09 38 06.5		691
1995 SS ₃₉	1995 09 25.20844	22 43 54.65	-09 55 39.7		691	1995 SA ₄₀	1995 10 01.34681	22 27 39.84	-09 38 11.1		691
1995 SS ₃₉	1995 09 25.22975	22 43 53.78	-09 55 42.7		691	1995 SB ₄₀	* 1995 09 25.24289	22 31 24.71	-09 33 58.6		691
1995 SS ₃₉	1995 10 01.20259	22 40 21.78	-10 10 54.7	19.8 V	691	1995 SB ₄₀	1995 09 25.26383	22 31 24.05	-09 34 04.5	19.9 V	691
1995 SS ₃₉	1995 10 01.22560	22 40 20.99	-10 10 57.7		691	1995 SB ₄₀	1995 09 25.28495	22 31 23.39	-09 34 10.3		691
1995 SS ₃₉	1995 10 01.24761	22 40 20.27	-10 11 00.5		691	1995 SB ₄₀	1995 10 01.19466	22 28 55.09	-09 59 35.6	20.5 V	691
1995 ST ₃₉	* 1995 09 25.18759	22 44 48.63	-09 49 09.8	19.8 V	691	1995 SB ₄₀	1995 10 01.21767	22 28 54.50	-09 59 41.1		691
1995 ST ₃₉	1995 09 25.20905	22 44 47.64	-09 49 10.9		691	1995 SB ₄₀	1995 10 01.23969	22 28 54.01	-09 59 46.3		691
1995 ST ₃₉	1995 09 25.23036	22 44 46.66	-09 49 12.2		691	1995 SC ₄₀	* 1995 09 25.24356	22 32 22.53	-09 14 06.0	20.3 V	691
1995 ST ₃₉	1995 10 01.20276	22 40 35.99	-09 52 12.9	20.0 V	691	1995 SC ₄₀	1995 09 25.26449	22 32 21.78	-09 14 09.5		691
1995 ST ₃₉	1995 10 01.22576	22 40 35.05	-09 52 13.4		691	1995 SC ₄₀	1995 09 25.28561	22 32 20.97	-09 14 13.4		691
1995 ST ₃₉	1995 10 01.24777	22 40 34.13	-09 52 14.7		691	1995 SC ₄₀	1995 10 01.30372	22 29 20.39	-09 29 07.5		691
1995 SU ₃₉	* 1995 09 25.18878	22 46 31.72	-10 04 56.3		691	1995 SC ₄₀	1995 10 01.32608	22 29 19.78	-09 29 11.1	21.1 V	691
1995 SU ₃₉	1995 09 25.21025	22 46 30.99	-10 04 52.5		691	1995 SC ₄₀	1995 10 01.34796	22 29 19.25	-09 29 13.7		691
1995 SU ₃₉	1995 09 25.23156	22 46 30.27	-10 04 48.8	20.8 V	691	1995 SD ₄₀	* 1995 09 25.24421	22 33 18.91	-09 12 13.7	19.8 V	691
1995 SU ₃₉	1995 10 01.20525	22 44 11.45	-09 43 54.1	20.8 V	691	1995 SD ₄₀	1995 09 25.26514	22 33 17.93	-09 12 13.0		691
1995 SU ₃₉	1995 10 01.22825	22 44 10.98	-09 43 49.1		691	1995 SD ₄₀	1995 09 25.28626	22 33 16.88	-09 12 12.0		691
1995 SU ₃₉	1995 10 01.25027	22 44 10.51	-09 43 44.2		691	1995 SD ₄₀	1995 10 02.23024	22 28 25.92	-09 04 49.5		691
1995 SV ₃₉	* 1995 09 25.18883	22 46 35.44	-09 59 48.7	20.1 V	691	1995 SD ₄₀	1995 10 02.25161	22 28 25.09	-09 04 47.5		691
1995 SV ₃₉	1995 09 25.21029	22 46 34.45	-09 59 50.8		691	1995 SD ₄₀	1995 10 02.27283	22 28 24.26	-09 04 45.6	20.6 V	691
1995 SV ₃₉	1995 09 25.23159	22 46 33.45	-09 59 53.1		691	1995 SE ₄₀	* 1995 09 25.24740	22 37 55.76	-09 23 01.1	18.9 V	691
1995 SV ₃₉	1995 10 01.20411	22 42 33.19	-10 06 36.7		691	1995 SE ₄₀	1995 09 25.26834	22 37 54.92	-09 23 06.9		691
1995 SV ₃₉	1995 10 01.22711	22 42 32.34	-10 06 38.5	20.4 V	691	1995 SE ₄₀	1995 09 25.28946	22 37 54.06	-09 23 12.4		691
1995 SV ₃₉	1995 10 01.24913	22 42 31.51	-10 06 39.2		691	1995 SE ₄₀	1995 10 01.19852	22 34 28.77	-09 47 28.8	19.4 V	691
1995 SW ₃₉	* 1995 09 25.18926	22 47 12.49	-09 59 46.3		691	1995 SE ₄₀	1995 10 01.22152	22 34 28.02	-09 47 34.0		691
1995 SW ₃₉	1995 09 25.21071	22 47 11.51	-09 59 49.0		691	1995 SE ₄₀	1995 10 01.24354	22 34 27.31	-09 47 39.4		691
1995 SW ₃₉	1995 09 25.23202	22 47 10.58	-09 59 51.9	20.0 V	691	1995 SF ₄₀	* 1995 09 25.24794	22 38 41.99	-09 25 02.2		691

1995 SF ₄₀	1995 09 25.26887	22 38 41.19	-09 25 05.6	19.6 V	691	1995 SP ₄₀	* 1995 09 25.25344	22 46 38.29	-09 22 01.9		691
1995 SF ₄₀	1995 09 25.28999	22 38 40.41	-09 25 09.4		691	1995 SP ₄₀	1995 09 25.27437	22 46 37.55	-09 22 07.2	19.9 V	691
1995 SF ₄₀	1995 10 01.30798	22 35 29.66	-09 41 09.5		691	1995 SP ₄₀	1995 09 25.29549	22 46 36.80	-09 22 12.7		691
1995 SF ₄₀	1995 10 01.33035	22 35 29.00	-09 41 12.4	20.4 V	691	1995 SP ₄₀	1995 10 01.20472	22 43 26.11	-09 45 43.7		691
1995 SF ₄₀	1995 10 01.35222	22 35 28.35	-09 41 15.3		691	1995 SP ₄₀	1995 10 01.22773	22 43 25.40	-09 45 49.2	19.7 V	691
1995 SG ₄₀	* 1995 09 25.24898	22 40 12.72	-09 27 47.5	19.3 V	691	1995 SP ₄₀	1995 10 01.24974	22 43 24.71	-09 45 53.9		691
1995 SG ₄₀	1995 09 25.26992	22 40 11.98	-09 27 54.9		691	1995 SQ ₄₀	* 1995 09 25.25434	22 47 56.65	-09 40 56.2		691
1995 SG ₄₀	1995 09 25.29104	22 40 11.20	-09 28 02.5		691	1995 SQ ₄₀	1995 09 25.27528	22 47 55.82	-09 40 59.0		691
1995 SG ₄₀	1995 10 01.20038	22 37 09.71	-10 01 00.5	20.0 V	691	1995 SQ ₄₀	1995 09 25.29640	22 47 54.95	-09 41 02.8	20.0 V	691
1995 SG ₄₀	1995 10 01.22338	22 37 09.03	-10 01 07.8		691	1995 SQ ₄₀	1995 10 01.20553	22 44 35.92	-09 51 20.6	20.7 V	691
1995 SG ₄₀	1995 10 01.24540	22 37 08.40	-10 01 14.2		691	1995 SQ ₄₀	1995 10 01.22853	22 44 35.19	-09 51 22.3		691
1995 SH ₄₀	* 1995 09 25.24991	22 41 32.86	-09 17 00.5		691	1995 SQ ₄₀	1995 10 01.25055	22 44 34.47	-09 51 24.0		691
1995 SH ₄₀	1995 09 25.27085	22 41 32.03	-09 17 03.3	19.3 V	691	1995 SR ₄₀	* 1995 09 25.30525	00 36 54.86	+00 57 33.2		691
1995 SH ₄₀	1995 09 25.29197	22 41 31.21	-09 17 06.1		691	1995 SR ₄₀	1995 09 25.32612	00 36 53.88	+00 57 27.2	18.6 V	691
1995 SH ₄₀	1995 10 01.30997	22 38 22.38	-09 27 08.5	19.9 V	691	1995 SR ₄₀	1995 09 25.34700	00 36 52.91	+00 57 21.6		691
1995 SH ₄₀	1995 10 01.33234	22 38 21.72	-09 27 09.9		691	1995 SR ₄₀	1995 09 30.29883	00 33 10.01	+00 35 08.6	19.0 V	691
1995 SH ₄₀	1995 10 01.35421	22 38 21.13	-09 27 11.2		691	1995 SR ₄₀	1995 09 30.34217	00 33 07.98	+00 34 56.8		691
1995 SJ ₄₀	* 1995 09 25.25096	22 43 03.58	-09 37 41.7	19.8 V	691	1995 SS ₄₀	* 1995 09 25.30617	00 38 14.02	+00 34 59.4	20.6 V	691
1995 SJ ₄₀	1995 09 25.27189	22 43 02.49	-09 37 39.2		691	1995 SS ₄₀	1995 09 25.32704	00 38 12.79	+00 34 55.3		691
1995 SJ ₄₀	1995 09 25.29301	22 43 01.40	-09 37 36.5		691	1995 SS ₄₀	1995 09 25.34791	00 38 11.57	+00 34 51.6		691
1995 SJ ₄₀	1995 10 01.31007	22 38 30.88	-09 22 42.7	20.4 V	691	1995 SS ₄₀	1995 09 30.18017	00 33 42.55	+00 20 32.6		691
1995 SJ ₄₀	1995 10 01.33244	22 38 29.94	-09 22 38.7		691	1995 SS ₄₀	1995 09 30.20237	00 33 41.21	+00 20 28.8		691
1995 SJ ₄₀	1995 10 01.35430	22 38 29.02	-09 22 34.8		691	1995 SS ₄₀	1995 09 30.22466	00 33 39.92	+00 20 25.3	21.1 V	691
1995 SK ₄₀	* 1995 09 25.25154	22 43 54.15	-09 39 48.2		691	1995 ST ₄₀	* 1995 09 25.30700	00 39 26.30	+01 02 10.9		691
1995 SK ₄₀	1995 09 25.27248	22 43 53.20	-09 39 55.3	18.9 V	691	1995 ST ₄₀	1995 09 25.32787	00 39 25.19	+01 02 06.7	20.5 V	691
1995 SK ₄₀	1995 09 25.29359	22 43 52.21	-09 40 02.4		691	1995 ST ₄₀	1995 09 25.34875	00 39 24.05	+01 02 03.2		691
1995 SK ₄₀	1995 10 01.20236	22 40 01.86	-10 09 57.3		691	1995 ST ₄₀	1995 09 30.30006	00 34 59.75	+00 47 53.1		691
1995 SK ₄₀	1995 10 01.22537	22 40 00.99	-10 10 03.7		691	1995 ST ₄₀	1995 09 30.32225	00 34 58.51	+00 47 49.4	20.4 V	691
1995 SK ₄₀	1995 10 01.24738	22 40 00.20	-10 10 09.5	19.5 V	691	1995 ST ₄₀	1995 09 30.34338	00 34 57.30	+00 47 45.4		691
1995 SL ₄₀	* 1995 09 25.25179	22 44 15.54	-09 20 15.7		691	1995 SU ₄₀	* 1995 09 25.30717	00 39 40.81	+00 59 03.7	21.2 V	691
1995 SL ₄₀	1995 09 25.27272	22 44 14.58	-09 20 19.3	20.9 V	691	1995 SU ₄₀	1995 09 25.32804	00 39 39.63	+00 59 02.7		691
1995 SL ₄₀	1995 09 25.29384	22 44 13.50	-09 20 24.3		691	1995 SU ₄₀	1995 09 25.34891	00 39 38.47	+00 59 03.4		691
1995 SL ₄₀	1995 10 01.31099	22 39 50.20	-09 38 29.5		691	1995 SU ₄₀	1995 09 30.30003	00 34 56.73	+00 56 29.1	21.5 V	691
1995 SL ₄₀	1995 10 01.33335	22 39 49.26	-09 38 32.9	21.3 V	691	1995 SU ₄₀	1995 09 30.32221	00 34 55.36	+00 56 28.6		691
1995 SL ₄₀	1995 10 01.35522	22 39 48.43	-09 38 36.3		691	1995 SU ₄₀	1995 09 30.34334	00 34 54.12	+00 56 27.7		691
1995 SM ₄₀	* 1995 09 25.25191	22 44 25.66	-09 33 36.7	20.8 V	691	1995 SV ₄₀	* 1995 09 25.30755	00 40 13.94	+01 04 09.7		691
1995 SM ₄₀	1995 09 25.27284	22 44 24.80	-09 33 42.8		691	1995 SV ₄₀	1995 09 25.32842	00 40 12.96	+01 04 00.0	19.7 V	691
1995 SM ₄₀	1995 09 25.29396	22 44 23.93	-09 33 47.6		691	1995 SV ₄₀	1995 09 25.34930	00 40 11.94	+01 03 51.0		691
1995 SM ₄₀	1995 10 01.22588	22 40 45.33	-09 56 44.2	20.8 V	691	1995 SV ₄₀	1995 09 30.18198	00 36 19.11	+00 28 27.3	19.9 V	691
1995 SM ₄₀	1995 10 01.24789	22 40 44.50	-09 56 48.8		691	1995 SV ₄₀	1995 09 30.20418	00 36 18.00	+00 28 17.5		691
1995 SN ₄₀	* 1995 09 25.25201	22 44 35.16	-09 29 39.7		691	1995 SV ₄₀	1995 09 30.22647	00 36 16.90	+00 28 07.8		691
1995 SN ₄₀	1995 09 25.27295	22 44 34.49	-09 29 45.2	18.9 V	691	1995 SW ₄₀	* 1995 09 25.30854	00 41 39.65	+01 03 25.4	20.2 V	691
1995 SN ₄₀	1995 09 25.29407	22 44 33.81	-09 29 51.4		691	1995 SW ₄₀	1995 09 25.32941	00 41 38.43	+01 03 19.5		691
1995 SN ₄₀	1995 10 01.20378	22 42 04.73	-09 53 11.6		691	1995 SW ₄₀	1995 09 25.35029	00 41 37.23	+01 03 13.9		691
1995 SN ₄₀	1995 10 01.22679	22 42 04.20	-09 53 16.4	19.6 V	691	1995 SW ₄₀	1995 09 30.30136	00 36 52.15	+00 40 04.5	20.8 V	691
1995 SN ₄₀	1995 10 01.24881	22 42 03.70	-09 53 20.9		691	1995 SW ₄₀	1995 09 30.32354	00 36 50.82	+00 39 58.8		691
1995 SO ₄₀	* 1995 09 25.25335	22 46 30.97	-09 16 14.6		691	1995 SW ₄₀	1995 09 30.34468	00 36 49.51	+00 39 52.8		691
1995 SO ₄₀	1995 09 25.27429	22 46 29.92	-09 16 15.0	18.4 V	691	1995 SX ₄₀	* 1995 09 25.30895	00 42 14.80	+00 53 16.6	20.2 V	691
1995 SO ₄₀	1995 09 25.29540	22 46 28.84	-09 16 15.3		691	1995 SX ₄₀	1995 09 25.32982	00 42 13.74	+00 53 06.4		691
1995 SO ₄₀	1995 10 01.31238	22 41 50.34	-09 15 04.4		691	1995 SX ₄₀	1995 09 25.35070	00 42 12.75	+00 52 56.3		691
1995 SO ₄₀	1995 10 01.33474	22 41 49.36	-09 15 03.7	19.0 V	691	1995 SX ₄₀	1995 09 30.18336	00 38 18.78	+00 13 12.0	20.1 V	691
1995 SO ₄₀	1995 10 01.35661	22 41 48.40	-09 15 03.2		691	1995 SX ₄₀	1995 09 30.20556	00 38 17.66	+00 13 00.4		691

1995 SX ₄₀	1995 09 30.22785	00 38 16.53	+00 12 50.2		691	1995 SG ₄₁	1995 09 30.19263	00 51 41.57	+00 26 21.5	20.5 V	691
1995 SY ₄₀	* 1995 09 25.30971	00 43 20.51	+00 49 08.0	18.7 V	691	1995 SG ₄₁	1995 09 30.21483	00 51 40.46	+00 26 14.8		691
1995 SY ₄₀	1995 09 25.33058	00 43 19.64	+00 48 57.3		691	1995 SG ₄₁	1995 09 30.23713	00 51 39.36	+00 26 07.2		691
1995 SY ₄₀	1995 09 25.35146	00 43 18.75	+00 48 46.8		691	1995 SH ₄₁	* 1995 09 25.31813	00 55 30.02	+00 51 43.5		691
1995 SY ₄₀	1995 09 30.18455	00 40 01.61	+00 07 46.6		691	1995 SH ₄₁	1995 09 25.33901	00 55 29.18	+00 51 31.4	20.3 V	691
1995 SY ₄₀	1995 09 30.20675	00 40 00.59	+00 07 35.4	18.9 V	691	1995 SH ₄₁	1995 09 25.35988	00 55 28.35	+00 51 19.1		691
1995 SY ₄₀	1995 09 30.22904	00 39 59.58	+00 07 24.4		691	1995 SH ₄₁	1995 09 30.21529	00 52 20.35	+00 02 14.4	20.3 V	691
1995 SZ ₄₀	* 1995 09 25.31010	00 43 54.87	+01 02 14.0		691	1995 SH ₄₁	1995 09 30.23759	00 52 19.36	+00 02 00.1		691
1995 SZ ₄₀	1995 09 25.33097	00 43 53.57	+01 02 13.3	20.0 V	691	1995 SJ ₄₁	* 1995 09 25.31869	00 56 18.73	+00 38 06.1		691
1995 SZ ₄₀	1995 09 25.35184	00 43 52.26	+01 02 13.1		691	1995 SJ ₄₁	1995 09 25.33957	00 56 17.66	+00 37 59.0	18.9 V	691
1995 SZ ₄₀	1995 09 30.30270	00 38 48.11	+01 00 23.5		691	1995 SJ ₄₁	1995 09 25.36044	00 56 16.72	+00 37 52.5		691
1995 SZ ₄₀	1995 09 30.32488	00 38 46.69	+01 00 23.1	20.2 V	691	1995 SJ ₄₁	1995 09 30.19332	00 52 41.20	+00 13 38.5	19.4 V	691
1995 SZ ₄₀	1995 09 30.34601	00 38 45.35	+01 00 22.5		691	1995 SJ ₄₁	1995 09 30.21552	00 52 40.14	+00 13 32.3		691
1995 SA ₄₁	* 1995 09 25.31149	00 45 55.34	+00 53 11.4		691	1995 SJ ₄₁	1995 09 30.23781	00 52 39.09	+00 13 25.1		691
1995 SA ₄₁	1995 09 25.33237	00 45 54.29	+00 53 07.7	21.1 V	691	1995 SK ₄₁	* 1995 09 25.31912	00 56 55.31	+01 02 16.9		691
1995 SA ₄₁	1995 09 25.35324	00 45 53.25	+00 53 05.0		691	1995 SK ₄₁	1995 09 25.33999	00 56 54.27	+01 02 09.0	20.7 V	691
1995 SA ₄₁	1995 09 30.30470	00 41 41.42	+00 40 50.4	20.9 V	691	1995 SK ₄₁	1995 09 25.36086	00 56 53.24	+01 02 00.5		691
1995 SA ₄₁	1995 09 30.32689	00 41 40.22	+00 40 47.6		691	1995 SK ₄₁	1995 09 30.19352	00 52 58.78	+00 29 58.1	20.3 V	691
1995 SA ₄₁	1995 09 30.34802	00 41 39.10	+00 40 44.6		691	1995 SK ₄₁	1995 09 30.21572	00 52 57.62	+00 29 49.2		691
1995 SB ₄₁	* 1995 09 25.31625	00 52 47.29	+01 03 51.7	20.8 V	691	1995 SK ₄₁	1995 09 30.23802	00 52 56.42	+00 29 40.0		691
1995 SB ₄₁	1995 09 25.33713	00 52 46.38	+01 03 39.7		691	1995 SL ₄₁	* 1995 09 25.31937	00 57 17.23	+00 38 15.0		691
1995 SB ₄₁	1995 09 25.35800	00 52 45.54	+01 03 27.8		691	1995 SL ₄₁	1995 09 25.34024	00 57 16.22	+00 38 10.8	20.3 V	691
1995 SB ₄₁	1995 09 30.19110	00 49 29.07	+00 17 02.9		691	1995 SL ₄₁	1995 09 25.36112	00 57 15.21	+00 38 06.5		691
1995 SB ₄₁	1995 09 30.21330	00 49 28.09	+00 16 50.3	20.8 V	691	1995 SL ₄₁	1995 09 30.19386	00 53 27.99	+00 22 07.6		691
1995 SB ₄₁	1995 09 30.23560	00 49 27.18	+00 16 37.5		691	1995 SL ₄₁	1995 09 30.21606	00 53 26.91	+00 22 03.8		691
1995 SC ₄₁	* 1995 09 25.31689	00 53 42.22	+01 04 06.6		691	1995 SL ₄₁	1995 09 30.23835	00 53 25.79	+00 21 58.7	20.1 V	691
1995 SC ₄₁	1995 09 25.33776	00 53 41.23	+01 03 55.7	20.8 V	691	1995 SM ₄₁	* 1995 09 25.31955	00 57 33.22	+01 00 58.5		691
1995 SC ₄₁	1995 09 25.35864	00 53 40.28	+01 03 45.1		691	1995 SM ₄₁	1995 09 25.34043	00 57 32.28	+01 00 52.1	20.9 V	691
1995 SC ₄₁	1995 09 30.19140	00 49 54.84	+00 21 17.5	20.7 V	691	1995 SM ₄₁	1995 09 25.36130	00 57 31.35	+01 00 45.5		691
1995 SC ₄₁	1995 09 30.21360	00 49 53.70	+00 21 06.8		691	1995 SM ₄₁	1995 09 30.31311	00 53 49.30	+00 35 30.6		691
1995 SC ₄₁	1995 09 30.23589	00 49 52.62	+00 20 54.8		691	1995 SM ₄₁	1995 09 30.33529	00 53 48.19	+00 35 23.8	20.9 V	691
1995 SD ₄₁	* 1995 09 25.31723	00 54 11.53	+01 01 33.5	19.5 V	691	1995 SM ₄₁	1995 09 30.35643	00 53 47.20	+00 35 17.3		691
1995 SD ₄₁	1995 09 25.33810	00 54 10.53	+01 01 27.9		691	1995 SN ₄₁	* 1995 09 25.31981	00 57 55.02	+01 02 45.8		691
1995 SD ₄₁	1995 09 25.35897	00 54 09.54	+01 01 21.9		691	1995 SN ₄₁	1995 09 25.34068	00 57 54.14	+01 02 36.1	20.0 V	691
1995 SD ₄₁	1995 09 30.31064	00 50 15.61	+00 38 13.6	19.5 V	691	1995 SN ₄₁	1995 09 25.36156	00 57 53.29	+01 02 26.3		691
1995 SD ₄₁	1995 09 30.33282	00 50 14.50	+00 38 07.3		691	1995 SN ₄₁	1995 09 30.19466	00 54 36.94	+00 23 52.7		691
1995 SD ₄₁	1995 09 30.35396	00 50 13.43	+00 38 01.3		691	1995 SN ₄₁	1995 09 30.21686	00 54 35.86	+00 23 41.3		691
1995 SE ₄₁	* 1995 09 25.31749	00 54 34.69	+01 00 26.8		691	1995 SN ₄₁	1995 09 30.23915	00 54 34.89	+00 23 30.5	20.0 V	691
1995 SE ₄₁	1995 09 25.33836	00 54 33.67	+01 00 19.7	18.9 V	691	1995 SO ₄₁	* 1995 09 25.32048	00 58 53.50	+00 45 37.7	19.5 V	691
1995 SE ₄₁	1995 09 25.35924	00 54 32.66	+01 00 12.0		691	1995 SO ₄₁	1995 09 25.34135	00 58 52.47	+00 45 31.6		691
1995 SE ₄₁	1995 09 30.19196	00 50 43.17	+00 31 16.8		691	1995 SO ₄₁	1995 09 25.36223	00 58 51.45	+00 45 25.6		691
1995 SE ₄₁	1995 09 30.21416	00 50 42.01	+00 31 09.3	19.0 V	691	1995 SO ₄₁	1995 09 30.19490	00 54 57.57	+00 21 38.6		691
1995 SE ₄₁	1995 09 30.23645	00 50 40.85	+00 31 01.0		691	1995 SO ₄₁	1995 09 30.21710	00 54 56.41	+00 21 32.6	19.6 V	691
1995 SF ₄₁	* 1995 09 25.31810	00 55 27.46	+01 02 35.7		691	1995 SO ₄₁	1995 09 30.23939	00 54 55.28	+00 21 25.4		691
1995 SF ₄₁	1995 09 25.33897	00 55 26.44	+01 02 29.0	19.4 V	691	1995 SP ₄₁	* 1995 09 25.32051	00 58 56.22	+00 45 18.8		691
1995 SF ₄₁	1995 09 25.35985	00 55 25.40	+01 02 22.4		691	1995 SP ₄₁	1995 09 25.34138	00 58 55.04	+00 45 14.4	20.1 V	691
1995 SF ₄₁	1995 09 30.31148	00 51 28.13	+00 36 26.0		691	1995 SP ₄₁	1995 09 25.36226	00 58 53.93	+00 45 10.6		691
1995 SF ₄₁	1995 09 30.33366	00 51 26.96	+00 36 18.9	19.5 V	691	1995 SP ₄₁	1995 09 30.19464	00 54 35.28	+00 29 53.2	20.2 V	691
1995 SF ₄₁	1995 09 30.35480	00 51 25.84	+00 36 12.6		691	1995 SP ₄₁	1995 09 30.21684	00 54 34.08	+00 29 49.0		691
1995 SG ₄₁	* 1995 09 25.31812	00 55 29.23	+00 52 40.0	20.5 V	691	1995 SP ₄₁	1995 09 30.23913	00 54 32.81	+00 29 45.0		691
1995 SG ₄₁	1995 09 25.33899	00 55 28.24	+00 52 33.4		691	1995 SQ ₄₁	* 1995 09 25.36803	00 36 09.46	+01 25 23.0	18.6 V	691
1995 SG ₄₁	1995 09 25.35987	00 55 27.25	+00 52 26.5		691	1995 SQ ₄₁	1995 09 25.38892	00 36 08.52	+01 25 16.6		691

1995 SQ ₄₁	1995 09 25.40978	00 36 07.60	+01 25 10.1		691	1995 SZ ₄₁	* 1995 09 25.37029	00 39 25.26	+01 23 38.4		691
1995 SQ ₄₁	1995 09 30.29864	00 32 36.23	+00 59 37.4	18.9 V	691	1995 SZ ₄₁	1995 09 25.39118	00 39 24.35	+01 23 31.5	20.7 V	691
1995 SQ ₄₁	1995 09 30.32083	00 32 35.18	+00 59 29.5		691	1995 SZ ₄₁	1995 09 25.41204	00 39 23.43	+01 23 24.2		691
1995 SQ ₄₁	1995 09 30.34197	00 32 34.28	+00 59 23.8		691	1995 SZ ₄₁	1995 09 30.30067	00 35 52.36	+00 55 42.2	21.0 V	691
1995 SR ₄₁	* 1995 09 25.36823	00 36 26.61	+01 11 27.0		691	1995 SZ ₄₁	1995 09 30.32286	00 35 51.36	+00 55 33.7		691
1995 SR ₄₁	1995 09 25.38912	00 36 25.56	+01 11 19.4	18.7 V	691	1995 SZ ₄₁	1995 09 30.34399	00 35 50.37	+00 55 27.0		691
1995 SR ₄₁	1995 09 25.40998	00 36 24.54	+01 11 11.6		691	1995 SA ₄₂	* 1995 09 25.37035	00 39 30.68	+01 22 58.6	20.0 V	691
1995 SR ₄₁	1995 09 30.29862	00 32 32.46	+00 40 56.4	18.6 V	691	1995 SA ₄₂	1995 09 25.39125	00 39 29.59	+01 22 47.5		691
1995 SR ₄₁	1995 09 30.32081	00 32 31.34	+00 40 47.9		691	1995 SA ₄₂	1995 09 25.41210	00 39 28.55	+01 22 36.2		691
1995 SR ₄₁	1995 09 30.34195	00 32 30.24	+00 40 40.0		691	1995 SA ₄₂	1995 09 30.30040	00 35 28.60	+00 38 19.8		691
1995 SS ₄₁	* 1995 09 25.36848	00 36 48.77	+01 10 06.4		691	1995 SA ₄₂	1995 09 30.32258	00 35 27.42	+00 38 07.9	20.3 V	691
1995 SS ₄₁	1995 09 25.38938	00 36 47.91	+01 09 55.7	20.9 V	691	1995 SA ₄₂	1995 09 30.34371	00 35 26.28	+00 37 56.0		691
1995 SS ₄₁	1995 09 25.41024	00 36 47.09	+01 09 45.8		691	1995 SB ₄₂	* 1995 09 25.37063	00 39 54.78	+01 11 19.7		691
1995 SS ₄₁	1995 09 30.18010	00 33 36.50	+00 30 23.3		691	1995 SB ₄₂	1995 09 25.39153	00 39 53.87	+01 11 12.4	20.0 V	691
1995 SS ₄₁	1995 09 30.20230	00 33 35.50	+00 30 12.1	20.9 V	691	1995 SB ₄₂	1995 09 25.41239	00 39 52.95	+01 11 05.3		691
1995 SS ₄₁	1995 09 30.22460	00 33 34.55	+00 30 01.2		691	1995 SB ₄₂	1995 09 30.30102	00 36 22.97	+00 43 15.5		691
1995 ST ₄₁	* 1995 09 25.36857	00 36 56.56	+01 35 55.3	18.9 V	691	1995 SB ₄₂	1995 09 30.32321	00 36 21.98	+00 43 08.2	20.3 V	691
1995 ST ₄₁	1995 09 25.38947	00 36 55.52	+01 35 50.1		691	1995 SB ₄₂	1995 09 30.34435	00 36 21.00	+00 43 00.6		691
1995 ST ₄₁	1995 09 25.41032	00 36 54.53	+01 35 44.9		691	1995 SC ₄₂	* 1995 09 25.37073	00 40 03.17	+01 33 18.2		691
1995 ST ₄₁	1995 09 30.36352	00 32 58.64	+01 15 06.3		691	1995 SC ₄₂	1995 09 25.39162	00 40 02.16	+01 33 11.6		691
1995 ST ₄₁	1995 09 30.38470	00 32 57.59	+01 15 01.0	18.4 V	691	1995 SC ₄₂	1995 09 25.41248	00 40 01.10	+01 33 05.4	21.1 V	691
1995 ST ₄₁	1995 09 30.40548	00 32 56.56	+01 14 56.0		691	1995 SC ₄₂	1995 09 30.36552	00 35 59.73	+01 10 34.0	21.6 V	691
1995 SU ₄₁	* 1995 09 25.36863	00 37 01.35	+01 13 37.7	20.8 V	691	1995 SC ₄₂	1995 09 30.38670	00 35 58.62	+01 10 27.0		691
1995 SU ₄₁	1995 09 25.38952	00 37 00.38	+01 13 31.4		691	1995 SC ₄₂	1995 09 30.40747	00 35 57.48	+01 10 20.8		691
1995 SU ₄₁	1995 09 25.41038	00 36 59.42	+01 13 25.8		691	1995 SD ₄₂	* 1995 09 25.37171	00 41 28.63	+01 17 41.2		691
1995 SU ₄₁	1995 09 30.29887	00 33 16.65	+00 50 25.9	21.0 V	691	1995 SD ₄₂	1995 09 25.39261	00 41 27.41	+01 17 36.9	20.5 V	691
1995 SU ₄₁	1995 09 30.32107	00 33 15.60	+00 50 19.3		691	1995 SD ₄₂	1995 09 25.41346	00 41 26.19	+01 17 32.6		691
1995 SU ₄₁	1995 09 30.34221	00 33 14.60	+00 50 13.7		691	1995 SD ₄₂	1995 09 30.30125	00 36 42.52	+01 00 47.1		691
1995 SV ₄₁	* 1995 09 25.36903	00 37 36.41	+01 08 51.7		691	1995 SD ₄₂	1995 09 30.32343	00 36 41.16	+01 00 42.2	20.9 V	691
1995 SV ₄₁	1995 09 25.38993	00 37 35.48	+01 08 41.5	20.3 V	691	1995 SD ₄₂	1995 09 30.34456	00 36 39.87	+01 00 37.8		691
1995 SV ₄₁	1995 09 25.41079	00 37 34.58	+01 08 31.2		691	1995 SE ₄₂	* 1995 09 25.37191	00 41 45.64	+01 25 30.5		691
1995 SV ₄₁	1995 09 30.18050	00 34 11.08	+00 29 19.7		691	1995 SE ₄₂	1995 09 25.39280	00 41 44.53	+01 25 22.8	18.2 V	691
1995 SV ₄₁	1995 09 30.20270	00 34 10.06	+00 29 09.7		691	1995 SE ₄₂	1995 09 25.41366	00 41 43.44	+01 25 15.2		691
1995 SV ₄₁	1995 09 30.22500	00 34 09.07	+00 28 58.5	20.5 V	691	1995 SE ₄₂	1995 09 30.30184	00 37 33.68	+00 55 26.4	18.5 V	691
1995 SW ₄₁	* 1995 09 25.36940	00 38 07.96	+01 16 18.5		691	1995 SE ₄₂	1995 09 30.32402	00 37 32.51	+00 55 18.7		691
1995 SW ₄₁	1995 09 25.39029	00 38 06.80	+01 16 10.6	18.9 V	691	1995 SE ₄₂	1995 09 30.34516	00 37 31.35	+00 55 10.4		691
1995 SW ₄₁	1995 09 25.41115	00 38 05.64	+01 16 02.6		691	1995 SF ₄₂	* 1995 09 25.37221	00 42 11.37	+01 06 33.8	20.8 V	691
1995 SW ₄₁	1995 09 30.29917	00 33 42.22	+00 44 55.4		691	1995 SF ₄₂	1995 09 25.39310	00 42 09.92	+01 06 29.7		691
1995 SW ₄₁	1995 09 30.32135	00 33 40.89	+00 44 46.3	19.0 V	691	1995 SF ₄₂	1995 09 25.41395	00 42 08.43	+01 06 25.3		691
1995 SW ₄₁	1995 09 30.34248	00 33 39.67	+00 44 38.4		691	1995 SF ₄₂	1995 09 30.30116	00 36 34.39	+00 49 20.1	20.7 V	691
1995 SX ₄₁	* 1995 09 25.36996	00 38 56.95	+01 22 51.1	19.8 V	691	1995 SF ₄₂	1995 09 30.32333	00 36 32.82	+00 49 15.4		691
1995 SX ₄₁	1995 09 25.39085	00 38 55.70	+01 22 46.1		691	1995 SF ₄₂	1995 09 30.34447	00 36 31.31	+00 49 10.8		691
1995 SX ₄₁	1995 09 25.41171	00 38 54.46	+01 22 40.5		691	1995 SG ₄₂	* 1995 09 25.37246	00 42 33.18	+01 24 38.0		691
1995 SX ₄₁	1995 09 30.29947	00 34 08.27	+01 02 07.2		691	1995 SG ₄₂	1995 09 25.39335	00 42 32.06	+01 24 30.0	20.5 V	691
1995 SX ₄₁	1995 09 30.32165	00 34 06.93	+01 02 01.5	20.0 V	691	1995 SG ₄₂	1995 09 25.41421	00 42 30.93	+01 24 22.2		691
1995 SX ₄₁	1995 09 30.34278	00 34 05.63	+01 01 55.1		691	1995 SG ₄₂	1995 09 30.30227	00 38 10.58	+00 53 16.9		691
1995 SY ₄₁	* 1995 09 25.37016	00 39 14.06	+01 10 28.8		691	1995 SG ₄₂	1995 09 30.32445	00 38 09.34	+00 53 08.5	20.8 V	691
1995 SY ₄₁	1995 09 25.39105	00 39 12.91	+01 10 20.2		691	1995 SG ₄₂	1995 09 30.34558	00 38 08.15	+00 53 00.2		691
1995 SY ₄₁	1995 09 25.41191	00 39 11.80	+01 10 11.4	20.5 V	691	1995 SH ₄₂	* 1995 09 25.37285	00 43 06.80	+01 23 22.4	20.5 V	691
1995 SY ₄₁	1995 09 30.29993	00 34 48.59	+00 36 03.1	20.5 V	691	1995 SH ₄₂	1995 09 25.39374	00 43 05.93	+01 23 17.7		691
1995 SY ₄₁	1995 09 30.32212	00 34 47.36	+00 35 53.7		691	1995 SH ₄₂	1995 09 25.41460	00 43 04.85	+01 23 10.6		691
1995 SY ₄₁	1995 09 30.34325	00 34 46.14	+00 35 44.6		691	1995 SH ₄₂	1995 09 30.30314	00 39 26.13	+01 00 34.1		691

1995 SH ₄₂	1995 09 30.32532	00 39 25.07	+01 00 27.7		691	1995 SR ₄₂	1995 09 25.41702	00 46 34.60	+01 14 22.6	21.3 V	691
1995 SH ₄₂	1995 09 30.34646	00 39 24.07	+01 00 22.0	21.2 V	691	1995 SR ₄₂	1995 09 30.30491	00 41 59.80	+00 42 57.2	21.4 V	691
1995 SJ ₄₂	* 1995 09 25.37398	00 44 45.18	+01 12 31.9	18.3 V	691	1995 SR ₄₂	1995 09 30.32710	00 41 58.51	+00 42 48.8		691
1995 SJ ₄₂	1995 09 25.39488	00 44 44.26	+01 12 23.0		691	1995 SR ₄₂	1995 09 30.34823	00 41 57.23	+00 42 40.8		691
1995 SJ ₄₂	1995 09 25.41574	00 44 43.31	+01 12 14.4		691	1995 SS ₄₂	* 1995 09 25.37541	00 46 48.94	+01 26 51.0	17.1 V	691
1995 SJ ₄₂	1995 09 30.30437	00 41 13.07	+00 37 43.8	18.4 V	691	1995 SS ₄₂	1995 09 25.39631	00 46 47.87	+01 26 41.4		691
1995 SJ ₄₂	1995 09 30.32656	00 41 12.00	+00 37 34.5		691	1995 SS ₄₂	1995 09 25.41716	00 46 46.78	+01 26 32.0		691
1995 SJ ₄₂	1995 09 30.34770	00 41 10.97	+00 37 25.6		691	1995 SS ₄₂	1995 09 30.30538	00 42 40.35	+00 50 07.2	17.2 V	691
1995 SK ₄₂	* 1995 09 25.37411	00 44 56.21	+01 35 13.2		691	1995 SS ₄₂	1995 09 30.32757	00 42 39.18	+00 49 57.4		691
1995 SK ₄₂	1995 09 25.39500	00 44 54.95	+01 35 11.1		691	1995 SS ₄₂	1995 09 30.34870	00 42 38.04	+00 49 48.1		691
1995 SK ₄₂	1995 09 25.41586	00 44 53.66	+01 35 09.4	17.4 V	691	1995 ST ₄₂	* 1995 09 25.37560	00 47 04.88	+01 10 15.7		691
1995 SK ₄₂	1995 09 30.36823	00 39 54.04	+01 27 41.3	17.5 V	691	1995 ST ₄₂	1995 09 25.39649	00 47 03.85	+01 10 10.1	19.3 V	691
1995 SK ₄₂	1995 09 30.38940	00 39 52.70	+01 27 39.5		691	1995 ST ₄₂	1995 09 25.41735	00 47 02.78	+01 10 04.6		691
1995 SK ₄₂	1995 09 30.41018	00 39 51.44	+01 27 37.3		691	1995 ST ₄₂	1995 09 30.30560	00 42 59.29	+00 48 25.8	19.4 V	691
1995 SL ₄₂	* 1995 09 25.37438	00 45 19.54	+01 35 28.8		691	1995 ST ₄₂	1995 09 30.32778	00 42 58.13	+00 48 20.0		691
1995 SL ₄₂	1995 09 25.39528	00 45 18.63	+01 35 21.2	21.2 V	691	1995 ST ₄₂	1995 09 30.34892	00 42 57.01	+00 48 14.3		691
1995 SL ₄₂	1995 09 25.41614	00 45 17.67	+01 35 14.3		691	1995 SU ₄₂	* 1995 09 25.37576	00 47 18.69	+01 36 20.8	20.4 V	691
1995 SL ₄₂	1995 09 30.36942	00 41 37.24	+01 06 35.2		691	1995 SU ₄₂	1995 09 25.39665	00 47 17.69	+01 36 17.3		691
1995 SL ₄₂	1995 09 30.39060	00 41 36.23	+01 06 28.3		691	1995 SU ₄₂	1995 09 25.41751	00 47 16.64	+01 36 14.5		691
1995 SL ₄₂	1995 09 30.41137	00 41 35.27	+01 06 20.7	21.5 V	691	1995 SU ₄₂	1995 09 30.37054	00 43 14.23	+01 24 27.2		691
1995 SM ₄₂	* 1995 09 25.37452	00 45 31.23	+01 18 28.6		691	1995 SU ₄₂	1995 09 30.39172	00 43 13.15	+01 24 24.0	20.7 V	691
1995 SM ₄₂	1995 09 25.39541	00 45 30.18	+01 18 23.4		691	1995 SU ₄₂	1995 09 30.41249	00 43 12.10	+01 24 21.2		691
1995 SM ₄₂	1995 09 25.41627	00 45 29.08	+01 18 19.3	21.1 V	691	1995 SV ₄₂	* 1995 09 25.37582	00 47 24.60	+01 32 25.2		691
1995 SM ₄₂	1995 09 30.30446	00 41 20.91	+01 00 00.7	21.4 V	691	1995 SV ₄₂	1995 09 25.39672	00 47 23.73	+01 32 20.7		691
1995 SM ₄₂	1995 09 30.32665	00 41 19.73	+00 59 56.2		691	1995 SV ₄₂	1995 09 25.41758	00 47 22.83	+01 32 15.5	20.5 V	691
1995 SM ₄₂	1995 09 30.34778	00 41 18.58	+00 59 51.5		691	1995 SV ₄₂	1995 09 30.37101	00 43 54.37	+01 10 07.8		691
1995 SN ₄₂	* 1995 09 25.37475	00 45 51.72	+01 29 01.8		691	1995 SV ₄₂	1995 09 30.39218	00 43 53.42	+01 10 02.2	21.0 V	691
1995 SN ₄₂	1995 09 25.39564	00 45 50.55	+01 28 55.9	18.4 V	691	1995 SV ₄₂	1995 09 30.41296	00 43 52.54	+01 09 56.4		691
1995 SN ₄₂	1995 09 25.41650	00 45 49.35	+01 28 50.5		691	1995 SW ₄₂	* 1995 09 25.37643	00 48 16.74	+01 15 21.7	18.2 V	691
1995 SN ₄₂	1995 09 30.36911	00 41 10.24	+01 06 11.6	19.1 V	691	1995 SW ₄₂	1995 09 25.39732	00 48 15.77	+01 15 16.1		691
1995 SN ₄₂	1995 09 30.39029	00 41 08.96	+01 06 06.0		691	1995 SW ₄₂	1995 09 25.41818	00 48 14.76	+01 15 10.2		691
1995 SN ₄₂	1995 09 30.41106	00 41 07.71	+01 05 59.8		691	1995 SW ₄₂	1995 09 30.30659	00 44 25.00	+00 52 55.0	18.3 V	691
1995 SO ₄₂	* 1995 09 25.37487	00 46 02.16	+01 11 28.1	21.3 V	691	1995 SW ₄₂	1995 09 30.32878	00 44 23.90	+00 52 48.9		691
1995 SO ₄₂	1995 09 25.39577	00 46 01.09	+01 11 25.7		691	1995 SW ₄₂	1995 09 30.34991	00 44 22.85	+00 52 42.9		691
1995 SO ₄₂	1995 09 25.41662	00 45 59.97	+01 11 21.9		691	1995 SX ₄₂	* 1995 09 25.37675	00 48 45.09	+01 22 02.9		691
1995 SO ₄₂	1995 09 30.30473	00 41 43.85	+01 04 01.7	21.3 V	691	1995 SX ₄₂	1995 09 25.39765	00 48 43.95	+01 21 54.2	20.9 V	691
1995 SO ₄₂	1995 09 30.32691	00 41 42.62	+01 04 00.7		691	1995 SX ₄₂	1995 09 25.41850	00 48 42.69	+01 21 46.0		691
1995 SO ₄₂	1995 09 30.34805	00 41 41.45	+01 03 58.0		691	1995 SX ₄₂	1995 09 30.30646	00 44 13.86	+00 49 11.9	21.4 V	691
1995 SP ₄₂	* 1995 09 25.37488	00 46 03.02	+01 20 39.4		691	1995 SX ₄₂	1995 09 30.32864	00 44 12.59	+00 49 02.6		691
1995 SP ₄₂	1995 09 25.39578	00 46 01.94	+01 20 31.3	21.1 V	691	1995 SX ₄₂	1995 09 30.34978	00 44 11.35	+00 48 54.3		691
1995 SP ₄₂	1995 09 25.41663	00 46 00.81	+01 20 23.6		691	1995 SY ₄₂	* 1995 09 25.37681	00 48 50.01	+01 18 35.9		691
1995 SP ₄₂	1995 09 30.30475	00 41 45.38	+00 49 02.4		691	1995 SY ₄₂	1995 09 25.39770	00 48 48.82	+01 18 28.2	18.2 V	691
1995 SP ₄₂	1995 09 30.32693	00 41 44.12	+00 48 54.5	21.4 V	691	1995 SY ₄₂	1995 09 25.41856	00 48 47.59	+01 18 20.6		691
1995 SP ₄₂	1995 09 30.34806	00 41 42.94	+00 48 45.9		691	1995 SY ₄₂	1995 09 30.30639	00 44 07.41	+00 48 21.6	18.4 V	691
1995 SQ ₄₂	* 1995 09 25.37518	00 46 28.82	+01 34 07.2	21.4 V	691	1995 SY ₄₂	1995 09 30.32857	00 44 06.06	+00 48 13.5		691
1995 SQ ₄₂	1995 09 25.39608	00 46 27.99	+01 33 56.6		691	1995 SY ₄₂	1995 09 30.34970	00 44 04.77	+00 48 05.6		691
1995 SQ ₄₂	1995 09 25.41694	00 46 27.11	+01 33 45.2		691	1995 SZ ₄₂	* 1995 09 25.37733	00 49 34.60	+01 14 11.7	20.9 V	691
1995 SQ ₄₂	1995 09 30.30568	00 43 05.74	+00 50 43.7	21.5 V	691	1995 SZ ₄₂	1995 09 25.39822	00 49 33.51	+01 14 07.2		691
1995 SQ ₄₂	1995 09 30.32786	00 43 04.78	+00 50 32.1		691	1995 SZ ₄₂	1995 09 25.41908	00 49 32.36	+01 14 03.0		691
1995 SQ ₄₂	1995 09 30.34900	00 43 03.88	+00 50 21.1		691	1995 SZ ₄₂	1995 09 30.30717	00 45 14.74	+00 57 19.6		691
1995 SR ₄₂	* 1995 09 25.37527	00 46 37.00	+01 14 39.2		691	1995 SZ ₄₂	1995 09 30.32935	00 45 13.52	+00 57 14.8		691
1995 SR ₄₂	1995 09 25.39617	00 46 35.83	+01 14 30.5		691	1995 SZ ₄₂	1995 09 30.35048	00 45 12.32	+00 57 10.1	21.2 V	691

1995 SA ₄₃	* 1995 09 25.37788	00 50 22.75	+01 16 14.8		691	1995 SJ ₄₃	1995 09 30.35314	00 49 02.41	+00 46 17.6		691
1995 SA ₄₃	1995 09 25.39878	00 50 21.69	+01 16 08.1	21.4 V	691	1995 SK ₄₃	* 1995 09 25.38070	00 54 26.61	+01 13 19.1	19.5 V	691
1995 SA ₄₃	1995 09 25.41963	00 50 20.55	+01 16 01.4		691	1995 SK ₄₃	1995 09 25.40159	00 54 25.36	+01 13 18.5		691
1995 SA ₄₃	1995 09 30.30787	00 46 15.51	+00 49 53.0	21.8 V	691	1995 SK ₄₃	1995 09 25.42245	00 54 24.00	+01 13 18.6		691
1995 SA ₄₃	1995 09 30.33005	00 46 14.30	+00 49 45.9		691	1995 SK ₄₃	1995 09 30.37475	00 49 18.37	+01 12 26.0		691
1995 SA ₄₃	1995 09 30.35119	00 46 13.14	+00 49 39.1		691	1995 SK ₄₃	1995 09 30.39592	00 49 16.98	+01 12 25.6	19.4 V	691
1995 SB ₄₃	* 1995 09 25.37803	00 50 35.84	+01 33 13.2		691	1995 SK ₄₃	1995 09 30.41669	00 49 15.63	+01 12 25.4		691
1995 SB ₄₃	1995 09 25.39893	00 50 34.79	+01 33 07.2		691	1995 SL ₄₃	* 1995 09 25.38088	00 54 42.62	+01 33 10.3		691
1995 SB ₄₃	1995 09 25.41979	00 50 33.71	+01 33 01.6	17.5 V	691	1995 SL ₄₃	1995 09 25.40178	00 54 41.69	+01 33 04.5	20.1 V	691
1995 SB ₄₃	1995 09 30.37272	00 46 22.37	+01 10 06.4		691	1995 SL ₄₃	1995 09 25.42264	00 54 40.82	+01 32 58.5		691
1995 SB ₄₃	1995 09 30.39389	00 46 21.24	+01 10 00.6	17.6 V	691	1995 SL ₄₃	1995 09 30.37602	00 51 08.44	+01 10 03.3	20.4 V	691
1995 SB ₄₃	1995 09 30.41466	00 46 20.15	+01 09 54.7		691	1995 SL ₄₃	1995 09 30.39720	00 51 07.50	+01 09 57.4		691
1995 SC ₄₃	* 1995 09 25.37847	00 51 13.31	+01 20 29.1		691	1995 SL ₄₃	1995 09 30.41797	00 51 06.56	+01 09 51.8		691
1995 SC ₄₃	1995 09 25.39936	00 51 12.26	+01 20 23.9	20.0 V	691	1995 SM ₄₃	* 1995 09 25.38112	00 55 03.03	+01 28 27.8	17.6 V	691
1995 SC ₄₃	1995 09 25.42022	00 51 11.17	+01 20 18.7		691	1995 SM ₄₃	1995 09 25.40201	00 55 01.83	+01 28 28.5		691
1995 SC ₄₃	1995 09 30.30837	00 46 58.77	+01 00 21.8		691	1995 SM ₄₃	1995 09 25.42287	00 55 00.70	+01 28 29.0		691
1995 SC ₄₃	1995 09 30.33055	00 46 57.56	+01 00 16.5	20.2 V	691	1995 SM ₄₃	1995 09 30.37554	00 50 26.98	+01 31 02.6		691
1995 SC ₄₃	1995 09 30.35168	00 46 56.42	+01 00 11.7		691	1995 SM ₄₃	1995 09 30.39672	00 50 25.74	+01 31 03.2	17.7 V	691
1995 SD ₄₃	* 1995 09 25.37850	00 51 16.19	+01 06 44.7	20.4 V	691	1995 SM ₄₃	1995 09 30.41749	00 50 24.53	+01 31 03.7		691
1995 SD ₄₃	1995 09 25.39939	00 51 15.15	+01 06 38.1		691	1995 SN ₄₃	* 1995 09 25.38121	00 55 10.48	+01 20 46.9	21.4 V	691
1995 SD ₄₃	1995 09 25.42025	00 51 14.06	+01 06 31.7		691	1995 SN ₄₃	1995 09 25.40210	00 55 09.36	+01 20 39.1		691
1995 SD ₄₃	1995 09 30.30850	00 47 10.24	+00 40 51.7	20.5 V	691	1995 SN ₄₃	1995 09 25.42296	00 55 08.26	+01 20 31.4		691
1995 SD ₄₃	1995 09 30.33068	00 47 09.04	+00 40 44.9		691	1995 SN ₄₃	1995 09 30.31099	00 50 46.05	+00 50 21.9	22.0 V	691
1995 SD ₄₃	1995 09 30.35182	00 47 07.88	+00 40 38.4		691	1995 SN ₄₃	1995 09 30.33317	00 50 44.77	+00 50 13.5		691
1995 SE ₄₃	* 1995 09 25.37936	00 52 30.44	+01 32 29.9	20.6 V	691	1995 SN ₄₃	1995 09 30.35431	00 50 43.54	+00 50 05.1		691
1995 SE ₄₃	1995 09 25.40025	00 52 29.22	+01 32 23.9		691	1995 SO ₄₃	* 1995 09 25.38122	00 55 11.55	+01 14 37.9		691
1995 SE ₄₃	1995 09 25.42110	00 52 27.94	+01 32 17.8		691	1995 SO ₄₃	1995 09 25.40211	00 55 10.55	+01 14 30.8	19.7 V	691
1995 SE ₄₃	1995 09 30.39473	00 47 33.61	+01 09 10.8		691	1995 SO ₄₃	1995 09 25.42297	00 55 09.61	+01 14 23.8		691
1995 SE ₄₃	1995 09 30.41550	00 47 32.34	+01 09 04.9	20.6 V	691	1995 SO ₄₃	1995 09 30.33364	00 51 25.00	+00 46 49.8	20.0 V	691
1995 SF ₄₃	* 1995 09 25.37957	00 52 48.78	+01 26 37.7		691	1995 SO ₄₃	1995 09 30.35478	00 51 23.97	+00 46 42.7		691
1995 SF ₄₃	1995 09 25.40046	00 52 47.64	+01 26 29.9	20.4 V	691	1995 SP ₄₃	* 1995 09 25.38169	00 55 52.25	+01 09 07.6	20.3 V	691
1995 SF ₄₃	1995 09 25.42132	00 52 46.45	+01 26 22.3		691	1995 SP ₄₃	1995 09 25.40258	00 55 51.36	+01 08 55.9		691
1995 SF ₄₃	1995 09 30.30925	00 48 15.50	+00 57 09.0		691	1995 SP ₄₃	1995 09 25.42344	00 55 50.54	+01 08 44.0		691
1995 SF ₄₃	1995 09 30.33144	00 48 14.23	+00 57 01.1	20.6 V	691	1995 SP ₄₃	1995 09 30.21550	00 52 38.55	+00 22 53.8	21.2 V	691
1995 SF ₄₃	1995 09 30.35257	00 48 12.99	+00 56 53.2		691	1995 SP ₄₃	1995 09 30.23780	00 52 37.55	+00 22 41.2		691
1995 SG ₄₃	* 1995 09 25.38008	00 53 32.70	+01 27 55.5	19.2 V	691	1995 SQ ₄₃	* 1995 09 25.38201	00 56 19.82	+01 07 31.8		691
1995 SG ₄₃	1995 09 25.40097	00 53 31.60	+01 27 51.0		691	1995 SQ ₄₃	1995 09 25.40290	00 56 18.65	+01 07 23.8	20.4 V	691
1995 SG ₄₃	1995 09 25.42183	00 53 30.58	+01 27 46.6		691	1995 SQ ₄₃	1995 09 25.42376	00 56 17.50	+01 07 15.6		691
1995 SG ₄₃	1995 09 30.37478	00 49 21.31	+01 10 11.9	19.6 V	691	1995 SQ ₄₃	1995 09 30.31174	00 51 51.00	+00 35 17.2	20.5 V	691
1995 SG ₄₃	1995 09 30.39596	00 49 20.18	+01 10 07.3		691	1995 SQ ₄₃	1995 09 30.33392	00 51 49.71	+00 35 08.2		691
1995 SG ₄₃	1995 09 30.41673	00 49 19.07	+01 10 02.8		691	1995 SQ ₄₃	1995 09 30.35506	00 51 48.51	+00 35 00.8		691
1995 SH ₄₃	* 1995 09 25.38012	00 53 36.14	+01 29 55.9		691	1995 SR ₄₃	* 1995 09 25.38205	00 56 23.21	+01 22 25.1		691
1995 SH ₄₃	1995 09 25.40101	00 53 35.00	+01 29 48.8	20.4 V	691	1995 SR ₄₃	1995 09 25.40294	00 56 21.98	+01 22 24.2	20.6 V	691
1995 SH ₄₃	1995 09 25.42187	00 53 33.93	+01 29 41.6		691	1995 SR ₄₃	1995 09 25.42379	00 56 20.84	+01 22 23.3		691
1995 SH ₄₃	1995 09 30.30997	00 49 17.21	+01 02 07.2		691	1995 SR ₄₃	1995 09 30.37645	00 51 45.67	+01 18 42.4	21.1 V	691
1995 SH ₄₃	1995 09 30.33215	00 49 15.97	+01 01 59.9	21.1 V	691	1995 SR ₄₃	1995 09 30.39762	00 51 44.47	+01 18 41.6		691
1995 SH ₄₃	1995 09 30.35328	00 49 14.79	+01 01 52.6		691	1995 SR ₄₃	1995 09 30.41840	00 51 43.26	+01 18 40.9		691
1995 SJ ₄₃	* 1995 09 25.38033	00 53 54.43	+01 13 36.2	18.8 V	691	1995 SS ₄₃	* 1995 09 25.38252	00 57 04.63	+01 23 06.9		691
1995 SJ ₄₃	1995 09 25.40122	00 53 53.16	+01 13 29.3		691	1995 SS ₄₃	1995 09 25.40342	00 57 03.62	+01 22 57.7	21.2 V	691
1995 SJ ₄₃	1995 09 25.42207	00 53 51.95	+01 13 22.4		691	1995 SS ₄₃	1995 09 25.42428	00 57 02.61	+01 22 47.5		691
1995 SJ ₄₃	1995 09 30.30983	00 49 05.10	+00 46 31.8		691	1995 SS ₄₃	1995 09 30.31268	00 53 11.81	+00 45 43.1	21.3 V	691
1995 SJ ₄₃	1995 09 30.33201	00 49 03.72	+00 46 24.6	19.3 V	691	1995 SS ₄₃	1995 09 30.33486	00 53 10.63	+00 45 33.4		691

1995 SS ₄₃	1995 09 30.35599	00 53 09.60	+00 45 24.0	691	1995 SB ₄₄	1995 09 30.42972	01 15 17.90	+09 30 49.8	691
1995 ST ₄₃	* 1995 09 25.38262	00 57 12.65	+01 33 16.4	691	1995 SB ₄₄	1995 09 30.45078	01 15 16.92	+09 30 43.7	20.4 V 691
1995 ST ₄₃	1995 09 25.40351	00 57 11.42	+01 33 10.7	691	1995 SB ₄₄	1995 09 30.47195	01 15 15.93	+09 30 37.7	691
1995 ST ₄₃	1995 09 25.42436	00 57 10.16	+01 33 05.0	19.2 V 691	1995 SC ₄₄	* 1995 09 25.43498	01 19 46.22	+09 42 36.9	19.4 V 691
1995 ST ₄₃	1995 09 30.37681	00 52 17.27	+01 10 41.7	19.5 V 691	1995 SC ₄₄	1995 09 25.45609	01 19 45.47	+09 42 27.6	691
1995 ST ₄₃	1995 09 30.39799	00 52 15.96	+01 10 35.8	691	1995 SC ₄₄	1995 09 25.47728	01 19 44.72	+09 42 18.2	691
1995 ST ₄₃	1995 09 30.41876	00 52 14.66	+01 10 30.4	691	1995 SC ₄₄	1995 09 30.43073	01 16 45.87	+09 04 58.0	19.2 V 691
1995 SU ₄₃	* 1995 09 25.38278	00 57 27.17	+01 34 29.1	691	1995 SC ₄₄	1995 09 30.45180	01 16 45.04	+09 04 47.9	691
1995 SU ₄₃	1995 09 25.40368	00 57 26.24	+01 34 23.3	20.4 V 691	1995 SC ₄₄	1995 09 30.47297	01 16 44.22	+09 04 38.0	691
1995 SU ₄₃	1995 09 25.42454	00 57 25.38	+01 34 17.1	691	1995 SD ₄₄	* 1995 09 25.43625	01 21 36.12	+09 54 05.5	19.0 V 691
1995 SU ₄₃	1995 09 30.37790	00 53 51.06	+01 11 15.1	691	1995 SD ₄₄	1995 09 25.45736	01 21 35.24	+09 53 59.3	691
1995 SU ₄₃	1995 09 30.39908	00 53 50.07	+01 11 09.0	20.6 V 691	1995 SD ₄₄	1995 09 30.43152	01 17 54.17	+09 28 34.7	19.0 V 691
1995 SU ₄₃	1995 09 30.41985	00 53 49.11	+01 11 02.4	691	1995 SD ₄₄	1995 09 30.45258	01 17 53.17	+09 28 27.8	691
1995 SV ₄₃	* 1995 09 25.43192	01 15 20.49	+09 48 02.0	17.8 V 691	1995 SD ₄₄	1995 09 30.47375	01 17 52.16	+09 28 20.9	691
1995 SV ₄₃	1995 09 25.45302	01 15 19.70	+09 47 53.7	691	1995 SE ₄₄	* 1995 09 25.43663	01 22 08.84	+09 52 14.9	18.5 V 691
1995 SV ₄₃	1995 09 25.47421	01 15 18.91	+09 47 45.6	691	1995 SE ₄₄	1995 09 25.45774	01 22 08.02	+09 52 12.3	691
1995 SV ₄₃	1995 09 30.42754	01 12 09.50	+09 14 31.1	691	1995 SE ₄₄	1995 10 01.43496	01 17 59.53	+09 38 26.4	18.3 V 691
1995 SV ₄₃	1995 09 30.44860	01 12 08.61	+09 14 22.0	17.6 V 691	1995 SE ₄₄	1995 10 01.45600	01 17 58.60	+09 38 23.3	691
1995 SV ₄₃	1995 09 30.46977	01 12 07.74	+09 14 13.0	691	1995 SE ₄₄	1995 10 01.47719	01 17 57.66	+09 38 20.0	691
1995 SW ₄₃	* 1995 09 25.43225	01 15 49.49	+09 55 38.4	691	1995 SF ₄₄	* 1995 09 25.43672	01 22 16.79	+09 57 47.8	21.1 V 691
1995 SW ₄₃	1995 09 25.45336	01 15 48.69	+09 55 26.2	691	1995 SF ₄₄	1995 09 25.45782	01 22 14.89	+09 58 02.6	691
1995 SW ₄₃	1995 09 25.47454	01 15 47.90	+09 55 13.7	20.4 V 691	1995 SF ₄₄	1995 09 26.40947	01 20 47.84	+10 09 32.0	691
1995 SW ₄₃	1995 09 30.42788	01 12 38.52	+09 05 47.6	691	1995 SF ₄₄	1995 09 26.43097	01 20 45.75	+10 09 48.0	20.9 V 691
1995 SW ₄₃	1995 09 30.44894	01 12 37.60	+09 05 34.4	20.4 V 691	1995 SF ₄₄	1995 09 26.45213	01 20 43.76	+10 10 03.1	691
1995 SW ₄₃	1995 09 30.47011	01 12 36.71	+09 05 21.0	691	1995 SG ₄₄	* 1995 09 25.43732	01 23 08.49	+10 01 08.6	21.9 V 691
1995 SX ₄₃	* 1995 09 25.43259	01 16 18.64	+09 49 00.6	691	1995 SG ₄₄	1995 09 25.45842	01 23 07.55	+10 01 03.8	691
1995 SX ₄₃	1995 09 25.45369	01 16 17.79	+09 48 54.9	19.0 V 691	1995 SG ₄₄	1995 10 01.43555	01 18 51.16	+09 37 47.6	691
1995 SX ₄₃	1995 09 25.47488	01 16 16.93	+09 48 49.2	691	1995 SG ₄₄	1995 10 01.45660	01 18 50.14	+09 37 42.8	20.1 V 691
1995 SX ₄₃	1995 09 30.42803	01 12 52.08	+09 25 08.8	18.8 V 691	1995 SG ₄₄	1995 10 01.47779	01 18 49.09	+09 37 37.8	691
1995 SX ₄₃	1995 09 30.44910	01 12 51.10	+09 25 02.1	691	1995 SH ₄₄	* 1995 09 25.43739	01 23 14.58	+09 53 40.0	19.5 V 691
1995 SX ₄₃	1995 09 30.47026	01 12 50.12	+09 24 55.2	691	1995 SH ₄₄	1995 09 25.45849	01 23 13.64	+09 53 34.2	691
1995 SY ₄₃	* 1995 09 25.43272	01 16 30.25	+09 44 29.1	20.8 V 691	1995 SH ₄₄	1995 09 30.43250	01 19 18.88	+09 29 39.7	691
1995 SY ₄₃	1995 09 25.45383	01 16 29.38	+09 44 21.6	691	1995 SH ₄₄	1995 09 30.45356	01 19 17.85	+09 29 33.2	19.3 V 691
1995 SY ₄₃	1995 09 25.47501	01 16 28.55	+09 44 14.5	691	1995 SH ₄₄	1995 09 30.47473	01 19 16.78	+09 29 26.7	691
1995 SY ₄₃	1995 09 30.42819	01 13 05.49	+09 14 11.6	691	1995 SJ ₄₄	* 1995 09 25.43746	01 23 20.96	+09 58 45.3	19.5 V 691
1995 SY ₄₃	1995 09 30.44925	01 13 04.55	+09 14 03.8	20.5 V 691	1995 SJ ₄₄	1995 09 25.45857	01 23 19.86	+09 58 45.6	691
1995 SY ₄₃	1995 09 30.47042	01 13 03.64	+09 13 55.5	691	1995 SJ ₄₄	1995 10 01.43481	01 17 46.93	+09 58 55.4	19.3 V 691
1995 SZ ₄₃	* 1995 09 25.43275	01 16 32.46	+09 48 38.2	691	1995 SJ ₄₄	1995 10 01.45585	01 17 45.67	+09 58 55.1	691
1995 SZ ₄₃	1995 09 25.45385	01 16 31.64	+09 48 30.1	18.7 V 691	1995 SJ ₄₄	1995 10 01.47704	01 17 44.42	+09 58 54.5	691
1995 SZ ₄₃	1995 09 25.47504	01 16 30.81	+09 48 22.1	691	1995 SK ₄₄	* 1995 09 25.43838	01 24 40.44	+09 52 08.4	20.4 V 691
1995 SZ ₄₃	1995 09 30.42831	01 13 16.10	+09 16 02.1	18.4 V 691	1995 SK ₄₄	1995 09 25.45949	01 24 39.65	+09 51 59.6	691
1995 SZ ₄₃	1995 09 30.44937	01 13 15.21	+09 15 53.5	691	1995 SK ₄₄	1995 09 30.43399	01 21 28.36	+09 15 31.4	691
1995 SZ ₄₃	1995 09 30.47054	01 13 14.34	+09 15 44.9	691	1995 SK ₄₄	1995 09 30.45506	01 21 27.50	+09 15 21.6	20.2 V 691
1995 SA ₄₄	* 1995 09 25.43372	01 17 56.76	+09 52 14.2	691	1995 SK ₄₄	1995 09 30.47623	01 21 26.62	+09 15 11.8	691
1995 SA ₄₄	1995 09 25.45483	01 17 55.96	+09 52 06.0	19.0 V 691	1995 SL ₄₄	* 1995 09 25.43848	01 24 49.36	+09 44 27.5	20.9 V 691
1995 SA ₄₄	1995 09 25.47601	01 17 55.16	+09 51 57.6	691	1995 SL ₄₄	1995 09 25.45959	01 24 48.55	+09 44 22.7	691
1995 SA ₄₄	1995 09 30.42935	01 14 46.48	+09 18 39.8	18.9 V 691	1995 SL ₄₄	1995 09 30.43402	01 21 30.54	+09 23 15.8	691
1995 SA ₄₄	1995 09 30.45042	01 14 45.62	+09 18 30.9	691	1995 SL ₄₄	1995 09 30.45508	01 21 29.65	+09 23 10.4	20.8 V 691
1995 SA ₄₄	1995 09 30.47159	01 14 44.75	+09 18 21.9	691	1995 SL ₄₄	1995 09 30.47625	01 21 28.78	+09 23 04.3	691
1995 SB ₄₄	* 1995 09 25.43432	01 18 48.89	+09 51 57.0	691	1995 SM ₄₄	* 1995 09 25.43894	01 25 28.81	+09 46 30.1	21.5 V 691
1995 SB ₄₄	1995 09 25.45543	01 18 48.00	+09 51 51.8	20.4 V 691	1995 SM ₄₄	1995 09 25.46004	01 25 27.73	+09 46 30.0	691
1995 SB ₄₄	1995 09 25.47661	01 18 47.12	+09 51 47.0	691	1995 SM ₄₄	1995 10 01.43644	01 20 07.49	+09 42 28.0	691

1995 SM ₄₄	1995 10 01.45748	01 20 06.29	+09 42 27.6	21.1 V	691	1995 SX ₄₄	* 1995 09 25.44291	01 31 12.53	+09 39 53.7	19.6 V	691
1995 SM ₄₄	1995 10 01.47866	01 20 05.08	+09 42 26.0		691	1995 SX ₄₄	1995 09 25.46401	01 31 11.51	+09 39 46.4		691
1995 SN ₄₄	* 1995 09 25.43982	01 26 45.21	+09 35 38.6	20.9 V	691	1995 SX ₄₄	1995 09 30.43795	01 27 11.30	+09 08 57.1	19.7 V	691
1995 SN ₄₄	1995 09 25.46093	01 26 44.35	+09 35 33.7		691	1995 SX ₄₄	1995 09 30.45901	01 27 10.18	+09 08 48.8		691
1995 SN ₄₄	1995 09 30.43518	01 23 11.02	+09 17 18.7		691	1995 SX ₄₄	1995 09 30.48018	01 27 09.07	+09 08 40.5		691
1995 SN ₄₄	1995 09 30.45624	01 23 10.07	+09 17 13.9	20.7 V	691	1995 SY ₄₄	* 1995 09 25.44324	01 31 41.46	+10 00 46.9		691
1995 SN ₄₄	1995 09 30.47741	01 23 09.10	+09 17 07.3		691	1995 SY ₄₄	1995 09 25.46435	01 31 40.63	+10 00 43.6	20.3 V	691
1995 SO ₄₄	* 1995 09 25.44038	01 27 33.35	+09 59 30.1		691	1995 SY ₄₄	1995 10 01.44166	01 27 39.70	+09 44 02.2		691
1995 SO ₄₄	1995 09 25.46148	01 27 32.42	+09 59 26.3	21.2 V	691	1995 SY ₄₄	1995 10 01.46270	01 27 38.78	+09 43 58.3	20.3 V	691
1995 SO ₄₄	1995 10 01.43835	01 22 53.28	+09 39 38.8	21.2 V	691	1995 SY ₄₄	1995 10 01.48389	01 27 37.88	+09 43 54.5		691
1995 SO ₄₄	1995 10 01.45939	01 22 52.25	+09 39 34.6		691	1995 SZ ₄₄	* 1995 09 25.44392	01 32 40.67	+09 49 47.6	20.4 V	691
1995 SO ₄₄	1995 10 01.48058	01 22 51.05	+09 39 29.5		691	1995 SZ ₄₄	1995 09 25.46503	01 32 39.45	+09 49 49.9		691
1995 SP ₄₄	* 1995 09 25.44056	01 27 48.95	+09 40 52.1	20.5 V	691	1995 SZ ₄₄	1995 10 01.44101	01 26 44.13	+09 58 14.0	20.1 V	691
1995 SP ₄₄	1995 09 25.46166	01 27 47.84	+09 40 49.5		691	1995 SZ ₄₄	1995 10 01.46205	01 26 42.82	+09 58 15.3		691
1995 SP ₄₄	1995 09 30.43529	01 23 20.48	+09 29 38.9		691	1995 SZ ₄₄	1995 10 01.48324	01 26 41.43	+09 58 16.8		691
1995 SP ₄₄	1995 09 30.45635	01 23 19.25	+09 29 35.8	20.2 V	691	1995 SA ₄₅	* 1995 09 25.44418	01 33 02.73	+09 45 41.0	19.8 V	691
1995 SP ₄₄	1995 09 30.47751	01 23 18.03	+09 29 32.5		691	1995 SA ₄₅	1995 09 25.46529	01 33 02.09	+09 45 32.1		691
1995 SQ ₄₄	* 1995 09 25.44091	01 28 19.95	+10 03 14.7	18.6 V	691	1995 SA ₄₅	1995 09 30.44033	01 30 37.61	+09 09 52.2		691
1995 SQ ₄₄	1995 09 25.46202	01 28 19.08	+10 03 10.2		691	1995 SA ₄₅	1995 09 30.46140	01 30 36.88	+09 09 42.6		691
1995 SQ ₄₄	1995 10 01.43916	01 24 03.30	+09 39 32.6	18.4 V	691	1995 SA ₄₅	1995 09 30.48257	01 30 36.15	+09 09 33.1	19.6 V	691
1995 SQ ₄₄	1995 10 01.46020	01 24 02.30	+09 39 27.1		691	1995 SB ₄₅	* 1995 09 25.44453	01 33 33.43	+09 38 56.4	19.0 V	691
1995 SQ ₄₄	1995 10 01.48139	01 24 01.26	+09 39 21.5		691	1995 SB ₄₅	1995 09 25.46564	01 33 32.64	+09 38 52.5		691
1995 SR ₄₄	* 1995 09 25.44120	01 28 44.92	+09 48 08.2	21.4 V	691	1995 SB ₄₅	1995 09 30.44026	01 30 30.97	+09 21 50.8	17.8 V	691
1995 SR ₄₄	1995 09 25.46231	01 28 44.07	+09 48 04.3		691	1995 SB ₄₅	1995 09 30.46132	01 30 30.07	+09 21 46.0		691
1995 SR ₄₄	1995 09 30.43668	01 25 20.89	+09 29 49.5		691	1995 SB ₄₅	1995 09 30.48249	01 30 29.18	+09 21 41.1		691
1995 SR ₄₄	1995 09 30.45774	01 25 19.90	+09 29 43.9	21.1 V	691	1995 SC ₄₅	* 1995 09 25.44536	01 34 45.14	+10 03 27.2	21.4 V	691
1995 SR ₄₄	1995 09 30.47891	01 25 18.93	+09 29 39.4		691	1995 SC ₄₅	1995 09 25.46647	01 34 44.32	+10 03 23.3		691
1995 SS ₄₄	* 1995 09 25.44171	01 29 28.87	+09 57 17.7	19.0 V	691	1995 SC ₄₅	1995 10 01.44384	01 30 49.23	+09 41 54.8	20.9 V	691
1995 SS ₄₄	1995 09 25.46282	01 29 28.01	+09 57 14.1		691	1995 SC ₄₅	1995 10 01.46489	01 30 48.31	+09 41 50.4		691
1995 SS ₄₄	1995 10 01.43995	01 25 11.86	+09 37 18.5		691	1995 SC ₄₅	1995 10 01.48608	01 30 47.43	+09 41 45.5		691
1995 SS ₄₄	1995 10 01.46099	01 25 10.86	+09 37 13.9	18.8 V	691	1995 SD ₄₅	* 1995 09 25.44565	01 35 10.73	+10 04 52.9	20.7 V	691
1995 SS ₄₄	1995 10 01.48218	01 25 09.81	+09 37 09.0		691	1995 SD ₄₅	1995 09 25.46676	01 35 09.81	+10 04 44.3		691
1995 ST ₄₄	* 1995 09 25.44177	01 29 33.88	+09 51 25.3	17.2 V	691	1995 SD ₄₅	1995 09 30.44107	01 31 41.76	+09 29 23.7	20.8 V	691
1995 ST ₄₄	1995 09 25.46288	01 29 33.52	+09 51 16.2		691	1995 SD ₄₅	1995 09 30.46214	01 31 40.76	+09 29 14.5		691
1995 ST ₄₄	1995 09 30.43859	01 28 06.40	+09 13 14.1		691	1995 SD ₄₅	1995 09 30.48330	01 31 39.76	+09 29 04.9		691
1995 ST ₄₄	1995 09 30.45966	01 28 05.87	+09 13 03.7	17.1 V	691	1995 SE ₄₅	* 1995 09 25.44675	01 36 45.25	+09 43 33.6	20.9 V	691
1995 ST ₄₄	1995 09 30.48083	01 28 05.34	+09 12 53.2		691	1995 SE ₄₅	1995 09 25.46785	01 36 44.09	+09 43 30.0		691
1995 SU ₄₄	* 1995 09 25.44177	01 29 33.91	+09 50 58.1	20.6 V	691	1995 SE ₄₅	1995 09 30.44144	01 32 13.85	+09 27 57.9		691
1995 SU ₄₄	1995 09 25.46287	01 29 33.05	+09 50 51.4		691	1995 SE ₄₅	1995 09 30.46250	01 32 12.62	+09 27 53.5	20.8 V	691
1995 SU ₄₄	1995 09 30.43715	01 26 01.74	+09 24 08.8		691	1995 SE ₄₅	1995 09 30.48367	01 32 11.42	+09 27 49.6		691
1995 SU ₄₄	1995 09 30.45821	01 26 00.75	+09 24 01.6	20.7 V	691	1995 SF ₄₅	* 1995 09 26.10386	21 18 01.29	+00 33 15.9		691
1995 SU ₄₄	1995 09 30.47938	01 25 59.76	+09 23 54.1		691	1995 SF ₄₅	1995 09 26.12466	21 18 00.97	+00 33 09.1	18.3 V	691
1995 SV ₄₄	* 1995 09 25.44250	01 30 37.72	+09 39 25.4	21.1 V	691	1995 SF ₄₅	1995 09 26.14554	21 18 00.69	+00 33 01.2		691
1995 SV ₄₄	1995 09 25.46361	01 30 36.80	+09 39 19.4		691	1995 SF ₄₅	1995 10 02.09443	21 17 19.77	-00 02 38.0		691
1995 SV ₄₄	1995 09 30.43781	01 26 58.98	+09 15 49.3		691	1995 SF ₄₅	1995 10 02.11555	21 17 19.68	-00 02 44.5	18.6 V	691
1995 SV ₄₄	1995 09 30.45887	01 26 57.96	+09 15 43.0		691	1995 SF ₄₅	1995 10 02.13675	21 17 19.61	-00 02 52.0		691
1995 SV ₄₄	1995 09 30.48004	01 26 56.98	+09 15 37.2	21.3 V	691	1995 SG ₄₅	* 1995 09 26.10822	21 24 25.00	+00 44 53.4	19.6 V	691
1995 SW ₄₄	* 1995 09 25.44251	01 30 37.97	+10 01 15.0	21.5 V	691	1995 SG ₄₅	1995 09 26.12901	21 24 24.59	+00 44 47.4		691
1995 SW ₄₄	1995 09 25.46361	01 30 37.12	+10 01 08.6		691	1995 SG ₄₅	1995 09 26.14989	21 24 24.12	+00 44 41.4		691
1995 SW ₄₄	1995 09 30.43800	01 27 15.51	+09 32 44.5		691	1995 SG ₄₅	1995 10 02.09786	21 22 44.40	+00 17 07.8	19.2 V	691
1995 SW ₄₄	1995 09 30.45906	01 27 14.58	+09 32 36.6		691	1995 SG ₄₅	1995 10 02.11897	21 22 44.08	+00 17 02.7		691
1995 SW ₄₄	1995 09 30.48023	01 27 13.59	+09 32 29.3	21.1 V	691	1995 SG ₄₅	1995 10 02.14017	21 22 43.80	+00 16 56.9		691

1995 SH ₄₅	* 1995 09 26.11793	21 38 25.80	+00 56 33.4		691	1995 SQ ₄₅	1995 10 01.32451	22 27 03.20	-09 25 39.0	20.7 V	691
1995 SH ₄₅	1995 09 26.13872	21 38 25.25	+00 56 28.5	19.8 V	691	1995 SQ ₄₅	1995 10 01.34638	22 27 02.65	-09 25 44.5		691
1995 SH ₄₅	1995 09 26.15959	21 38 24.66	+00 56 22.8		691	1995 SR ₄₅	* 1995 09 26.17156	22 30 19.51	-08 57 28.7		691
1995 SH ₄₅	1995 10 02.17145	21 36 16.14	+00 28 55.8	20.2 V	691	1995 SR ₄₅	1995 09 26.19273	22 30 18.68	-08 57 34.3	19.3 V	691
1995 SH ₄₅	1995 10 02.19286	21 36 15.72	+00 28 50.1		691	1995 SR ₄₅	1995 09 26.21385	22 30 17.88	-08 57 39.1		691
1995 SH ₄₅	1995 10 02.21474	21 36 15.31	+00 28 44.4		691	1995 SR ₄₅	1995 10 01.30248	22 27 33.18	-09 16 42.6		691
1995 SJ ₄₅	* 1995 09 26.11796	21 38 28.27	+00 34 01.6		691	1995 SR ₄₅	1995 10 01.32485	22 27 32.51	-09 16 47.3		691
1995 SJ ₄₅	1995 09 26.13875	21 38 27.77	+00 33 54.7	20.7 V	691	1995 SR ₄₅	1995 10 01.34672	22 27 31.88	-09 16 51.6	19.6 V	691
1995 SJ ₄₅	1995 09 26.15962	21 38 27.28	+00 33 47.8		691	1995 SS ₄₅	* 1995 09 26.17231	22 31 24.41	-08 56 58.5		691
1995 SJ ₄₅	1995 10 02.10742	21 36 31.37	+00 01 36.4		691	1995 SS ₄₅	1995 09 26.19348	22 31 23.43	-08 57 00.1		691
1995 SJ ₄₅	1995 10 02.12852	21 36 30.96	+00 01 29.5	20.0 V	691	1995 SS ₄₅	1995 09 26.21460	22 31 22.46	-08 57 01.6	20.6 V	691
1995 SJ ₄₅	1995 10 02.14972	21 36 30.63	+00 01 22.1		691	1995 SS ₄₅	1995 10 02.22944	22 27 17.07	-09 02 55.4	20.7 V	691
1995 SK ₄₅	* 1995 09 26.11857	21 39 21.77	+00 48 27.0	20.3 V	691	1995 SS ₄₅	1995 10 02.25081	22 27 16.27	-09 02 56.5		691
1995 SK ₄₅	1995 09 26.13937	21 39 21.31	+00 48 17.1		691	1995 SS ₄₅	1995 10 02.27203	22 27 15.37	-09 02 56.5		691
1995 SK ₄₅	1995 09 26.16024	21 39 20.89	+00 48 07.8		691	1995 ST ₄₅	* 1995 09 26.17258	22 31 47.63	-08 49 58.5		691
1995 SK ₄₅	1995 10 02.10822	21 37 41.04	+00 04 12.4		691	1995 ST ₄₅	1995 09 26.19374	22 31 46.62	-08 49 55.1	20.4 V	691
1995 SK ₄₅	1995 10 02.12933	21 37 40.82	+00 04 00.7		691	1995 ST ₄₅	1995 09 26.21486	22 31 45.64	-08 49 51.9		691
1995 SK ₄₅	1995 10 02.15053	21 37 40.51	+00 03 51.1	19.7 V	691	1995 ST ₄₅	1995 10 02.31575	22 27 42.63	-08 31 29.6	20.2 V	691
1995 SL ₄₅	* 1995 09 26.12131	21 43 18.96	+00 34 56.1	20.1 V	691	1995 ST ₄₅	1995 10 02.33699	22 27 41.84	-08 31 25.2		691
1995 SL ₄₅	1995 09 26.14210	21 43 18.28	+00 34 51.5		691	1995 SU ₄₅	* 1995 09 26.17342	22 33 00.73	-08 51 14.8	19.4 V	691
1995 SL ₄₅	1995 09 26.16298	21 43 17.64	+00 34 47.8		691	1995 SU ₄₅	1995 09 26.19459	22 32 59.96	-08 51 21.1		691
1995 SL ₄₅	1995 10 02.11042	21 40 51.51	+00 17 19.2	19.9 V	691	1995 SU ₄₅	1995 09 26.21571	22 32 59.23	-08 51 27.3		691
1995 SL ₄₅	1995 10 02.13153	21 40 51.04	+00 17 15.8		691	1995 SU ₄₅	1995 10 01.30451	22 30 29.38	-09 13 54.7	19.7 V	691
1995 SL ₄₅	1995 10 02.15272	21 40 50.63	+00 17 11.8		691	1995 SU ₄₅	1995 10 01.32688	22 30 28.78	-09 14 00.5		691
1995 SM ₄₅	* 1995 09 26.16849	22 25 53.16	-09 08 11.8	19.3 V	691	1995 SU ₄₅	1995 10 01.34875	22 30 28.18	-09 14 05.5		691
1995 SM ₄₅	1995 09 26.18965	22 25 52.46	-09 08 17.1		691	1995 SV ₄₅	* 1995 09 26.17455	22 34 38.06	-08 56 43.9	19.8 V	691
1995 SM ₄₅	1995 09 26.21078	22 25 51.73	-09 08 22.5		691	1995 SV ₄₅	1995 09 26.19571	22 34 37.32	-08 56 51.3		691
1995 SM ₄₅	1995 10 01.29988	22 23 30.28	-09 28 15.1	19.6 V	691	1995 SV ₄₅	1995 09 26.21684	22 34 36.64	-08 56 58.2		691
1995 SM ₄₅	1995 10 01.32225	22 23 29.66	-09 28 20.3		691	1995 SV ₄₅	1995 10 01.30583	22 32 23.60	-09 22 13.4	20.1 V	691
1995 SM ₄₅	1995 10 01.34412	22 23 29.10	-09 28 24.5		691	1995 SV ₄₅	1995 10 01.32820	22 32 23.08	-09 22 19.2		691
1995 SN ₄₅	* 1995 09 26.16904	22 26 41.04	-08 39 09.6		691	1995 SV ₄₅	1995 10 01.35007	22 32 22.59	-09 22 24.9		691
1995 SN ₄₅	1995 09 26.19021	22 26 40.33	-08 39 14.4	19.2 V	691	1995 SW ₄₅	* 1995 09 26.17464	22 34 45.95	-08 54 00.3		691
1995 SN ₄₅	1995 09 26.21133	22 26 39.62	-08 39 19.4		691	1995 SW ₄₅	1995 09 26.19581	22 34 45.43	-08 54 12.6	19.9 V	691
1995 SN ₄₅	1995 10 02.22711	22 23 43.45	-09 01 14.5	19.5 V	691	1995 SW ₄₅	1995 09 26.21694	22 34 44.94	-08 54 25.2		691
1995 SN ₄₅	1995 10 02.24849	22 23 42.86	-09 01 18.8		691	1995 SW ₄₅	1995 10 01.30642	22 33 14.82	-09 40 45.4	20.2 V	691
1995 SN ₄₅	1995 10 02.26971	22 23 42.26	-09 01 22.7		691	1995 SW ₄₅	1995 10 01.32879	22 33 14.47	-09 40 56.8		691
1995 SO ₄₅	* 1995 09 26.16986	22 27 52.33	-08 57 37.9		691	1995 SW ₄₅	1995 10 01.35067	22 33 14.12	-09 41 07.6		691
1995 SO ₄₅	1995 09 26.19103	22 27 51.62	-08 57 41.8	20.2 V	691	1995 SX ₄₅	* 1995 09 26.17626	22 37 06.77	-08 44 29.1	19.9 V	691
1995 SO ₄₅	1995 09 26.21215	22 27 50.90	-08 57 45.3		691	1995 SX ₄₅	1995 09 26.19743	22 37 05.88	-08 44 32.3		691
1995 SO ₄₅	1995 10 01.30116	22 25 38.93	-09 12 00.7	20.3 V	691	1995 SX ₄₅	1995 09 26.21855	22 37 05.01	-08 44 35.3		691
1995 SO ₄₅	1995 10 01.32353	22 25 38.43	-09 12 04.3		691	1995 SX ₄₅	1995 10 02.23370	22 33 25.61	-08 56 32.3	20.1 V	691
1995 SO ₄₅	1995 10 01.34540	22 25 37.91	-09 12 06.9		691	1995 SX ₄₅	1995 10 02.25507	22 33 24.82	-08 56 34.5		691
1995 SP ₄₅	* 1995 09 26.17017	22 28 19.15	-08 50 07.4		691	1995 SX ₄₅	1995 10 02.27629	22 33 24.12	-08 56 36.2		691
1995 SP ₄₅	1995 09 26.19134	22 28 18.29	-08 50 13.7	19.9 V	691	1995 SY ₄₅	* 1995 09 26.17664	22 37 39.42	-08 57 12.1	17.4 V	691
1995 SP ₄₅	1995 09 26.21246	22 28 17.43	-08 50 20.3		691	1995 SY ₄₅	1995 09 26.19781	22 37 38.48	-08 57 13.1		691
1995 SP ₄₅	1995 10 01.30095	22 25 20.83	-09 14 29.4		691	1995 SY ₄₅	1995 09 26.21893	22 37 37.58	-08 57 14.0		691
1995 SP ₄₅	1995 10 01.32332	22 25 20.11	-09 14 35.5	20.4 V	691	1995 SY ₄₅	1995 10 02.23417	22 34 06.11	-08 58 21.7		691
1995 SP ₄₅	1995 10 01.34519	22 25 19.40	-09 14 40.7		691	1995 SY ₄₅	1995 10 02.25554	22 34 05.41	-08 58 21.3	17.8 V	691
1995 SQ ₄₅	* 1995 09 26.17091	22 29 22.82	-09 01 44.0	20.6 V	691	1995 SY ₄₅	1995 10 02.27676	22 34 04.71	-08 58 20.9		691
1995 SQ ₄₅	1995 09 26.19207	22 29 22.08	-09 01 50.4		691	1995 SZ ₄₅	* 1995 09 26.17704	22 38 14.27	-08 53 20.1		691
1995 SQ ₄₅	1995 09 26.21320	22 29 21.37	-09 01 56.7		691	1995 SZ ₄₅	1995 09 26.19821	22 38 13.23	-08 53 23.2	20.0 V	691
1995 SQ ₄₅	1995 10 01.30214	22 27 03.76	-09 25 33.4		691	1995 SZ ₄₅	1995 09 26.21933	22 38 12.17	-08 53 25.9		691

1995 SZ ₄₅	1995 10 02.23401	22 33 52.54	-09 03 32.0		691	1995 SJ ₄₆	1995 09 26.31991	22 28 19.76	-08 12 22.0		691
1995 SZ ₄₅	1995 10 02.25538	22 33 51.66	-09 03 33.1	20.3 V	691	1995 SJ ₄₆	1995 10 02.29278	22 25 11.34	-08 34 14.6		691
1995 SZ ₄₅	1995 10 02.27660	22 33 50.79	-09 03 35.1		691	1995 SJ ₄₆	1995 10 02.31399	22 25 10.73	-08 34 19.1		691
1995 SA ₄₆	* 1995 09 26.17737	22 38 42.84	-08 58 00.9	20.5 V	691	1995 SJ ₄₆	1995 10 02.33524	22 25 10.08	-08 34 22.9	19.7 V	691
1995 SA ₄₆	1995 09 26.19854	22 38 41.86	-08 58 03.5		691	1995 SK ₄₆	* 1995 09 26.27824	22 29 05.50	-08 19 33.1	20.1 V	691
1995 SA ₄₆	1995 09 26.21966	22 38 40.90	-08 58 04.5		691	1995 SK ₄₆	1995 09 26.29934	22 29 04.82	-08 19 48.8		691
1995 SA ₄₆	1995 10 02.23449	22 34 34.14	-09 04 41.0		691	1995 SK ₄₆	1995 09 26.32042	22 29 04.16	-08 20 03.8		691
1995 SA ₄₆	1995 10 02.25586	22 34 33.34	-09 04 42.1	21.1 V	691	1995 SK ₄₆	1995 10 01.30197	22 26 48.73	-09 18 14.3	20.4 V	691
1995 SA ₄₆	1995 10 02.27708	22 34 32.51	-09 04 43.1		691	1995 SK ₄₆	1995 10 01.32433	22 26 48.17	-09 18 29.4		691
1995 SB ₄₆	* 1995 09 26.17872	22 40 39.34	-08 54 18.2	21.1 V	691	1995 SK ₄₆	1995 10 01.34620	22 26 47.62	-09 18 44.0		691
1995 SB ₄₆	1995 09 26.19989	22 40 38.58	-08 54 24.1		691	1995 SL ₄₆	* 1995 09 26.27914	22 30 23.53	-08 20 11.9		691
1995 SB ₄₆	1995 09 26.22101	22 40 37.86	-08 54 29.7		691	1995 SL ₄₆	1995 09 26.30024	22 30 22.71	-08 20 17.8	19.0 V	691
1995 SB ₄₆	1995 10 01.30991	22 38 16.77	-09 14 33.3	21.1 V	691	1995 SL ₄₆	1995 09 26.32132	22 30 21.91	-08 20 23.6		691
1995 SB ₄₆	1995 10 01.33228	22 38 16.16	-09 14 37.4		691	1995 SL ₄₆	1995 10 02.22950	22 27 21.83	-08 44 46.1		691
1995 SB ₄₆	1995 10 01.35415	22 38 15.63	-09 14 42.2		691	1995 SL ₄₆	1995 10 02.25087	22 27 21.23	-08 44 50.6		691
1995 SC ₄₆	* 1995 09 26.17873	22 40 40.29	-08 53 43.5		691	1995 SL ₄₆	1995 10 02.27209	22 27 20.65	-08 44 55.3	19.3 V	691
1995 SC ₄₆	1995 09 26.19989	22 40 39.27	-08 53 48.2		691	1995 SM ₄₆	* 1995 09 26.28114	22 33 17.04	-08 16 35.5		691
1995 SC ₄₆	1995 09 26.22102	22 40 38.30	-08 53 53.5	20.5 V	691	1995 SM ₄₆	1995 09 26.30224	22 33 16.38	-08 16 43.2	20.4 V	691
1995 SC ₄₆	1995 10 01.30908	22 37 04.60	-09 12 04.8		691	1995 SM ₄₆	1995 09 26.32332	22 33 15.80	-08 16 50.7		691
1995 SC ₄₆	1995 10 01.33144	22 37 03.71	-09 12 08.4	20.7 V	691	1995 SM ₄₆	1995 10 02.23203	22 31 00.80	-08 50 14.9	20.4 V	691
1995 SC ₄₆	1995 10 01.35331	22 37 02.84	-09 12 12.4		691	1995 SM ₄₆	1995 10 02.25340	22 31 00.33	-08 50 20.6		691
1995 SD ₄₆	* 1995 09 26.18194	22 45 18.02	-08 45 46.7		691	1995 SN ₄₆	* 1995 09 26.28201	22 34 32.06	-08 16 10.8		691
1995 SD ₄₆	1995 09 26.20310	22 45 17.19	-08 45 51.8	20.0 V	691	1995 SN ₄₆	1995 09 26.30310	22 34 31.21	-08 16 18.9	20.2 V	691
1995 SD ₄₆	1995 09 26.22423	22 45 16.39	-08 45 56.9		691	1995 SN ₄₆	1995 09 26.32419	22 34 30.37	-08 16 27.5		691
1995 SD ₄₆	1995 10 02.23951	22 41 49.34	-09 08 20.5		691	1995 SN ₄₆	1995 10 02.23213	22 31 09.43	-08 53 15.4		691
1995 SD ₄₆	1995 10 02.26088	22 41 48.65	-09 08 24.8		691	1995 SN ₄₆	1995 10 02.25350	22 31 08.76	-08 53 22.5		691
1995 SD ₄₆	1995 10 02.28211	22 41 47.98	-09 08 29.4	20.3 V	691	1995 SN ₄₆	1995 10 02.27472	22 31 08.08	-08 53 29.9	20.6 V	691
1995 SE ₄₆	* 1995 09 26.18400	22 48 17.14	-08 45 38.3		691	1995 SO ₄₆	* 1995 09 26.28304	22 36 01.37	-08 17 01.1		691
1995 SE ₄₆	1995 09 26.20517	22 48 16.35	-08 45 50.7		691	1995 SO ₄₆	1995 09 26.30413	22 36 00.19	-08 17 01.4	20.6 V	691
1995 SE ₄₆	1995 09 26.22629	22 48 15.56	-08 46 03.0	20.0 V	691	1995 SO ₄₆	1995 09 26.32521	22 35 59.07	-08 17 02.0		691
1995 SE ₄₆	1995 10 01.31488	22 45 27.08	-09 33 50.4		691	1995 SO ₄₆	1995 10 02.31815	22 31 11.19	-08 16 25.0		691
1995 SE ₄₆	1995 10 01.33724	22 45 26.37	-09 34 02.4	20.4 V	691	1995 SO ₄₆	1995 10 02.33940	22 31 10.21	-08 16 24.4	20.5 V	691
1995 SE ₄₆	1995 10 01.35911	22 45 25.69	-09 34 14.1		691	1995 SP ₄₆	* 1995 09 26.28438	22 37 57.63	-08 13 28.8	19.0 V	691
1995 SF ₄₆	* 1995 09 26.18420	22 48 34.05	-08 44 01.5		691	1995 SP ₄₆	1995 09 26.30548	22 37 56.82	-08 13 31.8		691
1995 SF ₄₆	1995 09 26.20537	22 48 33.21	-08 44 07.1	18.2 V	691	1995 SP ₄₆	1995 09 26.32656	22 37 56.00	-08 13 35.1		691
1995 SF ₄₆	1995 09 26.22649	22 48 32.36	-08 44 12.4		691	1995 SP ₄₆	1995 10 02.29940	22 34 44.51	-08 26 29.1	18.9 V	691
1995 SF ₄₆	1995 10 02.24176	22 45 04.05	-09 07 27.2		691	1995 SP ₄₆	1995 10 02.32061	22 34 43.86	-08 26 31.1		691
1995 SF ₄₆	1995 10 02.26313	22 45 03.36	-09 07 31.5	18.4 V	691	1995 SP ₄₆	1995 10 02.34186	22 34 43.25	-08 26 33.5		691
1995 SF ₄₆	1995 10 02.28436	22 45 02.65	-09 07 36.0		691	1995 SQ ₄₆	* 1995 09 26.28609	22 40 25.59	-08 25 16.7	21.2 V	691
1995 SG ₄₆	* 1995 09 26.18501	22 49 44.08	-08 52 33.2		691	1995 SQ ₄₆	1995 09 26.30719	22 40 24.80	-08 25 14.0		691
1995 SG ₄₆	1995 09 26.20617	22 49 43.13	-08 52 42.2		691	1995 SQ ₄₆	1995 09 26.32827	22 40 24.02	-08 25 11.4		691
1995 SG ₄₆	1995 09 26.22729	22 49 42.18	-08 52 50.6	20.7 V	691	1995 SQ ₄₆	1995 10 02.30147	22 37 44.11	-08 12 22.7		691
1995 SG ₄₆	1995 10 01.31547	22 46 18.19	-09 26 10.4	21.1 V	691	1995 SQ ₄₆	1995 10 02.32268	22 37 43.56	-08 12 19.4	20.8 V	691
1995 SG ₄₆	1995 10 01.33783	22 46 17.32	-09 26 17.9		691	1995 SQ ₄₆	1995 10 02.34394	22 37 43.08	-08 12 15.7		691
1995 SG ₄₆	1995 10 01.35970	22 46 16.50	-09 26 26.1		691	1995 SR ₄₆	* 1995 09 26.28662	22 41 11.63	-08 31 40.6		691
1995 SH ₄₆	* 1995 09 26.27734	22 27 47.25	-08 30 47.2	19.9 V	691	1995 SR ₄₆	1995 09 26.30772	22 41 10.76	-08 31 47.0	18.7 V	691
1995 SH ₄₆	1995 09 26.31952	22 27 45.92	-08 30 59.4		691	1995 SR ₄₆	1995 09 26.32880	22 41 09.88	-08 31 53.3		691
1995 SH ₄₆	1995 10 02.22812	22 25 21.97	-08 55 51.9	20.5 V	691	1995 SR ₄₆	1995 10 02.23663	22 37 39.07	-08 59 27.6		691
1995 SH ₄₆	1995 10 02.24949	22 25 21.51	-08 55 56.5		691	1995 SR ₄₆	1995 10 02.25799	22 37 38.38	-08 59 32.8	19.0 V	691
1995 SH ₄₆	1995 10 02.27071	22 25 21.07	-08 56 01.2		691	1995 SR ₄₆	1995 10 02.27922	22 37 37.65	-08 59 38.2		691
1995 SJ ₄₆	* 1995 09 26.27773	22 28 21.25	-08 12 12.0	19.8 V	691	1995 SS ₄₆	* 1995 09 26.28821	22 43 29.28	-08 20 23.7		691
1995 SJ ₄₆	1995 09 26.29882	22 28 20.50	-08 12 17.2		691	1995 SS ₄₆	1995 09 26.30931	22 43 28.44	-08 20 27.9	18.4 V	691

1995 SS ₄₆	1995 09 26.33039	22 43 27.59	-08 20 32.8		691	1995 SB ₄₇	1995 09 26.36340	00 37 19.08	+01 39 51.8	18.4 V	691
1995 SS ₄₆	1995 10 02.23826	22 40 00.33	-08 39 36.8	18.6 V	691	1995 SB ₄₇	1995 09 26.38439	00 37 17.74	+01 39 50.4		691
1995 SS ₄₆	1995 10 02.25963	22 39 59.64	-08 39 40.6		691	1995 SB ₄₇	1995 09 30.36359	00 33 10.46	+01 35 50.1	18.5 V	691
1995 SS ₄₆	1995 10 02.28085	22 39 58.93	-08 39 44.4		691	1995 SB ₄₇	1995 09 30.38477	00 33 09.08	+01 35 48.4		691
1995 ST ₄₆	* 1995 09 26.29078	22 47 11.23	-08 32 19.7	20.6 V	691	1995 SB ₄₇	1995 09 30.40554	00 33 07.73	+01 35 47.6		691
1995 ST ₄₆	1995 09 26.31187	22 47 10.33	-08 32 24.4		691	1995 SC ₄₇	* 1995 09 26.34312	00 38 06.25	+02 00 32.0		691
1995 ST ₄₆	1995 09 26.33295	22 47 09.37	-08 32 29.1		691	1995 SC ₄₇	1995 09 26.36393	00 38 05.27	+02 00 27.4	19.1 V	691
1995 ST ₄₆	1995 10 02.24055	22 43 18.82	-08 52 53.9	20.7 V	691	1995 SC ₄₇	1995 09 26.38492	00 38 04.30	+02 00 23.0		691
1995 ST ₄₆	1995 10 02.26192	22 43 17.99	-08 52 58.6		691	1995 SC ₄₇	1995 10 01.36816	00 34 14.24	+01 42 31.2	19.1 V	691
1995 ST ₄₆	1995 10 02.28314	22 43 17.19	-08 53 01.9		691	1995 SC ₄₇	1995 10 01.38889	00 34 13.24	+01 42 26.3		691
1995 SU ₄₆	* 1995 09 26.29126	22 47 53.42	-08 15 33.0	20.6 V	691	1995 SC ₄₇	1995 10 01.40961	00 34 12.23	+01 42 21.8		691
1995 SU ₄₆	1995 09 26.31236	22 47 52.40	-08 15 35.9		691	1995 SD ₄₇	* 1995 09 26.34319	00 38 12.19	+01 55 43.4		691
1995 SU ₄₆	1995 09 26.33343	22 47 51.39	-08 15 38.7		691	1995 SD ₄₇	1995 09 26.36400	00 38 11.21	+01 55 36.2		691
1995 SU ₄₆	1995 10 02.30553	22 43 35.44	-08 26 41.8	20.6 V	691	1995 SD ₄₇	1995 09 26.38499	00 38 10.24	+01 55 29.2	20.2 V	691
1995 SU ₄₆	1995 10 02.32674	22 43 34.59	-08 26 43.9		691	1995 SD ₄₇	1995 09 30.36494	00 35 08.91	+01 32 56.9		691
1995 SU ₄₆	1995 10 02.34799	22 43 33.74	-08 26 45.7		691	1995 SD ₄₇	1995 09 30.38612	00 35 07.92	+01 32 49.6	20.3 V	691
1995 SV ₄₆	* 1995 09 26.29219	22 49 13.72	-08 25 30.2	20.3 V	691	1995 SD ₄₇	1995 09 30.40689	00 35 06.92	+01 32 43.1		691
1995 SV ₄₆	1995 09 26.31328	22 49 12.89	-08 25 36.0		691	1995 SE ₄₇	* 1995 09 26.34322	00 38 15.12	+02 04 47.6	19.7 V	691
1995 SV ₄₆	1995 09 26.33437	22 49 12.07	-08 25 41.5		691	1995 SE ₄₇	1995 09 26.36404	00 38 14.13	+02 04 37.8		691
1995 SV ₄₆	1995 10 02.24225	22 45 46.19	-08 50 12.5		691	1995 SE ₄₇	1995 09 26.38503	00 38 13.14	+02 04 27.9		691
1995 SV ₄₆	1995 10 02.26362	22 45 45.49	-08 50 17.6	20.7 V	691	1995 SE ₄₇	1995 09 30.36496	00 35 10.61	+01 33 20.4		691
1995 SV ₄₆	1995 10 02.28484	22 45 44.76	-08 50 22.5		691	1995 SE ₄₇	1995 09 30.38613	00 35 09.61	+01 33 10.4	19.6 V	691
1995 SW ₄₆	* 1995 09 26.29231	22 49 24.05	-08 08 56.4		691	1995 SE ₄₇	1995 09 30.40691	00 35 08.61	+01 33 00.9		691
1995 SW ₄₆	1995 09 26.31340	22 49 22.96	-08 09 02.4	20.4 V	691	1995 SF ₄₇	* 1995 09 26.34327	00 38 18.99	+01 53 22.9	20.4 V	691
1995 SW ₄₆	1995 09 26.33448	22 49 21.93	-08 09 08.4		691	1995 SF ₄₇	1995 09 26.36408	00 38 18.10	+01 53 11.9		691
1995 SW ₄₆	1995 10 02.32773	22 45 00.15	-08 35 32.2	19.8 V	691	1995 SF ₄₇	1995 09 26.38507	00 38 17.20	+01 53 00.9		691
1995 SW ₄₆	1995 10 02.34897	22 44 59.24	-08 35 37.1		691	1995 SF ₄₇	1995 09 30.36524	00 35 34.70	+01 18 02.7		691
1995 SX ₄₆	* 1995 09 26.34183	00 36 14.69	+01 44 38.1		691	1995 SF ₄₇	1995 09 30.38641	00 35 33.82	+01 17 51.7	21.1 V	691
1995 SX ₄₆	1995 09 26.36265	00 36 13.69	+01 44 31.9	20.6 V	691	1995 SF ₄₇	1995 09 30.40719	00 35 32.93	+01 17 41.2		691
1995 SX ₄₆	1995 09 26.38364	00 36 12.70	+01 44 26.1		691	1995 SG ₄₇	* 1995 09 26.34346	00 38 35.74	+01 50 35.8		691
1995 SX ₄₆	1995 09 30.36358	00 33 08.19	+01 26 10.4		691	1995 SG ₄₇	1995 09 26.36428	00 38 34.79	+01 50 29.7	21.5 V	691
1995 SX ₄₆	1995 09 30.38475	00 33 07.15	+01 26 04.4	20.8 V	691	1995 SG ₄₇	1995 09 26.38526	00 38 33.80	+01 50 24.2		691
1995 SX ₄₆	1995 09 30.40554	00 33 06.16	+01 25 58.8		691	1995 SG ₄₇	1995 09 30.36518	00 35 30.03	+01 31 41.8	21.4 V	691
1995 SY ₄₆	* 1995 09 26.34196	00 36 26.09	+01 45 18.2	19.6 V	691	1995 SG ₄₇	1995 09 30.38636	00 35 29.04	+01 31 35.9		691
1995 SY ₄₆	1995 09 26.36278	00 36 25.04	+01 45 12.6		691	1995 SG ₄₇	1995 09 30.40713	00 35 28.04	+01 31 30.2		691
1995 SY ₄₆	1995 09 26.38377	00 36 23.99	+01 45 06.4		691	1995 SH ₄₇	* 1995 09 26.34426	00 39 45.07	+01 37 36.4		691
1995 SY ₄₆	1995 09 30.36359	00 33 10.65	+01 27 13.8	19.3 V	691	1995 SH ₄₇	1995 09 26.36507	00 39 43.70	+01 37 32.6	21.1 V	691
1995 SY ₄₆	1995 09 30.38477	00 33 09.59	+01 27 07.9		691	1995 SH ₄₇	1995 09 26.38606	00 39 42.33	+01 37 27.8		691
1995 SY ₄₆	1995 09 30.40555	00 33 08.55	+01 27 02.6		691	1995 SH ₄₇	1995 09 30.36510	00 35 23.15	+01 24 19.5	20.6 V	691
1995 SZ ₄₆	* 1995 09 26.34236	00 37 00.48	+01 45 17.3	18.1 V	691	1995 SH ₄₇	1995 09 30.38627	00 35 21.73	+01 24 15.1		691
1995 SZ ₄₆	1995 09 26.36318	00 36 59.53	+01 45 06.3		691	1995 SH ₄₇	1995 09 30.40704	00 35 20.31	+01 24 11.4		691
1995 SZ ₄₆	1995 09 26.38417	00 36 58.58	+01 44 55.3		691	1995 SJ ₄₇	* 1995 09 26.34519	00 41 05.39	+01 50 38.4		691
1995 SZ ₄₆	1995 09 30.36422	00 34 07.05	+01 10 17.7	18.1 V	691	1995 SJ ₄₇	1995 09 26.36600	00 41 04.25	+01 50 36.5	20.9 V	691
1995 SZ ₄₆	1995 09 30.38540	00 34 06.09	+01 10 06.6		691	1995 SJ ₄₇	1995 09 26.38699	00 41 03.15	+01 50 34.6		691
1995 SZ ₄₆	1995 09 30.40618	00 34 05.11	+01 09 56.1		691	1995 SJ ₄₇	1995 10 01.36984	00 36 39.52	+01 43 00.2	21.2 V	691
1995 SA ₄₇	* 1995 09 26.34246	00 37 08.70	+01 48 27.5		691	1995 SJ ₄₇	1995 10 01.39056	00 36 38.37	+01 42 58.0		691
1995 SA ₄₇	1995 09 26.36327	00 37 07.78	+01 48 18.7	20.4 V	691	1995 SJ ₄₇	1995 10 01.41129	00 36 37.25	+01 42 56.0		691
1995 SA ₄₇	1995 09 26.38426	00 37 06.89	+01 48 09.9		691	1995 SK ₄₇	* 1995 09 26.34529	00 41 14.27	+01 42 22.5	20.9 V	691
1995 SA ₄₇	1995 09 30.36437	00 34 19.49	+01 20 29.7		691	1995 SK ₄₇	1995 09 26.36611	00 41 13.26	+01 42 14.6		691
1995 SA ₄₇	1995 09 30.38555	00 34 18.57	+01 20 20.8	20.4 V	691	1995 SK ₄₇	1995 09 26.38709	00 41 12.27	+01 42 06.8		691
1995 SA ₄₇	1995 09 30.40632	00 34 17.62	+01 20 12.4		691	1995 SK ₄₇	1995 09 30.36699	00 38 06.94	+01 17 24.5		691
1995 SB ₄₇	* 1995 09 26.34259	00 37 20.43	+01 39 53.1		691	1995 SK ₄₇	1995 09 30.38817	00 38 05.91	+01 17 16.5	21.0 V	691

1995 SK ₄₇	1995 09 30.40895	00 38 04.91	+01 17 08.7	691	1995 ST ₄₇	1995 09 30.36883	00 40 46.32	+01 17 59.6	19.9 V	691
1995 SL ₄₇	* 1995 09 26.34544	00 41 27.32	+01 44 43.1	691	1995 ST ₄₇	1995 09 30.39001	00 40 45.21	+01 17 51.9		691
1995 SL ₄₇	1995 09 26.36625	00 41 26.03	+01 44 36.8	691	1995 ST ₄₇	1995 09 30.41078	00 40 44.16	+01 17 43.5		691
1995 SL ₄₇	1995 09 26.38724	00 41 24.86	+01 44 29.6	21.5 V	691	1995 SU ₄₇	* 1995 09 26.34739	00 44 16.08	+01 46 57.7	691
1995 SL ₄₇	1995 09 30.36665	00 37 37.58	+01 24 46.5	691	1995 SU ₄₇	1995 09 26.36820	00 44 14.88	+01 46 57.2	21.1 V	691
1995 SL ₄₇	1995 09 30.38783	00 37 36.29	+01 24 40.0	21.3 V	691	1995 SU ₄₇	1995 09 26.38919	00 44 13.68	+01 46 56.3	691
1995 SL ₄₇	1995 09 30.40860	00 37 35.08	+01 24 33.6	691	1995 SU ₄₇	1995 10 01.37185	00 39 34.04	+01 44 37.4		691
1995 SM ₄₇	* 1995 09 26.34572	00 41 51.58	+01 54 01.4	691	1995 SU ₄₇	1995 10 01.39257	00 39 32.83	+01 44 36.3		691
1995 SM ₄₇	1995 09 26.36653	00 41 50.36	+01 53 55.0	20.5 V	691	1995 SU ₄₇	1995 10 01.41330	00 39 31.64	+01 44 35.5	21.3 V
1995 SM ₄₇	1995 09 26.38752	00 41 49.14	+01 53 48.0	691	1995 SV ₄₇	* 1995 09 26.34777	00 44 48.98	+01 44 23.2	19.3 V	691
1995 SM ₄₇	1995 09 30.36692	00 38 00.60	+01 32 40.0	691	1995 SV ₄₇	1995 09 26.36858	00 44 48.00	+01 44 18.1		691
1995 SM ₄₇	1995 09 30.38810	00 37 59.32	+01 32 33.2	20.6 V	691	1995 SV ₄₇	1995 09 26.38957	00 44 47.02	+01 44 13.0	691
1995 SM ₄₇	1995 09 30.40887	00 37 58.09	+01 32 26.5	691	1995 SV ₄₇	1995 09 30.36950	00 41 44.08	+01 28 11.9		691
1995 SN ₄₇	* 1995 09 26.34618	00 42 30.91	+01 55 11.8	21.0 V	691	1995 SV ₄₇	1995 09 30.39068	00 41 43.06	+01 28 07.0	19.2 V
1995 SN ₄₇	1995 09 26.36699	00 42 29.91	+01 55 04.8	691	1995 SV ₄₇	1995 09 30.41145	00 41 42.08	+01 28 01.8		691
1995 SN ₄₇	1995 09 26.38798	00 42 28.92	+01 54 57.1	691	1995 SW ₄₇	* 1995 09 26.34807	00 45 14.62	+02 08 22.1	19.6 V	691
1995 SN ₄₇	1995 09 30.36789	00 39 24.16	+01 31 32.6	691	1995 SW ₄₇	1995 09 26.36888	00 45 13.32	+02 08 16.3		691
1995 SN ₄₇	1995 09 30.38906	00 39 23.10	+01 31 24.9	691	1995 SW ₄₇	1995 09 26.38986	00 45 12.01	+02 08 10.5		691
1995 SN ₄₇	1995 09 30.40984	00 39 22.10	+01 31 16.7	21.6 V	691	1995 SW ₄₇	1995 10 01.37229	00 40 12.12	+01 45 09.8	19.4 V
1995 SO ₄₇	* 1995 09 26.34638	00 42 48.86	+01 53 14.1	21.7 V	691	1995 SW ₄₇	1995 10 01.39301	00 40 10.82	+01 45 04.0	691
1995 SO ₄₇	1995 09 26.36720	00 42 47.94	+01 52 59.9	691	1995 SW ₄₇	1995 10 01.41374	00 40 09.51	+01 44 58.2		691
1995 SO ₄₇	1995 09 26.38819	00 42 46.97	+01 52 45.4	691	1995 SX ₄₇	* 1995 09 26.34820	00 45 25.96	+01 46 31.5		691
1995 SO ₄₇	1995 09 30.36821	00 39 51.87	+01 07 08.6	691	1995 SX ₄₇	1995 09 26.36901	00 45 24.97	+01 46 26.3	19.2 V	691
1995 SO ₄₇	1995 09 30.38938	00 39 50.90	+01 06 54.1	21.5 V	691	1995 SX ₄₇	1995 09 26.39000	00 45 23.94	+01 46 20.7	691
1995 SO ₄₇	1995 09 30.41016	00 39 49.94	+01 06 39.3	691	1995 SX ₄₇	1995 09 30.36986	00 42 14.99	+01 28 37.3	19.5 V	691
1995 SP ₄₇	* 1995 09 26.34645	00 42 54.98	+01 52 16.4	20.4 V	691	1995 SX ₄₇	1995 09 30.39104	00 42 13.96	+01 28 31.6	691
1995 SP ₄₇	1995 09 26.36727	00 42 53.89	+01 52 08.8	691	1995 SX ₄₇	1995 09 30.41181	00 42 12.94	+01 28 26.0		691
1995 SP ₄₇	1995 09 26.38825	00 42 52.84	+01 52 01.4	691	1995 SY ₄₇	* 1995 09 26.34925	00 46 57.06	+02 07 06.3		691
1995 SP ₄₇	1995 09 30.36800	00 39 34.24	+01 27 33.8	20.5 V	691	1995 SY ₄₇	1995 09 26.37006	00 46 56.04	+02 07 01.0	20.6 V
1995 SP ₄₇	1995 09 30.38918	00 39 33.15	+01 27 26.2	691	1995 SY ₄₇	1995 09 26.39105	00 46 55.01	+02 06 55.8		691
1995 SP ₄₇	1995 09 30.40995	00 39 32.07	+01 27 18.0	691	1995 SY ₄₇	1995 10 01.39489	00 42 53.29	+01 46 08.9	20.7 V	691
1995 SQ ₄₇	* 1995 09 26.34658	00 43 05.62	+01 50 29.2	691	1995 SY ₄₇	1995 10 01.41562	00 42 52.24	+01 46 04.0		691
1995 SQ ₄₇	1995 09 26.36739	00 43 04.58	+01 50 19.8	691	1995 SZ ₄₇	* 1995 09 26.34984	00 47 48.33	+01 38 41.4		691
1995 SQ ₄₇	1995 09 26.38838	00 43 03.57	+01 50 10.0	20.6 V	691	1995 SZ ₄₇	1995 09 26.37065	00 47 47.25	+01 38 37.8	19.4 V
1995 SQ ₄₇	1995 09 30.36825	00 39 55.70	+01 20 41.4	20.8 V	691	1995 SZ ₄₇	1995 09 26.39164	00 47 46.13	+01 38 33.8	691
1995 SQ ₄₇	1995 09 30.38943	00 39 54.61	+01 20 32.2	691	1995 SZ ₄₇	1995 09 30.37135	00 44 24.38	+01 26 25.7		691
1995 SQ ₄₇	1995 09 30.41020	00 39 53.58	+01 20 22.8	691	1995 SZ ₄₇	1995 09 30.39253	00 44 23.24	+01 26 21.6	19.5 V	691
1995 SR ₄₇	* 1995 09 26.34684	00 43 28.12	+02 07 16.9	691	1995 SZ ₄₇	1995 09 30.41330	00 44 22.14	+01 26 17.9		691
1995 SR ₄₇	1995 09 26.36765	00 43 26.79	+02 07 11.2	20.5 V	691	1995 SA ₄₈	* 1995 09 26.35063	00 48 56.67	+02 05 01.0	691
1995 SR ₄₇	1995 09 26.38863	00 43 25.46	+02 07 05.6	691	1995 SA ₄₈	1995 09 26.37144	00 48 55.63	+02 04 58.6	20.1 V	691
1995 SR ₄₇	1995 10 01.37094	00 38 15.46	+01 45 39.8	691	1995 SA ₄₈	1995 09 26.39243	00 48 54.57	+02 04 55.8		691
1995 SR ₄₇	1995 10 01.39167	00 38 14.13	+01 45 34.3	19.9 V	691	1995 SA ₄₈	1995 10 01.37546	00 44 46.81	+01 54 37.3	20.0 V
1995 SR ₄₇	1995 10 01.41239	00 38 12.79	+01 45 28.9	691	1995 SA ₄₈	1995 10 01.39619	00 44 45.73	+01 54 34.9		691
1995 SS ₄₇	* 1995 09 26.34699	00 43 41.76	+01 53 10.5	691	1995 SA ₄₈	1995 10 01.41692	00 44 44.68	+01 54 32.2		691
1995 SS ₄₇	1995 09 26.36781	00 43 40.59	+01 53 08.4	19.1 V	691	1995 SB ₄₈	* 1995 09 26.35065	00 48 58.45	+01 54 59.7	20.0 V
1995 SS ₄₇	1995 09 26.38879	00 43 39.41	+01 53 05.7	691	1995 SB ₄₈	1995 09 26.37146	00 48 57.14	+01 54 59.0		691
1995 SS ₄₇	1995 10 01.37155	00 39 07.59	+01 43 53.0	691	1995 SB ₄₈	1995 09 26.39245	00 48 55.82	+01 54 58.1		691
1995 SS ₄₇	1995 10 01.39227	00 39 06.39	+01 43 50.5	19.1 V	691	1995 SB ₄₈	1995 10 01.37478	00 43 48.01	+01 51 33.3	691
1995 SS ₄₇	1995 10 01.41300	00 39 05.19	+01 43 48.1	691	1995 SB ₄₈	1995 10 01.39551	00 43 46.66	+01 51 32.3	20.1 V	691
1995 ST ₄₇	* 1995 09 26.34718	00 43 57.45	+01 43 28.8	19.8 V	691	1995 SB ₄₈	1995 10 01.41623	00 43 45.33	+01 51 31.4	691
1995 ST ₄₇	1995 09 26.36799	00 43 56.42	+01 43 20.8	691	1995 SC ₄₈	* 1995 09 26.35091	00 49 21.02	+01 50 28.5	20.8 V	691
1995 ST ₄₇	1995 09 26.38898	00 43 55.37	+01 43 12.9	691	1995 SC ₄₈	1995 09 26.37173	00 49 20.23	+01 50 22.3		691

1995 SC ₄₈	1995 09 26.39272	00 49 19.39	+01 50 15.6		691	1995 SM ₄₈	1995 09 26.37332	00 51 38.51	+01 38 04.3	20.8 V	691
1995 SC ₄₈	1995 09 30.37309	00 46 55.18	+01 30 46.4	20.9 V	691	1995 SM ₄₈	1995 09 26.39431	00 51 37.27	+01 37 57.0		691
1995 SC ₄₈	1995 09 30.39427	00 46 54.37	+01 30 40.4		691	1995 SM ₄₈	1995 09 30.37371	00 47 48.35	+01 15 22.7	21.1 V	691
1995 SC ₄₈	1995 09 30.41505	00 46 53.60	+01 30 34.0		691	1995 SM ₄₈	1995 09 30.39488	00 47 47.04	+01 15 15.3		691
1995 SD ₄₈	* 1995 09 26.35109	00 49 36.89	+01 44 31.6		691	1995 SM ₄₈	1995 09 30.41565	00 47 45.81	+01 15 08.6		691
1995 SD ₄₈	1995 09 26.37191	00 49 36.01	+01 44 20.8	20.0 V	691	1995 SN ₄₈	* 1995 09 26.35313	00 52 33.70	+02 03 38.6		691
1995 SD ₄₈	1995 09 26.39290	00 49 35.12	+01 44 10.1		691	1995 SN ₄₈	1995 09 26.37395	00 52 32.75	+02 03 28.8	19.5 V	691
1995 SD ₄₈	1995 09 30.37302	00 46 48.56	+01 10 11.0		691	1995 SN ₄₈	1995 09 26.39494	00 52 31.82	+02 03 19.1		691
1995 SD ₄₈	1995 09 30.39420	00 46 47.62	+01 10 00.2		691	1995 SN ₄₈	1995 09 30.37492	00 49 33.59	+01 32 02.1		691
1995 SD ₄₈	1995 09 30.41497	00 46 46.71	+01 09 49.4	20.2 V	691	1995 SN ₄₈	1995 09 30.39610	00 49 32.58	+01 31 51.8	19.8 V	691
1995 SE ₄₈	* 1995 09 26.35164	00 50 24.60	+02 00 56.2		691	1995 SN ₄₈	1995 09 30.41688	00 49 31.62	+01 31 41.9		691
1995 SE ₄₈	1995 09 26.37246	00 50 23.70	+02 00 50.8	18.7 V	691	1995 SO ₄₈	* 1995 09 26.35322	00 52 40.64	+01 37 53.8		691
1995 SE ₄₈	1995 09 26.39345	00 50 22.80	+02 00 45.4		691	1995 SO ₄₈	1995 09 26.37403	00 52 39.74	+01 37 44.4	19.3 V	691
1995 SE ₄₈	1995 10 01.37688	00 46 49.90	+01 39 03.3		691	1995 SO ₄₈	1995 09 26.39502	00 52 38.79	+01 37 35.3		691
1995 SE ₄₈	1995 10 01.39761	00 46 48.99	+01 38 58.0	18.6 V	691	1995 SO ₄₈	1995 09 30.37508	00 49 46.72	+01 08 47.6	19.4 V	691
1995 SE ₄₈	1995 10 01.41834	00 46 48.07	+01 38 52.5		691	1995 SO ₄₈	1995 09 30.39625	00 49 45.72	+01 08 38.3		691
1995 SF ₄₈	* 1995 09 26.35183	00 50 40.39	+01 45 43.4		691	1995 SO ₄₈	1995 09 30.41703	00 49 44.74	+01 08 29.3		691
1995 SF ₄₈	1995 09 26.37264	00 50 39.36	+01 45 36.5	19.9 V	691	1995 SP ₄₈	* 1995 09 26.35335	00 52 52.61	+01 43 32.0		691
1995 SF ₄₈	1995 09 26.39363	00 50 38.33	+01 45 29.4		691	1995 SP ₄₈	1995 09 26.37417	00 52 51.65	+01 43 25.0	19.9 V	691
1995 SF ₄₈	1995 09 30.37348	00 47 28.58	+01 22 52.3		691	1995 SP ₄₈	1995 09 26.39516	00 52 50.67	+01 43 17.7		691
1995 SF ₄₈	1995 09 30.39466	00 47 27.52	+01 22 45.0	19.8 V	691	1995 SP ₄₈	1995 09 30.37510	00 49 48.76	+01 20 34.5		691
1995 SF ₄₈	1995 09 30.41543	00 47 26.50	+01 22 37.8		691	1995 SP ₄₈	1995 09 30.39628	00 49 47.72	+01 20 27.1	20.0 V	691
1995 SG ₄₈	* 1995 09 26.35205	00 50 59.89	+01 46 02.6		691	1995 SP ₄₈	1995 09 30.41705	00 49 46.73	+01 20 20.0		691
1995 SG ₄₈	1995 09 26.37287	00 50 59.04	+01 45 53.6		691	1995 SQ ₄₈	* 1995 09 26.35365	00 53 18.66	+01 55 09.1		691
1995 SG ₄₈	1995 09 26.39386	00 50 58.19	+01 45 42.9	20.2 V	691	1995 SQ ₄₈	1995 09 26.37447	00 53 17.55	+01 55 05.6	19.9 V	691
1995 SG ₄₈	1995 09 30.37407	00 48 19.64	+01 14 25.6	20.4 V	691	1995 SQ ₄₈	1995 09 26.39545	00 53 16.41	+01 55 02.2		691
1995 SG ₄₈	1995 09 30.39525	00 48 18.73	+01 14 15.7		691	1995 SQ ₄₈	1995 10 01.37828	00 48 50.92	+01 41 11.4		691
1995 SG ₄₈	1995 09 30.41602	00 48 17.88	+01 14 05.8		691	1995 SQ ₄₈	1995 10 01.39900	00 48 49.76	+01 41 08.1	19.5 V	691
1995 SH ₄₈	* 1995 09 26.35216	00 51 09.63	+01 44 53.0	18.7 V	691	1995 SQ ₄₈	1995 10 01.41973	00 48 48.60	+01 41 04.7		691
1995 SH ₄₈	1995 09 26.37298	00 51 08.51	+01 44 52.3		691	1995 SR ₄₈	* 1995 09 26.35405	00 53 52.61	+02 00 24.4	19.7 V	691
1995 SH ₄₈	1995 09 26.39396	00 51 07.37	+01 44 51.6		691	1995 SR ₄₈	1995 09 26.37486	00 53 51.78	+02 00 16.6		691
1995 SH ₄₈	1995 10 01.37680	00 46 42.70	+01 41 58.8	18.6 V	691	1995 SR ₄₈	1995 09 26.39585	00 53 50.92	+02 00 08.6		691
1995 SH ₄₈	1995 10 01.39752	00 46 41.56	+01 41 58.2		691	1995 SR ₄₈	1995 09 30.37605	00 51 11.04	+01 35 03.2	19.7 V	691
1995 SH ₄₈	1995 10 01.41825	00 46 40.43	+01 41 57.5		691	1995 SR ₄₈	1995 09 30.39723	00 51 10.15	+01 34 54.9		691
1995 SJ ₄₈	* 1995 09 26.35224	00 51 16.11	+02 08 37.1		691	1995 SR ₄₈	1995 09 30.41800	00 51 09.27	+01 34 47.0		691
1995 SJ ₄₈	1995 09 26.37305	00 51 15.06	+02 08 29.4		691	1995 SS ₄₈	* 1995 09 26.35411	00 53 58.16	+01 44 45.6	18.1 V	691
1995 SJ ₄₈	1995 09 26.39404	00 51 13.98	+02 08 21.6	21.1 V	691	1995 SS ₄₈	1995 09 26.37492	00 53 57.13	+01 44 41.9		691
1995 SJ ₄₈	1995 10 01.37709	00 47 08.13	+01 37 29.9		691	1995 SS ₄₈	1995 09 26.39591	00 53 56.08	+01 44 38.0		691
1995 SJ ₄₈	1995 10 01.41855	00 47 05.95	+01 37 14.5	21.4 V	691	1995 SS ₄₈	1995 09 30.37576	00 50 46.15	+01 32 25.6	17.8 V	691
1995 SK ₄₈	* 1995 09 26.35229	00 51 20.76	+01 53 14.5	19.2 V	691	1995 SS ₄₈	1995 09 30.39694	00 50 45.04	+01 32 21.5		691
1995 SK ₄₈	1995 09 26.37311	00 51 19.65	+01 53 09.4		691	1995 SS ₄₈	1995 09 30.41771	00 50 43.95	+01 32 17.7		691
1995 SK ₄₈	1995 09 26.39409	00 51 18.53	+01 53 04.0		691	1995 ST ₄₈	* 1995 09 26.35452	00 54 33.94	+02 05 31.2	19.4 V	691
1995 SK ₄₈	1995 09 30.37371	00 47 48.39	+01 36 22.5	19.3 V	691	1995 ST ₄₈	1995 09 26.37534	00 54 33.01	+02 05 25.2		691
1995 SK ₄₈	1995 09 30.39488	00 47 47.22	+01 36 16.9		691	1995 ST ₄₈	1995 09 26.39633	00 54 32.07	+02 05 19.2		691
1995 SK ₄₈	1995 09 30.41566	00 47 46.10	+01 36 11.4		691	1995 ST ₄₈	1995 10 01.37966	00 50 50.32	+01 41 27.2		691
1995 SL ₄₈	* 1995 09 26.35246	00 51 34.82	+02 06 30.6	18.8 V	691	1995 ST ₄₈	1995 10 01.40039	00 50 49.37	+01 41 21.5	19.5 V	691
1995 SL ₄₈	1995 09 26.37327	00 51 33.95	+02 06 15.5		691	1995 ST ₄₈	1995 10 01.42112	00 50 48.41	+01 41 15.5		691
1995 SL ₄₈	1995 09 26.39426	00 51 33.07	+02 06 00.6		691	1995 SU ₄₈	* 1995 09 26.35498	00 55 13.86	+01 39 42.0		691
1995 SL ₄₈	1995 09 30.37443	00 48 51.20	+01 17 42.5		691	1995 SU ₄₈	1995 09 26.37579	00 55 12.51	+01 39 43.2	19.1 V	691
1995 SL ₄₈	1995 09 30.39561	00 48 50.26	+01 17 27.0		691	1995 SU ₄₈	1995 09 26.39678	00 55 11.17	+01 39 44.1		691
1995 SL ₄₈	1995 09 30.41639	00 48 49.38	+01 17 11.6	18.9 V	691	1995 SU ₄₈	1995 10 01.37906	00 49 58.79	+01 43 47.0	19.3 V	691
1995 SM ₄₈	* 1995 09 26.35251	00 51 39.76	+01 38 11.8		691	1995 SU ₄₈	1995 10 01.39979	00 49 57.44	+01 43 48.1		691

1995 SU ₄₈	1995 10 01.42051	00 49 56.10	+01 43 49.3		691	1995 SF ₄₉	1995 09 27.21107	23 22 03.68	-03 51 31.9		691
1995 SV ₄₈	* 1995 09 26.35540	00 55 49.69	+01 44 10.1		691	1995 SF ₄₉	1995 09 27.23219	23 22 02.72	-03 51 37.4		691
1995 SV ₄₈	1995 09 26.37621	00 55 48.70	+01 44 01.8	20.1 V	691	1995 SG ₄₉	* 1995 09 22.29204	23 29 54.59	-03 29 42.6	20.8 V	691
1995 SV ₄₈	1995 09 26.39720	00 55 47.72	+01 43 53.0		691	1995 SG ₄₉	1995 09 22.31289	23 29 53.30	-03 29 48.7		691
1995 SV ₄₈	1995 09 30.37721	00 52 51.37	+01 16 27.4	20.2 V	691	1995 SG ₄₉	1995 09 22.33379	23 29 52.00	-03 29 54.7		691
1995 SV ₄₈	1995 09 30.39839	00 52 50.34	+01 16 18.9		691	1995 SG ₄₉	1995 09 27.19238	23 25 10.22	-03 52 01.9	21.2 V	691
1995 SV ₄₈	1995 09 30.41916	00 52 49.31	+01 16 10.2		691	1995 SG ₄₉	1995 09 27.21321	23 25 08.99	-03 52 06.8		691
1995 SY ₄₈	* 1995 09 21.17856	22 49 33.01	-08 52 51.2		691	1995 SG ₄₉	1995 09 27.23433	23 25 07.76	-03 52 12.9		691
1995 SY ₄₈	1995 09 21.18576	22 49 32.71	-08 52 52.8		691	1995 SH ₄₉	* 1995 09 22.29353	23 32 03.30	-03 29 32.6	18.8 V	691
1995 SY ₄₈	1995 09 21.19287	22 49 32.44	-08 52 54.5	20.8 V	691	1995 SH ₄₉	1995 09 22.31437	23 32 02.18	-03 29 36.8		691
1995 SY ₄₈	1995 10 01.31334	22 43 13.71	-09 26 26.9		691	1995 SH ₄₉	1995 09 22.33528	23 32 01.05	-03 29 41.1		691
1995 SY ₄₈	1995 10 01.33570	22 43 12.93	-09 26 30.0		691	1995 SH ₄₉	1995 09 27.19433	23 27 59.39	-03 44 18.2	19.0 V	691
1995 SY ₄₈	1995 10 01.35757	22 43 12.17	-09 26 33.6	20.7 V	691	1995 SH ₄₉	1995 09 27.21516	23 27 58.37	-03 44 21.8		691
1995 SZ ₄₈	* 1995 09 21.25652	22 29 12.92	-08 31 41.7		691	1995 SH ₄₉	1995 09 27.23629	23 27 57.29	-03 44 25.7		691
1995 SZ ₄₈	1995 09 21.27804	22 29 12.10	-08 31 49.3	21.4 V	691	1995 SJ ₄₉	* 1995 09 22.29938	23 40 29.81	-03 30 12.4		691
1995 SZ ₄₈	1995 09 21.29920	22 29 11.30	-08 31 56.5		691	1995 SJ ₄₉	1995 09 22.32022	23 40 28.68	-03 30 17.5	19.3 V	691
1995 SZ ₄₈	1995 10 01.30009	22 24 05.80	-09 25 53.2		691	1995 SJ ₄₉	1995 09 22.34112	23 40 27.56	-03 30 22.4		691
1995 SZ ₄₈	1995 10 01.32246	22 24 05.17	-09 25 59.8		691	1995 SJ ₄₉	1995 09 27.20008	23 36 17.50	-03 48 48.9		691
1995 SZ ₄₈	1995 10 01.34432	22 24 04.62	-09 26 06.4	21.7 V	691	1995 SJ ₄₉	1995 09 27.22091	23 36 16.39	-03 48 53.8	19.6 V	691
1995 SA ₄₉	* 1995 09 21.26419	22 40 17.16	-08 37 37.9		691	1995 SJ ₄₉	1995 09 27.24204	23 36 15.33	-03 48 58.3		691
1995 SA ₄₉	1995 09 21.28570	22 40 16.15	-08 37 40.2	20.7 V	691	1995 SK ₄₉	* 1995 09 22.29943	23 40 33.92	-03 36 03.4	21.4 V	691
1995 SA ₄₉	1995 09 21.30686	22 40 15.27	-08 37 41.5		691	1995 SK ₄₉	1995 09 22.32027	23 40 32.79	-03 36 08.8		691
1995 SA ₄₉	1995 09 26.17631	22 37 10.61	-08 43 59.8		691	1995 SK ₄₉	1995 09 22.34117	23 40 31.67	-03 36 14.0		691
1995 SA ₄₉	1995 09 26.19748	22 37 09.85	-08 44 00.4		691	1995 SK ₄₉	1995 09 27.20020	23 36 27.85	-03 53 53.4		691
1995 SA ₄₉	1995 09 26.21860	22 37 09.10	-08 44 01.7	21.2 V	691	1995 SK ₄₉	1995 09 27.22103	23 36 26.76	-03 53 57.9	21.9 V	691
1995 SB ₄₉	* 1995 09 22.26230	22 41 15.19	-09 16 18.6	20.5 V	691	1995 SK ₄₉	1995 09 27.24216	23 36 25.71	-03 54 01.8		691
1995 SB ₄₉	1995 09 22.26854	22 41 14.94	-09 16 20.2		691	1995 SL ₄₉	* 1995 09 22.29952	23 40 42.03	-03 46 15.5	18.5 V	691
1995 SB ₄₉	1995 09 22.27755	22 41 14.55	-09 16 21.5		691	1995 SL ₄₉	1995 09 22.32036	23 40 40.81	-03 46 18.0		691
1995 SB ₄₉	1995 09 25.24840	22 39 22.14	-09 25 02.2	20.3 V	691	1995 SL ₄₉	1995 09 22.34126	23 40 39.59	-03 46 20.4		691
1995 SB ₄₉	1995 09 25.26934	22 39 21.34	-09 25 05.4		691	1995 SL ₄₉	1995 09 27.19998	23 36 08.84	-03 54 32.9	18.8 V	691
1995 SB ₄₉	1995 09 25.29046	22 39 20.54	-09 25 08.9		691	1995 SL ₄₉	1995 09 27.22081	23 36 07.64	-03 54 35.2		691
1995 SC ₄₉	* 1995 09 22.26254	22 41 36.21	-09 14 12.9		691	1995 SL ₄₉	1995 09 27.24194	23 36 06.49	-03 54 37.2		691
1995 SC ₄₉	1995 09 22.26878	22 41 35.99	-09 14 14.8	18.6 V	691	1995 SM ₄₉	* 1995 09 22.34942	23 21 25.00	-03 22 28.9		691
1995 SC ₄₉	1995 09 22.27779	22 41 35.65	-09 14 17.3		691	1995 SM ₄₉	1995 09 22.37046	23 21 23.94	-03 22 34.8	18.5 V	691
1995 SC ₄₉	1995 09 25.26978	22 40 00.06	-09 26 34.9	18.9 V	691	1995 SM ₄₉	1995 09 22.39139	23 21 22.88	-03 22 40.6		691
1995 SC ₄₉	1995 09 25.29090	22 39 59.35	-09 26 39.7		691	1995 SM ₄₉	1995 09 27.18737	23 17 38.72	-03 44 41.8	18.7 V	691
1995 SD ₄₉	* 1995 09 22.28689	23 22 27.83	-03 29 43.0		691	1995 SM ₄₉	1995 09 27.20821	23 17 37.70	-03 44 46.9		691
1995 SD ₄₉	1995 09 22.30773	23 22 26.59	-03 29 46.3	18.1 V	691	1995 SM ₄₉	1995 09 27.22935	23 17 36.74	-03 44 52.5		691
1995 SD ₄₉	1995 09 22.32863	23 22 25.37	-03 29 49.8		691	1995 SN ₄₉	* 1995 09 22.35001	23 22 15.93	-03 04 59.5	21.4 V	691
1995 SD ₄₉	1995 09 27.18747	23 17 55.25	-03 42 27.9		691	1995 SN ₄₉	1995 09 22.37105	23 22 14.98	-03 05 05.3		691
1995 SD ₄₉	1995 09 27.20831	23 17 54.06	-03 42 30.4	18.3 V	691	1995 SN ₄₉	1995 09 22.39198	23 22 14.05	-03 05 11.7		691
1995 SD ₄₉	1995 09 27.22944	23 17 52.93	-03 42 33.5		691	1995 SN ₄₉	1995 09 27.18802	23 18 52.57	-03 28 34.5	21.6 V	691
1995 SE ₄₉	* 1995 09 22.28845	23 24 43.03	-03 29 06.0	18.9 V	691	1995 SN ₄₉	1995 09 27.20885	23 18 51.65	-03 28 40.1		691
1995 SE ₄₉	1995 09 22.30929	23 24 42.12	-03 29 12.8		691	1995 SN ₄₉	1995 09 27.22998	23 18 50.80	-03 28 45.8		691
1995 SE ₄₉	1995 09 22.33020	23 24 41.22	-03 29 19.5		691	1995 SO ₄₉	* 1995 09 22.35823	23 34 08.14	-03 15 44.9	22.0 V	691
1995 SE ₄₉	1995 09 27.18980	23 21 26.99	-03 54 35.9	19.1 V	691	1995 SO ₄₉	1995 09 22.40020	23 34 05.90	-03 15 53.7		691
1995 SE ₄₉	1995 09 27.21064	23 21 26.13	-03 54 41.6		691	1995 SO ₄₉	1995 09 27.19582	23 30 08.26	-03 32 35.8		691
1995 SE ₄₉	1995 09 27.23176	23 21 25.29	-03 54 48.4		691	1995 SO ₄₉	1995 09 27.21665	23 30 07.22	-03 32 40.3	21.6 V	691
1995 SF ₄₉	* 1995 09 22.28921	23 25 48.83	-03 30 29.3		691	1995 SO ₄₉	1995 09 27.23778	23 30 06.14	-03 32 45.0		691
1995 SF ₄₉	1995 09 22.31005	23 25 47.82	-03 30 34.5	20.8 V	691	1995 SP ₄₉	* 1995 09 24.23219	23 32 21.10	-01 57 02.3	19.7 V	691
1995 SF ₄₉	1995 09 22.33095	23 25 46.80	-03 30 40.2		691	1995 SP ₄₉	1995 09 24.25289	23 32 20.08	-01 57 09.3		691
1995 SF ₄₉	1995 09 27.19024	23 22 04.65	-03 51 27.4	20.8 V	691	1995 SP ₄₉	1995 09 24.27371	23 32 18.98	-01 57 16.4		691

1995 SP ₄₉	1995 09 29.21710	23 28 20.71	-02 24 16.6		691	1995 SY ₄₉	1995 10 02.32507	22 41 10.62	-08 16 44.7	17.8 V	691
1995 SP ₄₉	1995 09 29.23784	23 28 19.74	-02 24 23.0		691	1995 SY ₄₉	1995 10 02.34633	22 41 09.97	-08 16 46.0		691
1995 SP ₄₉	1995 09 29.25868	23 28 18.71	-02 24 29.4	21.0 V	691	1995 SZ ₄₉	* 1995 09 26.29161	22 48 23.73	-08 34 19.5	19.2 V	691
1995 SQ ₄₉	* 1995 09 24.23910	23 42 19.32	-02 06 40.5	19.7 V	691	1995 SZ ₄₉	1995 09 26.31271	22 48 22.98	-08 34 22.7		691
1995 SQ ₄₉	1995 09 24.25979	23 42 18.03	-02 06 44.2		691	1995 SZ ₄₉	1995 10 02.24199	22 45 24.02	-08 48 05.1		691
1995 SQ ₄₉	1995 09 24.28061	23 42 16.76	-02 06 48.5		691	1995 SZ ₄₉	1995 10 02.26336	22 45 23.36	-08 48 07.2	19.6 V	691
1995 SQ ₄₉	1995 09 29.29079	23 37 39.19	-02 21 34.2	20.7 V	691	1995 SZ ₄₉	1995 10 02.28459	22 45 22.75	-08 48 10.1		691
1995 SQ ₄₉	1995 09 29.31175	23 37 38.00	-02 21 37.9		691	1995 SA ₅₀	* 1995 09 26.30914	22 43 14.21	-08 10 41.9	20.4 V	691
1995 SQ ₄₉	1995 09 29.33284	23 37 36.80	-02 21 41.2		691	1995 SA ₅₀	1995 09 26.33022	22 43 13.24	-08 10 47.3		691
1995 SR ₄₉	1995 09 18.42507	01 23 21.80	+09 05 03.5		691	1995 SA ₅₀	1995 10 02.30248	22 39 11.06	-08 33 06.1	20.6 V	691
1995 SR ₄₉	1995 09 18.45429	01 23 20.56	+09 05 07.4	18.8 V	691	1995 SA ₅₀	1995 10 02.32368	22 39 10.23	-08 33 10.4		691
1995 SR ₄₉	1995 09 18.48412	01 23 19.24	+09 05 11.3		691	1995 SA ₅₀	1995 10 02.34493	22 39 09.38	-08 33 14.6		691
1995 SR ₄₉	* 1995 09 24.44864	01 18 57.21	+09 16 33.9	19.3 V	691	1995 SB ₅₀	* 1995 09 26.34525	00 41 10.44	+02 01 58.9	19.7 V	691
1995 SR ₄₉	1995 09 24.46977	01 18 56.17	+09 16 35.8		691	1995 SB ₅₀	1995 09 26.36606	00 41 09.36	+02 01 50.8		691
1995 SR ₄₉	1995 09 30.42878	01 13 57.13	+09 25 03.2	18.9 V	691	1995 SB ₅₀	1995 09 26.38705	00 41 08.31	+02 01 42.5		691
1995 SR ₄₉	1995 09 30.44984	01 13 55.99	+09 25 04.7		691	1995 SB ₅₀	1995 09 30.38809	00 37 58.47	+01 35 48.8		691
1995 SR ₄₉	1995 09 30.47101	01 13 54.84	+09 25 05.9		691	1995 SB ₅₀	1995 09 30.40886	00 37 57.40	+01 35 40.7	19.6 V	691
1995 SS ₄₉	* 1995 09 25.30743	00 40 03.11	+01 02 01.4	20.2 V	691	1995 SC ₅₀	* 1995 09 26.40533	01 14 48.51	+10 20 53.1	20.3 V	691
1995 SS ₄₉	1995 09 25.32830	00 40 01.85	+01 01 54.9		691	1995 SC ₅₀	1995 09 26.42684	01 14 47.59	+10 20 43.0		691
1995 SS ₄₉	1995 09 30.30011	00 35 04.01	+00 38 45.9		691	1995 SC ₅₀	1995 09 26.44800	01 14 46.70	+10 20 33.6		691
1995 SS ₄₉	1995 09 30.32229	00 35 02.60	+00 38 39.9		691	1995 SC ₅₀	1995 10 01.43058	01 11 17.08	+09 39 18.3	20.3 V	691
1995 SS ₄₉	1995 09 30.34343	00 35 01.29	+00 38 33.6	20.8 V	691	1995 SC ₅₀	1995 10 01.45163	01 11 16.06	+09 39 07.2		691
1995 ST ₄₉	* 1995 09 25.31771	00 54 53.34	+00 46 20.0		691	1995 SC ₅₀	1995 10 01.47282	01 11 15.13	+09 38 55.9		691
1995 ST ₄₉	1995 09 25.33858	00 54 52.32	+00 46 15.4	19.5 V	691	1995 SD ₅₀	* 1995 09 26.40645	01 16 26.35	+10 31 40.5		691
1995 ST ₄₉	1995 09 25.35946	00 54 51.33	+00 46 10.7		691	1995 SD ₅₀	1995 09 26.42797	01 16 25.34	+10 31 29.5		691
1995 ST ₄₉	1995 09 30.21443	00 51 05.13	+00 27 51.4	19.5 V	691	1995 SD ₅₀	1995 09 26.44913	01 16 24.40	+10 31 18.6	20.8 V	691
1995 ST ₄₉	1995 09 30.23672	00 51 03.98	+00 27 45.8		691	1995 SD ₅₀	1995 10 01.43128	01 12 40.94	+09 47 02.3		691
1995 SU ₄₉	* 1995 09 25.37554	00 47 00.10	+01 20 41.7	18.6 V	691	1995 SD ₅₀	1995 10 01.45232	01 12 39.86	+09 46 50.6	20.5 V	691
1995 SU ₄₉	1995 09 25.41729	00 46 57.79	+01 20 28.0		691	1995 SD ₅₀	1995 10 01.47351	01 12 38.84	+09 46 38.4		691
1995 SU ₄₉	1995 09 30.30526	00 42 29.89	+00 53 34.9		691	1995 SE ₅₀	* 1995 09 26.40682	01 16 57.57	+10 30 19.0		691
1995 SU ₄₉	1995 09 30.32744	00 42 28.61	+00 53 27.6		691	1995 SE ₅₀	1995 09 26.42832	01 16 56.44	+10 30 09.0	20.0 V	691
1995 SU ₄₉	1995 09 30.34858	00 42 27.36	+00 53 20.8	18.5 V	691	1995 SE ₅₀	1995 09 26.44949	01 16 55.32	+10 29 59.2		691
1995 SV ₄₉	* 1995 09 25.37704	00 49 09.46	+01 12 20.8		691	1995 SE ₅₀	1995 10 01.43121	01 12 35.17	+09 50 36.6		691
1995 SV ₄₉	1995 09 25.39793	00 49 08.28	+01 12 15.5		691	1995 SE ₅₀	1995 10 01.45226	01 12 33.96	+09 50 26.3	19.7 V	691
1995 SV ₄₉	1995 09 25.41878	00 49 07.04	+01 12 09.9	20.7 V	691	1995 SE ₅₀	1995 10 01.47344	01 12 32.81	+09 50 15.7		691
1995 SV ₄₉	1995 09 30.30656	00 44 21.99	+00 50 10.4	20.8 V	691	1995 SF ₅₀	* 1995 09 26.40752	01 17 58.78	+10 30 35.6	21.5 V	691
1995 SV ₄₉	1995 09 30.32874	00 44 20.63	+00 50 04.3		691	1995 SF ₅₀	1995 09 26.42903	01 17 57.91	+10 30 32.4		691
1995 SV ₄₉	1995 09 30.34987	00 44 19.31	+00 49 58.5		691	1995 SF ₅₀	1995 10 02.36539	01 13 43.88	+10 13 15.1		691
1995 SW ₄₉	* 1995 09 26.28759	22 42 35.41	-08 23 14.6	20.1 V	691	1995 SF ₅₀	1995 10 02.38649	01 13 42.90	+10 13 10.9	21.1 V	691
1995 SW ₄₉	1995 09 26.30869	22 42 34.64	-08 23 23.2		691	1995 SF ₅₀	1995 10 02.40774	01 13 41.88	+10 13 06.8		691
1995 SW ₄₉	1995 09 26.32977	22 42 33.91	-08 23 31.9		691	1995 SG ₅₀	* 1995 09 26.40760	01 18 05.40	+10 25 19.8	21.2 V	691
1995 SW ₄₉	1995 10 02.23802	22 39 39.92	-09 00 50.4		691	1995 SG ₅₀	1995 09 26.45028	01 18 03.64	+10 25 08.0		691
1995 SW ₄₉	1995 10 02.25939	22 39 39.37	-09 00 57.4	20.7 V	691	1995 SG ₅₀	1995 10 01.43260	01 14 34.77	+10 01 27.5	21.0 V	691
1995 SX ₄₉	* 1995 09 26.28787	22 42 59.77	-08 16 20.9		691	1995 SG ₅₀	1995 10 01.45364	01 14 33.82	+10 01 21.2		691
1995 SX ₄₉	1995 09 26.30897	22 42 58.92	-08 16 25.0	20.8 V	691	1995 SG ₅₀	1995 10 01.47483	01 14 32.90	+10 01 14.6		691
1995 SX ₄₉	1995 09 26.33005	22 42 58.10	-08 16 28.7		691	1995 SH ₅₀	* 1995 09 26.40780	01 18 22.79	+10 26 47.3		691
1995 SX ₄₉	1995 10 02.30276	22 39 35.35	-08 33 30.8	20.7 V	691	1995 SH ₅₀	1995 09 26.42931	01 18 21.96	+10 26 37.8	20.5 V	691
1995 SX ₄₉	1995 10 02.32397	22 39 34.61	-08 33 33.6		691	1995 SH ₅₀	1995 09 26.45048	01 18 21.15	+10 26 28.2		691
1995 SX ₄₉	1995 10 02.34522	22 39 33.93	-08 33 36.9		691	1995 SH ₅₀	1995 10 01.43299	01 15 09.10	+09 48 05.2	20.3 V	691
1995 SY ₄₉	* 1995 09 26.28898	22 44 36.15	-08 07 26.3	18.0 V	691	1995 SH ₅₀	1995 10 01.45404	01 15 08.23	+09 47 55.4		691
1995 SY ₄₉	1995 09 26.31008	22 44 35.26	-08 07 28.7		691	1995 SH ₅₀	1995 10 01.47523	01 15 07.40	+09 47 45.0		691
1995 SY ₄₉	1995 10 02.30387	22 41 11.34	-08 16 43.3		691	1995 SJ ₅₀	* 1995 09 26.40793	01 18 34.55	+10 12 17.6		691

1995 SJ ₅₀	1995 09 26.42945	01 18 33.57	+10 12 19.3	21.3 V	691	1995 SS ₅₀	1995 09 26.43092	01 20 41.21	+10 16 15.7	691
1995 SJ ₅₀	1995 09 26.45061	01 18 32.61	+10 12 20.6		691	1995 SS ₅₀	1995 09 26.45208	01 20 40.10	+10 16 08.9	691
1995 SJ ₅₀	1995 10 02.36556	01 13 58.50	+10 16 47.8	21.5 V	691	1995 SS ₅₀	1995 10 01.43379	01 16 18.58	+09 47 15.0	691
1995 SJ ₅₀	1995 10 02.40790	01 13 56.22	+10 16 49.2		691	1995 SS ₅₀	1995 10 01.45484	01 16 17.39	+09 47 07.4	691
1995 SK ₅₀	* 1995 09 26.40818	01 18 55.37	+10 27 08.4	20.5 V	691	1995 SS ₅₀	1995 10 01.47602	01 16 16.19	+09 46 59.5	20.9 V 691
1995 SK ₅₀	1995 09 26.42968	01 18 54.20	+10 27 06.6		691	1995 ST ₅₀	* 1995 09 26.40956	01 20 55.28	+10 12 28.4	691
1995 SK ₅₀	1995 10 02.36532	01 13 37.17	+10 17 18.3		691	1995 ST ₅₀	1995 09 26.43107	01 20 54.24	+10 12 24.6	691
1995 SK ₅₀	1995 10 02.38641	01 13 35.90	+10 17 15.2	21.2 V	691	1995 ST ₅₀	1995 09 26.45223	01 20 53.16	+10 12 21.7	21.5 V 691
1995 SK ₅₀	1995 10 02.40765	01 13 34.68	+10 17 13.2		691	1995 ST ₅₀	1995 10 01.43409	01 16 44.10	+09 58 18.6	21.0 V 691
1995 SL ₅₀	* 1995 09 26.40834	01 19 10.05	+10 22 07.2	19.8 V	691	1995 ST ₅₀	1995 10 01.45513	01 16 42.98	+09 58 14.5	691
1995 SL ₅₀	1995 09 26.42986	01 19 09.11	+10 22 06.5		691	1995 ST ₅₀	1995 10 01.47632	01 16 41.82	+09 58 10.6	691
1995 SL ₅₀	1995 09 26.45102	01 19 08.20	+10 22 05.8		691	1995 SU ₅₀	* 1995 09 26.40989	01 21 23.65	+10 33 54.6	19.1 V 691
1995 SL ₅₀	1995 10 02.36613	01 14 47.72	+10 16 55.5	19.8 V	691	1995 SU ₅₀	1995 09 26.43140	01 21 22.48	+10 33 50.9	691
1995 SL ₅₀	1995 10 02.38722	01 14 46.62	+10 16 53.5		691	1995 SU ₅₀	1995 09 26.45256	01 21 21.32	+10 33 47.3	691
1995 SL ₅₀	1995 10 02.40847	01 14 45.56	+10 16 52.0		691	1995 SU ₅₀	1995 10 02.36689	01 15 53.78	+10 15 09.5	19.1 V 691
1995 SM ₅₀	* 1995 09 26.40841	01 19 15.47	+10 37 28.8	20.2 V	691	1995 SU ₅₀	1995 10 02.38798	01 15 52.52	+10 15 05.0	691
1995 SM ₅₀	1995 09 26.42992	01 19 14.64	+10 37 20.7		691	1995 SU ₅₀	1995 10 02.40923	01 15 51.26	+10 15 00.7	691
1995 SM ₅₀	1995 09 26.45109	01 19 13.83	+10 37 12.6		691	1995 SV ₅₀	* 1995 09 26.41013	01 21 44.71	+10 16 45.8	691
1995 SM ₅₀	1995 10 01.43358	01 16 00.41	+10 04 30.0	19.9 V	691	1995 SV ₅₀	1995 09 26.43164	01 21 43.76	+10 16 43.4	18.2 V 691
1995 SM ₅₀	1995 10 01.45463	01 15 59.54	+10 04 21.5		691	1995 SV ₅₀	1995 09 26.45281	01 21 42.83	+10 16 40.8	691
1995 SM ₅₀	1995 10 01.47582	01 15 58.68	+10 04 12.9		691	1995 SV ₅₀	1995 10 01.43497	01 18 00.83	+10 05 27.6	17.6 V 691
1995 SN ₅₀	* 1995 09 26.40855	01 19 28.07	+10 36 57.2		691	1995 SV ₅₀	1995 10 01.45602	01 17 59.78	+10 05 24.2	691
1995 SN ₅₀	1995 09 26.43006	01 19 26.84	+10 36 57.1	20.2 V	691	1995 SV ₅₀	1995 10 01.47720	01 17 58.71	+10 05 20.7	691
1995 SN ₅₀	1995 09 26.45122	01 19 25.63	+10 36 56.9		691	1995 SW ₅₀	* 1995 09 26.41021	01 21 52.03	+10 21 55.5	20.5 V 691
1995 SN ₅₀	1995 10 02.36536	01 13 40.77	+10 34 42.2	20.3 V	691	1995 SW ₅₀	1995 09 26.43172	01 21 50.91	+10 21 53.1	691
1995 SN ₅₀	1995 10 02.38645	01 13 39.43	+10 34 41.2		691	1995 SW ₅₀	1995 09 26.45289	01 21 49.77	+10 21 50.6	691
1995 SN ₅₀	1995 10 02.40769	01 13 38.11	+10 34 40.3		691	1995 SW ₅₀	1995 10 02.36735	01 16 32.95	+10 08 49.0	691
1995 SO ₅₀	* 1995 09 26.40858	01 19 30.71	+10 11 46.7	19.5 V	691	1995 SW ₅₀	1995 10 02.38844	01 16 31.74	+10 08 45.9	691
1995 SO ₅₀	1995 09 26.43009	01 19 29.66	+10 11 39.6		691	1995 SW ₅₀	1995 10 02.40968	01 16 30.50	+10 08 42.3	21.6 V 691
1995 SO ₅₀	1995 09 26.45126	01 19 28.65	+10 11 32.9		691	1995 SX ₅₀	* 1995 09 26.41033	01 22 01.66	+10 09 17.5	20.0 V 691
1995 SO ₅₀	1995 10 01.43320	01 15 27.56	+09 43 38.0	19.2 V	691	1995 SX ₅₀	1995 09 26.43184	01 22 01.22	+10 08 59.2	691
1995 SO ₅₀	1995 10 01.45425	01 15 26.45	+09 43 30.7		691	1995 SX ₅₀	1995 09 26.45302	01 22 00.80	+10 08 41.1	691
1995 SO ₅₀	1995 10 01.47543	01 15 25.38	+09 43 23.0		691	1995 SX ₅₀	1995 09 30.43350	01 20 45.60	+09 10 21.1	19.7 V 691
1995 SP ₅₀	* 1995 09 26.40914	01 20 19.21	+10 12 29.2	18.3 V	691	1995 SX ₅₀	1995 09 30.45457	01 20 45.08	+09 10 01.8	691
1995 SP ₅₀	1995 09 26.43066	01 20 18.41	+10 12 22.2		691	1995 SX ₅₀	1995 09 30.47574	01 20 44.57	+09 09 42.2	691
1995 SP ₅₀	1995 09 26.45182	01 20 17.63	+10 12 15.0		691	1995 SY ₅₀	* 1995 09 26.41118	01 23 15.92	+10 34 52.1	691
1995 SP ₅₀	1995 10 01.43443	01 17 13.71	+09 43 03.4	17.8 V	691	1995 SY ₅₀	1995 09 26.43270	01 23 15.12	+10 34 39.6	21.4 V 691
1995 SP ₅₀	1995 10 01.45547	01 17 12.81	+09 42 55.5		691	1995 SY ₅₀	1995 09 26.45386	01 23 14.36	+10 34 28.2	691
1995 SP ₅₀	1995 10 01.47666	01 17 11.91	+09 42 47.3		691	1995 SY ₅₀	1995 10 01.43645	01 20 08.58	+09 46 08.3	21.1 V 691
1995 SQ ₅₀	* 1995 09 26.40924	01 20 27.57	+10 11 53.3	21.0 V	691	1995 SY ₅₀	1995 10 01.45749	01 20 07.73	+09 45 55.5	691
1995 SQ ₅₀	1995 09 26.43075	01 20 26.53	+10 11 46.3		691	1995 SY ₅₀	1995 10 01.47868	01 20 06.86	+09 45 42.9	691
1995 SQ ₅₀	1995 09 26.45191	01 20 25.39	+10 11 40.1		691	1995 SZ ₅₀	* 1995 09 26.41204	01 24 30.07	+10 08 43.2	691
1995 SQ ₅₀	1995 10 01.43377	01 16 16.31	+09 45 38.4	21.0 V	691	1995 SZ ₅₀	1995 09 26.43355	01 24 29.13	+10 08 36.5	20.0 V 691
1995 SQ ₅₀	1995 10 01.45481	01 16 15.19	+09 45 31.3		691	1995 SZ ₅₀	1995 09 26.45472	01 24 28.23	+10 08 30.2	691
1995 SQ ₅₀	1995 10 01.47600	01 16 14.09	+09 45 24.2		691	1995 SZ ₅₀	1995 10 01.43698	01 20 54.29	+09 42 07.7	691
1995 SR ₅₀	* 1995 09 26.40932	01 20 34.60	+10 08 24.5	20.2 V	691	1995 SZ ₅₀	1995 10 01.45802	01 20 53.33	+09 42 00.8	19.5 V 691
1995 SR ₅₀	1995 09 26.43083	01 20 33.58	+10 08 23.9		691	1995 SZ ₅₀	1995 10 01.47921	01 20 52.33	+09 41 53.7	691
1995 SR ₅₀	1995 09 26.45200	01 20 32.55	+10 08 23.0		691	1995 SA ₅₁	* 1995 09 26.41209	01 24 34.85	+10 12 15.4	691
1995 SR ₅₀	1995 10 01.43391	01 16 28.34	+10 04 45.7	19.8 V	691	1995 SA ₅₁	1995 09 26.43361	01 24 33.92	+10 12 10.3	20.7 V 691
1995 SR ₅₀	1995 10 01.45495	01 16 27.25	+10 04 44.5		691	1995 SA ₅₁	1995 09 26.45477	01 24 33.04	+10 12 04.8	691
1995 SR ₅₀	1995 10 01.47614	01 16 26.14	+10 04 43.2		691	1995 SA ₅₁	1995 10 01.43703	01 20 58.64	+09 49 30.9	691
1995 SS ₅₀	* 1995 09 26.40941	01 20 42.34	+10 16 23.4	21.5 V	691	1995 SA ₅₁	1995 10 01.45807	01 20 57.68	+09 49 24.8	20.1 V 691

1995 SA ₅₁	1995 10 01.47926	01 20 56.69	+09 49 18.5		691	1995 SJ ₅₁	1995 09 29.41877	01 28 58.29	+10 14 52.3		691
1995 SB ₅₁	* 1995 09 26.41286	01 25 40.91	+10 24 50.4	20.7 V	691	1995 SJ ₅₁	1995 09 29.42636	01 28 57.85	+10 14 50.6		691
1995 SB ₅₁	1995 09 26.43437	01 25 39.99	+10 24 45.2		691	1995 SK ₅₁	* 1995 09 26.41705	01 31 44.41	+10 29 00.3	19.3 V	691
1995 SB ₅₁	1995 09 26.45554	01 25 39.14	+10 24 40.6		691	1995 SK ₅₁	1995 09 26.43856	01 31 43.52	+10 28 55.9		691
1995 SB ₅₁	1995 10 01.43782	01 22 07.69	+10 04 34.8		691	1995 SK ₅₁	1995 09 26.45973	01 31 42.65	+10 28 51.9		691
1995 SB ₅₁	1995 10 01.45887	01 22 06.77	+10 04 29.3	20.2 V	691	1995 SK ₅₁	1995 09 29.41144	01 29 41.90	+10 18 55.9	19.2 V	691
1995 SB ₅₁	1995 10 01.48006	01 22 05.82	+10 04 23.4		691	1995 SK ₅₁	1995 09 29.41913	01 29 41.56	+10 18 54.5		691
1995 SC ₅₁	* 1995 09 26.41311	01 26 02.94	+10 31 33.9		691	1995 SK ₅₁	1995 09 29.42672	01 29 41.26	+10 18 52.8		691
1995 SC ₅₁	1995 09 26.43462	01 26 01.99	+10 31 26.5	20.7 V	691	1995 SK ₅₁	1995 10 02.37499	01 27 35.36	+10 08 19.4	19.3 V	691
1995 SC ₅₁	1995 09 26.45579	01 26 01.07	+10 31 19.0		691	1995 SK ₅₁	1995 10 02.39609	01 27 34.42	+10 08 14.7		691
1995 SC ₅₁	1995 10 01.43801	01 22 23.98	+09 59 55.0	20.6 V	691	1995 SK ₅₁	1995 10 02.41734	01 27 33.45	+10 08 10.1		691
1995 SC ₅₁	1995 10 01.45906	01 22 23.06	+09 59 46.6		691	1995 SL ₅₁	* 1995 09 26.41710	01 31 48.25	+10 37 05.9	21.2 V	691
1995 SC ₅₁	1995 10 01.48024	01 22 22.08	+09 59 38.3		691	1995 SL ₅₁	1995 09 26.43861	01 31 47.36	+10 37 02.1		691
1995 SD ₅₁	* 1995 09 26.41368	01 26 52.01	+10 17 08.0	21.3 V	691	1995 SL ₅₁	1995 09 26.45978	01 31 46.51	+10 36 58.4		691
1995 SD ₅₁	1995 09 26.43519	01 26 50.93	+10 17 02.7		691	1995 SL ₅₁	1995 09 29.41920	01 29 48.31	+10 27 42.5	21.3 V	691
1995 SD ₅₁	1995 10 01.43817	01 22 37.71	+09 53 23.9		691	1995 SL ₅₁	1995 09 29.42679	01 29 47.95	+10 27 41.2		691
1995 SD ₅₁	1995 10 01.45921	01 22 36.55	+09 53 17.9	21.3 V	691	1995 SL ₅₁	1995 10 02.37503	01 27 38.97	+10 17 11.9	21.8 V	691
1995 SD ₅₁	1995 10 01.48040	01 22 35.39	+09 53 11.3		691	1995 SL ₅₁	1995 10 02.41737	01 27 36.89	+10 17 01.7		691
1995 SE ₅₁	* 1995 09 26.41490	01 28 37.79	+10 23 20.3	20.1 V	691	1995 SM ₅₁	* 1995 09 26.41727	01 32 03.41	+10 17 10.7	20.8 V	691
1995 SE ₅₁	1995 09 26.43641	01 28 36.85	+10 23 14.6		691	1995 SM ₅₁	1995 09 26.43878	01 32 02.38	+10 17 05.9		691
1995 SE ₅₁	1995 09 26.45758	01 28 35.95	+10 23 09.1		691	1995 SM ₅₁	1995 09 26.45995	01 32 01.39	+10 17 01.9		691
1995 SE ₅₁	1995 10 01.43979	01 24 57.90	+10 00 04.6	19.9 V	691	1995 SM ₅₁	1995 09 29.41144	01 29 41.92	+10 06 38.1		691
1995 SE ₅₁	1995 10 01.46083	01 24 56.95	+09 59 58.4		691	1995 SM ₅₁	1995 09 29.41913	01 29 41.53	+10 06 36.8		691
1995 SE ₅₁	1995 10 01.48202	01 24 55.93	+09 59 52.4		691	1995 SM ₅₁	1995 09 29.42671	01 29 41.15	+10 06 35.0	20.6 V	691
1995 SF ₅₁	* 1995 09 26.41556	01 29 35.31	+10 23 50.9		691	1995 SM ₅₁	1995 10 01.44191	01 28 01.80	+09 59 00.2		691
1995 SF ₅₁	1995 09 26.43707	01 29 34.44	+10 23 40.4	20.3 V	691	1995 SM ₅₁	1995 10 01.46295	01 28 00.69	+09 58 55.4	20.4 V	691
1995 SF ₅₁	1995 09 26.45824	01 29 33.56	+10 23 30.3		691	1995 SM ₅₁	1995 10 01.48414	01 27 59.64	+09 58 50.5		691
1995 SF ₅₁	1995 10 01.44061	01 26 08.78	+09 41 32.0	20.1 V	691	1995 SN ₅₁	* 1995 09 26.41752	01 32 25.02	+10 21 06.9	19.6 V	691
1995 SF ₅₁	1995 10 01.46165	01 26 07.86	+09 41 21.1		691	1995 SN ₅₁	1995 09 26.43903	01 32 24.04	+10 21 06.6		691
1995 SF ₅₁	1995 10 01.48284	01 26 06.87	+09 41 10.0		691	1995 SN ₅₁	1995 09 26.46020	01 32 23.08	+10 21 06.4		691
1995 SG ₅₁	* 1995 09 26.41688	01 31 29.60	+10 25 06.3		691	1995 SN ₅₁	1995 09 29.41175	01 30 08.78	+10 20 19.8	19.8 V	691
1995 SG ₅₁	1995 09 26.43839	01 31 28.69	+10 24 59.6		691	1995 SN ₅₁	1995 09 29.41944	01 30 08.42	+10 20 19.6		691
1995 SG ₅₁	1995 09 26.45956	01 31 27.83	+10 24 53.7	20.7 V	691	1995 SN ₅₁	1995 09 29.42702	01 30 08.04	+10 20 19.5		691
1995 SG ₅₁	1995 09 29.41122	01 29 23.33	+10 10 01.6		691	1995 SN ₅₁	1995 10 02.37512	01 27 46.14	+10 18 48.4	20.3 V	691
1995 SG ₅₁	1995 09 29.41891	01 29 23.01	+10 09 59.1	20.7 V	691	1995 SN ₅₁	1995 10 02.39621	01 27 45.07	+10 18 47.7		691
1995 SG ₅₁	1995 09 29.42650	01 29 22.68	+10 09 56.6		691	1995 SN ₅₁	1995 10 02.41746	01 27 43.98	+10 18 46.7		691
1995 SG ₅₁	1995 10 01.44181	01 27 53.21	+09 59 13.9		691	1995 SO ₅₁	* 1995 09 26.41811	01 33 16.28	+10 35 30.4	21.8 V	691
1995 SG ₅₁	1995 10 01.46286	01 27 52.19	+09 59 07.1	20.5 V	691	1995 SO ₅₁	1995 09 26.43962	01 33 15.35	+10 35 27.3		691
1995 SG ₅₁	1995 10 01.48404	01 27 51.25	+09 59 00.3		691	1995 SO ₅₁	1995 09 26.46079	01 33 14.39	+10 35 24.0		691
1995 SH ₅₁	* 1995 09 26.41693	01 31 33.58	+10 30 45.5	19.8 V	691	1995 SO ₅₁	1995 10 02.37578	01 28 43.86	+10 17 45.6	22.3 V	691
1995 SH ₅₁	1995 09 26.43844	01 31 32.40	+10 30 42.7		691	1995 SO ₅₁	1995 10 02.39687	01 28 42.82	+10 17 41.7		691
1995 SH ₅₁	1995 09 26.45960	01 31 31.25	+10 30 40.4		691	1995 SO ₅₁	1995 10 02.41812	01 28 41.77	+10 17 37.9		691
1995 SH ₅₁	1995 09 29.41103	01 28 51.25	+10 24 24.8	20.0 V	691	1995 SP ₅₁	* 1995 09 26.41860	01 33 58.64	+10 29 41.8	21.1 V	691
1995 SH ₅₁	1995 09 29.41873	01 28 50.82	+10 24 23.8		691	1995 SP ₅₁	1995 09 26.44011	01 33 57.63	+10 29 38.2		691
1995 SH ₅₁	1995 09 29.42632	01 28 50.39	+10 24 22.7		691	1995 SP ₅₁	1995 09 26.46128	01 33 56.66	+10 29 35.3		691
1995 SH ₅₁	1995 10 02.37390	01 26 00.69	+10 17 04.5	19.7 V	691	1995 SP ₅₁	1995 09 29.41281	01 31 40.88	+10 21 10.3	21.3 V	691
1995 SH ₅₁	1995 10 02.39499	01 25 59.41	+10 17 01.4		691	1995 SP ₅₁	1995 09 29.42050	01 31 40.52	+10 21 08.9		691
1995 SH ₅₁	1995 10 02.41623	01 25 58.12	+10 16 58.0		691	1995 SP ₅₁	1995 09 29.42809	01 31 40.12	+10 21 08.0		691
1995 SJ ₅₁	* 1995 09 26.41704	01 31 43.75	+10 26 11.2	19.9 V	691	1995 SP ₅₁	1995 10 02.37615	01 29 16.01	+10 11 48.9	21.3 V	691
1995 SJ ₅₁	1995 09 26.43855	01 31 42.55	+10 26 06.4		691	1995 SP ₅₁	1995 10 02.39724	01 29 14.86	+10 11 44.4		691
1995 SJ ₅₁	1995 09 26.45972	01 31 41.36	+10 26 01.9		691	1995 SP ₅₁	1995 10 02.41849	01 29 13.73	+10 11 40.0		691
1995 SJ ₅₁	1995 09 29.41108	01 28 58.74	+10 14 54.2	20.1 V	691	1995 SQ ₅₁	* 1995 09 26.41886	01 34 20.67	+10 16 32.4	21.7 V	691

1995 SQ ₅₁	1995 09 26.44037	01 34 19.89	+10 16 23.2	691	1995 SX ₅₁	1995 10 02.37795	01 31 51.99	+10 13 31.4	691
1995 SQ ₅₁	1995 09 26.46154	01 34 19.13	+10 16 14.2	691	1995 SX ₅₁	1995 10 02.39905	01 31 50.91	+10 13 31.2	19.6 V 691
1995 SQ ₅₁	1995 10 01.44415	01 31 15.47	+09 40 05.4	691	1995 SY ₅₁	* 1995 09 26.42038	01 36 33.13	+10 27 10.1	19.8 V 691
1995 SQ ₅₁	1995 10 01.46519	01 31 14.62	+09 39 55.7	21.1 V 691	1995 SY ₅₁	1995 09 26.44189	01 36 31.95	+10 27 06.9	691
1995 SQ ₅₁	1995 10 01.48638	01 31 13.78	+09 39 46.2	691	1995 SY ₅₁	1995 09 26.46306	01 36 30.80	+10 27 04.1	691
1995 SR ₅₁	* 1995 09 26.41888	01 34 22.46	+10 21 24.3	691	1995 SY ₅₁	1995 09 29.41430	01 33 50.28	+10 19 35.6	19.8 V 691
1995 SR ₅₁	1995 09 26.44039	01 34 21.59	+10 21 19.2	20.8 V 691	1995 SY ₅₁	1995 09 29.42199	01 33 49.85	+10 19 34.3	691
1995 SR ₅₁	1995 09 26.46156	01 34 20.78	+10 21 14.5	691	1995 SY ₅₁	1995 09 29.42958	01 33 49.40	+10 19 33.3	691
1995 SR ₅₁	1995 09 29.41333	01 32 26.29	+10 10 28.7	691	1995 SY ₅₁	1995 10 02.37736	01 31 00.69	+10 11 10.5	19.8 V 691
1995 SR ₅₁	1995 09 29.42102	01 32 25.99	+10 10 27.0	20.8 V 691	1995 SY ₅₁	1995 10 02.39845	01 30 59.40	+10 11 06.8	691
1995 SR ₅₁	1995 09 29.42861	01 32 25.67	+10 10 24.9	691	1995 SY ₅₁	1995 10 02.41970	01 30 58.13	+10 11 03.0	691
1995 SS ₅₁	* 1995 09 26.41925	01 34 54.48	+10 28 03.0	19.4 V 691	1995 SZ ₅₁	* 1995 09 26.42072	01 37 02.38	+10 23 26.1	17.7 V 691
1995 SS ₅₁	1995 09 26.44076	01 34 53.61	+10 27 58.8	691	1995 SZ ₅₁	1995 09 26.44223	01 37 01.36	+10 23 17.8	691
1995 SS ₅₁	1995 09 26.46193	01 34 52.76	+10 27 54.7	691	1995 SZ ₅₁	1995 09 26.46340	01 37 00.36	+10 23 09.5	691
1995 SS ₅₁	1995 09 29.41365	01 32 54.03	+10 17 59.7	19.4 V 691	1995 SZ ₅₁	1995 09 29.41489	01 34 41.25	+10 03 37.8	17.0 V 691
1995 SS ₅₁	1995 09 29.42134	01 32 53.71	+10 17 58.0	691	1995 SZ ₅₁	1995 09 29.42258	01 34 40.87	+10 03 34.9	691
1995 SS ₅₁	1995 09 29.42893	01 32 53.38	+10 17 56.4	691	1995 SZ ₅₁	1995 09 29.43017	01 34 40.48	+10 03 31.6	691
1995 ST ₅₁	* 1995 09 26.41941	01 35 09.06	+10 23 44.0	20.8 V 691	1995 SA ₅₂	* 1995 09 26.42098	01 37 24.83	+10 25 49.7	20.0 V 691
1995 ST ₅₁	1995 09 26.44093	01 35 08.13	+10 23 40.8	691	1995 SA ₅₂	1995 09 26.44250	01 37 24.09	+10 25 40.2	691
1995 ST ₅₁	1995 09 26.46209	01 35 07.24	+10 23 37.8	691	1995 SA ₅₂	1995 09 26.46367	01 37 23.38	+10 25 30.2	691
1995 ST ₅₁	1995 09 29.41375	01 33 02.86	+10 16 14.2	21.0 V 691	1995 SA ₅₂	1995 10 01.44639	01 34 29.65	+09 46 12.8	691
1995 ST ₅₁	1995 09 29.42145	01 33 02.54	+10 16 12.9	691	1995 SA ₅₂	1995 10 01.46743	01 34 28.86	+09 46 00.8	19.7 V 691
1995 ST ₅₁	1995 09 29.42903	01 33 02.19	+10 16 11.8	691	1995 SA ₅₂	1995 10 01.48862	01 34 28.07	+09 45 50.5	691
1995 ST ₅₁	1995 10 02.37726	01 30 51.42	+10 08 06.4	691	1995 SB ₅₂	* 1995 09 26.42102	01 37 27.97	+10 11 39.7	20.1 V 691
1995 ST ₅₁	1995 10 02.39835	01 30 50.44	+10 08 03.6	21.1 V 691	1995 SB ₅₂	1995 09 26.44253	01 37 27.04	+10 11 37.5	691
1995 ST ₅₁	1995 10 02.41960	01 30 49.45	+10 07 59.7	691	1995 SB ₅₂	1995 09 26.46370	01 37 26.13	+10 11 34.9	691
1995 SU ₅₁	* 1995 09 26.41950	01 35 16.67	+10 35 47.9	20.2 V 691	1995 SB ₅₂	1995 09 29.41535	01 35 21.32	+10 06 13.2	20.3 V 691
1995 SU ₅₁	1995 09 26.44102	01 35 16.05	+10 35 43.2	691	1995 SB ₅₂	1995 09 29.42304	01 35 20.94	+10 06 12.5	691
1995 SU ₅₁	1995 09 26.46219	01 35 15.39	+10 35 38.9	691	1995 SB ₅₂	1995 09 29.43063	01 35 20.57	+10 06 11.2	691
1995 SU ₅₁	1995 10 02.37818	01 32 11.49	+10 13 16.4	20.3 V 691	1995 SB ₅₂	1995 10 01.44590	01 33 47.57	+10 01 48.5	19.9 V 691
1995 SU ₅₁	1995 10 02.39927	01 32 10.71	+10 13 11.6	691	1995 SB ₅₂	1995 10 01.46694	01 33 46.50	+10 01 45.3	691
1995 SU ₅₁	1995 10 02.42053	01 32 10.00	+10 13 05.7	691	1995 SB ₅₂	1995 10 01.48813	01 33 45.45	+10 01 42.4	691
1995 SV ₅₁	* 1995 09 26.42001	01 36 00.53	+10 13 39.9	691	1995 SC ₅₂	* 1995 09 26.42115	01 37 39.01	+10 16 07.9	691
1995 SV ₅₁	1995 09 26.44152	01 35 59.59	+10 13 35.9	20.9 V 691	1995 SC ₅₂	1995 09 26.44266	01 37 37.93	+10 16 01.3	20.9 V 691
1995 SV ₅₁	1995 09 26.46269	01 35 58.64	+10 13 31.9	691	1995 SC ₅₂	1995 09 26.46382	01 37 36.82	+10 15 54.5	691
1995 SV ₅₁	1995 09 29.41429	01 33 49.05	+10 03 51.5	691	1995 SC ₅₂	1995 10 01.44558	01 33 19.88	+09 48 46.6	20.6 V 691
1995 SV ₅₁	1995 09 29.42198	01 33 48.74	+10 03 50.4	21.1 V 691	1995 SC ₅₂	1995 10 01.46662	01 33 18.67	+09 48 39.2	691
1995 SV ₅₁	1995 09 29.42957	01 33 48.37	+10 03 47.6	691	1995 SC ₅₂	1995 10 01.48781	01 33 17.52	+09 48 32.1	691
1995 SV ₅₁	1995 10 01.44484	01 32 15.23	+09 56 43.1	691	1995 SD ₅₂	* 1995 09 26.42119	01 37 42.46	+10 26 57.8	691
1995 SV ₅₁	1995 10 01.46588	01 32 14.20	+09 56 38.1	20.9 V 691	1995 SD ₅₂	1995 09 26.44270	01 37 41.57	+10 26 54.8	19.9 V 691
1995 SW ₅₁	* 1995 09 26.42010	01 36 08.11	+10 10 13.8	691	1995 SD ₅₂	1995 09 26.46387	01 37 40.70	+10 26 52.0	691
1995 SW ₅₁	1995 09 26.44161	01 36 07.17	+10 10 11.7	21.2 V 691	1995 SD ₅₂	1995 09 29.41557	01 35 40.41	+10 20 07.5	691
1995 SW ₅₁	1995 09 26.46278	01 36 06.27	+10 10 09.6	691	1995 SD ₅₂	1995 09 29.42326	01 35 40.06	+10 20 06.0	20.6 V 691
1995 SW ₅₁	1995 10 01.44499	01 32 28.79	+10 00 37.1	691	1995 SD ₅₂	1995 09 29.43085	01 35 39.72	+10 20 05.1	691
1995 SW ₅₁	1995 10 01.46604	01 32 27.81	+10 00 34.4	20.9 V 691	1995 SD ₅₂	1995 10 02.37907	01 33 28.43	+10 12 17.1	691
1995 SW ₅₁	1995 10 01.48723	01 32 26.81	+10 00 32.3	691	1995 SD ₅₂	1995 10 02.40016	01 33 27.39	+10 12 13.7	19.7 V 691
1995 SX ₅₁	* 1995 09 26.42028	01 36 24.07	+10 13 15.6	691	1995 SD ₅₂	1995 10 02.42141	01 33 26.36	+10 12 10.0	691
1995 SX ₅₁	1995 09 26.44179	01 36 23.11	+10 13 16.1	19.3 V 691	1995 SE ₅₂	* 1995 09 26.44057	01 34 37.29	+10 13 29.4	21.5 V 691
1995 SX ₅₁	1995 09 26.46296	01 36 22.17	+10 13 16.4	691	1995 SE ₅₂	1995 09 26.46174	01 34 36.48	+10 13 20.8	691
1995 SX ₅₁	1995 09 29.41455	01 34 11.77	+10 13 46.7	691	1995 SE ₅₂	1995 10 01.44432	01 31 30.25	+09 40 07.4	21.2 V 691
1995 SX ₅₁	1995 09 29.42224	01 34 11.39	+10 13 46.8	19.4 V 691	1995 SE ₅₂	1995 10 01.46536	01 31 29.36	+09 39 59.1	691
1995 SX ₅₁	1995 09 29.42983	01 34 11.03	+10 13 46.5	691	1995 SE ₅₂	1995 10 01.48655	01 31 28.54	+09 39 50.0	691

1995 SF ₅₂	* 1995 09 27.36398	01 19 18.97	+08 45 43.0	18.4 V	691	1995 SO ₅₂	1995 10 02.39813	01 30 31.67	+10 12 23.6	21.1 V	691
1995 SF ₅₂	1995 09 27.38510	01 19 16.87	+08 45 53.1		691	1995 SO ₅₂	1995 10 02.41938	01 30 30.61	+10 12 16.6		691
1995 SF ₅₂	1995 09 27.40616	01 19 14.76	+08 46 03.3		691	1995 SP ₅₂	* 1995 09 29.41410	01 33 32.71	+10 24 20.8	19.9 V	691
1995 SF ₅₂	1995 09 30.42899	01 14 15.20	+09 10 05.0	18.5 V	691	1995 SP ₅₂	1995 09 29.42179	01 33 32.32	+10 24 19.3		691
1995 SF ₅₂	1995 09 30.45004	01 14 13.01	+09 10 14.6		691	1995 SP ₅₂	1995 09 29.42938	01 33 31.94	+10 24 18.2		691
1995 SF ₅₂	1995 09 30.47120	01 14 10.82	+09 10 24.3		691	1995 SP ₅₂	1995 10 02.37735	01 30 59.55	+10 15 14.0		691
1995 SG ₅₂	* 1995 09 27.36781	01 24 50.72	+08 42 14.7		691	1995 SP ₅₂	1995 10 02.39844	01 30 58.39	+10 15 10.1		691
1995 SG ₅₂	1995 09 27.38894	01 24 49.00	+08 42 26.0		691	1995 SP ₅₂	1995 10 02.41969	01 30 57.18	+10 15 05.6	19.8 V	691
1995 SG ₅₂	1995 09 27.41000	01 24 47.26	+08 42 37.0	20.6 V	691	1995 SQ ₅₂	* 1995 09 29.41438	01 33 56.79	+10 31 54.9	21.9 V	691
1995 SG ₅₂	1995 09 30.43346	01 20 41.89	+09 08 57.6		691	1995 SQ ₅₂	1995 09 29.42207	01 33 56.39	+10 31 52.2		691
1995 SG ₅₂	1995 09 30.45451	01 20 40.10	+09 09 08.5	20.3 V	691	1995 SQ ₅₂	1995 09 29.42966	01 33 56.03	+10 31 49.7		691
1995 SG ₅₂	1995 09 30.47567	01 20 38.30	+09 09 19.2		691	1995 SQ ₅₂	1995 10 02.37759	01 31 20.61	+10 16 27.3		691
1995 SH ₅₂	* 1995 09 29.41079	01 28 09.26	+10 28 17.0	19.9 V	691	1995 SQ ₅₂	1995 10 02.39868	01 31 19.40	+10 16 20.4		691
1995 SH ₅₂	1995 09 29.41848	01 28 08.85	+10 28 15.1		691	1995 SQ ₅₂	1995 10 02.41993	01 31 18.21	+10 16 13.4	21.8 V	691
1995 SH ₅₂	1995 09 29.42607	01 28 08.44	+10 28 13.3		691	1995 SR ₅₂	* 1995 09 29.41505	01 34 55.14	+10 15 29.9	21.2 V	691
1995 SH ₅₂	1995 10 02.37353	01 25 28.82	+10 15 53.4	20.0 V	691	1995 SR ₅₂	1995 09 29.42274	01 34 54.70	+10 15 29.2		691
1995 SH ₅₂	1995 10 02.39462	01 25 27.62	+10 15 48.3		691	1995 SR ₅₂	1995 09 29.43033	01 34 54.26	+10 15 28.3		691
1995 SH ₅₂	1995 10 02.41587	01 25 26.40	+10 15 42.5		691	1995 SR ₅₂	1995 10 02.37816	01 32 09.82	+10 10 59.2		691
1995 SJ ₅₂	* 1995 09 29.41092	01 28 32.38	+10 32 38.2	19.3 V	691	1995 SR ₅₂	1995 10 02.39925	01 32 08.57	+10 10 57.4	21.6 V	691
1995 SJ ₅₂	1995 09 29.41862	01 28 32.06	+10 32 36.6		691	1995 SR ₅₂	1995 10 02.42050	01 32 07.28	+10 10 55.3		691
1995 SJ ₅₂	1995 09 29.42621	01 28 31.72	+10 32 35.5		691	1995 SS ₅₂	* 1995 09 29.41995	01 30 52.68	+10 02 31.1	19.3 V	691
1995 SJ ₅₂	1995 10 02.37414	01 26 21.22	+10 22 44.0	19.1 V	691	1995 SS ₅₂	1995 09 29.42754	01 30 52.28	+10 02 29.7		691
1995 SJ ₅₂	1995 10 02.39523	01 26 20.25	+10 22 39.5		691	1995 SS ₅₂	1995 10 01.44273	01 29 12.76	+09 55 57.1	19.1 V	691
1995 SJ ₅₂	1995 10 02.41648	01 26 19.24	+10 22 35.0		691	1995 SS ₅₂	1995 10 01.46377	01 29 11.64	+09 55 52.9		691
1995 SK ₅₂	* 1995 09 29.41107	01 28 58.09	+10 15 40.3	18.7 V	691	1995 SS ₅₂	1995 10 01.48496	01 29 10.59	+09 55 48.7		691
1995 SK ₅₂	1995 09 29.41877	01 28 57.79	+10 15 36.8		691	1995 ST ₅₂	* 1995 09 29.45700	02 25 22.07	+14 18 42.5	20.7 V	691
1995 SK ₅₂	1995 09 29.42636	01 28 57.50	+10 15 33.4		691	1995 ST ₅₂	1995 09 29.47698	02 25 21.31	+14 18 40.5		691
1995 SK ₅₂	1995 10 01.44168	01 27 41.97	+10 00 07.0	18.2 V	691	1995 ST ₅₂	1995 09 29.49734	02 25 20.58	+14 18 38.3		691
1995 SK ₅₂	1995 10 01.46273	01 27 41.08	+09 59 57.1		691	1995 ST ₅₂	1995 10 03.38520	02 22 51.27	+14 11 38.4	20.3 V	691
1995 SK ₅₂	1995 10 01.48392	01 27 40.25	+09 59 47.3		691	1995 ST ₅₂	1995 10 03.42724	02 22 49.47	+14 11 34.0		691
1995 SL ₅₂	* 1995 09 29.41136	01 29 35.65	+10 20 02.3		691	1995 ST ₅₂	1995 10 03.46741	02 22 47.79	+14 11 29.8		691
1995 SL ₅₂	1995 09 29.41905	01 29 35.26	+10 19 58.9	21.6 V	691	1995 SF ₅₃	1995 09 23.18800	23 35 00.17	-02 30 05.1		691
1995 SL ₅₂	1995 09 29.42664	01 29 34.84	+10 19 55.2		691	1995 SF ₅₃	1995 09 23.20865	23 34 59.19	-02 30 13.0	19.5 V	691
1995 SL ₅₂	1995 10 01.44177	01 27 49.30	+10 04 12.0		691	1995 SF ₅₃	1995 09 23.22932	23 34 58.19	-02 30 20.5		691
1995 SL ₅₂	1995 10 01.46281	01 27 48.08	+10 04 02.4	21.2 V	691	1995 SU ₅₃	1995 10 02.29394	22 26 51.65	-08 21 14.5	18.8 V	691
1995 SL ₅₂	1995 10 01.48399	01 27 46.96	+10 03 52.1		691	1995 SU ₅₃	1995 10 02.31515	22 26 51.13	-08 21 19.2		691
1995 SM ₅₂	* 1995 09 29.41219	01 30 47.29	+10 31 42.3		691	1995 SU ₅₃	1995 10 02.33640	22 26 50.61	-08 21 23.5		691
1995 SM ₅₂	1995 09 29.41988	01 30 46.96	+10 31 39.8		691	1995 SV ₅₃	1995 10 02.29395	22 26 52.11	-08 20 13.0		691
1995 SM ₅₂	1995 09 29.42747	01 30 46.64	+10 31 37.7	20.6 V	691	1995 SV ₅₃	1995 10 02.31516	22 26 51.50	-08 20 16.9	19.1 V	691
1995 SM ₅₂	1995 10 02.37572	01 28 38.01	+10 16 28.6		691	1995 SV ₅₃	1995 10 02.33641	22 26 50.88	-08 20 20.8		691
1995 SM ₅₂	1995 10 02.39681	01 28 37.02	+10 16 21.9	20.6 V	691	1995 TD	1995 08 17.43936	00 57 45.27	+09 15 06.8	17.7 V	691
1995 SM ₅₂	1995 10 02.41806	01 28 36.03	+10 16 15.2		691	1995 TD	1995 08 17.46059	00 57 45.64	+09 15 04.2		691
1995 SN ₅₂	* 1995 09 29.41318	01 32 13.28	+10 12 58.7		691	1995 TD	1995 08 17.48194	00 57 45.98	+09 15 02.6		691
1995 SN ₅₂	1995 09 29.42087	01 32 12.96	+10 12 54.1	20.4 V	691	1995 TJ	* 1995 10 01.31704	22 48 33.87	-09 20 57.2	20.5 V	691
1995 SN ₅₂	1995 09 29.42846	01 32 12.65	+10 12 50.0		691	1995 TJ	1995 10 01.33940	22 48 32.78	-09 20 52.5		691
1995 SN ₅₂	1995 10 01.44385	01 30 49.41	+09 53 50.9	20.1 V	691	1995 TJ	1995 10 01.36126	22 48 31.72	-09 20 48.2		691
1995 SN ₅₂	1995 10 01.46489	01 30 48.47	+09 53 38.9		691	1995 TJ	1995 10 03.17830	22 47 10.62	-09 14 36.6		691
1995 SN ₅₂	1995 10 01.48608	01 30 47.59	+09 53 26.6		691	1995 TJ	1995 10 03.18546	22 47 10.30	-09 14 34.9	20.5 V	691
1995 SO ₅₂	* 1995 09 29.41357	01 32 46.56	+10 27 58.2		691	1995 TJ	1995 10 03.19167	22 47 10.01	-09 14 33.8		691
1995 SO ₅₂	1995 09 29.42126	01 32 46.24	+10 27 56.1	20.8 V	691	1995 TK	* 1995 10 02.24259	22 46 15.95	-08 52 19.2		691
1995 SO ₅₂	1995 09 29.42885	01 32 45.88	+10 27 53.9		691	1995 TK	1995 10 02.26397	22 46 15.46	-08 52 31.9	18.7 V	691
1995 SO ₅₂	1995 10 02.37704	01 30 32.69	+10 12 30.2		691	1995 TK	1995 10 02.28519	22 46 14.98	-08 52 45.2		691

1995 TK	1995 10 03.17745	22 45 57.46	-09 01 47.2		691	1995 UB ₂	1995 10 21.20614	01 22 26.91	+08 37 30.2	20.0 V	691
1995 TK	1995 10 03.18461	22 45 57.32	-09 01 51.4	18.7 V	691	1995 UB ₂	1995 10 21.22713	01 22 25.78	+08 37 10.8	19.9 V	691
1995 TK	1995 10 03.19083	22 45 57.19	-09 01 55.1		691	1995 UB ₂	1995 10 23.31573	01 20 33.91	+08 04 45.0	20.3 V	691
1995 TL	* 1995 10 02.24317	22 47 06.33	-09 09 50.8	20.0 V	691	1995 UB ₂	1995 10 23.32124	01 20 33.61	+08 04 40.2	20.5 V	691
1995 TL	1995 10 02.26454	22 47 05.35	-09 09 50.8		691	1995 UB ₂	1995 10 23.32997	01 20 33.14	+08 04 32.1	20.5 V	691
1995 TL	1995 10 02.28576	22 47 04.39	-09 09 50.9		691	1995 UB ₂	1995 10 27.27532	01 17 07.48	+07 03 39.7	20.4	691
1995 TL	1995 10 03.17780	22 46 27.38	-09 09 47.2		691	1995 UB ₂	1995 10 27.28834	01 17 06.79	+07 03 27.8	20.3	691
1995 TL	1995 10 03.18496	22 46 27.10	-09 09 47.2	20.1 V	691	1995 UC ₂	* 1995 10 21.39096	02 12 50.77	+06 58 28.5	20.8 V	691
1995 TL	1995 10 03.19117	22 46 26.82	-09 09 46.9		691	1995 UC ₂	1995 10 21.41198	02 12 46.56	+06 59 11.7	21.0 V	691
1995 TM	* 1995 10 02.24366	22 47 48.62	-08 41 03.9		691	1995 UC ₂	1995 10 21.43498	02 12 41.96	+07 00 00.1	20.8 V	691
1995 TM	1995 10 02.26505	22 47 49.68	-08 41 44.3	19.1 V	691	1995 UC ₂	1995 10 23.34221	02 06 35.03	+08 05 10.6	20.7 V	691
1995 TM	1995 10 02.28630	22 47 50.75	-08 42 24.4		691	1995 UC ₂	1995 10 23.34771	02 06 33.93	+08 05 22.5	20.3 V	691
1995 TM	1995 10 03.17935	22 48 41.77	-09 10 12.9	19.5 V	691	1995 UC ₂	1995 10 23.36135	02 06 31.25	+08 05 49.5	21.4 V	691
1995 TM	1995 10 03.18652	22 48 42.12	-09 10 26.3		691	1995 UC ₂	1995 10 24.22245	02 03 48.62	+08 34 35.4	20.9 V	691
1995 TM	1995 10 03.30107	22 48 48.06	-09 13 57.6	19.7 V	691	1995 UC ₂	1995 10 24.22809	02 03 47.54	+08 34 46.5	21.0 V	691
1995 TM	1995 10 03.30818	22 48 48.43	-09 14 10.2		691	1995 UC ₂	1995 10 24.23370	02 03 46.44	+08 34 57.5	20.9 V	691
1995 TM	1995 10 03.31463	22 48 48.77	-09 14 22.0		691	1995 UC ₂	1995 10 27.31131	01 54 17.77	+10 14 06.2		691
1995 TP	1995 09 25.43548	01 20 29.66	+10 04 57.1	17.9 V	691	1995 UC ₂	1995 10 27.31788	01 54 16.66	+10 14 18.3		691
1995 TP	1995 09 25.45659	01 20 28.89	+10 04 47.0		691	1995 UO ₅	* 1995 10 26.39075	02 16 52.19	+06 15 07.7	20.2 V	691
1995 TP	1995 09 25.47778	01 20 28.02	+10 04 35.7		691	1995 UO ₅	1995 10 26.41169	02 16 49.37	+06 15 07.7	20.1 V	691
1995 TP	1995 09 30.45202	01 17 04.42	+09 21 09.2	17.8 V	691	1995 UO ₅	1995 10 26.44412	02 16 45.06	+06 15 07.8	20.1 V	691
1995 TP	1995 09 30.47319	01 17 03.46	+09 20 57.5		691	1995 UO ₅	1995 10 27.41549	02 14 36.69	+06 15 14.0	19.8	691
1995 TT	1995 10 02.45506	02 28 51.93	+14 34 12.0	17.1 V	691	1995 UO ₅	1995 10 27.42184	02 14 35.87	+06 15 14.0	20.0	691
1995 TT	1995 10 02.47665	02 28 51.05	+14 34 13.2		691	4087 P-L	1995 09 27.19600	23 30 23.29	-03 36 36.4		691
1995 TT	1995 10 02.49812	02 28 50.19	+14 34 14.2		691	4087 P-L	1995 09 27.21682	23 30 22.22	-03 36 42.3	19.0 V	691
1995 TU	1995 09 18.43297	01 34 45.70	+09 19 08.4	17.5 V	691	4087 P-L	1995 09 27.23795	23 30 21.08	-03 36 48.5		691
1995 TU	1995 09 18.46219	01 34 44.66	+09 19 03.7		691	4559 P-L	1995 09 17.33619	23 29 39.94	-03 13 41.4		691
1995 TU	1995 09 18.49202	01 34 43.52	+09 18 58.7		691	4559 P-L	1995 09 17.35722	23 29 38.98	-03 13 47.8	18.4 V	691
1995 UB	* 1995 10 18.13640	00 24 49.95	+04 50 57.2	17.3 V	691	4559 P-L	1995 09 17.37820	23 29 38.07	-03 13 53.6		691
1995 UB	1995 10 18.18941	00 29 45.25	+04 15 09.1		691	6792 P-L	1995 09 18.32969	00 51 16.27	+00 02 41.4	18.0 V	691
1995 UB	1995 10 18.23156	00 33 24.01	+03 48 14.2		691	6792 P-L	1995 09 18.35036	00 51 15.38	+00 02 35.0		691
1995 UB	1995 10 18.28034	00 37 21.36	+03 18 47.4	17.4 V	691	6792 P-L	1995 09 18.38239	00 51 13.99	+00 02 25.1		691
1995 UB	1995 10 18.35552	00 43 00.40	+02 36 38.5		691	2209 T-1	1994 03 14.46456	14 02 10.80	-09 04 54.8		691
1995 UB	1995 10 18.41808	00 47 22.73	+02 04 21.3	17.8 V	691	2209 T-1	1994 03 14.48831	14 02 10.21	-09 04 51.4	19.4 V	691
1995 UB	1995 10 19.21286	01 25 36.85	-02 18 30.3	18.3 V	691	2209 T-1	1994 03 14.51065	14 02 09.61	-09 04 48.0		691
1995 UB	1995 10 19.39745	01 30 21.67	-02 55 35.1	18.9 V	691	3271 T-1	1995 09 29.28879	23 34 45.46	-02 04 19.6	17.4 V	691
1995 UB	1995 10 20.29197	01 48 07.67	-04 56 13.6	20.2 V	691	3271 T-1	1995 09 29.30975	23 34 44.45	-02 04 25.1		691
1995 UB	1995 10 20.29622	01 48 10.67	-04 56 37.9	19.9 V	691	3271 T-1	1995 09 29.33084	23 34 43.43	-02 04 30.6		691
1995 UB	1995 10 24.32906	02 13 45.34	-07 44 53.8	22.2 V	691	1153 T-2	1995 09 25.24144	22 29 19.37	-09 23 47.9		691
1995 UB	1995 10 24.33999	02 13 46.48	-07 45 03.9	21.9 V	691	1153 T-2	1995 09 25.26238	22 29 18.66	-09 23 52.3		691
1995 UB	1995 10 24.34514	02 13 47.06	-07 45 09.2	22.0 V	691	1153 T-2	1995 09 25.28350	22 29 17.90	-09 23 56.6	18.8 V	691
1995 UB	1995 10 25.27067	02 16 08.00	-07 58 24.0	22.2 V	691	1153 T-2	1995 10 01.19283	22 26 16.14	-09 43 13.9		691
1995 UB	1995 10 25.27597	02 16 08.47	-07 58 27.6	22.2 V	691	1153 T-2	1995 10 01.21583	22 26 15.45	-09 43 17.9		691
1995 UB	1995 10 25.30569	02 16 10.73	-07 58 50.2	22.6 V	691	1153 T-2	1995 10 01.23785	22 26 14.82	-09 43 21.8		691
1995 UB	1995 10 25.31148	02 16 11.22	-07 58 54.7	22.0 V	691	1335 T-2	1995 09 18.26748	23 39 13.73	-02 11 14.2	18.6 V	691
1995 UB	1995 10 26.35873	02 18 08.43	-08 09 35.9	22.7 V	691	1335 T-2	1995 09 18.28881	23 39 12.74	-02 11 20.5		691
1995 UB	1995 10 26.36373	02 18 08.73	-08 09 38.1	23.1 V	691	1335 T-2	1995 09 18.30948	23 39 11.81	-02 11 26.9		691
1995 UB	1995 10 26.36874	02 18 09.03	-08 09 40.6	22.6 V	691	1335 T-2	1995 09 23.18842	23 35 36.67	-02 35 31.1		691
1995 UZ ₁	1995 10 01.44112	01 26 53.10	+09 44 47.6	19.2 V	691	1335 T-2	1995 09 23.20907	23 35 35.75	-02 35 37.2		691
1995 UZ ₁	1995 10 01.46216	01 26 52.13	+09 44 41.9		691	1335 T-2	1995 09 23.22974	23 35 34.84	-02 35 42.6		691
1995 UZ ₁	1995 10 01.48335	01 26 51.09	+09 44 36.4		691	2083 T-2	1995 09 20.18143	22 26 32.38	-09 38 34.8	19.0 V	691
1995 UB ₂	* 1995 10 21.18499	01 22 28.15	+08 37 49.8	19.8 V	691	2083 T-2	1995 09 20.20328	22 26 31.56	-09 38 39.6		691

2083 T-2	1995 09 20.22436	22 26 30.78	-09 38 44.4		691	(1488)	1995 09 23.20717	23 32 51.53	-02 54 32.3	14.9 V	691
3160 T-2	1992 01 28.25391	08 28 29.60	+09 54 11.7	19.7 V	691	(1488)	1995 09 23.22784	23 32 50.47	-02 54 35.2		691
3160 T-2	1992 01 28.28257	08 28 28.23	+09 54 20.8		691	(1632)	1995 09 26.47461	02 18 20.58	+13 16 42.8	15.2 V	691
3160 T-2	1992 01 28.30664	08 28 27.06	+09 54 28.2		691	(1632)	1995 09 26.48740	02 18 20.20	+13 16 38.7		691
3160 T-2	1995 09 21.17883	22 49 55.83	-09 02 20.9		691	(1632)	1995 09 26.50014	02 18 19.82	+13 16 34.6		691
3160 T-2	1995 09 21.18602	22 49 55.54	-09 02 24.0		691	(1636)	1995 09 17.27480	23 32 41.99	-03 42 18.5	14.1 V	691
3160 T-2	1995 09 21.19313	22 49 55.27	-09 02 27.3	18.5 V	691	(1636)	1995 09 17.29582	23 32 40.81	-03 42 30.1		691
3160 T-2	1995 09 25.25411	22 47 36.74	-09 31 18.8		691	(1636)	1995 09 17.31666	23 32 39.62	-03 42 41.3		691
3160 T-2	1995 09 25.27505	22 47 36.04	-09 31 27.6		691	(1651)	1995 09 19.44159	01 44 05.68	+09 42 12.4	14.6 V	691
3160 T-2	1995 09 25.29617	22 47 35.34	-09 31 36.6		691	(1651)	1995 09 19.47065	01 44 04.64	+09 42 01.9		691
3160 T-2	1995 10 01.20557	22 44 39.90	-10 09 49.1	18.7 V	691	(1651)	1995 09 19.49948	01 44 03.62	+09 41 51.1		691
3160 T-2	1995 10 01.22858	22 44 39.25	-10 09 57.9		691	(1859)	1995 09 26.17338	22 32 57.37	-08 58 58.9		691
3160 T-2	1995 10 01.25060	22 44 38.61	-10 10 05.7		691	(1859)	1995 09 26.19455	22 32 56.57	-08 59 00.9	15.7 V	691
(260)	1995 09 25.31174	00 46 16.94	+01 02 30.5		691	(1859)	1995 09 26.21567	22 32 55.81	-08 59 02.9		691
(260)	1995 09 25.33262	00 46 16.12	+01 02 22.7		691	(1894)	1995 09 21.25275	22 23 24.15	-08 33 47.5		691
(260)	1995 09 25.35350	00 46 15.31	+01 02 15.0		691	(1894)	1995 09 21.27425	22 23 23.29	-08 33 52.7		691
(260)	1995 09 30.18670	00 43 07.66	+00 32 09.0	13.2 V	691	(1894)	1995 09 21.29542	22 23 22.48	-08 33 57.2	16.3 V	691
(260)	1995 09 30.20890	00 43 06.79	+00 32 01.0		691	(2188)	1995 09 19.20101	22 42 47.22	-10 01 11.9		691
(260)	1995 09 30.23119	00 43 05.87	+00 31 52.5		691	(2188)	1995 09 19.22228	22 42 46.33	-10 01 18.3	15.6 V	691
(315)	1995 09 25.17755	22 30 18.37	-10 04 29.7		691	(2188)	1995 09 19.24339	22 42 45.44	-10 01 24.4		691
(315)	1995 09 25.19901	22 30 17.74	-10 04 34.9		691	(2248)	1995 09 20.19573	22 47 11.06	-09 35 26.7	16.6 V	691
(315)	1995 09 25.22032	22 30 17.14	-10 04 40.6	14.3 V	691	(2248)	1995 09 20.21758	22 47 10.16	-09 35 31.7		691
(632)	1995 09 19.42777	01 24 07.94	+09 51 27.9		691	(2248)	1995 09 20.23866	22 47 09.29	-09 35 36.1		691
(632)	1995 09 19.45682	01 24 06.67	+09 51 22.0	15.4 V	691	(2248)	1995 09 25.18702	22 43 58.60	-09 52 20.3		691
(632)	1995 09 19.48565	01 24 05.41	+09 51 16.4		691	(2248)	1995 09 25.20848	22 43 57.79	-09 52 24.7		691
(632)	1995 09 24.44962	01 20 22.76	+09 33 20.9		691	(2248)	1995 09 25.22979	22 43 56.98	-09 52 28.8		691
(632)	1995 09 24.47076	01 20 21.74	+09 33 15.7		691	(2249)	1995 09 25.30962	00 43 13.40	+00 34 56.9		691
(632)	1995 09 24.49188	01 20 20.71	+09 33 10.7		691	(2249)	1995 09 25.33050	00 43 12.53	+00 34 50.0		691
(632)	1995 09 30.42984	01 15 28.85	+09 08 44.5		691	(2249)	1995 09 25.35138	00 43 11.62	+00 34 43.3		691
(632)	1995 09 30.45090	01 15 27.74	+09 08 38.9		691	(2249)	1995 09 30.18439	00 39 48.12	+00 08 29.3		691
(632)	1995 09 30.47207	01 15 26.64	+09 08 33.2		691	(2249)	1995 09 30.20660	00 39 47.15	+00 08 22.5		691
(656)	1995 10 02.30148	22 37 44.67	-08 25 31.6	14.9 V	691	(2249)	1995 09 30.22889	00 39 46.21	+00 08 15.9	15.8 V	691
(656)	1995 10 02.32269	22 37 44.00	-08 25 35.4		691	(2299)	1995 09 18.26803	23 40 01.49	-02 13 02.2	14.3 V	691
(656)	1995 10 02.34394	22 37 43.34	-08 25 39.3		691	(2299)	1995 09 18.28937	23 40 00.68	-02 13 14.5		691
(950)	1995 09 30.13242	21 19 04.84	-00 19 45.2	15.6 V	691	(2299)	1995 09 18.31004	23 39 59.91	-02 13 26.4		691
(950)	1995 09 30.15418	21 19 04.63	-00 20 00.6		691	(2299)	1995 09 27.19935	23 35 14.28	-03 35 18.6		691
(1027)	1995 09 26.18418	22 48 32.45	-08 50 29.1	16.1 V	691	(2299)	1995 09 27.22019	23 35 13.57	-03 35 29.8		691
(1027)	1995 09 26.20535	22 48 31.67	-08 50 33.5		691	(2299)	1995 09 27.24132	23 35 12.91	-03 35 40.8		691
(1027)	1995 09 26.22647	22 48 30.87	-08 50 37.6		691	(2463)	1995 09 30.31194	00 52 08.46	+00 52 09.1	14.8 V	691
(1027)	1995 10 02.24178	22 45 05.30	-09 09 01.2		691	(2463)	1995 09 30.33413	00 52 07.43	+00 51 53.5		691
(1027)	1995 10 02.26315	22 45 04.61	-09 09 05.4		691	(2463)	1995 09 30.35527	00 52 06.46	+00 51 39.0		691
(1027)	1995 10 02.28437	22 45 03.90	-09 09 09.0		691	(2555)	1995 10 02.37273	01 24 19.59	+10 24 16.9		691
(1229)	1995 09 18.42802	01 27 36.81	+09 21 02.5		691	(2555)	1995 10 02.39382	01 24 18.60	+10 24 11.6	15.7 V	691
(1229)	1995 09 18.45724	01 27 35.90	+09 20 56.4		691	(2555)	1995 10 02.41507	01 24 17.60	+10 24 06.0		691
(1229)	1995 09 18.48707	01 27 34.90	+09 20 50.4		691	(3011)	1995 09 26.40836	01 19 11.72	+10 34 54.1		691
(1229)	1995 09 27.36616	01 22 28.55	+08 47 21.6	15.3 V	691	(3011)	1995 09 26.42988	01 19 10.94	+10 34 46.8	16.5 V	691
(1229)	1995 09 27.38731	01 22 27.71	+08 47 16.3		691	(3011)	1995 09 26.45105	01 19 10.17	+10 34 39.5		691
(1229)	1995 09 27.40838	01 22 26.81	+08 47 10.9		691	(3011)	1995 10 01.43365	01 16 06.28	+10 04 59.9		691
(1488)	1995 09 18.20245	23 37 03.15	-02 42 29.7		691	(3011)	1995 10 01.45470	01 16 05.42	+10 04 51.9		691
(1488)	1995 09 18.22330	23 37 02.06	-02 42 33.0		691	(3011)	1995 10 01.47589	01 16 04.61	+10 04 44.1		691
(1488)	1995 09 18.24431	23 37 00.97	-02 42 36.1		691	(3033)	1995 10 02.24031	22 42 58.47	-08 45 56.3		691
(1488)	1995 09 23.18653	23 32 52.59	-02 54 29.4		691	(3033)	1995 10 02.26168	22 42 57.75	-08 46 03.5	16.8 V	691

(3033)	1995 10 02.28291	22 42 57.02	-08 46 10.3		691	(5193)	1995 09 25.33222	00 45 41.62	+00 40 51.8		691
(3083)	1995 09 20.18648	22 33 50.15	-09 19 51.1	17.3 V	691	(5193)	1995 09 25.35310	00 45 40.70	+00 40 46.0		691
(3083)	1995 09 20.20833	22 33 49.00	-09 19 52.7		691	(5339)	1995 09 25.43072	01 13 36.86	+10 03 13.9	17.3 V	691
(3083)	1995 09 20.22940	22 33 47.87	-09 19 54.6		691	(5339)	1995 09 25.45183	01 13 35.94	+10 03 09.7		691
(3083)	1995 10 01.32378	22 26 00.12	-09 26 21.2		691	(5339)	1995 09 25.47301	01 13 35.07	+10 03 05.5		691
(3083)	1995 10 01.34565	22 25 59.37	-09 26 20.8		691	(5415)	1995 09 17.39402	23 33 00.67	-00 09 57.9		691
(3213)	1995 09 26.47083	02 12 53.08	+13 06 07.6	16.9 V	691	(5415)	1995 09 17.39938	23 33 00.36	-00 10 00.6	16.6 V	691
(3213)	1995 09 26.48362	02 12 52.68	+13 06 05.9		691	(5415)	1995 09 17.41437	23 32 59.53	-00 10 08.1		691
(3213)	1995 09 26.49636	02 12 52.30	+13 06 04.4		691	(5672)	1995 09 30.19551	00 55 50.69	+00 06 29.3	16.8 V	691
(3490)	1995 09 26.28297	22 35 55.30	-08 10 01.9		691	(5672)	1995 09 30.21771	00 55 49.57	+00 06 16.2		691
(3490)	1995 09 26.30406	22 35 54.28	-08 10 04.1		691	(5672)	1995 09 30.24000	00 55 48.46	+00 06 02.8		691
(3490)	1995 09 26.32514	22 35 53.25	-08 10 06.5	16.9 V	691	(5989)	1995 09 21.25504	22 27 04.74	-08 36 00.8		691
(3490)	1995 10 02.29727	22 31 39.98	-08 19 10.5		691	(5989)	1995 09 21.27656	22 27 03.94	-08 36 03.1		691
(3490)	1995 10 02.31848	22 31 39.13	-08 19 11.9		691	(5989)	1995 09 21.29772	22 27 03.15	-08 36 05.1	16.2 V	691
(3490)	1995 10 02.33973	22 31 38.30	-08 19 13.2		691	(5989)	1995 10 02.22685	22 22 58.00	-08 45 07.9		691
(3593)	1995 10 02.36790	01 17 21.35	+10 20 04.4	16.9 V	691	(5989)	1995 10 02.24823	22 22 57.70	-08 45 07.8		691
(3593)	1995 10 02.38899	01 17 20.04	+10 19 57.0		691	(5989)	1995 10 02.26946	22 22 57.39	-08 45 07.4		691
(3593)	1995 10 02.41024	01 17 18.83	+10 19 50.2		691	(5990)	1995 09 24.22456	23 21 19.80	-01 53 56.6	16.4 V	691
(3919)	1995 09 19.25955	00 42 25.67	+01 01 54.0	16.0 V	691	(5990)	1995 09 24.24525	23 21 18.51	-01 54 00.8		691
(3919)	1995 09 19.28039	00 42 24.56	+01 01 43.2		691	(5990)	1995 09 24.26607	23 21 17.21	-01 54 04.8		691
(3919)	1995 09 19.30123	00 42 23.45	+01 01 32.3		691	(6040)	1995 09 21.26636	22 43 25.03	-08 10 11.4		691
(3919)	1995 09 24.28945	00 38 00.30	+00 17 57.7		691	(6040)	1995 09 21.28787	22 43 23.99	-08 10 18.5		691
(3919)	1995 09 24.31026	00 37 59.14	+00 17 46.8		691	(6040)	1995 09 21.30903	22 43 22.99	-08 10 25.6		691
(3919)	1995 09 24.33117	00 37 57.92	+00 17 35.7		691	(6040)	1995 10 02.23548	22 35 59.69	-09 03 23.3	18.8 V	691
(4035)	1995 09 19.12643	21 21 53.73	-00 14 08.8	16.9 V	691	(6040)	1995 10 02.25685	22 35 58.96	-09 03 28.4		691
(4035)	1995 09 19.14754	21 21 53.35	-00 14 13.0		691	(6040)	1995 10 02.27807	22 35 58.21	-09 03 33.8		691
(4035)	1995 09 19.16846	21 21 52.96	-00 14 17.3		691	(6048)	1995 09 17.45041	01 35 40.34	+08 42 50.0		691
(4105)	1995 09 29.46021	02 30 00.51	+14 07 33.5	17.3 V	691	(6048)	1995 09 17.47261	01 35 39.63	+08 42 42.3	17.3 V	691
(4105)	1995 09 29.48020	02 29 59.81	+14 07 27.6		691	(6048)	1995 09 17.49471	01 35 38.95	+08 42 34.3		691
(4105)	1995 09 29.50056	02 29 59.08	+14 07 22.2		691	(6559)	1995 09 20.12770	21 35 48.17	-00 06 50.9		691
(4137)	1995 09 17.27077	23 26 52.53	-03 41 01.3	16.0 V	691	(6559)	1995 09 20.14848	21 35 47.90	-00 07 03.9	16.9 V	691
(4137)	1995 09 17.29179	23 26 51.26	-03 41 06.2		691	(6559)	1995 09 20.16957	21 35 47.64	-00 07 17.2		691
(4137)	1995 09 17.31262	23 26 50.01	-03 41 11.2		691	(6587)	1995 09 17.33449	23 27 12.58	-03 09 06.4		691
(4533)	1995 09 19.13035	21 27 33.48	-00 15 33.6		691	(6587)	1995 09 17.35551	23 27 11.38	-03 09 10.5		691
(4533)	1995 09 19.15146	21 27 32.75	-00 15 49.8	17.2 V	691	(6587)	1995 09 17.37649	23 27 10.09	-03 09 14.5		691
(4533)	1995 09 19.17238	21 27 32.10	-00 16 05.9		691	(6587)	1995 09 22.35015	23 22 28.39	-03 25 18.6	16.6 V	691
(4550)	1995 09 27.46363	02 16 13.46	+13 42 26.4		691	(6587)	1995 09 22.37119	23 22 27.18	-03 25 22.5		691
(4550)	1995 09 27.47995	02 16 13.00	+13 42 23.7	17.3 V	691	(6587)	1995 09 22.39212	23 22 25.98	-03 25 26.4		691
(4550)	1995 09 27.49638	02 16 12.41	+13 42 20.9		691	(6587)	1995 09 27.18754	23 18 07.76	-03 39 49.0		691
(4653)	1995 09 27.46543	02 18 49.02	+13 36 32.2		691	(6587)	1995 09 27.20838	23 18 06.60	-03 39 52.2		691
(4653)	1995 09 27.48174	02 18 48.57	+13 36 26.1	17.4 V	691	(6587)	1995 09 27.22951	23 18 05.49	-03 39 55.7		691
(4653)	1995 09 27.49817	02 18 47.98	+13 36 19.6		691	693 University of Arizona, Catalina Station					
(4664)	1995 09 17.33179	23 23 19.32	-03 14 15.9		691	T. B. Spahr, Astronomy Department, University of Florida, P.O. Box 112055,					
(4664)	1995 09 17.35282	23 23 18.28	-03 14 21.3		691	Gainesville, FL 32611, U.S.A. [tbs@astro.ufl.edu]					
(4664)	1995 09 17.37380	23 23 17.26	-03 14 27.3		691	Observers T. B. Spahr, R. Jedicke					
(4664)	1995 09 22.28480	23 19 27.19	-03 36 15.1	16.1 V	691	Measurers T. B. Spahr, C. W. Hergenrother					
(4664)	1995 09 22.30565	23 19 26.19	-03 36 20.7		691	0.41-m <i>f</i> /3 Schmidt					
(4664)	1995 09 22.32655	23 19 25.20	-03 36 26.0		691	GSC					
(5193)	1995 09 19.36561	00 49 45.99	+01 08 24.7	16.7 V	691	1995 SW ₂₉	1995 09 24.29558	01 11 06.02	+44 52 15.6		693
(5193)	1995 09 19.38647	00 49 45.13	+01 08 19.1		691	1995 SW ₂₉	1995 09 24.31409	01 11 04.92	+44 52 24.8		693
(5193)	1995 09 19.40820	00 49 44.25	+01 08 13.2		691	1995 SW ₂₉	* 1995 09 30.29439	01 04 55.84	+45 32 08.5	17.2 V	693
(5193)	1995 09 25.31135	00 45 42.53	+00 40 57.7		691	1995 SW ₂₉	1995 09 30.31470	01 04 54.46	+45 32 17.0		693

1995 SW ₄₈	1995 09 27.29111	00 36 57.31	+45 39 06.9	18	V	693
1995 SW ₄₈	1995 09 27.30961	00 36 56.26	+45 38 54.2			693
1995 SW ₄₈	* 1995 09 30.26441	00 34 26.21	+45 01 28.2			693
1995 SW ₄₈	1995 09 30.28381	00 34 25.08	+45 01 12.8			693
1995 SW ₄₈	1995 09 30.29439	00 34 24.58	+45 01 02.9	17.5	V	693
1995 SW ₄₈	1995 09 30.31470	00 34 23.48	+45 00 45.7			693
1995 SX ₄₈	1995 09 29.27219	00 02 25.25	+46 39 43.3			693
1995 SX ₄₈	* 1995 09 30.32517	00 00 39.19	+46 40 23.3	17.5	V	693
1995 SX ₄₈	1995 09 30.34243	00 00 37.27	+46 40 22.8			693
1995 SX ₅₃	* 1995 09 30.29439	00 51 39.48	+44 18 08.0	17.7	V	693
1995 SX ₅₃	1995 09 30.31470	00 51 38.00	+44 18 16.7			693
1995 UR	* 1995 10 18.28250	01 20 59.67	+58 35 33.0	17.0	V	693
1995 UR	1995 10 18.30685	01 20 57.40	+58 35 33.1			693
1995 UR	1995 10 20.23235	01 17 58.99	+58 36 42.8			693
1995 UR	1995 10 20.25300	01 17 56.87	+58 36 43.5			693
1995 US	* 1995 10 19.34410	01 18 56.59	+39 59 06.3	15.5	V	693
1995 US	1995 10 19.36499	01 18 55.13	+39 59 04.6			693
1995 US	1995 10 20.34821	01 17 48.86	+39 57 29.8			693
1995 UB ₃	* 1995 10 23.30427	00 11 54.82	+39 51 14.5	18.0	V	693
1995 UB ₃	1995 10 23.32174	00 11 53.40	+39 51 11.4			693
1995 UB ₃	1995 10 25.26535	00 09 19.30	+39 44 01.3			693
1995 UB ₃	1995 10 25.28644	00 09 17.52	+39 43 56.6			693
1995 UT ₆	* 1995 10 19.35543	00 46 33.83	+38 40 14.5	18.2	V	693
1995 UT ₆	1995 10 19.37462	00 46 32.56	+38 40 12.6			693
1995 UT ₆	1995 10 20.32448	00 45 41.32	+38 38 43.8		V	693
1995 UT ₆	1995 10 20.33756	00 45 40.55	+38 38 44.2		V	693
(5168)	1995 10 25.33205	02 20 30.94	+48 48 51.2	17	V	693
(5168)	1995 10 25.35123	02 20 29.17	+48 48 53.4			693
(5168)	1995 10 26.24089	02 19 07.88	+48 51 01.4		I	693
(5168)	1995 10 26.25987	02 19 05.94	+48 51 03.9	17.5	V	693
(5168)	1995 10 26.41269	02 18 51.33	+48 51 23.0		I	693

695 Kitt Peak

T. J. Balonek, Dept. of Physics and Astronomy, Colgate University, Hamilton, NY 13346, U.S.A.

C. W. Hergenrother, Lunar and Planetary Laboratory, University of Arizona, Tucson, AZ 85721, U.S.A. [chergen@comet.lpl.arizona.edu]

Observers T. J. Balonek, S. M. Lacey, A. A. O'Donoghue, T. B. Spahr, C. W. Hergenrother

Measurers C. L. Reynolds, B. B. Haidri, T. J. Balonek, T. B. Spahr, C. W. Hergenrother

0.61-m $f/3.6$ Burrell Schmidt + CCD
GSC

1994 LA ₁	1995 10 14.28638	00 33 29.20	-24 18 50.6			695
1994 LA ₁	1995 10 14.29197	00 33 29.09	-24 18 52.2			695
1994 LA ₁	1995 10 14.29733	00 33 28.79	-24 18 54.5			695
1994 LA ₁	1995 10 15.35380	00 32 46.33	-24 23 23.1	20.1	R	F 695
1994 LA ₁	1995 10 15.36655	00 32 46.11	-24 23 26.0		F	695
1995 GA ₈	* 1995 04 06.22455	12 56 17.85	-06 17 21.5	17.0	R	695
1995 GA ₈	1995 04 06.22858	12 56 17.59	-06 17 20.6			695
1995 GA ₈	1995 04 06.23273	12 56 17.36	-06 17 20.0			695
1995 GA ₈	1995 04 08.22356	12 54 31.76	-06 12 47.2			695
1995 GA ₈	1995 04 08.22844	12 54 31.48	-06 12 46.6			695

1995 GA ₈	1995 04 08.23228	12 54 31.27	-06 12 45.9			695
1995 GA ₈	1995 04 08.38883	12 54 22.57	-06 12 24.7			695
1995 GA ₈	1995 04 09.35686	12 53 31.70	-06 10 12.0			695
1995 GA ₈	1995 04 09.36116	12 53 31.55	-06 10 11.6	17.1	R	695
1995 GA ₈	1995 04 09.36494	12 53 31.30	-06 10 11.0			695
1995 GA ₈	1995 04 09.36891	12 53 31.17	-06 10 10.8			695
1995 GA ₈	1995 04 09.37284	12 53 30.87	-06 10 10.3	17.0	R	695
1995 GA ₈	1995 04 09.37660	12 53 30.68	-06 10 09.9			695
1995 GA ₈	1995 04 10.41221	12 52 36.57	-06 07 49.7	17.0	R	695
1995 GA ₈	1995 04 10.41604	12 52 36.36	-06 07 48.9			695
1995 GA ₈	1995 04 10.41981	12 52 36.16	-06 07 48.4			695
1995 GB ₈	* 1995 04 06.22455	12 56 43.75	-05 31 48.8	16.6	R	695
1995 GB ₈	1995 04 06.22858	12 56 43.51	-05 31 46.6			695
1995 GB ₈	1995 04 06.23273	12 56 43.27	-05 31 44.5			695
1995 GB ₈	1995 04 08.21381	12 54 54.36	-05 15 16.7			695
1995 GB ₈	1995 04 08.21903	12 54 54.09	-05 15 14.2			695
1995 GB ₈	1995 04 08.23635	12 54 53.11	-05 15 05.7			695
1995 GB ₈	1995 04 08.24181	12 54 52.80	-05 15 02.9			695
1995 GB ₈	1995 04 08.24595	12 54 52.58	-05 15 00.8	16.4	R	695
1995 GB ₈	1995 04 08.39712	12 54 44.02	-05 13 45.7			695
1995 GB ₈	1995 04 09.36891	12 53 51.12	-05 05 46.3			695
1995 GB ₈	1995 04 09.37284	12 53 50.87	-05 05 43.5	17.0	R	695
1995 GB ₈	1995 04 09.37660	12 53 50.68	-05 05 41.7			695
1995 GC ₈	* 1995 04 06.22455	12 56 51.00	-06 15 21.1	17.1	R	695
1995 GC ₈	1995 04 06.23273	12 56 50.59	-06 15 16.1			695
1995 GC ₈	1995 04 08.22356	12 55 19.31	-05 55 11.7			695
1995 GC ₈	1995 04 08.22844	12 55 18.78	-05 55 07.0			695
1995 GC ₈	1995 04 08.23228	12 55 18.72	-05 55 06.5			695
1995 GC ₈	1995 04 08.38883	12 55 11.43	-05 53 32.7			695
1995 GC ₈	1995 04 09.35686	12 54 27.25	-05 43 47.6			695
1995 GC ₈	1995 04 09.36116	12 54 27.07	-05 43 44.8	17.2	R	695
1995 GC ₈	1995 04 09.36891	12 54 26.78	-05 43 40.6			695
1995 GC ₈	1995 04 09.37284	12 54 26.52	-05 43 37.7	17.0	R	695
1995 GC ₈	1995 04 09.37660	12 54 26.37	-05 43 35.5			695
1995 GC ₈	1995 04 10.39008	12 53 40.23	-05 33 22.4	17.3	R	695
1995 GC ₈	1995 04 10.39382	12 53 39.98	-05 33 18.3			695
1995 GC ₈	1995 04 10.40208	12 53 39.67	-05 33 14.7	18.6	V	695
1995 GC ₈	1995 04 10.40775	12 53 39.41	-05 33 12.5			695
1995 GC ₈	1995 04 10.41221	12 53 39.19	-05 33 09.9	17.0	R	695
1995 GC ₈	1995 04 10.41604	12 53 39.01	-05 33 07.3			695
1995 GC ₈	1995 04 10.41981	12 53 38.83	-05 33 05.1			695
1995 GD ₈	* 1995 04 06.22455	12 57 46.54	-06 19 53.6	18.1	R	695
1995 GD ₈	1995 04 06.22858	12 57 46.39	-06 19 53.3			695
1995 GD ₈	1995 04 06.23273	12 57 46.04	-06 19 50.1			695
1995 GD ₈	1995 04 08.22356	12 56 13.49	-06 15 04.6			695
1995 GD ₈	1995 04 08.22844	12 56 13.26	-06 15 03.9			695
1995 GD ₈	1995 04 08.23228	12 56 13.16	-06 15 03.2			695
1995 GD ₈	1995 04 08.38883	12 56 05.71	-06 14 40.9			695
1995 GD ₈	1995 04 09.35686	12 55 20.85	-06 12 20.4			695
1995 GD ₈	1995 04 09.36116	12 55 20.78	-06 12 19.9	18.1	R	695
1995 GD ₈	1995 04 09.36494	12 55 20.61	-06 12 19.7			695
1995 GD ₈	1995 04 10.39806	12 54 32.74	-06 09 51.0			695

1995 GD ₈	1995 04 10.40208	12 54 32.53	-06 09 49.3	19.3 V	695	1995 GJ ₈	1995 04 10.41604	12 54 24.18	-06 05 07.5	695
1995 GD ₈	1995 04 10.41221	12 54 32.11	-06 09 48.8	18.0 R	695	1995 GJ ₈	1995 04 10.41981	12 54 23.99	-06 05 06.1	695
1995 GD ₈	1995 04 10.41981	12 54 31.74	-06 09 48.4		695	1995 GK ₈	* 1995 04 08.22356	12 56 55.21	-06 24 13.6	695
1995 GE ₈	* 1995 04 06.22455	12 57 59.52	-05 19 43.0	18.0 R	695	1995 GK ₈	1995 04 08.22844	12 56 54.93	-06 24 10.9	695
1995 GE ₈	1995 04 06.22858	12 57 59.26	-05 19 41.3		695	1995 GK ₈	1995 04 08.23228	12 56 54.64	-06 24 09.9	695
1995 GE ₈	1995 04 06.23273	12 57 59.07	-05 19 40.2		695	1995 GK ₈	1995 04 08.38883	12 56 45.69	-06 23 14.0	695
1995 GE ₈	1995 04 08.21381	12 56 48.11	-04 59 55.6		695	1995 GK ₈	1995 04 09.35686	12 55 53.62	-06 17 29.1	695
1995 GE ₈	1995 04 08.21903	12 56 47.80	-04 59 53.9		695	1995 GK ₈	1995 04 09.36116	12 55 53.25	-06 17 28.7	18.4 R 695
1995 GF ₈	* 1995 04 08.22356	12 54 32.82	-06 15 52.2		695	1995 GK ₈	1995 04 09.36494	12 55 53.11	-06 17 26.7	695
1995 GF ₈	1995 04 08.22844	12 54 32.55	-06 15 51.7		695	1995 GL ₈	* 1995 04 08.22356	12 56 57.71	-05 58 20.3	695
1995 GF ₈	1995 04 08.23228	12 54 32.38	-06 15 51.3		695	1995 GL ₈	1995 04 08.22844	12 56 57.52	-05 58 19.1	695
1995 GF ₈	1995 04 08.38883	12 54 24.63	-06 15 22.1		695	1995 GL ₈	1995 04 08.23228	12 56 57.35	-05 58 17.3	695
1995 GF ₈	1995 04 09.36891	12 53 37.68	-06 12 18.2		695	1995 GL ₈	1995 04 08.38883	12 56 49.42	-05 57 31.2	695
1995 GF ₈	1995 04 09.37284	12 53 37.47	-06 12 17.2	18.0 R	695	1995 GL ₈	1995 04 09.36116	12 56 07.13	-05 52 38.2	18.0 R 695
1995 GF ₈	1995 04 09.37660	12 53 37.30	-06 12 16.7		695	1995 GL ₈	1995 04 09.36494	12 56 06.70	-05 52 35.7	695
1995 GF ₈	1995 04 10.41221	12 52 47.78	-06 09 02.4	18.0 R	695	1995 GL ₈	1995 04 10.39008	12 55 21.73	-05 47 29.4	18.0 R 695
1995 GF ₈	1995 04 10.41981	12 52 47.42	-06 09 00.6		695	1995 GL ₈	1995 04 10.39806	12 55 21.36	-05 47 26.6	695
1995 GG ₈	* 1995 04 08.22356	12 55 27.12	-06 18 44.2		695	1995 GL ₈	1995 04 10.40208	12 55 21.18	-05 47 25.6	18.8 V 695
1995 GG ₈	1995 04 08.22844	12 55 26.81	-06 18 42.0		695	1995 GL ₈	1995 04 11.46427	12 54 34.61	-05 42 08.9	695
1995 GG ₈	1995 04 08.23228	12 55 26.60	-06 18 40.8		695	1995 GL ₈	1995 04 11.46807	12 54 34.43	-05 42 08.3	695
1995 GG ₈	1995 04 08.38883	12 55 17.37	-06 17 54.1		695	1995 GM ₈	* 1995 04 08.22356	12 57 15.26	-05 38 44.6	695
1995 GG ₈	1995 04 09.35686	12 54 22.43	-06 13 06.5		695	1995 GM ₈	1995 04 08.22844	12 57 15.01	-05 38 43.2	695
1995 GG ₈	1995 04 09.36116	12 54 22.11	-06 13 04.7	17.7 R	695	1995 GM ₈	1995 04 08.23228	12 57 14.81	-05 38 41.5	695
1995 GG ₈	1995 04 09.36494	12 54 21.87	-06 13 04.4		695	1995 GM ₈	1995 04 08.38883	12 57 06.62	-05 37 51.5	695
1995 GG ₈	1995 04 09.36891	12 54 21.72	-06 13 03.0		695	1995 GM ₈	1995 04 09.35686	12 56 17.65	-05 32 34.6	18.1 R 695
1995 GG ₈	1995 04 09.37284	12 54 21.42	-06 13 00.8	18.0 R	695	1995 GM ₈	1995 04 09.36116	12 56 17.64	-05 32 33.3	18.7 R 695
1995 GG ₈	1995 04 09.37660	12 54 21.22	-06 12 59.6		695	1995 GM ₈	1995 04 09.36494	12 56 17.36	-05 32 31.6	695
1995 GH ₈	* 1995 04 08.22356	12 56 04.55	-06 20 08.2		695	1995 GN ₈	* 1995 04 08.22356	12 57 15.69	-05 55 48.8	695
1995 GH ₈	1995 04 08.22844	12 56 04.52	-06 20 08.1		695	1995 GN ₈	1995 04 08.22844	12 57 15.60	-05 55 49.3	695
1995 GH ₈	1995 04 08.23228	12 56 04.53	-06 20 07.8		695	1995 GN ₈	1995 04 08.23228	12 57 15.13	-05 55 41.9	695
1995 GH ₈	1995 04 09.35686	12 55 01.42	-06 14 14.1	18.3 R	695	1995 GN ₈	1995 04 09.35686	12 56 15.99	-05 48 37.3	695
1995 GH ₈	1995 04 09.36494	12 55 00.98	-06 14 10.9		695	1995 GN ₈	1995 04 09.36116	12 56 15.85	-05 48 36.4	18.7 R 695
1995 GH ₈	1995 04 10.39008	12 54 03.50	-06 08 38.8	17.9 R	695	1995 GN ₈	1995 04 09.36494	12 56 15.57	-05 48 34.6	695
1995 GH ₈	1995 04 10.39382	12 54 03.31	-06 08 37.6		695	1995 GN ₈	1995 04 10.39008	12 55 22.37	-05 42 10.8	19.0 R 695
1995 GH ₈	1995 04 10.39806	12 54 03.10	-06 08 36.1		695	1995 GN ₈	1995 04 10.39382	12 55 22.42	-05 42 08.4	695
1995 GH ₈	1995 04 10.40208	12 54 02.84	-06 08 34.5	18.9 V	695	1995 GN ₈	1995 04 10.39806	12 55 21.94	-05 42 06.7	695
1995 GH ₈	1995 04 10.41221	12 54 02.29	-06 08 31.5	17.0 R	695	1995 GN ₈	1995 04 10.40208	12 55 21.73	-05 42 05.5	19.4 V 695
1995 GH ₈	1995 04 10.41604	12 54 02.06	-06 08 30.1		695	1995 GN ₈	1995 04 11.46427	12 54 27.09	-05 35 29.7	695
1995 GH ₈	1995 04 10.41981	12 54 01.86	-06 08 28.8		695	1995 GN ₈	1995 04 11.46807	12 54 26.89	-05 35 28.6	695
1995 GH ₈	1995 04 11.46427	12 53 03.64	-06 02 51.6		695	1995 GO ₈	* 1995 04 08.22356	12 58 11.34	-05 41 18.6	695
1995 GH ₈	1995 04 11.46807	12 53 03.42	-06 02 50.1		695	1995 GO ₈	1995 04 08.22844	12 58 11.05	-05 41 16.1	695
1995 GJ ₈	* 1995 04 08.22356	12 56 13.22	-06 20 51.4		695	1995 GO ₈	1995 04 08.23228	12 58 10.86	-05 41 14.0	695
1995 GJ ₈	1995 04 08.22844	12 56 12.94	-06 20 49.1		695	1995 GO ₈	1995 04 08.38883	12 58 02.55	-05 39 57.7	695
1995 GJ ₈	1995 04 08.23228	12 56 12.75	-06 20 47.1		695	1995 GO ₈	1995 04 09.35686	12 57 14.05	-05 32 04.4	695
1995 GJ ₈	1995 04 08.38883	12 56 04.63	-06 19 40.1		695	1995 GO ₈	1995 04 09.36494	12 57 13.58	-05 31 59.6	695
1995 GJ ₈	1995 04 09.35686	12 55 16.72	-06 12 43.3		695	1995 GP ₈	* 1995 04 08.23228	12 54 46.62	-05 52 26.4	695
1995 GJ ₈	1995 04 09.36116	12 55 16.52	-06 12 41.5	18.2 R	695	1995 GP ₈	1995 04 08.23635	12 54 46.42	-05 52 24.4	695
1995 GJ ₈	1995 04 09.36494	12 55 16.23	-06 12 40.0		695	1995 GP ₈	1995 04 08.24181	12 54 46.10	-05 52 22.4	695
1995 GJ ₈	1995 04 10.39008	12 54 25.48	-06 05 18.7	17.9 R	695	1995 GP ₈	1995 04 08.24595	12 54 45.88	-05 52 20.3	695
1995 GJ ₈	1995 04 10.39806	12 54 25.09	-06 05 15.4		695	1995 GP ₈	1995 04 08.38883	12 54 37.68	-05 51 21.4	695
1995 GJ ₈	1995 04 10.40208	12 54 24.91	-06 05 13.5	18.9 V	695	1995 GP ₈	1995 04 08.39712	12 54 37.16	-05 51 17.0	695
1995 GJ ₈	1995 04 10.41221	12 54 24.39	-06 05 09.3	17.0 R	695	1995 GP ₈	1995 04 09.36116	12 53 44.90	-05 44 37.5	18.9 R 695

1995 GP ₈	1995 04 09.36494	12 53 44.72	-05 44 35.5		695	1995 GU ₈	1995 04 10.43197	12 48 07.79	-05 24 57.3		695
1995 GP ₈	1995 04 09.36891	12 53 44.47	-05 44 34.9		695	1995 GU ₈	1995 04 10.43579	12 48 07.66	-05 24 56.7	19.0 V	695
1995 GP ₈	1995 04 09.37284	12 53 44.15	-05 44 33.2	18.2 R	695	1995 GV ₈	* 1995 04 10.39008	12 57 36.82	-06 02 41.3	17.2 R	695
1995 GP ₈	1995 04 09.37660	12 53 44.02	-05 44 31.5		695	1995 GV ₈	1995 04 10.39382	12 57 36.63	-06 02 39.4		695
1995 GP ₈	1995 04 10.41221	12 52 48.19	-05 37 25.2	19.0 R	695	1995 GV ₈	1995 04 10.39806	12 57 36.40	-06 02 37.4		695
1995 GP ₈	1995 04 10.41604	12 52 47.85	-05 37 23.4		695	1995 GV ₈	1995 04 10.40208	12 57 36.23	-06 02 35.1	17.6 V	695
1995 GP ₈	1995 04 10.41981	12 52 47.78	-05 37 22.1		695	1995 GV ₈	1995 04 11.46427	12 56 42.00	-05 53 21.5		695
1995 GQ ₈	* 1995 04 08.23635	12 50 50.23	-05 34 34.5		695	1995 GV ₈	1995 04 11.46807	12 56 41.75	-05 53 18.7		695
1995 GQ ₈	1995 04 08.24181	12 50 50.16	-05 34 28.0		695	1995 GV ₈	1995 04 12.26788	12 56 01.73	-05 46 23.9		695
1995 GQ ₈	1995 04 08.24595	12 50 49.95	-05 34 25.6		695	1995 GV ₈	1995 04 12.27153	12 56 01.50	-05 46 21.6		695
1995 GQ ₈	1995 04 09.38434	12 49 55.41	-05 23 49.7		695	1995 GV ₈	1995 04 12.27520	12 56 01.37	-05 46 19.8		695
1995 GQ ₈	1995 04 09.38818	12 49 55.26	-05 23 47.6		695	1995 GV ₈	1995 04 12.28925	12 56 00.57	-05 46 12.2		695
1995 GQ ₈	1995 04 10.42444	12 49 06.10	-05 14 09.9	18.0 R	695	1995 GV ₈	1995 04 12.31534	12 55 59.22	-05 45 59.0		695
1995 GQ ₈	1995 04 10.42817	12 49 05.86	-05 14 08.7		695	1995 GV ₈	1995 04 12.32104	12 55 58.91	-05 45 56.2		695
1995 GQ ₈	1995 04 10.43579	12 49 05.43	-05 14 01.4	19.0 V	695	1995 SR ₁	1995 10 11.13762	22 53 13.57	+23 16 48.8		695
1995 GR ₈	* 1995 04 08.23635	12 51 50.28	-05 19 26.1		P 695	1995 SR ₁	1995 10 11.14939	22 53 13.12	+23 16 45.6		695
1995 GR ₈	1995 04 08.24181	12 51 49.72	-05 19 22.2		695	1995 SB ₄	1995 10 12.11130	22 24 48.47	+36 05 00.4		695
1995 GR ₈	1995 04 08.24595	12 51 49.45	-05 19 22.0		695	1995 SB ₄	1995 10 12.13221	22 24 48.16	+36 04 50.3		695
1995 GR ₈	1995 04 08.39712	12 51 39.96	-05 19 02.3		695	1995 SB ₄	1995 10 12.14978	22 24 47.93	+36 04 41.4		695
1995 GR ₈	1995 04 09.38039	12 50 42.24	-05 16 54.1	18.0 R	695	1995 SG ₄	1995 10 11.25091	23 05 44.83	+38 00 23.4		695
1995 GR ₈	1995 04 09.38434	12 50 41.92	-05 16 53.7		695	1995 SG ₄	1995 10 11.28617	23 05 42.70	+38 00 16.3		695
1995 GR ₈	1995 04 09.38818	12 50 41.61	-05 16 52.1		695	1995 SH ₄	1995 10 12.12187	22 53 02.55	+30 28 33.9		695
1995 GS ₈	* 1995 04 08.23635	12 52 18.40	-06 03 09.9		695	1995 SH ₄	1995 10 12.14089	22 53 01.39	+30 28 37.1		695
1995 GS ₈	1995 04 08.24181	12 52 18.15	-06 03 06.8		695	1995 SJ ₄	1995 10 11.25714	23 11 53.15	+26 54 00.8		695
1995 GS ₈	1995 04 08.24595	12 52 17.94	-06 03 04.3		695	1995 SJ ₄	1995 10 11.30196	23 11 51.79	+26 53 34.4		695
1995 GS ₈	1995 04 08.39712	12 52 10.65	-06 01 38.7		695	1995 SK ₄	1995 10 14.31531	00 59 39.82	-32 19 30.8	17 R	695
1995 GS ₈	1995 04 09.36891	12 51 25.78	-05 52 31.6		695	1995 SK ₄	1995 10 14.33197	00 59 39.41	-32 19 50.0		695
1995 GS ₈	1995 04 09.37284	12 51 25.60	-05 52 29.0	17.0 R	695	1995 SW ₂₉	1995 10 11.36987	00 51 59.67	+46 11 35.9		695
1995 GS ₈	1995 04 09.37660	12 51 25.41	-05 52 27.0		695	1995 SW ₂₉	1995 10 11.39326	00 51 57.93	+46 11 37.8		695
1995 GS ₈	1995 04 09.38039	12 51 25.20	-05 52 25.0	18.0 R	695	1995 SW ₄₈	1995 10 11.35014	00 25 09.60	+41 39 50.9		695
1995 GS ₈	1995 04 09.38434	12 51 24.94	-05 52 24.3		695	1995 SW ₄₈	1995 10 11.37638	00 25 08.28	+41 39 15.1		695
1995 GS ₈	1995 04 09.38818	12 51 24.78	-05 52 20.7		695	1995 SX ₄₈	1995 10 12.23093	23 41 54.73	+45 58 11.1	I	695
1995 GS ₈	1995 04 10.42444	12 50 36.91	-05 42 35.7	17.0 R	695	1995 SX ₄₈	1995 10 12.24733	23 41 53.18	+45 58 06.5		695
1995 GS ₈	1995 04 10.42817	12 50 36.77	-05 42 33.6		695	1995 SX ₄₈	1995 10 12.26074	23 41 51.84	+45 58 00.9	I	695
1995 GS ₈	1995 04 10.43579	12 50 36.48	-05 42 29.5	18.0 V	695	1995 SX ₅₃	1995 10 11.31780	00 37 35.46	+45 18 58.3		695
1995 GT ₈	* 1995 04 08.23635	12 53 41.40	-05 39 35.2		695	1995 SX ₅₃	1995 10 11.35910	00 37 32.10	+45 19 04.9		695
1995 GT ₈	1995 04 08.24181	12 53 41.13	-05 39 34.0	16.3 R	695	1995 SX ₅₃	1995 10 12.23951	00 36 23.20	+45 21 19.6		695
1995 GT ₈	1995 04 08.24595	12 53 40.94	-05 39 32.7		695	1995 SX ₅₃	1995 10 12.27003	00 36 20.83	+45 21 25.1		695
1995 GT ₈	1995 04 08.39712	12 53 33.47	-05 38 52.0		695	1995 TW	* 1995 10 13.23206	00 06 58.49	+30 21 54.5	19.4 R	695
1995 GT ₈	1995 04 09.36891	12 52 47.11	-05 34 31.4		695	1995 TW	1995 10 13.24538	00 06 57.95	+30 21 45.1		695
1995 GT ₈	1995 04 09.37284	12 52 46.84	-05 34 30.7	17.0 R	695	1995 TW	1995 10 13.25635	00 06 57.50	+30 21 38.2		695
1995 GT ₈	1995 04 09.37660	12 52 46.69	-05 34 29.5		695	1995 TW	1995 10 16.18615	00 05 07.51	+29 47 48.6		695
1995 GT ₈	1995 04 10.41604	12 51 57.09	-05 29 52.1	19.0 R	695	1995 TW	1995 10 16.19788	00 05 07.07	+29 47 40.5		695
1995 GT ₈	1995 04 10.41981	12 51 56.95	-05 29 51.5		695	1995 TX	* 1995 10 14.38811	00 57 16.27	+45 03 27.6	17.8 R	695
1995 GT ₈	1995 04 10.42444	12 51 56.61	-05 29 47.7	16.0 R	695	1995 TX	1995 10 14.39851	00 57 15.42	+45 03 25.6		695
1995 GT ₈	1995 04 10.42817	12 51 56.44	-05 29 46.3		695	1995 TX	1995 10 15.32325	00 56 03.02	+45 00 13.1		695
1995 GT ₈	1995 04 10.43579	12 51 56.07	-05 29 44.5	18.0 V	695	1995 TX	1995 10 15.33439	00 56 02.11	+45 00 10.4		695
1995 GU ₈	* 1995 04 09.38039	12 48 52.07	-05 32 18.5	18.0 R	695	1995 TX	1995 10 16.23906	00 54 51.54	+44 56 42.9	17.8 R	695
1995 GU ₈	1995 04 09.38434	12 48 51.91	-05 32 16.8		695	1995 TX	1995 10 16.25043	00 54 50.62	+44 56 39.8		695
1995 GU ₈	1995 04 09.38818	12 48 51.77	-05 32 15.2		695	1995 TC ₁	* 1995 10 14.28638	00 34 00.03	-24 07 30.9		695
1995 GU ₈	1995 04 10.42444	12 48 08.09	-05 25 01.6	17.0 R	695	1995 TC ₁	1995 10 14.29197	00 33 59.66	-24 07 30.2		695
1995 GU ₈	1995 04 10.42817	12 48 07.94	-05 24 58.9		695	1995 TC ₁	1995 10 14.29733	00 33 59.43	-24 07 28.5		695

1995 TC ₁	1995 10 15.35380	00 33 07.13	-24 03 16.9	19.0 R	695
1995 TC ₁	1995 10 15.36655	00 33 06.35	-24 03 13.7		695
(3279)	1995 04 08.23635	12 51 06.60	-05 09 27.8		695
(3279)	1995 04 08.24181	12 51 06.27	-05 09 24.7		695
(3279)	1995 04 08.24595	12 51 06.02	-05 09 23.2		695
(3279)	1995 04 09.38039	12 49 59.81	-05 01 01.0	16.0 R	695
(3279)	1995 04 09.38434	12 49 59.55	-05 00 59.2		695
(3279)	1995 04 09.38818	12 49 59.36	-05 00 58.1		695
(3279)	1995 04 10.42444	12 48 59.44	-04 53 21.6	16.0 R	695
(3279)	1995 04 10.42817	12 48 59.23	-04 53 19.6		695
(3279)	1995 04 10.43197	12 48 58.96	-04 53 17.1		695
(3279)	1995 04 10.43579	12 48 58.78	-04 53 16.3	17.0 V	695
(3797)	1995 04 08.22356	12 57 31.26	-05 51 19.3		695
(3797)	1995 04 08.22844	12 57 31.05	-05 51 17.8		695
(3797)	1995 04 08.23228	12 57 30.88	-05 51 16.8		695
(3797)	1995 04 08.38883	12 57 23.89	-05 50 32.4		695
(3797)	1995 04 09.35686	12 56 41.98	-05 45 59.5		695
(3797)	1995 04 09.36116	12 56 41.83	-05 45 58.7	17.2 R	695
(3797)	1995 04 09.36494	12 56 41.62	-05 45 57.6		695
(3797)	1995 04 10.39008	12 55 57.31	-05 41 09.7		695
(3797)	1995 04 10.39382	12 55 57.13	-05 41 09.1		695
(3797)	1995 04 10.39806	12 55 56.93	-05 41 07.9		695
(3797)	1995 04 10.40208	12 55 56.76	-05 41 06.6	18.3 V	695
(3797)	1995 04 11.46427	12 55 11.17	-05 36 10.2		695
(3797)	1995 04 11.46807	12 55 11.01	-05 36 09.5		695
(3797)	1995 04 12.26788	12 54 37.14	-05 32 27.5		695
(3797)	1995 04 12.27153	12 54 36.98	-05 32 26.3		695
(3797)	1995 04 12.27520	12 54 36.86	-05 32 25.8		695
(3797)	1995 04 12.28925	12 54 36.18	-05 32 21.9		695
(3797)	1995 04 12.31534	12 54 35.11	-05 32 14.6		695
(3797)	1995 04 12.32104	12 54 34.83	-05 32 13.1		695
(5392)	1995 10 14.28638	00 33 43.52	-24 14 54.1		695
(5392)	1995 10 14.29197	00 33 43.15	-24 14 53.8		695
(5392)	1995 10 14.29733	00 33 42.80	-24 14 53.3		695
(5392)	1995 10 15.35280	00 32 34.34	-24 14 04.4	18.1 R	695
(5392)	1995 10 15.36655	00 32 33.53	-24 14 03.6		695

697 Kitt Peak, McGraw-Hill Observatory

J. Tonry, Room 6-204, Massachusetts Institute of Technology, Cambridge, MA 02139, U.S.A.

Observers J. Blakeslee, A. Fletcher

Measurers J. Blakeslee, J. Tonry

2.4-m reflector + CCD, 1.3-m reflector + CCD

GSC, DSS

1993 HV ₁	1995 10 18.25381	01 05 42.96	-06 45 41.5	19 R	697
1993 HV ₁	1995 10 18.25805	01 05 42.68	-06 45 40.9	19 R	697
1993 HV ₁	1995 10 18.26229	01 05 42.43	-06 45 40.2	19 R	697
1993 HV ₁	1995 10 18.26653	01 05 42.17	-06 45 39.5	19 R	697
1995 RJ	1995 10 16.30991	01 13 17.37	-10 23 56.5	18 V	697
1995 RJ	1995 10 16.31440	01 13 17.17	-10 23 57.1	18 V	697
1995 RJ	1995 10 16.31869	01 13 16.90	-10 23 57.6	18 V	697
1995 RJ	1995 10 16.32310	01 13 16.67	-10 23 58.3	18 V	697
1995 RJ	1995 10 17.29414	01 12 26.30	-10 26 02.7	18 V	697

1995 RJ	1995 10 17.29852	01 12 26.06	-10 26 03.1	18 V	697
1995 RJ	1995 10 17.30286	01 12 25.82	-10 26 03.7	18 V	697
1995 RJ	1995 10 17.30718	01 12 25.59	-10 26 04.2	18 V	697
1995 SW ₅₃	* 1995 09 17.51019	02 48 54.07	+06 43 38.1	19.0 R	697
1995 SW ₅₃	1995 09 18.37498	02 48 43.23	+06 42 06.5	19.0 R	697
1995 SW ₅₃	1995 09 18.38184	02 48 43.13	+06 42 05.8	19.0 R	697

707 Barnard Observatory, Golden

G. Emerson, 34296 Gap Road, Golden, CO 80403, U.S.A.

Observer G. Emerson

Measurer G. V. Williams

0.25-m $f/4.5$ reflector + CCD

GSC

1995 SL ₅	* 1995 09 29.2094	00 43 01.24	+04 05 08.6		707
1995 SL ₅	1995 09 29.2510	00 42 59.26	+04 04 47.6		707
1995 SL ₅	1995 09 29.2927	00 42 57.07	+04 04 26.6		707
(3034)	1995 09 29.2094	00 41 57.76	+04 01 22.8		707
(3034)	1995 09 29.2510	00 41 55.17	+04 01 16.4		707
(3503)	1995 09 29.2094	00 42 33.89	+03 59 36.4		707
(3503)	1995 09 29.2510	00 42 31.92	+03 59 06.6		707
(3503)	1995 09 29.2927	00 42 29.94	+03 58 36.7		707

711 McDonald Observatory

A. L. Whipple, McDonald Observatory, University of Texas, Austin, TX 78712, U.S.A. [alw@astro.as.utexas.edu]

Observers P. Shelus, A. Whipple

Measurer R. Whited

0.76-m telescope with Prime Focus Corrector + CCD

ACRS, GSC 1.1

1993 OZ ₂	1995 04 03.21563	09 08 08.23	+29 20 24.8		711
1993 OZ ₂	1995 04 03.22951	09 08 08.13	+29 20 24.4		711
1994 XZ ₄	1995 04 03.11424	06 38 54.99	+32 48 22.0		711
1994 XZ ₄	1995 04 03.12743	06 38 57.01	+32 48 18.3		711
1995 BC ₂	1995 04 03.20104	08 52 24.71	+15 55 50.0		711
1995 BL ₂	1995 04 03.14201	07 35 14.49	+08 03 13.8		711
1995 BL ₂	1995 04 03.15521	07 35 14.48	+08 03 09.8		711
1995 FX	1995 04 03.33831	12 27 32.03	+22 37 32.5		711
1995 FX	1995 04 03.34109	12 27 34.77	+22 38 36.2		711
(2968)	1995 05 09.11424	08 47 50.26	+09 43 28.0		711
(5145)	1995 04 03.29815	11 34 21.05	+25 03 20.4		711
(5145)	1995 04 03.30301	11 34 20.98	+25 03 20.7		711
(5646)	1995 04 03.25312	10 19 55.36	+16 19 10.9		711
(5646)	1995 04 03.27951	10 19 54.36	+16 19 11.8		711
(5751)	1995 04 03.17506	08 18 35.50	+46 55 04.9		711
(5751)	1995 04 03.17784	08 18 36.28	+46 55 04.8		711
(6523)	1995 05 08.21644	11 28 30.20	-23 43 41.0		711

801 Oak Ridge

R. E. McCrosky, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [mccrosky@cfa.harvard.edu]

1.5-m reflector + CCD

GSC

1955 UN ₁	1995 10 23.39751	06 55 30.53	+34 32 43.0	801	1978 SB ₈	1995 10 23.12714	23 29 40.84	-04 07 00.0	801
1955 UN ₁	1995 10 23.41436	06 55 31.19	+34 32 49.7	801	1978 SB ₈	1995 10 25.02163	23 29 16.06	-03 59 56.0	801
1968 OH	1995 10 23.05396	23 00 38.30	+12 51 07.0	801	1978 SB ₈	1995 10 25.04528	23 29 15.69	-03 59 50.1	801
1968 OH	1995 10 23.08062	23 00 38.14	+12 50 55.0	801	1978 UF ₆	1995 10 24.11708	00 18 32.91	+04 47 21.0	801
1968 OH	1995 10 25.01383	23 00 34.20	+12 36 38.6	801	1978 UF ₆	1995 10 24.13543	00 18 32.14	+04 47 19.0	801
1968 OH	1995 10 25.03266	23 00 34.15	+12 36 30.2	801	1978 UF ₆	1995 10 27.09955	00 16 25.18	+04 41 53.9	801
1970 WD	1995 10 22.37977	06 37 00.92	+24 02 34.8	801	1978 UF ₆	1995 10 27.11984	00 16 24.33	+04 41 51.9	801
1970 WD	1995 10 22.40566	06 37 01.89	+24 02 29.3	801	1978 VG ₁₁	1995 10 23.20471	02 00 56.25	+04 25 16.2	801
1970 WD	1995 10 24.36536	06 38 16.83	+23 55 14.7	801	1978 VG ₁₁	1995 10 23.21977	02 00 55.38	+04 25 15.6	801
1970 WD	1995 10 24.38896	06 38 17.65	+23 55 09.6	801	1979 HH	1995 10 24.15422	01 10 38.88	+03 30 38.7	801
1972 RU ₃	1995 10 24.16189	01 20 06.94	+05 23 09.6	801	1979 HH	1995 10 24.17038	01 10 38.14	+03 30 34.2	801
1972 RU ₃	1995 10 24.17826	01 20 05.91	+05 23 08.1	801	1979 QC ₂	1995 10 23.24994	03 41 08.81	+16 12 21.1	801
1973 ST ₃	1995 10 24.27815	03 57 34.35	+29 19 48.6	801	1979 QC ₂	1995 10 23.26655	03 41 08.20	+16 12 17.9	801
1973 ST ₃	1995 10 24.30090	03 57 33.70	+29 19 56.3	801	1979 QC ₂	1995 10 27.27523	03 38 35.30	+15 59 33.0	801
1973 ST ₃	1995 10 27.28285	03 56 06.35	+29 35 57.1	801	1979 QC ₂	1995 10 27.29747	03 38 34.37	+15 59 28.6	801
1973 ST ₃	1995 10 27.30297	03 56 05.62	+29 36 03.2	801	1980 FZ ₃	1995 09 29.13851	22 53 56.35	-06 19 58.1	801
1973 SS ₄	1995 10 23.09325	23 25 03.11	-13 26 49.7	801	1980 FZ ₃	1995 09 29.15508	22 53 55.51	-06 20 00.4	801
1973 SS ₄	1995 10 25.01954	23 24 05.36	-13 21 57.4	801	1980 FZ ₃	1995 10 24.04962	22 40 23.94	-05 58 33.9	801
1973 SS ₄	1995 10 25.03497	23 24 04.90	-13 21 54.3	801	1980 FZ ₃	1995 10 24.10706	22 40 23.41	-05 58 24.3	801
1973 UC	1995 10 23.27118	03 50 08.57	+25 30 44.9	801	1980 KD	1995 10 22.39492	07 52 20.90	+15 16 38.9	801
1973 UC	1995 10 23.30051	03 50 07.38	+25 30 53.4	801	1980 KD	1995 10 22.41480	07 52 21.80	+15 16 36.6	801
1973 UC	1995 10 27.27880	03 47 19.09	+25 49 24.2	801	1980 KD	1995 10 24.40378	07 53 39.46	+15 12 26.8	801
1973 UC	1995 10 27.30135	03 47 17.99	+25 49 30.0	801	1980 KD	1995 10 24.41743	07 53 39.89	+15 12 24.5	801
1973 UR ₅	1995 10 29.17384	01 57 48.43	+12 24 50.0	801	1981 EH ₁	1995 10 23.11968	00 39 12.83	-02 38 27.3	801
1973 UR ₅	1995 10 29.18940	01 57 47.49	+12 24 47.5	801	1981 EH ₁	1995 10 23.14335	00 39 11.94	-02 38 33.1	801
1975 VN ₅	1995 08 30.23987	00 27 21.48	-07 41 04.6	r 801	1981 EH ₁	1995 10 27.16972	00 36 45.69	-02 55 02.1	801
1975 VN ₅	1995 08 30.25737	00 27 21.22	-07 41 13.9	r 801	1981 EZ ₂₅	1995 10 23.05170	22 55 20.38	-04 12 32.2	801
1975 YD	1995 10 24.12238	00 30 45.72	+11 06 29.0	r 801	1981 EZ ₂₅	1995 10 23.07808	22 55 19.74	-04 12 24.2	801
1975 YD	1995 10 24.13784	00 30 45.21	+11 06 16.1	r 801	1981 EZ ₂₅	1995 10 26.04633	22 54 19.77	-03 57 09.6	801
1975 YD	1995 10 27.13434	00 29 20.36	+10 24 41.1	801	1981 EZ ₂₅	1995 10 26.06934	22 54 19.32	-03 57 02.3	801
1975 YD	1995 10 27.15199	00 29 19.86	+10 24 26.5	801	1981 EZ ₄₆	1995 10 23.33541	05 04 07.35	+23 30 43.8	801
1976 GQ ₂	1995 10 24.22056	02 13 15.28	+12 56 10.5	801	1981 EZ ₄₆	1995 10 23.37141	05 04 08.01	+23 30 49.3	801
1976 GQ ₂	1995 10 24.23346	02 13 14.52	+12 56 10.7	801	1981 EZ ₄₆	1995 10 27.36318	05 05 13.55	+23 40 36.8	801
1976 GQ ₂	1995 10 27.22190	02 10 26.32	+12 55 39.9	801	1981 EZ ₄₆	1995 10 27.40024	05 05 13.90	+23 40 42.2	801
1976 GQ ₂	1995 10 27.23897	02 10 25.33	+12 55 39.6	801	1981 SY ₁	1995 10 23.27579	04 09 28.65	+27 03 37.6	801
1977 UM ₄	1995 10 23.95414	20 20 12.87	-21 49 34.0	801	1981 SY ₁	1995 10 23.30545	04 09 27.31	+27 03 37.3	801
1977 UM ₄	1995 10 23.95870	20 20 13.36	-21 49 30.3	801	1981 SY ₁	1995 10 27.29031	04 06 21.21	+27 01 37.7	801
1977 UM ₄	1995 10 26.98854	20 25 38.26	-21 25 47.9	801	1981 SY ₁	1995 10 27.31153	04 06 20.11	+27 01 36.6	801
1977 UM ₄	1995 10 26.99870	20 25 39.36	-21 25 42.2	801	1981 VL	1995 10 24.05816	23 30 55.65	-04 59 56.4	801
1978 EU ₉	1995 08 25.32367	01 07 43.00	+05 36 12.8	801	1981 VL	1995 10 24.10409	23 30 54.75	-04 59 51.9	801
1978 EU ₉	1995 08 25.36311	01 07 42.47	+05 36 08.0	801	1981 VL	1995 10 26.08460	23 30 24.57	-04 56 12.7	801
1978 EU ₉	1995 08 26.32750	01 07 30.34	+05 33 49.1	801	1981 VL	1995 10 26.12705	23 30 23.87	-04 56 07.1	801
1978 EU ₉	1995 08 26.37318	01 07 29.63	+05 33 41.7	801	1981 WA ₁	1995 10 23.99461	21 25 08.96	-17 04 45.9	801
1978 QG ₂	1995 10 23.23376	02 50 47.32	+13 11 10.6	801	1981 WA ₁	1995 10 24.01888	21 25 09.66	-17 04 42.2	801
1978 QG ₂	1995 10 23.25214	02 50 46.22	+13 11 03.9	801	1982 UP	1995 10 23.27315	04 02 04.82	+19 42 02.9	801
1978 QG ₂	1995 10 29.23221	02 44 38.47	+12 32 29.7	801	1982 UP	1995 10 23.30227	04 02 03.82	+19 41 56.8	801
1978 QG ₂	1995 10 29.24637	02 44 37.52	+12 32 23.5	801	1982 UP	1995 10 27.28782	03 59 41.07	+19 27 20.1	801
1978 RG ₁	1995 10 22.98858	20 53 32.70	-17 48 26.5	801	1982 UP	1995 10 27.30899	03 59 40.16	+19 27 15.1	801
1978 RG ₁	1995 10 23.00282	20 53 33.47	-17 48 23.9	801	1982 UT ₅	1995 10 24.04034	22 21 18.19	-06 14 31.6	801
1978 RG ₁	1995 10 27.00159	20 57 13.87	-17 35 25.0	801	1982 UT ₅	1995 10 25.99292	22 21 48.13	-06 17 15.6	801
1978 RG ₁	1995 10 27.01477	20 57 14.66	-17 35 21.6	801	1982 VA ₁	1995 10 24.01014	21 57 13.74	-21 46 35.9	801
1978 SB ₈	1995 10 23.09530	23 29 41.43	-04 07 06.8	801	1982 VA ₁	1995 10 24.02558	21 57 14.65	-21 46 24.9	801

1982 VA ₁	1995 10 27.02351	22 00 22.70	-21 11 59.1	801	1987 SH ₃	1995 10 23.29611	04 18 35.53	-07 40 42.8	801
1982 VA ₁	1995 10 27.03801	22 00 23.62	-21 11 49.7	801	1987 SH ₃	1995 10 27.32596	04 17 27.17	-09 37 22.3	801
1983 RQ ₄	1995 10 24.24278	02 45 10.43	+10 10 08.1	801	1987 SH ₃	1995 10 27.33653	04 17 26.91	-09 37 40.4	801
1983 RQ ₄	1995 10 24.25699	02 45 09.74	+10 10 00.6	801	1987 WO ₁	1995 10 24.15264	01 05 36.00	+13 01 56.6	801
1983 RQ ₄	1995 10 27.24566	02 42 47.58	+09 43 36.3	801	1987 WO ₁	1995 10 24.16866	01 05 35.19	+13 01 48.9	801
1983 RQ ₄	1995 10 27.26175	02 42 46.77	+09 43 27.6	801	1987 WS ₃	1995 10 24.06240	23 33 52.00	+17 38 10.0	801
1983 TE ₁	1995 10 22.34731	05 54 15.69	+18 33 54.3	801	1987 WS ₃	1995 10 24.07825	23 33 51.80	+17 37 57.4	801
1983 TE ₁	1995 10 22.36674	05 54 15.97	+18 33 49.8	801	1987 WS ₃	1995 10 26.09123	23 33 34.94	+17 11 16.4	801
1983 TE ₁	1995 10 24.33604	05 54 50.76	+18 25 28.3	801	1987 WS ₃	1995 10 26.10949	23 33 34.78	+17 11 01.9	801
1983 TE ₁	1995 10 24.37154	05 54 51.30	+18 25 19.2	801	1987 YK	1995 10 29.30701	05 20 04.59	+22 35 20.4	801
1984 DN	1995 10 22.37598	06 29 41.14	+13 37 38.3	801	1987 YK	1995 10 29.35966	05 20 03.63	+22 35 27.1	801
1984 DN	1995 10 22.39828	06 29 41.98	+13 37 33.6	801	1988 BP ₃	1995 10 23.32333	04 57 04.60	+12 08 40.5	801
1984 DX	1995 10 24.27426	03 56 40.33	+13 02 54.7	801	1988 BP ₃	1995 10 23.35128	04 57 03.97	+12 08 34.1	801
1984 DX	1995 10 24.30252	03 56 39.62	+13 02 48.0	801	1988 BP ₃	1995 10 27.37213	04 55 28.69	+11 53 28.2	801
1984 DX	1995 10 27.28094	03 55 25.27	+12 51 08.9	801	1988 CH	1995 10 23.40065	06 53 58.55	+16 03 46.9	801
1984 DX	1995 10 27.30730	03 55 24.47	+12 51 02.7	801	1988 CH	1995 10 23.41178	06 53 59.29	+16 03 44.0	801
1984 UX ₁	1995 10 23.10029	23 32 32.64	-10 19 20.5	801	1988 CJ	1995 10 24.19289	01 55 47.24	+16 03 36.3	801
1984 UX ₁	1995 10 23.12434	23 32 31.93	-10 19 16.5	801	1988 CJ	1995 10 24.21078	01 55 46.29	+16 03 31.0	801
1984 UX ₁	1995 10 25.04205	23 31 41.69	-10 14 05.0	801	1988 CJ	1995 10 29.17068	01 51 30.98	+15 37 10.2	801
1984 UX ₁	1995 10 25.06787	23 31 41.01	-10 13 59.8	801	1988 CJ	1995 10 29.18439	01 51 30.27	+15 37 05.8	801
1986 EZ ₄	1995 10 23.21514	02 38 33.86	+16 18 02.4	801	1988 DF ₂	1995 10 24.18139	01 22 10.80	+11 37 35.7	801
1986 EZ ₄	1995 10 23.22777	02 38 33.11	+16 17 59.1	801	1988 DF ₂	1995 10 24.19726	01 22 09.93	+11 37 31.4	801
1986 EZ ₄	1995 10 27.24163	02 34 33.05	+16 01 19.0	801	1988 DF ₂	1995 10 27.19278	01 19 34.02	+11 24 37.7	801
1986 EZ ₄	1995 10 27.25991	02 34 31.88	+16 01 14.2	801	1988 DF ₂	1995 10 27.20664	01 19 33.28	+11 24 33.9	801
1986 PD ₁	1995 10 24.32544	05 14 09.60	-02 23 06.6	801	1988 RK ₅	1995 10 24.21848	02 13 03.06	+11 41 32.0	801
1986 PD ₁	1995 10 24.34657	05 14 09.60	-02 23 16.3	801	1988 RK ₅	1995 10 24.23025	02 13 02.32	+11 41 27.9	801
1986 PD ₁	1995 10 29.29821	05 13 56.21	-02 58 49.7	801	1988 RK ₅	1995 10 29.17713	02 07 54.35	+11 11 25.4	801
1986 PD ₁	1995 10 29.32574	05 13 55.87	-02 59 00.8	801	1988 RK ₈	1995 10 23.17050	01 25 30.11	+06 42 57.6	801
1986 RC ₁	1995 10 23.20678	02 12 55.77	+14 46 16.4	801	1988 RK ₈	1995 10 23.18921	01 25 29.07	+06 42 50.0	801
1986 RC ₁	1995 10 23.22193	02 12 54.90	+14 46 12.6	801	1988 TC ₁	1995 10 24.15120	01 01 11.55	+08 23 03.7	801
1986 RC ₁	1995 10 27.23649	02 09 07.35	+14 29 13.0	801	1988 TC ₁	1995 10 24.16523	01 01 10.72	+08 23 01.6	801
1986 SZ ₁	1995 10 22.31509	05 42 48.84	+27 35 31.1	801	1988 TC ₁	1995 10 27.18488	00 58 24.90	+08 15 45.8	801
1986 SZ ₁	1995 10 22.32924	05 42 49.08	+27 35 27.1	801	1988 TC ₁	1995 10 27.19978	00 58 24.08	+08 15 43.6	801
1986 SZ ₁	1995 10 24.33381	05 43 23.84	+27 27 13.0	801	1988 VD ₃	1995 10 23.01753	21 39 41.83	-13 27 37.2	801
1986 SZ ₁	1995 10 24.36850	05 43 24.28	+27 27 04.2	801	1988 VD ₃	1995 10 23.03147	21 39 42.44	-13 27 32.8	801
1986 TR ₂	1995 10 24.05278	22 48 08.17	-22 07 47.3	801	1988 VZ ₃	1995 10 29.30951	05 29 30.16	+29 09 05.7	801
1986 TR ₂	1995 10 24.08350	22 48 08.03	-22 07 36.1	801	1988 VZ ₃	1995 10 29.39258	05 29 30.76	+29 08 58.0	801
1986 TR ₂	1995 10 26.04260	22 48 04.65	-21 54 54.8	801	1988 XZ	1995 10 23.11350	00 26 09.12	+09 37 58.5	801
1986 TR ₂	1995 10 26.06670	22 48 04.57	-21 54 44.8	801	1988 XZ	1995 10 23.13166	00 26 08.29	+09 37 50.3	801
1986 TR ₄	1995 10 24.31588	04 56 02.60	+26 19 55.7	801	1988 XZ	1995 10 25.06273	00 24 47.03	+09 24 01.2	801
1986 TR ₄	1995 10 24.38050	04 56 01.74	+26 19 52.2	801	1988 XZ	1995 10 25.07647	00 24 46.45	+09 23 55.3	801
1986 TR ₄	1995 10 27.34866	04 55 19.27	+26 17 03.0	801	1989 AA ₅	1995 10 24.32094	05 14 15.21	+08 38 43.6	801
1986 TR ₄	1995 10 27.39751	04 55 18.32	+26 16 59.5	801	1989 AA ₅	1995 10 24.35284	05 14 14.54	+08 38 39.0	801
1987 KB	1995 10 23.27818	04 13 01.13	+25 02 07.9	801	1989 AA ₅	1995 10 27.36596	05 13 08.51	+08 31 50.5	801
1987 KB	1995 10 23.30822	04 12 59.79	+25 01 57.8	801	1989 AA ₅	1995 10 27.40284	05 13 07.56	+08 31 45.9	801
1987 KB	1995 10 27.31984	04 09 54.20	+24 38 18.6	801	1989 BA	1995 10 26.13418	00 41 15.49	+38 35 44.0	801
1987 KB	1995 10 27.33843	04 09 53.24	+24 38 11.6	801	1989 BA	1995 10 26.15103	00 41 13.83	+38 35 43.6	801
1987 SL ₁	1995 10 22.34106	05 26 15.36	+26 37 13.2	801	1989 CA	1995 10 24.14735	00 53 50.96	+06 44 11.3	801
1987 SL ₁	1995 10 22.36891	05 26 15.77	+26 37 16.7	801	1989 CA	1995 10 24.16369	00 53 50.17	+06 44 06.0	801
1987 SL ₁	1995 10 24.32758	05 26 44.67	+26 41 49.6	801	1989 CD	1995 10 23.34785	06 37 51.80	+21 54 47.7	801
1987 SL ₁	1995 10 24.38232	05 26 45.23	+26 41 57.1	801	1989 CD	1995 10 23.36439	06 37 52.71	+21 54 47.3	801
1987 SH ₃	1995 10 23.28218	04 18 35.73	-07 40 18.4	801	1989 CD	1995 10 29.34244	06 43 05.43	+21 52 14.7	801

1989 CD	1995 10 29.36498	06 43 06.44	+21 52 14.0	801	1990 TU	1995 10 24.08058	23 33 38.63	+04 34 12.5	801
1989 GM	1995 10 29.26479	04 01 32.34	-03 21 48.8	801	1990 TU	1995 10 26.08802	23 33 12.85	+04 17 43.6	801
1989 GM	1995 10 29.27938	04 01 31.66	-03 21 52.3	801	1990 TU	1995 10 26.11211	23 33 12.55	+04 17 32.0	801
1989 GF ₄	1995 10 24.15981	01 16 14.21	+10 43 20.5	801	1990 TU ₁₀	1995 10 29.26838	04 22 05.67	+21 14 52.1	801
1989 GF ₄	1995 10 24.17677	01 16 13.40	+10 43 12.6	801	1990 TU ₁₀	1995 10 29.28810	04 22 04.83	+21 14 47.1	801
1989 HG	1995 10 24.28377	04 00 07.83	+06 43 19.8	801	1990 TR ₁₂	1995 10 24.24516	03 00 04.57	+21 37 30.3	801
1989 HG	1995 10 24.29828	04 00 07.28	+06 43 12.4	801	1990 TR ₁₂	1995 10 24.26523	03 00 03.63	+21 37 23.4	801
1989 HG	1995 10 27.28497	03 58 18.94	+06 17 15.5	801	1990 TR ₁₂	1995 10 27.24799	02 57 45.19	+21 20 26.7	801
1989 HG	1995 10 27.30534	03 58 18.13	+06 17 04.7	801	1990 TR ₁₂	1995 10 27.26656	02 57 44.26	+21 20 20.1	801
1989 SO ₈	1995 10 24.15794	01 15 44.99	+05 06 03.1	801	1990 UE ₃	1995 10 24.05586	23 14 26.78	-08 12 42.3	w 801
1989 SO ₈	1995 10 24.17456	01 15 44.25	+05 05 59.4	801	1990 UE ₃	1995 10 24.10186	23 14 25.74	-08 12 42.1	801
1989 VC ₂	1995 09 29.24501	01 10 31.95	+06 42 46.6	801	1990 UE ₃	1995 10 26.05736	23 13 46.45	-08 13 02.5	801
1989 VC ₂	1995 09 29.26294	01 10 31.12	+06 42 42.1	801	1990 UE ₃	1995 10 26.09876	23 13 45.60	-08 13 02.8	801
1989 VC ₂	1995 10 24.13307	00 51 32.29	+05 43 00.0	801	1990 UL ₁₁	1995 10 23.38551	06 44 06.50	+23 12 29.8	801
1989 VC ₂	1995 10 24.14953	00 51 31.58	+05 42 58.0	801	1990 UL ₁₁	1995 10 23.40472	06 44 07.03	+23 12 30.7	801
1990 DL	1995 10 24.18916	01 55 05.57	+19 26 54.2	801	1990 UL ₁₁	1995 10 29.34477	06 46 28.67	+23 16 32.2	801
1990 DL	1995 10 24.20282	01 55 04.65	+19 26 51.2	801	1990 UL ₁₁	1995 10 29.39663	06 46 29.67	+23 16 34.5	801
1990 DL	1995 10 27.20999	01 51 47.63	+19 13 58.8	801	1990 UN ₁₃	1995 10 23.34294	06 39 37.53	+24 49 07.7	801
1990 DL	1995 10 27.22410	01 51 46.67	+19 13 54.9	801	1990 UN ₁₃	1995 10 23.38301	06 39 38.59	+24 49 12.3	801
1990 HH ₁	1995 10 26.06344	22 24 56.34	-13 32 43.5	801	1990 UN ₁₃	1995 10 29.33653	06 41 53.00	+25 00 27.5	801
1990 HH ₁	1995 10 27.04985	22 25 16.89	-13 34 07.3	801	1990 UN ₁₃	1995 10 29.39457	06 41 53.92	+25 00 34.8	801
1990 HH ₁	1995 10 27.07772	22 25 17.46	-13 34 11.3	801	1990 VZ	1995 09 29.09743	22 25 11.89	-13 52 33.7	801
1990 KM	1995 10 22.35038	06 02 53.70	+06 34 12.8	801	1990 VZ	1995 10 25.00840	22 20 22.58	-13 33 38.1	801
1990 KM	1995 10 22.36149	06 02 53.74	+06 34 05.6	801	1990 VZ	1995 10 25.03720	22 20 22.81	-13 33 33.4	801
1990 KM	1995 10 24.34198	06 03 07.90	+06 12 45.1	801	1990 VZ	1995 10 25.98296	22 20 32.77	-13 30 52.6	801
1990 KM	1995 10 24.35889	06 03 08.01	+06 12 34.0	W 801	1990 VZ	1995 10 26.00962	22 20 33.02	-13 30 47.8	801
1990 MC	1995 10 23.95210	20 07 44.77	-09 08 36.9	801	1990 VP ₂	1995 10 27.08084	23 56 19.64	-16 41 47.3	801
1990 MC	1995 10 23.95654	20 07 45.23	-09 08 37.7	801	1990 VP ₂	1995 10 27.10226	23 56 18.93	-16 41 41.9	801
1990 MC	1995 10 25.96068	20 11 19.30	-09 14 51.2	801	1990 VA ₇	1995 10 24.15635	01 13 07.21	-06 41 02.1	801
1990 MC	1995 10 25.96970	20 11 20.25	-09 14 53.1	801	1990 VA ₇	1995 10 24.17240	01 13 06.41	-06 41 01.7	801
1990 OE ₂	1995 10 23.39485	06 50 21.53	+11 37 50.1	801	1990 VA ₇	1995 10 27.18690	01 10 39.98	-06 39 38.4	801
1990 OE ₂	1995 10 23.41971	06 50 22.20	+11 37 48.7	I 801	1990 VA ₇	1995 10 27.20152	01 10 39.26	-06 39 37.5	801
1990 OK ₂	1995 08 25.32575	01 32 05.16	+01 44 40.8	801	1991 AA	1995 10 23.16701	01 21 29.34	+07 10 51.3	801
1990 OK ₂	1995 10 23.16507	01 01 40.25	-01 34 10.9	801	1991 AA	1995 10 23.18534	01 21 28.44	+07 10 48.5	801
1990 OK ₂	1995 10 23.18390	01 01 39.35	-01 34 13.1	801	1991 AA	1995 10 27.20400	01 18 22.60	+07 00 54.3	801
1990 OK ₂	1995 10 25.10560	01 00 14.45	-01 37 37.4	801	1991 AR ₁	1995 10 24.12404	00 40 06.68	+04 09 13.7	801
1990 OK ₂	1995 10 25.12208	01 00 13.69	-01 37 38.9	801	1991 AR ₁	1995 10 24.14115	00 40 05.99	+04 09 09.9	801
1990 QZ ₄	1995 10 26.95439	19 16 09.35	-19 36 01.6	801	1991 AR ₁	1995 10 27.15406	00 38 12.30	+03 58 12.8	801
1990 QZ ₄	1995 10 26.96709	19 16 10.32	-19 36 03.2	801	1991 AR ₁	1995 10 27.17213	00 38 11.66	+03 58 09.1	801
1990 SB ₁	1995 10 23.38884	06 43 59.56	+38 49 56.4	801	1991 CL ₃	1995 10 22.33404	05 38 10.70	+39 50 38.1	801
1990 SB ₁	1995 10 23.40799	06 44 00.12	+38 50 01.9	801	1991 CL ₃	1995 10 22.35802	05 38 10.80	+39 50 51.4	801
1990 SB ₁	1995 10 29.34771	06 46 31.71	+39 19 28.9	801	1991 CL ₃	1995 10 24.33214	05 38 18.31	+40 08 39.7	801
1990 SB ₁	1995 10 29.40052	06 46 32.68	+39 19 45.1	801	1991 CX ₅	1995 10 22.35498	06 05 13.39	+16 50 58.5	801
1990 SU ₁₀	1995 10 24.22222	02 20 18.08	+19 18 26.8	801	1991 CX ₅	1995 10 22.40843	06 05 14.17	+16 50 59.6	801
1990 SU ₁₀	1995 10 24.23870	02 20 17.18	+19 18 22.7	801	1991 CX ₅	1995 10 24.33814	06 05 41.63	+16 51 28.7	801
1990 SU ₁₀	1995 10 29.19567	02 15 55.54	+18 55 49.0	801	1991 CX ₅	1995 10 24.39157	06 05 42.24	+16 51 29.7	801
1990 SU ₁₀	1995 10 29.21258	02 15 54.60	+18 55 44.2	801	1991 DS	1995 10 23.41713	06 48 18.38	+21 20 40.3	U 801
1990 TF	1995 10 22.38405	06 25 33.23	+40 04 41.5	801	1991 DS	1995 10 29.35045	06 50 49.88	+21 17 42.2	801
1990 TF	1995 10 22.41090	06 25 34.03	+40 04 49.7	801	1991 DS	1995 10 29.40322	06 50 50.89	+21 17 40.4	801
1990 TF	1995 10 24.37479	06 26 31.91	+40 14 41.1	801	1991 GG ₅	1995 10 23.99010	21 13 38.47	-14 44 30.8	801
1990 TF	1995 10 24.39630	06 26 32.44	+40 14 47.4	801	1991 GG ₅	1995 10 24.00274	21 13 39.44	-14 44 26.9	t 801
1990 TU	1995 10 24.06054	23 33 38.95	+04 34 22.7	801	1991 LF ₁	1995 10 23.11619	00 25 12.39	-06 36 27.7	r 801

1991 LF ₁	1995 10 23.14566	00 25 11.27	-06 36 27.1	801	1991 TV ₁	1995 10 25.11693	00 44 59.86	-05 37 18.2	801
1991 LF ₁	1995 10 25.06512	00 24 08.05	-06 34 58.5	r 801	1991 TV ₁	1995 10 27.16133	00 43 42.70	-05 22 01.6	801
1991 LF ₁	1995 10 25.08463	00 24 07.39	-06 34 57.2	r 801	1991 TV ₁	1995 10 27.17950	00 43 41.98	-05 21 53.2	801
1991 NS ₁	1995 08 22.30569	00 06 25.65	+02 05 10.7	801	1991 VU ₄	1995 10 23.10813	23 53 32.00	-07 16 16.3	801
1991 NS ₁	1995 08 22.33063	00 06 25.06	+02 05 00.6	801	1991 VU ₄	1995 10 23.14889	23 53 31.18	-07 16 19.4	801
1991 NS ₁	1995 08 25.28236	00 05 11.91	+01 44 37.1	801	1991 VU ₄	1995 10 25.05380	23 53 00.60	-07 18 09.9	801
1991 NS ₁	1995 08 25.30985	00 05 11.09	+01 44 25.2	801	1991 VU ₄	1995 10 25.08822	23 52 59.99	-07 18 11.4	801
1991 NS ₁	1995 10 23.09802	23 29 28.31	-06 07 56.8	801	1991 XH	1995 10 23.24167	03 07 43.88	-07 42 19.8	801
1991 NS ₁	1995 10 23.14013	23 29 27.81	-06 08 06.3	801	1991 XH	1995 10 23.25913	03 07 43.07	-07 42 27.0	801
1991 NS ₁	1995 10 25.03926	23 29 12.99	-06 14 40.4	801	1992 AE ₁	1995 10 24.27256	03 50 10.45	+06 39 39.6	801
1991 NS ₁	1995 10 25.07085	23 29 12.72	-06 14 46.4	801	1992 AE ₁	1995 10 24.29248	03 50 09.64	+06 39 36.9	801
1991 NB ₄	1995 10 26.11973	00 09 11.99	+07 53 54.3	801	1992 AE ₁	1995 10 29.25877	03 46 45.21	+06 28 15.8	801
1991 NB ₄	1995 10 27.09493	00 08 38.96	+07 47 54.7	801	1992 AE ₁	1995 10 29.27593	03 46 44.43	+06 28 13.8	801
1991 NB ₄	1995 10 27.11457	00 08 38.28	+07 47 47.5	801	1992 BK	1995 10 23.32054	04 46 10.72	+28 22 24.3	801
1991 PS	1995 10 23.23983	03 06 30.73	+24 25 38.3	801	1992 BK	1995 10 23.37836	04 46 10.47	+28 22 35.8	801
1991 PS	1995 10 23.25676	03 06 29.84	+24 25 34.9	801	1992 BK	1995 10 27.33365	04 45 44.09	+28 35 26.1	801
1991 PS	1995 10 27.25034	03 02 59.12	+24 10 35.1	801	1992 BK	1995 10 27.38016	04 45 43.47	+28 35 34.7	801
1991 PS	1995 10 27.27008	03 02 57.97	+24 10 29.9	801	1992 DT ₆	1995 09 28.17150	23 46 47.26	-06 03 09.9	801
1991 PT ₁₀	1995 10 23.04589	22 19 36.66	-04 57 09.0	801	1992 DT ₆	1995 09 28.18677	23 46 46.62	-06 03 16.8	801
1991 PT ₁₀	1995 10 23.06480	22 19 37.31	-04 57 07.0	801	1992 DT ₆	1995 09 29.18391	23 46 05.21	-06 09 13.9	801
1991 PT ₁₀	1995 10 26.00183	22 21 36.46	-04 51 18.2	801	1992 DT ₆	1995 09 29.20063	23 46 04.56	-06 09 17.9	801
1991 PT ₁₀	1995 10 26.01933	22 21 37.13	-04 51 15.5	801	1992 DT ₆	1995 10 23.10456	23 32 57.76	-07 55 53.2	801
1991 PM ₁₁	1995 10 23.05023	22 34 59.65	-03 59 31.5	801	1992 DT ₆	1995 10 23.13688	23 32 57.00	-07 55 59.1	801
1991 PM ₁₁	1995 10 23.08458	22 35 00.22	-03 59 25.6	801	1992 DT ₆	1995 10 25.05068	23 32 19.11	-08 00 45.7	801
1991 PM ₁₁	1995 10 25.00999	22 35 40.44	-03 53 36.2	801	1992 DT ₆	1995 10 25.08208	23 32 18.45	-08 00 50.6	801
1991 PM ₁₁	1995 10 25.02338	22 35 40.71	-03 53 33.7	801	1992 EF	1995 10 23.26902	03 45 08.80	+28 32 55.7	801
1991 PY ₁₄	1995 10 22.97227	19 47 20.37	-18 01 55.1	801	1992 EF	1995 10 23.29846	03 45 07.66	+28 32 52.0	801
1991 PY ₁₄	1995 10 22.98412	19 47 21.21	-18 01 51.8	801	1992 EF	1995 10 27.27694	03 42 27.84	+28 23 38.6	801
1991 PY ₁₄	1995 10 26.97703	19 52 12.76	-17 40 42.8	801	1992 EF	1995 10 27.29941	03 42 26.85	+28 23 35.2	801
1991 RA ₁	1995 10 25.00568	22 20 33.38	+02 02 46.7	801	1992 EL ₁	1995 10 23.31858	04 43 12.48	+17 29 22.1	801
1991 RA ₁	1995 10 25.02698	22 20 33.65	+02 02 50.0	801	1992 EL ₁	1995 10 23.35394	04 43 11.67	+17 29 25.2	801
1991 RA ₁	1995 10 25.98744	22 20 48.64	+02 05 19.4	801	1992 EL ₁	1995 10 29.29020	04 40 34.99	+17 38 04.8	801
1991 RA ₁	1995 10 26.01390	22 20 49.03	+02 05 23.7	801	1992 EL ₁	1995 10 29.31803	04 40 34.08	+17 38 07.2	801
1991 RS ₁	1995 10 23.03427	22 12 35.12	-09 56 11.8	801	1992 EJ ₉	1995 10 24.11473	00 16 13.18	-02 18 06.1	801
1991 RS ₁	1995 10 23.06910	22 12 34.95	-09 56 03.8	801	1992 EJ ₉	1995 10 24.13947	00 16 12.31	-02 18 07.4	801
1991 RS ₁	1995 10 25.00368	22 12 32.44	-09 48 01.5	W 801	1992 EJ ₉	1995 10 27.09701	00 14 32.40	-02 19 52.0	801
1991 RS ₁	1995 10 25.02500	22 12 32.34	-09 47 56.1	801	1992 FB	1995 10 22.39241	07 42 05.74	+28 32 29.1	801
1991 RS ₁	1995 10 25.97889	22 12 33.47	-09 43 49.3	801	1992 FB	1995 10 22.41759	07 42 06.82	+28 32 33.4	801
1991 RS ₁	1995 10 26.00637	22 12 33.50	-09 43 41.7	801	1992 FF	1995 10 23.18087	01 39 56.52	+09 00 49.5	801
1991 RD ₂₄	1995 10 24.12907	00 43 52.93	-04 45 10.1	801	1992 FF	1995 10 23.20038	01 39 55.59	+09 00 44.9	801
1991 RD ₂₄	1995 10 24.14399	00 43 52.27	-04 45 12.7	801	1992 OG	1995 10 24.41103	07 13 40.69	-10 48 38.5	801
1991 RD ₂₄	1995 10 27.15731	00 41 42.05	-04 54 35.8	801	1992 OG	1995 10 24.42140	07 13 41.45	-10 48 45.1	801
1991 RD ₂₄	1995 10 27.17699	00 41 41.26	-04 54 40.8	p 801	1992 OG	1995 10 29.41072	07 18 56.95	-11 42 18.0	801
1991 RB ₂₅	1995 10 26.11602	00 05 02.17	-12 38 05.2	801	1992 OG	1995 10 29.41730	07 18 57.31	-11 42 21.9	801
1991 RB ₂₅	1995 10 26.14409	00 05 01.19	-12 37 59.1	801	1992 UP ₄	1995 10 26.06058	23 22 31.83	-13 01 06.8	801
1991 RB ₂₅	1995 10 27.09285	00 04 31.32	-12 34 30.9	801	1992 UP ₄	1995 10 26.10160	23 22 31.16	-13 01 09.2	801
1991 RB ₂₅	1995 10 27.11716	00 04 30.52	-12 34 25.2	801	1992 UP ₄	1995 10 27.10895	23 22 15.55	-13 01 12.7	801
1991 TL ₁	1995 10 22.38985	07 01 48.42	-00 37 16.0	801	1992 WY	1995 09 24.04280	19 26 06.81	-14 04 17.7	801
1991 TL ₁	1995 10 22.40106	07 01 49.36	-00 37 29.3	801	1992 WY	1995 09 28.01097	19 31 08.13	-14 06 33.1	801
1991 TL ₁	1995 10 24.40039	07 04 36.41	-01 16 22.1	I 801	1992 WY	1995 09 28.02544	19 31 09.29	-14 06 35.1	I 801
1991 TL ₁	1995 10 24.41352	07 04 37.39	-01 16 35.9	801	1992 WY	1995 10 23.96948	20 13 34.43	-13 34 10.3	801
1991 TV ₁	1995 10 25.09955	00 45 00.62	-05 37 26.0	801	1992 WY	1995 10 23.97686	20 13 35.37	-13 34 08.8	801

1992 WY	1995 10 26.98537	20 19 21.46	-13 24 22.4	801	1993 FH ₂₄	1995 10 24.26244	03 33 24.62	+16 20 24.5	801
1992 WY	1995 10 26.99579	20 19 22.66	-13 24 19.7	801	1993 FH ₂₄	1995 10 24.28060	03 33 23.83	+16 20 19.8	801
1992 WT ₂	1995 10 27.05552	23 05 41.81	-13 10 50.1	801	1993 FW ₃₁	1995 10 25.05535	23 57 57.05	-07 22 53.1	801
1992 WT ₂	1995 10 27.12593	23 05 41.96	-13 10 39.5	801	1993 FW ₃₁	1995 10 25.07284	23 57 56.44	-07 22 52.0	801
1992 WM ₃	1995 10 22.24999	03 07 56.95	+14 08 33.1	801	1993 FW ₃₁	1995 10 27.08275	23 56 55.83	-07 19 22.0	801
1992 WM ₃	1995 10 22.26211	03 07 56.28	+14 08 31.1	801	1993 FW ₃₁	1995 10 27.11161	23 56 54.96	-07 19 18.8	801
1992 WM ₃	1995 10 29.24251	03 01 17.94	+13 49 10.3	801	1993 FU ₃₃	1995 10 25.10131	00 52 53.46	+01 12 26.3	W 801
1992 WM ₃	1995 10 29.25399	03 01 17.21	+13 49 08.1	801	1993 FU ₃₃	1995 10 25.12015	00 52 52.41	+01 12 22.8	W 801
1992 YE	1995 10 23.05659	23 02 05.64	+05 23 28.0	801	1993 FU ₃₃	1995 10 27.16604	00 51 19.52	+01 06 29.0	801
1992 YE	1995 10 23.08679	23 02 05.25	+05 23 21.6	801	1993 FU ₃₃	1995 10 27.18197	00 51 18.79	+01 06 26.3	801
1992 YE	1995 10 25.01769	23 01 48.51	+05 16 57.0	801	1993 FU ₃₈	1995 10 25.05743	00 05 07.98	-03 08 37.1	801
1992 YE	1995 10 25.04734	23 01 48.24	+05 16 51.3	801	1993 FU ₃₈	1995 10 25.07926	00 05 07.35	-03 08 39.3	801
1992 YN	1995 10 23.04860	22 34 06.31	-00 31 02.5	801	1993 GY	1995 10 29.20491	02 23 36.33	+01 48 21.5	801
1992 YN	1995 10 23.09038	22 34 06.33	-00 31 11.0	801	1993 GY	1995 10 29.22191	02 23 35.24	+01 48 20.9	801
1992 YN	1995 10 26.03225	22 34 22.74	-00 40 25.0	801	1994 EH	1995 10 24.07260	23 52 05.70	+21 04 05.9	801
1992 YN	1995 10 26.07527	22 34 23.01	-00 40 32.5	801	1994 EH	1995 10 24.09551	23 52 04.29	+21 04 04.3	801
1992 YJ ₂	1995 10 24.01295	22 00 11.29	-23 20 49.2	801	1994 EH	1995 10 27.07211	23 49 17.10	+21 00 32.7	801
1992 YJ ₂	1995 10 24.03237	22 00 11.93	-23 20 40.3	801	1994 EH	1995 10 27.08955	23 49 16.13	+21 00 31.4	801
1992 YV ₂	1993 03 23.07200	07 02 26.62	+13 06 16.0	801	1994 EE ₁	1995 08 30.22519	00 15 49.10	-09 11 11.0	r 801
1993 BC	1995 10 24.06587	23 36 14.49	+00 24 29.5	801	1994 EE ₁	1995 08 30.24882	00 15 48.37	-09 11 17.8	r 801
1993 BC	1995 10 24.09921	23 36 13.68	+00 24 22.1	801	1994 EK ₂	1995 09 28.08198	21 12 38.62	-13 27 54.5	801
1993 BC	1995 10 26.09473	23 35 31.76	+00 17 14.6	801	1994 EK ₂	1995 09 28.11563	21 12 38.30	-13 28 02.7	801
1993 BC	1995 10 26.12361	23 35 31.14	+00 17 08.9	801	1994 EK ₂	1995 09 29.07424	21 12 32.90	-13 31 12.6	801
1993 BP ₁₃	1995 10 23.05858	23 07 18.61	+13 51 03.7	801	1994 EK ₂	1995 10 22.99814	21 18 16.55	-14 07 58.4	801
1993 BP ₁₃	1995 10 23.08267	23 07 18.07	+13 50 52.9	801	1994 EK ₂	1995 10 23.02123	21 18 17.27	-14 07 58.0	801
1993 BP ₁₃	1995 10 26.05339	23 06 22.68	+13 28 50.6	801	1994 EK ₂	1995 10 27.01152	21 20 37.02	-14 06 18.4	801
1993 BP ₁₃	1995 10 26.07324	23 06 22.33	+13 28 41.6	801	1994 EK ₂	1995 10 27.03257	21 20 37.79	-14 06 17.8	801
1993 CC	1995 10 29.20867	02 30 22.21	-06 31 11.5	801	1994 FX	1995 10 23.24421	03 18 16.68	+10 01 55.6	801
1993 CC	1995 10 29.22895	02 30 21.16	-06 31 17.2	801	1994 FX	1995 10 23.26110	03 18 15.73	+10 01 49.1	801
1993 EF	1995 10 24.22405	02 25 26.63	+11 38 23.9	801	1994 FX	1995 10 27.25275	03 14 32.70	+09 37 01.1	801
1993 EF	1995 10 24.23679	02 25 25.85	+11 38 21.1	801	1994 FX	1995 10 27.27315	03 14 31.50	+09 36 53.5	801
1993 EF	1995 10 29.22578	02 20 23.64	+11 19 39.6	801	1994 GR	1995 10 24.20493	02 02 35.44	+03 25 27.0	801
1993 ER	1995 10 22.33791	05 29 29.38	+23 24 51.3	801	1994 GR	1995 10 24.21642	02 02 34.75	+03 25 23.8	801
1993 ER	1995 10 22.37259	05 29 29.82	+23 24 52.8	801	1994 GR	1995 10 27.21473	01 59 35.07	+03 12 06.3	801
1993 ER	1995 10 24.32948	05 29 54.39	+23 26 07.5	801	1994 GR	1995 10 27.22858	01 59 34.20	+03 12 02.7	801
1993 ER	1995 10 24.39359	05 29 54.91	+23 26 10.1	801	1994 JD	1995 10 23.28948	04 43 46.16	-11 39 55.2	801
1993 FD ₁	1995 10 24.30764	04 41 07.84	+21 36 31.0	801	1994 JD	1995 10 23.31324	04 43 45.39	-11 39 59.0	801
1993 FD ₁	1995 10 24.37782	04 41 06.98	+21 36 29.3	801	1994 JD	1995 10 27.33106	04 41 25.86	-11 47 59.7	801
1993 FD ₁	1995 10 29.28531	04 39 49.57	+21 34 01.2	801	1994 JD	1995 10 27.35153	04 41 24.99	-11 48 00.4	801
1993 FD ₁	1995 10 29.31970	04 39 48.75	+21 33 59.7	801	1994 JL	1995 10 24.29480	04 13 55.23	+15 25 38.9	801
1993 FG ₆	1995 10 27.06851	23 42 09.37	-03 39 13.7	801	1994 JL	1995 10 27.32243	04 11 34.77	+15 21 34.9	801
1993 FG ₆	1995 10 27.12938	23 42 08.44	-03 39 14.2	801	1994 JL	1995 10 27.34211	04 11 33.77	+15 21 33.0	801
1993 FZ ₁₂	1995 10 29.32964	05 47 18.73	+17 07 46.4	801	1994 JA ₁	1995 10 22.34552	05 05 29.51	+24 17 59.1	801
1993 FZ ₁₂	1995 10 29.41370	05 47 17.70	+17 07 39.5	801	1994 JA ₁	1995 10 22.36448	05 05 29.04	+24 18 02.0	801
1993 FM ₁₉	1995 10 27.00873	21 06 32.17	-21 26 06.0	801	1994 JA ₁	1995 10 23.36222	05 05 05.90	+24 20 39.5	801
1993 FM ₁₉	1995 10 27.02602	21 06 32.86	-21 26 02.6	801	1994 LL ₁	1995 10 22.25459	03 27 54.54	-16 03 24.4	801
1993 FG ₂₀	1995 10 23.21737	02 41 15.06	+17 16 31.0	801	1994 LL ₁	1995 10 22.27162	03 27 53.67	-16 03 29.8	801
1993 FG ₂₀	1995 10 23.22970	02 41 14.48	+17 16 26.9	801	1994 LL ₁	1995 10 24.25302	03 26 13.82	-16 13 35.8	r 801
1993 FG ₂₀	1995 10 27.24372	02 38 11.39	+16 52 56.5	801	1994 LL ₁	1995 10 24.27065	03 26 12.87	-16 13 40.9	r 801
1993 FG ₂₀	1995 10 27.26360	02 38 10.40	+16 52 49.2	801	1994 LL ₁	1995 10 29.25596	03 21 44.43	-16 33 29.7	801
1993 FH ₂₄	1995 10 22.25731	03 34 46.60	+16 29 28.9	801	1994 LL ₁	1995 10 29.27387	03 21 43.39	-16 33 32.8	801
1993 FH ₂₄	1995 10 22.27624	03 34 45.85	+16 29 24.8	801	1994 NC	1995 10 23.34553	06 39 12.96	+07 26 20.4	801

1994 NC	1995 10 23.36731	06 39 13.70	+07 26 11.7	801	1114 T-1	1995 10 29.23875	02 57 39.17	+14 39 27.7	801
1994 NC	1995 10 29.33882	06 42 15.53	+06 47 35.0	801	1114 T-1	1995 10 29.25171	02 57 38.41	+14 39 22.4	801
1994 NC	1995 10 29.36191	06 42 16.07	+06 47 26.2	801	1213 T-1	1995 10 23.16900	01 21 31.28	+09 13 43.3	801
1994 NP	1995 10 23.32713	04 57 58.18	+28 20 33.7	801	1213 T-1	1995 10 23.18760	01 21 30.43	+09 13 33.2	801
1994 NP	1995 10 23.35703	04 57 57.46	+28 20 29.0	801	1213 T-1	1995 10 29.16703	01 17 32.32	+08 21 52.8	801
1994 NP	1995 10 27.36038	04 56 11.07	+28 09 11.4	801	1213 T-1	1995 10 29.18094	01 17 31.72	+08 21 46.0	801
1994 NC ₁	1995 10 23.23674	03 00 59.82	+03 08 09.0	801	2246 T-1	1995 10 24.21459	02 08 50.22	+11 59 54.5	801
1994 NC ₁	1995 10 23.25443	03 00 59.01	+03 08 01.3	801	2246 T-1	1995 10 24.22791	02 08 49.35	+11 59 52.4	801
1994 NC ₁	1995 10 29.23479	02 56 30.67	+02 24 13.3	801	2246 T-1	1995 10 27.21851	02 05 43.68	+11 52 21.2	801
1994 NC ₁	1995 10 29.24880	02 56 30.00	+02 24 07.3	801	2246 T-1	1995 10 27.23284	02 05 42.77	+11 52 19.1	801
1994 OC	1995 09 29.35395	04 58 58.59	+37 24 52.3	801	4150 T-1	1995 10 24.32338	05 13 44.93	+05 15 48.8	801
1994 OC	1995 09 29.37265	04 58 59.19	+37 24 58.1	801	4150 T-1	1995 10 24.34472	05 13 44.85	+05 15 36.8	801
1994 OC	1995 10 23.32986	05 03 14.22	+39 18 19.0	801	4150 T-1	1995 10 29.29578	05 13 11.93	+04 29 18.5	801
1994 OC	1995 10 23.37580	05 03 13.56	+39 18 29.6	801	4272 T-1	1995 10 23.04176	22 22 48.22	-15 37 11.8	801
1994 OC	1995 10 27.35573	05 02 05.51	+39 33 09.3	801	4272 T-1	1995 10 23.07412	22 22 48.65	-15 37 05.6	801
1994 OC	1995 10 27.38510	05 02 04.87	+39 33 15.3	801	4272 T-1	1995 10 27.04616	22 24 02.83	-15 23 05.5	801
1994 RX ₁	1995 10 23.33873	05 41 15.93	-04 41 24.3	801	4272 T-1	1995 10 27.06454	22 24 03.18	-15 23 01.3	801
1994 RX ₁	1995 10 23.36001	05 41 15.81	-04 41 35.8	801	4240 T-2	1995 10 26.04961	23 04 45.92	-12 03 16.0	801
1995 LK	1995 10 25.95549	20 46 18.47	+11 27 07.7	801	4240 T-2	1995 10 26.10507	23 04 45.77	-12 03 07.0	801
1995 LK	1995 10 25.97368	20 46 19.64	+11 27 10.9	801	4240 T-2	1995 10 27.05263	23 04 48.02	-12 00 13.2	801
1995 LK	1995 10 26.99199	20 47 29.02	+11 30 16.4	801	4240 T-2	1995 10 27.10590	23 04 48.10	-12 00 02.9	801
1995 LK	1995 10 27.00513	20 47 29.89	+11 30 18.8	801	3045 T-3	1995 10 23.24632	03 25 30.10	+24 01 11.3	801
1995 MB	1995 10 22.96429	19 31 38.35	+00 53 16.9	801	3045 T-3	1995 10 23.26351	03 25 29.29	+24 01 13.4	801
1995 MB	1995 10 22.97707	19 31 39.59	+00 53 20.5	801	3045 T-3	1995 10 29.24418	03 20 33.34	+24 11 11.3	801
1995 NB	1995 10 23.01100	21 25 14.37	-22 03 32.2	801	3045 T-3	1995 10 29.26119	03 20 32.43	+24 11 12.4	801
1995 NB	1995 10 23.02522	21 25 15.34	-22 03 26.6	801	3422 T-3	1995 10 23.13394	00 14 58.63	-03 46 14.3	801
1995 NB	1995 10 27.01797	21 30 15.25	-21 36 19.4	801	3422 T-3	1995 10 25.05985	00 13 38.44	-03 44 45.0	801
1995 NB	1995 10 27.02909	21 30 16.12	-21 36 14.2	801	3422 T-3	1995 10 25.07435	00 13 37.85	-03 44 44.0	801
1995 PV	1995 10 23.01424	21 36 41.77	-12 47 46.0	801	(1006)	1995 10 26.95439	19 15 50.19	-19 35 25.6	801
1995 PV	1995 10 23.02831	21 36 42.43	-12 47 39.5	801	(1006)	1995 10 26.96709	19 15 51.17	-19 35 22.3	801
1995 PV	1995 10 27.02116	21 40 10.34	-12 14 43.4	801	(1964)	1995 09 29.28296	02 51 46.08	+18 46 21.9	801
1995 PV	1995 10 27.03586	21 40 11.10	-12 14 36.3	801	(1964)	1995 09 29.35870	02 51 45.41	+18 46 16.8	801
1995 QE ₃	1995 10 24.07613	23 53 57.01	+02 11 37.7	801	(2114)	1995 10 22.20125	00 52 22.99	+05 50 50.9	801
1995 QE ₃	1995 10 24.11234	23 53 56.33	+02 11 33.8	801	(2114)	1995 10 22.21247	00 52 22.54	+05 50 48.1	801
1995 QE ₃	1995 10 27.07516	23 53 17.64	+02 06 54.9	801	(2420)	1995 10 22.95980	19 57 12.82	-06 12 10.2	801
1995 QE ₃	1995 10 27.13168	23 53 16.93	+02 06 50.3	801	(2420)	1995 10 22.98064	19 57 14.10	-06 12 14.9	801
1995 ST ₃	1995 09 21.21498	00 13 26.77	+08 20 05.7	801	(2420)	1995 10 26.94858	20 01 35.04	-06 26 14.6	801
1995 ST ₃	1995 09 21.23189	00 13 25.84	+08 20 00.4	801	(2420)	1995 10 26.95983	20 01 35.88	-06 26 16.6	801
6048 P-L	1995 10 23.28640	04 30 15.94	+29 07 05.9	801	(3650)	1995 10 27.29031	04 06 21.31	+27 05 40.4	801
6048 P-L	1995 10 23.31619	04 30 15.27	+29 07 10.1	801	(3650)	1995 10 27.31153	04 06 20.31	+27 05 44.1	801
6048 P-L	1995 10 29.27117	04 27 31.44	+29 19 45.0	801	(4332)	1995 10 26.95197	18 38 35.81	-11 46 41.1	801
6048 P-L	1995 10 29.30023	04 27 30.39	+29 19 48.3	801	(4332)	1995 10 26.95683	18 38 36.34	-11 46 43.2	801
7068 P-L	1995 10 24.01591	21 59 24.02	-04 41 31.2	801	(5966)	1995 10 24.16189	01 19 45.60	+05 25 50.5	801
7068 P-L	1995 10 24.03513	21 59 24.82	-04 41 35.9	801	(5966)	1995 10 24.17826	01 19 44.82	+05 25 47.2	801
7068 P-L	1995 10 25.00181	22 00 08.64	-04 44 52.0	801	(5966)	1995 10 25.11067	01 19 01.43	+05 22 44.1	801
7068 P-L	1995 10 25.01166	22 00 09.06	-04 44 53.9	801	(5966)	1995 10 25.12480	01 19 00.75	+05 22 41.5	801
1078 T-1	1995 10 24.31787	04 56 40.20	+35 34 04.0	801					
1078 T-1	1995 10 24.35035	04 56 39.64	+35 34 11.3	801					
1078 T-1	1995 10 29.29215	04 55 00.95	+35 51 55.9	801					
1078 T-1	1995 10 29.32331	04 55 00.15	+35 52 02.1	801					
1114 T-1	1995 10 24.24795	03 02 16.84	+15 11 43.8	801					
1114 T-1	1995 10 24.26793	03 02 15.73	+15 11 36.3	801					

808 El Leoncito

J. G. Sanguin, Felix Aguilar Observatory, Benavidez 8175 (Oeste), AR-5413
Chimbas, San Juan, Argentina

Observers M. R. Cesco, R. Gil-Hutton, H. S. Lepez, C. E. Lopez, H. Mira,
J. G. Sanguin, J. E. Torres

0.5-m $f/7.5$ double astrograph
SAOC, PPM

(472)	1994 06 11.21186	18 17 37.45	-07 54 04.0	808
(472)	1994 06 11.23957	18 17 35.97	-07 54 08.1	808
(472)	1994 07 11.11125	17 50 17.84	-10 11 47.5	808
(472)	1994 07 11.14034	17 50 16.36	-10 11 58.8	808
(472)	1994 08 10.01203	17 35 30.83	-13 39 16.4	808
(472)	1994 08 10.04319	17 35 30.64	-13 39 29.3	808
(616)	1994 05 04.10370	12 34 54.19	-16 20 47.2	808
(616)	1994 05 04.14595	12 34 52.34	-16 20 42.1	808
(616)	1994 06 09.01856	12 27 49.17	-16 02 59.6	808
(616)	1994 06 09.05873	12 27 49.84	-16 03 01.6	808
(1036)	1992 04 06.09226	10 39 53.95	-16 29 26.7	808
(1036)	1992 04 06.12273	10 39 53.07	-16 29 14.0	808
(1036)	1992 04 07.14009	10 39 21.63	-16 20 09.3	808
(1036)	1992 04 07.16571	10 39 20.85	-16 19 55.7	808
(1036)	1995 02 04.06966	06 43 03.96	-14 16 31.4	808
(1036)	1995 02 04.11537	06 43 02.10	-14 16 07.4	808
(1587)	1994 03 21.19891	12 52 39.34	-08 24 10.5	808
(1587)	1994 03 21.25154	12 52 36.18	-08 24 04.0	808
(1587)	1994 04 11.14538	12 32 11.99	-07 26 21.3	808
(1612)	1994 04 11.04184	10 36 54.29	-06 56 44.7	808
(1612)	1994 04 11.08963	10 36 52.93	-06 56 40.2	808
(1612)	1994 05 14.97602	10 36 03.24	-06 36 27.1	808
(1612)	1994 05 15.01203	10 36 03.95	-06 36 28.6	808
(1834)	1994 05 04.10370	12 33 24.14	-17 12 45.5	808
(1834)	1994 05 04.14595	12 33 22.60	-17 12 27.9	808
(2223)	1994 04 11.04184	10 36 26.22	-07 17 01.2	808
(2223)	1994 04 11.08963	10 36 25.42	-07 16 48.9	808
(2352)	1994 05 14.97602	10 31 47.94	-05 43 33.0	808
(2352)	1994 05 15.01203	10 31 48.58	-05 43 25.5	808
(2412)	1994 04 14.16177	13 55 25.83	-24 16 28.0	808
(2412)	1994 04 14.21025	13 55 23.25	-24 16 20.0	808
(2412)	1994 05 15.13773	13 29 01.29	-21 40 41.9	808
(2412)	1994 05 15.17859	13 28 59.75	-21 40 26.1	808
(2416)	1994 07 11.11125	17 52 49.23	-10 40 23.9	808
(2416)	1994 07 11.14034	17 52 48.01	-10 40 29.9	808
(3118)	1994 05 14.97602	10 44 34.36	-07 17 12.6	808
(3118)	1994 05 15.01203	10 44 35.06	-07 17 09.6	808
(3346)	1994 03 21.19891	12 45 03.96	-08 55 49.2	808
(3346)	1994 03 21.25154	12 45 01.00	-08 55 49.5	808
(3346)	1994 04 11.14538	12 26 06.59	-08 47 36.1	808
(3346)	1994 04 11.18970	12 26 04.25	-08 47 34.4	808
(3346)	1994 04 13.14303	12 24 22.63	-08 46 08.9	808
(3346)	1994 04 13.19151	12 24 20.15	-08 46 06.7	808
(3346)	1994 05 05.07535	12 08 57.50	-08 35 27.9	O 808
(3346)	1994 05 05.12313	12 08 55.90	-08 35 28.0	O 808
(4269)	1994 03 21.19891	12 41 29.69	-07 39 32.7	808

809 European Southern Observatory

H. Debehogne, Observatoire Royal de Belgique, Avenue Circulaire 3, B-1180
Brussels, Belgium [henri@astro.oma.be] (3)

E. W. Elst, Observatoire Royal de Belgique, Avenue Circulaire 3, B-1180 Brussels,
Belgium [elst@atmos.oma.be] (4)

7 = 3+4

C.-I. Lagerkvist, Uppsala Observatory, Box 515, S-75120 Uppsala, Sweden
[classee@laban.uu.se] (8)

Observers G. Pizarro, O. Pizarro, M. Lindgren

Measurers E. W. Elst, O. Hernius

1.0-m Schmidt

1981 EP ₆	1994 08 12.27708	22 37 20.43	-10 08 05.8	18.8	4	809
1981 EP ₆	1994 08 12.28889	22 37 19.96	-10 08 05.6		4	809
1981 EP ₆	1994 08 12.30069	22 37 19.39	-10 08 07.7		4	809
1992 EQ ₁₅	1992 04 07.14618	10 45 43.77	+07 13 33.7	18.8	8	809
1992 EQ ₂₇	1992 04 06.11007	10 14 09.94	+10 50 48.4	18.8	8	809
1993 TK ₄₅	* 1993 10 09.14861	01 05 34.26	+05 17 00.6	18.5	4	809
1993 TK ₄₅	1993 10 09.16181	01 05 33.45	+05 16 56.6		4	809
1993 TK ₄₅	1993 10 09.17500	01 05 32.64	+05 16 51.2		4	809
1993 TK ₄₅	1993 10 10.11979	01 04 41.85	+05 10 48.5	18.6	7	809
1993 TK ₄₅	1993 10 10.14063	01 04 40.70	+05 10 40.1		7	809
1993 TK ₄₅	1993 10 10.16146	01 04 39.43	+05 10 30.9		7	809
1993 TL ₄₅	* 1993 10 09.14861	01 06 36.87	+04 00 30.3	18.8	4	809
1993 TL ₄₅	1993 10 09.16181	01 06 36.06	+04 00 27.6		4	809
1993 TL ₄₅	1993 10 09.17500	01 06 35.11	+04 00 25.9		4	809
1993 TL ₄₅	1993 10 11.11319	01 04 33.42	+03 55 03.1		4	809
1993 TL ₄₅	1993 10 11.12639	01 04 32.40	+03 54 57.9		4	809
1993 TL ₄₅	1993 10 11.13958	01 04 31.56	+03 54 57.3		4	809
1993 TM ₄₅	* 1993 10 09.14861	01 10 57.98	+07 10 32.7		4	809
1993 TM ₄₅	1993 10 09.16181	01 10 57.22	+07 10 31.6	18.8	4	809
1993 TM ₄₅	1993 10 09.17500	01 10 56.41	+07 10 31.4		4	809
1993 TM ₄₅	1993 10 10.11979	01 10 01.77	+07 09 39.0	18.8	7	809
1993 TM ₄₅	1993 10 10.14063	01 10 00.36	+07 09 37.9		7	809
1993 TM ₄₅	1993 10 10.16146	01 09 59.17	+07 09 36.6		7	809
1993 TM ₄₅	1993 10 11.11319	01 09 03.91	+07 08 45.1		4	809
1993 TM ₄₅	1993 10 11.12639	01 09 03.15	+07 08 43.2		4	809
1993 TM ₄₅	1993 10 11.13958	01 09 02.35	+07 08 43.6		4	809
1993 TN ₄₅	* 1993 10 09.14861	01 12 04.27	+02 52 50.3	18.5	4	809
1993 TN ₄₅	1993 10 09.16181	01 12 03.60	+02 52 44.2		4	809
1993 TN ₄₅	1993 10 09.17500	01 12 02.95	+02 52 40.1		4	809
1993 TN ₄₅	1993 10 11.11319	01 10 38.45	+02 40 15.1	18.5	4	809
1993 TN ₄₅	1993 10 11.12639	01 10 37.86	+02 40 09.9		4	809
1993 TN ₄₅	1993 10 11.13958	01 10 37.23	+02 40 03.9		4	809
1993 TO ₄₅	* 1993 10 09.14861	01 16 02.71	+03 11 53.4	18.4	4	809
1993 TO ₄₅	1993 10 09.16181	01 16 01.95	+03 11 49.4		4	809
1993 TO ₄₅	1993 10 09.17500	01 16 01.24	+03 11 45.0		4	809
1993 TO ₄₅	1993 10 11.11319	01 14 42.53	+03 08 13.1		4	809
1993 TO ₄₅	1993 10 11.12639	01 14 42.06	+03 08 13.4		4	809
1993 TO ₄₅	1993 10 11.13958	01 14 41.34	+03 08 14.9		4	809
1993 TP ₄₅	* 1993 10 09.14861	01 16 17.97	+07 52 43.3	18.8	4	809
1993 TP ₄₅	1993 10 09.16181	01 16 17.30	+07 52 36.6		4	809
1993 TP ₄₅	1993 10 09.17500	01 16 16.54	+07 52 32.0		4	809
1993 TP ₄₅	1993 10 12.15868	01 13 52.86	+07 33 11.5	18.6	7	809
1993 TP ₄₅	1993 10 12.17951	01 13 51.77	+07 33 03.2		7	809
1993 TP ₄₅	1993 10 12.20035	01 13 50.68	+07 32 54.9		7	809

1993 TQ ₄₅	* 1993 10 09.14861	01 18 53.78	+03 29 20.3	18.6	4 809	1993 TY ₄₅	1993 10 21.24306	02 13 33.37	+06 03 01.2		4 809
1993 TQ ₄₅	1993 10 09.16181	01 18 52.91	+03 29 15.1		4 809	1993 TY ₄₅	1993 10 21.25625	02 13 32.70	+06 02 57.3		4 809
1993 TQ ₄₅	1993 10 09.17500	01 18 52.23	+03 29 13.9		4 809	1993 TZ ₄₅	* 1993 10 09.28333	02 24 45.30	+03 53 51.1	18.4	4 809
1993 TQ ₄₅	1993 10 11.11319	01 17 05.57	+03 20 44.6	18.5	4 809	1993 TZ ₄₅	1993 10 09.29653	02 24 44.62	+03 53 49.6		4 809
1993 TQ ₄₅	1993 10 11.12639	01 17 04.81	+03 20 40.2		4 809	1993 TZ ₄₅	1993 10 09.30972	02 24 43.95	+03 53 48.1		4 809
1993 TQ ₄₅	1993 10 11.13958	01 17 04.13	+03 20 37.4		4 809	1993 TZ ₄₅	1993 10 21.22986	02 14 03.89	+03 28 03.8	18.3	4 809
1993 TR ₄₅	* 1993 10 09.14861	01 22 52.42	+06 55 05.4		4 809	1993 TZ ₄₅	1993 10 21.24306	02 14 03.05	+03 28 03.5		4 809
1993 TR ₄₅	1993 10 09.16181	01 22 51.76	+06 55 03.3	18.7	4 809	1993 TZ ₄₅	1993 10 21.25625	02 14 02.24	+03 28 02.2		4 809
1993 TR ₄₅	1993 10 09.17500	01 22 51.11	+06 55 01.5		4 809	1993 TA ₄₆	* 1993 10 10.11979	01 10 25.70	+08 13 50.7	18.4	7 809
1993 TR ₄₅	1993 10 12.15868	01 20 19.78	+06 47 49.1	18.7	7 809	1993 TA ₄₆	1993 10 10.14063	01 10 24.76	+08 13 33.5		7 809
1993 TR ₄₅	1993 10 12.17951	01 20 18.65	+06 47 45.9		7 809	1993 TA ₄₆	1993 10 10.16146	01 10 23.75	+08 13 15.0		7 809
1993 TR ₄₅	1993 10 12.20035	01 20 17.56	+06 47 42.9		7 809	1993 TA ₄₆	1993 10 20.15625	01 03 10.23	+05 53 14.5	18.0	4 809
1993 TS ₄₅	* 1993 10 09.14861	01 23 29.41	+07 32 15.8	18.1	4 809	1993 TA ₄₆	1993 10 20.16944	01 03 09.67	+05 53 03.4		4 809
1993 TS ₄₅	1993 10 09.16181	01 23 28.60	+07 32 13.6		4 809	1993 TA ₄₆	1993 10 20.18264	01 03 09.09	+05 52 52.0		4 809
1993 TS ₄₅	1993 10 09.17500	01 23 27.75	+07 32 12.4		4 809	1993 TB ₄₆	* 1993 10 10.11979	01 10 35.15	+08 01 17.6	18.5	7 809
1993 TS ₄₅	1993 10 12.15868	01 20 26.56	+07 23 55.0	18.3	7 809	1993 TB ₄₆	1993 10 10.14063	01 10 34.23	+08 01 13.3		7 809
1993 TS ₄₅	1993 10 12.17951	01 20 25.23	+07 23 51.1		7 809	1993 TB ₄₆	1993 10 10.16146	01 10 33.15	+08 01 07.2		7 809
1993 TS ₄₅	1993 10 12.20035	01 20 23.91	+07 23 48.7		7 809	1993 TB ₄₆	1993 10 22.27743	01 01 24.32	+07 09 04.2		7 809
1993 TT ₄₅	* 1993 10 09.19236	01 28 02.80	+06 43 09.6	18.4	4 809	1993 TB ₄₆	1993 10 22.29826	01 01 23.33	+07 08 58.4		7 809
1993 TT ₄₅	1993 10 09.20556	01 28 02.02	+06 43 09.0		4 809	1993 TB ₄₆	1993 10 22.31910	01 01 22.34	+07 08 54.4		7 809
1993 TT ₄₅	1993 10 09.21875	01 28 01.24	+06 43 08.8		4 809	1993 TC ₄₆	* 1993 10 10.18333	02 26 00.30	+04 10 30.6	18.4	4 809
1993 TT ₄₅	1993 10 12.15868	01 25 14.66	+06 40 32.6	18.5	7 809	1993 TC ₄₆	1993 10 10.19653	02 25 59.81	+04 10 18.2		4 809
1993 TT ₄₅	1993 10 12.17951	01 25 13.42	+06 40 31.5		7 809	1993 TC ₄₆	1993 10 10.20972	02 25 59.39	+04 10 06.9		4 809
1993 TT ₄₅	1993 10 12.20035	01 25 12.13	+06 40 30.6		7 809	1993 TC ₄₆	1993 10 20.24236	02 20 01.24	+01 46 44.9	18.3	4 809
1993 TU ₄₅	* 1993 10 09.19236	01 40 08.49	+03 14 06.1		4 809	1993 TC ₄₆	1993 10 20.25556	02 20 00.68	+01 46 34.8		4 809
1993 TU ₄₅	1993 10 09.20556	01 40 07.91	+03 13 58.8		4 809	1993 TC ₄₆	1993 10 20.26875	02 20 00.00	+01 46 22.9		4 809
1993 TU ₄₅	1993 10 09.21875	01 40 07.28	+03 13 49.2		4 809	1993 TD ₄₆	* 1993 10 10.18333	02 28 24.87	+06 17 36.4	18.6	4 809
1993 TU ₄₅	1993 10 11.15972	01 38 41.52	+02 53 39.1		4 809	1993 TD ₄₆	1993 10 10.19653	02 28 24.25	+06 17 35.7		4 809
1993 TU ₄₅	1993 10 11.17292	01 38 40.89	+02 53 31.4		4 809	1993 TD ₄₆	1993 10 10.20972	02 28 23.57	+06 17 35.0		4 809
1993 TU ₄₅	1993 10 11.18611	01 38 40.24	+02 53 22.5		4 809	1993 TD ₄₆	1993 10 21.27361	02 18 39.36	+06 08 09.0		4 809
1993 TV ₄₅	* 1993 10 09.19236	01 43 20.56	+03 23 50.9	18.5	4 809	1993 TD ₄₆	1993 10 21.28681	02 18 38.49	+06 08 07.9		4 809
1993 TV ₄₅	1993 10 09.20556	01 43 19.79	+03 23 49.0		4 809	1993 TD ₄₆	1993 10 21.30000	02 18 37.70	+06 08 06.6		4 809
1993 TV ₄₅	1993 10 09.21875	01 43 19.09	+03 23 48.5		4 809	1993 TE ₄₆	* 1993 10 10.18333	02 33 00.55	+05 59 12.7	18.6	4 809
1993 TV ₄₅	1993 10 11.15972	01 41 37.41	+03 21 40.5	18.6	4 809	1993 TE ₄₆	1993 10 10.19653	02 32 59.86	+05 59 10.4		4 809
1993 TV ₄₅	1993 10 11.17292	01 41 36.67	+03 21 40.9		4 809	1993 TE ₄₆	1993 10 10.20972	02 32 59.21	+05 59 07.6		4 809
1993 TV ₄₅	1993 10 11.18611	01 41 35.90	+03 21 39.8		4 809	1993 TE ₄₆	1993 10 20.24236	02 24 32.04	+05 23 55.9	18.5	4 809
1993 TW ₄₅	* 1993 10 09.24097	01 58 01.92	+06 55 08.1		4 809	1993 TE ₄₆	1993 10 20.25556	02 24 31.30	+05 23 52.7		4 809
1993 TW ₄₅	1993 10 09.25417	01 58 01.26	+06 55 02.1		4 809	1993 TE ₄₆	1993 10 20.26875	02 24 30.54	+05 23 50.4		4 809
1993 TW ₄₅	1993 10 09.26736	01 58 00.75	+06 54 57.3		4 809	1993 TF ₄₆	* 1993 10 10.18333	02 35 17.03	+03 57 05.9	18.6	4 809
1993 TW ₄₅	1993 10 21.18611	01 49 33.53	+05 42 14.1	18.6	4 809	1993 TF ₄₆	1993 10 10.19653	02 35 16.51	+03 56 58.1		4 809
1993 TW ₄₅	1993 10 21.19931	01 49 32.87	+05 42 09.2		4 809	1993 TF ₄₆	1993 10 10.20972	02 35 16.09	+03 56 53.3		4 809
1993 TW ₄₅	1993 10 21.21250	01 49 32.27	+05 42 04.9		4 809	1993 TF ₄₆	1993 10 21.27361	02 27 49.57	+02 40 47.4		4 809
1993 TX ₄₅	* 1993 10 09.24097	02 03 35.07	+06 42 40.6		4 809	1993 TF ₄₆	1993 10 21.28681	02 27 48.97	+02 40 43.0		4 809
1993 TX ₄₅	1993 10 09.25417	02 03 34.32	+06 42 35.4		4 809	1993 TF ₄₆	1993 10 21.30000	02 27 48.30	+02 40 37.7		4 809
1993 TX ₄₅	1993 10 09.26736	02 03 33.78	+06 42 33.5		4 809	1993 TG ₄₆	* 1993 10 10.18333	02 41 20.81	+06 03 10.9	18.3	4 809
1993 TX ₄₅	1993 10 11.21736	02 01 54.45	+06 36 08.3	18.8	4 809	1993 TG ₄₆	1993 10 10.19653	02 41 20.26	+06 03 07.6		4 809
1993 TX ₄₅	1993 10 11.23056	02 01 53.75	+06 36 05.8		4 809	1993 TG ₄₆	1993 10 10.20972	02 41 19.78	+06 03 04.2		4 809
1993 TX ₄₅	1993 10 11.24375	02 01 53.02	+06 36 03.9		4 809	1993 TG ₄₆	1993 10 20.24236	02 34 22.84	+05 20 48.4	18.1	4 809
1993 TY ₄₅	* 1993 10 09.28333	02 23 23.68	+06 58 48.2		4 809	1993 TG ₄₆	1993 10 20.25556	02 34 22.24	+05 20 45.4		4 809
1993 TY ₄₅	1993 10 09.29653	02 23 23.05	+06 58 44.6		4 809	1993 TG ₄₆	1993 10 20.26875	02 34 21.60	+05 20 41.8		4 809
1993 TY ₄₅	1993 10 09.30972	02 23 22.47	+06 58 39.6		4 809	1993 TH ₄₆	* 1993 10 10.18333	02 44 18.88	+05 53 47.2	18.4	4 809
1993 TY ₄₅	1993 10 21.22986	02 13 34.08	+06 03 04.8	18.3	4 809	1993 TH ₄₆	1993 10 10.19653	02 44 18.40	+05 53 40.0		4 809

1993 TH ₄₆	1993 10 10.20972	02 44 17.85	+05 53 33.7	4 809	1993 TQ ₄₆	1993 10 21.22986	01 57 24.92	+03 34 57.8	18.6	4 809
1993 TH ₄₆	1993 10 21.27361	02 36 08.04	+04 29 20.8	4 809	1993 TQ ₄₆	1993 10 21.24306	01 57 24.32	+03 34 54.3		4 809
1993 TH ₄₆	1993 10 21.28681	02 36 07.25	+04 29 14.9	4 809	1993 TQ ₄₆	1993 10 21.25625	01 57 23.63	+03 34 50.3		4 809
1993 TH ₄₆	1993 10 21.30000	02 36 06.56	+04 29 09.0	4 809	1993 TR ₄₆	* 1993 10 11.26319	02 06 39.15	+04 37 37.1	18.4	4 809
1993 TJ ₄₆	* 1993 10 10.18333	02 45 33.40	+06 33 12.7	18.5	4 809	1993 TR ₄₆	1993 10 11.27639	02 06 38.53	+04 37 30.2	4 809
1993 TJ ₄₆	1993 10 10.19653	02 45 32.79	+06 33 07.4	4 809	1993 TR ₄₆	1993 10 11.28958	02 06 37.91	+04 37 22.6		4 809
1993 TJ ₄₆	1993 10 10.20972	02 45 32.11	+06 33 01.4	4 809	1993 TR ₄₆	1993 10 21.22986	01 58 57.02	+03 09 48.0	18.4	4 809
1993 TJ ₄₆	1993 10 21.27361	02 36 06.90	+05 11 54.1	4 809	1993 TR ₄₆	1993 10 21.24306	01 58 56.26	+03 09 40.6		4 809
1993 TJ ₄₆	1993 10 21.28681	02 36 06.06	+05 11 49.1	4 809	1993 TR ₄₆	1993 10 21.25625	01 58 55.59	+03 09 34.5		4 809
1993 TJ ₄₆	1993 10 21.30000	02 36 05.34	+05 11 43.5	4 809	1993 TS ₄₆	* 1993 10 11.26319	02 06 39.59	+04 20 26.3	18.5	4 809
1993 TK ₄₆	* 1993 10 11.11319	01 10 39.89	+07 17 52.5	4 809	1993 TS ₄₆	1993 10 11.27639	02 06 38.69	+04 20 28.7		4 809
1993 TK ₄₆	1993 10 11.12639	01 10 39.15	+07 17 47.4	4 809	1993 TS ₄₆	1993 10 11.28958	02 06 37.83	+04 20 30.9		4 809
1993 TK ₄₆	1993 10 11.13958	01 10 38.56	+07 17 45.7	4 809	1993 TS ₄₆	1993 10 21.18611	01 55 28.16	+04 52 44.1	18.7	4 809
1993 TK ₄₆	1993 10 22.27743	01 01 30.63	+06 27 47.6	7 809	1993 TS ₄₆	1993 10 21.19931	01 55 27.24	+04 52 46.6		4 809
1993 TK ₄₆	1993 10 22.29826	01 01 29.66	+06 27 41.4	7 809	1993 TS ₄₆	1993 10 21.21250	01 55 26.28	+04 52 51.1		4 809
1993 TK ₄₆	1993 10 22.31910	01 01 28.50	+06 27 35.9	7 809	1993 TT ₄₆	* 1993 10 11.26319	02 07 40.41	+05 19 29.4	18.5	4 809
1993 TL ₄₆	* 1993 10 11.11319	01 17 17.95	+04 37 29.7	4 809	1993 TT ₄₆	1993 10 11.27639	02 07 39.72	+05 19 24.7		4 809
1993 TL ₄₆	1993 10 11.12639	01 17 17.19	+04 37 24.4	4 809	1993 TT ₄₆	1993 10 11.28958	02 07 39.14	+05 19 20.6		4 809
1993 TL ₄₆	1993 10 11.13958	01 17 16.42	+04 37 21.2	4 809	1993 TT ₄₆	1993 10 21.22986	01 59 35.09	+04 33 36.8	18.5	4 809
1993 TL ₄₆	1993 10 20.15625	01 08 59.40	+03 45 50.9	18.8	4 809	1993 TT ₄₆	1993 10 21.24306	01 59 34.46	+04 33 32.4	4 809
1993 TL ₄₆	1993 10 20.16944	01 08 58.63	+03 45 47.0	4 809	1993 TT ₄₆	1993 10 21.25625	01 59 33.73	+04 33 31.4		4 809
1993 TL ₄₆	1993 10 20.18264	01 08 57.86	+03 45 42.9	4 809	1993 TU ₄₆	* 1993 10 11.26319	02 09 53.59	+07 21 39.8	18.5	4 809
1993 TM ₄₆	* 1993 10 11.15972	01 34 45.84	+03 31 26.3	18.7	4 809	1993 TU ₄₆	1993 10 11.27639	02 09 52.89	+07 21 36.6	4 809
1993 TM ₄₆	1993 10 11.17292	01 34 45.14	+03 31 23.7	4 809	1993 TU ₄₆	1993 10 11.28958	02 09 52.20	+07 21 34.0		4 809
1993 TM ₄₆	1993 10 11.18611	01 34 44.41	+03 31 19.1	4 809	1993 TU ₄₆	1993 10 21.22986	02 00 35.41	+06 36 28.0	18.5	4 809
1993 TM ₄₆	1993 10 20.20000	01 25 56.20	+03 03 49.0	19.0	4 809	1993 TU ₄₆	1993 10 21.24306	02 00 34.64	+06 36 24.6	4 809
1993 TM ₄₆	1993 10 20.21319	01 25 55.41	+03 03 45.9	4 809	1993 TU ₄₆	1993 10 21.25625	02 00 33.79	+06 36 20.5		4 809
1993 TM ₄₆	1993 10 20.22639	01 25 54.64	+03 03 42.7	4 809	1993 TV ₄₆	* 1993 10 11.26319	02 10 04.00	+07 35 21.3	18.4	4 809
1993 TN ₄₆	1993 10 09.19236	01 39 38.39	+05 40 42.2	18.8	4 809	1993 TV ₄₆	1993 10 11.27639	02 10 03.46	+07 35 13.1	4 809
1993 TN ₄₆	1993 10 09.20556	01 39 37.76	+05 40 38.8	4 809	1993 TV ₄₆	1993 10 11.28958	02 10 02.98	+07 35 06.8		4 809
1993 TN ₄₆	1993 10 09.21875	01 39 37.00	+05 40 34.7	4 809	1993 TV ₄₆	1993 10 21.22986	02 03 28.20	+06 03 32.8	18.5	4 809
1993 TN ₄₆	* 1993 10 11.15972	01 37 49.41	+05 28 21.7	4 809	1993 TV ₄₆	1993 10 21.24306	02 03 27.63	+06 03 24.5		4 809
1993 TN ₄₆	1993 10 11.17292	01 37 48.53	+05 28 16.2	4 809	1993 TV ₄₆	1993 10 21.25625	02 03 27.05	+06 03 16.0		4 809
1993 TN ₄₆	1993 10 11.18611	01 37 47.93	+05 28 12.0	4 809	1993 TW ₄₆	1993 10 09.28333	02 13 02.57	+06 02 30.2		4 809
1993 TN ₄₆	1993 10 20.20000	01 29 22.13	+04 33 25.2	18.7	4 809	1993 TW ₄₆	1993 10 09.29653	02 13 01.58	+06 02 27.9	4 809
1993 TN ₄₆	1993 10 20.21319	01 29 21.33	+04 33 21.2	4 809	1993 TW ₄₆	1993 10 09.30972	02 13 00.80	+06 02 23.9		4 809
1993 TN ₄₆	1993 10 20.22639	01 29 20.61	+04 33 15.9	4 809	1993 TW ₄₆	* 1993 10 11.26319	02 11 11.23	+05 57 23.3	18.4	4 809
1993 TO ₄₆	* 1993 10 11.21736	01 48 44.96	+05 12 29.7	18.5	4 809	1993 TW ₄₆	1993 10 11.27639	02 11 10.38	+05 57 20.7	4 809
1993 TO ₄₆	1993 10 11.23056	01 48 44.20	+05 12 26.3	4 809	1993 TW ₄₆	1993 10 11.28958	02 11 09.64	+05 57 18.5		4 809
1993 TO ₄₆	1993 10 11.24375	01 48 43.32	+05 12 21.9	4 809	1993 TW ₄₆	1993 10 21.22986	02 01 20.84	+05 32 07.7	18.4	4 809
1993 TO ₄₆	1993 10 21.18611	01 38 55.79	+04 28 03.3	18.6	4 809	1993 TW ₄₆	1993 10 21.24306	02 01 19.97	+05 32 04.7	4 809
1993 TO ₄₆	1993 10 21.19931	01 38 55.03	+04 27 58.8	4 809	1993 TW ₄₆	1993 10 21.25625	02 01 19.21	+05 32 03.7		4 809
1993 TO ₄₆	1993 10 21.21250	01 38 54.10	+04 27 54.6	4 809	1993 TX ₄₆	* 1993 10 11.26319	02 12 00.96	+04 56 04.7	18.7	4 809
1993 TP ₄₆	* 1993 10 11.21736	02 03 46.27	+06 29 42.7	19.0	4 809	1993 TX ₄₆	1993 10 11.27639	02 12 00.24	+04 56 04.4	4 809
1993 TP ₄₆	1993 10 11.23056	02 03 45.86	+06 29 40.4	4 809	1993 TX ₄₆	1993 10 11.28958	02 11 59.53	+04 56 05.2		4 809
1993 TP ₄₆	1993 10 11.24375	02 03 45.24	+06 29 37.7	4 809	1993 TX ₄₆	1993 10 21.22986	02 02 56.23	+04 54 00.6	18.5	4 809
1993 TP ₄₆	1993 10 21.22986	01 57 54.08	+05 50 33.3	18.8	4 809	1993 TX ₄₆	1993 10 21.24306	02 02 55.53	+04 54 00.5	4 809
1993 TP ₄₆	1993 10 21.24306	01 57 53.50	+05 50 30.6	4 809	1993 TX ₄₆	1993 10 21.25625	02 02 54.72	+04 54 00.9		4 809
1993 TP ₄₆	1993 10 21.25625	01 57 52.97	+05 50 27.2	4 809	1993 TY ₄₆	* 1993 10 11.26319	02 13 18.50	+04 00 20.9	18.6	4 809
1993 TQ ₄₆	* 1993 10 11.26319	02 05 19.27	+04 28 51.1	18.7	4 809	1993 TY ₄₆	1993 10 11.27639	02 13 17.88	+04 00 17.6	4 809
1993 TQ ₄₆	1993 10 11.27639	02 05 18.64	+04 28 45.2	4 809	1993 TY ₄₆	1993 10 11.28958	02 13 17.31	+04 00 14.3		4 809
1993 TQ ₄₆	1993 10 11.28958	02 05 17.95	+04 28 40.6	4 809	1993 TY ₄₆	1993 10 21.22986	02 05 35.34	+03 16 35.6	18.6	4 809

1993 TY ₄₆	1993 10 21.24306	02 05 34.55	+03 16 32.8	4 809	1993 TG ₄₇	1993 10 22.31910	01 01 05.14	+07 03 26.3	7 809
1993 TY ₄₆	1993 10 21.25625	02 05 33.85	+03 16 29.6	4 809	1993 TH ₄₇	* 1993 10 12.15868	01 10 01.34	+10 05 44.9	18.4 7 809
1993 TZ ₄₆	1993 10 09.28333	02 15 22.93	+07 31 50.0	4 809	1993 TH ₄₇	1993 10 12.17951	01 10 00.19	+10 05 37.0	7 809
1993 TZ ₄₆	1993 10 09.29653	02 15 22.10	+07 31 44.7	4 809	1993 TH ₄₇	1993 10 12.20035	01 09 59.07	+10 05 28.3	7 809
1993 TZ ₄₆	1993 10 09.30972	02 15 21.32	+07 31 40.6	4 809	1993 TH ₄₇	1993 10 22.27743	01 02 07.80	+08 59 52.6	7 809
1993 TZ ₄₆	* 1993 10 11.26319	02 13 45.30	+07 20 45.2	18.5 4 809	1993 TH ₄₇	1993 10 22.29826	01 02 06.79	+08 59 44.5	7 809
1993 TZ ₄₆	1993 10 11.27639	02 13 44.64	+07 20 41.2	4 809	1993 TH ₄₇	1993 10 22.31910	01 02 05.98	+08 59 36.3	7 809
1993 TZ ₄₆	1993 10 11.28958	02 13 43.85	+07 20 35.6	4 809	1993 TJ ₄₇	* 1993 10 12.15868	01 10 27.27	+09 54 43.7	18.4 7 809
1993 TZ ₄₆	1993 10 21.22986	02 04 34.42	+06 25 53.2	18.6 4 809	1993 TJ ₄₇	1993 10 12.17951	01 10 26.07	+09 54 41.4	7 809
1993 TZ ₄₆	1993 10 21.24306	02 04 33.48	+06 25 48.9	4 809	1993 TJ ₄₇	1993 10 12.20035	01 10 24.94	+09 54 38.3	7 809
1993 TZ ₄₆	1993 10 21.25625	02 04 32.72	+06 25 45.2	4 809	1993 TJ ₄₇	1993 10 22.27743	01 01 42.03	+09 37 17.8	7 809
1993 TA ₄₇	* 1993 10 11.26319	02 14 42.42	+03 01 32.1	18.5 4 809	1993 TJ ₄₇	1993 10 22.29826	01 01 41.02	+09 37 15.1	7 809
1993 TA ₄₇	1993 10 11.27639	02 14 41.60	+03 01 34.1	4 809	1993 TJ ₄₇	1993 10 22.31910	01 01 39.93	+09 37 12.0	7 809
1993 TA ₄₇	1993 10 11.28958	02 14 40.85	+03 01 34.3	4 809	1993 TK ₄₇	* 1993 10 12.15868	01 10 54.46	+10 10 41.1	19.2 7 809
1993 TA ₄₇	1993 10 21.22986	02 04 52.46	+03 13 27.0	18.6 4 809	1993 TK ₄₇	1993 10 12.17951	01 10 53.13	+10 10 33.7	7 809
1993 TA ₄₇	1993 10 21.24306	02 04 51.49	+03 13 27.3	4 809	1993 TK ₄₇	1993 10 12.20035	01 10 51.96	+10 10 25.5	7 809
1993 TA ₄₇	1993 10 21.25625	02 04 50.73	+03 13 29.7	4 809	1993 TK ₄₇	1993 10 22.27743	01 01 24.47	+09 13 25.7	7 809
1993 TB ₄₇	* 1993 10 11.26319	02 14 46.48	+04 20 42.3	18.4 4 809	1993 TK ₄₇	1993 10 22.29826	01 01 23.26	+09 13 17.6	7 809
1993 TB ₄₇	1993 10 11.27639	02 14 45.64	+04 20 40.4	4 809	1993 TK ₄₇	1993 10 22.31910	01 01 22.11	+09 13 10.7	7 809
1993 TB ₄₇	1993 10 11.28958	02 14 44.90	+04 20 37.1	4 809	1993 TL ₄₇	* 1993 10 12.15868	01 11 01.35	+07 44 26.4	18.5 7 809
1993 TB ₄₇	1993 10 21.22986	02 04 58.78	+03 50 38.3	18.4 4 809	1993 TL ₄₇	1993 10 12.17951	01 11 00.01	+07 44 21.6	7 809
1993 TB ₄₇	1993 10 21.24306	02 04 57.90	+03 50 36.6	4 809	1993 TL ₄₇	1993 10 12.20035	01 10 58.72	+07 44 16.7	7 809
1993 TB ₄₇	1993 10 21.25625	02 04 57.07	+03 50 33.8	4 809	1993 TL ₄₇	1993 10 22.27743	01 01 21.13	+07 04 33.9	7 809
1993 TC ₄₇	* 1993 10 11.26319	02 14 59.60	+06 42 49.7	18.5 4 809	1993 TL ₄₇	1993 10 22.29826	01 01 19.87	+07 04 29.2	7 809
1993 TC ₄₇	1993 10 11.27639	02 14 58.98	+06 42 49.6	4 809	1993 TL ₄₇	1993 10 22.31910	01 01 18.76	+07 04 24.2	7 809
1993 TC ₄₇	1993 10 11.28958	02 14 58.34	+06 42 48.5	4 809	1993 TM ₄₇	* 1993 10 12.15868	01 12 15.64	+10 29 38.7	18.4 7 809
1993 TC ₄₇	1993 10 21.22986	02 06 31.02	+06 37 57.1	18.5 4 809	1993 TM ₄₇	1993 10 12.17951	01 12 14.54	+10 29 30.3	7 809
1993 TC ₄₇	1993 10 21.24306	02 06 30.25	+06 37 56.0	4 809	1993 TM ₄₇	1993 10 12.20035	01 12 13.37	+10 29 21.7	7 809
1993 TC ₄₇	1993 10 21.25625	02 06 29.45	+06 37 55.8	4 809	1993 TM ₄₇	1993 10 22.27743	01 03 50.94	+09 22 27.5	7 809
1993 TD ₄₇	* 1993 10 11.26319	02 16 48.66	+04 58 39.8	18.4 4 809	1993 TM ₄₇	1993 10 22.29826	01 03 49.86	+09 22 18.5	7 809
1993 TD ₄₇	1993 10 11.27639	02 16 48.08	+04 58 31.8	4 809	1993 TM ₄₇	1993 10 22.31910	01 03 48.85	+09 22 11.1	7 809
1993 TD ₄₇	1993 10 11.28958	02 16 47.47	+04 58 22.2	4 809	1993 TN ₄₇	* 1993 10 12.15868	01 13 59.67	+10 33 56.7	18.4 7 809
1993 TD ₄₇	1993 10 21.22986	02 09 52.02	+03 07 24.6	18.5 4 809	1993 TN ₄₇	1993 10 12.17951	01 13 58.60	+10 33 50.7	7 809
1993 TD ₄₇	1993 10 21.24306	02 09 51.46	+03 07 17.2	4 809	1993 TN ₄₇	1993 10 12.20035	01 13 57.43	+10 33 43.9	7 809
1993 TD ₄₇	1993 10 21.25625	02 09 50.84	+03 07 07.4	4 809	1993 TN ₄₇	1993 10 22.27743	01 05 38.76	+09 41 29.0	7 809
1993 TE ₄₇	* 1993 10 11.26319	02 17 12.39	+02 29 30.1	18.1 4 809	1993 TN ₄₇	1993 10 22.29826	01 05 37.88	+09 41 23.7	7 809
1993 TE ₄₇	1993 10 11.27639	02 17 11.64	+02 29 27.1	4 809	1993 TN ₄₇	1993 10 22.31910	01 05 36.75	+09 41 17.8	7 809
1993 TE ₄₇	1993 10 11.28958	02 17 10.91	+02 29 24.8	4 809	1993 TO ₄₇	* 1993 10 12.15868	01 14 42.21	+07 47 18.8	18.4 7 809
1993 TE ₄₇	1993 10 21.22986	02 08 11.14	+01 58 15.8	18.2 4 809	1993 TO ₄₇	1993 10 12.17951	01 14 41.01	+07 47 04.7	7 809
1993 TE ₄₇	1993 10 21.24306	02 08 10.24	+01 58 13.1	4 809	1993 TO ₄₇	1993 10 12.20035	01 14 39.85	+07 46 50.8	7 809
1993 TE ₄₇	1993 10 21.25625	02 08 09.47	+01 58 11.7	4 809	1993 TO ₄₇	1993 10 20.15625	01 07 52.28	+06 22 56.9	18.0 4 809
1993 TF ₄₇	* 1993 10 11.26319	02 21 24.99	+03 05 23.2	18.5 4 809	1993 TO ₄₇	1993 10 20.16944	01 07 51.58	+06 22 49.4	4 809
1993 TF ₄₇	1993 10 11.27639	02 21 24.35	+03 05 19.4	4 809	1993 TO ₄₇	1993 10 20.18264	01 07 50.86	+06 22 41.3	4 809
1993 TF ₄₇	1993 10 11.28958	02 21 23.77	+03 05 14.9	4 809	1993 TP ₄₇	* 1993 10 12.15868	01 15 01.13	+07 29 04.3	18.6 7 809
1993 TF ₄₇	1993 10 21.22986	02 13 45.88	+02 20 56.8	18.6 4 809	1993 TP ₄₇	1993 10 12.17951	01 15 00.07	+07 28 52.8	7 809
1993 TF ₄₇	1993 10 21.24306	02 13 45.17	+02 20 51.8	4 809	1993 TP ₄₇	1993 10 12.20035	01 14 58.88	+07 28 40.7	7 809
1993 TF ₄₇	1993 10 21.25625	02 13 44.57	+02 20 49.7	4 809	1993 TP ₄₇	1993 10 20.15625	01 08 27.85	+06 19 23.5	18.6 4 809
1993 TG ₄₇	* 1993 10 12.15868	01 09 52.46	+07 46 11.1	18.6 7 809	1993 TP ₄₇	1993 10 20.16944	01 08 27.14	+06 19 17.0	4 809
1993 TG ₄₇	1993 10 12.17951	01 09 51.35	+07 46 04.9	7 809	1993 TP ₄₇	1993 10 20.18264	01 08 26.53	+06 19 09.1	4 809
1993 TG ₄₇	1993 10 12.20035	01 09 50.23	+07 45 59.6	7 809	1993 TQ ₄₇	* 1993 10 12.15868	01 15 23.19	+11 04 00.4	18.4 7 809
1993 TG ₄₇	1993 10 22.27743	01 01 07.25	+07 03 38.4	7 809	1993 TQ ₄₇	1993 10 12.17951	01 15 22.03	+11 03 54.2	7 809
1993 TG ₄₇	1993 10 22.29826	01 01 06.22	+07 03 32.0	7 809	1993 TQ ₄₇	1993 10 12.20035	01 15 20.93	+11 03 49.0	7 809

1993 TQ ₄₇	1993 10 22.27743	01 06 51.51	+10 14 18.9	7 809
1993 TQ ₄₇	1993 10 22.29826	01 06 50.43	+10 14 11.6	7 809
1993 TQ ₄₇	1993 10 22.31910	01 06 49.36	+10 14 05.4	7 809
1993 TR ₄₇	* 1993 10 12.15868	01 16 06.68	+10 38 00.6	18.6 7 809
1993 TR ₄₇	1993 10 12.17951	01 16 05.29	+10 37 57.1	7 809
1993 TR ₄₇	1993 10 12.20035	01 16 03.92	+10 37 54.2	7 809
1993 TR ₄₇	1993 10 22.27743	01 05 51.09	+10 08 20.9	7 809
1993 TR ₄₇	1993 10 22.29826	01 05 49.84	+10 08 16.3	7 809
1993 TR ₄₇	1993 10 22.31910	01 05 48.49	+10 08 13.0	7 809
1993 TS ₄₇	* 1993 10 12.15868	01 16 50.58	+09 44 08.3	18.7 7 809
1993 TS ₄₇	1993 10 12.17951	01 16 49.14	+09 44 04.6	7 809
1993 TS ₄₇	1993 10 12.20035	01 16 47.72	+09 44 02.4	7 809
1993 TS ₄₇	1993 10 22.27743	01 06 21.15	+09 18 26.6	7 809
1993 TS ₄₇	1993 10 22.29826	01 06 19.83	+09 18 22.8	7 809
1993 TS ₄₇	1993 10 22.31910	01 06 18.55	+09 18 20.3	7 809
1993 TT ₄₇	* 1993 10 12.15868	01 17 11.67	+09 48 44.4	18.6 7 809
1993 TT ₄₇	1993 10 12.17951	01 17 10.51	+09 48 37.9	7 809
1993 TT ₄₇	1993 10 12.20035	01 17 09.36	+09 48 31.8	7 809
1993 TT ₄₇	1993 10 22.27743	01 08 17.99	+09 04 52.4	7 809
1993 TT ₄₇	1993 10 22.29826	01 08 17.03	+09 04 46.5	7 809
1993 TT ₄₇	1993 10 22.31910	01 08 15.82	+09 04 40.5	7 809
1993 TU ₄₇	* 1993 10 12.15868	01 17 23.80	+11 23 39.6	18.5 7 809
1993 TU ₄₇	1993 10 12.17951	01 17 22.55	+11 23 32.1	7 809
1993 TU ₄₇	1993 10 12.20035	01 17 21.23	+11 23 23.7	7 809
1993 TU ₄₇	1993 10 22.27743	01 07 59.08	+10 18 30.2	7 809
1993 TU ₄₇	1993 10 22.29826	01 07 57.93	+10 18 22.1	7 809
1993 TU ₄₇	1993 10 22.31910	01 07 56.66	+10 18 15.2	7 809
1993 TV ₄₇	* 1993 10 12.15868	01 20 01.63	+11 11 47.0	18.7 7 809
1993 TV ₄₇	1993 10 12.17951	01 20 00.35	+11 11 39.6	7 809
1993 TV ₄₇	1993 10 12.20035	01 19 59.02	+11 11 32.4	7 809
1993 TV ₄₇	1993 10 22.27743	01 10 20.58	+10 12 37.3	7 809
1993 TV ₄₇	1993 10 22.29826	01 10 19.38	+10 12 30.4	7 809
1993 TV ₄₇	1993 10 22.31910	01 10 18.17	+10 12 23.9	7 809
1993 TW ₄₇	* 1993 10 12.15868	01 24 56.36	+11 02 26.1	18.3 7 809
1993 TW ₄₇	1993 10 12.17951	01 24 55.18	+11 02 19.8	7 809
1993 TW ₄₇	1993 10 12.20035	01 24 54.03	+11 02 13.7	7 809
1993 TW ₄₇	1993 10 22.27743	01 16 19.02	+10 09 41.2	7 809
1993 TW ₄₇	1993 10 22.29826	01 16 17.98	+10 09 34.5	7 809
1993 TW ₄₇	1993 10 22.31910	01 16 16.77	+10 09 28.7	7 809
1993 TX ₄₇	* 1993 10 12.15868	01 25 16.89	+07 58 44.0	18.6 7 809
1993 TX ₄₇	1993 10 12.17951	01 25 16.08	+07 58 32.2	7 809
1993 TX ₄₇	1993 10 12.20035	01 25 15.24	+07 58 20.0	7 809
1993 TX ₄₇	1993 10 20.20000	01 20 03.76	+06 41 15.2	18.4 4 809
1993 TX ₄₇	1993 10 20.21319	01 20 03.23	+06 41 07.9	4 809
1993 TX ₄₇	1993 10 20.22639	01 20 02.60	+06 41 00.0	4 809
1993 TY ₄₇	* 1993 10 12.15868	01 26 56.61	+07 41 18.9	18.5 7 809
1993 TY ₄₇	1993 10 12.17951	01 26 55.48	+07 41 10.1	7 809
1993 TY ₄₇	1993 10 12.20035	01 26 54.40	+07 41 01.3	7 809
1993 TY ₄₇	1993 10 20.20000	01 20 09.14	+06 44 01.2	18.3 4 809
1993 TY ₄₇	1993 10 20.21319	01 20 08.43	+06 43 55.6	4 809
1993 TY ₄₇	1993 10 20.22639	01 20 07.71	+06 43 49.5	4 809
1993 UB ₉	* 1993 10 20.24236	02 16 35.69	+02 40 38.8	18.6 4 809

1993 UB ₉	1993 10 20.25556	02 16 34.90	+02 40 35.0	4 809
1993 UB ₉	1993 10 20.26875	02 16 34.16	+02 40 32.2	4 809
1993 UB ₉	1993 10 21.22986	02 15 41.54	+02 36 33.9	18.6 4 809
1993 UB ₉	1993 10 21.24306	02 15 40.63	+02 36 31.6	4 809
1993 UB ₉	1993 10 21.25625	02 15 39.82	+02 36 28.4	4 809

816 Rand Observatory

G. R. Viscome, 100 Sentinel Road, Lake Placid, NY 12946, U.S.A.

[73023.561@compuserve.com]

0.37-m *f*/6 reflector + CCD

GSC

1995 SC	1995 09 29.08288	23 02 50.19	+49 03 33.8	17.1 R	816
1995 SC	1995 09 29.08584	23 02 49.84	+49 03 36.1	17.2 R	816
1995 SC	1995 09 29.09733	23 02 48.43	+49 03 44.9	17.2 R	816
1995 SC	1995 09 29.09978	23 02 48.13	+49 03 47.0	17.3 R	816
1995 SC	1995 09 30.17987	23 00 40.12	+49 17 12.5	17.2 R	816
1995 SC	1995 09 30.18128	23 00 39.95	+49 17 13.5	17.3 R	816
1995 SC	1995 09 30.18573	23 00 39.41	+49 17 16.6	17.2 R	816
1995 SR	1995 09 30.14290	22 29 17.93	+25 09 58.3	17.0 R	816
1995 SR	1995 09 30.14535	22 29 17.91	+25 09 54.9	17.1 R	816
1995 SR	1995 09 30.15050	22 29 17.86	+25 09 47.8	17.1 R	816
1995 SS	1995 09 29.23192	00 13 52.58	+34 21 07.5	17.8 R	816
1995 SS	1995 09 29.23918	00 13 52.14	+34 20 58.2	17.8 R	816
1995 SS	1995 09 29.24224	00 13 51.97	+34 20 54.3	17.7 R	816
1995 SP ₁	1995 09 30.11542	23 02 59.78	+26 38 31.3	17.4 R	816
1995 SP ₁	1995 09 30.11738	23 02 59.66	+26 38 31.0	17.4 R	816
1995 SP ₁	1995 09 30.11947	23 02 59.53	+26 38 31.1	17.3 R	816
1995 SP ₁	1995 09 30.12178	23 02 59.40	+26 38 30.8	17.4 R	816
1995 SQ ₁	1995 09 29.05595	22 41 38.57	+26 00 28.6	16.8 R	816
1995 SQ ₁	1995 09 29.05836	22 41 38.39	+26 00 28.6	16.6 R	816
1995 SQ ₁	1995 09 29.06499	22 41 37.88	+26 00 28.2	16.7 R	816
1995 SQ ₁	1995 09 29.06675	22 41 37.74	+26 00 28.1	16.7 R	816
1995 SR ₁	1995 09 30.01976	23 01 23.32	+24 02 02.6	16.5 R	816
1995 SR ₁	1995 09 30.02452	23 01 23.08	+24 02 01.7	16.7 R	816
1995 SR ₁	1995 09 30.02914	23 01 22.84	+24 02 00.9	16.6 R	816
1995 SR ₁	1995 09 30.03409	23 01 22.60	+24 01 59.9	16.7 R	816

817 Sudbury

D. di Cicco, Sky & Telescope, Cambridge, MA 02138, U.S.A.

[dicicco@cfa.harvard.edu]

0.41-m Schmidt-Cassegrain + CCD

GSC

1990 TP ₇	1995 10 12.08341	01 07 27.59	+07 31 06.8	16.3 R	817
1990 TP ₇	1995 10 12.10816	01 07 26.38	+07 31 00.8	16.1 R	817
1990 TP ₇	1995 10 12.12576	01 07 25.50	+07 30 56.2	16.5 R	817
1990 TP ₇	1995 10 12.18203	01 07 22.70	+07 30 41.6	16.7 R	817
1990 TP ₇	1995 10 13.08935	01 06 39.32	+07 26 44.1	16.9 R	817
1990 TP ₇	1995 10 13.09897	01 06 38.85	+07 26 41.1	17.0 R	817
1990 TP ₇	1995 10 13.12083	01 06 37.76	+07 26 35.7	17.1 R	817
1990 TP ₇	1995 10 13.13632	01 06 37.02	+07 26 32.0	17.0 R	817
1990 TP ₇	1995 10 14.13051	01 05 49.28	+07 22 10.1	17.2 R	817
1990 TP ₇	1995 10 14.14324	01 05 48.63	+07 22 07.0	16.9 R	817
1990 TP ₇	1995 10 14.15353	01 05 48.13	+07 22 04.4	17.1 R	817

1990 TP ₇	1995 10 14.16620	01 05 47.51	+07 22 01.0	17.2 R	817	1995 TP	1995 10 12.12576	01 07 59.93	+07 28 48.8	16.6 R	817
1995 SL ₅	1995 10 03.12669	00 39 41.84	+03 35 22.2	16.5 R	817	1995 TP	1995 10 12.18203	01 07 57.08	+07 28 15.5	16.7 R	817
1995 SL ₅	1995 10 03.14181	00 39 41.03	+03 35 15.4	16.4 R	817	1995 TP	1995 10 13.14789	01 07 10.79	+07 18 43.4	16.6 R	817
1995 SL ₅	1995 10 03.15750	00 39 40.19	+03 35 08.4	16.7 R	817	1995 TP	1995 10 13.16052	01 07 10.15	+07 18 36.3	16.9 R	817
1995 SL ₅	1995 10 04.07486	00 38 53.70	+03 28 11.4	16.8 R	817	1995 TP	1995 10 13.18676	01 07 08.82	+07 18 20.8	17.0 R	817
1995 SL ₅	1995 10 04.08413	00 38 53.30	+03 28 09.1	17.3 R	817	1995 TP	1995 10 14.12521	01 06 24.17	+07 09 06.0	17.0 R	817
1995 SL ₅	1995 10 04.09108	00 38 52.94	+03 28 06.3	17.6 R	817	1995 TP	1995 10 14.13615	01 06 23.61	+07 08 59.5	16.7 R	817
1995 SL ₅	1995 10 04.09486	00 38 52.85	+03 28 04.6	17.4 R	817	1995 TP	1995 10 14.14763	01 06 23.04	+07 08 53.0	16.8 R	817
1995 SL ₅	1995 10 10.11745	00 33 53.87	+02 43 39.2	16.7 R	817	1995 TP	1995 10 23.07161	00 59 38.46	+05 43 47.1	17.5 R	817
1995 SL ₅	1995 10 10.12645	00 33 53.40	+02 43 35.0	16.8 R	817	1995 TP	1995 10 23.09274	00 59 37.54	+05 43 36.3	17.4 R	817
1995 SL ₅	1995 10 10.13833	00 33 52.83	+02 43 29.9	16.8 R	817	1995 TP	1995 10 27.09647	00 56 58.65	+05 08 33.2	17.4 R	817
1995 SL ₅	1995 10 10.15203	00 33 52.12	+02 43 23.5	16.9 R	817	1995 TP	1995 10 27.11735	00 56 57.82	+05 08 22.4	17.5 R	817
1995 SL ₅	1995 10 14.08442	00 30 49.65	+02 16 09.3	16.9 R	817	1995 TU	* 1995 10 14.19730	01 15 23.16	+07 44 15.0	17.1 R	817
1995 SL ₅	1995 10 14.09540	00 30 49.13	+02 16 05.0	16.8 R	817	1995 TU	1995 10 14.21655	01 15 22.17	+07 44 09.9	17.2 R	817
1995 SL ₅	1995 10 14.10744	00 30 48.56	+02 16 00.3	17.0 R	817	1995 TU	1995 10 14.26019	01 15 19.88	+07 43 58.9	17.4 R	817
1995 TD	* 1995 10 03.12669	00 40 16.37	+03 30 19.2	16.5 R	817	1995 TU	1995 10 14.27922	01 15 18.90	+07 43 53.8	17.1 R	817
1995 TD	1995 10 03.14181	00 40 15.59	+03 30 09.4	16.4 R	817	1995 TU	1995 10 16.05926	01 13 49.42	+07 36 19.9	16.8 R	817
1995 TD	1995 10 03.15750	00 40 14.78	+03 29 58.8	16.4 R	817	1995 TU	1995 10 16.07009	01 13 48.92	+07 36 17.4	16.8 R	817
1995 TD	1995 10 04.07486	00 39 30.39	+03 20 00.9	16.4 R	817	1995 TU	1995 10 16.08435	01 13 48.17	+07 36 13.5	16.7 R	817
1995 TD	1995 10 04.08413	00 39 29.93	+03 19 55.5	16.7 R	817	1995 TU	1995 10 23.11518	01 08 01.86	+07 06 58.5	17.0 R	817
1995 TD	1995 10 04.09108	00 39 29.54	+03 19 50.6	16.5 R	817	1995 TU	1995 10 23.13216	01 08 01.02	+07 06 54.4	17.0 R	817
1995 TD	1995 10 04.09486	00 39 29.35	+03 19 47.8	16.2 R	817	1995 UH ₁	* 1995 10 23.08039	00 59 03.68	+05 16 55.2	17.3 R	817
1995 TD	1995 10 10.11248	00 34 43.58	+02 15 59.3	16.5 R	817	1995 UH ₁	1995 10 23.10108	00 59 02.34	+05 16 55.1	17.0 R	817
1995 TD	1995 10 10.12242	00 34 43.09	+02 15 53.0	16.8 R	817	1995 UH ₁	1995 10 23.15529	00 58 58.97	+05 16 52.2	17.4 R	817
1995 TD	1995 10 10.13329	00 34 42.57	+02 15 46.3	16.8 R	817	1995 UH ₁	1995 10 24.09413	00 58 03.47	+05 16 13.6	17.3 R	817
1995 TD	1995 10 10.14686	00 34 41.89	+02 15 38.1	16.7 R	817	1995 UH ₁	1995 10 24.11076	00 58 02.47	+05 16 13.3	17.2 R	817
1995 TD	1995 10 14.07846	00 31 47.85	+01 36 16.5	16.3 R	817	1995 UH ₁	1995 10 24.16771	00 57 58.97	+05 16 11.0	17.3 R	817
1995 TD	1995 10 14.09131	00 31 47.29	+01 36 09.1	16.3 R	817	1995 UH ₁	1995 10 24.17926	00 57 58.27	+05 16 10.6	17.4 R	817
1995 TD	1995 10 14.10304	00 31 46.75	+01 36 02.0	16.3 R	817	1995 UH ₁	1995 10 27.02988	00 55 15.85	+05 14 46.1	17.2 R	817
1995 TD	1995 10 18.07759	00 29 06.65	+00 59 01.5	16.4 R	817	1995 UH ₁	1995 10 27.04101	00 55 15.23	+05 14 45.7	17.1 R	817
1995 TD	1995 10 18.09655	00 29 05.87	+00 58 51.2	16.4 R	817	1995 UH ₁	1995 10 27.05315	00 55 14.53	+05 14 45.5	16.9 R	817
1995 TD	1995 10 27.01461	00 24 25.90	-00 10 56.9	17.4 R	817	1995 UJ ₁	* 1995 10 23.08478	00 59 48.68	+05 05 18.0	16.3 R	817
1995 TD	1995 10 27.03575	00 24 25.36	-00 11 05.6	17.4 R	817	1995 UJ ₁	1995 10 23.10535	00 59 47.85	+05 05 08.3	16.0 R	817
1995 TO	* 1995 10 12.08341	01 07 17.52	+07 32 36.0	16.2 R	817	1995 UJ ₁	1995 10 23.16455	00 59 45.49	+05 04 39.6	16.7 R	817
1995 TO	1995 10 12.10816	01 07 15.96	+07 32 32.5	16.2 R	817	1995 UJ ₁	1995 10 24.06120	00 59 11.24	+04 57 33.2	16.6 R	817
1995 TO	1995 10 12.12576	01 07 14.84	+07 32 30.1	16.3 R	817	1995 UJ ₁	1995 10 24.07883	00 59 10.53	+04 57 24.8	16.3 R	817
1995 TO	1995 10 12.18203	01 07 11.26	+07 32 22.1	16.4 R	817	1995 UJ ₁	1995 10 27.10632	00 57 18.81	+04 34 02.2	16.9 R	817
1995 TO	1995 10 13.08935	01 06 16.78	+07 30 11.4	16.6 R	817	1995 UJ ₁	1995 10 27.12200	00 57 18.23	+04 33 55.2	17.1 R	817
1995 TO	1995 10 13.09897	01 06 16.15	+07 30 10.2	16.4 R	817	1995 UX ₁	1995 10 24.02355	00 35 25.23	+12 47 03.5	17.2 R	817
1995 TO	1995 10 13.12083	01 06 14.79	+07 30 06.8	16.6 R	817	1995 UX ₁	1995 10 24.04119	00 35 24.11	+12 47 30.0	17.3 R	817
1995 TO	1995 10 13.13632	01 06 13.76	+07 30 04.7	16.7 R	817	1995 UX ₁	1995 10 24.12819	00 35 18.57	+12 49 41.7	17.1 R	817
1995 TO	1995 10 14.13051	01 05 13.82	+07 27 40.9	16.6 R	817	1995 UX ₁	1995 10 24.14159	00 35 17.72	+12 50 01.8	17.0 R	817
1995 TO	1995 10 14.14324	01 05 13.00	+07 27 39.1	16.6 R	817	1995 UX ₁	1995 10 25.08006	00 34 24.22	+13 13 29.6	16.9 R	817
1995 TO	1995 10 14.15353	01 05 12.35	+07 27 37.6	16.7 R	817	1995 UX ₁	1995 10 25.09686	00 34 23.19	+13 13 54.9	17.2 R	817
1995 TO	1995 10 14.16620	01 05 11.53	+07 27 35.8	16.7 R	817	1995 UX ₁	1995 10 25.11790	00 34 21.92	+13 14 26.0	17.0 R	817
1995 TO	1995 10 18.12220	01 01 16.20	+07 18 09.9	16.5 R	817	1995 UD ₂	* 1995 10 24.03236	00 34 58.89	+12 34 20.7	16.0 R	817
1995 TO	1995 10 18.13749	01 01 15.23	+07 18 07.4	16.5 R	817	1995 UD ₂	1995 10 24.04986	00 34 58.25	+12 34 10.8	16.0 R	817
1995 TO	1995 10 18.18705	01 01 12.20	+07 18 01.0	16.4 R	817	1995 UD ₂	1995 10 24.13302	00 34 55.13	+12 33 21.0	16.1 R	817
1995 TO	1995 10 27.13182	00 53 08.42	+06 59 35.3	16.7 R	817	1995 UD ₂	1995 10 24.14589	00 34 54.63	+12 33 13.4	16.3 R	817
1995 TO	1995 10 27.15082	00 53 07.42	+06 59 33.8	17.0 R	817	1995 UD ₂	1995 10 25.04862	00 34 23.43	+12 24 17.8	16.4 R	817
1995 TP	* 1995 10 12.08341	01 08 02.06	+07 29 13.9	16.6 R	817	1995 UD ₂	1995 10 25.05936	00 34 23.04	+12 24 11.4	16.3 R	817
1995 TP	1995 10 12.10816	01 08 00.83	+07 28 59.2	16.7 R	817	1995 UD ₂	1995 10 25.06907	00 34 22.68	+12 24 05.5	16.2 R	817

1995 UD ₂	1995 10 27.02264	00 33 18.57	+12 05 00.0	16.5 R	817
1995 UD ₂	1995 10 27.04655	00 33 17.78	+12 04 45.9	16.3 R	817
1995 UE ₂	* 1995 10 24.09413	00 57 45.64	+05 11 24.8	16.9 R	817
1995 UE ₂	1995 10 24.11076	00 57 44.94	+05 11 19.7	16.9 R	817
1995 UE ₂	1995 10 24.16771	00 57 42.64	+05 11 03.1	17.3 R	817
1995 UE ₂	1995 10 24.17926	00 57 42.15	+05 10 59.7	17.2 R	817
1995 UE ₂	1995 10 25.05471	00 57 08.24	+05 06 40.4	16.8 R	817
1995 UE ₂	1995 10 25.06409	00 57 07.82	+05 06 37.4	16.9 R	817
1995 UE ₂	1995 10 25.07398	00 57 07.42	+05 06 35.0	17.3 R	817
1995 UE ₂	1995 10 27.17215	00 55 48.20	+04 56 32.5	17.1 R	817
1995 UE ₂	1995 10 27.17852	00 55 47.96	+04 56 30.3	17.2 R	817
1995 UE ₂	1995 10 27.19005	00 55 47.48	+04 56 27.0	17.2 R	817
(632)	1995 10 27.13182	00 52 45.82	+07 04 58.5	15.4 R	817
(632)	1995 10 27.15082	00 52 44.94	+07 04 53.6	15.3 R	817
(3503)	1995 10 03.13700	00 39 34.88	+03 15 29.4	16.3 R	817
(3503)	1995 10 03.15096	00 39 34.21	+03 15 20.0	16.2 R	817
(3503)	1995 10 03.16646	00 39 33.47	+03 15 09.6	16.1 R	817
(3503)	1995 10 18.08596	00 29 01.28	+00 38 16.2	16.3 R	817
(3503)	1995 10 18.10410	00 29 00.56	+00 38 05.9	16.3 R	817
(3503)	1995 10 18.15600	00 28 58.56	+00 37 36.3	16.4 R	817
(3503)	1995 10 18.16943	00 28 58.02	+00 37 28.9	16.4 R	817

834 Buenos Aires-AAAA

G. D. Rodriguez, Seccion Sistema Solar, Asociacion Argentina Amigos de la Astronomia, Av. Patricias Argentinas 550, AR-1405 Buenos Aires, Argentina
[gustavor@aaaa.org.ar]

Observers G. D. Rodriguez, J. R. Carozza

Measurer G. D. Rodriguez

0.3-m $f/6.0$ reflector + CCD, 0.07-m $f/4.3$ camera + CCD

(11)	1995 02 10.00987	08 45 27.62	+18 59 42.3	9.7	834
(1620)	1994 08 26.13690	21 22 54.29	-60 42 34.7		834
(1620)	1994 08 26.17613	21 22 52.95	-60 14 25.7		834
(1620)	1994 08 26.17664	21 22 52.61	-60 14 03.0		834
(1620)	1994 08 26.17708	21 22 52.85	-60 13 44.3		834
(1620)	1994 08 27.05828	21 24 38.74	-50 09 58.3		834
(1620)	1994 08 27.06767	21 24 38.20	-50 03 51.3		834
(1620)	1994 08 27.06812	21 24 38.13	-50 03 32.8		834
(1620)	1994 08 29.00484	21 26 15.81	-31 59 43.5	10.1	834
(1620)	1994 08 29.03191	21 26 14.90	-31 47 17.8	10.4	r 834

885 JCPM Yakiimo Station

T. Urata, Shiinoki House 203, 28-6, Chuo 3 Chome, Nakano-Ku, Tokyo 164, Japan

Observer A. Natori

Measurer T. Urata

0.25-m $f/3.4$ hyperboloid astrocamera

GSC

1991 RN	1992 12 30.75417	07 59 35.62	+26 39 31.4	17.5	885
---------	------------------	-------------	-------------	------	-----

894 Otomo

S. Otomo, Kiyosato 3545-3902, Takane, Kitakoma-Gun, Yamanashi-Ken, 407-03 Japan

0.25-m $f/3.4$ reflector

PPM

1991 VV ₂	1995 10 02.71389	02 04 40.40	+15 48 05.2	16.5	894
1991 VV ₂	1995 10 02.72781	02 04 39.67	+15 48 08.4		894
1995 SA ₃₀	1995 09 17.64167	01 22 36.70	+03 15 56.3	17.0	894
1995 SA ₃₀	1995 09 17.65556	01 22 36.18	+03 15 53.4		894
1995 SA ₃₀	1995 09 20.76424	01 20 47.05	+03 05 33.9		894
1995 SA ₃₀	1995 09 20.77812	01 20 46.51	+03 05 32.1		894
1995 SA ₃₀	1995 10 02.63021	01 12 28.48	+02 22 14.7	16.0	894
1995 SA ₃₀	1995 10 02.64340	01 12 27.74	+02 22 11.0		894
1995 SY ₅₃	* 1995 09 17.64167	01 21 43.45	+04 50 25.7	15.5	894
1995 SY ₅₃	1995 09 17.65556	01 21 43.06	+04 50 20.3		894
1995 SY ₅₃	1995 09 20.76424	01 20 28.38	+04 26 39.5		894
1995 SY ₅₃	1995 09 20.77812	01 20 28.04	+04 26 32.8		894
1995 SY ₅₃	1995 10 02.63021	01 13 46.10	+02 46 16.9	15.5	894
1995 SY ₅₃	1995 10 02.64340	01 13 45.49	+02 46 09.1		894
(929)	1995 10 02.71389	02 04 27.87	+15 49 03.2		894
(929)	1995 10 02.72781	02 04 27.15	+15 48 58.9		894
(2419)	1995 09 17.64167	01 22 18.07	+04 20 58.3		894
(2419)	1995 09 17.65556	01 22 17.42	+04 20 50.4		894
(2419)	1995 10 02.63021	01 11 59.28	+02 08 14.0		894
(2419)	1995 10 02.64340	01 11 58.60	+02 08 05.6		894
(3446)	1995 10 02.63021	01 10 17.15	+02 25 36.2		894
(3446)	1995 10 02.64340	01 10 16.17	+02 25 31.5		894
(3457)	1995 10 02.63021	01 14 59.08	+02 29 54.0		894
(3457)	1995 10 02.64340	01 14 58.45	+02 29 49.4		894

897 YGCO Chiyoda Station

T. Kojima, 45 Shimonakamori, Chiyoda, Ohra-Gun, Gunma-Ken 370-07, Japan
[kojitaku@scorpius.bekkoame.or.jp]

0.25-m $f/6.0$ reflector + CCD

GSC

1995 QY ₂	1995 10 27.49447	21 32 31.03	-29 18 01.3	15.9 V	897
1995 QY ₂	1995 10 27.50134	21 32 31.51	-29 18 03.3		897
1995 UX ₁	1995 10 25.53686	00 33 58.60	+13 24 50.9	17.4 V	897
1995 UX ₁	1995 10 25.54216	00 33 58.30	+13 24 59.9		897
1995 UX ₁	1995 10 25.54524	00 33 58.10	+13 25 04.6		897
1995 UX ₁	1995 10 27.51111	00 32 14.71	+14 13 14.1		897
1995 UX ₁	1995 10 27.53004	00 32 13.68	+14 13 41.4	17.2 V	897

900 Kiryuu Observatory, Ohtsu

Y. Ikari, Katsube 626, Moriyama, Shiga-Ken 524, Japan

0.25-m $f/6.3$ reflector + CCD

GSC

1995 TG	* 1995 10 03.69567	01 45 17.04	-03 28 43.6	16.4 V	900
1995 TG	1995 10 03.70860	01 45 16.38	-03 28 45.4		900
1995 TG	1995 10 06.60568	01 42 55.98	-03 33 54.5		900
1995 TG	1995 10 06.62671	01 42 54.88	-03 33 56.5	16.3 V	900
1995 TG	1995 10 06.67989	01 42 52.11	-03 34 01.9		900
1995 TG	1995 10 09.56351	01 40 26.88	-03 38 23.8		900
1995 TG	1995 10 09.62064	01 40 23.81	-03 38 29.2	15.9 V	900
1995 TG	1995 10 09.65966	01 40 21.75	-03 38 32.3		900
1995 TG	1995 10 11.73371	01 38 34.38	-03 41 08.0	16.3 V	900
1995 TG	1995 10 11.75567	01 38 33.16	-03 41 09.3		900

1995 TG 1995 10 13.56870 01 36 58.49 -03 43 01.9 16.6 V 900
 1995 TG 1995 10 13.58850 01 36 57.33 -03 43 02.7 16.6 V 900

905 Nachi-Katsuura Observatory

T. Urata, Shiinoki House 203, 28-6, Chuo 3 Chome, Nakano-Ku, Tokyo 164, Japan

Observer Y. Shimizu

Measurer T. Urata

0.30-m $f/3.8$ hyperboloid astrocamera
 GSC

1995 SB ₈	1995 10 16.49589	23 32 10.76	-04 26 36.4	16.5	905
1978 SB ₈	1995 10 16.51267	23 32 10.21	-04 26 34.4		905
1978 SB ₈	1995 10 20.46377	23 30 29.97	-04 15 49.4	16.5	905
1978 SB ₈	1995 10 20.48056	23 30 29.52	-04 15 46.3		905
1990 UE ₃	1995 10 17.52355	23 17 13.39	-08 07 35.0	17.5	905
1990 UE ₃	1995 10 17.53056	23 17 13.19	-08 07 34.7		905
1992 YE	1995 10 20.44398	23 02 41.25	+05 32 57.1	17	905
1992 YE	1995 10 20.45376	23 02 41.09	+05 32 54.7		905
1993 EF	1995 10 16.61950	02 32 32.37	+12 05 14.9	17.5	905
1993 EF	1995 10 16.63565	02 32 31.48	+12 05 11.2		905
1993 EF	1995 10 17.58588	02 31 41.59	+12 02 02.1	17.5	905
1993 EF	1995 10 17.60336	02 31 40.59	+12 01 58.2		905
1995 SK ₂	1995 10 02.59618	22 21 43.90	-10 05 50.1	17.5	905
1995 SK ₂	1995 10 02.60457	22 21 43.65	-10 05 49.6		905
1995 SL ₂	1995 10 02.56464	22 22 36.21	-12 26 41.7	17	905
1995 SL ₂	1995 10 02.57164	22 22 36.03	-12 26 43.6		905
1995 SL ₂	1995 10 17.46840	22 21 08.04	-14 00 31.2	17.5	905
1995 SL ₂	1995 10 17.48519	22 21 08.09	-14 00 35.9		905
1995 TB ₁	* 1995 10 12.45943	23 18 33.79	-11 30 47.8	16.5	905
1995 TB ₁	1995 10 12.46782	23 18 33.57	-11 30 48.4		905
1995 TB ₁	1995 10 12.47622	23 18 33.42	-11 30 49.8		905
1995 TB ₁	1995 10 16.56004	23 17 23.00	-11 39 41.5	16.5	905
1995 TB ₁	1995 10 16.56907	23 17 22.87	-11 39 41.9		905
1995 TB ₁	1995 10 16.57789	23 17 22.71	-11 39 43.2		905
1995 UF	* 1995 10 16.59803	01 37 34.14	+14 49 12.5	16	905
1995 UF	1995 10 16.60828	01 37 33.37	+14 49 14.1		905
1995 UF	1995 10 17.56010	01 36 29.05	+14 49 28.1	16	905
1995 UF	1995 10 17.57616	01 36 27.96	+14 49 27.0		905
1995 UG	* 1995 10 16.59803	01 37 59.59	+15 40 07.1	17	905
1995 UG	1995 10 16.60828	01 37 59.24	+15 40 02.3		905
1995 UG	1995 10 17.56010	01 37 24.79	+15 33 30.4	17	905
1995 UG	1995 10 17.57616	01 37 24.13	+15 33 23.4		905
1995 UG	1995 10 20.52083	01 35 36.40	+15 12 24.5	16.5	905
1995 UG	1995 10 20.53015	01 35 35.98	+15 12 20.4		905
1995 UG	1995 10 20.53953	01 35 35.61	+15 12 16.8		905
1995 UH	* 1995 10 16.59803	01 38 01.00	+15 50 25.3	16.5	905
1995 UH	1995 10 16.60828	01 38 00.29	+15 50 26.3		905
1995 UH	1995 10 17.56010	01 36 56.11	+15 51 14.5	16.5	905
1995 UH	1995 10 17.57616	01 36 54.95	+15 51 16.0		905
1995 UJ	* 1995 10 16.59803	01 38 47.70	+17 05 10.5	17.5	905
1995 UJ	1995 10 16.60828	01 38 47.18	+17 05 08.7		905
1995 UJ	1995 10 17.56010	01 37 54.99	+17 02 05.2	17	905
1995 UJ	1995 10 17.57616	01 37 54.14	+17 02 02.4		905
1995 UH ₃	* 1995 10 17.61299	02 40 48.16	+27 19 50.3	17.5	905

1995 UH ₃	1995 10 17.63027	02 40 47.28	+27 19 47.7		905
1995 UH ₃	1995 10 20.55014	02 38 35.47	+27 09 38.5	17	905
1995 UH ₃	1995 10 20.56837	02 38 34.55	+27 09 33.8		905
1995 UJ ₃	* 1995 10 17.61299	02 43 59.61	+26 26 10.6	16.5	905
1995 UJ ₃	1995 10 17.62153	02 43 59.10	+26 26 10.4		905
1995 UJ ₃	1995 10 20.55014	02 41 09.73	+26 23 46.3	16	905
1995 UJ ₃	1995 10 20.56837	02 41 08.59	+26 23 45.1		905
1995 UK ₃	* 1995 10 17.61299	02 46 13.15	+27 35 52.8	17	905
1995 UK ₃	1995 10 17.62153	02 46 12.79	+27 35 49.9		905
1995 UK ₃	1995 10 20.55926	02 44 03.70	+27 18 42.0	16.5	905
1995 UK ₃	1995 10 20.56837	02 44 03.31	+27 18 38.7		905
1995 UL ₃	* 1995 10 17.61299	02 48 02.86	+25 58 51.8	17	905
1995 UL ₃	1995 10 17.62153	02 48 02.45	+25 58 52.3		905
1995 UL ₃	1995 10 20.55014	02 45 37.83	+26 01 13.9	17	905
1995 UL ₃	1995 10 20.55926	02 45 37.37	+26 01 12.5		905
1995 UQ ₅	* 1995 10 20.43420	23 04 22.83	+05 32 47.5	17	905
1995 UQ ₅	1995 10 20.45376	23 04 22.48	+05 32 44.9		905
1995 UQ ₅	1995 10 23.52523	23 03 30.39	+05 25 38.5	17	905
1995 UQ ₅	1995 10 23.54201	23 03 30.10	+05 25 37.0		905
1995 UQ ₅	1995 10 26.47373	23 02 53.56	+05 19 35.4	17.5	905
1995 UQ ₅	1995 10 26.48212	23 02 53.41	+05 19 34.0		905
1995 UD ₆	* 1995 10 25.52248	02 24 29.71	+09 09 35.0	16.5	905
1995 UD ₆	1995 10 25.53973	02 24 28.84	+09 09 29.9		905
1995 UD ₆	1995 10 26.52569	02 23 38.91	+09 05 34.3	17	905
1995 UD ₆	1995 10 26.53605	02 23 38.23	+09 05 31.0		905
1995 UE ₆	* 1995 10 25.52248	02 29 14.48	+08 41 17.0	17.5	905
1995 UE ₆	1995 10 25.53973	02 29 13.60	+08 41 14.7		905
1995 UE ₆	1995 10 26.52569	02 28 26.38	+08 36 59.3	17.5	905
1995 UE ₆	1995 10 26.53605	02 28 25.77	+08 36 56.3		905
1995 UF ₆	* 1995 10 25.52248	02 30 29.81	+09 38 21.3	17.5	905
1995 UF ₆	1995 10 25.53973	02 30 28.88	+09 38 20.2		905
1995 UF ₆	1995 10 26.51539	02 29 26.05	+09 38 56.3	17.5	905
1995 UF ₆	1995 10 26.53605	02 29 24.78	+09 38 56.1		905
1995 UY ₆	* 1995 10 25.57581	02 40 40.56	+29 11 02.6	17	905
1995 UY ₆	1995 10 25.59277	02 40 39.63	+29 11 00.3		905
1995 UY ₆	1995 10 27.60909	02 38 43.03	+29 04 59.2	17	905
1995 UY ₆	1995 10 27.62639	02 38 42.14	+29 04 56.3		905
1995 UZ ₆	* 1995 10 25.57581	02 45 18.39	+27 35 24.1	17	905
1995 UZ ₆	1995 10 25.59277	02 45 17.46	+27 35 24.1		905
1995 UZ ₆	1995 10 27.61748	02 43 26.98	+27 34 14.7	17	905
1995 UZ ₆	1995 10 27.62639	02 43 26.49	+27 34 13.4		905
1995 UA ₇	* 1995 10 26.57564	03 33 47.16	+11 08 38.2	17	905
1995 UA ₇	1995 10 26.59277	03 33 46.14	+11 08 34.8		905
1995 UA ₇	1995 10 27.53050	03 32 49.45	+11 05 45.7	17	905
1995 UA ₇	1995 10 27.53941	03 32 48.89	+11 05 45.0		905
1995 UB ₇	* 1995 10 26.57564	03 34 37.89	+09 40 53.0	17	905
1995 UB ₇	1995 10 26.59277	03 34 37.10	+09 40 41.5		905
1995 UB ₇	1995 10 27.53050	03 33 57.97	+09 30 42.0	17	905
1995 UB ₇	1995 10 27.53941	03 33 57.67	+09 30 36.2		905
1995 UC ₇	* 1995 10 26.57564	03 35 05.10	+09 32 15.0	17.5	905
1995 UC ₇	1995 10 26.59277	03 35 04.06	+09 32 09.7		905

M.P.C. 25899

1995 NOV. 7

1995 UC₇ 1995 10 27.53050 03 34 14.89 +09 29 27.1 17.5 905
 1995 UC₇ 1995 10 27.53941 03 34 14.44 +09 29 25.6 905

966 Church Stretton

S. P. Laurie, Toleman, 10 Hazler Orchard, Church Stetton, Shropshire SY6 7AL,
 England [100336.3635@compuserve.com]

0.25-m Schmidt Cassegrain + focal reducer + CCD
 GSC

1972 RU ₃	1995 10 28.01654	01 16 24.29	+05 18 16.1	15.3 V	966
1972 RU ₃	1995 10 28.05839	01 16 21.83	+05 18 12.8		966
1991 PC ₆	1995 10 04.99282	01 44 51.50	-03 23 09.7	17.0 V	966
1991 PC ₆	1995 10 05.00677	01 44 50.84	-03 23 16.1		966
1992 AM ₃	1995 10 04.86278	23 39 37.29	+23 36 22.3	16.5 V	966
1992 AM ₃	1995 10 04.87470	23 39 36.60	+23 36 20.1		966
1992 AM ₃	1995 10 04.89876	23 39 35.28	+23 36 12.8		966
1992 AM ₃	1995 10 19.85537	23 28 15.35	+22 07 46.3	16.6 V	966
1992 AM ₃	1995 10 19.86811	23 28 14.85	+22 07 40.3		966
1992 AM ₃	1995 10 21.82751	23 27 08.88	+21 54 05.5	16.4 V	966
1992 AM ₃	1995 10 21.83755	23 27 08.56	+21 54 02.0		966
1995 QF	1995 09 19.94458	21 36 44.91	-08 55 13.9	17.8 V	966
1995 QF	1995 09 19.96634	21 36 44.53	-08 55 21.7		966
1995 QF	1995 09 20.91264	21 36 30.70	-09 02 05.6	17.7 V	966
1995 QF	1995 09 20.93860	21 36 30.43	-09 02 15.3		966
1995 QK	1995 09 19.93794	21 52 28.53	-06 31 12.1	17.9 V	966
1995 QK	1995 09 19.96073	21 52 27.93	-06 31 19.3		966
1995 QK	1995 09 20.90720	21 52 05.09	-06 36 06.9	17.2 V	966
1995 QK	1995 09 20.93314	21 52 04.50	-06 36 14.3		966
1995 QK	1995 09 20.99080	21 52 03.04	-06 36 30.9		966
1995 QL	1995 09 19.92534	21 56 46.43	-05 13 57.0	17.5 V	966
1995 QL	1995 09 19.95027	21 56 46.03	-05 14 03.4		966
1995 QL	1995 09 20.90196	21 56 31.82	-05 18 14.7	17.3 V	966
1995 QL	1995 09 20.92780	21 56 31.34	-05 18 21.3		966
1995 QF ₄	1995 09 27.98553	00 39 50.71	+09 50 13.0	17.2 V	966
1995 QF ₄	1995 09 28.01613	00 39 48.80	+09 50 06.7		966
1995 QF ₄	1995 09 28.05530	00 39 46.49	+09 49 57.3		966
1995 ST	1995 09 24.97679	00 29 36.19	+09 27 38.4	17.1 V	966
1995 ST	1995 09 25.00625	00 29 34.31	+09 27 33.4		966
1995 ST	1995 09 28.00588	00 26 24.86	+09 17 58.4	17.0 V	966
1995 ST	1995 09 28.03485	00 26 23.06	+09 17 53.0		966
1995 ST	1995 10 27.99811	23 59 28.89	+07 24 29.6	17.4 V	966
1995 ST	1995 10 28.03714	23 59 27.36	+07 24 21.6		966
1995 SU	1995 09 24.98294	00 30 54.66	+10 18 29.6	17.2 V	966
1995 SU	1995 09 25.01175	00 30 52.99	+10 18 24.0		966
1995 SU	1995 09 25.02981	00 30 51.79	+10 18 18.3		966
1995 SU	1995 09 27.99934	00 27 54.58	+10 05 10.3	17.4 V	966
1995 SU	1995 09 28.02809	00 27 52.79	+10 05 01.8		966
1995 SU	1995 09 28.04909	00 27 51.60	+10 04 55.7		966
1995 SU	1995 10 27.88527	00 02 18.44	+07 33 24.7	17.0 V	966
1995 SU	1995 10 27.99288	00 02 14.64	+07 32 55.9		966
1995 SE ₁	1995 09 24.86884	21 50 59.22	-07 01 19.9	17.8 V	966
1995 SE ₁	1995 09 24.91053	21 50 57.85	-07 01 35.0		966
1995 SF ₁	1995 09 24.88957	00 16 45.70	+18 43 51.7	17.5 V	966
1995 SF ₁	1995 09 24.93253	00 16 43.93	+18 43 30.1		966

1995 SF ₁	1995 09 27.89300	00 14 45.62	+18 16 56.2	17.4 V	966
1995 SF ₁	1995 09 27.94067	00 14 43.71	+18 16 31.1		966
1995 SF ₁	1995 10 19.89563	00 01 28.60	+14 28 45.0	17.9 V	966
1995 SF ₁	1995 10 19.91635	00 01 28.11	+14 28 31.9		966
1995 SC ₄	1995 10 19.89045	00 24 15.79	+07 31 08.9	17.1 V	966
1995 SC ₄	1995 10 19.91075	00 24 15.13	+07 30 59.8		966
1995 SC ₄	1995 10 19.92750	00 24 14.67	+07 30 55.2		966
1995 SD ₄	1995 10 04.90947	00 35 14.07	+08 43 42.5	16.2 V	966
1995 SD ₄	1995 10 04.92712	00 35 13.33	+08 43 30.6		966
1995 SD ₄	1995 10 04.96571	00 35 11.68	+08 43 10.2		966
1995 SD ₄	1995 10 19.88451	00 26 39.01	+06 23 25.0	16.3 V	966
1995 SD ₄	1995 10 19.90549	00 26 38.53	+06 23 13.5		966
1995 SD ₄	1995 10 21.85189	00 25 52.70	+06 06 41.2	16.3 V	966
1995 SD ₄	1995 10 21.87618	00 25 52.13	+06 06 27.4		966
1995 SE ₄	1995 10 04.85725	23 40 00.94	+23 12 15.8	16.5 V	966
1995 SE ₄	1995 10 04.86907	23 40 00.47	+23 12 09.9		966
1995 SE ₄	1995 10 19.84589	23 30 41.55	+21 01 08.4	16.6 V	966
1995 SE ₄	1995 10 19.86024	23 30 41.11	+21 01 00.1		966
1995 SE ₄	1995 10 19.87325	23 30 40.74	+21 00 52.6		966
1995 SE ₄	1995 10 21.81965	23 29 52.67	+20 42 24.2	16.6 V	966
1995 SE ₄	1995 10 21.83266	23 29 52.51	+20 42 16.4		966
1995 SE ₄	1995 10 21.84348	23 29 51.87	+20 42 10.2		966
1995 SV ₂₉	* 1995 09 29.94826	00 26 22.72	+09 51 40.1	16.4 V	966
1995 SV ₂₉	1995 09 29.96683	00 26 21.80	+09 51 27.3		966
1995 SV ₂₉	1995 10 04.89039	00 22 39.75	+08 56 31.9	16.2 V	966
1995 SV ₂₉	1995 10 04.91487	00 22 38.70	+08 56 14.4		966
1995 SV ₂₉	1995 10 04.95514	00 22 36.89	+08 55 46.7		966
1995 TG	1995 10 04.99282	01 44 14.98	-03 31 08.9	16.2 V	966
1995 TG	1995 10 05.00677	01 44 14.22	-03 31 09.9		966
1995 TG	1995 10 05.03183	01 44 13.04	-03 31 12.7		966
1995 TG	1995 10 19.93361	01 31 21.27	-03 46 17.6	16.3 V	966
1995 TG	1995 10 19.95775	01 31 20.00	-03 46 18.1		966
(2472)	1995 10 21.91063	00 11 40.87	+05 49 14.7	16.2 V	966
(2472)	1995 10 21.93382	00 11 39.68	+05 49 11.7		966
(5481)	1995 09 19.99024	00 35 06.04	+10 40 38.3	16.0 V	966
(5481)	1995 09 20.01991	00 35 04.28	+10 40 33.9		966
(5481)	1995 09 24.98294	00 30 15.21	+10 23 52.7	16.1 V	966
(5481)	1995 09 25.01175	00 30 13.43	+10 23 46.3		966
(5481)	1995 09 25.02981	00 30 12.32	+10 23 42.6		966
(5952)	1995 10 04.89039	00 21 26.00	+08 49 45.6	16.2 V	966
(5952)	1995 10 04.91487	00 21 24.52	+08 49 35.8		966
(5966)	1995 10 19.95241	01 23 06.42	+05 40 13.5	16.1 V	966
(5966)	1995 10 19.96331	01 23 05.88	+05 40 10.7		966
(5966)	1995 10 28.01654	01 16 48.87	+05 13 38.8	16.0 V	966
(5966)	1995 10 28.05839	01 16 46.98	+05 13 29.2		966

999 Floirac

M. Rapaport, Observatoire de l'Université de Bordeaux, B.P. 21, F-33270 Floirac,
 France

Observers M. Rapaport, Y. Requième, J. Mazurier

Automatic meridian circle

(1)	1989 10 13.202829	06 17 25.979	+21 43 27.58	999
(1)	1989 10 15.197524	06 18 28.323	+21 47 46.28	999

(1)	1989 10 17.192723	06 19 25.099 +21 52 14.06	999	(2)	1989 09 02.100520	01 07 18.596 -03 09 21.18	999
(1)	1989 10 23.178495	06 21 40.311 +22 06 38.20	999	(2)	1989 09 06.087907	01 05 51.255 -04 07 14.76	999
(1)	1989 10 24.175936	06 21 57.476 +22 09 12.10	999	(2)	1989 09 07.085126	01 05 26.371 -04 22 06.89	999
(1)	1989 10 25.173005	06 22 13.057 +22 11 48.60	999	(2)	1989 09 08.082469	01 05 00.307 -04 37 07.54	999
(1)	1989 11 11.126524	06 22 20.900 +23 04 24.88	999	(2)	1989 09 18.051227	00 59 39.468 -07 13 07.18	999
(1)	1989 11 12.123586	06 22 05.673 +23 08 00.04	999	(2)	1989 09 20.044268	00 58 23.534 -07 45 08.56	999
(1)	1989 11 13.120660	06 21 48.717 +23 11 38.98	999	(2)	1989 09 21.041042	00 57 44.288 -08 01 11.61	999
(1)	1989 11 14.117708	06 21 29.963 +23 15 20.02	999	(2)	1989 09 22.037883	00 57 04.222 -08 17 15.48	999
(1)	1989 11 19.102673	06 19 29.726 +23 34 30.27	999	(2)	1989 09 25.028292	00 54 59.634 -09 05 24.59	999
(1)	1989 11 23.090274	06 17 22.249 +23 50 36.11	999	(2)	1989 09 26.025658	00 54 16.752 -09 21 24.87	999
(1)	1989 11 27.077866	06 14 48.117 +24 07 14.16	999	(2)	1989 09 28.019426	00 52 49.299 -09 53 15.19	999
(1)	1989 11 28.075100	06 14 05.604 +24 11 27.34	999	(2)	1989 09 30.012125	00 51 19.920 -10 24 47.38	999
(1)	1989 12 02.062191	06 11 00.929 +24 28 30.53	999	(2)	1989 10 01.009323	00 50 34.589 -10 40 26.52	999
(1)	1989 12 07.045294	06 06 40.569 +24 49 56.11	999	(2)	1989 10 02.006028	00 49 48.939 -10 55 58.76	999
(1)	1989 12 08.041267	06 05 45.135 +24 54 12.22	999	(2)	1989 10 03.999975	00 48 16.821 -11 26 40.48	999
(1)	1989 12 09.037885	06 04 48.692 +24 58 27.52	999	(2)	1989 10 04.996671	00 47 30.494 -11 41 49.42	999
(1)	1989 12 27.972482	05 45 18.226 +26 12 37.42	999	(2)	1989 10 11.973630	00 42 05.881 -13 23 03.94	999
(1)	1989 12 27.973491	05 45 18.165 +26 12 37.57	999	(2)	1989 10 12.970342	00 41 20.143 -13 36 43.93	999
(1)	1989 12 28.969622	05 44 16.799 +26 16 01.29	999	(2)	1989 10 15.959859	00 39 04.906 -14 16 21.37	999
(1)	1989 12 29.966554	05 43 15.956 +26 19 21.52	999	(2)	1989 10 18.950144	00 36 53.749 -14 53 46.98	999
(1)	1990 01 04.946184	05 37 27.623 +26 38 05.55	999	(2)	1989 10 21.941487	00 34 47.978 -15 28 50.77	999
(1)	1990 01 05.942617	05 36 33.007 +26 41 00.28	999	(2)	1989 10 23.934117	00 33 27.820 -15 50 49.26	999
(1)	1990 01 16.905936	05 27 59.739 +27 09 25.05	999	(2)	1989 10 23.935084	00 33 27.781 -15 50 49.82	999
(1)	1990 01 18.899977	05 26 46.427 +27 13 55.72	D 999	(2)	1989 10 24.931151	00 32 48.935 -16 01 23.31	999
(1)	1990 01 19.896457	05 26 12.372 +27 16 10.91	999	(2)	1989 10 26.925042	00 31 33.884 -16 21 37.81	999
(1)	1990 01 20.894207	05 25 40.023 +27 18 20.65	999	(2)	1989 10 29.915236	00 29 48.650 -16 49 46.88	999
(1)	1990 01 21.891172	05 25 09.493 +27 20 29.21	999	(2)	1989 11 09.881732	00 24 51.941 -18 09 40.47	999
(1)	1990 02 06.844863	05 21 17.525 +27 51 04.32	999	(2)	1989 11 10.878784	00 24 32.704 -18 15 09.08	999
(1)	1990 02 20.808382	05 24 29.305 +28 14 35.99	999	(2)	1989 11 11.875846	00 24 14.806 -18 20 20.51	999
(1)	1990 02 23.801339	05 25 55.243 +28 19 23.07	999	(2)	1989 11 12.872925	00 23 58.302 -18 25 14.70	999
(1)	1990 02 24.798930	05 26 27.241 +28 20 57.18	999	(2)	1989 11 12.873893	00 23 58.301 -18 25 14.68	999
(1)	1990 03 02.784957	05 30 12.722 +28 30 06.44	999	(2)	1989 11 13.870015	00 23 43.170 -18 29 52.36	999
(1)	1990 03 03.782298	05 30 55.675 +28 31 34.94	999	(2)	1989 11 14.867131	00 23 29.469 -18 34 12.14	999
(1)	1993 08 30.166987	02 32 47.843 +02 21 09.62	999	(2)	1989 11 18.855742	00 22 48.689 -18 48 48.18	999
(1)	1993 08 31.164324	02 32 54.021 +02 19 10.47	999	(2)	1989 11 18.856712	00 22 48.683 -18 48 48.25	999
(1)	1993 09 01.161650	02 32 58.847 +02 17 05.20	999	(2)	1989 11 21.848288	00 22 33.076 -18 56 57.35	999
(1)	1993 09 02.159324	02 33 02.305 +02 14 54.41	999	(2)	1989 11 25.836432	00 22 32.534 -19 04 16.64	999
(1)	1993 09 05.150906	02 33 04.344 +02 07 49.81	999	(2)	1989 11 27.831232	00 22 40.940 -19 06 27.82	999
(1)	1993 09 29.080921	02 25 40.748 +00 48 44.45	999	(2)	1989 11 30.823914	00 23 04.287 -19 08 01.82	999
(1)	1993 10 13.035973	02 15 46.785 -00 03 27.80	999	(2)	1989 12 05.810953	00 24 11.510 -19 06 15.81	999
(1)	1993 10 16.025636	02 13 17.186 -00 13 40.53	999	(2)	1989 12 29.754205	00 37 03.526 -17 56 40.94	999
(1)	1993 10 22.005167	02 08 04.445 -00 31 58.69	999	(2)	1992 05 04.149314	18 23 03.698 +20 41 14.76	999
(1)	1993 10 23.001822	02 07 11.251 -00 34 41.70	999	(2)	1992 05 07.140997	18 22 16.929 +21 11 13.12	999
(1)	1993 10 23.002711	02 07 11.191 -00 34 41.82	999	(2)	1992 05 12.125732	18 20 33.008 +21 58 16.18	999
(1)	1993 11 14.925990	01 47 53.392 -01 00 43.57	999	(2)	1992 05 14.120365	18 19 42.610 +22 15 56.84	999
(1)	1993 11 15.922478	01 47 11.118 -01 00 00.72	999	(2)	1992 05 16.113946	18 18 47.391 +22 32 54.15	999
(1)	1993 11 22.900270	01 42 46.677 -00 50 22.13	999	(2)	1992 05 21.098116	18 16 08.959 +23 11 50.86	999
(1)	1993 11 22.901155	01 42 46.639 -00 50 21.95	999	(2)	1992 05 26.082502	18 13 03.527 +23 45 18.71	999
(1)	1993 11 26.887922	01 40 42.814 -00 41 16.18	999	(2)	1993 08 13.022988	21 56 27.218 +10 10 16.17	999
(1)	1993 11 26.888803	01 40 42.791 -00 41 16.07	999	(2)	1993 08 17.009322	21 53 26.683 +09 33 07.88	999
(2)	1989 08 09.166623	01 08 55.004 +01 31 04.40	999	(2)	1993 08 18.005772	21 52 41.065 +09 23 21.34	999
(2)	1989 08 25.123276	01 09 12.476 -01 22 15.48	999	(2)	1993 08 19.002514	21 51 55.340 +09 13 22.81	999

(2)	1993 08 28.969977	21 44 21.842	+07 24 29.20	999	(3)	1990 06 14.890192	14 51 12.035	-00 31 25.50	999
(2)	1993 09 02.954516	21 40 45.981	+06 25 02.67	999	(3)	1990 06 15.887105	14 50 46.562	-00 31 51.54	999
(2)	1993 09 05.944219	21 38 42.773	+05 48 17.24	999	(3)	1992 11 23.111338	06 47 33.701	+00 52 19.21	999
(2)	1993 09 05.945142	21 38 42.733	+05 48 16.65	999	(3)	1992 12 14.046182	06 36 33.250	-00 23 48.09	999
(2)	1993 09 28.873478	21 27 15.164	+01 01 31.32	999	(3)	1992 12 15.042423	06 35 45.922	-00 24 11.15	999
(2)	1993 09 28.874422	21 27 15.136	+01 01 30.64	999	(3)	1992 12 17.036714	06 34 08.439	-00 23 59.09	999
(2)	1993 10 14.828366	21 25 12.153	-01 55 40.26	999	(3)	1992 12 21.022564	06 30 44.632	-00 19 35.61	999
(2)	1993 10 22.807190	21 26 10.211	-03 11 05.42	999	(3)	1992 12 29.992498	06 22 49.130	+00 09 33.16	999
(2)	1993 10 22.808068	21 26 10.211	-03 11 05.99	999	(3)	1993 01 09.957340	06 13 56.347	+01 17 43.95	999
(2)	1993 10 26.796937	21 27 08.283	-03 45 03.90	999	(3)	1993 01 14.941201	06 10 37.698	+01 58 13.19	999
(2)	1993 10 29.789388	21 28 04.035	-04 08 51.33	999	(3)	1993 01 15.937692	06 10 02.261	+02 06 52.87	999
(2)	1993 10 29.790271	21 28 04.057	-04 08 51.94	999	(3)	1993 01 16.934230	06 09 28.408	+02 15 43.12	999
(2)	1993 11 14.751347	21 35 45.495	-05 51 28.38	999	(3)	1993 01 16.935103	06 09 28.368	+02 15 43.96	999
(2)	1993 11 16.746490	21 37 01.248	-06 01 27.92	999	(3)	1993 01 20.922102	06 07 29.396	+02 52 34.81	999
(2)	1993 11 18.741895	21 38 20.716	-06 10 50.43	999	(3)	1993 01 28.898221	06 04 57.932	+04 11 37.08	999
(2)	1993 11 18.742803	21 38 20.741	-06 10 50.71	999	(3)	1993 01 28.899129	06 04 57.915	+04 11 37.67	999
(2)	1993 11 22.732933	21 41 10.222	-06 27 48.25	999	(3)	1993 01 29.895753	06 04 47.571	+04 21 49.08	999
(2)	1993 11 26.724115	21 44 13.270	-06 42 24.45	999	(3)	1993 01 30.892538	06 04 39.141	+04 32 04.08	999
(2)	1993 11 26.724998	21 44 13.306	-06 42 24.67	999	(3)	1993 02 04.878878	06 04 26.264	+05 23 42.01	999
(3)	1985 03 06.075722	12 41 59.087	-00 24 20.55	999	(3)	1993 02 06.873580	06 04 34.659	+05 44 24.77	999
(3)	1985 03 07.071943	12 41 20.568	-00 15 44.47	999	(3)	1993 02 07.870720	06 04 41.728	+05 54 44.81	999
(3)	1989 01 31.073858	10 25 18.499	+01 04 36.66	999	(3)	1993 02 09.865490	06 05 01.513	+06 15 21.93	999
(3)	1989 02 01.070231	10 24 37.529	+01 12 20.02	999	(3)	1993 02 09.866431	06 05 01.516	+06 15 22.43	999
(3)	1989 02 02.066776	10 23 55.465	+01 20 15.95	999	(3)	1993 02 10.863307	06 05 14.218	+06 25 38.46	999
(3)	1989 02 03.063361	10 23 12.469	+01 28 23.74	999	(3)	1993 02 11.860339	06 05 28.782	+06 35 52.62	999
(3)	1989 02 05.056946	10 21 43.639	+01 45 12.63	999	(3)	1993 02 11.861264	06 05 28.791	+06 35 53.15	999
(3)	1989 02 06.053793	10 20 57.938	+01 53 53.33	999	(3)	1993 02 15.851352	06 06 45.388	+07 16 25.23	999
(3)	1989 02 07.051407	10 20 11.465	+02 02 44.90	999	(3)	1993 02 18.842991	06 08 01.669	+07 46 12.81	999
(3)	1989 02 08.047412	10 19 24.400	+02 11 45.08	999	(3)	1993 02 18.843884	06 08 01.695	+07 46 13.48	999
(3)	1989 02 09.044419	10 18 36.622	+02 20 54.55	999	(3)	1993 02 23.831618	06 10 43.390	+08 34 27.51	999
(3)	1989 03 10.945701	09 55 15.292	+07 21 05.98	999	(3)	1993 02 24.828898	06 11 20.721	+08 43 51.40	999
(3)	1989 03 11.943294	09 54 39.562	+07 30 28.27	999	(3)	1993 02 28.820459	06 14 05.971	+09 20 31.12	999
(3)	1989 03 13.936976	09 53 31.921	+07 48 49.03	999	(3)	1993 03 05.809362	06 18 06.315	+10 04 02.02	999
(3)	1989 03 29.888922	09 47 52.676	+09 53 20.30	999	(3)	1993 03 13.792407	06 25 41.222	+11 07 47.51	999
(3)	1990 03 04.205409	15 41 31.383	-08 07 40.30	999	(3)	1993 03 13.793292	06 25 41.261	+11 07 47.99	999
(3)	1990 03 06.201249	15 41 59.955	-07 59 27.01	999	(4)	1986 11 04.899559	00 29 57.603	-08 35 14.97	999
(3)	1990 03 15.177440	15 43 07.841	-07 18 08.46	999	(4)	1986 12 02.822198	00 27 26.097	-06 52 03.80	999
(3)	1990 03 24.152485	15 42 32.994	-06 30 22.18	999	(4)	1989 05 06.160705	18 45 36.105	-18 14 00.50	999
(3)	1990 03 31.131580	15 40 53.757	-05 49 36.44	999	(4)	1989 05 07.158107	18 45 52.197	-18 15 10.89	999
(3)	1990 04 01.128578	15 40 34.541	-05 43 34.57	999	(4)	1989 05 09.152315	18 46 18.477	-18 17 45.01	999
(3)	1990 04 04.120038	15 39 29.532	-05 25 16.33	999	(4)	1989 05 16.134493	18 46 47.509	-18 29 42.74	999
(3)	1990 04 29.041113	15 24 24.706	-02 51 06.92	999	(4)	1989 05 17.131354	18 46 43.558	-18 31 48.77	999
(3)	1990 05 01.034371	15 22 51.792	-02 39 46.77	999	(4)	1989 05 27.102344	18 44 12.466	-18 58 25.83	999
(3)	1990 05 02.031580	15 22 04.716	-02 34 13.30	999	(4)	1989 05 28.099431	18 43 46.299	-19 01 40.04	999
(3)	1990 05 06.018114	15 18 53.316	-02 12 51.39	999	(4)	1989 05 29.096017	18 43 18.201	-19 04 58.82	999
(3)	1990 05 07.014351	15 18 04.908	-02 07 45.06	999	(4)	1989 06 15.041484	18 30 58.743	-20 14 54.77	999
(3)	1990 05 20.968955	15 06 50.694	-01 08 21.43	999	(4)	1989 06 17.034450	18 29 06.499	-20 24 24.08	999
(3)	1990 05 25.952221	15 03 04.656	-00 53 29.59	999	(4)	1989 06 18.031129	18 28 09.052	-20 29 13.55	999
(3)	1990 05 26.949630	15 02 21.159	-00 50 57.59	999	(4)	1989 06 22.016925	18 24 12.493	-20 48 47.35	999
(3)	1990 05 27.946234	15 01 38.349	-00 48 34.80	999	(4)	1989 07 03.975705	18 12 05.134	-21 48 28.81	999
(3)	1990 05 31.933373	14 58 54.360	-00 40 34.22	999	(4)	1989 07 12.945465	18 03 55.046	-22 31 37.68	999
(3)	1990 06 14.889270	14 51 12.026	-00 31 25.61	999	(4)	1989 07 12.946399	18 03 55.003	-22 31 37.47	999

(4)	1989 07 26.902289	17 55 08.176	-23 32 15.86	999	(4)	1993 11 12.793241	22 27 33.883	-18 25 48.09	999
(4)	1989 07 28.895629	17 54 22.599	-23 40 12.02	999	(4)	1993 11 15.786569	22 29 54.800	-18 04 52.00	999
(4)	1989 07 29.893147	17 54 02.879	-23 44 06.08	999	(4)	1993 11 16.783609	22 30 44.011	-17 57 40.92	999
(4)	1989 07 31.886358	17 53 29.584	-23 51 45.18	999	(4)	1993 11 16.784522	22 30 44.043	-17 57 40.17	999
(4)	1989 08 02.881682	17 53 04.654	-23 59 12.65	999	(4)	1993 11 26.763270	22 39 52.892	-16 40 34.20	999
(4)	1989 08 03.878711	17 52 55.340	-24 02 53.09	999	(4)	1993 12 01.752558	22 45 01.570	-15 58 48.20	999
(4)	1989 08 04.874942	17 52 48.170	-24 06 29.51	999	(4)	1993 12 01.753466	22 45 01.628	-15 58 47.48	999
(4)	1989 08 09.862131	17 52 43.945	-24 23 55.06	999	(5)	1985 11 26.803684	23 39 02.906	-07 37 38.39	999
(4)	1989 08 11.856871	17 52 56.959	-24 30 33.17	999	(5)	1989 08 01.132696	23 48 06.567	-03 57 37.58	999
(4)	1989 08 21.830777	17 56 02.892	-25 00 53.60	999	(5)	1989 08 03.126819	23 47 38.030	-04 04 51.46	999
(4)	1989 08 21.831768	17 56 02.924	-25 00 53.46	999	(5)	1989 08 09.109571	23 45 41.819	-04 29 56.04	999
(4)	1989 08 23.826012	17 57 03.240	-25 06 22.10	999	(5)	1989 08 22.069099	23 39 02.521	-05 39 42.39	999
(4)	1989 08 23.826994	17 57 03.262	-25 06 22.27	999	(5)	1989 08 25.059648	23 37 04.895	-05 58 15.19	999
(4)	1991 12 29.221610	11 45 16.460	+08 24 13.29	999	(5)	1989 08 30.042783	23 33 31.532	-06 30 35.38	999
(4)	1992 01 14.184496	11 55 06.359	+08 36 58.53	999	(5)	1989 09 02.033642	23 31 14.753	-06 50 37.08	999
(4)	1992 01 18.173921	11 56 36.944	+08 47 43.91	999	(5)	1989 09 03.029730	23 30 27.998	-06 57 21.27	999
(4)	1992 02 02.134577	11 58 23.400	+09 56 07.25	999	(5)	1989 09 04.026880	23 29 40.700	-07 04 06.91	999
(4)	1992 02 07.120189	11 57 31.384	+10 28 19.45	999	(5)	1989 09 06.019999	23 28 04.760	-07 17 40.11	999
(4)	1992 02 08.117042	11 57 15.642	+10 35 15.81	999	(5)	1989 09 07.016607	23 27 16.219	-07 24 27.06	999
(4)	1992 02 18.087562	11 53 03.613	+11 52 06.54	999	(5)	1989 09 19.973703	23 16 34.287	-08 50 04.39	999
(4)	1992 02 27.058756	11 47 03.810	+13 08 33.41	999	(5)	1989 09 23.960606	23 13 22.948	-09 14 14.86	999
(4)	1992 02 28.054735	11 46 17.289	+13 17 10.03	999	(5)	1989 09 25.954118	23 11 50.275	-09 25 44.82	999
(4)	1992 02 29.052092	11 45 29.587	+13 25 46.80	999	(5)	1989 09 28.944713	23 09 36.104	-09 42 08.72	999
(4)	1992 03 10.018649	11 36 45.954	+14 48 36.62	999	(5)	1989 09 29.941934	23 08 52.840	-09 47 21.72	999
(4)	1992 03 21.977755	11 25 43.401	+16 09 41.48	999	(5)	1989 09 30.938565	23 08 10.419	-09 52 28.09	999
(4)	1992 04 09.916827	11 11 56.086	+17 09 55.26	999	(5)	1989 10 02.931439	23 06 48.209	-10 02 13.44	999
(4)	1992 04 11.910105	11 10 58.610	+17 10 46.12	999	(5)	1989 10 03.928825	23 06 08.423	-10 06 54.85	999
(4)	1992 04 11.911010	11 10 58.600	+17 10 46.40	999	(5)	1989 10 21.873970	22 57 27.535	-11 04 45.39	999
(4)	1992 04 23.875631	11 07 38.985	+16 55 22.70	999	(5)	1989 10 24.865192	22 56 41.211	-11 09 18.84	999
(4)	1992 04 24.873275	11 07 33.840	+16 52 36.09	999	(5)	1989 11 13.810443	22 56 52.584	-11 03 04.56	999
(4)	1992 04 27.864265	11 07 28.999	+16 43 00.31	999	(5)	1989 11 14.807720	22 57 07.367	-11 01 12.51	999
(4)	1992 05 04.846360	11 08 18.737	+16 13 35.54	999	(5)	1989 11 25.780512	23 01 12.220	-10 31 43.48	999
(4)	1992 05 05.842904	11 08 32.681	+16 08 38.13	999	(5)	1989 12 02.763846	23 05 01.532	-10 05 08.44	999
(4)	1992 05 05.843786	11 08 32.682	+16 08 37.89	999	(5)	1992 05 07.120093	17 51 11.611	-16 11 39.90	999
(4)	1992 05 06.840341	11 08 48.282	+16 03 30.30	999	(5)	1992 05 08.117021	17 50 44.248	-16 10 17.08	999
(4)	1992 05 06.841288	11 08 48.293	+16 03 29.99	999	(5)	1992 05 12.103591	17 48 39.498	-16 05 05.57	999
(4)	1993 08 12.065799	22 55 45.558	-16 36 37.95	999	(5)	1992 05 14.097632	17 47 28.294	-16 02 41.61	999
(4)	1993 08 13.062570	22 55 02.374	-16 45 09.93	999	(5)	1992 05 15.094145	17 46 50.638	-16 01 32.02	999
(4)	1993 08 17.049831	22 51 57.966	-17 19 20.88	999	(5)	1993 08 12.068455	22 59 30.621	-08 25 38.83	999
(4)	1993 08 18.046731	22 51 09.221	-17 27 50.89	999	(5)	1993 08 13.065667	22 58 51.080	-08 31 28.43	999
(4)	1993 08 21.036941	22 48 37.784	-17 53 01.53	999	(5)	1993 08 29.013777	22 46 40.741	-10 12 21.09	999
(4)	1993 08 31.003160	22 39 39.290	-19 10 40.74	999	(5)	1993 09 04.990615	22 40 51.839	-10 57 22.75	999
(4)	1993 09 02.992753	22 36 55.544	-19 31 08.90	999	(5)	1993 09 05.987109	22 40 02.077	-11 03 39.78	999
(4)	1993 09 04.985971	22 35 07.713	-19 43 53.51	999	(5)	1993 09 19.940859	22 29 05.317	-12 24 02.46	999
(4)	1993 09 19.936768	22 23 13.864	-20 51 46.19	999	(5)	1993 11 03.810253	22 17 21.563	-13 50 33.48	999
(4)	1993 09 28.908826	22 18 22.238	-21 06 52.52	999	(5)	1993 11 09.795231	22 19 10.110	-13 40 44.38	999
(4)	1993 10 15.860339	22 15 23.036	-20 46 28.93	999	(5)	1993 11 12.787360	22 20 20.943	-13 34 09.16	999
(4)	1993 10 15.861254	22 15 23.044	-20 46 28.59	999	(5)	1993 11 12.788288	22 20 20.967	-13 34 09.20	999
(4)	1993 10 22.842284	22 16 34.476	-20 22 00.72	999	(5)	1993 11 19.771035	22 23 46.957	-13 14 40.69	999
(4)	1993 10 26.832021	22 17 51.250	-20 04 28.86	999	(5)	1993 12 01.743312	22 31 39.903	-12 29 01.33	999
(4)	1993 10 29.824677	22 19 04.970	-19 49 47.23	999	(5)	1993 12 01.744202	22 31 39.949	-12 29 00.72	999
(4)	1993 11 12.792334	22 27 33.844	-18 25 48.64	999	(6)	1989 01 27.996096	08 22 17.350	+13 38 27.23	999

(6)	1989 01 28.992869	08 21 18.316	+13 48 25.37	999	(6)	1993 03 26.891380	09 39 54.585	+20 23 55.99	999
(6)	1989 01 31.983202	08 18 24.041	+14 18 16.16	999	(6)	1993 03 26.892280	09 39 54.567	+20 23 56.62	999
(6)	1989 02 01.979707	08 17 27.183	+14 28 09.86	999	(6)	1993 03 28.885823	09 39 22.622	+20 31 06.29	999
(6)	1989 02 04.969659	08 14 41.129	+14 57 35.74	999	(6)	1993 03 29.882680	09 39 09.033	+20 34 23.50	999
(6)	1989 02 05.966197	08 13 47.572	+15 07 17.74	999	(6)	1993 04 09.852100	09 38 22.499	+20 58 27.77	999
(6)	1989 02 06.962277	08 12 55.030	+15 16 55.37	999	(6)	1993 04 09.853012	09 38 22.481	+20 58 27.96	999
(6)	1989 03 07.873017	07 58 04.930	+19 06 17.83	999	(6)	1993 04 16.834006	09 39 27.470	+21 03 06.57	999
(6)	1989 03 09.867385	07 57 56.372	+19 17 45.61	999	(6)	1993 04 18.828637	09 39 58.849	+21 03 02.29	999
(6)	1989 03 11.861635	07 57 54.917	+19 28 37.26	999	(7)	1986 03 16.106182	14 04 34.382	-19 35 32.70	999
(6)	1989 03 12.858926	07 57 56.833	+19 33 50.71	999	(7)	1987 08 14.909173	19 19 17.669	-16 05 12.33	999
(6)	1989 03 13.856232	07 58 00.496	+19 38 54.20	999	(7)	1989 01 30.040710	09 34 00.190	+05 54 50.43	999
(6)	1989 03 19.840514	07 58 57.900	+20 06 13.43	999	(7)	1989 02 02.030185	09 30 52.983	+06 04 09.56	999
(6)	1989 03 23.830411	08 00 08.668	+20 21 36.52	999	(7)	1989 02 03.026692	09 29 49.824	+06 07 31.65	999
(6)	1990 02 20.203456	14 50 27.526	+00 16 58.42	999	(7)	1989 02 07.013579	09 25 35.598	+06 22 09.30	999
(6)	1990 02 24.193472	14 51 43.157	+00 39 26.25	999	(7)	1989 02 08.009120	09 24 32.169	+06 26 04.07	999
(6)	1990 03 15.141821	14 52 38.766	+02 52 05.16	999	(7)	1989 02 09.005605	09 23 28.965	+06 30 03.93	999
(6)	1990 03 17.135705	14 52 14.294	+03 08 02.72	999	(7)	1989 02 11.995252	09 20 21.373	+06 42 29.85	999
(6)	1990 03 18.133157	14 51 59.860	+03 16 08.15	999	(7)	1989 03 10.907325	08 59 25.680	+08 38 01.84	999
(6)	1990 03 19.130089	14 51 43.967	+03 24 17.17	999	(7)	1989 03 11.904010	08 59 01.101	+08 41 39.82	999
(6)	1990 03 31.093858	14 46 42.575	+05 04 55.25	999	(7)	1990 02 20.238312	15 41 09.497	-23 40 26.48	999
(6)	1990 04 04.081533	14 44 19.976	+05 38 27.09	999	(7)	1990 02 24.228815	15 43 40.235	-23 50 15.67	999
(6)	1990 04 29.995607	14 23 24.388	+08 38 47.29	999	(7)	1990 03 06.205716	15 48 30.793	-24 09 51.62	999
(6)	1990 04 30.992471	14 22 31.271	+08 43 30.04	999	(7)	1990 03 07.202713	15 48 52.577	-24 11 25.39	999
(6)	1990 05 01.989910	14 21 38.292	+08 48 00.41	999	(7)	1990 03 22.163711	15 51 26.812	-24 25 09.60	999
(6)	1990 05 05.976201	14 18 09.102	+09 03 48.60	999	(7)	1990 03 27.149416	15 51 01.314	-24 25 23.33	999
(6)	1990 05 06.972843	14 17 17.707	+09 07 12.18	999	(7)	1990 03 31.137619	15 50 12.027	-24 23 52.21	999
(6)	1990 05 19.930745	14 07 07.437	+09 30 10.39	999	(7)	1990 04 01.135074	15 49 55.699	-24 23 14.06	999
(6)	1990 05 20.926793	14 06 26.403	+09 30 18.67	999	(7)	1990 05 02.036883	15 29 41.639	-23 09 07.11	999
(6)	1990 05 26.908219	14 02 42.733	+09 26 21.32	999	(7)	1990 05 03.033167	15 28 45.004	-23 04 57.87	999
(6)	1990 05 30.895266	14 00 37.233	+09 19 19.50	999	(7)	1990 05 06.023350	15 25 51.794	-22 51 55.92	999
(6)	1990 06 02.886056	13 59 16.368	+09 11 53.77	999	(7)	1990 05 20.971267	15 11 03.305	-21 36 55.75	999
(6)	1990 06 02.886982	13 59 16.352	+09 11 53.65	999	(7)	1990 05 25.955207	15 06 21.577	-21 09 55.45	999
(6)	1992 12 14.206906	10 29 21.524	+07 54 13.76	999	(7)	1990 05 30.938526	15 01 59.115	-20 43 01.41	999
(6)	1992 12 21.190299	10 31 51.312	+08 08 43.81	999	(7)	1990 06 02.928184	14 59 33.454	-20 27 11.95	999
(6)	1993 01 17.115007	10 29 30.718	+10 37 22.57	999	(7)	1990 06 13.892603	14 52 11.594	-19 33 26.77	999
(6)	1993 01 22.099060	10 26 57.723	+11 20 26.87	999	(7)	1993 01 16.184927	12 06 52.829	-08 17 00.43	999
(6)	1993 01 30.074110	10 21 40.931	+12 36 54.38	999	(7)	1993 01 17.182210	12 07 02.718	-08 21 01.72	999
(6)	1993 01 31.070013	10 20 55.956	+12 46 56.97	999	(7)	1993 01 22.168840	12 07 28.524	-08 38 38.79	999
(6)	1993 02 02.063799	10 19 22.784	+13 07 18.66	999	(7)	1993 01 30.146396	12 06 45.822	-08 57 35.53	999
(6)	1993 02 05.053893	10 16 56.072	+13 38 19.50	999	(7)	1993 01 31.143167	12 06 33.147	-08 59 06.51	999
(6)	1993 02 10.036941	10 12 36.587	+14 30 41.90	999	(7)	1993 02 02.137362	12 06 02.922	-09 01 34.51	999
(6)	1993 02 14.023509	10 08 59.709	+15 12 32.37	999	(7)	1993 02 08.119490	12 03 53.699	-09 04 10.67	999
(6)	1993 02 15.020505	10 08 04.708	+15 22 55.28	999	(7)	1993 02 13.104914	12 01 23.258	-09 00 41.95	999
(6)	1993 02 16.017312	10 07 09.539	+15 33 14.80	999	(7)	1993 02 14.101237	12 00 48.719	-08 59 22.59	999
(6)	1993 02 21.000124	10 02 33.602	+16 23 45.29	999	(7)	1993 02 19.085312	11 57 34.930	-08 49 37.58	999
(6)	1993 02 23.989863	09 59 50.423	+16 52 51.07	999	(7)	1993 03 12.015615	11 39 29.908	-07 17 05.92	999
(6)	1993 02 24.987426	09 58 56.815	+17 02 18.93	999	(7)	1993 03 14.008457	11 37 35.817	-07 04 50.57	999
(6)	1993 03 16.921624	09 44 07.169	+19 36 09.71	999	(7)	1993 03 24.972239	11 27 25.452	-05 51 58.46	999
(6)	1993 03 17.918524	09 43 35.180	+19 41 50.90	999	(7)	1993 03 25.968042	11 26 33.272	-05 45 06.52	999
(6)	1993 03 19.912815	09 42 35.562	+19 52 37.09	999	(7)	1993 03 26.964991	11 25 41.825	-05 38 14.76	999
(6)	1993 03 25.894337	09 40 12.935	+20 20 03.94	999	(7)	1993 03 27.961404	11 24 51.272	-05 31 22.35	999
(6)	1993 03 25.895240	09 40 12.913	+20 20 04.25	999	(7)	1993 03 27.962279	11 24 51.219	-05 31 21.86	999

(7)	1993 03 28.958104	11 24 01.581	-05 24 31.19	999	(8)	1992 03 06.880878	08 06 01.146	+24 30 40.17	999
(7)	1993 04 16.897903	11 12 00.873	-03 25 02.01	999	(8)	1992 03 09.873082	08 05 57.471	+24 33 14.61	999
(7)	1993 04 19.888920	11 10 52.367	-03 09 23.90	999	(8)	1992 03 11.867516	08 06 05.525	+24 34 14.50	999
(7)	1993 04 19.889806	11 10 52.345	-03 09 23.41	999	(8)	1992 03 17.851879	08 07 18.189	+24 34 00.22	999
(7)	1993 04 24.874708	11 09 28.223	-02 46 00.75	999	(8)	1992 03 18.849293	08 07 37.069	+24 33 31.01	999
(8)	1987 10 18.815063	21 18 46.589	-22 38 52.54	999	(8)	1993 03 18.210439	16 43 39.261	-15 52 18.18	999
(8)	1989 01 28.132738	11 38 42.079	+09 07 23.08	999	(8)	1993 03 30.180968	16 48 33.802	-15 42 13.98	999
(8)	1989 01 29.129573	11 38 24.261	+09 13 32.96	999	(8)	1993 03 31.178455	16 48 48.066	-15 41 04.24	999
(8)	1989 02 01.120896	11 37 19.638	+09 33 09.12	999	(8)	1993 04 18.128295	16 48 08.123	-15 14 09.02	999
(8)	1989 02 06.105361	11 34 55.250	+10 09 06.11	999	(8)	1993 04 20.122732	16 47 27.630	-15 10 35.81	999
(8)	1989 02 07.101955	11 34 21.073	+10 16 43.58	999	(8)	1993 05 17.034635	16 27 42.587	-14 20 47.99	999
(8)	1989 02 09.095873	11 33 07.640	+10 32 21.57	999	(8)	1993 05 22.017298	16 22 27.347	-14 12 55.58	999
(8)	1989 03 13.984847	11 03 04.197	+14 57 40.43	999	(8)	1993 05 28.993497	16 14 48.981	-14 03 52.17	999
(8)	1989 03 29.932419	10 49 47.205	+16 12 23.90	999	(8)	1993 05 30.985921	16 12 37.714	-14 01 48.00	999
(8)	1990 05 16.146780	19 03 53.199	-18 54 35.65	999	(8)	1993 06 16.927706	15 55 35.077	-13 56 49.48	999
(8)	1990 05 28.111369	19 00 58.634	-19 10 11.06	999	(9)	1986 12 10.950424	04 04 54.765	+21 03 41.50	999
(8)	1990 06 15.054013	18 48 25.360	-19 56 03.05	999	(9)	1989 07 13.108251	21 57 51.070	-20 40 17.05	999
(8)	1990 06 26.016393	18 37 02.594	-20 33 51.20	999	(9)	1989 07 14.104716	21 57 23.715	-20 45 56.92	999
(8)	1990 07 08.970245	18 22 25.632	-21 21 39.33	999	(9)	1989 07 27.063246	21 49 07.939	-22 05 57.03	999
(8)	1990 07 12.956988	18 18 07.580	-21 36 09.81	999	(9)	1989 08 04.036879	21 42 13.486	-22 57 06.17	999
(8)	1990 07 19.932591	18 11 14.461	-22 00 45.89	999	(9)	1989 08 13.006617	21 33 28.859	-23 50 24.51	999
(8)	1990 07 20.929882	18 10 20.611	-22 04 10.67	999	(9)	1989 08 18.985886	21 27 29.447	-24 20 51.59	999
(8)	1990 07 29.899863	18 03 30.691	-22 33 39.43	999	(9)	1989 08 22.971822	21 23 34.943	-24 38 12.14	999
(8)	1990 07 30.897167	18 02 54.318	-22 36 47.25	999	(9)	1989 08 23.968522	21 22 37.641	-24 42 07.43	999
(8)	1990 07 31.893349	18 02 19.882	-22 39 53.15	999	(9)	1989 08 25.962667	21 20 45.033	-24 49 29.38	999
(8)	1990 08 01.890153	18 01 47.467	-22 42 57.86	999	(9)	1989 09 03.932458	21 13 07.166	-25 13 20.61	999
(8)	1990 08 05.878677	17 59 58.053	-22 55 00.14	999	(9)	1989 09 04.929036	21 12 22.517	-25 15 02.40	999
(8)	1990 08 08.869247	17 58 57.809	-23 03 43.56	999	(9)	1989 09 15.894030	21 05 54.654	-25 21 27.64	999
(8)	1990 08 09.866958	17 58 41.927	-23 06 35.64	999	(9)	1989 09 20.879147	21 04 07.644	-25 17 18.48	999
(8)	1990 08 10.864155	17 58 28.164	-23 09 25.68	999	(9)	1989 09 21.876232	21 03 51.717	-25 15 59.12	999
(8)	1990 08 14.852549	17 57 54.292	-23 20 29.29	999	(9)	1989 09 28.856902	21 02 52.748	-25 02 20.14	999
(8)	1990 08 18.841863	17 57 54.472	-23 31 08.56	999	(9)	1989 09 29.853702	21 02 51.816	-24 59 48.67	999
(8)	1990 08 23.828271	17 58 42.284	-23 43 49.54	999	(9)	1989 09 30.851275	21 02 52.781	-24 57 06.20	999
(8)	1991 12 29.106881	09 01 09.429	+17 59 28.68	999	(9)	1989 10 01.848281	21 02 55.586	-24 54 15.78	999
(8)	1992 01 18.040630	08 44 23.011	+20 26 03.16	999	(9)	1989 10 02.845891	21 03 00.245	-24 51 17.79	999
(8)	1992 01 29.002143	08 32 11.780	+21 50 07.56	999	(9)	1989 10 21.799363	21 09 59.402	-23 31 25.67	999
(8)	1992 01 30.995146	08 29 58.768	+22 04 20.14	999	(9)	1989 10 22.797387	21 10 37.457	-23 26 05.61	999
(8)	1992 02 06.971314	08 22 35.244	+22 49 51.10	999	(9)	1989 10 23.794080	21 11 16.938	-23 20 40.62	999
(8)	1992 02 07.968414	08 21 35.976	+22 55 44.23	999	(9)	1989 10 23.795072	21 11 16.996	-23 20 40.00	999
(8)	1992 02 08.964099	08 20 38.087	+23 01 27.30	999	(9)	1989 10 26.787521	21 13 24.050	-23 03 48.79	999
(8)	1992 02 19.929052	08 11 46.602	+23 52 55.74	999	(9)	1989 10 29.780701	21 15 43.601	-22 46 02.63	999
(8)	1992 02 22.918504	08 10 00.745	+24 03 15.56	999	(9)	1989 11 18.740488	21 35 46.429	-20 26 33.13	999
(8)	1992 02 22.919413	08 10 00.711	+24 03 15.93	999	(9)	1989 11 23.731356	21 41 48.918	-19 46 19.34	999
(8)	1992 02 23.915628	08 09 29.533	+24 06 22.01	999	(9)	1989 11 25.726817	21 44 19.657	-19 29 39.87	999
(8)	1992 02 23.916538	08 09 29.501	+24 06 22.40	999	(9)	1989 11 25.727792	21 44 19.745	-19 29 38.88	999
(8)	1992 02 26.906597	08 08 08.440	+24 14 38.67	999	(9)	1992 03 07.236648	16 39 47.978	-20 00 22.09	999
(8)	1992 02 27.903290	08 07 45.675	+24 17 04.41	999	(9)	1992 04 10.151921	16 51 57.644	-20 50 10.17	999
(8)	1992 02 28.900924	08 07 25.024	+24 19 19.78	999	(9)	1992 04 11.149180	16 51 50.829	-20 51 06.32	999
(8)	1992 02 29.897382	08 07 06.564	+24 21 25.46	999	(9)	1992 05 05.076181	16 40 33.647	-21 04 38.08	999
(8)	1992 02 29.898321	08 07 06.530	+24 21 25.74	999	(9)	1992 05 06.072232	16 39 45.657	-21 04 47.13	999
(8)	1992 03 02.891587	08 06 36.109	+24 25 08.09	999	(9)	1992 05 07.069230	16 38 56.347	-21 04 54.47	999
(8)	1992 03 02.892522	08 06 36.082	+24 25 08.10	999	(9)	1992 05 08.065777	16 38 05.785	-21 04 58.57	999

(9)	1992 05 13.048851	16 33 35.718	-21 04 49.15	999	(10)	1993 01 19.987249	07 38 07.627	+20 27 01.76	999
(9)	1992 05 25.007665	16 21 25.460	-21 00 54.10	999	(10)	1993 01 20.984409	07 37 15.879	+20 28 12.10	999
(9)	1993 08 30.087138	00 37 29.442	-05 49 09.38	999	(10)	1993 01 21.980602	07 36 24.492	+20 29 21.96	999
(9)	1993 09 19.022740	00 23 02.882	-07 39 38.93	999	(10)	1993 01 29.955046	07 29 50.313	+20 37 45.85	999
(9)	1993 10 12.942061	00 01 04.657	-09 14 26.50	999	(10)	1993 01 30.951390	07 29 03.927	+20 38 41.01	999
(9)	1993 10 15.932023	23 58 45.333	-09 18 49.71	999	(10)	1993 02 01.944716	07 27 33.592	+20 40 26.84	999
(9)	1993 10 15.932911	23 58 45.303	-09 18 49.43	999	(10)	1993 02 09.918866	07 22 09.893	+20 46 11.08	999
(9)	1993 10 21.912808	23 54 43.723	-09 21 25.42	999	(10)	1993 02 09.919781	07 22 09.855	+20 46 11.28	999
(9)	1993 10 22.909675	23 54 08.822	-09 21 02.74	999	(10)	1993 02 10.916001	07 21 34.190	+20 46 45.49	999
(9)	1993 10 22.910563	23 54 08.775	-09 21 02.74	999	(10)	1993 02 13.906364	07 19 54.173	+20 48 15.99	999
(9)	1993 10 29.888287	23 50 51.829	-09 12 03.59	999	(10)	1993 02 15.900203	07 18 53.615	+20 49 05.87	999
(9)	1993 10 29.889213	23 50 51.812	-09 12 03.42	999	(10)	1993 02 15.901132	07 18 53.583	+20 49 06.12	999
(9)	1993 11 03.873625	23 49 24.333	-08 59 00.18	999	(10)	1993 02 18.891074	07 17 32.391	+20 50 05.36	999
(9)	1993 11 15.840711	23 49 01.573	-08 06 53.64	999	(10)	1993 02 20.885446	07 16 44.885	+20 50 34.72	999
(9)	1993 11 17.835387	23 49 23.332	-07 55 34.28	999	(10)	1993 02 23.876268	07 15 43.904	+20 51 02.94	999
(9)	1993 11 18.832814	23 49 36.886	-07 49 38.99	999	(10)	1993 02 24.873240	07 15 26.322	+20 51 08.34	999
(9)	1993 11 18.833847	23 49 36.892	-07 49 38.45	999	(10)	1993 02 24.874173	07 15 26.304	+20 51 08.31	999
(9)	1993 12 01.801532	23 55 05.394	-06 18 28.48	999	(10)	1993 02 28.861705	07 14 30.159	+20 51 09.00	999
(10)	1989 05 28.029688	17 03 41.392	-25 51 55.99	999	(10)	1993 02 28.862620	07 14 30.132	+20 51 08.93	999
(10)	1989 05 29.026866	17 02 51.847	-25 49 50.21	999	(10)	1993 03 16.817971	07 14 29.358	+20 45 48.93	999
(10)	1989 06 20.950295	16 43 53.532	-24 49 32.18	999	(10)	1993 03 18.812787	07 14 53.725	+20 44 32.49	999
(10)	1989 06 21.947327	16 43 10.108	-24 46 36.40	999	(10)	1993 03 18.813661	07 14 53.733	+20 44 32.66	999
(10)	1989 06 22.944347	16 42 27.656	-24 43 43.03	999	(10)	1994 01 19.219199	13 07 10.897	-11 41 05.80	999
(10)	1989 06 23.941373	16 41 46.175	-24 40 47.72	999	(10)	1994 01 29.194715	13 12 06.659	-12 28 16.31	999
(10)	1989 06 29.921496	16 38 00.324	-24 23 38.26	999	(11)	1989 07 27.149088	23 52 16.800	-04 38 46.10	999
(10)	1989 06 29.922457	16 38 00.286	-24 23 37.64	999	(11)	1989 07 29.143902	23 52 35.800	-04 43 56.81	999
(10)	1989 07 02.912146	16 36 23.863	-24 15 21.00	999	(11)	1989 07 31.138346	23 52 47.893	-04 49 55.69	999
(10)	1989 07 03.909099	16 35 54.380	-24 12 39.83	999	(11)	1989 08 04.127568	23 52 51.188	-05 04 17.66	999
(10)	1989 07 12.882585	16 32 33.547	-23 50 17.06	999	(11)	1989 08 22.074357	23 47 28.841	-06 44 20.59	999
(10)	1990 08 02.116768	23 28 57.293	+01 21 08.42	999	(11)	1989 08 23.071816	23 46 55.861	-06 51 18.52	999
(10)	1990 08 04.111073	23 28 15.133	+01 19 54.31	999	(11)	1989 08 24.068816	23 46 21.501	-06 58 22.54	999
(10)	1990 08 07.102804	23 27 03.695	+01 17 03.15	999	(11)	1989 09 04.033385	23 38 44.808	-08 20 46.98	999
(10)	1990 08 18.068703	23 21 24.233	+00 56 42.81	999	(11)	1989 09 05.029687	23 37 57.699	-08 28 26.67	999
(10)	1990 08 19.064955	23 20 47.976	+00 54 07.74	999	(11)	1989 09 06.027050	23 37 09.943	-08 36 06.49	999
(10)	1990 08 20.061550	23 20 10.959	+00 51 26.25	999	(11)	1989 09 07.022901	23 36 21.676	-08 43 43.31	999
(10)	1990 08 21.058383	23 19 33.164	+00 48 37.95	999	(11)	1989 09 08.020074	23 35 32.847	-08 51 19.27	999
(10)	1990 08 23.052915	23 18 15.473	+00 42 42.33	999	(11)	1989 09 17.986755	23 27 14.646	-10 03 15.48	999
(10)	1990 08 27.040187	23 15 32.779	+00 29 40.12	999	(11)	1989 09 19.980337	23 25 36.632	-10 16 18.60	999
(10)	1990 09 02.020496	23 11 15.166	+00 07 33.47	999	(11)	1989 09 20.977564	23 24 48.248	-10 22 37.14	999
(10)	1991 12 29.847690	02 49 26.173	+19 50 21.45	999	(11)	1989 09 21.973685	23 24 00.491	-10 28 46.12	999
(10)	1992 01 13.805614	02 49 15.716	+19 28 29.72	999	(11)	1989 09 24.963586	23 21 41.092	-10 46 13.14	999
(10)	1992 01 26.773161	02 52 44.716	+19 26 08.59	999	(11)	1989 09 25.960708	23 20 56.174	-10 51 40.90	999
(10)	1992 01 29.765238	02 53 59.254	+19 27 38.04	999	(11)	1989 09 27.953871	23 19 29.142	-11 01 59.99	D 999
(10)	1992 01 30.763295	02 54 26.224	+19 28 17.58	999	(11)	1989 09 27.954819	23 19 29.092	-11 02 01.25	999
(10)	1992 01 31.761185	02 54 54.188	+19 29 01.47	999	(11)	1989 09 29.947721	23 18 06.162	-11 11 34.17	999
(10)	1992 02 01.757970	02 55 23.151	+19 29 50.02	999	(11)	1989 10 02.937924	23 16 10.475	-11 24 18.36	999
(10)	1992 02 01.758869	02 55 23.170	+19 29 50.14	999	(11)	1989 10 03.934777	23 15 34.446	-11 28 07.26	999
(10)	1992 12 14.108281	08 06 00.935	+19 47 15.02	999	(11)	1989 10 04.931638	23 14 59.769	-11 31 42.88	999
(10)	1992 12 31.054398	07 55 04.869	+20 02 14.31	999	(11)	1989 10 16.896476	23 10 01.778	-11 57 03.63	999
(10)	1993 01 15.004028	07 42 28.858	+20 20 55.22	999	(11)	1989 10 17.892544	23 09 47.502	-11 57 41.98	999
(10)	1993 01 16.997246	07 40 44.058	+20 23 24.35	999	(11)	1989 10 21.881578	23 09 07.325	-11 58 03.50	999
(10)	1993 01 17.994077	07 39 51.760	+20 24 37.56	999	(11)	1989 10 23.876107	23 08 57.504	-11 56 56.08	999

(11)	1989 10 24.872865	23 08 55.186	-11 56 03.35	999	(12)	1989 09 24.906417	21 59 06.929	+03 51 24.11	999
(11)	1989 10 26.868271	23 08 55.699	-11 53 38.71	999	(12)	1989 09 25.903599	21 58 59.355	+03 42 13.70	999
(11)	1989 10 29.859928	23 09 09.286	-11 48 30.10	999	(12)	1989 09 30.889848	21 58 51.289	+02 57 55.39	999
(11)	1989 11 11.827453	23 12 59.554	-11 06 21.44	999	(12)	1989 10 01.887172	21 58 55.691	+02 49 26.14	999
(11)	1989 11 12.824094	23 13 28.086	-11 01 54.15	999	(12)	1989 10 02.884520	21 59 02.098	+02 41 05.57	999
(11)	1989 11 18.810400	23 16 49.125	-10 31 55.89	999	(12)	1989 10 03.881882	21 59 10.518	+02 32 53.55	999
(11)	1989 11 25.794330	23 21 43.717	-09 50 26.77	999	(12)	1989 10 21.838225	22 07 06.141	+00 36 41.04	999
(11)	1989 11 25.795289	23 21 43.764	-09 50 26.32	999	(12)	1989 10 24.831711	22 09 19.867	+00 23 41.62	999
(11)	1989 11 26.792769	23 22 30.760	-09 43 59.57	999	(12)	1989 10 29.821413	22 13 33.176	+00 06 18.96	999
(11)	1989 11 27.789960	23 23 18.934	-09 37 25.05	999	(12)	1989 11 14.789222	22 30 42.989	-00 14 12.36	999
(11)	1989 12 28.729079	23 56 09.742	-05 23 22.95	999	(12)	1989 11 18.782150	22 35 43.485	-00 11 31.57	999
(11)	1992 01 31.250562	14 38 02.836	-10 24 19.97	999	(12)	1989 11 21.777042	22 39 38.273	-00 07 37.80	999
(11)	1992 02 20.206743	14 54 17.562	-10 53 35.61	999	(12)	1989 11 23.772949	22 42 18.928	-00 04 10.12	999
(11)	1992 02 22.202303	14 55 29.705	-10 53 58.23	999	(12)	1989 11 25.769316	22 45 02.782	-00 00 00.96	999
(11)	1992 02 28.188565	14 58 33.923	-10 52 15.65	999	(12)	1989 11 26.767461	22 46 25.862	+00 02 17.98	999
(11)	1992 03 17.141909	15 02 21.524	-10 21 23.00	999	(12)	1989 12 08.747282	23 03 55.623	+00 42 15.93	999
(11)	1992 04 10.070319	14 53 40.217	-08 47 51.48	999	(12)	1989 12 09.745262	23 05 26.930	+00 46 31.35	999
(11)	1992 04 11.067249	14 52 59.392	-08 43 04.67	999	(12)	1992 01 30.210838	13 36 11.821	-18 08 32.20	999
(11)	1992 04 12.063394	14 52 17.395	-08 38 14.88	999	(12)	1992 01 31.208517	13 36 54.559	-18 13 55.44	999
(11)	1992 04 14.056921	14 50 49.654	-08 28 30.67	999	(12)	1992 02 20.160765	13 46 42.677	-19 34 35.13	999
(11)	1992 04 25.020657	14 41 38.198	-07 34 27.00	999	(12)	1992 03 03.128500	13 47 48.909	-19 52 55.87	999
(11)	1992 05 06.980245	14 30 33.249	-06 41 10.81	999	(12)	1992 03 07.117534	13 47 16.363	-19 52 49.51	999
(11)	1992 05 07.977111	14 29 38.450	-06 37 19.27	999	(12)	1992 04 25.955809	13 11 03.566	-14 55 48.19	999
(11)	1992 05 11.963334	14 26 04.290	-06 23 04.91	999	(12)	1992 04 27.949166	13 09 21.181	-14 36 01.19	999
(11)	1992 05 12.961007	14 25 12.244	-06 19 50.13	999	(12)	1992 05 03.928787	13 04 40.034	-13 37 03.45	999
(11)	1992 05 19.937029	14 19 32.181	-06 01 10.33	999	(12)	1992 05 04.925564	13 03 57.648	-13 27 24.27	999
(11)	1992 05 20.934142	14 18 47.579	-05 59 06.59	999	(12)	1992 05 04.926447	13 03 57.601	-13 27 23.30	999
(11)	1992 05 25.918386	14 15 22.674	-05 51 15.54	999	(12)	1992 05 15.891338	12 57 54.224	-11 48 17.60	999
(11)	1993 08 18.154521	01 27 29.173	+03 14 53.61	999	(12)	1992 05 15.892225	12 57 54.188	-11 48 16.90	999
(11)	1993 08 18.155412	01 27 29.187	+03 14 53.44	999	(12)	1992 05 17.886112	12 57 10.313	-11 32 07.82	999
(11)	1993 08 31.119488	01 28 08.888	-02 32 54.66	999	(12)	1992 05 18.883228	12 56 51.064	-11 24 18.54	999
(11)	1993 10 15.973147	00 58 11.163	+02 05 11.71	999	(12)	1992 05 19.879766	12 56 33.666	-11 16 41.30	999
(11)	1993 11 09.894455	00 42 31.149	-03 11 56.90	999	(12)	1992 05 25.862970	12 55 27.895	-10 34 58.21	999
(11)	1993 11 21.860641	00 40 30.889	-02 56 34.82	D 999	(12)	1993 09 29.151558	04 07 36.406	+23 43 28.97	999
(12)	1989 07 20.114455	22 34 06.610	+07 47 54.02	999	(12)	1993 11 15.997320	03 35 22.988	+19 25 04.09	999
(12)	1989 07 27.094869	22 33 10.349	+08 29 12.21	999	(12)	1993 11 16.994695	03 34 18.111	+19 17 29.29	999
(12)	1989 07 29.088918	22 32 36.992	+08 38 05.01	999	(12)	1993 11 18.987668	03 32 09.370	+19 02 21.30	999
(12)	1989 07 31.083116	22 31 56.257	+08 45 33.87	999	(12)	1993 11 20.979967	03 30 02.413	+18 47 16.22	999
(12)	1989 08 04.070831	22 30 13.859	+08 56 13.14	999	(12)	1993 11 20.980879	03 30 02.332	+18 47 15.86	999
(12)	1989 08 05.067274	22 29 44.187	+08 57 57.37	999	(12)	1993 11 22.973069	03 27 57.793	+18 32 17.97	999
(12)	1989 08 09.054409	22 27 30.689	+09 01 09.77	999	(12)	1993 11 22.973989	03 27 57.728	+18 32 17.65	999
(12)	1989 08 21.016900	22 19 06.145	+08 34 55.11	999	(12)	1993 11 23.969637	03 26 56.571	+18 24 52.31	999
(12)	1989 08 23.009504	22 17 33.421	+08 25 32.52	999	(12)	1993 11 23.970547	03 26 56.506	+18 24 51.92	999
(12)	1989 08 24.006557	22 16 46.723	+08 20 21.29	999	(12)	1993 12 27.862791	03 05 50.245	+15 19 35.34	999
(12)	1989 09 01.977096	22 09 55.042	+07 20 25.15	999	(12)	1994 01 17.807130	03 09 06.949	+14 54 40.26	999
(12)	1989 09 02.974055	22 09 12.007	+07 12 29.65	999	(12)	1994 01 29.779245	03 15 54.943	+15 06 21.47	999
(12)	1989 09 03.971319	22 08 29.825	+07 04 22.31	999	(12)	1994 01 29.780153	03 15 54.967	+15 06 21.79	999
(12)	1989 09 04.967446	22 07 48.668	+06 56 03.24	999	(12)	1994 01 30.777114	03 16 37.114	+15 07 58.86	999
(12)	1989 09 06.961160	22 06 29.511	+06 38 55.21	999	(12)	1994 01 31.774592	03 17 20.438	+15 09 41.41	999
(12)	1989 09 19.921072	22 00 13.710	+04 38 14.19	999	(12)	1994 01 31.775492	03 17 20.482	+15 09 41.73	999
(12)	1989 09 20.917912	21 59 56.595	+04 28 46.67	999	(13)	1985 04 27.100331	16 43 54.618	-29 39 37.34	999
(12)	1989 09 23.909258	21 59 16.475	+04 00 38.94	999	(13)	1987 12 28.027849	07 02 05.070	+45 57 01.47	999

(13)	1989 05 05.025750	15 27 47.788	-22 39 59.55	999	(14)	1992 01 18.111337	10 25 27.193	+22 10 39.85	999
(13)	1989 05 09.011698	15 23 17.287	-22 50 41.89	999	(14)	1992 01 29.078096	10 20 42.058	+23 51 10.59	999
(13)	1989 05 15.987692	15 15 16.151	-23 06 20.02	999	(14)	1992 01 30.074147	10 20 05.703	+24 00 38.60	999
(13)	1989 06 07.908680	14 52 25.195	-23 37 38.84	999	(14)	1992 02 02.065622	10 18 07.093	+24 29 04.14	999
(13)	1991 12 28.938171	04 57 29.980	+41 16 51.76	999	(14)	1992 02 14.025277	10 08 23.283	+26 16 35.98	999
(13)	1991 12 28.939208	04 57 29.926	+41 16 51.85	999	(14)	1992 02 20.004894	10 02 55.377	+27 02 11.20	999
(13)	1992 01 06.906939	04 48 16.356	+41 19 13.55	999	(14)	1992 02 20.005798	10 02 55.329	+27 02 11.46	999
(13)	1992 01 19.865956	04 40 20.618	+41 01 50.77	999	(14)	1992 02 21.002385	10 02 00.261	+27 09 02.46	999
(13)	1992 01 24.851809	04 39 11.179	+40 51 40.48	999	(14)	1992 02 27.978067	09 55 43.309	+27 49 52.39	999
(13)	1992 01 25.849959	04 39 04.903	+40 49 31.74	999	(14)	1992 03 02.965063	09 52 22.558	+28 07 10.01	999
(13)	1992 01 26.847229	04 39 01.157	+40 47 21.09	999	(14)	1992 03 16.920410	09 43 27.588	+28 30 53.31	999
(13)	1992 01 28.841381	04 39 01.150	+40 42 56.85	999	(14)	1992 03 17.917585	09 43 02.100	+28 30 27.28	999
(13)	1992 01 29.838842	04 39 04.890	+40 40 43.32	999	(14)	1992 03 17.918526	09 43 02.081	+28 30 27.50	999
(13)	1992 01 31.832520	04 39 19.784	+40 36 14.67	999	(14)	1992 03 18.915475	09 42 38.472	+28 29 45.08	999
(13)	1992 01 31.833564	04 39 19.784	+40 36 14.54	999	(14)	1992 03 21.905507	09 41 39.291	+28 26 05.02	999
(13)	1992 02 01.831116	04 39 30.875	+40 33 59.88	999	(14)	1992 04 03.869710	09 40 49.995	+27 45 28.15	999
(13)	1992 02 07.815326	04 41 27.277	+40 20 39.62	999	(14)	1992 04 05.864244	09 41 12.447	+27 36 01.24	999
(13)	1992 02 19.788161	04 49 16.830	+39 55 49.99	999	(15)	1989 07 13.133008	22 34 34.054	-00 05 12.97	999
(13)	1992 02 20.786337	04 50 08.868	+39 53 54.26	999	(15)	1989 07 14.130172	22 34 24.524	+00 01 46.19	999
(13)	1992 02 21.783605	04 51 02.734	+39 52 00.14	999	(15)	1989 07 27.092603	22 29 54.018	+01 20 55.72	999
(13)	1992 02 21.784627	04 51 02.791	+39 52 00.28	999	(15)	1989 07 28.088456	22 29 22.088	+01 26 00.09	999
(13)	1992 02 22.781583	04 51 58.427	+39 50 06.77	999	(15)	1989 07 29.085842	22 28 48.570	+01 30 55.78	999
(13)	1992 02 23.779117	04 52 55.896	+39 48 14.63	999	(15)	1989 07 30.082205	22 28 13.558	+01 35 41.94	999
(13)	1992 02 23.780144	04 52 55.939	+39 48 14.49	999	(15)	1989 07 31.079053	22 27 37.028	+01 40 17.43	999
(13)	1992 02 26.773751	04 55 58.768	+39 42 43.45	999	(15)	1989 08 01.076229	22 26 59.060	+01 44 42.89	999
(13)	1993 01 22.272777	14 37 37.671	-06 52 22.83	999	(15)	1989 08 03.069767	22 25 38.842	+01 53 04.35	999
(13)	1993 02 11.230124	14 54 42.894	-08 45 22.68	999	(15)	1989 08 04.067121	22 24 56.669	+01 56 59.78	999
(13)	1993 02 19.210923	14 59 19.189	-09 22 35.04	999	(15)	1989 08 05.063209	22 24 13.210	+02 00 44.45	999
(13)	1993 03 17.142378	15 02 50.503	-10 55 54.66	999	(15)	1989 08 09.049974	22 21 06.896	+02 13 57.74	999
(13)	1993 03 18.139472	15 02 35.262	-10 58 45.11	999	(15)	1989 08 15.030620	22 15 55.847	+02 28 28.24	999
(13)	1993 03 26.115641	14 59 27.797	-11 19 41.68	999	(15)	1989 08 22.006921	22 09 19.868	+02 37 17.54	999
(13)	1993 04 18.040134	14 40 58.662	-12 05 45.31	999	(15)	1989 08 23.003672	22 08 21.558	+02 37 51.50	999
(13)	1993 04 19.037049	14 39 56.020	-12 07 23.94	999	(15)	1989 09 02.966056	21 57 43.143	+02 33 39.55	999
(13)	1993 04 23.022526	14 35 38.922	-12 13 50.52	999	(15)	1989 09 04.959040	21 55 52.429	+02 31 06.48	999
(13)	1993 04 25.016177	14 33 27.359	-12 16 59.67	999	(15)	1989 09 07.949333	21 53 12.449	+02 26 28.54	999
(13)	1993 05 28.900030	14 00 42.287	-13 22 26.98	999	(15)	1989 09 11.936052	21 49 53.498	+02 19 00.98	999
(13)	1993 05 28.900918	14 00 42.240	-13 22 27.04	999	(15)	1989 09 15.922535	21 46 54.449	+02 10 28.55	999
(13)	1993 05 30.893714	13 59 28.180	-13 28 01.32	999	(15)	1989 09 17.916138	21 45 33.370	+02 05 54.68	999
(13)	1993 05 30.894597	13 59 28.148	-13 28 01.42	999	(15)	1989 09 19.910122	21 44 18.391	+02 01 12.57	999
(13)	1993 06 04.878250	13 56 51.249	-13 43 09.69	999	(15)	1989 09 20.907393	21 43 43.281	+01 58 49.69	999
(13)	1993 06 04.879152	13 56 51.248	-13 43 09.61	999	(15)	1989 09 23.897385	21 42 08.057	+01 51 36.13	999
(14)	1989 06 29.130550	21 35 04.244	-22 53 56.26	999	(15)	1989 09 24.895087	21 41 39.736	+01 49 11.18	999
(14)	1989 07 04.115421	21 33 04.464	-23 25 40.88	999	(15)	1989 09 25.891291	21 41 13.227	+01 46 47.48	999
(14)	1989 07 13.087184	21 27 56.375	-24 27 03.47	999	(15)	1989 09 29.879426	21 39 45.450	+01 37 22.29	999
(14)	1989 11 09.741976	21 01 40.945	-25 35 33.74	999	(15)	1989 09 29.880353	21 39 45.442	+01 37 22.10	999
(14)	1990 08 27.182426	02 42 05.390	+05 01 20.28	999	(15)	1989 09 30.876425	21 39 28.190	+01 35 06.11	999
(14)	1990 08 28.179716	02 42 16.599	+04 59 48.24	999	(15)	1989 10 01.873723	21 39 12.816	+01 32 52.09	999
(14)	1990 09 01.169913	02 42 48.512	+04 52 42.24	999	(15)	1989 10 02.870916	21 38 59.360	+01 30 40.92	999
(14)	1991 12 29.164519	10 24 24.149	+19 50 32.22	999	(15)	1989 10 03.867767	21 38 47.824	+01 28 32.93	999
(14)	1991 12 30.162045	10 24 44.891	+19 55 46.52	999	(15)	1989 10 04.865136	21 38 38.234	+01 26 28.63	999
(14)	1992 01 13.125350	10 26 22.448	+21 29 15.58	999	(15)	1989 10 06.859482	21 38 24.816	+01 22 30.79	999
(14)	1992 01 14.122978	10 26 15.221	+21 37 15.20	999	(15)	1989 10 12.842999	21 38 30.760	+01 12 26.36	999

(15)	1989 10 13.840357	21 38 38.391 +01 11 03.30	999	(16)	1989 09 28.836027	20 32 02.337 -18 26 33.67	999
(15)	1989 10 14.837782	21 38 47.914 +01 09 45.74	999	(16)	1989 10 06.815933	20 34 33.619 -18 26 28.84	999
(15)	1989 10 15.835133	21 38 59.287 +01 08 34.07	999	(16)	1989 10 11.803793	20 36 56.098 -18 23 03.54	999
(15)	1989 10 21.819982	21 40 45.697 +01 03 31.35	999	(16)	1989 10 12.801263	20 37 28.785 -18 22 04.27	999
(15)	1989 10 22.818342	21 41 09.705 +01 03 03.79	999	(16)	1989 10 14.795998	20 38 38.194 -18 19 47.73	999
(15)	1989 10 23.815196	21 41 35.436 +01 02 42.32	999	(16)	1989 10 23.776189	20 44 54.228 -18 04 36.11	999
(15)	1989 10 26.808810	21 43 02.924 +01 02 20.55	999	(16)	1989 10 26.770040	20 47 21.378 -17 57 44.85	999
(15)	1989 10 28.804035	21 44 09.655 +01 02 42.77	999	(16)	1989 10 30.761040	20 50 53.307 -17 47 13.50	999
(15)	1989 10 30.798686	21 45 22.950 +01 03 33.73	999	(16)	1989 11 12.735359	21 04 13.467 -17 02 21.44	999
(15)	1989 11 09.776596	21 53 01.614 +01 15 33.17	999	(16)	1989 11 14.730658	21 06 29.934 -16 54 02.64	999
(15)	1989 11 12.770312	21 55 46.867 +01 21 41.96	999	(16)	1989 11 14.731654	21 06 30.028 -16 54 02.10	999
(15)	1989 11 18.758136	22 01 51.719 +01 37 29.28	999	(16)	1991 12 29.199040	11 14 11.445 +04 55 02.97	999
(15)	1989 11 25.745453	22 09 50.713 +02 01 48.07	999	(16)	1991 12 29.199904	11 14 11.478 +04 55 03.28	999
(15)	1989 12 06.724833	22 24 04.823 +02 52 34.38	999	(16)	1992 01 14.156033	11 15 09.882 +05 00 47.17	999
(15)	1992 01 13.268435	13 52 31.839 -23 49 07.15	999	(16)	1992 01 18.145493	11 14 33.871 +05 07 48.48	999
(15)	1992 01 18.257806	13 56 20.041 -24 27 18.16	999	(16)	1992 01 29.112326	11 11 11.589 +05 38 23.99	999
(15)	1992 01 30.229122	14 03 55.129 -25 53 17.84	999	(16)	1992 01 29.113198	11 11 11.562 +05 38 24.01	999
(15)	1992 01 30.230074	14 03 55.160 -25 53 18.47	999	(16)	1992 02 08.081681	11 06 05.617 +06 19 14.73	999
(15)	1992 05 16.902653	13 16 41.031 -25 36 00.21	999	(16)	1992 02 22.036691	10 56 31.587 +07 30 56.29	999
(15)	1992 05 25.874177	13 12 29.492 -24 34 33.76	999	(16)	1992 02 23.033391	10 55 46.350 +07 36 26.13	999
(15)	1993 08 02.948498	19 30 56.811 -19 59 48.35	999	(16)	1992 02 27.021078	10 52 42.350 +07 58 36.41	999
(15)	1993 08 05.938434	19 28 14.532 -19 52 19.64	999	(16)	1992 02 28.018129	10 51 55.809 +08 04 10.61	999
(15)	1993 08 05.939548	19 28 14.449 -19 52 19.26	999	(16)	1992 03 01.010685	10 50 22.565 +08 15 16.90	999
(15)	1993 08 11.919137	19 23 23.010 -19 36 50.84	999	(16)	1992 03 03.004693	10 48 49.171 +08 26 20.44	999
(15)	1993 08 21.887166	19 17 17.628 -19 09 52.95	999	(16)	1992 03 06.991012	10 45 43.882 +08 48 06.25	999
(15)	1993 08 21.888063	19 17 17.613 -19 09 51.99	999	(16)	1992 03 09.981172	10 43 27.699 +09 03 58.42	999
(15)	1993 08 29.863396	19 14 30.585 -18 47 36.93	999	(16)	1992 04 03.903355	10 28 34.144 +10 46 27.79	999
(15)	1993 08 30.860519	19 14 17.901 -18 44 48.63	999	(16)	1992 04 10.882090	10 26 18.437 +11 02 23.06	999
(15)	1993 09 03.849515	19 13 45.435 -18 33 30.53	999	(16)	1992 04 10.882974	10 26 18.406 +11 02 23.16	999
(15)	1993 09 04.846920	19 13 41.856 -18 30 40.03	999	(16)	1992 04 24.842620	10 24 46.050 +11 15 36.80	999
(16)	1989 06 25.130062	21 19 02.189 -13 31 47.19	999	(16)	1993 02 07.257047	15 17 32.527 -15 15 47.32	999
(16)	1989 07 04.103617	21 16 29.613 -13 47 00.71	999	(16)	1993 02 19.229480	15 24 46.354 -15 29 59.88	999
(16)	1989 07 14.072812	21 11 35.344 -14 15 02.10	999	(16)	1993 03 26.137106	15 30 32.382 -15 07 37.47	999
(16)	1989 07 27.032054	21 02 37.510 -15 05 04.11	999	(16)	1993 03 31.122819	15 29 15.346 -14 56 49.62	999
(16)	1989 07 29.025104	21 01 03.905 -15 13 43.23	999	(16)	1993 04 19.064854	15 19 52.968 -14 01 33.59	999
(16)	1989 07 30.021634	21 00 16.382 -15 18 05.99	999	(16)	1993 04 23.051931	15 17 08.902 -13 47 43.07	999
(16)	1989 07 31.018716	20 59 28.475 -15 22 30.57	999	(16)	1993 05 08.999006	15 04 46.720 -12 49 51.91	999
(16)	1989 08 01.014677	20 58 40.273 -15 26 57.36	999	(16)	1993 05 21.956436	14 54 33.081 -12 06 24.16	999
(16)	1989 08 04.005677	20 56 14.128 -15 40 25.88	999	(16)	1993 05 21.957310	14 54 33.045 -12 06 24.10	999
(16)	1989 08 08.988953	20 52 09.598 -16 03 00.14	999	(16)	1993 05 28.933889	14 49 35.804 -11 47 02.93	999
(16)	1989 08 10.982380	20 50 32.832 -16 11 58.22	999	(16)	1993 05 28.934775	14 49 35.783 -11 47 02.80	999
(16)	1989 08 12.975892	20 48 57.412 -16 20 50.14	999	(16)	1993 05 30.927527	14 48 17.753 -11 42 13.72	999
(16)	1989 08 17.959108	20 45 07.490 -16 42 23.42	999	(16)	1993 05 30.928413	14 48 17.716 -11 42 13.57	999
(16)	1989 08 18.955632	20 44 23.438 -16 46 34.29	999	(16)	1993 05 31.924503	14 47 40.012 -11 39 56.81	999
(16)	1989 08 21.945968	20 42 15.960 -16 58 46.16	999	(16)	1993 06 04.911806	14 45 18.397 -11 31 43.00	999
(16)	1989 08 21.946928	20 42 15.920 -16 58 46.32	999	(16)	1993 06 04.912687	14 45 18.359 -11 31 42.47	999
(16)	1989 08 25.933230	20 39 38.774 -17 14 09.99	999	(16)	1993 06 16.875301	14 39 54.025 -11 16 27.00	999
(16)	1989 08 30.918645	20 36 47.067 -17 31 42.62	999	(17)	1989 08 22.095140	00 16 30.839 -04 54 37.04	999
(16)	1989 09 15.870228	20 31 29.222 -18 12 28.47	999	(17)	1989 08 30.069784	00 12 00.993 -05 50 56.79	999
(16)	1989 09 19.859377	20 31 10.980 -18 18 39.99	999	(17)	1989 09 06.046883	00 07 00.230 -06 44 00.26	999
(16)	1989 09 20.856551	20 31 10.365 -18 19 58.34	999	(17)	1989 09 07.044452	00 06 13.364 -06 51 41.93	999
(16)	1989 09 25.843924	20 31 31.030 -18 24 52.17	999	(17)	1989 09 20.997280	23 54 23.474 -08 35 28.14	999

(17)	1989 09 25.981275	23 50 05.973	-09 08 10.99	999	(18)	1990 03 06.013716	11 11 20.786	+09 37 18.02	999
(17)	1989 09 27.974313	23 48 25.721	-09 20 14.91	999	(18)	1990 03 07.010087	11 10 25.414	+09 46 33.65	999
(17)	1989 10 01.961116	23 45 12.739	-09 42 20.99	999	(18)	1990 03 30.930364	10 50 47.099	+12 51 41.04	999
(17)	1989 10 03.954248	23 43 41.104	-09 52 18.33	999	(18)	1990 03 31.927553	10 50 09.978	+12 57 15.18	999
(17)	1989 10 04.951008	23 42 56.599	-09 56 59.69	999	(18)	1992 11 06.199075	07 47 08.612	+08 54 54.89	999
(17)	1989 10 14.919282	23 36 34.426	-10 32 36.78	999	(18)	1992 11 07.196363	07 47 45.844	+08 50 38.10	999
(17)	1989 10 21.897997	23 33 26.286	-10 44 57.68	999	(18)	1992 12 14.094376	07 46 48.879	+07 54 05.94	999
(17)	1989 10 29.874725	23 31 21.988	-10 46 33.16	999	(18)	1992 12 21.071956	07 41 27.399	+08 13 46.14	999
(17)	1989 11 10.841970	23 31 23.231	-10 25 34.54	999	(18)	1993 01 14.985413	07 15 42.337	+10 42 12.97	999
(17)	1989 11 11.839363	23 31 33.245	-10 22 41.08	999	(18)	1993 01 16.979347	07 13 38.564	+10 57 45.74	999
(17)	1989 11 14.831619	23 32 11.923	-10 13 01.64	999	(18)	1993 01 20.965513	07 09 42.182	+11 29 36.45	999
(17)	1989 11 21.814107	23 34 30.934	-09 45 09.85	999	(18)	1993 01 21.961499	07 08 45.897	+11 37 41.10	999
(17)	1992 01 30.223862	13 56 11.985	-05 45 43.79	999	(18)	1993 01 28.938284	07 02 50.840	+12 34 44.47	999
(17)	1992 01 30.224735	13 56 12.034	-05 45 43.80	999	(18)	1993 01 28.939211	07 02 50.791	+12 34 44.95	999
(17)	1992 01 31.221853	13 57 07.921	-05 47 29.64	999	(18)	1993 01 30.932376	07 01 23.752	+12 51 01.42	999
(17)	1992 01 31.222735	13 57 08.000	-05 47 28.95	999	(18)	1993 01 31.928609	07 00 42.881	+12 59 07.49	999
(17)	1992 02 07.206827	14 03 08.430	-05 55 38.07	999	(18)	1993 02 07.907421	06 56 48.762	+13 54 43.38	999
(17)	1992 02 27.160533	14 14 23.690	-05 37 41.55	999	(18)	1993 02 09.900757	06 55 59.287	+14 10 07.28	999
(17)	1992 03 07.137115	14 16 03.212	-05 09 01.25	999	(18)	1993 02 09.901661	06 55 59.263	+14 10 07.74	999
(17)	1992 03 17.108844	14 15 06.890	-04 23 21.34	999	(18)	1993 02 15.883347	06 54 18.550	+14 54 38.87	999
(17)	1992 04 06.046967	14 04 53.999	-02 22 17.28	999	(18)	1993 02 23.861088	06 53 56.201	+15 49 15.36	999
(17)	1992 04 14.020871	13 58 28.982	-01 31 40.99	999	(18)	1993 02 24.858445	06 54 02.263	+15 55 39.31	999
(17)	1992 04 23.988344	13 49 46.227	-00 35 53.51	999	(18)	1993 02 24.859369	06 54 02.254	+15 55 39.66	999
(17)	1992 04 25.981378	13 48 02.036	-00 26 22.32	999	(18)	1993 02 28.848522	06 54 45.522	+16 20 14.25	999
(17)	1992 05 04.951831	13 40 40.546	+00 07 26.37	999	(18)	1993 03 13.816910	07 00 20.746	+17 28 25.06	999
(17)	1992 05 11.928982	13 35 51.419	+00 21 53.94	999	(18)	1993 03 17.807271	07 02 57.709	+17 45 41.42	999
(17)	1992 05 16.913584	13 33 05.250	+00 25 24.11	999	(18)	1993 03 17.808139	07 02 57.740	+17 45 41.57	999
(17)	1992 05 18.906891	13 32 09.364	+00 25 12.02	999	(18)	1993 03 18.805956	07 03 40.598	+17 49 44.41	999
(17)	1992 05 18.907767	13 32 09.342	+00 25 12.43	999	(18)	1994 01 31.239499	14 24 30.549	-06 00 03.11	999
(17)	1992 05 19.903970	13 31 43.801	+00 24 45.04	999	(19)	1985 07 11.899763	16 54 06.351	-20 35 52.77	999
(17)	1992 05 24.889760	13 30 00.595	+00 19 08.88	999	(19)	1989 05 27.122947	19 13 23.182	-20 19 19.59	999
(17)	1993 08 17.148650	01 15 03.350	+01 04 03.91	999	(19)	1989 05 29.116408	19 12 39.299	-20 18 47.97	999
(17)	1993 08 18.146134	01 15 03.782	+01 00 27.75	999	(19)	1989 06 16.059972	19 01 16.800	-20 22 34.18	999
(17)	1993 08 29.115235	01 13 20.654	+00 10 29.54	999	(19)	1989 06 23.035591	18 54 56.980	-20 27 10.48	999
(17)	1993 08 30.112658	01 13 01.575	+00 05 04.94	999	(19)	1989 06 30.011900	18 47 58.282	-20 32 42.22	999
(17)	1993 10 12.970429	00 41 02.229	-04 39 38.17	999	(19)	1989 07 03.001351	18 44 52.590	-20 35 13.96	999
(17)	1993 10 21.940012	00 33 59.955	-05 18 45.34	999	(19)	1989 07 19.943097	18 28 04.271	-20 49 26.61	999
(17)	1993 10 22.936800	00 33 17.829	-05 22 09.12	999	(19)	1989 07 27.917622	18 21 38.911	-20 55 33.23	999
(17)	1993 10 22.937697	00 33 17.795	-05 22 09.33	999	(19)	1989 07 28.913882	18 20 56.997	-20 56 19.28	999
(17)	1993 11 09.881970	00 24 20.400	-05 48 44.06	999	(19)	1989 07 29.910394	18 20 16.597	-20 57 03.12	999
(17)	1993 11 14.867035	00 23 14.657	-05 44 36.14	999	(19)	1989 08 09.877150	18 14 43.120	-21 04 57.39	999
(17)	1993 11 15.864337	00 23 06.123	-05 43 12.22	999	(19)	1989 08 17.854178	18 12 58.764	-21 10 26.62	999
(17)	1993 11 16.861585	00 22 59.106	-05 41 36.97	999	(19)	1989 08 18.851106	18 12 54.112	-21 11 07.76	999
(17)	1993 11 17.858602	00 22 53.647	-05 39 51.47	999	(19)	1989 08 20.845165	18 12 50.389	-21 12 27.94	999
(17)	1993 11 20.850516	00 22 46.409	-05 33 29.04	999	(19)	1989 08 23.838041	18 12 58.689	-21 14 26.02	999
(17)	1993 11 20.851393	00 22 46.410	-05 33 28.47	999	(19)	1992 01 14.256232	13 39 49.576	-11 06 58.68	999
(17)	1993 11 22.845208	00 22 49.097	-05 28 22.11	999	(19)	1992 01 30.219986	13 50 36.989	-12 05 50.09	999
(18)	1989 12 07.262081	11 19 19.450	+03 29 37.82	999	(19)	1992 01 30.220865	13 50 36.987	-12 05 50.04	999
(18)	1990 01 19.157326	11 38 44.954	+03 37 45.79	999	(19)	1992 01 31.218408	13 51 08.093	-12 08 35.02	999
(18)	1990 01 21.151747	11 38 34.279	+03 46 34.33	999	(19)	1992 02 27.148632	13 56 42.873	-12 34 33.73	999
(18)	1990 02 20.059562	11 23 44.790	+07 25 08.88	999	(19)	1992 02 28.145475	13 56 34.949	-12 33 37.90	999
(18)	1990 03 04.019706	11 13 11.485	+09 18 35.07	999	(19)	1992 02 29.142301	13 56 25.478	-12 32 32.10	999

(19)	1992 03 10.113174	13 53 27.222	-12 13 38.36	999	(20)	1991 12 30.083927	08 31 58.470	+17 33 35.06	999
(19)	1992 03 17.091956	13 49 56.013	-11 51 59.25	999	(20)	1992 01 14.034397	08 19 35.730	+18 12 38.47	999
(19)	1992 04 06.027042	13 34 47.679	-10 17 59.76	999	(20)	1992 01 22.007651	08 11 32.435	+18 38 26.37	999
(19)	1992 04 10.013318	13 31 13.255	-09 55 18.79	999	(20)	1992 01 25.993234	08 07 28.762	+18 51 24.48	999
(19)	1992 04 11.009946	13 30 19.120	-09 49 32.93	999	(20)	1992 01 28.983715	08 04 30.361	+19 00 53.54	999
(19)	1992 04 13.999901	13 27 36.281	-09 32 07.47	999	(20)	1992 02 01.969804	08 00 43.685	+19 12 57.41	999
(19)	1992 05 05.927779	13 09 35.254	-07 32 22.41	999	(20)	1992 02 06.952819	07 56 26.696	+19 26 44.90	999
(19)	1992 05 11.908271	13 05 56.084	-07 06 52.40	999	(20)	1992 02 06.953686	07 56 26.648	+19 26 45.02	999
(19)	1992 05 15.895840	13 03 55.240	-06 52 26.93	999	(20)	1992 02 17.917959	07 49 28.090	+19 50 24.85	999
(19)	1992 05 16.892478	13 03 28.362	-06 49 10.24	999	(20)	1992 02 17.918828	07 49 28.057	+19 50 25.07	999
(19)	1992 05 16.893356	13 03 28.321	-06 49 10.02	999	(20)	1992 02 19.911923	07 48 37.534	+19 53 37.18	999
(19)	1992 05 19.884319	13 02 15.772	-06 40 13.11	999	(20)	1992 02 20.909191	07 48 15.412	+19 55 05.72	999
(19)	1992 05 20.880472	13 01 54.348	-06 37 31.85	999	(20)	1992 02 21.905961	07 47 55.401	+19 56 28.43	999
(19)	1992 05 24.869378	13 00 42.431	-06 28 11.23	999	(20)	1992 02 21.906858	07 47 55.382	+19 56 28.47	999
(19)	1992 05 25.866489	13 00 27.978	-06 26 14.76	999	(20)	1992 02 22.903025	07 47 37.547	+19 57 46.22	999
(19)	1993 07 28.994187	20 17 01.422	-16 54 22.90	999	(20)	1992 02 22.903926	07 47 37.527	+19 57 46.48	999
(19)	1993 08 11.947129	20 03 54.796	-17 39 36.13	999	(20)	1992 02 23.900130	07 47 21.822	+19 58 59.02	999
(19)	1993 08 12.943462	20 03 04.551	-17 42 37.43	999	(20)	1992 02 23.901018	07 47 21.819	+19 58 59.19	999
(19)	1993 08 18.923903	19 58 29.462	-17 59 44.63	999	(20)	1992 02 27.889666	07 46 40.689	+20 02 55.11	999
(19)	1993 08 30.886755	19 52 10.052	-18 27 11.14	999	(20)	1992 02 28.886099	07 46 35.868	+20 03 40.53	999
(19)	1993 08 31.884232	19 51 50.125	-18 29 00.50	999	(20)	1992 02 29.883172	07 46 33.208	+20 04 20.59	999
(19)	1993 09 01.881231	19 51 32.110	-18 30 44.83	999	(20)	1992 02 29.884079	07 46 33.210	+20 04 20.77	999
(19)	1993 09 04.872843	19 50 49.476	-18 35 30.92	999	(20)	1992 03 06.867250	07 47 02.776	+20 06 26.84	999
(19)	1993 09 06.866489	19 50 30.760	-18 38 18.34	999	(20)	1992 03 06.868162	07 47 02.798	+20 06 26.91	999
(19)	1993 09 06.867392	19 50 30.749	-18 38 18.13	999	(20)	1992 03 11.854619	07 48 25.483	+20 05 40.95	999
(19)	1993 10 19.765352	20 13 04.882	-18 14 26.99	999	(20)	1992 03 11.855508	07 48 25.505	+20 05 41.14	999
(19)	1993 10 29.746694	20 24 53.524	-17 43 48.46	999	(20)	1993 05 07.104392	17 29 08.635	-22 32 05.82	999
(20)	1989 03 30.133489	15 41 25.139	-19 23 17.81	999	(20)	1993 06 16.966539	16 51 42.638	-21 38 01.37	999
(20)	1989 05 03.025513	15 18 44.262	-17 51 41.90	999	(21)	1989 09 25.197370	04 58 45.664	+20 43 51.72	999
(20)	1989 05 04.022066	15 17 45.646	-17 47 40.56	999	(21)	1989 09 28.190179	05 00 26.678	+20 47 11.41	999
(20)	1989 05 15.981598	15 05 55.306	-16 57 46.05	999	(21)	1989 10 02.180771	05 02 16.715	+20 51 04.47	999
(20)	1989 06 05.911471	14 48 52.774	-15 41 40.84	999	(21)	1989 10 03.178535	05 02 39.694	+20 51 57.40	999
(20)	1989 06 12.890622	14 45 16.749	-15 24 59.73	999	(21)	1989 10 04.175307	05 03 00.777	+20 52 48.12	999
(20)	1990 07 08.139000	22 21 30.049	-09 14 21.83	999	(21)	1989 10 22.127751	05 03 46.298	+21 02 41.01	999
(20)	1990 07 19.105973	22 17 55.960	-09 32 24.84	999	(21)	1989 10 25.117848	05 02 49.844	+21 03 23.12	999
(20)	1990 07 21.100110	22 16 57.837	-09 37 33.98	999	(21)	1989 10 27.112235	05 02 01.956	+21 03 41.65	999
(20)	1990 07 25.087470	22 14 44.778	-09 49 29.24	999	(21)	1989 11 11.064127	04 52 00.598	+21 01 51.19	999
(20)	1990 07 26.084772	22 14 08.106	-09 52 47.00	999	(21)	1989 11 23.022902	04 40 03.252	+20 54 41.95	999
(20)	1990 07 31.068895	22 10 46.056	-10 11 05.97	999	(21)	1989 11 26.013280	04 36 45.687	+20 52 11.40	999
(20)	1990 08 02.062267	22 09 17.074	-10 19 11.99	999	(21)	1989 11 27.009270	04 35 39.157	+20 51 18.54	999
(20)	1990 08 04.055906	22 07 43.908	-10 27 40.68	999	(21)	1989 11 28.006204	04 34 32.368	+20 50 23.86	999
(20)	1990 08 10.036169	22 02 42.555	-10 55 07.22	999	(21)	1989 11 30.995941	04 31 11.748	+20 47 34.43	999
(20)	1990 08 11.032435	22 01 49.685	-10 59 56.17	999	(21)	1989 12 01.991827	04 30 05.124	+20 46 36.08	999
(20)	1990 08 18.008800	21 55 24.882	-11 34 53.61	999	(21)	1989 12 03.985300	04 27 52.635	+20 44 38.30	999
(20)	1990 08 21.994753	21 51 39.170	-11 55 18.49	999	(21)	1989 12 04.981897	04 26 46.995	+20 43 38.95	999
(20)	1990 08 22.991367	21 50 42.728	-12 00 25.34	999	(21)	1989 12 05.978052	04 25 41.901	+20 42 39.42	999
(20)	1990 08 23.988325	21 49 46.427	-12 05 29.70	999	(21)	1989 12 06.975079	04 24 37.368	+20 41 39.67	999
(20)	1990 08 26.978600	21 46 59.019	-12 20 34.61	999	(21)	1989 12 07.971003	04 23 33.593	+20 40 40.42	999
(20)	1990 08 27.975448	21 46 03.941	-12 25 31.63	999	(21)	1989 12 13.950788	04 17 29.193	+20 35 00.65	999
(20)	1990 08 28.971422	21 45 09.370	-12 30 26.29	999	(21)	1989 12 28.901937	04 05 46.889	+20 26 10.50	999
(20)	1991 12 27.093321	08 33 42.660	+17 28 29.62	999	(21)	1989 12 29.898212	04 05 13.439	+20 26 00.75	999
(20)	1991 12 27.094218	08 33 42.647	+17 28 29.69	999	(21)	1990 01 05.877480	04 02 11.767	+20 26 48.45	999

(21)	1990 01 12.856957	04 00 43.323	+20 31 08.39	999	(23)	1990 02 23.126454	13 12 09.336	+09 35 37.70	999
(21)	1990 01 16.845729	04 00 33.990	+20 35 12.70	999	(23)	1990 02 24.123634	13 11 53.055	+09 40 28.73	999
(21)	1990 01 18.840767	04 00 40.300	+20 37 41.11	999	(23)	1990 03 15.064905	13 00 57.447	+11 15 09.80	999
(21)	1992 09 23.782434	18 56 23.029	-25 50 45.36	999	(23)	1990 03 18.054705	12 58 25.263	+11 28 15.73	999
(21)	1993 11 17.124631	06 42 05.153	+23 17 53.30	999	(23)	1990 03 19.051486	12 57 32.500	+11 32 22.75	999
(21)	1993 11 18.120833	06 41 39.520	+23 19 29.65	999	(23)	1990 03 22.041730	12 54 49.099	+11 43 50.81	999
(21)	1993 11 18.121782	06 41 39.460	+23 19 29.76	999	(23)	1990 03 24.034669	12 52 56.775	+11 50 40.86	999
(21)	1993 11 21.112146	06 40 11.003	+23 24 31.56	999	(23)	1990 03 31.010481	12 46 12.762	+12 08 28.86	999
(21)	1993 11 23.105366	06 39 02.612	+23 28 01.97	999	(23)	1990 04 01.007434	12 45 14.826	+12 10 09.65	999
(21)	1994 01 17.915690	05 45 05.532	+24 44 16.61	999	(23)	1990 04 28.916160	12 23 46.235	+11 20 31.77	999
(21)	1994 01 18.911895	05 44 24.136	+24 44 41.90	999	(23)	1990 04 29.913382	12 23 19.513	+11 15 28.15	999
(21)	1994 01 19.908707	05 43 44.452	+24 45 05.47	999	(23)	1990 04 30.910396	12 22 54.474	+11 10 12.44	999
(21)	1994 01 30.875015	05 38 28.153	+24 48 43.03	999	(23)	1990 05 01.906968	12 22 31.092	+11 04 44.97	999
(21)	1994 01 31.872428	05 38 10.562	+24 49 00.78	999	(23)	1990 05 15.866758	12 19 57.772	+09 30 44.05	999
(22)	1989 06 07.968383	16 18 24.549	-22 40 19.81	999	(23)	1992 08 07.138898	00 21 27.071	-12 33 00.93	999
(22)	1989 06 22.919295	16 06 01.697	-22 56 39.09	999	(23)	1992 08 12.123970	00 20 09.483	-12 58 45.05	999
(22)	1989 06 29.896972	16 01 29.131	-23 04 21.68	999	(23)	1992 08 14.117663	00 19 29.032	-13 09 40.30	999
(22)	1989 07 03.884787	15 59 20.261	-23 09 07.84	999	(23)	1992 08 27.078271	00 12 58.515	-14 26 48.11	999
(22)	1989 07 04.881189	15 58 51.342	-23 10 22.59	999	(23)	1992 09 02.059228	00 08 50.291	-15 03 46.62	999
(22)	1992 01 06.891763	04 26 08.358	+27 18 09.55	999	(23)	1992 09 05.049426	00 06 32.921	-15 21 56.88	999
(22)	1992 01 12.873535	04 23 28.692	+27 31 11.76	999	(23)	1992 09 11.029223	00 01 36.986	-15 56 44.65	999
(22)	1992 01 12.874467	04 23 28.666	+27 31 11.95	999	(23)	1992 09 19.002379	23 54 32.927	-16 37 52.36	999
(22)	1992 01 24.840059	04 21 32.737	+27 57 09.34	999	(23)	1992 09 24.982445	23 49 07.056	-17 03 06.35	999
(22)	1992 01 25.837581	04 21 35.277	+27 59 22.78	999	(23)	1992 09 25.979530	23 48 13.073	-17 06 44.18	999
(22)	1992 01 26.834820	04 21 39.648	+28 01 37.00	999	(23)	1992 11 28.789157	23 25 59.286	-14 37 04.05	999
(22)	1992 01 28.829077	04 21 53.896	+28 06 07.12	999	(23)	1992 11 29.785963	23 26 21.804	-14 29 49.93	999
(22)	1992 01 29.826973	04 22 03.766	+28 08 23.70	999	(23)	1992 11 29.786869	23 26 21.830	-14 29 49.50	999
(22)	1992 02 07.804260	04 24 52.137	+28 29 37.70	999	(23)	1993 11 16.226637	09 06 09.914	+24 40 57.97	999
(22)	1992 02 20.774313	04 32 48.527	+29 02 27.96	999	(23)	1993 11 17.225211	09 07 32.039	+24 42 45.82	999
(22)	1992 02 22.770254	04 34 23.786	+29 07 40.98	999	(23)	1993 11 18.222818	09 08 52.903	+24 44 42.04	999
(22)	1993 01 31.166942	12 40 53.262	+14 49 19.57	999	(23)	1993 11 18.223775	09 08 52.957	+24 44 41.86	999
(22)	1993 02 02.162450	12 40 48.754	+14 59 13.73	999	(23)	1993 11 22.215452	09 14 04.076	+24 53 46.56	999
(22)	1993 02 11.135809	12 39 16.141	+15 48 16.23	999	(23)	1993 11 23.213569	09 15 18.651	+24 56 23.98	999
(22)	1993 02 13.129904	12 38 39.534	+15 59 58.63	999	(23)	1993 11 26.207881	09 18 54.276	+25 05 10.90	999
(22)	1993 02 15.124710	12 37 57.171	+16 11 53.96	999	(23)	1994 01 29.039612	09 28 18.633	+33 27 09.25	999
(22)	1993 02 16.121187	12 37 33.877	+16 17 54.97	999	(23)	1994 01 29.040577	09 28 18.576	+33 27 09.78	999
(22)	1993 03 06.065218	12 26 58.168	+18 05 19.86	999	(23)	1994 01 30.036253	09 27 25.993	+33 35 14.27	999
(22)	1993 03 17.028746	12 18 04.085	+18 58 55.08	999	(23)	1994 02 01.029561	09 25 38.229	+33 50 40.37	999
(22)	1993 03 18.025378	12 17 12.710	+19 02 56.80	999	(23)	1994 02 01.030530	09 25 38.155	+33 50 41.07	999
(22)	1993 03 25.002180	12 11 09.654	+19 26 13.01	999	(24)	1987 04 27.071485	15 59 07.746	-20 52 52.39	999
(22)	1993 03 30.981726	12 06 03.990	+19 38 35.19	999	(24)	1989 08 18.125319	00 45 22.467	+04 14 35.14	999
(22)	1993 04 09.949184	11 58 17.658	+19 42 33.02	999	(24)	1989 08 30.089820	00 41 10.725	+03 47 55.28	999
(22)	1993 04 17.924669	11 53 06.841	+19 30 48.22	999	(24)	1989 09 04.074541	00 38 43.470	+03 32 25.11	999
(22)	1993 04 19.918125	11 51 59.983	+19 25 52.82	999	(24)	1989 09 05.071184	00 38 11.358	+03 29 02.25	999
(22)	1993 04 22.908131	11 50 28.615	+19 17 04.62	999	(24)	1989 09 20.023692	00 28 44.417	+02 29 36.94	999
(22)	1993 04 22.909046	11 50 28.586	+19 17 04.68	999	(24)	1989 09 24.010986	00 25 54.176	+02 11 49.21	999
(22)	1993 04 24.902615	11 49 33.819	+19 10 17.18	999	(24)	1989 09 26.004333	00 24 27.546	+02 02 46.46	999
(22)	1993 05 02.878282	11 46 46.168	+18 36 21.37	999	(24)	1989 09 27.998096	00 23 00.313	+01 53 40.23	999
(22)	1993 05 02.879185	11 46 46.145	+18 36 21.05	999	(24)	1989 10 01.985488	00 20 05.442	+01 35 28.14	999
(22)	1993 05 08.861045	11 45 35.149	+18 04 31.34	999	(24)	1989 10 15.940867	00 10 24.185	+00 35 25.83	999
(23)	1990 01 19.214426	13 00 48.949	+08 05 55.72	999	(24)	1989 10 16.937603	00 09 46.306	+00 31 33.60	999
(23)	1990 01 22.207804	13 03 15.454	+08 05 56.11	999	(24)	1989 10 18.931275	00 08 32.612	+00 24 01.98	999

(24)	1989 11 18.838825	23 57 35.347	-00 39 21.24	999	(27)	1993 10 15.945155	00 17 46.108	-01 07 33.49	999
(24)	1989 11 21.830252	23 57 28.413	-00 39 20.53	999	(27)	1993 10 15.946039	00 17 46.052	-01 07 33.53	999
(24)	1992 01 13.221792	12 45 48.677	-04 15 15.94	999	(27)	1993 10 19.932013	00 14 34.131	-01 25 33.52	999
(24)	1992 01 14.219434	12 46 25.672	-04 19 06.89	999	(27)	1993 10 19.932898	00 14 34.097	-01 25 33.85	999
(24)	1992 02 27.103134	12 52 02.624	-04 53 52.55	999	(27)	1993 10 21.925719	00 13 05.623	-01 33 33.30	999
(24)	1992 03 01.094716	12 50 48.173	-04 46 17.46	999	(27)	1993 10 29.900296	00 08 11.526	-01 57 54.43	999
(24)	1992 03 10.066337	12 46 01.031	-04 17 04.64	999	(27)	1993 10 29.901210	00 08 11.501	-01 57 54.83	999
(24)	1992 03 17.044439	12 41 24.579	-03 48 59.13	999	(27)	1993 10 30.897226	00 07 42.167	-02 00 02.41	999
(24)	1992 03 18.041098	12 40 42.283	-03 44 40.79	999	(27)	1993 11 03.885523	00 06 02.499	-02 06 28.57	999
(24)	1992 04 05.979266	12 26 31.770	-02 18 38.53	999	(27)	1993 11 12.859257	00 04 07.235	-02 08 18.31	999
(24)	1992 04 11.959697	12 22 20.027	-01 53 29.25	999	(27)	1993 11 14.854038	00 04 02.731	-02 06 19.62	999
(24)	1992 05 04.889854	12 11 24.059	-00 50 43.09	999	(27)	1993 11 15.851928	00 04 03.387	-02 05 00.77	999
(24)	1992 05 05.886502	12 11 09.835	-00 49 31.86	999	(27)	1993 11 16.848312	00 04 05.991	-02 03 29.41	999
(24)	1992 05 06.883421	12 10 56.919	-00 48 29.52	999	(27)	1993 11 16.849252	00 04 05.985	-02 03 29.20	999
(24)	1992 05 07.881492	12 10 45.322	-00 47 34.87	999	(27)	1993 11 17.845638	00 04 10.498	-02 01 45.44	999
(24)	1992 05 15.858433	12 10 00.379	-00 45 29.09	999	(27)	1993 11 18.842982	00 04 16.923	-01 59 48.74	999
(24)	1992 05 16.855459	12 10 00.719	-00 45 51.15	999	(27)	1993 11 20.837731	00 04 35.477	-01 55 18.18	999
(24)	1993 05 31.081673	18 30 27.424	-24 06 10.39	999	(27)	1993 11 20.838616	00 04 35.470	-01 55 17.86	999
(27)	1985 07 11.959759	18 20 11.069	-23 35 21.64	999	(27)	1993 11 26.822532	00 06 15.565	-01 36 59.40	999
(27)	1989 07 14.092028	21 39 23.703	-15 32 16.44	999	(27)	1993 11 26.823417	00 06 15.575	-01 36 59.12	999
(27)	1989 07 27.050124	21 29 42.883	-16 29 45.90	999	(27)	1993 12 01.810376	00 08 27.761	-01 16 32.56	999
(27)	1989 07 28.047140	21 28 50.206	-16 34 41.26	999	(27)	1993 12 01.811249	00 08 27.782	-01 16 32.23	999
(27)	1989 08 03.026727	21 23 16.681	-17 04 49.35	999	(28)	1989 05 18.057211	17 03 10.648	-09 09 24.54	999
(27)	1989 08 04.023074	21 22 18.785	-17 09 53.82	999	(28)	1989 05 27.026784	16 55 51.368	-08 53 50.22	999
(27)	1989 08 05.020332	21 21 20.344	-17 14 58.27	999	(28)	1989 05 28.023407	16 55 00.120	-08 52 33.81	999
(27)	1989 08 12.992836	21 13 23.684	-17 54 55.22	999	(28)	1989 05 29.020405	16 54 08.590	-08 51 22.78	999
(27)	1989 08 24.951960	21 01 54.951	-18 47 59.33	999	(28)	1989 06 12.971224	16 41 15.563	-08 46 14.73	999
(27)	1989 08 30.932184	20 56 52.985	-19 09 28.21	999	(28)	1989 06 22.938237	16 33 35.574	-08 56 26.81	999
(27)	1989 09 03.918725	20 53 56.054	-19 21 28.29	999	(28)	1989 06 24.931541	16 32 13.525	-08 59 46.43	999
(27)	1989 09 04.915338	20 53 15.339	-19 24 09.99	999	(28)	1989 07 12.876548	16 23 17.853	-09 47 07.30	999
(27)	1989 09 23.858655	20 45 31.302	-19 51 15.94	999	(28)	1990 07 30.067311	22 04 44.957	-11 11 17.80	999
(27)	1989 09 25.853221	20 45 18.975	-19 51 29.08	999	(28)	1990 08 04.050681	22 01 26.234	-11 41 05.33	999
(27)	1989 09 28.845010	20 45 13.864	-19 50 55.36	999	(28)	1990 08 10.032000	21 57 06.245	-12 18 53.35	999
(27)	1989 09 29.842342	20 45 15.748	-19 50 29.92	999	(28)	1990 08 18.005819	21 50 56.764	-13 11 04.78	999
(27)	1989 09 30.839554	20 45 19.350	-19 49 57.46	999	(28)	1990 08 23.986119	21 46 15.087	-13 50 07.72	999
(27)	1989 10 04.828391	20 45 51.323	-19 46 36.26	999	(28)	1990 08 26.975895	21 43 56.488	-14 09 12.57	999
(27)	1989 10 11.810592	20 47 52.507	-19 36 21.36	999	(28)	1991 12 26.863984	03 01 43.345	+03 31 52.21	999
(27)	1989 10 12.809201	20 48 16.375	-19 34 27.11	999	(28)	1991 12 28.858045	03 01 22.698	+03 39 55.74	999
(27)	1989 10 21.787018	20 52 59.014	-19 12 34.95	999	(28)	1991 12 29.855424	03 01 14.777	+03 44 11.03	999
(27)	1989 11 10.743926	21 09 53.523	-17 54 39.44	999	(28)	1992 01 06.833524	03 01 09.967	+04 23 17.31	999
(27)	1989 11 14.736931	21 14 10.086	-17 34 25.82	999	(28)	1992 01 17.804829	03 03 50.127	+05 29 26.51	999
(27)	1992 04 14.181942	17 51 06.936	-22 31 27.05	999	(28)	1992 01 17.805702	03 03 50.144	+05 29 26.51	999
(27)	1992 05 05.123151	17 48 12.170	-22 33 28.02	999	(28)	1992 01 24.788512	03 07 06.496	+06 17 13.49	999
(27)	1992 05 08.113203	17 46 45.119	-22 33 39.57	999	(28)	1992 01 28.778706	03 09 29.402	+06 46 02.37	999
(27)	1993 08 12.148723	00 55 27.113	+03 27 57.46	999	(28)	1992 01 28.779577	03 09 29.441	+06 46 02.34	999
(27)	1993 08 17.135444	00 55 59.641	+03 25 51.85	999	(28)	1992 01 29.777077	03 10 08.496	+06 53 22.86	999
(27)	1993 08 18.132731	00 56 01.189	+03 24 55.79	999	(28)	1992 12 30.249917	12 34 30.572	+00 01 39.39	999
(27)	1993 08 30.099151	00 54 07.304	+03 00 16.55	999	(28)	1993 01 16.215036	12 49 53.708	-00 16 09.98	999
(27)	1993 08 31.096447	00 53 46.729	+02 57 06.94	999	(28)	1993 01 22.200886	12 53 57.767	-00 10 28.77	999
(27)	1993 09 02.090508	00 53 00.506	+02 50 18.37	999	(28)	1993 01 30.181688	12 58 06.058	+00 07 40.60	999
(27)	1993 09 19.035950	00 42 16.358	+01 29 06.14	999	(28)	1993 02 02.174210	12 59 14.987	+00 17 39.45	999
(27)	1993 09 29.002390	00 33 23.361	+00 29 00.31	999	(28)	1993 02 07.161952	13 00 39.253	+00 38 08.38	999

(28)	1993 02 08.158942	13 00 51.424	+00 42 48.32	999	(29)	1992 03 06.812916	06 27 50.451	+29 51 55.38	999
(28)	1993 02 25.113121	13 00 11.332	+02 29 28.72	999	(29)	1993 01 22.256595	14 14 32.647	-15 39 37.35	999
(28)	1993 03 01.100513	12 58 55.391	+03 00 58.24	999	(29)	1993 02 02.232385	14 23 19.346	-16 48 20.03	999
(28)	1993 03 17.051097	12 50 22.649	+05 19 26.51	999	(29)	1993 02 07.221773	14 26 35.821	-17 16 28.34	999
(28)	1993 03 25.024854	12 44 38.409	+06 28 42.58	999	(29)	1993 03 16.125014	14 32 51.018	-19 32 49.37	999
(28)	1993 03 26.021603	12 43 53.328	+06 37 01.41	999	(29)	1993 03 17.121352	14 32 31.236	-19 34 26.26	999
(28)	1993 03 27.018346	12 43 08.014	+06 45 13.43	999	(29)	1993 03 25.097981	14 28 54.974	-19 42 40.24	999
(28)	1993 03 30.008576	12 40 51.309	+07 09 06.68	999	(29)	1993 03 31.078030	14 25 09.441	-19 43 13.27	999
(28)	1993 03 31.005324	12 40 05.704	+07 16 48.24	999	(29)	1993 04 19.014889	14 08 53.341	-19 13 39.44	999
(28)	1993 04 17.947572	12 27 35.289	+09 04 15.73	999	(29)	1993 04 23.001279	14 05 00.315	-19 02 07.31	999
(28)	1993 04 19.941458	12 26 27.362	+09 11 57.92	999	(29)	1993 04 24.994656	14 03 03.429	-18 55 49.76	999
(28)	1993 05 05.893343	12 20 20.836	+09 40 16.55	999	(29)	1993 05 02.967839	13 55 25.927	-18 28 09.07	999
(28)	1993 05 06.890480	12 20 09.377	+09 40 08.82	999	(29)	1993 05 21.905289	13 40 43.716	-17 19 45.13	999
(29)	1989 03 14.153140	15 06 44.140	-22 29 07.27	999	(29)	1993 05 21.906158	13 40 43.686	-17 19 45.03	999
(29)	1989 05 03.991752	14 33 54.420	-22 31 39.29	999	(29)	1993 05 28.883765	13 37 14.368	-16 59 02.54	999
(29)	1989 05 04.988780	14 32 55.007	-22 28 37.10	999	(29)	1993 05 28.884655	13 37 14.344	-16 59 02.31	999
(29)	1989 05 05.984334	14 31 55.867	-22 25 30.47	999	(29)	1993 05 30.877771	13 36 28.127	-16 53 56.56	999
(29)	1989 05 06.981183	14 30 56.979	-22 22 19.53	999	(29)	1993 05 30.878664	13 36 28.103	-16 53 56.02	999
(29)	1989 05 15.950865	14 22 31.112	-21 51 05.55	999	(30)	1989 08 30.120028	01 23 32.163	+11 49 52.26	999
(29)	1989 05 16.947692	14 21 38.663	-21 47 26.87	999	(30)	1989 09 07.096808	01 22 20.665	+11 58 05.35	999
(29)	1990 07 13.132198	22 31 47.882	-15 17 57.25	999	(30)	1989 09 21.053565	01 15 33.780	+11 42 23.93	999
(29)	1990 07 18.117218	22 30 14.223	-15 26 17.60	999	(30)	1989 09 24.044428	01 13 25.421	+11 34 07.31	999
(29)	1990 07 21.108627	22 28 58.808	-15 32 32.42	999	(30)	1989 09 25.041130	01 12 39.964	+11 30 59.86	999
(29)	1990 07 25.096277	22 26 56.500	-15 42 10.94	999	(30)	1989 09 26.037750	01 11 53.255	+11 27 42.26	999
(29)	1990 07 26.092706	22 26 22.170	-15 44 46.77	999	(30)	1989 09 29.027886	01 09 26.423	+11 16 49.06	999
(29)	1990 08 03.067523	22 20 58.031	-16 07 55.61	999	(30)	1989 09 30.023965	01 08 35.515	+11 12 52.19	999
(29)	1990 08 04.064159	22 20 11.851	-16 11 01.63	999	(30)	1989 10 01.021116	01 07 43.715	+11 08 47.21	999
(29)	1990 08 19.014516	22 06 51.424	-16 58 02.07	999	(30)	1989 10 03.014405	01 05 57.927	+11 00 11.73	999
(29)	1990 08 21.007120	22 04 55.442	-17 03 47.91	999	(30)	1989 10 04.011501	01 05 04.070	+10 55 42.47	999
(29)	1990 08 26.986239	21 59 06.958	-17 19 17.97	999	(30)	1989 10 05.008003	01 04 09.754	+10 51 06.34	999
(29)	1990 08 31.969349	21 54 24.642	-17 29 38.61	999	(30)	1989 10 11.983679	00 57 43.118	+10 16 16.11	999
(29)	1991 12 29.022533	06 58 58.639	+32 47 05.01	999	(30)	1989 10 18.960229	00 51 27.544	+09 39 02.92	999
(29)	1991 12 30.019473	06 57 49.922	+32 48 14.90	999	(30)	1989 10 22.947710	00 48 09.077	+09 17 53.84	999
(29)	1992 01 12.970124	06 41 54.441	+32 48 10.78	999	(30)	1989 10 23.944587	00 47 22.131	+09 12 43.04	999
(29)	1992 01 21.939338	06 33 07.370	+32 32 36.70	999	(30)	1989 10 26.934212	00 45 08.825	+08 57 36.49	999
(29)	1992 01 25.925759	06 29 53.325	+32 22 31.17	999	(30)	1989 10 29.924527	00 43 08.217	+08 43 17.03	999
(29)	1992 01 28.917053	06 27 47.010	+32 13 54.66	999	(30)	1989 11 12.882106	00 37 12.768	+07 52 47.64	999
(29)	1992 01 29.913752	06 27 08.838	+32 10 51.65	999	(30)	1989 11 13.879253	00 37 01.745	+07 50 26.49	999
(29)	1992 01 31.906450	06 25 58.544	+32 04 32.65	999	(30)	1989 11 14.876414	00 36 52.712	+07 48 16.61	999
(29)	1992 01 31.907465	06 25 58.515	+32 04 32.79	999	(30)	1989 11 18.865304	00 36 36.421	+07 41 30.53	999
(29)	1992 02 01.903350	06 25 26.472	+32 01 16.71	999	(30)	1989 11 18.866316	00 36 36.443	+07 41 30.48	999
(29)	1992 02 01.904309	06 25 26.430	+32 01 16.65	999	(30)	1989 11 23.851931	00 37 00.613	+07 37 22.15	999
(29)	1992 02 08.882718	06 22 41.344	+31 36 47.89	999	(30)	1989 11 25.846740	00 37 24.010	+07 37 05.72	999
(29)	1992 02 17.857787	06 21 43.552	+31 02 41.99	999	(30)	1989 11 27.841638	00 37 55.112	+07 37 35.52	999
(29)	1992 02 19.851846	06 21 53.681	+30 54 55.36	999	(30)	1989 11 30.834983	00 38 56.048	+07 39 48.91	999
(29)	1992 02 22.844435	06 22 23.943	+30 43 10.25	999	(30)	1989 12 02.829780	00 39 45.917	+07 42 14.89	999
(29)	1992 02 23.841461	06 22 37.938	+30 39 14.95	999	(30)	1989 12 04.824784	00 40 43.028	+07 45 26.64	999
(29)	1992 02 26.833772	06 23 31.456	+30 27 27.09	999	(30)	1989 12 06.819741	00 41 47.173	+07 49 22.28	999
(29)	1992 02 28.829133	06 24 16.495	+30 19 33.76	999	(30)	1989 12 13.803825	00 46 24.227	+08 08 38.60	999
(29)	1992 02 29.826399	06 24 41.814	+30 15 37.37	999	(30)	1989 12 27.775269	00 59 16.548	+09 10 01.57	999
(29)	1992 02 29.827385	06 24 41.843	+30 15 37.09	999	(30)	1990 01 08.751642	01 13 34.152	+10 22 22.95	999
(29)	1992 03 02.822434	06 25 37.789	+30 07 43.59	999	(30)	1992 05 16.141381	18 58 42.333	-24 48 43.63	999

(30)	1992 05 17.138907	18 58 32.502	-24 49 05.05	999	(37)	1989 11 28.231177	10 00 26.629	+15 46 25.95	999
(30)	1992 05 26.112474	18 55 40.390	-24 53 36.18	999	(37)	1989 12 06.213581	10 06 26.222	+15 21 04.48	999
(30)	1992 08 11.856183	17 54 11.627	-24 30 34.91	999	(37)	1989 12 24.169381	10 13 42.020	+14 55 47.79	999
(30)	1992 08 17.839724	17 54 05.038	-24 23 48.40	999	(37)	1989 12 29.155998	10 14 01.083	+14 57 29.03	999
(30)	1993 10 30.155386	06 16 25.546	+26 03 36.56	999	(37)	1990 01 19.094377	10 06 55.484	+15 43 53.51	999
(30)	1993 11 15.110914	06 15 32.486	+26 09 19.52	999	(37)	1990 01 22.084099	10 04 52.816	+15 54 41.96	999
(30)	1993 11 16.107913	06 15 08.940	+26 09 37.46	999	(37)	1990 03 12.918657	09 22 51.869	+18 22 58.89	999
(30)	1993 11 18.101954	06 14 14.855	+26 10 10.99	999	(37)	1990 03 14.912356	09 21 56.394	+18 23 21.58	999
(30)	1993 11 20.096176	06 13 11.649	+26 10 39.00	999	(37)	1990 03 16.906327	09 21 07.612	+18 23 12.24	999
(30)	1993 11 22.089347	06 11 59.634	+26 11 00.68	999	(37)	1990 03 19.897563	09 20 07.272	+18 21 58.73	999
(30)	1993 11 23.086164	06 11 20.402	+26 11 08.79	999	(37)	1990 03 21.892104	09 19 35.689	+18 20 30.93	999
(30)	1993 11 24.083624	06 10 39.030	+26 11 15.00	999	(37)	1992 08 06.004795	21 05 03.687	-20 49 01.39	999
(30)	1993 11 26.076472	06 09 10.344	+26 11 19.71	999	(37)	1992 08 20.954577	20 51 12.794	-21 31 54.83	999
(30)	1993 12 21.986694	05 42 01.548	+25 51 10.27	999	(37)	1992 08 23.945263	20 48 41.655	-21 38 04.10	999
(30)	1993 12 21.987643	05 42 01.460	+25 51 10.25	999	(37)	1992 09 01.915154	20 42 05.538	-21 50 40.80	D 999
(30)	1994 01 19.891449	05 18 49.752	+24 52 25.55	999	(37)	1992 09 15.872409	20 35 33.932	-21 52 17.39	999
(31)	1989 09 28.211655	05 31 08.801	+39 17 23.53	999	(37)	1993 11 16.143184	07 06 05.449	+27 11 38.48	999
(31)	1989 09 30.206839	05 33 03.418	+39 44 53.57	999	(37)	1993 11 17.141459	07 06 10.376	+27 13 36.72	999
(31)	1989 10 04.199310	05 36 37.406	+40 41 00.95	999	(37)	1993 11 18.138520	07 06 13.088	+27 15 37.33	999
(31)	1989 10 12.181475	05 42 36.325	+42 37 31.21	999	(37)	1993 11 19.135285	07 06 13.540	+27 17 40.55	999
(31)	1989 10 13.179546	05 43 14.070	+42 52 28.94	999	(37)	1993 11 21.129767	07 06 07.714	+27 21 54.97	999
(31)	1989 10 24.152722	05 48 05.895	+45 42 09.55	999	(37)	1994 01 17.939848	06 20 24.895	+28 37 18.61	999
(31)	1989 10 25.150089	05 48 20.026	+45 57 58.23	999	(37)	1994 01 18.936290	06 19 40.119	+28 36 10.98	999
(31)	1989 10 30.137277	05 48 55.751	+47 17 38.73	999	(37)	1994 01 19.933068	06 18 57.118	+28 34 58.67	999
(31)	1989 11 12.098271	05 45 28.074	+50 43 49.83	999	(37)	1994 01 28.905633	06 13 57.892	+28 21 19.36	999
(31)	1989 11 13.095344	05 44 52.841	+50 59 13.86	999	(37)	1994 01 29.902042	06 13 34.975	+28 19 33.12	999
(31)	1989 11 28.044839	05 30 26.858	+54 28 30.92	999	(37)	1994 01 30.899076	06 13 14.159	+28 17 44.89	999
(31)	1989 12 03.026918	05 23 31.972	+55 24 35.18	999	(37)	1994 01 30.900052	06 13 14.130	+28 17 44.79	999
(31)	1989 12 05.017721	05 20 32.907	+55 44 26.98	999	(37)	1994 01 31.896125	06 12 55.484	+28 15 54.45	999
(31)	1989 12 05.019112	05 20 32.791	+55 44 27.74	999	(37)	1994 01 31.897082	06 12 55.460	+28 15 54.35	999
(31)	1989 12 06.014590	05 19 00.923	+55 53 49.04	999	(38)	1986 09 07.146334	02 32 32.888	+24 47 21.08	999
(31)	1989 12 07.010361	05 17 27.697	+56 02 46.29	999	(38)	1986 09 28.086808	02 29 22.735	+25 42 13.95	999
(31)	1989 12 08.006387	05 15 53.248	+56 11 19.58	999	(38)	1986 10 08.055140	02 23 42.242	+25 42 30.87	999
(31)	1989 12 09.002634	05 14 17.706	+56 19 28.42	999	(38)	1986 10 11.046080	02 21 32.850	+25 38 47.79	999
(31)	1989 12 13.984474	05 06 09.701	+56 53 52.92	999	(38)	1986 10 26.992469	02 07 43.760	+24 49 16.20	999
(31)	1989 12 27.931048	04 44 21.563	+57 34 10.41	999	(38)	1986 11 04.962079	01 59 23.798	+24 02 05.55	999
(31)	1989 12 28.927476	04 42 59.774	+57 34 06.63	999	(38)	1986 11 08.948468	01 55 52.866	+23 38 03.16	999
(31)	1990 01 04.901943	04 34 39.460	+57 24 34.80	999	(38)	1986 11 09.945075	01 55 02.088	+23 31 50.18	999
(31)	1990 01 05.899064	04 33 39.440	+57 22 03.90	999	(38)	1986 11 12.935421	01 52 35.476	+23 12 50.90	999
(31)	1990 01 12.875734	04 28 08.681	+56 58 06.97	999	(38)	1986 11 28.884950	01 42 50.415	+21 30 56.53	999
(31)	1990 01 16.863952	04 26 12.267	+56 40 26.63	999	(39)	1985 03 08.999934	11 05 47.558	+08 12 16.39	999
(31)	1990 01 18.857602	04 25 34.158	+56 30 47.54	999	(39)	1989 01 29.954257	07 29 07.635	+11 52 44.49	999
(31)	1990 01 20.851713	04 25 09.417	+56 20 42.09	999	(39)	1989 02 01.944643	07 26 53.638	+12 09 54.07	999
(31)	1990 01 21.849471	04 25 01.999	+56 15 30.66	999	(39)	1989 02 14.903596	07 19 15.725	+13 23 58.47	999
(31)	1990 02 22.777258	04 46 42.802	+53 15 07.36	999	(39)	1989 03 12.830530	07 16 19.922	+15 30 55.18	999
(34)	1989 08 30.126590	01 34 34.103	+09 06 51.82	999	(39)	1989 03 23.802689	07 20 05.097	+16 10 35.80	999
(34)	1989 09 28.038586	01 20 59.672	+06 50 43.99	999	(39)	1990 01 21.224212	13 22 40.815	-03 25 30.32	999
(34)	1989 10 03.021790	01 17 15.127	+06 18 28.61	999	(39)	1990 03 16.075578	13 21 02.077	+00 27 33.50	999
(34)	1989 10 04.018936	01 16 28.555	+06 11 52.02	999	(39)	1990 03 17.072875	13 20 27.371	+00 34 55.59	999
(34)	1989 10 05.015242	01 15 41.581	+06 05 13.17	999	(39)	1990 03 18.069218	13 19 51.789	+00 42 19.59	999
(34)	1989 11 13.887717	00 48 19.184	+02 18 00.18	999	(39)	1990 03 19.066486	13 19 15.284	+00 49 47.09	999
(36)	1989 03 13.970059	10 41 23.495	+17 34 18.86	999	(39)	1990 03 31.027383	13 11 01.576	+02 20 08.50	999

(39)	1990 04 28.934271	12 50 19.315	+05 15 16.16	999	(40)	1991 12 29.094787	08 43 44.462	+20 42 21.17	999
(39)	1990 05 15.882703	12 42 47.988	+05 57 53.17	999	(40)	1991 12 29.095697	08 43 44.438	+20 42 21.40	999
(39)	1992 09 12.179764	03 43 00.399	+08 06 07.78	999	(40)	1992 01 13.045933	08 30 49.237	+22 07 36.63	999
(39)	1992 09 15.172948	03 44 16.964	+07 51 56.86	999	(40)	1992 01 14.042286	08 29 47.119	+22 13 33.06	999
(39)	1992 11 06.019526	03 28 57.367	+02 26 19.50	999	(40)	1992 01 18.027783	08 25 30.716	+22 37 05.25	999
(39)	1992 11 07.016222	03 28 07.665	+02 21 03.42	999	(40)	1992 01 25.003056	08 17 45.094	+23 16 23.80	999
(39)	1992 11 22.963269	03 14 44.592	+01 20 16.31	999	(40)	1992 01 25.003991	08 17 45.038	+23 16 24.22	999
(39)	1992 11 29.940620	03 09 30.122	+01 09 52.97	999	(40)	1992 01 29.986747	08 12 13.993	+23 41 58.88	999
(39)	1992 11 29.941496	03 09 30.084	+01 09 53.16	999	(40)	1992 02 01.975178	08 09 01.869	+23 55 59.49	999
(39)	1992 12 13.896942	03 01 45.877	+01 20 21.65	999	(40)	1992 02 01.976109	08 09 01.815	+23 55 59.90	999
(39)	1992 12 13.897823	03 01 45.850	+01 20 21.70	999	(40)	1992 02 17.922889	07 55 01.185	+24 50 11.61	999
(39)	1992 12 14.894429	03 01 22.919	+01 22 36.86	999	(40)	1992 02 19.915451	07 53 46.045	+24 54 25.70	999
(39)	1992 12 29.851140	02 58 42.817	+02 17 17.47	999	(40)	1992 02 22.906111	07 52 07.858	+24 59 45.55	999
(39)	1992 12 29.852017	02 58 42.831	+02 17 17.72	999	(40)	1992 02 22.907041	07 52 07.828	+24 59 45.68	999
(39)	1993 01 09.822557	03 00 26.601	+03 17 30.56	999	(40)	1992 02 23.903053	07 51 39.137	+25 01 16.35	999
(39)	1993 01 15.807420	03 02 37.265	+03 55 30.49	999	(40)	1992 02 23.903974	07 51 39.098	+25 01 16.67	999
(39)	1993 01 16.805000	03 03 03.847	+04 02 07.68	999	(40)	1992 02 26.894142	07 50 25.157	+25 05 01.48	999
(39)	1993 01 17.802591	03 03 31.712	+04 08 48.79	999	(40)	1992 02 28.888485	07 49 46.181	+25 06 53.56	999
(39)	1993 01 19.797821	03 04 31.580	+04 22 24.82	999	(40)	1992 02 29.885177	07 49 29.844	+25 07 38.05	999
(39)	1993 01 29.775649	03 10 46.175	+05 33 42.74	999	(40)	1992 03 02.880092	07 49 03.467	+25 08 45.82	999
(39)	1993 02 06.757905	03 17 08.523	+06 33 24.76	999	(40)	1992 03 06.869092	07 48 35.808	+25 09 37.85	999
(39)	1993 11 21.257309	10 10 27.306	+06 23 12.55	999	(40)	1992 03 09.860519	07 48 36.918	+25 09 04.92	999
(39)	1993 11 23.253256	10 11 53.369	+06 16 16.22	999	(40)	1992 03 16.841715	07 49 49.513	+25 04 11.26	999
(39)	1993 11 26.246101	10 13 55.250	+06 06 34.65	999	(40)	1992 03 16.842609	07 49 49.533	+25 04 11.26	999
(39)	1994 01 19.102879	10 20 03.454	+06 33 35.28	999	(40)	1993 04 20.154753	17 34 49.229	-20 06 23.27	999
(39)	1994 01 31.065279	10 13 04.512	+07 40 20.85	999	(40)	1993 05 07.106971	17 31 57.530	-20 13 48.38	999
(39)	1994 02 01.062073	10 12 23.329	+07 46 44.41	999	(40)	1993 05 22.058620	17 21 51.005	-20 22 29.77	999
(40)	1989 01 29.162992	12 26 49.062	+03 18 21.22	999	(40)	1993 06 01.024344	17 12 05.869	-20 28 52.08	999
(40)	1989 01 31.157910	12 27 00.654	+03 23 04.25	999	(40)	1993 06 16.969578	16 54 49.367	-20 39 24.34	999
(40)	1989 02 01.155288	12 27 03.853	+03 25 42.61	999	(41)	1986 08 05.116544	23 40 13.444	+04 17 32.54	999
(40)	1989 02 07.138125	12 26 45.592	+03 45 27.46	999	(41)	1986 08 07.110836	23 39 30.800	+04 07 28.94	999
(40)	1989 02 08.135455	12 26 36.256	+03 49 22.38	999	(41)	1986 08 25.054971	23 29 55.125	+02 06 01.95	999
(40)	1989 02 12.123674	12 25 41.037	+04 06 48.59	999	(41)	1986 09 01.032872	23 25 00.695	+01 06 30.32	999
(40)	1989 03 12.035220	12 07 25.260	+07 03 22.59	999	(41)	1986 09 02.029546	23 24 16.701	+00 57 36.31	999
(40)	1989 03 20.008070	11 59 47.218	+07 57 22.68	999	(41)	1986 09 04.022944	23 22 47.695	+00 39 34.56	999
(40)	1989 04 14.921286	11 37 59.203	+09 50 19.87	999	(41)	1986 09 06.016495	23 21 17.693	+00 21 17.28	999
(40)	1989 05 07.854293	11 31 34.405	+09 35 40.90	999	(41)	1986 09 08.010055	23 19 47.031	+00 02 47.32	999
(40)	1990 07 08.130816	22 09 30.336	-15 45 03.44	999	(41)	1986 09 10.003617	23 18 16.200	-00 15 51.39	999
(40)	1990 07 13.116267	22 08 35.904	-16 07 23.32	999	(41)	1986 09 26.948845	23 06 07.776	-02 52 09.68	999
(40)	1990 07 21.092443	22 05 32.414	-16 51 21.45	999	(41)	1986 09 28.942478	23 04 52.854	-03 09 25.64	999
(40)	1990 07 22.088631	22 05 01.400	-16 57 27.32	999	(41)	1986 09 29.938514	23 04 16.645	-03 17 54.01	999
(40)	1990 07 30.064044	21 59 54.497	-17 50 04.21	999	(41)	1986 10 02.929940	23 02 33.269	-03 42 42.00	999
(40)	1990 07 31.059992	21 59 09.489	-17 56 58.30	999	(41)	1986 10 03.926833	23 02 00.715	-03 50 43.80	999
(40)	1990 08 01.057542	21 58 23.124	-18 03 56.47	999	(41)	1986 10 04.923478	23 01 29.130	-03 58 37.90	999
(40)	1990 08 10.027768	21 50 37.466	-19 07 15.09	999	(41)	1986 10 08.910667	22 59 33.309	-04 28 53.51	999
(40)	1990 08 18.996250	21 42 01.236	-20 07 06.15	999	(41)	1986 10 09.907634	22 59 07.060	-04 36 06.30	999
(40)	1990 08 23.979906	21 37 15.167	-20 36 28.46	999	(41)	1986 10 11.901611	22 58 18.017	-04 50 05.47	999
(40)	1990 08 26.969692	21 34 30.091	-20 52 13.21	999	(41)	1986 10 12.899437	22 57 55.170	-04 56 51.50	999
(40)	1990 08 27.966677	21 33 36.623	-20 57 08.30	999	(41)	1986 11 08.824028	22 55 18.576	-06 57 54.27	999
(40)	1990 08 28.962815	21 32 44.160	-21 01 51.88	999	(41)	1988 11 23.158117	07 55 32.009	+01 10 14.11	999
(40)	1990 09 05.937244	21 26 26.342	-21 32 49.79	999	(41)	1988 12 08.115286	07 52 31.089	+00 05 29.46	999
(40)	1991 12 27.101118	08 44 59.418	+20 32 15.43	999	(42)	1986 07 05.121360	21 44 29.896	-23 56 17.35	999

(42)	1989 02 07.166432	13 06 29.702	+05 06 48.81	999	(44)	1989 06 07.928306	15 20 59.028	-12 45 07.48	999
(42)	1989 03 30.007504	12 38 30.146	+10 05 30.55	999	(44)	1989 06 12.912314	15 17 40.779	-12 41 12.86	999
(42)	1989 04 14.953221	12 23 47.327	+11 11 54.03	999	(44)	1990 07 13.137851	22 39 24.270	-09 30 07.40	999
(42)	1989 05 03.892165	12 10 51.075	+11 24 19.51	999	(44)	1990 07 18.122987	22 38 10.179	-09 45 01.90	999
(42)	1989 05 08.877291	12 08 45.905	+11 15 12.47	999	(44)	1990 07 26.099050	22 34 56.466	-10 16 37.49	999
(42)	1990 08 20.134949	01 04 57.009	-09 34 27.39	999	(44)	1990 08 03.074171	22 30 16.332	-10 56 39.08	999
(42)	1990 08 23.126505	01 05 07.502	-09 51 33.85	999	(44)	1990 08 10.051710	22 25 10.561	-11 37 05.70	999
(42)	1990 09 01.100574	01 03 41.490	-10 48 03.98	999	(44)	1990 08 11.047458	22 24 23.034	-11 43 11.16	999
(42)	1990 09 04.092462	01 02 34.995	-11 07 52.00	999	(44)	1990 08 18.024334	22 18 28.889	-12 27 11.04	999
(42)	1991 12 29.099710	08 49 47.256	+24 45 19.95	999	(44)	1990 08 21.014542	22 15 48.737	-12 46 25.42	999
(42)	1992 01 14.045710	08 36 00.124	+26 24 10.29	999	(44)	1990 08 24.004574	22 13 05.925	-13 05 36.46	999
(42)	1992 01 18.032016	08 31 55.579	+26 47 48.40	999	(44)	1990 08 27.990697	22 09 27.694	-13 30 48.43	999
(42)	1992 01 25.007714	08 24 32.141	+27 26 04.88	999	(44)	1990 08 31.977969	22 05 51.779	-13 55 11.25	999
(42)	1992 01 28.994685	08 20 17.085	+27 45 40.01	999	(44)	1990 09 01.974643	22 04 58.645	-14 01 06.30	999
(42)	1992 01 29.991391	08 19 13.878	+27 50 15.31	999	(44)	1991 12 27.076149	08 08 02.534	+17 27 52.08	999
(42)	1992 02 01.980041	08 16 06.675	+28 03 14.20	999	(44)	1991 12 29.069634	08 06 41.829	+17 35 25.14	999
(42)	1992 02 01.980977	08 16 06.606	+28 03 14.44	999	(44)	1991 12 30.066461	08 05 58.899	+17 39 23.21	999
(42)	1992 02 06.963008	08 11 06.641	+28 22 09.17	999	(44)	1992 01 13.019511	07 53 40.343	+18 45 04.19	999
(42)	1992 02 08.956146	08 09 12.394	+28 28 42.58	999	(44)	1992 01 14.016732	07 52 41.296	+18 50 14.14	999
(42)	1992 02 17.927455	08 01 33.465	+28 51 08.42	999	(44)	1992 01 18.002337	07 48 43.348	+19 11 03.18	999
(42)	1992 02 20.916851	07 59 24.253	+28 56 07.19	999	(44)	1992 01 24.978252	07 41 54.842	+19 47 14.67	999
(42)	1992 02 21.913705	07 58 44.097	+28 57 30.02	999	(44)	1992 01 29.962596	07 37 24.978	+20 12 00.80	999
(42)	1992 02 22.910279	07 58 05.459	+28 58 45.60	999	(44)	1992 01 30.959207	07 36 34.493	+20 16 47.34	999
(42)	1992 02 22.911227	07 58 05.412	+28 58 45.82	999	(44)	1992 01 31.955565	07 35 45.377	+20 21 29.71	999
(42)	1992 02 23.907052	07 57 28.337	+28 59 53.65	999	(44)	1992 02 01.951590	07 34 57.693	+20 26 08.01	999
(42)	1992 02 23.907987	07 57 28.289	+28 59 53.84	999	(44)	1992 02 01.952494	07 34 57.646	+20 26 08.29	999
(42)	1992 02 29.888487	07 54 18.985	+29 04 05.51	999	(44)	1992 02 07.933353	07 30 45.897	+20 52 14.20	999
(42)	1992 02 29.889447	07 54 18.995	+29 04 05.40	999	(44)	1992 02 08.929561	07 30 10.322	+20 56 15.96	999
(42)	1992 03 06.870606	07 52 09.291	+29 04 09.98	999	(44)	1992 02 17.902878	07 26 22.874	+21 28 10.08	999
(42)	1993 01 22.244915	13 57 32.502	-02 11 57.22	999	(44)	1992 02 20.894072	07 25 46.129	+21 36 58.38	999
(42)	1993 02 02.220284	14 05 07.690	-02 21 25.62	999	(44)	1992 02 21.891125	07 25 38.319	+21 39 41.34	999
(42)	1993 02 16.186871	14 11 27.898	-02 11 28.81	999	(44)	1992 02 22.888420	07 25 32.730	+21 42 18.68	999
(42)	1993 02 19.178906	14 12 15.774	-02 06 03.93	999	(44)	1992 02 23.885091	07 25 29.377	+21 44 49.70	999
(42)	1993 03 06.138026	14 12 53.183	-01 22 12.10	999	(44)	1992 02 23.885994	07 25 29.375	+21 44 49.76	999
(42)	1993 03 25.081269	14 05 11.154	+00 05 27.57	999	(44)	1992 02 26.877439	07 25 32.674	+21 51 44.96	999
(42)	1993 03 26.077449	14 04 31.636	+00 10 39.80	999	(44)	1992 02 27.874130	07 25 38.223	+21 53 50.76	999
(42)	1993 03 30.064756	14 01 40.274	+00 31 39.60	999	(44)	1992 02 28.872443	07 25 45.995	+21 55 50.43	999
(42)	1993 03 31.061286	14 00 54.302	+00 36 54.75	999	(44)	1992 02 29.869624	07 25 55.953	+21 57 43.29	999
(42)	1993 04 05.044792	13 56 47.985	+01 02 56.80	999	(44)	1992 03 06.854474	07 27 41.239	+22 06 47.72	999
(42)	1993 04 10.028489	13 52 18.628	+01 27 58.00	999	(44)	1992 03 11.842351	07 30 06.346	+22 11 25.61	999
(42)	1993 04 24.977441	13 37 44.961	+02 28 38.75	999	(44)	1992 03 16.830649	07 33 19.982	+22 13 24.50	999
(42)	1993 05 02.949971	13 30 16.407	+02 47 07.44	999	(44)	1992 03 17.828646	07 34 04.201	+22 13 29.20	999
(42)	1993 05 02.950848	13 30 16.374	+02 47 07.21	999	(44)	1993 04 19.167412	17 48 29.078	-18 58 53.95	999
(42)	1993 05 16.905369	13 19 34.213	+02 49 47.98	999	(44)	1993 05 06.118662	17 44 52.268	-18 42 52.36	999
(42)	1993 05 28.867693	13 13 58.716	+02 21 03.75	999	(44)	1993 05 07.115353	17 44 24.290	-18 42 00.22	999
(42)	1993 05 28.868570	13 13 58.699	+02 21 03.80	999	(44)	1993 06 16.978964	17 09 05.107	-18 20 01.35	999
(42)	1993 05 30.861991	13 13 25.098	+02 13 38.55	999	(45)	1985 12 22.092881	08 14 07.276	+14 02 34.83	999
(44)	1989 03 12.200178	16 06 44.177	-16 08 53.93	999	(45)	1989 09 25.211405	05 19 36.848	+15 32 11.49	999
(44)	1989 05 17.001871	15 40 34.052	-13 31 30.98	999	(45)	1989 09 28.204763	05 21 00.040	+15 26 34.68	999
(44)	1989 05 26.967908	15 30 56.083	-13 05 22.21	999	(45)	1989 10 01.197151	05 22 11.595	+15 20 38.36	999
(44)	1989 05 27.965043	15 30 01.125	-13 03 09.71	999	(45)	1989 10 17.155125	05 25 03.440	+14 44 53.26	999
(44)	1989 06 05.934737	15 22 27.640	-12 47 28.58	999	(45)	1989 10 23.139320	05 24 30.934	+14 30 20.56	999

(45)	1989 10 25.132934	05 24 07.815 +14 25 26.57	999	(49)	1990 03 21.962733	11 01 10.370 +01 58 47.85	999
(45)	1989 10 27.127448	05 23 38.532 +14 20 31.80	999	(49)	1993 08 17.144103	01 08 31.445 +11 56 50.37	999
(45)	1989 11 23.042844	05 07 55.928 +13 20 33.70	999	(49)	1993 08 29.111857	01 09 15.887 +12 25 33.84	999
(45)	1989 11 28.025590	05 03 34.863 +13 12 18.27	999	(49)	1993 08 30.109051	01 09 09.717 +12 26 54.93	999
(45)	1989 12 04.005958	04 58 04.676 +13 04 21.68	999	(49)	1993 10 15.962926	00 42 41.904 +10 30 26.01	999
(45)	1989 12 23.939482	04 40 12.326 +12 57 09.82	999	(49)	1993 10 19.949557	00 39 54.891 +10 10 19.88	999
(45)	1989 12 28.922567	04 36 27.038 +13 00 38.75	999	(51)	1989 02 06.122842	12 00 45.413 -03 53 21.89	999
(45)	1990 01 05.897839	04 31 28.639 +13 10 48.26	999	(51)	1989 02 09.114280	12 00 23.025 -03 38 41.99	999
(45)	1992 08 05.936662	19 25 24.542 -16 54 05.62	999	(51)	1989 03 11.021475	11 44 21.738 +00 46 13.33	999
(45)	1992 08 06.933229	19 24 46.498 -16 58 43.55	999	(51)	1989 03 12.018777	11 43 34.368 +00 57 36.61	999
(45)	1992 08 20.889891	19 18 17.332 -17 59 24.72	999	(51)	1989 03 18.995479	11 37 59.333 +02 17 59.47	999
(45)	1992 08 20.890786	19 18 17.313 -17 59 24.75	999	(51)	1989 05 02.860967	11 21 01.626 +08 01 01.21	999
(45)	1992 08 23.881289	19 17 32.270 -18 11 07.12	999	(51)	1989 05 04.855659	11 21 30.318 +08 05 04.31	999
(45)	1992 08 23.882176	19 17 32.276 -18 11 07.21	999	(51)	1989 05 06.850567	11 22 05.583 +08 08 09.19	999
(45)	1992 08 24.878908	19 17 20.451 -18 14 54.84	999	(51)	1989 05 07.847704	11 22 25.622 +08 09 20.07	999
(45)	1992 08 26.872633	19 17 01.691 -18 22 16.24	999	(51)	1990 07 09.109982	21 43 46.317 -02 14 05.00	999
(45)	1992 08 26.873539	19 17 01.690 -18 22 16.59	999	(51)	1990 07 18.082051	21 39 21.485 -02 37 42.35	999
(45)	1992 08 27.869827	19 16 54.743 -18 25 52.03	999	(51)	1990 07 19.079225	21 38 45.206 -02 41 24.83	999
(45)	1992 09 01.856884	19 16 44.643 -18 42 47.40	999	(51)	1990 07 20.076557	21 38 07.664 -02 45 19.99	999
(45)	1992 09 04.848020	19 16 58.207 -18 52 06.01	999	(51)	1990 07 22.070058	21 36 48.975 -02 53 48.81	999
(45)	1992 09 10.832444	19 18 08.297 -19 08 48.78	999	(51)	1990 08 02.033597	21 28 24.645 -03 54 42.34	999
(45)	1992 09 10.833350	19 18 08.356 -19 08 48.43	999	(51)	1990 08 05.023758	21 25 52.018 -04 15 02.22	999
(45)	1992 09 15.820206	19 19 49.003 -19 20 39.82	999	(51)	1990 08 09.010469	21 22 23.344 -04 44 10.80	999
(45)	1992 09 18.813075	19 21 07.092 -19 26 52.30	999	(51)	1990 08 10.007092	21 21 30.647 -04 51 47.03	999
(45)	1993 09 02.163506	02 38 45.399 +08 14 55.22	999	(51)	1990 08 11.004245	21 20 37.878 -04 59 30.25	999
(45)	1993 11 12.939199	01 59 32.876 +02 34 40.38	999	(51)	1990 08 19.973344	21 12 50.137 -06 13 01.16	999
(45)	1993 11 14.932765	01 58 09.319 +02 28 42.91	999	(51)	1990 08 20.970041	21 12 00.198 -06 21 29.69	999
(45)	1993 11 18.920795	01 55 33.678 +02 18 40.37	999	(51)	1990 08 21.967117	21 11 10.874 -06 29 59.98	999
(45)	1993 11 19.916902	01 54 57.394 +02 16 33.00	999	(51)	1990 08 26.951098	21 07 16.319 -07 12 42.35	999
(46)	1989 06 28.893552	15 52 50.106 -16 45 42.14	999	(51)	1990 08 28.944152	21 05 49.145 -07 29 42.90	999
(46)	1992 02 07.080558	10 59 57.363 +04 48 41.59	999	(51)	1990 08 31.934306	21 03 46.731 -07 54 59.70	999
(46)	1992 03 01.005006	10 41 09.343 +06 55 26.01	999	(51)	1990 09 04.922453	21 01 20.908 -08 27 59.37	999
(46)	1992 03 02.997476	10 39 23.697 +07 07 22.74	999	(51)	1992 01 14.885744	04 48 46.318 +07 06 05.59	999
(46)	1992 03 06.984147	10 35 55.182 +07 31 02.25	999	(51)	1992 01 14.886610	04 48 46.305 +07 06 05.96	999
(46)	1992 03 11.968011	10 31 44.491 +07 59 38.77	999	(51)	1992 02 01.835103	04 46 41.534 +08 39 51.72	999
(46)	1992 04 03.895196	10 17 24.942 +09 42 06.79	999	(51)	1992 02 01.835968	04 46 41.548 +08 39 52.02	999
(46)	1992 04 10.874917	10 15 14.542 +10 00 22.30	999	(51)	1992 02 19.791786	04 54 23.553 +10 32 50.58	999
(46)	1993 06 16.925632	15 52 29.536 -16 42 26.25	999	(51)	1992 02 21.786779	04 55 47.281 +10 45 41.34	999
(48)	1988 07 15.960788	18 38 14.658 -13 56 42.50	999	(51)	1992 02 21.787658	04 55 47.305 +10 45 41.94	999
(48)	1988 07 21.941169	18 34 03.155 -14 08 12.84	999	(51)	1992 02 22.784860	04 56 31.380 +10 52 05.78	999
(48)	1988 07 22.938532	18 33 23.747 -14 10 15.57	999	(51)	1992 02 23.782351	04 57 16.920 +10 58 30.24	999
(48)	1988 07 24.931753	18 32 07.412 -14 14 27.41	999	(51)	1992 02 23.783228	04 57 16.967 +10 58 30.70	999
(48)	1988 07 25.929198	18 31 30.512 -14 16 35.70	999	(51)	1992 02 26.775835	04 59 42.130 +11 17 38.35	999
(48)	1988 07 29.916009	18 29 12.200 -14 25 27.79	999	(51)	1993 02 11.249213	15 23 05.558 -12 54 16.96	999
(49)	1989 01 28.842453	04 43 24.241 +23 24 41.36	999	(51)	1993 02 16.239972	15 29 15.291 -12 50 14.95	999
(49)	1989 01 29.839483	04 43 39.925 +23 23 37.32	999	(51)	1993 02 16.240867	15 29 15.367 -12 50 14.80	999
(49)	1989 02 02.829371	04 44 59.182 +23 19 58.95	999	(51)	1993 02 25.222280	15 39 09.038 -12 33 26.83	999
(49)	1989 02 04.824540	04 45 48.549 +23 18 31.84	999	(51)	1993 03 25.158833	15 57 29.170 -10 23 53.02	999
(49)	1989 02 08.815402	04 47 46.037 +23 16 18.11	999	(51)	1993 03 27.154019	15 57 56.370 -10 10 27.51	999
(49)	1989 02 15.798796	04 52 08.398 +23 14 19.68	999	(51)	1993 04 17.094176	15 55 07.114 -07 26 27.45	999
(49)	1990 03 06.014600	11 12 59.779 +00 46 24.60	999	(51)	1993 04 20.085092	15 53 37.599 -07 01 01.42	999
(49)	1990 03 15.981363	11 05 26.571 +01 31 48.52	999	(51)	1993 05 03.043044	15 44 40.803 -05 13 32.22	999

(51)	1993 05 04.039752	15 43 51.702	-05 05 46.04	999	(52)	1993 11 22.204535	08 58 03.663	+14 34 38.34	999
(51)	1993 05 16.996341	15 32 26.566	-03 37 21.87	999	(52)	1993 11 23.202352	08 58 31.567	+14 33 52.11	999
(51)	1993 05 31.947575	15 19 57.778	-02 36 56.17	999	(52)	1994 01 30.001790	08 37 30.675	+18 16 37.56	999
(51)	1993 06 04.934267	15 17 13.549	-02 29 46.00	999	(52)	1994 01 30.998492	08 36 41.513	+18 22 21.68	999
(51)	1993 06 16.897434	15 11 14.228	-02 30 40.94	999	(53)	1988 12 13.119583	08 18 38.660	+14 05 59.32	999
(52)	1986 11 26.779161	23 01 45.237	-13 02 41.86	999	(53)	1989 02 02.952163	07 42 22.894	+18 00 25.73	999
(52)	1989 02 03.133262	12 03 35.565	+06 05 31.24	999	(53)	1989 02 05.942352	07 40 24.139	+18 17 02.84	999
(52)	1989 02 05.127274	12 03 12.171	+06 15 20.51	999	(54)	1986 03 15.913424	09 26 17.975	+09 52 42.95	999
(52)	1989 02 07.121837	12 02 43.417	+06 25 42.95	999	(54)	1986 03 19.900642	09 23 57.513	+09 57 31.08	999
(52)	1989 02 08.119116	12 02 27.054	+06 31 05.44	999	(55)	1986 07 11.104649	21 43 47.352	-24 16 16.22	999
(52)	1989 03 14.012262	11 43 11.009	+10 12 57.34	999	(55)	1986 07 30.044091	21 30 47.984	-25 24 46.77	999
(52)	1989 03 18.996338	11 39 32.795	+10 43 59.65	999	(55)	1986 08 06.019423	21 24 23.924	-25 46 08.44	999
(52)	1989 03 29.961507	11 31 59.932	+11 41 56.36	999	(55)	1986 08 24.956125	21 06 38.694	-26 12 41.80	999
(52)	1989 04 21.891473	11 21 36.075	+12 41 01.05	999	(55)	1986 08 25.952256	21 05 48.295	-26 12 30.67	999
(52)	1989 05 01.862605	11 20 17.657	+12 38 47.98	999	(55)	1986 10 03.836470	20 52 51.970	-24 10 32.50	999
(52)	1989 05 04.854794	11 20 18.554	+12 35 04.14	999	(55)	1986 10 08.824655	20 54 24.259	-23 42 04.11	999
(52)	1989 05 05.851730	11 20 21.331	+12 33 31.41	999	(55)	1986 11 03.765579	21 12 23.789	-20 41 52.38	999
(52)	1990 05 16.055167	16 51 39.843	-13 11 44.07	999	(55)	1989 03 11.036097	12 05 45.602	+02 03 18.33	999
(52)	1990 05 21.039014	16 48 00.461	-13 04 53.31	999	(56)	1986 03 20.055593	13 07 05.805	-07 45 59.32	999
(52)	1990 05 28.016325	16 42 33.998	-12 57 05.99	999	(56)	1986 04 28.924804	12 36 23.605	-02 19 06.33	999
(52)	1990 05 29.012743	16 41 46.302	-12 56 11.35	999	(56)	1989 02 08.887453	06 32 54.768	+12 30 40.12	999
(52)	1990 05 31.006495	16 40 10.525	-12 54 31.06	999	(59)	1988 02 19.162984	13 46 16.904	-06 46 58.67	999
(52)	1990 06 15.953372	16 27 47.330	-12 49 43.87	999	(59)	1988 03 27.052246	13 33 02.988	-03 27 03.78	999
(52)	1990 06 18.944521	16 25 40.497	-12 50 42.10	999	(59)	1988 04 11.003882	13 21 50.275	-01 40 58.76	999
(52)	1990 06 24.925414	16 21 46.992	-12 54 31.47	999	(59)	1988 04 13.994314	13 19 30.212	-01 20 35.29	999
(52)	1990 07 07.884754	16 15 18.958	-13 11 31.86	999	(59)	1988 05 23.869430	12 57 29.448	+01 24 56.39	999
(52)	1990 07 08.881676	16 14 56.684	-13 13 19.16	999	(63)	1985 11 14.997531	03 30 41.557	+28 19 44.17	999
(52)	1990 07 08.882597	16 14 56.660	-13 13 18.88	999	(63)	1989 10 12.201051	06 11 30.900	+30 23 29.06	999
(52)	1990 07 09.878702	16 14 35.562	-13 15 09.69	999	(63)	1989 10 27.162509	06 15 20.703	+30 57 54.75	999
(52)	1990 07 09.879636	16 14 35.540	-13 15 09.42	999	(63)	1989 11 23.082150	06 04 14.429	+31 56 00.06	999
(52)	1990 07 12.870630	16 13 39.194	-13 21 07.34	999	(63)	1989 11 26.071267	06 01 36.517	+32 00 19.17	999
(52)	1992 08 24.176954	02 24 32.859	+05 18 08.37	999	(63)	1989 11 28.064332	05 59 43.380	+32 02 45.41	999
(52)	1992 08 24.177817	02 24 32.881	+05 18 08.32	999	(63)	1989 12 05.041398	05 52 25.387	+32 08 00.64	999
(52)	1992 09 02.154422	02 25 59.451	+04 55 04.97	999	(63)	1989 12 07.033922	05 50 10.625	+32 08 28.14	999
(52)	1992 09 06.142898	02 26 05.140	+04 42 04.86	999	(63)	1989 12 09.027121	05 47 52.666	+32 08 26.38	999
(52)	1992 09 11.129610	02 25 43.292	+04 23 36.16	999	(63)	1989 12 28.955794	05 24 25.745	+31 40 06.01	999
(52)	1992 09 25.087795	02 21 51.350	+03 20 39.45	999	(63)	1989 12 29.951819	05 23 21.014	+31 37 28.27	999
(52)	1992 11 26.888003	01 41 49.677	-00 23 08.96	999	(63)	1990 01 05.928768	05 16 23.015	+31 16 46.94	999
(52)	1992 11 29.879085	01 40 47.096	-00 21 07.61	999	(63)	1990 01 16.892625	05 08 03.765	+30 39 14.79	999
(52)	1992 11 29.879961	01 40 47.082	-00 21 07.25	999	(63)	1990 01 20.879768	05 05 57.318	+30 25 07.69	999
(52)	1992 12 14.836544	01 38 29.940	+00 10 12.63	999	(63)	1990 01 21.876816	05 05 30.558	+30 21 36.80	999
(52)	1992 12 14.837425	01 38 29.958	+00 10 12.94	999	(63)	1990 02 06.831585	05 02 49.622	+29 29 10.54	999
(52)	1992 12 30.795553	01 41 28.189	+01 17 32.25	999	(63)	1990 02 21.794100	05 07 25.497	+28 50 14.33	999
(52)	1993 01 15.756822	01 49 33.069	+02 51 09.90	999	(63)	1990 02 24.787257	05 09 04.551	+28 43 43.00	999
(52)	1993 01 15.757704	01 49 33.087	+02 51 10.39	999	(63)	1992 08 25.110819	00 51 36.731	+08 52 55.69	999
(52)	1993 01 16.754538	01 50 12.442	+02 57 41.26	999	(63)	1992 08 27.104094	00 50 44.504	+08 54 55.44	999
(52)	1993 01 16.755415	01 50 12.462	+02 57 41.75	999	(63)	1992 09 05.075885	00 45 27.144	+08 55 11.17	999
(52)	1993 01 19.747782	01 52 16.496	+03 17 38.56	999	(63)	1992 09 06.073279	00 44 44.186	+08 54 20.73	999
(52)	1993 11 15.221173	08 54 13.008	+14 42 51.30	999	(63)	1992 09 16.039306	00 36 26.006	+08 36 59.13	999
(52)	1993 11 18.213907	08 55 59.313	+14 38 44.48	999	(63)	1992 09 25.009386	00 27 43.191	+08 09 15.82	999
(52)	1993 11 18.214857	08 55 59.339	+14 38 44.75	999	(63)	1992 09 26.005259	00 26 43.065	+08 05 38.12	999
(52)	1993 11 21.206811	08 57 34.480	+14 35 30.76	999	(63)	1992 11 22.826034	23 56 34.246	+05 33 29.74	999

(63)	1992 11 22.826919	23 56 34.263	+05 33 29.93	999	(66)	1988 11 07.954001	02 02 22.149	+15 28 58.83	999
(63)	1992 11 29.808434	23 58 46.910	+05 42 51.50	999	(66)	1988 11 13.934496	01 57 35.199	+15 10 46.71	999
(63)	1992 12 01.804289	23 59 38.046	+05 46 50.55	999	(68)	1989 01 27.824378	04 14 43.136	+28 02 46.74	999
(63)	1992 12 13.775616	00 06 35.580	+06 22 06.33	999	(68)	1989 01 28.822759	04 14 57.077	+28 02 44.01	999
(63)	1992 12 13.776490	00 06 35.602	+06 22 06.59	999	(68)	1989 02 01.811732	04 16 09.093	+28 03 00.47	999
(63)	1992 12 20.760665	00 11 57.549	+06 50 54.19	999	(68)	1989 02 03.807571	04 16 54.689	+28 03 24.84	999
(63)	1992 12 29.741264	00 20 04.606	+07 35 47.35	999	(68)	1989 02 05.802665	04 17 46.466	+28 04 00.88	999
(63)	1992 12 29.742153	00 20 04.674	+07 35 47.90	999	(68)	1989 02 15.778619	04 23 32.823	+28 09 29.97	999
(63)	1993 11 04.222617	08 13 27.399	+25 53 11.21	999	(68)	1990 01 22.124114	11 01 16.667	+17 30 19.36	999
(63)	1993 11 15.197124	08 18 27.206	+25 52 16.25	999	(68)	1990 02 18.036694	10 42 53.848	+19 47 40.87	999
(63)	1993 11 18.188414	08 19 15.821	+25 53 39.15	999	(68)	1990 02 22.023960	10 39 25.851	+20 06 22.44	999
(63)	1993 11 21.180606	08 19 49.385	+25 55 46.48	999	(68)	1990 02 23.020814	10 38 33.235	+20 10 50.43	999
(63)	1993 11 22.177965	08 19 57.114	+25 56 37.87	999	(68)	1990 02 24.017323	10 37 40.475	+20 15 11.69	999
(63)	1993 11 22.178954	08 19 57.104	+25 56 38.44	999	(68)	1990 03 03.990167	10 30 39.594	+20 46 07.27	999
(63)	1993 11 23.175309	08 20 03.111	+25 57 35.00	999	(68)	1990 03 06.980021	10 28 05.838	+20 55 39.48	999
(63)	1993 11 26.167204	08 20 10.528	+26 00 54.57	999	(68)	1990 03 07.977382	10 27 15.411	+20 58 33.93	999
(63)	1994 01 17.995711	07 41 23.297	+27 50 02.47	999	(68)	1990 03 15.950652	10 20 54.741	+21 16 36.57	999
(63)	1994 01 29.953853	07 28 09.059	+27 53 24.86	999	(68)	1990 03 16.947217	10 20 10.546	+21 18 12.15	999
(65)	1989 05 05.153541	18 31 00.979	-18 48 11.20	999	(68)	1990 03 20.934800	10 17 22.836	+21 23 04.03	999
(65)	1989 05 28.086077	18 24 35.086	-18 34 21.96	999	(68)	1990 03 26.915738	10 13 42.167	+21 25 50.26	999
(65)	1989 06 13.034968	18 14 22.737	-18 35 13.11	999	(68)	1990 03 30.903352	10 11 38.072	+21 24 43.57	999
(65)	1989 06 29.979263	18 01 25.554	-18 44 23.74	999	(68)	1992 08 07.102012	23 28 54.975	-17 15 51.13	999
(65)	1989 08 02.873997	17 43 28.851	-19 22 47.52	999	(68)	1992 08 12.087044	23 26 51.780	-17 38 03.45	999
(65)	1990 08 07.118910	23 51 45.602	-01 43 54.66	999	(68)	1992 08 14.080484	23 25 51.236	-17 47 09.29	999
(65)	1990 08 08.115993	23 51 29.464	-01 46 41.54	999	(68)	1992 08 17.071112	23 24 08.999	-18 00 51.72	999
(65)	1990 08 19.083677	23 47 25.451	-02 24 41.26	999	(68)	1992 08 18.068683	23 23 32.018	-18 05 24.75	999
(65)	1990 08 22.074753	23 45 59.363	-02 37 08.67	999	(68)	1992 08 24.048697	23 19 22.988	-18 31 55.83	999
(65)	1990 08 23.071123	23 45 29.042	-02 41 28.15	999	(68)	1992 08 27.038893	23 17 03.341	-18 44 17.59	999
(65)	1990 09 04.033604	23 38 33.034	-03 38 29.92	999	(68)	1992 09 05.009494	23 09 26.222	-19 14 54.92	999
(65)	1991 12 26.864855	03 03 12.956	+12 43 19.36	999	(68)	1992 09 06.006139	23 08 33.589	-19 17 32.41	999
(65)	1992 01 28.775298	03 04 23.963	+13 21 49.78	999	(68)	1992 09 07.002365	23 07 40.914	-19 19 59.49	999
(65)	1992 02 01.765975	03 05 50.191	+13 31 47.99	999	(68)	1992 09 24.943107	22 53 05.288	-19 28 58.33	999
(65)	1992 12 21.056987	07 20 32.471	+18 23 25.89	999	(68)	1992 11 23.784641	23 00 44.536	-12 41 36.76	999
(65)	1992 12 30.028586	07 14 01.059	+18 36 39.05	999	(68)	1992 11 28.774198	23 05 18.649	-11 48 42.26	999
(65)	1993 01 09.992487	07 05 30.888	+18 55 06.83	999	(68)	1992 11 28.775081	23 05 18.689	-11 48 41.37	999
(65)	1993 01 14.976794	07 01 41.037	+19 03 54.71	999	(68)	1992 12 14.743071	23 22 34.893	-08 48 53.39	999
(65)	1993 01 15.972873	07 00 55.949	+19 05 40.38	999	(68)	1993 10 27.228072	07 48 55.959	+28 04 28.39	999
(65)	1993 01 16.969560	07 00 11.219	+19 07 26.19	999	(68)	1993 11 04.208457	07 53 02.531	+28 23 09.28	999
(65)	1993 01 28.930716	06 51 58.217	+19 28 17.77	999	(68)	1993 11 18.173563	07 56 14.993	+29 08 10.38	999
(65)	1993 01 28.931654	06 51 58.195	+19 28 17.89	999	(68)	1993 11 19.169737	07 56 16.190	+29 11 58.60	999
(65)	1993 01 29.927704	06 51 21.891	+19 29 59.23	999	(68)	1993 11 21.164238	07 56 13.313	+29 19 49.98	999
(65)	1993 02 07.899706	06 46 37.322	+19 44 33.90	999	(68)	1993 11 22.161460	07 56 09.272	+29 23 52.18	999
(65)	1993 02 11.887633	06 44 57.734	+19 50 39.93	999	(68)	1993 11 22.162394	07 56 09.261	+29 23 52.42	999
(65)	1993 02 23.853437	06 41 49.765	+20 07 17.18	999	(68)	1993 11 23.158687	07 56 03.472	+29 27 58.50	999
(65)	1993 02 24.850276	06 41 41.934	+20 08 32.55	999	(68)	1993 11 26.150495	07 55 35.479	+29 40 41.04	999
(66)	1988 10 01.079467	02 32 44.818	+16 45 52.85	999	(68)	1994 01 17.976041	07 13 10.734	+33 09 23.24	999
(66)	1988 10 02.076046	02 32 16.852	+16 45 55.44	999	(68)	1994 01 18.972616	07 12 10.144	+33 10 47.53	999
(66)	1988 10 21.015531	02 18 42.108	+16 21 40.38	999	(68)	1994 01 28.938912	07 02 56.219	+33 17 14.35	999
(66)	1988 10 24.005040	02 15 59.831	+16 14 08.52	999	(68)	1994 01 31.929345	07 00 33.205	+33 16 41.86	999
(66)	1988 10 29.984971	02 10 27.080	+15 57 04.85	999	(68)	1994 01 31.930323	07 00 33.138	+33 16 41.93	999
(66)	1988 11 02.971121	02 06 46.536	+15 44 44.13	999	(71)	1989 07 30.078350	22 21 11.612	-03 58 58.00	999
(66)	1988 11 04.964443	02 04 58.737	+15 38 25.71	999	(71)	1989 07 31.073970	22 20 17.164	-03 55 16.86	999

(71)	1989 08 01.071602	22 19 21.538	-03 51 41.73	999	(83)	1990 03 27.000685	12 15 37.366	+02 14 11.63	999
(71)	1989 08 03.064157	22 17 27.478	-03 44 51.35	999	(87)	1986 10 15.209327	06 34 12.875	+24 53 44.37	999
(71)	1989 08 11.037121	22 09 18.975	-03 21 42.47	999	(87)	1986 11 09.141998	06 36 00.669	+25 56 18.68	999
(71)	1989 08 13.029404	22 07 11.096	-03 16 55.71	999	(87)	1986 11 27.088887	06 28 46.753	+26 51 48.18	999
(71)	1989 08 21.001871	21 58 30.100	-03 01 28.80	999	(87)	1986 11 29.082733	06 27 33.978	+26 58 06.88	999
(71)	1989 08 29.971108	21 48 55.236	-02 50 12.07	999	(87)	1986 12 02.072903	06 25 36.794	+27 07 32.17	999
(71)	1989 09 02.956640	21 44 54.604	-02 46 48.86	999	(87)	1986 12 03.068785	06 24 55.757	+27 10 38.96	999
(71)	1989 09 05.947050	21 42 03.215	-02 44 45.11	999	(87)	1986 12 04.065564	06 24 13.738	+27 13 44.65	999
(71)	1989 09 06.943108	21 41 08.126	-02 44 08.59	999	(87)	1986 12 11.043461	06 18 56.237	+27 34 45.35	999
(71)	1989 09 07.939783	21 40 14.065	-02 43 33.49	999	(87)	1989 05 04.947825	13 34 51.005	+01 29 16.25	999
(71)	1989 09 23.888894	21 28 42.195	-02 36 10.40	999	(87)	1993 01 19.809035	03 20 12.979	+16 56 47.57	999
(71)	1989 09 25.881916	21 27 41.309	-02 35 11.76	999	(87)	1993 01 29.783990	03 22 38.723	+17 30 09.80	999
(71)	1989 09 30.867370	21 25 35.958	-02 32 22.30	999	(87)	1993 11 16.210192	08 42 49.540	+25 59 35.92	999
(71)	1989 10 01.863930	21 25 15.551	-02 31 42.98	999	(87)	1993 11 17.207644	08 43 05.691	+26 02 08.38	999
(71)	1989 10 01.864861	21 25 15.528	-02 31 42.62	999	(87)	1993 11 17.208620	08 43 05.699	+26 02 08.06	999
(71)	1989 10 02.861199	21 24 56.680	-02 31 01.55	999	(87)	1994 01 29.983710	08 11 31.441	+31 13 13.96	999
(71)	1989 10 14.827903	21 23 10.010	-02 19 20.56	999	(87)	1994 01 31.977805	08 09 56.064	+31 18 59.29	999
(71)	1989 10 15.824350	21 23 10.777	-02 18 02.08	999	(88)	1989 01 28.092602	10 41 47.379	+01 56 28.59	999
(71)	1989 10 26.795616	21 24 50.832	-01 59 42.79	999	(88)	1989 01 31.084234	10 39 58.962	+02 01 19.72	999
(71)	1989 10 29.787727	21 25 45.775	-01 53 20.13	999	(88)	1989 02 06.064299	10 35 55.800	+02 14 30.86	999
(71)	1989 11 13.752092	21 32 56.685	-01 11 34.34	999	(88)	1989 02 08.057911	10 34 27.814	+02 19 52.55	999
(79)	1989 07 30.130835	23 38 27.125	+03 46 58.93	999	(88)	1989 02 09.054715	10 33 42.758	+02 22 43.71	999
(79)	1989 08 01.125556	23 38 34.774	+03 49 19.28	999	(88)	1989 02 12.044459	10 31 23.506	+02 31 55.36	999
(79)	1989 08 04.117683	23 38 33.925	+03 51 14.64	999	(88)	1989 03 11.952599	10 08 30.887	+04 26 05.60	999
(79)	1989 08 22.064525	23 33 22.172	+03 19 58.21	999	(88)	1990 05 28.991929	16 12 36.116	-25 39 15.20	999
(79)	1989 08 23.061636	23 32 50.205	+03 16 01.42	999	(88)	1990 05 31.982605	16 09 48.230	-25 26 10.34	999
(79)	1989 08 31.036566	23 27 47.963	+02 36 26.91	999	(88)	1990 06 14.936195	15 57 51.368	-24 20 07.11	999
(79)	1989 09 02.029824	23 26 21.303	+02 24 28.83	999	(88)	1991 12 26.797231	01 25 24.761	+14 25 11.47	999
(79)	1989 09 03.026993	23 25 36.625	+02 18 13.00	999	(88)	1991 12 28.792658	01 26 26.299	+14 25 24.20	999
(79)	1989 09 05.020420	23 24 04.988	+02 05 09.81	999	(88)	1993 01 16.002139	07 43 50.760	+18 56 01.94	999
(79)	1989 09 17.977078	23 13 33.088	+00 27 38.75	999	(88)	1993 01 16.999032	07 42 53.958	+18 57 14.08	999
(79)	1989 09 19.970506	23 11 56.859	+00 11 29.65	999	(88)	1993 01 21.982376	07 38 13.324	+19 03 09.41	999
(79)	1989 09 20.967627	23 11 09.455	+00 03 22.18	999	(88)	1993 01 28.958849	07 31 59.854	+19 10 51.79	999
(79)	1989 09 21.964583	23 10 22.646	-00 04 44.96	999	(88)	1993 01 31.949117	07 29 30.640	+19 13 52.64	999
(79)	1989 09 23.957445	23 08 51.139	-00 20 58.73	999	(88)	1993 02 01.945612	07 28 42.725	+19 14 49.46	999
(79)	1989 10 01.932448	23 03 23.859	-01 24 07.86	999	(88)	1993 02 10.916889	07 22 18.676	+19 22 14.10	999
(79)	1989 10 02.929028	23 02 48.505	-01 31 39.13	999	(88)	1993 02 11.913075	07 21 41.885	+19 22 55.33	999
(79)	1989 10 03.925558	23 02 14.580	-01 39 03.31	999	(88)	1993 02 12.910832	07 21 06.291	+19 23 34.63	999
(79)	1989 10 18.881599	22 57 07.431	-03 11 27.47	999	(88)	1993 02 13.907248	07 20 32.012	+19 24 11.84	999
(79)	1989 10 22.870006	22 56 55.879	-03 28 53.04	999	(88)	1993 03 19.810477	07 15 06.136	+19 27 11.89	999
(79)	1989 10 26.859798	22 57 15.550	-03 42 51.44	999	(88)	1993 03 24.798426	07 16 32.525	+19 24 27.89	999
(79)	1989 11 13.815519	23 05 00.127	-04 01 27.87	999	(89)	1989 10 03.206382	05 42 55.687	+02 28 59.04	999
(79)	1989 11 18.804512	23 08 49.248	-03 54 13.42	999	(89)	1989 10 05.202155	05 44 39.570	+42 39 23.84	999
(79)	1989 11 21.798122	23 11 25.286	-03 47 27.24	999	(89)	1989 10 12.185940	05 49 37.723	+43 14 53.56	999
(79)	1989 11 25.790667	23 15 13.926	-03 35 42.28	999	(89)	1989 10 13.184257	05 50 11.589	+43 19 50.23	999
(79)	1989 11 27.786669	23 17 16.641	-03 28 42.41	999	(89)	1989 10 14.180950	05 50 43.159	+43 24 44.19	999
(83)	1986 03 28.895560	09 52 02.090	+18 57 26.76	999	(89)	1989 10 15.178915	05 51 12.443	+43 29 35.84	999
(83)	1990 02 23.105675	12 40 37.496	+00 32 47.68	999	(89)	1989 10 23.159468	05 53 39.386	+44 06 49.85	999
(83)	1990 02 24.102267	12 40 11.486	+00 34 43.77	999	(89)	1989 10 24.155643	05 53 46.346	+44 11 13.10	999
(83)	1990 03 06.070274	12 34 18.123	+01 00 41.99	999	(89)	1989 11 10.106125	05 48 54.745	+45 10 30.32	999
(83)	1990 03 15.041244	12 26 59.661	+01 31 14.47	999	(89)	1989 11 11.102599	05 48 13.708	+45 12 42.74	999
(83)	1990 03 21.020824	12 21 25.761	+01 53 03.24	999	(89)	1989 11 27.047776	05 32 08.957	+45 17 06.03	999

(89)	1989 12 01.034179	05 26 58.980 +45 07 12.30	999	(93)	1986 10 06.974004	00 22 48.111 +03 39 17.22	999
(89)	1989 12 02.029952	05 25 39.136 +45 03 57.88	999	(93)	1986 10 06.974822	00 22 48.078 +03 39 17.10	999
(89)	1989 12 04.022885	05 22 57.253 +44 56 32.55	999	(93)	1986 10 09.963760	00 20 08.832 +03 31 54.09	999
(89)	1989 12 06.015832	05 20 13.517 +44 47 52.57	999	(93)	1986 10 09.964596	00 20 08.792 +03 31 53.95	999
(89)	1989 12 07.011651	05 18 51.347 +44 43 04.80	999	(93)	1986 10 11.957107	00 18 25.899 +03 27 09.88	999
(89)	1989 12 08.008932	05 17 28.991 +44 37 58.27	999	(93)	1986 10 11.957934	00 18 25.832 +03 27 10.03	999
(89)	1989 12 09.005111	05 16 06.801 +44 32 34.23	999	(93)	1986 10 12.953796	00 17 35.546 +03 24 52.38	999
(89)	1989 12 28.932551	04 51 49.286 +41 50 59.24	999	(93)	1986 10 12.954623	00 17 35.515 +03 24 52.38	999
(89)	1989 12 28.933698	04 51 49.217 +41 50 58.56	999	(93)	1986 10 29.899974	00 05 58.682 +02 57 02.61	999
(89)	1989 12 29.929932	04 50 53.092 +41 40 56.08	999	(93)	1986 11 26.820598	00 01 25.127 +03 20 21.48	999
(89)	1990 01 16.872893	04 40 32.309 +38 32 14.92	999	(93)	1986 11 30.810459	00 02 18.074 +03 31 27.35	999
(89)	1990 01 16.874024	04 40 32.284 +38 32 14.16	999	(93)	1986 12 01.807789	00 02 34.642 +03 34 31.14	999
(89)	1990 01 20.861574	04 39 56.272 +37 51 21.09	999	(94)	1986 11 27.163462	08 17 03.585 +30 10 44.76	999
(89)	1990 02 20.787156	04 53 06.867 +33 29 58.18	999	(94)	1986 12 04.144015	08 16 17.176 +30 30 53.49	999
(89)	1990 02 22.781833	04 54 50.590 +33 16 43.88	999	(94)	1986 12 11.122916	08 14 09.056 +30 53 16.03	999
(89)	1993 09 29.181377	04 52 15.664 +43 42 22.23	999	(94)	1988 03 14.054216	12 44 27.642 -05 34 25.31	999
(89)	1993 10 27.108228	04 55 52.931 +46 35 50.59	999	(94)	1988 03 15.051335	12 43 45.007 -05 32 01.27	999
(89)	1993 11 04.082552	04 50 32.845 +47 01 45.51	999	(94)	1988 03 28.008550	12 33 51.588 -04 56 10.71	999
(89)	1993 11 15.044878	04 39 10.769 +47 08 05.24	999	(94)	1988 04 13.953579	12 20 59.706 -04 06 13.60	999
(89)	1993 11 16.040853	04 37 58.033 +47 06 41.16	999	(97)	1989 12 02.260060	10 56 28.506 +01 49 51.39	999
(89)	1993 11 17.038184	04 36 43.849 +47 04 55.26	999	(97)	1990 02 22.043250	11 07 23.952 +05 51 36.64	999
(89)	1993 11 19.030451	04 34 12.226 +47 00 19.93	999	(97)	1990 03 06.003673	10 57 36.072 +07 55 11.45	999
(89)	1993 11 22.018934	04 30 18.137 +46 50 44.98	999	(97)	1990 03 17.964744	10 48 23.789 +09 48 53.56	999
(89)	1993 11 23.015057	04 28 58.878 +46 46 50.29	999	(97)	1990 03 18.961039	10 47 42.568 +09 57 28.81	999
(89)	1993 11 23.016170	04 28 58.775 +46 46 49.90	999	(97)	1990 03 21.951804	10 45 44.882 +10 22 14.49	999
(89)	1993 11 24.011530	04 27 39.166 +46 42 33.36	999	(97)	1990 03 23.945457	10 44 31.856 +10 37 51.16	999
(89)	1993 11 26.004767	04 24 59.015 +46 32 56.02	999	(97)	1990 05 01.834785	10 39 07.844 +13 01 44.00	999
(89)	1993 12 27.895366	03 52 15.651 +41 34 56.47	999	(97)	1992 08 05.968402	20 11 11.366 -09 46 01.53	999
(89)	1994 01 17.836406	03 50 40.026 +37 46 20.80	999	(97)	1992 08 06.964561	20 10 20.869 -09 52 26.35	999
(89)	1994 01 18.833951	03 50 59.791 +37 36 36.10	999	(97)	1992 08 17.928848	20 01 48.120 -11 05 12.22	999
(93)	1986 09 02.090397	00 52 00.407 +04 46 40.24	999	(97)	1992 08 20.918661	19 59 46.814 -11 25 15.36	999
(93)	1986 09 03.087282	00 51 24.563 +04 46 06.66	999	(97)	1992 08 20.919546	19 59 46.804 -11 25 15.57	999
(93)	1986 09 04.083488	00 50 47.444 +04 45 25.92	999	(97)	1992 09 04.872633	19 52 28.460 -13 01 37.71	999
(93)	1986 09 06.077244	00 49 29.276 +04 43 43.90	999	(97)	1992 09 05.870114	19 52 10.587 -13 07 39.25	999
(93)	1986 09 07.074293	00 48 48.321 +04 42 43.15	999	(97)	1992 09 14.844296	19 50 38.820 -13 58 34.92	999
(93)	1986 09 22.024302	00 36 36.659 +04 16 38.86	999	(97)	1992 09 15.841307	19 50 36.389 -14 03 50.90	999
(93)	1986 09 27.007479	00 32 01.447 +04 04 41.70	999	(97)	1992 09 16.838567	19 50 35.531 -14 09 01.93	999
(93)	1986 09 27.008311	00 32 01.400 +04 04 41.57	999	(97)	1992 09 18.833563	19 50 38.453 -14 19 08.34	999
(93)	1986 09 28.004106	00 31 05.719 +04 02 11.94	999	(97)	1993 10 27.207858	07 19 26.916 +06 46 08.77	999
(93)	1986 09 28.004946	00 31 05.684 +04 02 11.70	999	(97)	1993 10 30.201747	07 22 27.715 +06 25 10.76	999
(93)	1986 09 29.000727	00 30 09.913 +03 59 40.80	999	(97)	1993 11 15.165531	07 34 11.610 +04 42 06.82	999
(93)	1986 09 29.001550	00 30 09.867 +03 59 40.51	999	(97)	1993 11 16.163803	07 34 39.769 +04 36 27.30	999
(93)	1986 09 29.997352	00 29 14.083 +03 57 08.36	999	(97)	1993 11 17.160992	07 35 05.911 +04 30 56.52	999
(93)	1986 09 29.998188	00 29 14.021 +03 57 08.47	999	(97)	1993 11 18.158259	07 35 30.070 +04 25 32.96	999
(93)	1986 09 30.994205	00 28 18.273 +03 54 35.09	999	(97)	1993 11 21.151659	07 36 30.553 +04 10 14.19	999
(93)	1986 09 30.995041	00 28 18.225 +03 54 35.09	999	(97)	1993 11 26.137749	07 37 30.748 +03 47 55.75	999
(93)	1986 10 02.987259	00 26 27.093 +03 49 27.71	999	(97)	1994 01 29.933624	06 59 02.410 +08 07 07.88	999
(93)	1986 10 02.988171	00 26 27.055 +03 49 27.78	999	(97)	1994 01 29.934514	06 59 02.377 +08 07 08.58	999
(93)	1986 10 03.983866	00 25 31.822 +03 46 54.12	999	(97)	1994 01 30.930547	06 58 32.434 +08 17 20.19	999
(93)	1986 10 03.984701	00 25 31.781 +03 46 53.99	999	(97)	1994 01 31.927490	06 58 04.175 +08 27 33.85	999
(93)	1986 10 04.981156	00 24 36.848 +03 44 20.68	999	(97)	1994 01 31.928384	06 58 04.132 +08 27 34.52	999
(93)	1986 10 05.977838	00 23 42.239 +03 41 48.48	999	(104)	1986 10 07.175906	05 13 27.095 +24 04 36.26	999

(104)	1986 10 08.173179	05 13 48.820 +24 06 12.86	999	(115)	1993 11 16.232486	09 14 58.836 +21 47 54.70	999
(104)	1986 10 12.163231	05 14 59.925 +24 12 27.60	999	(115)	1993 11 22.219415	09 19 45.265 +21 10 32.43	999
(104)	1986 11 11.077923	05 09 40.420 +24 46 55.04	999	(115)	1994 01 19.049942	09 02 41.331 +17 49 15.95	999
(104)	1986 11 27.025405	04 57 40.567 +24 51 24.60	999	(115)	1994 01 30.009911	08 49 13.895 +17 32 17.63	999
(104)	1986 11 29.018643	04 55 54.229 +24 51 02.22	999	(115)	1994 01 31.006324	08 48 00.051 +17 30 41.03	999
(104)	1986 12 01.011638	04 54 05.933 +24 50 27.05	999	(115)	1994 02 01.002750	08 46 46.565 +17 29 03.17	999
(104)	1986 12 04.001271	04 51 21.104 +24 49 12.10	999	(128)	1988 02 14.079167	11 26 29.128 +13 24 50.54	999
(104)	1986 12 07.988719	04 47 40.024 +24 46 52.80	999	(128)	1988 02 15.076527	11 25 48.787 +13 30 47.72	999
(104)	1986 12 21.941575	04 35 38.244 +24 34 32.55	999	(128)	1988 02 18.066722	11 23 42.027 +13 48 45.79	999
(104)	1986 12 22.938021	04 34 52.834 +24 33 31.44	999	(128)	1988 02 20.060283	11 22 13.138 +14 00 46.62	999
(105)	1988 03 27.191952	16 54 55.559 -03 26 43.07	999	(128)	1988 02 21.057657	11 21 27.509 +14 06 45.97	999
(105)	1988 04 11.159729	17 06 37.849 +01 01 28.59	999	(128)	1988 03 14.980961	11 02 22.708 +16 07 26.34	999
(105)	1988 05 13.072244	17 07 07.906 +11 11 35.40	999	(128)	1988 03 23.951739	10 55 27.688 +16 37 38.85	999
(105)	1988 05 18.057291	17 04 22.781 +12 30 56.09	999	(128)	1988 03 27.938987	10 52 44.626 +16 46 55.76	999
(105)	1988 05 22.044670	17 01 47.283 +13 27 33.83	999	(128)	1988 04 10.896100	10 45 33.405 +16 58 40.35	999
(105)	1988 06 14.965755	16 43 37.851 +16 25 42.12	999	(128)	1988 04 13.886840	10 44 32.782 +16 57 05.95	999
(105)	1988 06 21.943547	16 39 09.739 +16 21 52.17	999	(128)	1988 04 20.866081	10 42 58.050 +16 48 10.22	999
(105)	1988 06 24.934882	16 37 33.877 +16 13 07.62	999	(128)	1988 04 21.863611	10 42 49.928 +16 46 18.77	999
(105)	1988 07 09.890385	16 33 10.186 +14 36 03.62	999	(129)	1989 01 30.864617	05 23 17.625 +12 35 26.56	999
(105)	1988 07 17.868653	16 33 32.708 +13 15 46.54	999	(129)	1989 02 06.844458	05 21 38.934 +13 04 29.75	999
(111)	1986 05 24.946173	14 49 20.092 -24 00 40.92	999	(129)	1990 01 19.151376	11 30 09.616 +08 36 48.18	999
(111)	1986 06 09.894858	14 39 00.389 -22 43 02.24	999	(129)	1990 01 21.146841	11 30 15.858 +08 47 31.97	999
(114)	1989 09 24.816686	19 48 43.996 -17 55 25.39	999	(129)	1990 01 22.144085	11 30 16.878 +08 53 11.18	999
(114)	1993 05 31.071746	18 15 38.071 -15 56 34.84	999	(129)	1990 02 20.057422	11 20 40.267 +12 47 48.56	999
(115)	1985 09 06.999751	23 03 01.526 +09 00 45.53	999	(129)	1990 02 22.051736	11 19 22.585 +13 07 22.87	999
(115)	1989 09 24.173809	04 19 54.044 +38 36 59.52	999	(129)	1990 02 23.048008	11 18 42.423 +13 17 12.82	999
(115)	1989 09 28.165074	04 23 51.492 +39 12 47.90	999	(129)	1990 03 06.012828	11 10 37.116 +15 04 31.95	999
(115)	1989 09 29.162476	04 24 45.742 +39 21 30.96	999	(129)	1990 03 08.006170	11 09 03.932 +15 23 17.50	999
(115)	1989 10 02.155825	04 27 15.659 +39 47 04.69	999	(129)	1990 03 14.983703	11 03 38.292 +16 25 18.27	999
(115)	1989 10 05.149789	04 29 25.282 +40 11 40.61	999	(129)	1990 03 17.973653	11 01 22.632 +16 49 40.44	999
(115)	1989 10 23.103959	04 34 18.822 +42 12 52.07	999	(129)	1990 04 03.920340	10 50 45.581 +18 33 55.67	999
(115)	1989 10 24.101712	04 34 08.611 +42 17 52.34	999	(129)	1990 04 23.861546	10 46 15.559 +19 12 58.08	999
(115)	1989 10 25.098876	04 33 55.468 +42 22 38.14	999	(129)	1990 04 29.845613	10 46 54.818 +19 07 52.55	999
(115)	1989 10 30.083098	04 32 06.638 +42 42 40.13	999	(129)	1990 05 01.840530	10 47 20.299 +19 04 36.88	999
(115)	1989 11 10.047906	04 24 13.802 +42 59 54.96	999	(129)	1992 09 02.182028	03 07 21.222 +03 00 17.61	999
(115)	1989 11 26.988075	04 05 27.664 +41 57 06.08	999	(129)	1992 11 29.906804	02 20 48.256 -03 04 33.29	999
(115)	1989 12 02.967758	03 58 39.258 +41 08 41.09	999	(129)	1992 11 29.907686	02 20 48.232 -03 04 32.94	999
(115)	1989 12 05.956896	03 55 30.491 +40 40 16.78	999	(129)	1992 12 13.864790	02 15 00.198 -02 42 40.96	999
(115)	1989 12 06.954303	03 54 30.633 +40 30 16.23	999	(129)	1992 12 21.841583	02 13 21.761 -02 17 59.95	999
(115)	1989 12 07.950517	03 53 32.626 +40 20 01.78	999	(129)	1992 12 30.817634	02 13 01.117 -01 41 20.82	999
(115)	1989 12 23.899479	03 43 03.930 +37 16 29.99	999	(129)	1993 11 19.126700	06 53 59.031 +11 32 55.98	999
(115)	1989 12 27.887999	03 42 07.828 +36 29 03.42	999	(129)	1993 11 21.121164	06 53 14.980 +11 31 43.46	999
(115)	1989 12 29.881850	03 41 55.827 +36 05 41.78	999	(129)	1994 01 19.925778	06 08 18.665 +13 21 48.55	999
(115)	1990 01 05.864175	03 42 36.603 +34 47 08.08	999	(130)	1986 07 22.141412	23 20 32.338 -07 26 36.88	999
(115)	1990 01 12.846404	03 45 18.863 +33 35 19.90	999	(130)	1986 07 27.128335	23 21 08.203 -08 14 57.68	999
(115)	1992 08 06.940325	19 35 57.851 -24 23 53.56	999	(130)	1986 07 30.120483	23 21 13.631 -08 46 50.89	999
(115)	1992 08 13.917552	19 29 34.971 -23 57 59.05	999	(130)	1986 08 05.102844	23 20 47.869 -09 56 49.50	999
(115)	1992 08 17.904628	19 26 32.840 -23 41 48.07	999	(130)	1986 08 06.100278	23 20 38.876 -10 09 15.37	999
(115)	1992 08 20.894736	19 24 35.603 -23 29 07.84	999	(130)	1986 08 07.098110	23 20 28.554 -10 21 53.30	999
(115)	1992 08 25.878779	19 21 59.384 -23 07 15.10	999	(130)	1986 08 14.077079	23 18 40.445 -11 55 25.87	999
(115)	1992 09 04.850065	19 19 20.877 -22 21 17.41	999	(130)	1986 08 17.068621	23 17 35.978 -12 37 50.78	999
(115)	1992 09 15.821087	19 20 21.574 -21 28 47.34	999	(130)	1986 08 25.044256	23 13 57.789 -14 35 20.07	999

(130)	1986 09 04.013220	23 08 13.435	-17 04 08.51	999	(148)	1986 08 20.161738	01 43 41.045	-12 13 00.75	999
(130)	1986 09 05.009043	23 07 36.323	-17 18 41.43	999	(148)	1986 09 02.129614	01 48 35.497	-15 42 07.54	999
(130)	1986 09 07.003128	23 06 21.315	-17 47 31.05	999	(148)	1986 09 03.126548	01 48 46.769	-15 59 20.70	999
(130)	1986 09 29.931499	22 53 17.644	-22 21 17.09	999	(148)	1986 09 04.123816	01 48 56.374	-16 16 40.79	999
(130)	1986 10 08.904912	22 50 16.637	-23 28 54.94	999	(148)	1986 09 05.121085	01 49 04.272	-16 34 06.92	999
(130)	1986 10 11.895706	22 49 40.787	-23 45 55.01	999	(148)	1986 09 07.115634	01 49 14.993	-17 09 16.74	999
(130)	1986 10 12.893702	22 49 31.872	-23 50 59.14	999	(148)	1986 09 08.112897	01 49 17.819	-17 26 58.13	999
(130)	1986 10 26.855193	22 50 06.011	-24 31 41.88	999	(148)	1986 09 30.049412	01 43 33.808	-23 45 26.59	999
(130)	1986 10 29.847638	22 50 52.703	-24 33 32.52	999	(148)	1986 10 15.002006	01 34 06.732	-27 00 01.08	999
(130)	1986 11 04.833579	22 53 07.309	-24 30 36.80	999	(148)	1986 11 28.866119	01 15 41.613	-27 09 25.73	999
(130)	1986 11 07.825235	22 54 34.597	-24 26 03.78	999	(148)	1986 12 27.796365	01 29 29.563	-21 46 54.17	999
(130)	1986 12 05.765744	23 17 25.540	-22 22 50.84	999	(150)	1988 08 10.072565	22 57 23.927	-03 44 20.28	999
(134)	1988 09 20.026216	00 33 24.937	+10 45 55.21	999	(150)	1988 08 19.044132	22 52 00.819	-04 18 36.94	999
(134)	1988 09 21.022802	00 32 26.026	+10 46 17.16	999	(150)	1988 09 01.002171	22 42 40.207	-05 21 24.01	999
(134)	1988 09 30.989246	00 22 08.361	+10 42 56.81	999	(150)	1988 09 06.981913	22 38 11.296	-05 52 48.21	999
(134)	1988 10 08.961442	00 13 51.065	+10 32 47.31	999	(150)	1988 09 06.982806	22 38 11.262	-05 52 48.84	999
(134)	1988 11 10.855742	23 52 16.306	+09 47 26.30	999	(150)	1988 09 19.940305	22 29 21.618	-06 58 04.88	999
(134)	1988 11 13.847264	23 51 51.099	+09 47 20.00	999	(150)	1988 09 27.916236	22 25 10.733	-07 32 05.03	999
(139)	1988 02 17.161833	13 37 18.754	-10 56 39.35	999	(150)	1988 09 30.906510	22 23 56.434	-07 43 03.26	999
(139)	1988 02 21.151700	13 37 41.547	-11 21 34.31	999	(150)	1988 10 01.904107	22 23 34.281	-07 46 28.52	999
(139)	1988 03 03.119955	13 36 12.548	-12 20 33.80	999	(150)	1988 11 01.819298	22 24 10.949	-08 23 06.85	999
(139)	1988 04 09.996111	13 07 08.505	-13 42 47.46	999	(150)	1988 11 15.786760	22 31 48.442	-07 54 46.05	999
(139)	1988 05 21.862722	12 40 19.463	-13 29 35.11	999	(160)	1986 08 05.053982	22 09 32.702	-16 00 43.71	999
(141)	1986 07 22.145078	23 25 24.304	+00 15 25.65	999	(160)	1986 09 01.961539	21 45 37.024	-17 36 37.12	999
(141)	1986 07 30.122820	23 24 53.596	+01 19 35.60	999	(161)	1986 03 16.068037	13 10 09.449	-04 48 40.23	999
(141)	1986 08 02.113615	23 24 12.519	+01 41 49.96	999	(161)	1986 03 29.024292	12 58 02.829	-04 19 28.86	999
(141)	1986 08 05.105416	23 23 15.059	+02 02 58.45	999	(161)	1986 04 10.979606	12 44 25.261	-03 45 51.85	999
(141)	1986 08 06.101689	23 22 52.312	+02 09 45.67	999	(165)	1990 02 06.979318	08 35 23.870	+16 35 35.15	999
(141)	1986 08 17.067787	23 16 47.867	+03 15 08.63	999	(171)	1990 07 29.945608	19 10 07.544	-23 10 36.48	999
(141)	1986 09 05.003751	22 59 54.631	+04 23 28.37	999	(173)	1986 07 30.063992	21 59 51.441	-08 07 04.45	999
(141)	1986 09 06.000324	22 58 53.917	+04 25 27.63	999	(173)	1986 08 06.042042	21 55 56.665	-09 17 27.42	999
(141)	1986 09 28.923957	22 37 46.125	+04 39 13.98	999	(173)	1986 08 07.038845	21 55 19.201	-09 28 13.32	999
(141)	1986 09 30.916824	22 36 24.333	+04 38 40.51	999	(173)	1986 08 10.029543	21 53 22.010	-10 01 23.25	999
(141)	1986 10 01.913924	22 35 45.948	+04 38 22.24	999	(173)	1986 08 14.016310	21 50 36.922	-10 47 17.63	999
(141)	1986 10 02.910178	22 35 09.364	+04 38 03.35	999	(173)	1986 08 17.006128	21 48 28.668	-11 22 37.85	999
(141)	1986 10 03.907555	22 34 34.559	+04 37 43.91	999	(173)	1986 08 21.990944	21 44 51.476	-12 22 27.02	999
(141)	1986 10 04.904196	22 34 01.619	+04 37 25.24	999	(173)	1986 08 31.957839	21 37 54.536	-14 20 38.29	999
(141)	1986 10 08.892113	22 32 09.032	+04 36 19.48	999	(173)	1986 09 09.930620	21 32 45.570	-15 58 25.95	999
(141)	1986 10 11.883504	22 31 05.465	+04 35 50.68	999	(173)	1986 09 22.891291	21 28 34.961	-17 53 35.38	999
(141)	1986 11 07.811922	22 35 09.731	+05 02 50.99	999	(173)	1986 10 01.867497	21 28 28.524	-18 51 22.42	999
(141)	1986 11 08.810594	22 35 45.534	+05 05 20.46	999	(173)	1986 10 03.861605	21 28 46.943	-19 01 37.90	999
(141)	1986 11 29.765119	22 54 12.787	+06 26 00.68	999	(173)	1986 10 04.859199	21 28 58.924	-19 06 24.86	999
(141)	1986 12 01.762173	22 56 29.478	+06 36 29.70	999	(173)	1986 10 05.857018	21 29 12.734	-19 10 57.37	999
(145)	1986 10 01.142380	04 01 49.101	+10 02 38.87	999	(173)	1986 11 07.782087	21 52 16.451	-19 39 07.15	999
(145)	1986 10 09.119595	04 00 46.895	+10 02 07.85	999	(173)	1986 12 03.735083	22 26 29.063	-17 42 34.74	R 999
(145)	1986 10 27.064104	03 51 45.316	+10 00 31.35	999	(187)	1986 03 15.916253	09 30 01.975	+28 27 42.55	999
(145)	1986 11 03.040754	03 45 59.804	+10 01 58.47	999	(187)	1986 03 16.912558	09 29 25.172	+28 23 27.19	999
(145)	1986 11 14.003726	03 35 16.104	+10 09 50.42	999	(187)	1986 03 19.903748	09 27 46.247	+28 09 24.86	999
(145)	1986 12 02.938075	03 16 00.435	+10 47 25.85	999	(192)	1989 09 25.198337	04 59 33.166	+31 11 47.18	999
(145)	1986 12 03.935469	03 15 05.764	+10 50 26.13	999	(192)	1989 09 28.192083	05 03 01.880	+31 32 46.09	999
(145)	1986 12 27.859462	03 00 33.224	+12 34 55.95	999	(192)	1989 10 02.184637	05 07 12.634	+32 00 06.22	999
(145)	1986 12 29.854123	03 00 05.467	+12 46 17.50	999	(192)	1989 10 04.179423	05 09 05.381	+32 13 30.18	999

(192)	1989 10 12.161732	05 15 06.078 +33 05 21.86	999	(196)	1993 01 19.862706	04 36 57.222 +24 01 31.95	999
(192)	1989 10 13.159492	05 15 40.422 +33 11 38.16	999	(196)	1993 01 20.859052	04 36 42.817 +24 02 11.37	999
(192)	1989 10 22.137513	05 18 52.377 +34 05 38.98	999	(196)	1993 01 20.859984	04 36 42.806 +24 02 11.48	999
(192)	1989 10 23.135004	05 19 00.100 +34 11 19.64	999	(196)	1993 01 23.850705	04 36 08.638 +24 04 20.99	999
(192)	1989 10 24.132538	05 19 04.985 +34 16 55.61	999	(196)	1993 01 31.829302	04 35 43.272 +24 11 26.66	999
(192)	1989 10 25.129160	05 19 07.009 +34 22 26.55	999	(196)	1993 02 07.810579	04 36 37.781 +24 19 19.11	999
(192)	1989 10 27.124344	05 19 02.504 +34 33 13.01	999	(196)	1993 02 09.805217	04 37 05.982 +24 21 50.72	999
(192)	1989 11 11.078170	05 12 29.537 +35 38 11.90	999	(196)	1993 02 10.803018	04 37 22.138 +24 23 09.29	999
(192)	1989 11 12.074718	05 11 42.248 +35 41 13.12	999	(196)	1993 02 11.799812	04 37 39.626 +24 24 29.26	999
(192)	1989 11 13.072520	05 10 52.545 +35 44 03.02	999	(196)	1993 02 12.797378	04 37 58.489 +24 25 51.04	999
(192)	1989 12 05.991889	04 44 50.868 +35 42 10.68	999	(196)	1993 02 14.791941	04 38 40.106 +24 28 40.14	999
(192)	1989 12 07.983454	04 42 24.915 +35 35 43.51	999	(196)	1993 02 18.782565	04 40 18.971 +24 34 36.55	999
(192)	1990 01 04.891930	04 19 46.625 +33 07 33.96	999	(196)	1993 02 20.777360	04 41 16.000 +24 37 43.17	999
(192)	1990 01 05.889356	04 19 31.080 +33 01 43.63	999	(196)	1993 02 23.771046	04 42 50.728 +24 42 33.06	999
(192)	1990 01 18.853592	04 19 49.846 +31 51 43.84	999	(196)	1993 11 26.263832	10 39 37.448 +15 51 40.74	999
(192)	1990 02 23.776538	04 49 25.847 +29 52 21.72	999	(196)	1994 02 01.087027	10 47 20.902 +18 25 53.16	999
(192)	1990 02 24.773927	04 50 41.578 +29 50 15.03	999	(200)	1986 04 28.873909	11 23 01.896 -02 49 51.66	999
(192)	1993 11 04.237597	08 35 06.173 +26 22 53.64	999	(203)	1986 04 28.960891	13 28 36.746 -12 43 42.31	999
(192)	1993 11 15.213812	08 43 36.744 +26 12 46.07	999	(203)	1993 11 17.06736	07 36 56.95 +25 45 55.5	999
(192)	1993 11 16.211813	08 44 12.179 +26 12 26.09	999	(203)	1993 11 17.16956	07 36 57.22 +25 46 01.2	999
(192)	1993 11 17.209564	08 44 45.688 +26 12 12.54	999	(203)	1993 11 19.11192	07 37 01.86 +25 48 02.2	999
(192)	1993 11 19.204043	08 45 46.846 +26 12 04.51	999	(203)	1993 11 19.12917	07 37 01.84 +25 48 02.8	999
(192)	1993 11 19.205025	08 45 46.860 +26 12 04.52	999	(203)	1993 11 20.08542	07 37 01.60 +25 49 07.4	999
(192)	1993 11 21.199192	08 46 40.069 +26 12 22.20	999	(203)	1993 11 20.09913	07 37 01.50 +25 49 08.8	999
(192)	1993 11 22.196739	08 47 03.660 +26 12 40.96	999	(203)	1993 11 21.08750	07 36 59.49 +25 50 18.5	999
(192)	1993 11 23.194258	08 47 25.195 +26 13 05.88	999	(203)	1993 11 21.10000	07 36 59.40 +25 50 19.0	999
(192)	1993 11 26.186670	08 48 17.453 +26 15 00.96	999	(203)	1993 12 21.98993	07 21 12.41 +26 45 02.0	999
(192)	1994 01 18.017768	08 13 21.252 +28 16 17.61	999	(203)	1993 12 21.99768	07 21 11.93 +26 45 02.4	999
(192)	1994 01 19.014260	08 12 06.521 +28 17 29.68	999	(203)	1994 01 07.88380	07 04 15.48 +27 08 45.8	999
(192)	1994 01 28.978519	08 00 03.476 +28 21 35.80	999	(203)	1994 01 07.92743	07 04 12.68 +27 08 48.8	999
(192)	1994 01 30.971509	07 57 48.808 +28 20 40.41	999	(203)	1994 01 07.94560	07 04 11.55 +27 08 50.0	999
(192)	1994 01 31.968017	07 56 43.234 +28 19 59.74	999	(203)	1994 01 07.99006	07 04 08.65 +27 08 52.1	999
(196)	1989 01 31.192358	13 16 14.183 +00 56 44.08	999	(203)	1994 01 10.97289	07 01 03.85 +27 10 56.6	999
(196)	1989 02 06.176206	13 17 16.879 +01 03 24.38	999	(203)	1994 01 10.97789	07 01 03.49 +27 10 57.3	999
(196)	1989 02 08.170931	13 17 27.811 +01 06 34.73	999	(203)	1994 01 17.95208	06 54 10.60 +27 12 57.0	999
(196)	1989 03 12.077916	13 08 57.449 +02 51 03.01	999	(203)	1994 01 17.96348	06 54 09.88 +27 12 57.0	999
(196)	1989 03 19.056059	13 04 34.473 +03 21 58.11	999	(203)	1994 01 18.94780	06 53 14.93 +27 12 55.2	999
(196)	1989 05 06.898822	12 31 46.101 +05 25 30.30	999	(203)	1994 01 18.959550	06 53 14.289 +27 12 54.43	999
(196)	1990 05 06.160474	18 44 15.167 -24 57 29.15	999	(203)	1994 01 18.96012	06 53 14.22 +27 12 54.0	999
(196)	1990 05 16.132719	18 43 02.087 -25 23 08.08	999	(203)	1994 01 29.89931	06 44 23.72 +27 07 30.0	999
(196)	1990 05 21.116881	18 41 30.387 -25 37 14.18	999	(203)	1994 01 29.92083	06 44 22.81 +27 07 29.3	999
(196)	1990 05 28.096353	18 38 22.374 -25 57 59.94	999	(203)	1994 01 30.88203	06 43 44.45 +27 06 37.2	R 999
(196)	1992 11 23.049797	05 19 16.420 +23 28 00.96	999	(203)	1994 02 06.92160	06 39 50.76 +26 58 46.1	999
(196)	1992 11 27.036217	05 15 58.468 +23 32 18.27	999	(203)	1994 02 15.86736	06 37 02.36 +26 45 38.8	999
(196)	1992 12 13.979208	05 00 40.661 +23 45 37.83	999	(203)	1994 02 15.88160	06 37 02.19 +26 45 37.2	999
(196)	1992 12 20.955820	04 54 30.248 +23 48 59.04	999	(203)	1994 03 06.85799	06 39 06.10 +26 10 48.7	D 999
(196)	1992 12 21.952504	04 53 39.549 +23 49 23.41	999	(203)	1994 03 06.89969	06 39 07.00 +26 10 41.9	D 999
(196)	1992 12 30.923367	04 46 41.097 +23 52 36.06	999	(209)	1988 02 17.052443	10 59 42.935 +10 55 31.38	999
(196)	1993 01 09.891961	04 40 41.417 +23 56 16.02	999	(213)	1986 06 09.024930	17 43 40.382 -15 48 32.43	999
(196)	1993 01 14.877601	04 38 31.340 +23 58 37.14	999	(213)	1986 06 23.974811	17 30 25.927 -16 21 53.76	999
(196)	1993 01 15.873509	04 38 09.621 +23 59 08.92	999	(213)	1986 06 24.972036	17 29 34.370 -16 24 40.37	999
(196)	1993 01 16.871379	04 37 49.274 +23 59 42.39	999	(213)	1986 06 27.962050	17 27 03.456 -16 33 22.54	999

(213)	1986 07 07.930054	17 19 40.264	-17 06 07.08	999	(230)	1989 10 29.995381	02 25 08.675	+20 52 58.48	999
(213)	1986 07 09.923242	17 18 26.173	-17 13 17.59	999	(230)	1989 11 09.958189	02 15 12.500	+19 03 50.88	999
(213)	1986 07 10.920653	17 17 51.298	-17 16 57.01	999	(230)	1989 11 18.929638	02 08 19.806	+17 34 15.23	999
(213)	1990 03 22.048819	13 05 18.721	+03 36 28.03	999	(230)	1989 11 26.903825	02 03 48.955	+16 21 04.24	999
(213)	1990 04 04.005817	12 55 14.101	+05 02 00.34	999	(230)	1989 12 06.874470	02 00 48.611	+15 04 44.60	999
(213)	1990 04 29.921617	12 36 14.582	+06 51 54.22	999	(230)	1989 12 07.872445	02 00 40.871	+14 58 13.13	999
(216)	1989 06 19.118800	20 38 26.996	+00 37 32.75	999	(230)	1990 01 16.775075	02 18 58.279	+13 26 43.56	999
(216)	1989 06 20.115301	20 38 09.429	+00 42 44.46	999	(230)	1992 08 05.931411	19 18 36.688	-08 13 30.26	999
(216)	1989 06 24.103296	20 36 45.568	+01 02 03.83	999	(230)	1992 08 13.905766	19 13 32.792	-08 32 16.85	999
(216)	1989 07 14.040444	20 24 50.053	+01 57 14.97	999	(230)	1992 08 17.893643	19 11 39.951	-08 43 08.37	999
(216)	1989 07 27.994188	20 13 14.575	+01 47 18.35	999	(230)	1992 08 20.884580	19 10 33.749	-08 51 44.00	999
(216)	1989 07 30.984982	20 10 39.437	+01 39 44.63	999	(230)	1992 08 20.885450	19 10 33.734	-08 51 43.93	999
(216)	1989 08 02.974850	20 08 05.808	+01 30 22.13	999	(230)	1992 09 01.850743	19 08 54.564	-09 27 56.65	999
(216)	1989 08 17.925319	19 56 36.258	+00 20 12.52	999	(230)	1992 09 15.815392	19 12 32.219	-10 07 57.23	999
(216)	1989 08 22.909583	19 53 35.475	-00 09 49.96	999	(230)	1992 09 23.796249	19 17 04.734	-10 27 05.87	999
(216)	1989 08 22.910505	19 53 35.447	-00 09 50.08	999	(230)	1992 09 24.794539	19 17 45.829	-10 29 13.96	999
(216)	1989 09 19.829540	19 48 25.021	-03 17 07.06	999	(230)	1993 11 10.129081	06 21 40.737	+19 12 03.69	999
(216)	1989 09 21.825136	19 48 52.949	-03 29 53.17	999	(230)	1993 11 16.111118	06 19 42.660	+18 39 11.70	999
(216)	1989 09 22.822831	19 49 09.437	-03 36 10.07	999	(230)	1993 11 17.108079	06 19 15.790	+18 33 41.94	999
(216)	1989 09 23.820090	19 49 27.522	-03 42 23.03	999	(230)	1993 11 20.098822	06 17 43.248	+18 17 10.92	999
(216)	1989 09 24.817601	19 49 47.321	-03 48 32.02	999	(230)	1993 11 21.095687	06 17 08.531	+18 11 41.58	999
(216)	1989 09 25.814348	19 50 08.736	-03 54 36.06	999	(230)	1993 11 23.089366	06 15 53.503	+18 00 42.78	999
(216)	1989 09 29.805199	19 51 50.767	-04 18 04.30	999	(230)	1993 11 24.086916	06 15 13.204	+17 55 14.06	999
(216)	1989 09 30.802216	19 52 20.280	-04 23 43.17	999	(230)	1994 01 18.898321	05 24 43.388	+14 20 29.99	999
(216)	1989 10 01.799840	19 52 51.370	-04 29 16.26	999	(230)	1994 01 19.895274	05 24 16.322	+14 19 28.44	999
(216)	1989 10 04.793459	19 54 34.062	-04 45 21.70	999	(233)	1993 10 27.052079	03 35 05.958	+18 12 05.82	999
(216)	1989 10 15.768827	20 02 44.277	-05 36 04.31	999	(233)	1993 11 16.981853	03 16 58.131	+15 53 00.60	999
(216)	1992 01 30.190140	13 07 31.887	-15 36 22.85	999	(233)	1993 11 16.982777	03 16 58.079	+15 53 00.39	999
(216)	1992 01 30.191055	13 07 31.931	-15 36 22.79	999	(233)	1993 11 17.978506	03 16 04.660	+15 46 19.88	999
(216)	1992 04 05.987366	12 38 22.040	-11 36 09.25	999	(233)	1993 11 17.979433	03 16 04.586	+15 46 19.78	999
(216)	1992 04 09.974673	12 35 25.892	-11 05 55.44	999	(233)	1993 11 18.975633	03 15 11.548	+15 39 41.72	999
(216)	1992 04 10.971824	12 34 42.726	-10 58 19.93	999	(233)	1993 11 20.968605	03 13 26.995	+15 26 35.24	999
(216)	1993 05 17.050128	16 49 14.524	-12 25 03.16	999	(233)	1993 11 20.969501	03 13 26.942	+15 26 35.04	999
(216)	1993 05 22.033238	16 45 19.884	-12 00 40.82	999	(233)	1993 11 22.961858	03 11 44.938	+15 13 44.79	999
(216)	1993 05 29.010026	16 39 32.297	-11 28 09.53	999	(233)	1993 11 22.962762	03 11 44.872	+15 13 44.45	999
(216)	1993 05 31.003775	16 37 50.798	-11 19 19.38	999	(241)	1988 02 18.013177	10 06 57.122	+04 23 42.48	999
(216)	1993 06 16.947296	16 23 51.307	-10 16 11.75	999	(241)	1988 02 20.006968	10 05 22.792	+04 30 58.45	999
(230)	1989 08 30.173870	02 42 36.562	+24 16 48.49	999	(241)	1988 04 01.876005	09 40 52.636	+06 59 17.07	999
(230)	1989 09 04.162239	02 45 15.769	+24 28 14.26	999	(259)	1986 06 06.979763	16 30 29.980	-16 54 58.19	999
(230)	1989 09 16.131400	02 48 39.177	+24 38 06.05	999	(259)	1986 06 24.921928	16 16 52.663	-17 40 01.73	999
(230)	1989 09 21.118035	02 48 44.278	+24 34 06.02	999	(259)	1986 06 30.902953	16 13 32.544	-17 57 59.39	999
(230)	1989 09 24.109880	02 48 23.790	+24 29 11.27	999	(259)	1986 07 01.900352	16 13 03.688	-18 01 07.57	999
(230)	1989 09 25.107058	02 48 13.019	+24 27 06.58	999	(261)	1986 11 09.069525	04 51 16.696	+19 06 12.05	999
(230)	1989 09 26.103652	02 48 00.286	+24 24 48.55	999	(261)	1986 11 11.063530	04 49 42.682	+19 04 44.79	999
(230)	1989 09 28.098124	02 47 28.933	+24 19 32.18	999	(261)	1986 11 29.998266	04 30 39.679	+18 48 26.14	999
(230)	1989 09 29.095345	02 47 10.344	+24 16 33.18	999	(261)	1986 12 02.988396	04 27 17.421	+18 45 47.07	999
(230)	1989 10 01.089817	02 46 27.415	+24 09 54.09	999	(261)	1986 12 03.984412	04 26 10.145	+18 44 56.46	999
(230)	1989 10 02.086444	02 46 03.143	+24 06 13.62	999	(275)	1988 11 06.205133	07 56 14.433	+17 06 24.67	999
(230)	1989 10 03.083266	02 45 37.016	+24 02 18.97	999	(275)	1989 02 04.930270	07 18 30.708	+20 11 52.50	999
(230)	1989 10 05.077040	02 44 39.353	+23 53 47.38	999	(275)	1989 02 06.924419	07 17 11.989	+20 19 17.89	999
(230)	1989 10 12.055258	02 40 24.779	+23 16 33.25	999	(275)	1989 03 07.840805	07 11 29.931	+21 38 03.87	999
(230)	1989 10 19.033038	02 35 01.367	+22 28 10.76	999	(304)	1989 06 22.053004	19 16 14.188	+03 54 33.79	999

(304)	1989 06 25.043531	19 14 15.392 +03 50 48.40	999	(337)	1992 12 30.139380	09 54 23.598 +23 39 27.20	999
(304)	1989 07 13.981327	18 59 03.853 +02 04 41.07	999	(337)	1992 12 31.136178	09 54 12.122 +23 41 18.58	999
(304)	1989 07 30.926257	18 46 59.326 -01 18 07.39	999	(337)	1993 01 20.073845	09 42 30.513 +24 31 39.14	999
(304)	1989 08 11.891088	18 42 47.460 -04 17 03.24	999	(337)	1993 01 22.067466	09 40 36.564 +24 36 52.87	999
(304)	1989 08 20.866166	18 42 53.745 -06 36 06.80	999	(337)	1993 02 02.028785	09 28 42.703 +24 59 19.14	999
(304)	1989 08 21.863458	18 43 05.315 -06 51 25.99	999	(337)	1993 02 10.996549	09 18 17.876 +25 04 56.45	999
(308)	1993 08 29.104829	00 59 05.982 +06 18 20.11	999	(337)	1993 02 11.993923	09 17 09.883 +25 04 41.43	999
(308)	1993 08 31.098896	00 58 26.095 +06 10 57.94	999	(337)	1993 02 15.979053	09 12 46.090 +25 01 48.29	999
(308)	1993 09 20.037191	00 47 23.754 +04 27 04.43	999	(337)	1993 02 18.968710	09 09 39.242 +24 57 39.19	999
(308)	1993 10 22.929790	00 23 10.854 +00 58 35.31	999	(337)	1993 02 18.969718	09 09 39.169 +24 57 39.08	999
(308)	1993 10 22.930675	00 23 10.828 +00 58 35.15	999	(337)	1993 02 20.962951	09 07 41.257 +24 53 56.33	999
(308)	1993 11 14.861336	00 15 00.419 -00 18 48.25	999	(337)	1993 02 23.952487	09 04 56.028 +24 46 59.07	999
(308)	1993 11 15.858545	00 14 55.527 -00 20 08.04	999	(337)	1993 02 24.949233	09 04 04.331 +24 44 18.27	999
(308)	1993 11 15.859459	00 14 55.510 -00 20 07.95	999	(337)	1993 02 28.935788	09 00 56.124 +24 31 50.90	999
(308)	1993 11 16.855775	00 14 52.053 -00 21 17.18	999	(337)	1993 03 13.895448	08 54 32.121 +23 34 45.93	999
(308)	1993 11 16.856701	00 14 52.038 -00 21 17.73	999	(337)	1993 03 13.896455	08 54 32.101 +23 34 45.80	999
(313)	1986 08 06.039874	21 53 15.595 -02 16 49.61	999	(337)	1993 03 15.889679	08 54 05.346 +23 24 06.04	999
(313)	1986 08 13.017141	21 47 23.943 -03 04 16.16	999	(337)	1993 03 15.890616	08 54 05.323 +23 24 05.69	999
(313)	1986 08 15.009882	21 45 40.207 -03 18 58.55	999	(337)	1993 03 16.886827	08 53 55.176 +23 18 36.18	999
(313)	1989 05 16.107271	18 08 47.330 -06 03 56.18	999	(337)	1993 03 17.884812	08 53 47.166 +23 13 00.11	999
(313)	1989 06 22.981947	17 36 24.058 -04 38 13.43	999	(337)	1993 03 24.865720	08 53 50.323 +22 31 09.53	999
(313)	1989 06 30.954925	17 29 10.698 -04 50 39.09	999	(337)	1993 03 25.862305	08 53 59.025 +22 24 49.66	999
(313)	1989 07 12.916109	17 20 16.018 -05 27 35.30	999	(337)	1993 04 09.825434	08 59 52.309 +20 41 16.22	999
(324)	1989 03 12.004436	11 23 11.078 -02 56 24.33	999	(337)	1993 04 09.826349	08 59 52.338 +20 41 16.20	999
(324)	1989 03 13.997786	11 21 26.243 -02 49 05.43	999	(345)	1988 11 06.142056	06 26 02.683 +13 16 05.42	999
(324)	1991 12 29.734474	00 06 08.110 +14 21 58.29	999	(345)	1988 11 16.114509	06 24 42.122 +12 01 56.47	999
(324)	1992 12 21.198937	10 45 16.063 +09 43 44.71	999	(345)	1988 11 23.093554	06 21 43.309 +11 12 05.77	999
(324)	1993 02 04.062039	10 24 13.481 +10 02 07.98	999	(345)	1988 11 25.086909	06 20 34.671 +10 58 24.90	999
(324)	1993 02 14.027552	10 14 48.342 +10 28 34.89	999	(345)	1988 12 08.044524	06 10 24.340 +09 38 59.35	999
(324)	1993 02 15.024147	10 13 49.963 +10 31 20.93	999	(345)	1988 12 13.027577	06 05 31.657 +09 14 21.32	999
(324)	1993 02 16.021160	10 12 51.442 +10 34 06.65	999	(345)	1988 12 18.009634	06 00 22.276 +08 53 52.45	999
(324)	1993 02 19.010523	10 09 55.803 +10 42 24.29	999	(345)	1988 12 21.995811	05 56 10.443 +08 40 42.88	999
(324)	1993 02 21.003714	10 07 59.076 +10 47 52.41	999	(345)	1988 12 21.996710	05 56 10.391 +08 40 42.72	999
(324)	1993 02 28.977670	10 00 24.897 +11 08 41.07	999	(345)	1989 02 03.858158	05 29 34.915 +09 22 51.72	999
(324)	1993 03 15.927261	09 48 16.190 +11 38 29.91	999	(345)	1989 02 05.852713	05 29 46.963 +09 30 43.83	999
(324)	1993 03 15.928151	09 48 16.156 +11 38 29.93	999	(345)	1989 02 06.849959	05 29 56.030 +09 34 45.67	999
(324)	1993 03 25.896136	09 42 26.095 +11 48 57.13	999	(345)	1989 02 11.836927	05 31 10.900 +09 55 42.45	999
(324)	1993 03 26.893177	09 41 58.144 +11 49 31.08	999	(349)	1985 04 20.073471	15 37 43.750 -22 47 59.38	999
(324)	1993 03 28.886804	09 41 06.199 +11 50 24.48	999	(349)	1985 04 27.050894	15 32 32.404 -22 49 01.28	999
(324)	1993 03 28.887691	09 41 06.169 +11 50 24.45	999	(349)	1985 04 27.051817	15 32 32.371 -22 49 00.89	999
(324)	1993 04 16.832278	09 37 17.381 +11 41 20.81	999	(349)	1989 01 28.120353	11 21 52.777 +14 37 51.38	999
(324)	1993 04 17.829664	09 37 18.233 +11 40 01.05	999	(349)	1989 01 29.117890	11 21 26.780 +14 41 46.78	999
(336)	1986 06 07.005561	17 07 33.621 -18 45 53.29	999	(349)	1989 01 30.114923	11 20 59.513 +14 45 47.07	999
(336)	1986 06 09.995093	17 04 32.665 -18 30 15.18	999	(349)	1989 02 05.096702	11 17 49.536 +15 11 06.71	999
(336)	1986 06 12.984832	17 01 33.531 -18 15 03.77	999	(349)	1989 02 06.092558	11 17 13.739 +15 15 30.37	999
(336)	1986 06 13.981935	17 00 34.702 -18 10 06.56	999	(349)	1989 02 07.090171	11 16 36.734 +15 19 56.06	999
(336)	1986 06 30.925290	16 46 32.049 -17 00 01.21	999	(349)	1989 02 08.086231	11 15 58.718 +15 24 23.76	999
(336)	1986 07 08.901511	16 42 34.038 -16 39 04.73	999	(349)	1989 02 09.083754	11 15 19.591 +15 28 52.82	999
(337)	1989 01 27.822309	04 10 26.443 +32 47 24.18	999	(349)	1989 02 12.074284	11 13 16.283 +15 42 25.15	999
(337)	1989 01 29.817760	04 11 50.698 +32 40 01.24	999	(349)	1989 03 10.984923	10 51 05.620 +17 27 22.67	999
(337)	1989 02 02.809251	04 15 04.289 +32 26 15.29	999	(349)	1989 03 11.981512	10 50 15.869 +17 29 57.47	999
(337)	1989 02 08.796567	04 20 53.684 +32 07 56.41	999	(349)	1989 03 29.923734	10 37 22.931 +17 52 18.92	999

(349)	1990 03 04.207093	15 44 12.839	-21 09 52.60	999	(354)	1989 10 24.897726	23 43 34.402	-19 52 42.05	999
(349)	1990 05 02.034699	15 27 29.051	-22 42 12.67	999	(354)	1989 10 26.891212	23 42 49.577	-19 55 26.61	999
(349)	1990 05 03.032233	15 26 37.539	-22 41 40.19	999	(354)	1989 11 10.847965	23 39 54.544	-19 49 19.80	999
(349)	1990 05 06.021520	15 24 00.072	-22 39 39.98	999	(354)	1992 01 18.278714	14 27 57.252	+01 05 03.47	999
(349)	1990 05 28.944677	15 03 39.218	-22 08 32.62	999	(354)	1992 01 18.279587	14 27 57.327	+01 05 03.73	999
(349)	1990 06 13.893847	14 52 50.816	-21 43 13.26	999	(354)	1992 02 23.204126	15 01 30.273	+03 55 52.70	999
(349)	1992 11 23.026785	04 45 17.123	+29 59 50.35	999	(354)	1992 02 27.194780	15 03 37.135	+04 27 25.69	999
(349)	1992 11 27.012868	04 41 15.110	+30 04 23.89	999	(354)	1992 02 29.189291	15 04 31.848	+04 44 01.53	999
(349)	1992 11 30.002709	04 38 09.413	+30 06 37.76	999	(354)	1992 03 07.172739	15 06 55.693	+05 46 04.01	999
(349)	1992 12 13.953768	04 24 00.631	+30 04 29.51	999	(354)	1992 04 24.030270	14 50 45.245	+13 05 49.82	999
(349)	1992 12 13.954731	04 24 00.556	+30 04 29.30	999	(354)	1992 05 06.986973	14 40 28.747	+14 01 33.93	999
(349)	1992 12 14.950989	04 23 04.357	+30 03 39.19	999	(354)	1992 05 07.984103	14 39 42.112	+14 03 50.31	999
(349)	1992 12 16.944655	04 21 14.745	+30 01 45.31	999	(354)	1992 05 14.961075	14 34 30.026	+14 11 29.79	999
(349)	1992 12 29.901612	04 11 25.653	+29 44 25.76	999	(354)	1992 05 15.958712	14 33 48.022	+14 11 25.76	999
(349)	1992 12 29.902568	04 11 25.613	+29 44 25.85	999	(354)	1992 05 17.952176	14 32 26.440	+14 10 25.64	999
(349)	1993 01 09.869116	04 06 38.051	+29 27 56.87	999	(354)	1992 05 19.945851	14 31 08.270	+14 08 17.78	999
(349)	1993 01 14.854328	04 05 38.048	+29 21 17.79	999	(354)	1992 05 20.942686	14 30 30.575	+14 06 49.35	999
(349)	1993 01 15.850867	04 05 31.406	+29 20 04.95	999	(354)	1992 05 24.929299	14 28 09.765	+13 58 11.31	999
(349)	1993 01 15.851833	04 05 31.397	+29 20 04.99	999	(354)	1993 07 29.003009	20 29 52.779	-11 51 15.52	999
(349)	1993 01 16.848369	04 05 26.540	+29 18 54.04	999	(354)	1993 08 11.957210	20 18 55.328	-13 42 03.86	999
(349)	1993 01 17.845516	04 05 23.428	+29 17 45.77	999	(354)	1993 08 12.954959	20 18 11.653	-13 49 57.27	999
(349)	1993 01 19.840449	04 05 22.577	+29 15 37.62	999	(354)	1993 08 16.941549	20 15 24.366	-14 21 11.73	999
(349)	1993 01 21.834867	04 05 28.742	+29 13 40.69	999	(354)	1993 08 21.925245	20 12 14.619	-14 59 11.10	999
(349)	1993 01 29.813686	04 07 01.988	+29 07 55.96	999	(354)	1993 09 01.891485	20 06 51.713	-16 16 39.77	999
(349)	1993 01 29.814675	04 07 02.006	+29 07 55.99	999	(354)	1993 09 05.880054	20 05 30.963	-16 42 14.55	999
(349)	1993 02 04.799073	04 09 20.399	+29 05 50.78	D 999	(354)	1993 09 06.877110	20 05 14.028	-16 48 25.03	999
(349)	1993 02 06.794261	04 10 18.749	+29 05 35.80	999	(354)	1993 10 15.775056	20 11 34.862	-19 26 42.36	999
(349)	1993 02 09.787244	04 11 57.188	+29 05 34.27	999	(356)	1988 11 25.164304	08 11 26.372	+32 38 31.59	999
(349)	1993 02 09.788223	04 11 57.215	+29 05 34.47	999	(356)	1988 12 08.129122	08 12 22.423	+33 22 06.59	999
(349)	1993 02 11.782434	04 13 09.852	+29 05 47.82	999	(356)	1988 12 15.107882	08 09 59.837	+33 47 38.20	999
(349)	1993 02 11.783394	04 13 09.886	+29 05 47.69	999	(356)	1988 12 22.086594	08 05 43.372	+34 11 44.41	999
(349)	1993 02 12.780429	04 13 48.247	+29 05 58.24	999	(362)	1986 10 01.064595	02 09 24.997	+12 11 36.90	999
(349)	1993 02 13.778167	04 14 28.006	+29 06 12.05	999	(362)	1986 11 28.870462	01 21 29.345	+11 09 25.20	999
(349)	1993 02 15.774510	04 15 51.504	+29 06 47.24	999	(362)	1986 12 27.793052	01 24 25.136	+12 23 45.42	999
(349)	1993 02 16.771760	04 16 35.201	+29 07 08.37	999	(369)	1989 10 24.088368	04 15 54.251	+07 04 50.77	999
(349)	1994 01 19.147212	11 24 05.628	+14 11 33.91	999	(369)	1989 10 25.085134	04 15 18.296	+07 03 49.78	999
(354)	1985 10 28.076675	04 15 07.747	-06 24 20.42	999	(369)	1989 11 22.988872	03 49 36.519	+07 12 05.43	999
(354)	1989 08 21.101915	00 23 25.979	-11 49 48.75	999	(377)	1986 10 01.155634	04 20 37.749	+18 55 02.30	999
(354)	1989 08 22.099696	00 23 04.187	-11 59 24.95	999	(377)	1986 10 05.144604	04 21 16.963	+18 43 06.35	999
(354)	1989 08 25.090656	00 21 51.995	-12 28 38.73	999	(377)	1986 10 15.116716	04 20 51.053	+18 06 47.61	999
(354)	1989 08 30.075133	00 19 29.546	-13 18 26.42	999	(377)	1986 11 03.058831	04 12 09.208	+16 35 37.64	999
(354)	1989 09 04.059219	00 16 42.005	-14 08 47.64	999	(377)	1986 11 10.036978	04 06 47.764	+15 57 05.99	999
(354)	1989 09 22.001550	00 04 17.947	-16 59 41.05	999	(377)	1986 11 14.023453	04 03 24.038	+15 34 42.76	999
(354)	1989 09 23.995185	00 02 48.540	-17 16 25.34	999	(377)	1986 11 19.006479	03 58 56.711	+15 06 53.15	999
(354)	1989 09 24.992663	00 02 03.803	-17 24 33.84	999	(377)	1986 11 26.979637	03 51 40.610	+14 24 14.54	999
(354)	1989 09 25.988292	00 01 19.191	-17 32 30.74	999	(377)	1986 11 29.969703	03 49 00.884	+14 09 18.89	999
(354)	1989 09 28.979223	23 59 05.991	-17 55 18.86	999	(377)	1986 12 01.962929	03 47 17.150	+13 59 48.02	999
(354)	1989 09 29.975641	23 58 22.057	-18 02 33.71	D 999	(377)	1986 12 27.881165	03 31 43.344	+12 41 48.11	999
(354)	1989 10 01.969764	23 56 55.148	-18 16 24.30	999	(381)	1988 07 17.119992	22 32 02.866	-14 34 50.34	999
(354)	1989 10 02.966442	23 56 12.275	-18 23 01.50	999	(386)	1989 05 15.075459	17 18 51.034	+05 12 00.69	999
(354)	1989 10 03.962417	23 55 29.892	-18 29 26.16	999	(386)	1989 05 17.069504	17 17 37.494	+05 22 56.11	999
(354)	1989 10 16.921700	23 47 19.075	-19 32 46.49	999	(386)	1989 06 16.968717	16 54 15.322	+06 40 45.68	999

(386)	1989 06 20.955698	16 51 14.686	+06 36 24.08	999	(409)	1989 09 24.844531	20 29 02.597	-02 57 32.89	999
(386)	1989 06 22.949539	16 49 47.475	+06 32 58.35	999	(409)	1989 09 28.833753	20 29 43.237	-03 15 29.60	999
(386)	1989 06 23.945830	16 49 04.818	+06 30 57.11	999	(409)	1989 10 12.799398	20 35 14.183	-04 06 29.38	999
(386)	1989 06 30.924152	16 44 26.396	+06 11 15.42	999	(409)	1989 10 14.794554	20 36 23.668	-04 12 05.35	999
(386)	1989 07 02.917089	16 43 14.466	+06 03 55.18	999	(409)	1989 10 21.778994	20 41 06.108	-04 28 08.54	999
(386)	1989 07 04.911153	16 42 06.306	+05 55 51.94	999	(409)	1989 10 26.768124	20 45 02.890	-04 36 07.67	999
(405)	1986 05 10.104854	17 39 48.827	-26 01 46.51	999	(409)	1989 10 30.759208	20 48 31.690	-04 40 21.96	999
(405)	1986 05 30.040235	17 25 23.996	-23 15 48.00	999	(423)	1989 02 02.890346	06 13 39.862	+32 07 01.23	999
(405)	1986 05 31.036147	17 24 27.462	-23 06 44.58	999	(423)	1989 02 03.888079	06 13 12.657	+32 07 14.55	999
(405)	1986 06 07.012323	17 17 38.516	-22 02 49.18	999	(423)	1989 02 04.884755	06 12 47.044	+32 07 24.37	999
(405)	1986 06 08.008912	17 16 39.420	-21 53 40.16	999	(423)	1989 02 05.881267	06 12 22.962	+32 07 30.68	999
(405)	1986 06 13.988555	17 10 50.889	-20 59 26.62	999	(423)	1989 02 08.873070	06 11 20.342	+32 07 29.28	999
(405)	1986 06 22.959521	17 02 59.052	-19 42 43.59	999	(423)	1990 02 23.095522	12 27 30.185	+13 58 15.41	999
(405)	1986 06 23.956097	17 02 12.363	-19 34 42.31	999	(423)	1990 03 16.028419	12 13 23.802	+15 50 01.04	999
(405)	1986 06 25.948815	17 00 43.080	-19 19 05.44	999	(423)	1990 03 31.975922	12 00 41.499	+16 44 23.20	999
(405)	1986 06 30.933762	16 57 26.148	-18 42 19.76	999	(423)	1990 04 03.966408	11 58 25.747	+16 49 49.24	999
(405)	1986 07 07.912058	16 54 01.043	-17 57 17.95	999	(423)	1990 04 29.885574	11 44 12.193	+16 27 34.55	999
(405)	1986 07 09.906004	16 53 18.738	-17 45 54.13	999	(423)	1992 08 21.092860	00 11 18.038	-16 22 08.38	999
(405)	1986 07 16.885273	16 51 49.785	-17 11 13.62	999	(423)	1992 09 05.046373	00 02 04.707	-17 45 53.95	999
(409)	1986 11 09.082904	05 09 38.900	+21 33 23.25	999	(423)	1992 09 06.042994	00 01 21.054	-17 51 01.73	999
(409)	1986 11 11.075903	05 08 16.480	+21 23 50.99	999	(423)	1992 09 16.010447	23 53 38.370	-18 36 29.01	999
(409)	1986 11 27.023466	04 54 30.333	+20 00 28.34	999	(423)	1992 11 25.799911	23 29 08.649	-15 58 05.31	999
(409)	1986 11 30.012549	04 51 33.100	+19 43 53.07	999	(423)	1992 11 29.788952	23 30 40.581	-15 28 19.32	999
(409)	1986 12 01.009120	04 50 33.306	+19 38 19.50	999	(423)	1992 12 01.784094	23 31 33.105	-15 12 57.12	999
(409)	1986 12 02.006231	04 49 33.264	+19 32 45.74	999	(423)	1992 12 14.753975	23 38 50.888	-13 26 02.76	999
(409)	1986 12 03.003224	04 48 33.035	+19 27 11.65	999	(423)	1993 11 15.056151	04 55 23.848	+22 09 52.07	999
(409)	1986 12 03.998680	04 47 32.830	+19 21 38.21	999	(423)	1993 11 16.052160	04 54 36.215	+22 11 27.54	999
(409)	1986 12 09.979186	04 41 33.438	+18 48 31.28	999	(423)	1993 11 19.042261	04 52 07.862	+22 16 06.32	999
(409)	1989 06 29.120515	21 20 12.792	+00 05 27.37	999	(423)	1993 11 20.039113	04 51 16.771	+22 17 36.23	999
(409)	1989 07 01.114082	21 19 28.765	+00 15 14.08	999	(423)	1993 11 26.019509	04 45 56.736	+22 26 02.84	999
(409)	1989 07 03.107885	21 18 38.756	+00 24 19.00	999	(423)	1993 11 27.016107	04 45 01.651	+22 27 21.61	999
(409)	1989 07 28.028250	21 01 22.876	+01 11 28.02	999	(426)	1988 02 13.931690	07 53 40.962	+24 02 19.41	999
(409)	1989 07 29.024193	21 00 30.500	+01 10 39.02	999	(426)	1988 02 14.929266	07 52 50.337	+23 56 41.50	999
(409)	1989 07 31.017813	20 58 44.667	+01 08 24.21	999	(426)	1988 02 15.925067	07 52 01.399	+23 51 00.30	999
(409)	1989 08 03.008152	20 56 04.201	+01 03 32.64	999	(426)	1988 02 16.922336	07 51 13.984	+23 45 15.23	999
(409)	1989 08 05.001272	20 54 16.916	+00 59 19.64	999	(426)	1988 03 11.849990	07 41 15.468	+21 18 04.80	999
(409)	1989 08 08.988046	20 50 43.872	+00 48 44.29	999	(426)	1988 03 13.843892	07 41 13.179	+21 05 28.86	999
(409)	1989 08 17.957577	20 43 10.569	+00 15 45.07	999	(433)	1993 08 20.913175	19 50 52.897	-17 08 03.54	999
(409)	1989 08 18.954470	20 42 23.775	+00 11 25.39	999	(433)	1993 09 06.858444	19 38 17.331	-15 57 10.81	999
(409)	1989 08 20.948254	20 40 52.920	+00 02 26.65	999	(451)	1992 02 07.071217	10 46 32.886	+28 18 54.87	999
(409)	1989 08 21.944810	20 40 08.969	-00 02 11.63	999	(451)	1992 02 08.067730	10 45 51.682	+28 27 20.33	999
(409)	1989 08 22.941744	20 39 26.070	-00 06 56.59	999	(451)	1992 02 21.025500	10 35 48.528	+30 05 42.47	999
(409)	1989 08 23.938120	20 38 44.286	-00 11 45.59	999	(451)	1992 02 23.018776	10 34 08.898	+30 18 25.13	999
(409)	1989 08 23.939055	20 38 44.250	-00 11 45.75	999	(451)	1992 02 27.005828	10 30 48.437	+30 41 26.94	999
(409)	1989 08 25.932123	20 37 24.118	-00 21 39.87	999	(451)	1992 02 28.002442	10 29 58.424	+30 46 41.08	999
(409)	1989 08 29.920027	20 34 58.800	-00 42 14.47	999	(451)	1992 02 29.995721	10 28 18.995	+30 56 29.23	999
(409)	1989 08 30.916484	20 34 25.819	-00 47 30.94	999	(451)	1992 03 09.966133	10 21 12.582	+31 29 10.15	999
(409)	1989 09 11.880421	20 29 46.643	-01 52 02.79	999	(451)	1992 03 11.960387	10 19 45.177	+31 33 50.18	999
(409)	1989 09 17.863026	20 28 52.566	-02 23 22.03	999	(451)	1992 03 17.940038	10 15 45.833	+31 42 10.91	999
(409)	1989 09 21.852584	20 28 48.731	-02 43 17.11	999	(451)	1992 03 17.941009	10 15 45.789	+31 42 10.72	999
(409)	1989 09 22.849359	20 28 51.752	-02 48 06.84	999	(451)	1992 03 21.927529	10 13 28.015	+31 43 12.15	999
(409)	1989 09 23.847131	20 28 56.385	-02 52 51.61	999	(451)	1992 04 03.889129	10 08 22.807	+31 23 34.60	999

(451)	1992 04 09.871425	10 07 22.273	+31 04 04.10	999	(471)	1993 04 17.961721	12 48 07.856	+16 10 30.05	999
(451)	1992 04 10.868637	10 07 17.225	+31 00 15.46	999	(471)	1993 04 18.958688	12 47 23.846	+16 11 22.76	999
(451)	1992 04 11.865865	10 07 13.639	+30 56 17.74	999	(471)	1993 04 19.955980	12 46 40.404	+16 12 04.41	999
(451)	1992 04 11.866824	10 07 13.619	+30 56 17.51	999	(471)	1993 04 22.945604	12 44 34.372	+16 13 01.97	999
(451)	1992 04 23.834159	10 08 18.514	+29 58 21.43	999	(471)	1993 05 13.881122	12 33 37.171	+15 35 19.68	999
(451)	1992 04 24.831436	10 08 32.563	+29 52 44.70	999	(511)	1985 10 21.197318	06 41 52.737	+13 22 10.49	999
(451)	1993 02 25.225353	15 43 29.574	-05 43 47.87	999	(511)	1989 06 29.104445	20 57 12.092	-22 32 04.34	999
(451)	1993 03 16.176544	15 48 12.754	-05 18 07.25	999	(511)	1989 07 31.001544	20 35 51.770	-25 46 41.54	999
(451)	1993 03 18.171123	15 48 16.479	-05 14 17.37	999	(511)	1990 08 19.177706	02 03 53.183	-08 44 36.90	999
(451)	1993 03 25.151694	15 47 48.176	-04 59 39.87	999	(511)	1990 08 20.175786	02 04 10.007	-08 50 02.92	999
(451)	1993 03 26.148852	15 47 38.854	-04 57 27.12	999	(511)	1990 08 21.173613	02 04 25.556	-08 55 36.38	999
(451)	1993 03 27.145995	15 47 28.234	-04 55 12.94	999	(511)	1990 09 01.143838	02 05 51.678	-10 03 27.57	999
(451)	1993 03 31.134438	15 46 32.695	-04 46 04.80	999	(511)	1992 01 14.084995	09 31 25.679	+23 58 01.85	999
(451)	1993 04 17.083534	15 38 57.542	-04 07 13.32	999	(511)	1992 01 30.032717	09 20 18.140	+26 35 50.00	999
(451)	1993 04 19.076503	15 37 42.982	-04 03 03.78	999	(511)	1992 01 30.033660	09 20 18.089	+26 35 50.61	999
(451)	1993 05 04.028126	15 26 43.448	-03 39 02.82	999	(511)	1992 02 07.006404	09 13 44.990	+27 47 19.22	999
(451)	1993 05 16.984986	15 16 02.474	-03 33 24.29	999	(511)	1992 02 08.003035	09 12 55.504	+27 55 35.75	999
(451)	1993 05 28.946144	15 06 40.256	-03 44 34.23	999	(511)	1992 02 19.963843	09 03 33.025	+29 20 35.78	999
(451)	1993 05 30.939283	15 05 14.702	-03 48 04.98	999	(511)	1992 02 20.961235	09 02 50.618	+29 26 22.87	999
(451)	1993 06 04.923326	15 01 54.643	-03 58 52.45	999	(511)	1992 02 21.957934	09 02 09.170	+29 31 57.04	999
(451)	1993 06 16.886381	14 55 31.518	-04 36 12.81	999	(511)	1992 02 22.954124	09 01 28.757	+29 37 18.76	999
(466)	1988 02 17.016158	10 06 43.421	-08 45 53.78	999	(511)	1992 02 23.950933	09 00 49.334	+29 42 27.88	999
(471)	1989 05 09.043459	16 08 33.041	-11 27 41.87	999	(511)	1992 03 02.925976	08 56 17.165	+30 16 02.45	999
(471)	1989 05 27.980685	15 52 23.131	-11 25 04.58	999	(511)	1992 03 06.913814	08 54 33.722	+30 27 48.40	999
(471)	1989 06 05.950257	15 44 51.846	-11 30 34.91	999	(511)	1992 03 09.905737	08 53 31.956	+30 34 31.62	999
(471)	1989 06 07.943692	15 43 16.889	-11 32 30.53	999	(511)	1992 03 11.899520	08 52 58.593	+30 38 01.68	999
(471)	1989 06 23.893116	15 32 31.204	-11 58 05.04	999	(511)	1992 03 16.884777	08 52 03.059	+30 43 35.35	999
(471)	1991 12 27.041547	07 18 24.047	+29 52 38.99	999	(511)	1992 03 17.883218	08 51 56.746	+30 44 10.73	999
(471)	1991 12 29.034855	07 16 23.179	+30 09 44.09	999	(511)	1992 03 21.870943	08 51 47.427	+30 44 51.96	999
(471)	1992 01 12.982917	07 00 34.172	+32 01 21.94	999	(511)	1992 04 03.838098	08 54 08.871	+30 30 33.61	999
(471)	1992 01 13.978848	06 59 32.689	+32 07 31.73	999	(511)	1992 04 09.823079	08 56 37.839	+30 16 31.54	999
(471)	1992 01 24.942152	06 49 20.370	+33 03 26.00	999	(511)	1992 04 10.820166	08 57 07.417	+30 13 47.19	999
(471)	1992 01 25.939032	06 48 32.287	+33 07 27.00	999	(511)	1992 04 10.821128	08 57 07.436	+30 13 47.00	999
(471)	1992 01 28.928777	06 46 17.491	+33 18 28.59	999	(511)	1993 02 07.244487	15 00 26.790	+00 47 03.80	999
(471)	1992 01 28.929745	06 46 17.439	+33 18 28.92	999	(511)	1993 02 11.234961	15 02 27.591	+00 56 26.94	999
(471)	1992 01 30.922473	06 44 55.880	+33 25 00.31	999	(511)	1993 02 14.227691	15 03 47.321	+01 04 33.77	999
(471)	1992 02 06.900544	06 41 07.445	+33 42 59.53	999	(511)	1993 03 16.148384	15 07 31.704	+03 06 38.09	999
(471)	1992 02 08.894508	06 40 19.419	+33 46 51.92	999	(511)	1993 03 17.145518	15 07 20.299	+03 11 36.97	999
(471)	1992 02 26.844842	06 39 01.677	+34 01 38.57	999	(511)	1993 03 26.119143	15 04 43.722	+03 57 13.47	999
(471)	1992 02 27.842514	06 39 15.490	+34 01 36.20	999	(511)	1993 04 10.072939	14 57 08.315	+05 10 08.28	999
(471)	1992 03 02.832013	06 40 28.787	+34 00 41.55	999	(511)	1993 04 17.051065	14 52 30.675	+05 39 23.01	999
(471)	1992 03 06.822075	06 42 09.843	+33 58 41.15	999	(511)	1993 04 18.047397	14 51 48.552	+05 43 10.95	999
(471)	1992 03 06.823087	06 42 09.860	+33 58 41.21	999	(511)	1993 04 19.044171	14 51 05.899	+05 46 52.13	999
(471)	1992 03 16.798978	06 48 14.351	+33 49 24.80	999	(511)	1993 05 03.995456	14 39 52.574	+06 26 45.78	999
(471)	1992 03 17.796761	06 48 58.833	+33 48 11.04	999	(511)	1993 05 06.985691	14 37 37.289	+06 30 49.74	999
(471)	1993 02 07.180556	13 27 20.404	+10 31 32.90	999	(511)	1993 05 28.915643	14 23 12.416	+06 16 31.41	999
(471)	1993 02 08.178117	13 27 20.495	+10 36 26.96	999	(511)	1993 05 28.916524	14 23 12.388	+06 16 31.08	999
(471)	1993 02 13.164044	13 27 01.987	+11 02 19.95	999	(521)	1989 08 13.171285	01 30 57.452	-07 27 15.39	999
(471)	1993 03 14.076040	13 15 11.909	+13 56 52.57	999	(521)	1989 08 25.142786	01 37 05.928	-08 17 30.88	999
(471)	1993 03 17.066772	13 13 08.618	+14 14 20.36	999	(521)	1989 09 21.067948	01 35 20.732	-11 04 30.04	999
(471)	1993 03 25.041106	13 07 10.340	+14 57 02.27	999	(521)	1989 09 25.055806	01 33 14.429	-11 29 16.02	999
(471)	1993 04 05.005135	12 58 19.693	+15 42 30.38	999	(521)	1989 09 30.039776	01 30 03.465	-11 57 27.07	999

(521)	1989 10 02.032410	01 28 38.308	-12 07 33.37	999	(626)	1988 11 03.050899	04 02 14.973	+64 15 44.26	999
(521)	1989 10 04.026634	01 27 08.960	-12 16 50.91	999	(626)	1988 11 03.051906	04 02 14.891	+64 15 44.83	999
(521)	1989 11 23.867129	00 58 19.263	-09 27 17.61	999	(626)	1988 11 07.035394	03 55 52.546	+64 53 17.15	999
(521)	1989 11 25.861661	00 58 30.061	-09 05 30.75	999	(626)	1988 11 14.007937	03 42 49.979	+65 36 08.66	999
(521)	1989 11 27.856892	00 58 48.539	-08 42 56.21	999	(626)	1988 11 15.003184	03 40 50.504	+65 39 44.43	999
(532)	1989 08 30.149744	02 06 59.804	-09 35 15.10	999	(626)	1988 11 15.998925	03 38 49.853	+65 42 42.30	999
(532)	1989 09 04.135373	02 06 12.101	-10 08 51.06	999	(626)	1988 11 22.970611	03 24 42.130	+65 45 27.46	999
(532)	1989 09 05.132876	02 05 58.704	-10 15 44.82	999	(626)	1988 11 26.954425	03 17 01.770	+65 33 19.94	999
(532)	1989 09 07.126360	02 05 28.191	-10 29 40.39	999	(626)	1988 12 07.912708	03 00 00.483	+64 15 16.93	999
(532)	1989 09 16.099309	02 02 09.272	-11 33 40.98	999	(626)	1988 12 16.881925	02 52 20.598	+62 35 01.44	999
(532)	1989 09 28.062340	01 55 20.562	-12 57 08.78	999	(626)	1988 12 21.867264	02 50 43.218	+61 30 46.58	999
(532)	1989 10 01.052782	01 53 16.544	-13 16 34.18	999	(626)	1988 12 21.868217	02 50 43.250	+61 30 45.77	999
(532)	1989 10 02.048979	01 52 33.624	-13 22 49.59	999	(654)	1986 07 15.086049	21 32 23.135	+02 05 42.64	999
(532)	1989 10 13.013647	01 44 01.781	-14 23 12.76	999	(654)	1986 07 16.082421	21 31 35.898	+02 09 38.00	999
(532)	1989 10 26.967752	01 32 32.863	-15 09 44.34	999	(654)	1986 07 17.079422	21 30 47.512	+02 13 23.71	999
(532)	1989 10 29.958094	01 30 10.753	-15 14 25.37	999	(654)	1986 07 30.034764	21 18 48.171	+02 46 40.64	999
(532)	1989 11 10.919060	01 21 40.561	-15 13 25.03	999	(654)	1986 08 13.983547	21 03 05.967	+02 47 53.43	999
(532)	1989 11 11.915541	01 21 03.516	-15 11 55.58	999	(654)	1986 08 20.959704	20 55 57.284	+02 36 10.29	999
(532)	1989 11 13.909767	01 19 52.378	-15 08 19.70	999	(654)	1986 08 31.921928	20 45 58.660	+02 05 52.08	999
(532)	1989 11 23.878684	01 15 01.673	-14 38 25.19	999	(654)	1986 09 02.916173	20 44 23.842	+01 59 11.04	999
(532)	1989 11 25.872696	01 14 17.503	-14 30 12.06	999	(654)	1986 09 04.909609	20 42 54.133	+01 52 15.21	999
(532)	1989 12 05.843985	01 11 51.514	-13 39 13.63	999	(654)	1986 09 07.899945	20 40 49.850	+01 41 28.71	999
(532)	1989 12 13.821159	01 11 25.452	-12 48 15.03	999	(654)	1988 01 09.942485	05 50 55.328	+23 07 50.52	999
(532)	1990 01 08.755164	01 18 37.540	-09 19 22.92	999	(654)	1988 01 12.932076	05 48 02.014	+22 16 48.76	999
(532)	1990 01 12.745730	01 20 46.407	-08 43 18.59	999	(654)	1988 01 18.912427	05 43 21.140	+20 38 19.25	999
(532)	1992 04 26.114530	17 01 19.019	-03 28 55.01	999	(654)	1988 02 18.829036	05 45 01.503	+14 18 59.48	999
(532)	1992 05 06.083564	16 56 01.154	-03 22 03.61	999	(690)	1988 11 14.147984	07 06 00.555	+18 18 25.84	999
(532)	1992 05 13.061674	16 50 54.910	-03 25 21.56	999	(690)	1988 11 23.122426	07 03 24.201	+17 44 28.87	999
(532)	1992 05 14.058361	16 50 06.615	-03 26 27.59	999	(702)	1986 12 01.099316	06 59 54.623	+31 22 55.92	999
(532)	1992 05 21.034333	16 44 04.067	-03 38 44.51	999	(702)	1986 12 03.092501	06 58 31.283	+31 19 08.37	999
(532)	1993 08 09.088299	23 14 54.024	-22 55 59.11	999	(702)	1986 12 23.025557	06 40 47.329	+30 25 53.96	999
(532)	1993 08 12.077926	23 13 08.698	-23 22 41.45	999	(704)	1985 09 11.100241	01 43 12.975	+36 37 18.63	D 999
(532)	1993 08 13.075214	23 12 31.473	-23 31 33.75	999	(704)	1990 07 18.135615	22 56 10.586	+13 11 57.96	999
(532)	1993 08 18.058695	23 09 11.686	-24 15 14.72	999	(704)	1990 07 19.132829	22 56 01.247	+13 21 05.07	999
(532)	1993 11 15.788976	22 33 46.188	-25 54 04.77	999	(704)	1990 07 20.130100	22 55 50.499	+13 30 03.98	999
(532)	1993 11 16.785965	22 34 11.539	-25 48 17.09	999	(704)	1990 07 25.115354	22 54 35.724	+14 12 42.79	999
(532)	1993 11 18.781132	22 35 05.375	-25 36 28.83	999	(704)	1990 07 26.112555	22 54 16.584	+14 20 46.32	999
(532)	1993 12 01.751380	22 42 31.435	-24 12 20.46	999	(704)	1990 07 30.099891	22 52 46.386	+14 51 14.63	999
(566)	1988 09 08.156136	02 53 06.981	+11 21 50.35	999	(704)	1990 08 01.093887	22 51 53.265	+15 05 23.44	999
(566)	1988 10 01.089988	02 48 53.244	+10 52 01.59	999	(704)	1990 08 04.085195	22 50 23.861	+15 25 08.54	999
(566)	1988 10 04.080838	02 47 31.112	+10 45 25.89	999	(704)	1990 08 08.072099	22 48 07.380	+15 48 34.16	999
(598)	1986 09 05.060471	00 21 50.368	-21 33 57.78	999	(704)	1990 08 11.062917	22 46 12.853	+16 03 48.93	999
(598)	1986 09 10.045187	00 18 54.645	-22 16 49.62	999	(704)	1990 08 18.040954	22 41 10.006	+16 31 02.58	999
(598)	1986 11 08.861730	23 49 40.073	-20 56 42.11	999	(704)	1990 08 22.026987	22 37 58.854	+16 41 03.41	999
(626)	1988 09 27.157878	04 10 45.445	+53 47 42.15	999	(704)	1990 08 23.024356	22 37 09.457	+16 42 55.04	999
(626)	1988 10 02.147289	04 14 18.096	+55 29 54.39	999	(704)	1990 08 31.993664	22 29 28.986	+16 48 03.80	999
(626)	1988 10 21.095479	04 15 28.104	+61 20 22.57	999	(704)	1990 09 01.990335	22 28 37.112	+16 47 22.66	999
(626)	1988 10 24.085776	04 13 29.617	+62 06 59.97	999	(704)	1990 09 03.984599	22 26 53.593	+16 45 16.28	999
(626)	1988 10 30.066311	04 07 35.726	+63 29 44.07	999	(704)	1990 09 04.981336	22 26 02.110	+16 43 51.73	999
(626)	1988 10 31.060785	04 06 21.814	+63 41 57.44	999	(704)	1991 12 27.010729	06 34 31.913	+25 11 19.60	999
(626)	1988 10 31.061783	04 06 21.740	+63 41 58.03	999	(704)	1991 12 29.003895	06 32 28.519	+25 02 28.43	999
(626)	1988 11 02.054789	04 03 41.218	+64 04 59.82	999	(704)	1991 12 30.001297	06 31 26.932	+24 57 58.87	999

Orbital elements have been computed by the following contributors:

C. M. Bardwell, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [cbardwell@cfa.harvard.edu]
E. Goffin, Agfa-Gevaert N.V., Mortsel, Belgium [e.goffin@roam.agfa.be]
D. W. E. Green, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [dgreen@cfa.harvard.edu]
K. Kinoshita, 4-21, Mitakihoncho 2 Chome, Nishi-Ku, Hiroshima, 733 Japan [nbg01011@niftyserve.or.jp]
T. Kobayashi, 1717-2 Shimo-Koizumi, Oizumi-machi, Ora-gun, Gunma-ken, 370-0 Japan [kobataka@furusato.infopd.sanyo.co.jp]
B. G. Marsden, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [bmarsden@cfa.harvard.edu] (M)
S. Nakano, 3-19, 1 chome, Takenokuchi, Sumoto, Hyogo-ken 656, Japan [snakano@cfa.harvard.edu] (N)
P. Sicoli, Via Valli 9, I-22040 Garbagnate Monastero (Como), Italy [sormano@icil64.cilea.it]
T. Urata, Shiinoki House 203, 28-6, Chuo 3 Chome, Nakano-Ku, Tokyo 164, Japan
G. V. Williams, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [gwilliams@cfa.harvard.edu] (W)

P/1993 K2 (Helin-Lawrence)
Epoch 1993 June 22.0 TT = JDT 2449160.5

<i>T</i>	1993 June 30.36917 TT			Nakano
<i>q</i>	3.0902210	(2000.0)	P	Q
<i>n</i>	0.10424761	ω 163.73518	-0.24166019	+0.95507985
<i>a</i>	4.4712125	Ω 92.03488	-0.90831761	-0.16045240
<i>e</i>	0.3088629	<i>i</i> 9.88313	-0.34140806	-0.24915358
<i>P</i>	9.45			

From 108 observations 1993 Apr. 22–1995 Oct. 18, mean residual 0^h.87.

C/1994 J2 (Takamizawa)

Epoch 1994 June 17.0 TT = JDT 2449520.5

<i>T</i> 1994 June 29.63122 TT		Nakano	
<i>q</i>	(2000.0)	P	Q
<i>z</i>	ω 192.12226	−0.73111369	−0.41540860
	Ω 51.12849	−0.55339343	+0.82503887
<i>e</i>	<i>i</i> 135.96109	−0.39903445	−0.38307513

From 314 observations 1994 Mar. 20–1995 Oct. 29, mean residual 0".68.

C/1995 O1 (Hale-Bopp)

Epoch 1997 Mar. 13.0 TT = JDT 2450520.5

<i>T</i> 1997 Apr. 1.24304 TT		Marsden	
<i>q</i>	(2000.0)	P	Q
<i>z</i>	ω 130.61260	−0.13305064	−0.17041894
	Ω 282.47291	+0.28271287	+0.93765248
<i>e</i>	<i>i</i> 89.41728	+0.94993208	−0.30292773

From 722 observations 1995 July 24–Oct. 23, mean residual 0".71.

C/1995 Q1 (Bradfield)

Epoch 1995 Aug. 31.0 TT = JDT 2449960.5

<i>T</i> 1995 Aug. 31.41811 TT		Nakano	
<i>q</i>	(2000.0)	P	Q
<i>z</i>	ω 331.16030	−0.88928030	−0.45699555
	Ω 178.05177	−0.24187394	+0.50390938
<i>e</i>	<i>i</i> 147.39336	−0.38817205	+0.73296003

From 95 observations 1995 Aug. 18–Oct. 27, mean residual 0".90.

C/1995 Q2 (Hartley-Drinkwater)

Epoch 1995 July 22.0 TT = JDT 2449920.5

<i>T</i> 1995 Aug. 2.72711 TT		Nakano	
<i>q</i>	(2000.0)	P	Q
<i>z</i>	ω 314.00004	+0.95988904	−0.21616148
	Ω 300.75059	−0.15818886	−0.94336261
<i>e</i>	<i>i</i> 168.00747	−0.23149366	−0.25167679

From 105 observations 1995 Aug. 30–Oct. 13, mean residual 0".77.

111P/Helin-Roman-Crockett

Epoch 1996 Nov. 13.0 TT = JDT 2450400.5

<i>T</i> 1996 Oct. 31.77985 TT		Marsden	
<i>q</i>	(2000.0)	P	Q
<i>n</i>	ω 10.13349	−0.20950778	−0.97502311
<i>a</i>	Ω 91.98810	+0.89187800	−0.22146272
<i>e</i>	<i>i</i> 4.23093	+0.40082430	−0.01685824

From 65 observations 1989–1995, mean residual 0".88.

122P/de Vico

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>T</i> 1995 Oct. 6.02317 TT		Nakano	
<i>q</i>	(2000.0)	P	Q
<i>n</i>	ω 12.97555	+0.15786812	−0.11750734
<i>a</i>	Ω 79.61733	+0.79337396	−0.57604920
<i>e</i>	<i>i</i> 85.38982	+0.58790766	+0.80892481

From 199 observations 1846–1995, mean residual 1".83.

123P/West-Hartley

Epoch 1996 Apr. 27.0 TT = JDT 2450200.5

<i>T</i> 1996 May 12.89613 TT		Nakano	
<i>q</i>	(2000.0)	P	Q
<i>n</i>	ω 102.97253	−0.83758048	−0.51127603
<i>a</i>	Ω 46.66597	+0.33928240	−0.76298102
<i>e</i>	<i>i</i> 15.34628	+0.42818966	−0.39554619

P 7.59

From 34 observations 1989–1995, mean residual 0".58.

124P/Mrkos

Epoch 1996 Nov. 13.0 TT = JDT 2450400.5

<i>T</i> 1996 Nov. 9.07813 TT		Marsden	
<i>q</i>	(2000.0)	P	Q
<i>n</i>	ω 180.52222	−0.99931826	+0.03370907
<i>a</i>	Ω 1.65275	−0.03169744	−0.57427084
<i>e</i>	<i>i</i> 31.47078	−0.01892875	−0.81797109

P 5.64

From 58 observations 1991–1995, mean residual 0".90.

One-opposition minor planets

Planet	<i>H</i>	Epoch	<i>M</i>	ω	Ω	<i>i</i>	<i>e</i>	<i>a</i>	Arc	O	N	C
1993 FL ₄₅	13.5	930314	9.32	47.35	119.38	1.31	0.2164	2.7683	5	3		W
1993 TM ₄₅	14.5	930930	66.20	269.77	18.83	14.07	0.1881	2.9543	2	9	E	W
1993 TB ₄₆	15.0	930930	10.32	3.49	356.57	0.80	0.1954	3.0947	33	9		W
1993 TN ₄₆	15.0	930930	76.03	138.14	143.90	3.07	0.1829	2.4518	11	9		W
1993 TW ₄₆	13.0	930930	158.72	170.54	46.99	14.33	0.3190	2.4171	12	9		W
1993 TZ ₄₆	16.5	930930	22.96	218.80	125.61	2.60	0.2125	2.1480	12	9		W
1994 LA	14.1	940707	291.94	252.88	95.27	22.27	0.1721	3.1339	36	0	N	
1995 ER ₅	14.5	950304	74.00	281.69	163.18	10.39	0.0855	3.0845	33	8		W
1995 ES ₆	15.5	950304	10.99	152.56	1.45	0.97	0.1168	3.1200	25	9		W
1995 FD ₁	14.0	950324	328.23	239.30	348.54	1.91	0.1503	2.3867	8	9		W
1995 FA ₃	16.5	950324	143.93	296.88	85.73	2.91	0.0860	3.0113	12	9		W
1995 FO ₄	16.5	950324	29.76	127.57	10.55	6.18	0.0965	2.2425	12	9		W
1995 FW ₅	15.0	950324	97.24	62.55	0.48	9.99	0.0905	3.0904	12	9		W
1995 FO ₁₀	13.5	950324	190.28	308.36	53.69	6.45	0.0488	2.6165	9	9		W
1995 FN ₁₇	16.5	950324	215.49	230.06	120.00	4.66	0.1288	2.2559	30	9		W
1995 FZ ₁₈	16.5	950324	326.29	213.57	8.89	5.97	0.1899	2.3455	12	9		W
1995 FW ₁₉	13.5	950324	229.70	296.69	10.74	5.45	0.0636	2.7422	12	8		W
1995 GV ₁	16.5	950324	312.14	198.02	58.08	6.74	0.1642	3.2011	7	8		W
1995 GV ₃	15.0	950324	256.67	134.92	178.47	14.14	0.1926	2.5975	6	9		W
1995 GD ₄	14.5	950324	174.83	334.29	41.81	9.54	0.0896	3.1712	7	8		W
1995 GS ₅	15.0	950413	64.13	333.73	140.38	3.14	0.1511	2.6335	16	9		W
1995 GF ₆	14.5	950324	211.71	199.45	148.01	4.99	0.1364	2.5600	6	9		W
1995 GM ₆	16.0	950413	80.33	33.25	63.73	5.02	0.1621	3.1702	17	9		W
1995 GU ₆	16.0	950413	28.17	9.41	154.60	6.01	0.0893	3.1251	16	9		W
1995 GP ₇	15.0	950324	257.74	197.42	80.00	5.33	0.0191	2.6936	4	0	E	W
1995 GS ₇	15.5	950324	318.95	117.10	122.16	5.83	0.2483	2.5990	5	0	E	W
1995 GA ₈	15.0	950324	11.99	158.28	13.99	4.54	0.2156	2.7199	4	0		M
1995 GB ₈	15.0	950324	64.82	280.71	191.83	4.09	0.1283	2.2611	3	0		M
1995 GC ₈	15.0	950324	318.52	49.49	196.30	9.33	0.1426	2.6058	4	0	E	M
1995 GD ₈	17.5	950324	347.86	199.14	14.10	2.12	0.2989	2.5840	4	0	E	M
1995 GF ₈	14.5	950324	297.27	254.86	13.37	5.78	0.1147	3.1657	2	9	E	M
1995 GH ₈	15.5	950324	273.07	279.79	4.05	0.85	0.0394	2.3909	2	0	E	W
1995 GJ ₈	16.0	950324	325.98	38.13	199.75	3.05	0.1591	2.5326	2	0	E	M
1995 GL ₈	16.5	950324	0.16	0.08	190.47	0.50	0.2593	2.7278	3	0	E	M
1995 GN ₈	17.0	950324	41.74	295.03	192.59	1.35	0.2356	2.5170	3	0	E	M

1995 GP ₈	16.5	950324	62.76	263.75	196.35	2.40	0.2564	2.4815	2	0	E	M	1995 SP	14.5	950920	332.59	37.78	13.40	9.25	0.1899	2.3234	39	0	W	
1995 GQ ₈	15.5	950324	272.24	94.15	195.89	9.78	0.0911	2.5692	2	8	E	M	1995 SQ	16.5	950920	41.81	271.36	40.71	1.96	0.1987	2.4341	39	0	W	
1995 GS ₈	14.0	950324	273.47	109.52	196.75	13.68	0.2410	2.7961	2	0	M		1995 SR	15.0	950920	35.06	70.42	217.46	26.51	0.3107	2.5871	17	0	W	
1995 GT ₈	14.0	950324	303.37	246.25	17.98	1.36	0.1438	3.0045	2	0	E	M	1995 SS	16.0	950920	85.53	46.67	225.34	24.18	0.0647	1.8191	16	0	W	
1995 GV ₈	16.0	950324	39.65	297.46	197.15	4.16	0.1944	2.2615	2	0	E	M	1995 ST	14.0	950920	117.76	260.58	339.55	7.33	0.0805	2.2934	67	0	W	
1995 HP	14.0	950413	286.59	214.07	100.34	3.58	0.2383	2.3249	9	0	W		1995 SU	14.0	950920	127.04	273.65	318.33	5.04	0.0821	2.3179	38	0	W	
1995 HT ₁	15.0	950413	186.85	303.79	93.77	14.52	0.1789	2.6365	10	7	W		1995 SX	14.5	950920	1.28	142.66	194.64	5.84	0.1431	2.3877	33	0	W	
1995 HU ₁	17.5	950413	300.08	206.16	97.03	10.68	0.2210	3.2229	10	9	W		1995 SY	16.5	950920	90.30	110.28	140.65	5.22	0.0967	2.3308	22	0	W	
1995 HY ₁	15.5	950413	270.54	177.98	162.64	11.16	0.2642	2.7647	10	7	W		1995 SA ₁	14.0	950920	258.00	220.57	265.64	22.64	0.1577	2.3248	18	0	W	
1995 JA ₁	14.0	950413	257.32	277.44	52.68	15.17	0.1179	2.6337	13	0	W		1995 SB ₁	14.5	951010	339.84	167.84	231.81	24.33	0.2536	2.3958	42	0	W	
1995 JH ₁	13.5	950503	277.01	185.56	136.88	2.22	0.1383	3.0681	23	8	W		1995 SC₁	22.5	950920	5.27	340.92	358.10	6.82	0.4748	2.1249	23	0	M	
1995 KB ₄	15.5	950523	328.41	212.79	51.45	14.82	0.0785	2.6762	5	8	W		1995 SE ₁	15.0	950920	318.40	187.57	217.76	3.96	0.2382	2.4997	4	8	W	
1995 KQ ₄	16.5	950523	298.48	173.75	131.83	0.50	0.1522	2.4484	4	8	E	W	1995 SH ₁	17.0	950920	50.33	321.20	309.93	6.36	0.2557	2.1731	2	8	E	W
1995 KD ₅	17.5	950523	314.36	70.20	217.62	4.21	0.1233	2.1893	4	7	W		1995 SJ ₁	15.0	950920	323.40	62.78	351.88	4.08	0.1997	2.4808	30	0	W	
1995 MD ₄	15.0	950612	346.50	62.53	254.07	8.65	0.0606	3.1854	11	7	W		1995 SM ₁	16.0	950920	17.06	269.14	84.87	1.14	0.0850	2.6344	30	0	W	
1995 ME ₄	12.5	950702	251.80	177.07	256.43	9.29	0.1208	5.2819	34	0	D	W	1995 SO ₁	13.0	950920	325.97	130.10	286.02	21.24	0.1537	3.1482	17	8	W	
1995 OJ	16.0	950811	91.94	72.57	125.54	3.08	0.1744	2.3441	58	0	W		1995 SP ₁	13.5	950920	311.20	118.11	313.83	25.76	0.2058	3.1347	15	0	W	
1995 OD ₁	14.5	950811	172.61	6.41	154.66	12.26	0.0877	3.0048	49	0	W		1995 SQ ₁	14.0	950920	306.53	122.80	313.90	23.84	0.2275	2.3792	8	8	W	
1995 OH ₃	17.0	950722	338.95	203.77	142.79	5.65	0.1651	2.2459	10	8	W		1995 SB ₂	13.0	950920	257.92	279.98	213.14	12.86	0.1195	3.1505	31	0	W	
1995 OY ₅	17.0	950722	358.99	193.22	132.35	3.21	0.1981	3.0259	10	8	W		1995 SC ₂	15.0	950920	323.31	223.89	161.35	6.73	0.1279	2.4096	27	9	W	
1995 OD ₈	13.5	950702	246.89	259.62	172.08	10.66	0.0466	5.1495	26	9	W		1995 SE ₂	15.0	950920	333.44	55.13	340.10	12.39	0.1780	2.6281	30	0	W	
1995 OK ₈	11.0	950702	309.85	138.59	231.25	5.91	0.0464	5.2629	26	9	W		1995 SK ₂	14.9	950920	1.49	353.95	349.63	3.13	0.1926	2.4273	15	0	N	
1995 PB	13.5	950831	286.38	272.02	188.40	8.35	0.1466	2.7752	69	0	W		1995 SL ₂	12.8	951010	322.86	240.07	161.99	13.24	0.1794	2.6432	30	9	N	
1995 PJ	16.5	950811	348.98	10.84	314.95	4.76	0.1628	2.5808	43	0	W		1995 SO ₂	16.0	951010	32.81	82.80	233.06	4.11	0.2933	2.5712	32	0	N	
1995 QD	16.0	950831	330.38	209.23	170.26	10.15	0.1820	2.7934	43	0	W		1995 SP ₂	15.2	951010	22.45	266.44	81.79	7.79	0.1506	2.3964	30	0	N	
1995 QE	15.5	950831	337.54	213.30	165.25	13.54	0.2929	3.0671	43	0	W		1995 SQ ₂	15.0	951010	71.04	26.34	258.43	10.60	0.1512	2.6450	29	0	W	
1995 QF	15.5	950831	331.15	183.84	190.08	5.14	0.1852	2.2203	36	0	W		1995 SR₂	20.0	951010	25.56	127.08	180.24	5.31	0.3690	2.0966	29	0	M	
1995 QK	15.0	950831	339.29	132.68	231.22	3.31	0.1711	2.3153	32	0	W		1995 SS ₂	12.2	950920	306.36	63.46	0.79	13.81	0.1491	2.6780	10	6	N	
1995 QL	15.5	950831	355.70	104.01	238.73	3.55	0.2715	2.6087	32	0	W		1995 ST ₂	13.6	950920	344.26	15.68	0.56	17.06	0.1366	2.5547	10	6	N	
1995 QN	14.0	950831	34.08	134.92	158.91	3.95	0.1737	2.2486	41	0	W		1995 SU ₂	13.3	950920	54.58	107.51	163.54	4.87	0.2762	2.3664	10	6	E	N
1995 QO	16.0	950920	350.81	32.36	347.01	8.47	0.2976	2.7750	65	0	W		1995 SV ₂	13.1	950920	253.91	70.96	39.12	3.01	0.0696	2.4261	10	6	E	N
1995 QQ	13.7	950831	44.61	333.85	314.03	13.44	0.1094	2.6332	11	8	N		1995 SX ₂	14.0	950920	19.54	283.46	44.01	3.29	0.1902	2.3590	10	6	N	
1995 QS	13.7	950831	42.54	213.52	59.24	5.18	0.1583	2.2498	66	9	N		1995 SC ₃	14.8	950920	355.53	6.31	359.47	4.21	0.2168	2.1676	10	6	E	N
1995 QN ₁	15.0	950831	240.40	276.01	186.71	1.83	0.0384	3.0476	43	0	W		1995 SE ₃	14.9	950920	8.60	334.98	10.84	1.58	0.2040	2.1716	10	6	N	
1995 QD ₂	15.5	950920	338.85	105.40	289.84	3.78	0.1119	2.1771	61	0	W		1995 SH ₃	14.1	950920	348.68	191.90	182.45	6.81	0.1624	2.3086	10	6	E	N
1995 QZ ₂	14.5	950831	353.36	336.96	11.82	1.22	0.1476	3.0961	32	0	W		1995 SK ₃	14.5	951010	77.47	177.55	94.70	3.57	0.1636	2.4611	33	0	W	
1995 QA ₃	13.5	950920	34.89	336.78	340.25	7.51	0.1070	2.3047	44	0	N		1995 SL ₃	16.0	951010	50.73	52.26	248.77	0.61	0.1813	2.4275	30	0	W	
1995 QE ₃	14.5	950920	15.61	11.46	324.05	1.74	0.2290	2.3732	56	0	W		1995 SQ ₃	12.7	950920	240.77	212.45	277.18	5.92	0.0933	2.3363	10	6	N	
1995 QT ₃	16.0	950920	27.37	329.82	327.44	2.94	0.2404	2.2974	50	0	W		1995 SR ₃	13.7	950920	10.75	16.29	328.56	6.12	0.1798	2.2370	10	6	N	
1995 QU ₃	13.5	950920	335.42	107.42	296.71	23.72	0.3819	3.1476	59	0	W		1995 SS ₃	13.8	950920	11.03	356.73	346.73	10.80	0.2288	2.3881	10	6	N	
1995 QF ₄	16.0	950831	342.90	59.54	320.60	3.31	0.1351	2.2135	42	0	W		1995 ST ₃	14.5	950920	20.68	59.01	271.86	2.95	0.1892	2.2557	20	0	W	
1995 RA	13.5	950920	351.30	58.12	303.26	22.99	0.2316	2.3450	59	0	W		1995 SU ₃	13.1	951010	61.38	315.80	330.12	6.69	0.1935	2.2553	20	8	N	
1995 RC	14.5	950920	343.69	58.76	331.84	5.53	0.1670	2.2095	46	0	W		1995 SW ₃	15.1	950920	4.44	15.04	337.08	6.69	0.3354	2.3301	10	6	N	
1995 RH	15.0	950831	0.54	262.56	97.95	23.57	0.2950	2.3315	5	8	W		1995 SX ₃	14.1	950920	45.45	78.80	220.60	5.03	0.1889	2.2263	10	6	N	
1995 RK	15.0	950920	33.64	58.56	248.93	5.19	0.1130	2.3731	31	0	W		1995 SZ ₃	14.0	950920	355.61	173.06	202.60	6.27	0.2383	2.3638	11	9	W	
1995 RR		950920	312.25	317.56	80.26	8.70	0.1041	2.7282	36	0	W		1995 SA₄	22.0	950920	5.15	148.21	187.81	2.81	0.5798	2.4999	22	0	W	
1995 SB	22.0	950920	90.06	263.11	352.10	14.91	0.0857	1.3208	12	0	M		1995 SB ₄	15.0	951010	351.68	107.92	279.26	22.96	0.3890	3.1635	33	0	W	
1995 SC	15.5	951010	353.75	75.91	317.55	28.31	0.3994	2.7584	41	0	W		1995 SC ₄	13.0	950920	50.93	60.79	238.64	4.33	0.1763	3.1690	25	0	W	
1995 SD	17.0	950920	3.34	302.87	47.12	4.18	0.1701	2.5789	36	0	W		1995 SG ₄	15.5	950920	6.90	40.46	313.00	21.80	0.2285	2.2943	15	6	W	
1995 SE	17.0	950920	317.90	342.72	74.45	3.19	0.2155	2.3280	35	0	W		1995 SH ₄	16.0	950920	343.14	78.41	320.79	21.31	0.3673	2.7306	13	6		

1995 SA ₅	16.0	950920	336.80	213.24	191.18	13.33	0.1287	2.7587	4	9	W	1995 SD ₁₄	16.0	950920	350.71	10.86	356.13	13.51	0.1119	3.1573	11	9	W
1995 SD ₅	12.4	951010	47.87	330.09	350.69	13.28	0.0711	2.9581	20	6	N	1995 SE ₁₄	17.5	950920	327.37	23.56	12.16	1.60	0.1116	2.8515	9	9	W
1995 SF ₅	14.9	950920	352.89	287.62	85.48	4.29	0.2019	2.1996	10	6	N	1995 SG ₁₄	12.5	950920	140.30	27.41	173.07	14.30	0.2478	2.9880	9	9	E W
1995 SG ₅	12.9	950920	15.34	314.23	22.39	14.04	0.2585	2.6568	10	6	N	1995 SL ₁₄	17.0	950920	0.85	181.21	173.08	11.37	0.2073	3.1726	9	9	W
1995 SH ₅	14.0	951010	341.56	94.62	297.35	0.68	0.1022	2.9885	29	0	W	1995 SS ₁₄	16.5	950920	335.52	210.04	177.62	12.18	0.1727	2.6690	9	9	W
1995 SJ ₅	15.0	950920	41.60	332.01	335.70	5.07	0.1934	2.2307	20	0	W	1995 SU ₁₄	13.5	950920	299.91	213.03	207.81	2.14	0.0866	5.3278	11	9	W
1995 SK ₅	13.5	951010	122.11	259.88	303.88	11.69	0.1412	2.6093	29	0	W	1995 SW ₁₄	16.5	950920	20.52	151.60	176.17	13.89	0.1033	2.6684	9	9	W
1995 SP ₅	13.5	950920	317.19	32.97	55.25	2.01	0.1865	3.1469	24	0	W	1995 SY ₁₄	16.5	950920	63.86	357.71	281.68	0.84	0.0915	2.4756	9	9	W
1995 SN ₆	16.5	950920	46.61	291.26	353.63	5.93	0.2211	2.2426	5	9	W	1995 SB ₁₅	14.5	950920	109.43	255.31	342.99	6.15	0.0512	2.7501	11	9	E W
1995 SU ₆	17.0	950920	61.47	288.46	353.27	11.31	0.0941	2.7371	10	8	W	1995 SK ₁₅	18.0	950920	357.13	57.61	301.02	0.71	0.2508	3.0691	9	9	W
1995 SW ₆	16.5	950920	284.68	94.74	354.04	15.54	0.1769	2.6374	10	9	W	1995 SM ₁₅	15.0	950920	5.51	357.97	349.46	8.85	0.0584	2.5574	11	9	W
1995 SX ₆	19.0	950920	44.19	289.36	354.27	11.93	0.2587	2.4702	10	8	W	1995 SN ₁₅	15.5	950920	145.98	224.16	334.73	3.12	0.1502	2.9629	11	9	W
1995 SZ ₆	17.5	950920	302.13	75.54	354.80	11.51	0.1754	2.6222	10	9	W	1995 SO ₁₅	17.0	950920	333.65	79.88	312.22	0.83	0.1843	2.3841	9	9	W
1995 SB ₇	18.5	950920	339.26	28.88	356.59	12.16	0.1987	2.6458	10	9	W	1995 SQ ₁₅	19.0	950920	5.23	116.81	229.45	0.65	0.1945	2.4309	9	9	W
1995 SV ₇	17.0	950920	0.16	157.77	195.24	0.91	0.1226	2.5664	10	9	W	1995 SS ₁₅	16.5	950920	121.75	40.42	186.70	3.31	0.0479	2.7791	9	9	W
1995 SY ₇	15.0	950920	130.17	221.99	349.81	8.33	0.1341	2.8989	10	9	W	1995 SU ₁₅	16.0	950920	88.24	40.95	213.72	0.74	0.0952	2.5085	9	9	W
1995 SC ₈	17.5	950920	283.15	94.27	346.45	1.88	0.0928	2.3828	10	8	E W	1995 SX ₁₅	15.0	950920	33.15	117.73	182.27	3.47	0.2515	2.9827	9	9	W
1995 SG ₈	17.0	950920	311.81	70.02	352.07	8.54	0.2040	2.7158	10	9	W	1995 SY ₁₅	16.5	950920	84.43	69.45	180.76	3.97	0.1676	2.6334	9	9	W
1995 SO ₈	17.0	950920	306.69	60.83	353.69	7.93	0.0794	3.1151	10	9	W	1995 SZ ₁₅	19.5	950920	357.81	10.87	347.00	3.04	0.2083	2.4482	11	9	W
1995 ST ₈	17.5	950920	77.59	271.57	355.54	5.98	0.0809	2.3872	10	9	W	1995 SA ₁₆	16.0	950920	58.18	102.26	175.11	14.46	0.1682	3.1299	9	9	W
1995 SA ₉	16.0	950920	66.32	274.56	359.21	1.44	0.1246	3.0228	10	9	W	1995 SD ₁₆	15.5	950920	90.49	245.80	352.09	19.52	0.2305	3.2301	11	9	W
1995 SQ ₉	18.5	950920	307.09	65.30	356.48	6.93	0.1401	2.3586	10	8	W	1995 SG ₁₆	15.5	950920	320.03	225.74	177.39	8.87	0.1098	3.1878	9	9	W
1995 SR ₉	14.5	950920	270.42	101.02	355.81	13.26	0.1134	3.1366	12	0	W	1995 SH ₁₆	16.0	950920	329.52	210.12	177.33	8.37	0.0441	2.9933	9	9	W
1995 ST ₉	18.0	950920	29.26	150.94	160.66	1.44	0.2015	2.3511	10	9	W	1995 SM ₁₆	17.0	950920	228.55	317.52	177.69	7.20	0.1201	2.5915	9	9	W
1995 SY ₉	18.5	950920	4.11	350.00	359.00	6.00	0.1965	2.3369	10	9	W	1995 SP ₁₆	15.5	950920	146.07	213.28	353.72	10.73	0.0249	3.0552	11	9	W
1995 SD ₁₀	19.0	950920	349.75	14.32	358.94	6.70	0.2560	2.3209	10	9	W	1995 SS ₁₆	16.5	950920	43.80	334.20	317.73	0.47	0.2019	3.2219	11	9	W
1995 SJ ₁₀	17.5	950920	120.58	108.76	119.13	0.74	0.0735	2.1997	10	9	W	1995 SV ₁₆	15.0	950920	255.30	296.19	170.91	0.24	0.0703	2.8888	11	0	W
1995 SK ₁₀	17.5	950920	35.84	294.76	15.89	2.15	0.1162	3.0763	10	9	W	1995 SZ ₁₆	17.0	950920	39.48	313.27	354.85	8.10	0.0942	3.0994	11	8	W
1995 SR ₁₀	16.5	950920	338.97	30.42	8.95	5.84	0.1247	3.0771	10	9	W	1995 SA ₁₇	16.0	950920	272.31	154.06	290.28	0.04	0.0128	2.9901	11	9	E W
1995 SV ₁₀	16.0	950920	0.75	359.30	12.60	10.24	0.1178	3.0143	10	9	W	1995 SB ₁₇	18.5	950920	351.84	9.41	354.60	7.43	0.0225	2.2167	11	9	W
1995 SW ₁₀	15.5	950920	88.43	267.55	13.94	15.51	0.0402	3.1496	10	9	W	1995 SC ₁₇	14.5	950920	50.56	101.90	173.45	4.82	0.2736	2.7238	9	9	W
1995 SH ₁₁	18.0	950920	18.18	328.50	14.17	9.78	0.2307	2.8083	13	9	W	1995 SE ₁₇	14.5	950920	259.96	79.49	39.48	0.36	0.2252	3.0761	9	8	E W
1995 SA ₁₂	17.5	950920	31.53	94.58	212.70	0.61	0.1970	2.3881	9	8	W	1995 SH ₁₇	17.5	950920	51.28	122.55	174.54	5.96	0.0774	2.6211	9	9	W
1995 SB ₁₂	16.0	950920	86.20	75.01	182.27	3.19	0.0818	2.6601	9	9	W	1995 ST ₁₇	16.0	950920	118.20	221.62	15.88	16.03	0.1025	2.6237	12	9	W
1995 SC ₁₂	15.5	950920	119.52	49.64	176.45	10.41	0.0741	2.9741	9	9	W	1995 SL ₁₈	17.5	950920	311.75	77.21	355.79	2.33	0.1501	2.3788	9	9	W
1995 SN ₁₂	17.5	950920	329.74	47.37	344.28	2.69	0.1156	2.6160	9	9	W	1995 SO ₁₈	17.5	950920	314.92	65.09	2.37	3.64	0.1242	2.5531	9	9	W
1995 SO ₁₂	17.0	950920	337.99	26.72	350.73	4.82	0.0436	2.7707	9	9	E W	1995 SP ₁₈	14.5	950920	48.63	302.74	8.30	5.26	0.1419	3.2226	9	9	W
1995 SP ₁₂	18.5	950920	24.55	128.05	181.33	1.42	0.2924	2.6337	9	9	W	1995 SQ ₁₈	17.5	950920	126.81	298.70	302.53	0.48	0.0248	2.1300	9	9	W
1995 SQ ₁₂	17.0	950920	1.18	174.58	177.55	5.70	0.1219	2.9718	9	9	W	1995 SS ₁₈	16.5	950920	91.31	32.70	222.40	1.05	0.2433	2.6977	9	9	E W
1995 SS ₁₂	16.5	950920	129.07	43.28	174.98	12.21	0.0710	3.1668	9	9	W	1995 SA ₁₉	16.5	950920	64.97	275.60	8.52	3.27	0.2141	2.8067	9	9	W
1995 SU ₁₂	15.5	950920	0.24	3.26	350.08	3.48	0.1689	3.1866	9	9	W	1995 SB ₁₉	16.5	950920	171.23	188.09	13.06	12.36	0.1322	2.6171	12	9	W
1995 SV ₁₂	16.5	950920	9.56	166.85	175.72	2.91	0.0702	2.9398	9	9	W	1995 SE ₁₉	15.0	950920	184.69	179.54	9.85	2.80	0.0454	2.5781	9	9	W
1995 SX ₁₂	14.0	950920	121.49	14.68	200.00	0.37	0.2036	3.0240	9	8	W	1995 SF ₁₉	16.0	950920	9.83	348.80	11.34	3.38	0.1608	3.2353	9	9	W
1995 SZ ₁₂	17.0	950920	29.96	325.55	353.12	11.80	0.0824	3.0012	9	9	W	1995 SH ₁₉	16.0	950920	70.83	106.60	187.03	0.57	0.0936	3.0933	9	9	E W
1995 SC ₁₃	17.5	950920	8.90	166.72	174.91	1.48	0.1743	2.5594	9	9	W	1995 SL ₁₉	18.0	950920	335.06	38.29	11.63	3.18	0.2086	2.6563	12	9	W
1995 SE ₁₃	16.5	950920	61.43	266.46	352.93	1.70	0.2912	2.8176	9	9	E W	1995 SM ₁₉	15.0	950920	244.54	121.23	14.77	12.19	0.0632	2.6201	12	9	W
1995 SF ₁₃	16.0	950920	95.57	77.12	172.15	1.51	0.0819	2.9737	9	9	W	1995 SR ₁₉	15.5	950920	291.68	87.20	14.30	2.55	0.1800	2.3952	9	9	W
1995 SH ₁₃	16.5	950920	344.62	24.81	352.82	3.05	0.1956	2.7667	9	9	W	1995 SS ₁₉	17.0	950920	132.70	220.64	15.12	6.83	0.0675	2.4377	9	9	W
1995 SM ₁₃	17.5	950920	25.57	324.69	354.80	6.53	0.1605	2.5781	9	9	W	1995 SW ₁₉	14.0	950920	246.93	106.41	41.69	1.07	0.1890	3.2085	9	9	E W
1995 SN ₁₃	15.5	950920	9.88	346.11	354.80	2.15	0.1584	2.8831	9	9	W	1995 SX ₁₉	13.0	950920	30.73	151.62	184.18	1.83	0.1198	2.9268	9	9	W
1995 SO ₁₃	15.5	950920	162.57	15.98	169.28	3.10	0.2455	2.4439	9	9	E W	1995 SB ₂₀	17.5	950920	68.35	260.68	28.18	1.43	0.1395				

M.P.C. 25935

1995 NOV. 7

1995 SL ₂₂	16.5	950920	57.73	275.35	10.28	25.93	0.2002	3.0921	11	9	W	1995 SS ₃₀	16.0	950920	244.78	128.27	349.40	9.83	0.1897	2.4401	11	0	W
1995 SP ₂₂	17.0	950920	338.37	333.98	56.44	2.93	0.0710	2.9127	11	9	W	1995 ST ₃₀	17.0	950920	53.65	282.19	2.87	2.17	0.0693	2.6232	11	9	W
1995 ST ₂₂	18.5	950920	313.51	38.47	24.01	6.56	0.1263	2.4089	11	9	W	1995 SV ₃₀	16.5	950920	316.92	48.23	356.25	4.50	0.1702	2.7952	11	0	W
1995 SK ₂₃	14.5	950920	314.16	41.04	24.61	9.07	0.1442	2.8115	11	9	W	1995 SY ₃₀	16.0	950920	211.44	337.85	160.19	7.38	0.0594	2.3205	5	8	W
1995 SL ₂₃	17.5	950920	39.47	301.32	20.11	12.87	0.0754	2.9334	11	9	W	1995 SA ₃₁	17.5	950920	25.59	163.12	149.16	2.23	0.1618	2.3715	5	9	W
1995 SA ₂₄	16.0	950920	228.02	351.76	153.16	3.74	0.0959	2.7183	11	7	W	1995 SC ₃₁	17.0	950920	48.19	286.34	359.10	4.78	0.1416	2.3868	11	0	W
1995 SC ₂₄	14.0	950920	332.63	243.57	153.48	4.46	0.0411	5.2086	11	9	W	1995 SE ₃₁	14.0	950920	235.27	120.73	350.82	10.48	0.0435	5.1506	11	9	E W
1995 SD ₂₄	14.5	950920	33.08	160.91	164.21	5.19	0.0971	2.7526	11	9	W	1995 SF ₃₁	17.0	950920	353.19	359.06	356.47	5.52	0.1215	2.7809	11	9	W
1995 SE ₂₄	16.5	950920	304.80	55.73	25.25	4.67	0.1977	2.6368	11	9	W	1995 SO ₃₁	16.0	950920	339.73	106.23	261.62	9.48	0.1920	3.0868	9	9	W
1995 SF ₂₄	18.0	950920	333.60	253.63	149.17	2.55	0.2013	2.3261	11	9	W	1995 SS ₃₁	16.5	950920	293.99	258.37	159.86	5.94	0.0544	2.6676	10	9	W
1995 SG ₂₄	13.5	950920	234.82	73.22	66.48	2.97	0.0741	5.1136	11	9	E W	1995 SX ₃₁	18.0	950920	337.93	25.45	356.55	5.65	0.2058	2.5247	11	9	W
1995 SH ₂₄	17.0	950920	358.16	352.88	15.22	10.90	0.2125	3.3949	11	9	W	1995 SE ₃₂	15.0	950920	18.36	139.59	175.85	2.65	0.2229	2.9889	10	9	W
1995 SJ ₂₄	17.5	950920	193.89	104.44	69.18	2.17	0.0972	2.3419	11	9	W	1995 SG ₃₂	15.5	950920	254.55	273.40	176.92	2.83	0.0167	2.9987	11	9	W
1995 SQ ₂₄	17.0	950920	309.98	0.63	61.07	2.88	0.0610	2.8857	11	9	W	1995 SH ₃₂	16.0	950920	237.91	138.32	337.60	3.44	0.0943	2.1781	15	0	W
1995 SR ₂₄	16.0	950920	50.83	150.44	157.05	4.68	0.0806	2.7717	11	9	W	1995 SL ₃₂	16.5	950920	156.34	247.20	294.87	0.53	0.1530	2.3564	11	9	W
1995 SS ₂₄	17.5	950920	33.44	252.12	69.56	2.17	0.1335	2.4375	11	9	W	1995 SQ ₃₂	17.0	950920	343.79	26.02	348.77	5.27	0.2339	2.3037	11	9	W
1995 SU ₂₄	19.0	950920	8.43	328.14	20.13	6.48	0.2770	2.5654	11	9	W	1995 ST ₃₂	16.0	950920	353.61	183.81	172.97	1.98	0.1933	2.5407	11	9	W
1995 SX ₂₄	16.5	950920	267.42	86.73	23.20	10.08	0.0909	3.1177	11	9	W	1995 SV ₃₂	17.0	950920	12.09	162.09	165.71	4.24	0.1731	3.2161	10	9	W
1995 SY ₂₄	17.0	950920	323.94	314.91	102.56	2.59	0.1815	3.1681	11	9	W	1995 SB ₃₃	16.0	950920	336.57	211.41	167.71	5.01	0.1546	2.5447	10	9	W
1995 SZ ₂₄	16.0	950920	49.81	275.87	15.60	15.63	0.2403	3.1746	11	9	W	1995 SC ₃₃	17.5	950920	24.44	143.34	168.02	4.93	0.2001	2.4157	10	9	W
1995 SB ₂₅	16.5	950920	359.05	346.53	19.27	8.08	0.1420	2.3067	11	8	W	1995 SO ₃₃	13.5	950920	189.22	144.46	12.82	0.93	0.0454	3.1160	11	9	W
1995 SF ₂₅	15.5	950920	267.78	355.48	115.19	3.21	0.0935	2.9781	11	8	W	1995 SL ₄₆	16.5	950920	322.67	207.17	191.82	1.35	0.1816	2.4005	6	0	W
1995 SG ₂₅	17.0	950920	279.33	31.39	71.78	2.95	0.1410	2.3447	11	9	W	1995 SW ₄₈	16.0	950920	348.03	143.64	238.69	24.69	0.0844	1.8921	14	8	W
1995 SV ₂₅	18.0	950920	229.93	147.95	355.89	2.81	0.0248	2.2787	11	8	W	1995 SX ₄₈	15.0	950920	119.09	309.82	299.61	22.06	0.0242	1.8469	13	6	W
1995 SW ₂₅	15.5	950920	0.38	11.30	358.09	2.69	0.2184	2.5875	11	9	W	1995 SC ₅₁	17.0	950920	264.03	274.33	207.31	2.87	0.0898	2.6696	5	9	W
1995 SY ₂₅	18.5	950920	351.73	31.43	350.65	1.85	0.2088	2.3879	11	9	W	1995 SH ₅₁	17.0	950920	52.03	308.12	9.36	4.87	0.0399	2.2503	6	9	W
1995 SC ₂₆	16.0	950920	145.34	239.48	339.59	1.53	0.1587	2.3568	11	9	W	1995 SK ₅₁	14.5	950920	76.96	281.72	0.39	1.90	0.1575	3.2084	6	9	W
1995 SK ₂₆	16.0	950920	236.71	141.47	8.74	4.93	0.1582	2.3778	11	9	W	1995 SL ₅₁	19.5	950920	0.71	34.80	335.42	0.77	0.2014	2.4281	6	7	W
1995 SM ₂₆	18.0	950920	23.08	329.86	10.26	9.33	0.1658	2.7527	12	8	W	1995 SM ₅₁	17.0	950920	48.11	295.98	6.05	2.13	0.2391	2.8313	5	9	W
1995 SO ₂₆	13.5	950920	269.55	273.83	197.16	9.81	0.0485	2.9967	8	9	W	1995 SN ₅₁	16.0	950920	6.84	351.57	14.22	9.02	0.1543	3.0730	6	9	W
1995 SQ ₂₆	17.0	950920	332.48	219.83	193.66	5.69	0.2085	2.6312	8	9	W	1995 SP ₅₁	18.0	950920	29.87	329.63	8.72	2.91	0.1000	2.6230	6	9	W
1995 SW ₂₆	18.0	950920	344.99	23.18	10.61	3.28	0.2050	2.4201	11	8	W	1995 ST ₅₁	17.0	950920	45.13	303.17	13.92	4.18	0.1550	3.1484	6	9	W
1995 SC ₂₇	16.5	950920	316.98	240.17	192.82	6.95	0.1900	2.4290	8	9	W	1995 SV ₅₁	17.5	950920	38.54	307.90	12.99	1.91	0.1841	2.8469	5	8	W
1995 SE ₂₇	16.0	950920	85.77	264.04	20.73	1.36	0.0466	2.8973	11	9	W	1995 SX ₅₁	16.0	950920	3.35	353.82	16.18	8.58	0.1970	3.0690	6	8	W
1995 SO ₂₇	15.0	950920	30.79	128.51	191.80	7.43	0.2754	2.7882	8	9	W	1995 SY ₅₁	16.5	950920	62.84	274.64	13.84	4.95	0.2071	2.4489	6	9	W
1995 SR ₂₇	17.5	950920	76.11	262.67	14.11	5.44	0.1765	2.2035	12	8	W	1995 SB ₅₂	18.5	950920	4.75	350.79	13.23	2.20	0.1890	2.2724	5	9	W
1995 SW ₂₇	16.0	950920	334.74	26.53	24.68	1.55	0.1696	3.0641	11	8	W	1995 SD ₅₂	17.5	950920	328.59	46.07	12.46	2.44	0.1798	2.5873	6	9	W
1995 SC ₂₈	14.0	950920	8.83	91.81	234.37	9.34	0.0964	2.7794	9	9	W	1995 SU ₅₂	14.4	951010	28.06	42.26	288.13	5.24	0.1553	2.2620	22	6	N
1995 SP ₂₈	18.0	950920	26.86	324.79	342.44	1.16	0.1887	2.3414	11	9	W	1995 SX ₅₂	13.0	951010	33.21	91.49	237.53	3.35	0.1762	2.8141	20	6	N
1995 ST ₂₈	18.5	950920	3.16	182.36	159.50	0.79	0.2212	2.4139	11	9	W	1995 SF ₅₃	16.5	950920	334.40	209.98	179.13	1.97	0.1432	2.7376	6	9	W
1995 SU ₂₈	17.0	950920	47.03	302.05	344.95	2.81	0.1139	2.6211	11	9	W	1995 SQ ₅₃	14.7	951030	354.83	18.68	36.09	8.02	0.1736	2.3206	27	0	N
1995 SV ₂₈	17.5	950920	331.91	36.43	346.60	2.73	0.1488	2.5641	11	9	W	1995 SS ₅₃	15.0	951030	352.15	29.86	30.19	3.71	0.2217	2.2951	28	0	N
1995 SX ₂₈	14.0	950920	12.30	193.12	135.20	0.42	0.1141	3.1581	11	9	E W	1995 SU ₅₃	15.5	950920	331.53	195.31	191.56	2.04	0.1906	2.7827	4	9	W
1995 SE ₂₉	16.0	950920	348.85	338.83	21.93	0.91	0.1772	3.1693	11	9	W	1995 SV ₅₃	15.0	950920	292.17	220.29	211.14	1.28	0.1764	3.1342	4	8	W
1995 SG ₂₉	18.5	950920	53.78	276.82	358.44	2.32	0.1649	2.3769	11	9	W	1995 SX ₅₃	14.5	950920	339.71	95.72	316.13	22.45	0.2539	2.7675	12	6	W
1995 SJ ₂₉	17.5	950920	341.77	20.05	348.89	11.76	0.1137	2.5642	12	9	W	1995 TD	15.0	950920	26.29	142.41	186.75	6.39	0.1561	2.2283	71	0	W
1995 SK ₂₉	14.0	950920	15.92	164.04	183.68	4.53	0.1998	2.2345	23	0	W	1995 TG	13.0	951010	12.23	300.54	60.98	12.14	0.1719	3.1045	16	0	W
1995 SM ₂₉	12.4	951030	355.22	337.87	55.41	2.79	0.1680	3.1927	31	0	N	1995 TH		951010	55.62	133.64	119.81	15.95	0.3190	3.1380	15	6	W
1995 SP ₂₉	12.0	950920	295.36	349.66	111.42	2.11	0.1596	3.1024	23	9	W	1995 TO	15.5	951010	349.00	17.13	15.73	3.66	0.1609	2.1964	15	0	W
1995 SQ ₂₉	13.5	950920	28.71	291.08	40.60	3.78	0.1988	2.4299	23	0	W	1995 TP	15.5	951010	14.93	158.13	199.57	6.28	0.1424	2.3673	32	0	W
1995 SR ₂₉	13.8	951010	32.33	267.38	66.29	2.26	0.2007	2.4244	31	0	N	1995 TR	13.0	951030	79.83	82.67	219.04	5.53	0.1111	2.3776			

1995 TP ₂	14.0	951010	288.89	72.44	31.63	13.02	0.1811	2.8935	11	0	W
1995 UA	16.5	951010	0.14	118.35	261.27	1.81	0.2327	2.3735	7	0	W
1995 UC	14.5	951010	317.83	64.27	9.75	13.04	0.1241	2.6878	6	8	W
1995 UD	15.0	951010	348.96	129.35	264.83	3.50	0.1038	2.3121	6	8	W
1995 UE	14.0	951010	158.41	230.35	348.03	6.70	0.1364	2.2390	6	8	W
1995 UG	15.2	951010	358.81	140.43	243.67	3.42	0.3058	2.4591	4	7	N
1995 UK	15.8	951030	11.49	131.97	238.43	4.29	0.3060	2.6127	8	8	N
1995 UL	13.0	951010	40.38	338.15	356.69	4.53	0.0752	2.7506	7	0	W
1995 UM	15.0	951010	319.51	200.66	231.65	5.47	0.1334	2.4811	6	0	W
1995 UO	14.5	951010	347.48	183.47	214.99	12.92	0.1771	2.6211	8	8	W
1995 UP	15.0	951010	25.29	89.82	252.13	3.98	0.2038	2.3278	4	6	W
1995 UQ	14.0	951010	97.49	299.18	326.90	7.83	0.0904	2.4198	7	0	W
1995 UR	14.0	951010	315.95	158.04	297.53	25.50	0.2161	2.3184	10	7	W
1995 US	11.0	951010	69.69	337.33	329.71	22.08	0.1276	2.9873	9	6	W
1995 UT	11.5	951010	286.21	35.33	71.46	3.28	0.1101	3.0356	2	9	E W
1995 UX	15.5	951010	350.09	182.51	182.69	1.85	0.1786	2.3124	3	0	E W
1995 UZ	15.5	951010	351.40	348.80	41.70	3.16	0.1184	2.7188	5	8	W
1995 UA ₁	15.0	951010	245.82	173.88	334.07	6.39	0.0384	2.3055	4	6	W
1995 UB ₁	12.5	951010	261.87	270.99	241.63	9.03	0.1381	2.9711	3	8	E W
1995 UC ₁	13.5	951010	258.37	19.65	135.47	3.11	0.0609	3.1982	3	6	E W
1995 UD ₁	15.5	951010	330.09	29.75	26.17	7.04	0.1277	2.3151	4	0	W
1995 UE ₁	13.0	951010	28.99	146.27	196.44	10.47	0.0971	2.9769	4	7	W
1995 UR ₁	13.0	951030	28.96	328.10	32.72	16.17	0.1209	2.6261	7	0	N
1995 UX₁	17.5	951010	355.19	15.29	14.40	15.26	0.4465	2.6566	8	0	W
1995 UY ₁	14.0	951010	280.74	151.35	322.68	4.69	0.0469	2.6526	5	8	W
1995 UB ₂	17.0	951010	273.37	289.45	204.35	20.51	0.2279	2.3033	6	8	W
1995 UC₂	21.0	951010	42.86	272.59	33.25	27.54	0.3248	1.7158	6	0	W
1995 UD ₂	13.5	951010	33.52	99.66	232.06	8.83	0.1442	2.5481	3	9	W
1995 UE ₂	13.0	951010	76.39	89.72	190.15	3.72	0.1847	3.2194	3	0	E W
1995 UP ₂	12.7	951030	290.68	89.88	24.97	10.37	0.0499	2.9926	7	0	N
1995 UB ₃	16.0	951010	357.19	57.25	327.43	18.36	0.0928	1.9093	6	0	W
1995 UO ₃	13.1	951030	293.76	241.17	254.77	4.22	0.2201	2.3189	11	6	N
1995 UQ ₃	13.0	951030	181.25	336.46	240.43	2.48	0.1188	2.1764	7	7	N
1995 US ₃	13.5	951030	58.82	86.65	227.56	5.59	0.2258	2.2287	7	8	N
1995 UU ₃	14.0	951030	336.43	44.79	29.09	3.91	0.1984	2.6648	7	6	N
1995 UV ₃	13.5	951030	47.89	301.19	28.40	7.83	0.2126	2.7504	7	6	N
1995 UW ₃	14.3	951030	6.78	20.88	7.33	2.48	0.2000	2.4064	7	6	N
1995 UX ₃	13.9	951030	23.24	349.94	17.24	6.20	0.1581	2.3931	7	6	N
1995 UZ ₃	12.1	951030	268.31	102.44	33.09	23.81	0.0266	3.1046	7	6	N
1995 UB₄	16.0	951010	351.02	17.02	32.77	9.18	0.4088	2.6068	11	0	W
1995 UC ₄	14.9	951030	13.93	342.27	34.91	2.58	0.2124	2.3666	7	6	N
1995 UD ₄	13.7	951030	20.70	341.19	28.42	5.37	0.1695	2.1515	7	6	N
1995 UE ₄	13.9	951030	18.53	147.49	227.87	5.13	0.1232	2.3338	7	7	N
1995 UF ₄	15.1	951030	18.29	339.61	28.21	4.98	0.2873	2.2470	9	0	N
1995 UZ ₄	18.0	951010	213.03	134.99	26.72	23.69	0.0248	1.8766	3	9	W
1995 UA ₅	16.0	951010	3.00	334.18	47.32	22.46	0.0697	1.9481	3	9	W
1995 UE ₅	11.5	951010	177.63	5.81	198.29	9.48	0.0924	2.7391	3	6	E W
1995 UF ₅	12.5	951010	358.25	294.86	90.04	2.05	0.1222	3.1229	3	5	E W
1995 UG ₅	14.8	951030	19.18	332.45	30.77	3.85	0.1668	2.1540	11	8	N
1995 UJ ₅	11.5	951010	178.44	160.93	43.75	7.02	0.1321	2.6519	3	7	E W
1995 UK ₅	13.0	951010	357.89	190.09	195.94	8.58	0.0948	2.7497	3	5	E W
1995 UM ₅	16.5	951010	156.21	273.60	316.44	4.14	0.0457	2.1731	6	8	W
1995 UN ₅	14.0	951010	71.51	49.47	245.65	8.73	0.2061	3.2221	6	9	W
1995 UO₅	17.0	951010	246.28	150.83	38.64	37.25	0.6522	1.5745	5	0	W
1995 UM ₆	14.0	951010	355.32	307.45	71.00	4.57	0.0914	2.6744	6	0	W
1995 UN ₆	15.0	951010	333.39	113.51	296.32	8.50	0.1588	3.2040	4	0	W
1995 UP ₆	14.5	951010	39.03	89.30	230.51	13.20	0.1678	2.5461	7	0	W
1995 UQ ₆	16.5	951010	338.81	298.49	110.62	2.99	0.2515	2.4306	3	0	E W

1995 UR ₆	15.0	951010	52.10	171.17	148.05	4.81	0.0209	2.3554	3	0	E	N
1995 UU ₆	17.0	951010	18.51	29.15	335.76	5.84	0.1680	2.4431	5	0	M	
1995 UB ₇	13.2	951030	32.30	146.94	200.63	13.02	0.3051	2.8898	2	8	N	
1995 UC ₇	13.2	951030	72.52	212.42	103.04	6.75	0.1570	2.4668	2	8	E	N
1995 ME ₄ = 1995 OK ₂ (G. V. Williams)												
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Goffin						
(40) Harmonia					Obs. 3069	<i>M</i>	145.20694	ω		269.28625		
<i>H</i> 7.0	<i>G</i> 0.15	<i>U</i> 0			Opp. 79	<i>n</i>	0.28875274	Ω		94.34721		
rms res.	0''.68	(M-v)			1856-1993	<i>e</i>	0.0470787	<i>i</i>		4.25771		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Goffin						
(207) Hedda					Obs. 163	<i>M</i>	24.96589	ω		192.93460		
<i>H</i> 9.92	<i>G</i> 0.15	<i>U</i> 0			Opp. 46	<i>n</i>	0.28544127	Ω		29.39970		
rms res.	0''.97	(M-v)			1879-1995	<i>e</i>	0.0293933	<i>i</i>		3.80824		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Goffin						
(408) Fama					Obs. 121	<i>M</i>	267.14644	ω		103.74723		
<i>H</i> 9.5	<i>G</i> 0.15	<i>U</i> 1			Opp. 43	<i>n</i>	0.17436823	Ω		298.13516		
rms res.	1''.01	(M-v)			1895-1993	<i>e</i>	0.1336808	<i>i</i>		9.11368		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Goffin						
(756) Lilliana					Obs. 73	<i>M</i>	47.34119	ω		7.80130		
<i>H</i> 9.6	<i>G</i> 0.15	<i>U</i> 1			Opp. 20	<i>n</i>	0.17230558	Ω		208.24583		
rms res.	0''.94	(M-v)			1908-1995	<i>e</i>	0.1463806	<i>i</i>		20.35380		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Goffin						
(1048) Feodosia					Obs. 79	<i>M</i>	89.62019	ω		183.31706		
<i>H</i> 9.75	<i>G</i> 0.15	<i>U</i> 1			Opp. 31	<i>n</i>	0.21867183	Ω		53.08100		
rms res.	0''.91	(M-v)			1924-1994	<i>e</i>	0.1840699	<i>i</i>		15.85193		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Williams						
(1318) Nerina					Obs. 59	<i>M</i>	201.37773	ω		195.66756		
<i>H</i> 11.9	<i>G</i> 0.15	<i>U</i> 2			Opp. 10	<i>n</i>	0.28105053	Ω		358.50119		
rms res.	0''.99	(M-v)			1934-1995	<i>e</i>	0.2024613	<i>i</i>		24.65464		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Williams						
(1995) Hajek					Obs. 37	<i>M</i>	208.83336	ω		131.30256		
<i>H</i> 12.8	<i>G</i> 0.15	<i>U</i> 2			Opp. 12	<i>n</i>	0.24518060	Ω		47.37280		
rms res.	0''.80	(M-v)			1941-1995	<i>e</i>	0.0573601	<i>i</i>		10.82115		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Williams						
(2063) Bacchus					Obs. 37	<i>M</i>	268.88479	ω		55.09516		
<i>H</i> 16.4	<i>G</i> 0.15	<i>U</i> 3			Opp. 6	<i>n</i>	0.88066250	Ω		33.30065		
rms res.	0''.94	(M-v)			1977-1995	<i>e</i>	0.3496358	<i>i</i>		9.42284		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Williams						
(2335) James					Obs. 34	<i>M</i>	243.56099	ω		79.51309		
<i>H</i> 12.9	<i>G</i> 0.15	<i>U</i> 2			Opp. 6	<i>n</i>	0.31861552	Ω		20.13358		
rms res.	0''.86	(M-v)			1974-1995	<i>e</i>	0.3598856	<i>i</i>		36.33242		
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5						Williams						
(2420) Čiurlionis					Obs. 42	<i>M</i>	291.85990	ω		197.68504		
<i>H</i> 12.2	<i>G</i> 0.15	<i>U</i> 3			Opp. 6	<i>n</i>	0.24059923	Ω		205.85096		
rms res.	1''.06	(M-v)			1975-1995	<i>e</i>	0.1324352	<i>i</i>		14.63366		

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3004) 1976 DD Obs. 31 *M* 255.02469 ω 211.98635
H 14.3 *G* 0.15 *U* 2 Opp. 5 *n* 0.23680293 Ω 322.80436
rms res. 0".83 (M-v) 1976-1995 *e* 0.2672668 *i* 30.23797

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3204) Lindgren Obs. 35 *M* 330.42151 ω 299.15500
H 12.1 *G* 0.15 *U* 1 Opp. 5 *n* 0.17456307 Ω 108.77061
rms res. 0".84 (M-v) 1978-1995 *e* 0.2716179 *i* 2.06146

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3217) Seidelmann Obs. 24 *M* 32.64743 ω 356.45445
H 14.4 *G* 0.15 *U* 2 Opp. 5 *n* 0.26725841 Ω 343.68460
rms res. 0".81 (M-v) 1958-1995 *e* 0.2618684 *i* 6.14445

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3225) Hoag Obs. 29 *M* 41.14158 ω 138.00555
H 13.5 *G* 0.15 *U* 2 Opp. 6 *n* 0.38242974 Ω 188.98001
rms res. 0".91 (M-v) 1977-1995 *e* 0.0528678 *i* 25.05492

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3362) Khufu Obs. 73 *M* 185.85140 ω 54.86402
H 18.1 *G* 0.15 *U* 4 Opp. 8 *n* 1.00141172 Ω 152.65810
rms res. 0".76 (M-v) 1984-1995 *e* 0.4685849 *i* 9.91296

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3446) Combes Obs. 32 *M* 263.85715 ω 94.04628
H 13.4 *G* 0.15 *U* 2 Opp. 5 *n* 0.26909721 Ω 35.08587
rms res. 0".94 (M-v) 1942-1995 *e* 0.1593057 *i* 7.67595

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3484) Neugebauer Obs. 28 *M* 55.04758 ω 174.73361
H 12.4 *G* 0.15 *U* 1 Opp. 5 *n* 0.23637063 Ω 116.40194
rms res. 0".72 (M-v) 1978-1995 *e* 0.1825491 *i* 15.31599

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3700) Geowilliams Obs. 23 *M* 298.65370 ω 153.33251
H 12.6 *G* 0.15 *U* 2 Opp. 6 *n* 0.26280164 Ω 289.45003
rms res. 0".93 (M-v) 1973-1995 *e* 0.2261647 *i* 12.13552

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3753) 1986 TO Obs. 82 *M* 265.59189 ω 43.63642
H 14.4 *G* 0.15 *U* 4 Opp. 12 *n* 0.98891087 Ω 126.38326
rms res. 0".87 (M-v) 1973-1995 *e* 0.5147476 *i* 19.81083

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Marsden
(3797) Ching-Sung Yu Obs. 44 *M* 134.19626 ω 254.00362
H 12.11 *G* 0.15 *U* 1 Opp. 8 *n* 0.17163114 Ω 182.82486
rms res. 0".85 (M-v) 1958-1995 *e* 0.1601285 *i* 0.81563

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(3944) Halliday Obs. 22 *M* 354.33612 ω 287.59695
H 13.1 *G* 0.15 *U* 2 Opp. 6 *n* 0.27042437 Ω 69.88108
rms res. 1".08 (M-v) 1977-1995 *e* 0.1506114 *i* 7.54565

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Sicoli
(4035) 1986 WD Obs. 39 *M* 266.37605 ω 196.75214
H 9.1 *G* 0.15 *U* 1 Opp. 8 *n* 0.08162601 Ω 233.74262
rms res. 1".00 (M-v) 1973-1995 *e* 0.0568710 *i* 12.14057

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4041) 1988 DN₁ Obs. 21 *M* 85.75735 ω 150.00149
H 11.3 *G* 0.15 *U* 1 Opp. 6 *n* 0.18865081 Ω 101.89633
rms res. 1".07 (M-v) 1947-1995 *e* 0.0561449 *i* 11.23145

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4064) Marjorie Obs. 27 *M* 300.46329 ω 112.32599
H 13.2 *G* 0.15 *U* 2 Opp. 5 *n* 0.25462628 Ω 341.74928
rms res. 0".94 (M-v) 1960-1995 *e* 0.0440232 *i* 7.21751

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4156) 1988 BE Obs. 34 *M* 300.90136 ω 129.20873
H 12.0 *G* 0.15 *U* 1 Opp. 6 *n* 0.22218768 Ω 308.50413
rms res. 0".97 (M-v) 1917-1995 *e* 0.1916864 *i* 14.21955

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Sicoli
(4257) Ubasti Obs. 51 *M* 258.46304 ω 278.90119
H 15.8 *G* 0.15 *U* 2 Opp. 5 *n* 0.46628393 Ω 169.34244
rms res. 0".81 (M-v) 1987-1995 *e* 0.4685740 *i* 40.70232

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4469) Utting Obs. 26 *M* 31.15149 ω 20.53448
H 13.8 *G* 0.15 *U* 2 Opp. 5 *n* 0.23847903 Ω 325.51618
rms res. 0".82 (M-v) 1974-1995 *e* 0.1879262 *i* 11.85341

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4510) Shawna Obs. 28 *M* 25.70585 ω 337.98429
H 13.0 *G* 0.15 *U* 2 Opp. 6 *n* 0.27187358 Ω 3.62201
rms res. 0".76 (M-v) 1930-1995 *e* 0.1386631 *i* 7.04489

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Sicoli
(4512) Sinuhe Obs. 34 *M* 115.78703 ω 356.33827
H 11.7 *G* 0.15 *U* 2 Opp. 7 *n* 0.21357559 Ω 119.82186
rms res. 0".78 (M-v) 1939-1995 *e* 0.2041016 *i* 10.29666

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4526) Konko Obs. 22 *M* 73.76168 ω 101.81534
H 12.5 *G* 0.15 *U* 1 Opp. 5 *n* 0.23094645 Ω 101.67254
rms res. 0".58 (M-v) 1982-1995 *e* 0.1158085 *i* 14.16538

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4567) Bečvář Obs. 33 *M* 78.90182 ω 141.55950
H 13.2 *G* 0.15 *U* 2 Opp. 6 *n* 0.23705138 Ω 181.82355
rms res. 0".82 (M-v) 1978-1995 *e* 0.1997639 *i* 13.10859

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4570) 1985 PR Obs. 21 *M* 164.81800 ω 208.10060
H 13.3 *G* 0.15 *U* 2 Opp. 7 *n* 0.30241803 Ω 349.44725
rms res. 1".04 (M-v) 1955-1995 *e* 0.1089788 *i* 5.02339

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4585) Aionai Obs. 26 *M* 59.48952 ω 182.96016
H 13.1 *G* 0.15 *U* 2 Opp. 6 *n* 0.21856270 Ω 83.25646
rms res. 0".99 (M-v) 1972-1995 *e* 0.2405772 *i* 10.58788

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4623) Obraztsova Obs. 43 *M* 1.92817 ω 1.54478
H 12.9 *G* 0.15 *U* 2 Opp. 6 *n* 0.20515649 Ω 4.36230
rms res. 0".86 (M-v) 1976-1995 *e* 0.0777542 *i* 1.74721

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4665) Muinonen Obs. 38 *M* 28.89001 ω 74.00462
H 12.1 *G* 0.15 *U* 3 Opp. 5 *n* 0.19275219 Ω 237.75887
rms res. 0".66 (M-v) 1985-1995 *e* 0.1999951 *i* 7.36573

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Sicoli
(4974) 1990 LA Obs. 49 *M* 132.71034 ω 24.58119
H 12.4 *G* 0.15 *U* 2 Opp. 7 *n* 0.23461474 Ω 176.44707
rms res. 0".80 (M-v) 1952-1995 *e* 0.1113188 *i* 13.79960

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(4990) 1981 ET₂₆ Obs. 55 *M* 60.56119 ω 278.01114
H 14.0 *G* 0.15 *U* 1 Opp. 5 *n* 0.29555007 Ω 353.63841
rms res. 0".76 (M-v) 1971-1995 *e* 0.1775725 *i* 3.89253

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Sicoli
(5012) Eurymedon Obs. 44 *M* 327.04266 ω 332.77590
H 10.6 *G* 0.15 *U* 1 Opp. 9 *n* 0.08188167 Ω 34.80760
rms res. 0".91 (M-v) 1954-1995 *e* 0.0856578 *i* 5.00142

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5047) 1981 EO₄₂ Obs. 46 *M* 358.64301 ω 27.58663
H 13.3 *G* 0.15 *U* 3 Opp. 6 *n* 0.24467540 Ω 6.69464
rms res. 0".66 (M-v) 1979-1995 *e* 0.1364842 *i* 5.50094

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5056) 1986 RQ₅ Obs. 32 *M* 329.33280 ω 20.94953
H 12.9 *G* 0.15 *U* 2 Opp. 5 *n* 0.23008376 Ω 65.04325
rms res. 0".66 (M-v) 1982-1995 *e* 0.1994688 *i* 7.25931

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5183) Robyn Obs. 30 *M* 138.15419 ω 4.51151
H 11.4 *G* 0.15 *U* 3 Opp. 6 *n* 0.23911215 Ω 264.60490
rms res. 0".70 (M-v) 1982-1995 *e* 0.1048048 *i* 14.79566

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5259) Epeigeus Obs. 24 *M* 64.34363 ω 198.65175
H 10.3 *G* 0.15 *U* 1 Opp. 6 *n* 0.08355582 Ω 67.48948
rms res. 0".85 (M-v) 1980-1995 *e* 0.0722062 *i* 15.93375

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5266) Rauch Obs. 37 *M* 219.26756 ω 117.90020
H 13.5 *G* 0.15 *U* 2 Opp. 5 *n* 0.22013240 Ω 11.90809
rms res. 0".98 (M-v) 1971-1995 *e* 0.1307165 *i* 15.71278

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Sicoli
(5332) 1990 DA Obs. 114 *M* 297.42702 ω 305.57898
H 13.7 *G* 0.15 *U* 1 Opp. 6 *n* 0.30972820 Ω 143.16991
rms res. 0".71 (M-v) 1973-1995 *e* 0.4565614 *i* 25.43442

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Sicoli
(5407) 1992 AX Obs. 58 *M* 102.86328 ω 108.52111
H 13.8 *G* 0.15 *U* 1 Opp. 8 *n* 0.39555119 Ω 117.93048
rms res. 0".72 (M-v) 1951-1995 *e* 0.2775724 *i* 11.38669

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5437) 1990 DU₃ Obs. 28 *M* 86.21862 ω 335.23063
H 13.0 *G* 0.15 *U* 2 Opp. 4 *n* 0.28256232 Ω 319.56893
rms res. 0".64 (M-v) 1990-1995 *e* 0.1103978 *i* 6.40091

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5507) Nijima Obs. 53 *M* 356.92995 ω 21.65297
H 13.4 *G* 0.15 *U* 3 Opp. 5 *n* 0.23784440 Ω 338.06757
rms res. 0".96 (M-v) 1983-1995 *e* 0.1345967 *i* 2.64598

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5530) Eisinga Obs. 25 *M* 279.82495 ω 114.66808
H 13.8 *G* 0.15 *U* 3 Opp. 5 *n* 0.28363441 Ω 16.69811
rms res. 0".47 (M-v) 1955-1995 *e* 0.1521844 *i* 7.74842

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5537) 1964 TA₂ Obs. 43 *M* 33.44630 ω 4.87335
H 13.0 *G* 0.15 *U* 2 Opp. 5 *n* 0.28697616 Ω 339.87736
rms res. 0".52 (M-v) 1964-1995 *e* 0.1645973 *i* 5.95040

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5549) Bobstefanik Obs. 38 *M* 170.54264 ω 179.09907
H 13.2 *G* 0.15 *U* 2 Opp. 5 *n* 0.23599893 Ω 2.78561
rms res. 0".84 (M-v) 1981-1995 *e* 0.0977775 *i* 13.97164

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5557) 1989 CM₁ Obs. 36 *M* 162.19247 ω 221.75801
H 12.6 *G* 0.15 *U* 3 Opp. 7 *n* 0.24328230 Ω 10.93848
rms res. 0".91 (M-v) 1954-1995 *e* 0.1520086 *i* 5.95054

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5578) 1987 BC Obs. 24 *M* 21.20697 ω 187.71873
H 11.9 *G* 0.15 *U* 2 Opp. 6 *n* 0.19798900 Ω 180.02977
rms res. 0".77 (M-v) 1978-1995 *e* 0.0763780 *i* 1.97710

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5871) 1989 CE₂ Obs. 34 *M* 342.91402 ω 59.89629
H 13.5 *G* 0.15 *U* 2 Opp. 6 *n* 0.38800320 Ω 320.26872
rms res. 0".78 (M-v) 1974-1995 *e* 0.0711620 *i* 20.35291

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5879) 1992 CH₁ Obs. 42 *M* 278.29688 ω 355.45379
H 17.6 *G* 0.15 *U* 2 Opp. 3 *n* 0.47594829 Ω 145.96207
rms res. 0".73 (M-v) 1992-1995 *e* 0.2892725 *i* 21.56911

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5989) 1976 QC₁ Obs. 37 *M* 29.43915 ω 340.47163
H 14.4 *G* 0.15 *U* 2 Opp. 5 *n* 0.31056358 Ω 332.79428
rms res. 0''82 (M-v) 1973-1995 *e* 0.1859001 *i* 1.86600

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
(5993) 1981 EU₂₂ Obs. 38 *M* 194.05773 ω 196.53918
H 13.9 *G* 0.15 *U* 2 Opp. 5 *n* 0.30704448 Ω 339.88823
rms res. 0''73 (M-v) 1981-1995 *e* 0.0686069 *i* 1.93153

(6618)* 1936 SO = 1977 QM₂ = 1994 CL₁

Discovered 1936 Sept. 16 by C. W. Tombaugh at the Lowell Observatory.

Id. S. Nakano (*MPC* 23235)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Nakano
M 285.71386 (2000.0) **P** **Q**
n 0.38389954 ω 110.38514 +0.05039285 -0.98376891
a 1.8749556 Ω 334.77007 +0.69722883 +0.15811591
e 0.0444855 *i* 23.83038 +0.71507518 -0.08484150
P 2.57 *H* 13.2 *G* 0.15 *U* 2

Residuals in seconds of arc

360916	690	(62.6- 34.4+)	940214	893	0.3+	0.1+	940312	098	1.0-	0.0
360923	690	2.4- 1.2+	940214	893	0.1-	0.0	950822	801	0.6+	0.6+
360925	690	0.3- 1.9+	940214	893	0.2+	0.0	950824	801	0.9+	0.8+
770821	095	0.9+ 2.5-	940214	896	0.2+	0.4+	950824	801	0.7+	0.7+
940207	896	0.0 0.3+	940214	896	1.3+	1.4+	950928	801	0.6+	0.9-
940207	896	1.8- 0.1-	940217	391	0.5-	0.5-	950928	801	0.4+	0.7-
940212	896	1.4- 1.7-	940217	391	0.2-	1.1-	950929	801	0.1+	0.9-
940213	871	0.3- 0.2+	940218	900	0.7+	0.1+	950929	801	0.2+	0.9-
940213	871	0.1+ 0.3-	940218	900	0.5+	0.0	951024	604	0.3+	0.0
940213	871	0.2- 0.4+	940219	391	1.3+	0.3+	951024	604	0.1-	0.1-
940213	871	0.6+ 0.1-	940219	391	(3.1- 0.3-)		951024	604	0.2+	0.4-
940214	410	0.0 0.0	940311	098	0.4-	0.4-	951024	604	0.1+	0.0
940214	410	0.2+ 0.0	940311	098	0.2-	0.7-	951024	604	0.1-	0.1-
940214	410	0.2+ 0.0	940312	098	1.3-	0.2-				

(6619)* 1973 SS₄ = 1973 UB₃ = 1962 WJ₁ = 1990 TM₁₅ = 1990 UH₆

Discovered 1973 Sept. 27 by L. I. Chernykh at the Crimean Astrophysical Observatory.

Id. B. G. Marsden (d, *MPC* 9064), G. V. Williams (*MPC* 19289, *MPC* 20327)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
M 238.12525 (2000.0) **P** **Q**
n 0.17454736 ω 114.47403 -0.66184958 -0.74266745
a 3.1709826 Ω 18.17106 +0.51285356 -0.54780779
e 0.1862295 *i* 19.08771 +0.54675073 -0.38516449
P 5.65 *H* 10.7 *G* 0.15 *U* 2

Residuals in seconds of arc

621130	760	0.0 0.3+	901013	095	1.1+	1.4-	920507	801	1.2+	0.4+
621130	760	0.7- 1.5+	901017	095	(3.2+ 1.1-)		920507	801	0.8+	0.1+
730927	095	2.0- 0.7-	901017	095	(3.0+ 2.3-)		950826	801	0.4-	0.4-
730928	095	0.1+ 0.8-	901024	046	(3.1+ 4.8-)		950826	801	0.4-	0.1-
731027	095	(0.2+ 3.2+)	901024	046	(3.8+ 4.0-)		950830	801	0.2-	0.0
731029	095	2.0+ 0.1+	920301	293	(1.4- 2.8-)		950830	801	0.2+	0.2+
900927	095	(2.4+ 4.6-)	920301	293	2.0- 1.3-		951023	801	0.2+	0.0

900927	095	0.8- 1.7+	920506	801	0.1- 0.1-	951025	801	0.6+ 0.4-
901013	095	(3.9+ 0.6+)	920506	801	0.0 0.1+	951025	801	0.7+ 0.3+

(6620)* 1973 UC = 1986 RK₁₆

Discovered 1973 Oct. 25 by P. Wild at Zimmerwald.

Id. S. Nakano (*MPC* 14779)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Nakano
M 14.45328 (2000.0) **P** **Q**
n 0.22471239 ω 350.52880 +0.96802952 -0.24502240
a 2.6794852 Ω 23.86307 +0.23795110 +0.82929490
e 0.2798431 *i* 7.62684 +0.07936076 +0.50222902
P 4.39 *H* 13.9 *G* 0.15 *U* 2

Residuals in seconds of arc

710324	675	(5.4- 1.7-)	731124	026	(3.1+ 1.1-)	930318	809	0.5+ 1.1+
710325	675	1.0- 0.1-	731218	026	0.6+ 1.2-	930323	809	1.8- 1.1+
710325	675	0.9- 2.0-	731219	801	0.7- 1.1+	950921	801	0.7+ 0.7+
731025	026	1.5- 0.2- Y	731224	801	1.6- 1.6+	950921	801	0.6+ 0.8+
731025	026	(3.7+ 0.8-)	800408	675	1.7+ 0.3-	950928	801	0.1+ 0.3+
731028	026	0.6+ 0.2+	800409	675	1.2+ 0.2-	950928	801	0.5+ 0.1+
731102	026	1.8+ 0.5+	860914	095	0.0 0.8+	951023	801	0.3- 0.0
731103	026	0.3+ 0.2-	861006	095	(4.8+ 1.2+)	951023	801	0.2- 0.1-
731119	026	0.3+ 0.2-	861010	095	(1.3+ 2.8-)	951027	801	0.3- 0.5-
731119	026	0.4- 1.0-	861011	095	0.1- 1.6-	951027	801	0.2- 0.5-

(6621)* 1975 VN₅ = 1975 XB₄ = 1991 RF₂₆

Discovered 1975 Nov. 2 by T. M. Smirnova at the Crimean Astrophysical Observatory.

Id. H. Oishi (d, *MPC* 10817), G. V. Williams (*MPC* 20138)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
M 352.98805 (2000.0) **P** **Q**
n 0.24323580 ω 253.47835 +0.94301453 -0.31687079
a 2.5416616 Ω 124.88702 +0.33242509 +0.88360989
e 0.2455294 *i* 7.11282 +0.01473595 +0.34471214
P 4.05 *H* 13.5 *G* 0.15 *U* 2

Residuals in seconds of arc

500619	675	0.1- 1.2-	910912	675	0.1+ 0.1-	910916	675	0.1+ 0.0
500619	675	0.3+ 1.7-	910912	675	0.6- 0.2+	950830	801	0.6- 0.2-
551212	675	0.6- 0.5-	910912	675	1.3- 0.8-	950830	801	0.5- 0.2-
551212	675	1.0- 0.2-	910912	675	0.4- 0.9-	950921	801	0.1- 1.1+
751102	095	0.2- 0.3-	910915	675	0.8- 0.9-	950921	801	0.1- 1.0+
751107	095	1.8+ 0.6-	910915	675	0.3- 0.9-	950929	801	1.4+ 0.6+
751203	095	1.4+ 0.5-	910916	675	0.1+ 0.3+	950929	801	1.0+ 1.3+

(6622)* 1978 RG₁ = 1977 KX₁

Discovered 1978 Sept. 5 by N. S. Chernykh at the Crimean Astrophysical Observatory.

Id. E. Bowell (*MPC* 12443)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5 Williams
M 349.97056 (2000.0) **P** **Q**
n 0.17029939 ω 201.42258 +0.97521468 +0.22058467
a 3.2234974 Ω 145.81950 -0.19827111 +0.90588880
e 0.2397001 *i* 1.76299 -0.09820842 +0.36153547
P 5.79 *H* 13.0 *G* 0.15 *U* 2

Residuals in seconds of arc

770518	675	0.2−	0.1+	940415	691	0.2+	0.1−	950822	801	0.5−	0.6−
770519	675	0.5+	0.5+	940415	691	0.4−	0.1+	950826	801	0.2−	0.5−
780905	095	0.8+	0.5−	950803	894	0.3+	0.5+	950826	801	0.4−	0.6−
780907	095	0.8+	1.0+	950803	894	0.3+	0.1−	951022	801	0.7−	0.4−
780926	095	0.5−	0.9+	950804	894	0.0	0.4+	951023	801	0.1−	0.4−
780928	095	1.7−	0.1−	950804	894	0.0	0.8+	951027	801	0.8+	0.3−
940415	691	0.2+	0.1+	950822	801	0.4−	0.5−	951027	801	1.5+	0.3+

(6623)* 1979 MY₂ = 1980 UT₁

Discovered 1979 June 25 by E. F. Helin and S. J. Bus at Siding Spring.

Id. S. J. Bus (*MPC* 18105)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams							
<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.25214994	ω	325.80382	−0.90643942	−0.41685614		
<i>a</i>	2.4814001	Ω	238.97263	−0.36763935	−0.85783708		
<i>e</i>	0.1388275	<i>i</i>	4.53885	−0.20786747	−0.30057696		
<i>P</i>	3.91	<i>H</i>	14.5	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

790623	413	0.3+	0.2−	801014	675	2.3+	0.6−	940411	675	0.2−	1.5−
790624	413	0.3−	0.4−	801031	675	0.4+	0.1−	940415	675	0.0	0.7−
790625	413	0.2−	0.2+	801102	675	0.1−	0.2−	940415	675	1.7+	1.8+
790629	413	(2.8+	0.1−)	921125	675	(0.6−	2.2−)	950920	608	0.4+	0.7+
790724	675	0.1−	1.1+	921125	675	0.8+	0.7−	950920	608	0.3+	0.6+
790724	413	1.6−	1.4−	921127	691	1.2−	0.5+	950921	608	0.8−	0.0
790725	675	0.3−	0.9+	921127	691	0.9−	0.0	950921	608	0.9−	0.1−
790726	675	1.7+	0.2−	921127	691	1.0−	0.0	951018	608	0.6+	0.5+
790728	413	0.1−	0.8−	921128	675	0.1−	0.0	951018	608	0.8+	0.5+
790823	675	0.4−	0.8−	940411	675	0.9−	0.1+				

(6624)* 1980 SG = 1953 RJ = 1970 AH

Discovered 1980 Sept. 16 by Z. Vávrová at Kleč.

Id. B. G. Marsden (*MPC* 9296)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Marsden							
<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.25710298	ω	344.39741	+0.99282172	−0.11024794		
<i>a</i>	2.4494278	Ω	22.09157	+0.11862325	+0.85811642		
<i>e</i>	0.1565962	<i>i</i>	7.08276	+0.01528275	+0.50147942		
<i>P</i>	3.83	<i>H</i>	13.9	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

530913	760	(4.5−	2.0+)	801005	046	(0.8+	2.6−)	940507	046	0.1−	1.1−
530913	760	(0.6+	5.7−)	801010	095	1.1−	1.2+	940507	046	0.0	1.0−
530917	760	1.3+	2.3+	801015	095	(3.9+	1.2−)	950729	046	0.1−	0.3+
530917	760	0.2−	0.6−	841026	688	(3.3+	1.0−)	950729	046	0.0	0.1+
550323	675	0.6−	0.2−	841026	688	2.0+	0.7−	950729	046	0.1−	0.2+
550323	675	1.1−	0.5−	841031	688	2.3+	0.1−	950730	046	0.1−	0.3+
700104	095	(0.1−	2.8+)	841031	688	1.2+	0.5+	950730	046	0.6+	0.1−
800916	046	0.8−	1.5−	940420	046	(5.3−	3.8+)	950730	046	0.5+	0.1−
800916	046	1.1−	0.9−	940420	046	(5.3−	3.4+)	951015	046	0.2−	1.0−
801001	046	0.9+	0.0	940420	046	(6.0−	3.9+)	951015	046	0.2+	0.7−
801001	046	1.6−	0.6−	940503	046	0.7−	0.4−	951015	046	0.3+	0.9−
801003	046	1.4−	0.0	940503	046	0.7−	0.5−	951016	046	0.5+	0.5−

801003	046	0.4+	0.2−	940503	046	0.7−	0.3−	951016	046	0.6+	0.4−
801005	046	0.4−	2.1−	940507	046	0.2−	1.1−	951016	046	0.1−	0.7−

(6625)* 1981 EX₄₁ = 1978 SC₃ = 1984 UL₁

Discovered 1981 Mar. 2 by S. J. Bus at Siding Spring in the course of the U.K. Schmidt-Caltech Asteroid Survey.

Id. S. Nakano (*MPC* 12796)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano							
<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.17477024	ω	206.49396	+0.67746064	−0.73551496		
<i>a</i>	3.1682862	Ω	200.86368	+0.67881044	+0.62937289		
<i>e</i>	0.1780517	<i>i</i>	1.29541	+0.28330810	+0.25081369		
<i>P</i>	5.64	<i>H</i>	12.3	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

780926	095	0.1−	1.6−	810410	413	1.7−	1.4+	901120	095	0.4+	0.9+
810212	413	0.4−	0.7−	810501	413	0.8+	0.3−	920302	809	1.4−	1.8+
810212	413	0.0	1.0+	810503	413	0.5+	1.1−	920305	809	1.0−	0.9+
810213	413	0.5+	0.1−	841028	046	1.2−	0.8−	920309	809	1.6−	0.1−
810302	413	1.7−	0.8−	841028	046	0.7+	0.9+	920407	809	0.2+	0.1−
810306	413	0.3−	0.4−	841029	046	(3.0+	0.3−)	950822	801	1.7+	0.2+
810306	413	(5.4+	1.7−)	841029	046	0.1−	0.8−	950822	801	0.7+	0.4+
810311	413	0.4−	0.7−	841030	046	(1.3+	3.1−)	950825	801	0.5+	1.0−
810311	413	1.4+	0.0	841030	046	0.2−	1.7−	950924	691	1.4−	0.5+
810315	413	(2.6+	2.5−)	901112	675	0.6+	1.7−	950924	691	0.6−	0.5+
810315	413	1.9+	1.4−	901112	675	0.7+	0.2+	950924	691	0.4−	0.6+
810406	413	1.6+	1.3−	901114	675	0.5+	1.4+				

(6626)* 1981 EZ₄₆ = 1963 TF

Discovered 1981 Mar. 2 by S. J. Bus at Siding Spring in the course of the U.K. Schmidt-Caltech Asteroid Survey.

Id. B. G. Marsden (*MPC* 14016)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Marsden							
<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.18709934	ω	2.51113	+0.69558415	−0.71799323		
<i>a</i>	3.0275260	Ω	43.41673	+0.65851269	+0.62298672		
<i>e</i>	0.3873046	<i>i</i>	2.12325	+0.28726944	+0.31044044		
<i>P</i>	5.27	<i>H</i>	15.0	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

631013	760	1.0−	0.7−	810307	413	0.5+	0.6−	951023	801	0.1−	0.1−
631013	760	0.1+	0.3−	810311	413	0.3−	0.0	951023	801	0.2−	0.1+
631016	760	1.1+	0.5+	810426	413	0.5+	1.0−	951026	540	0.2−	0.2−
631016	760	(4.6−	0.1+)	810502	413	0.4−	1.0−	951026	540	0.0	0.1+
810209	413	1.0−	0.6−	910217	801	0.0	0.5+	951026	540	0.0	0.1+
810213	413	0.5−	0.3−	910217	801	0.1+	0.3+	951026	540	0.1+	0.0
810302	413	1.8+	0.4−	910320	801	0.3−	0.2−	951026	540	0.4+	0.4+
810302	413	(2.8+	1.9−)	910320	801	0.1+	0.2+	951027	801	0.1−	0.2−
810303	413	0.5−	1.2+	950907	413	0.1+	0.6−	951027	801	0.2+	0.1+
810307	413	0.8−	0.6+	950907	413	0.1+	0.6−				

(6627)* 1981 FT = 1978 GJ₄ = 1978 JX₃ = 1992 UR₉ = 1994 GU

Discovered 1981 Mar. 27 by Z. Vávrová at Kleč.

Id. G. V. Williams (*MPC* 23511)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	191.94607	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.30789950	ω 116.81258	-0.99714141	-0.04533541
<i>a</i>	2.1720179	Ω 60.64329	+0.01513881	-0.90364568
<i>e</i>	0.0833051	<i>i</i> 3.97675	+0.07402578	-0.42587461
<i>P</i>	3.20	<i>H</i> 14.2	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

780411 095	0.3+	0.1-	921023 010	1.1-	1.2-	950905 046	0.1+	0.2-
780505 095	0.8-	0.3+	940408 400	1.8+	1.8-	950906 046	0.6+	0.1+
810301 095	(5.6-	3.2+)	940408 400	0.4+	1.2-	950906 046	0.1+	0.5+
810327 046	1.4+	1.6-	940409 400	(1.8+	2.8-)	950906 046	0.3+	0.4+
810327 046	0.0	0.2-	940414 675	1.0-	0.3-	951010 046	0.1+	0.8-
810329 046	1.0+	0.3+	940414 675	1.4-	0.3-	951010 046	0.4+	0.2-
810329 046	1.1-	0.5-	940415 675	(2.8-	1.1-)	951010 046	0.4+	0.7-
810402 046	(3.6-	2.9+)	940415 675	1.6-	0.2+	951011 046	0.9+	0.4-
810402 046	1.1-	0.0	950905 046	0.0	0.3-	951011 046	0.1+	0.6-
921023 010	0.0	1.9-	950905 046	0.2+	0.1-	951011 046	0.6+	0.3-

(6628)* 1981 WA₁ = 1988 EO₂ = 1990 OG₃

Discovered 1981 Nov. 24 by E. Bowell at the Anderson Mesa station of the Lowell Observatory.

Id. A. Lowe (*MPC* 17013), G. V. Williams (*ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	321.13905	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.19912863	ω 251.99390	+0.94095065	-0.33612480
<i>a</i>	2.9043364	Ω 127.62767	+0.32669870	+0.87025147
<i>e</i>	0.0701764	<i>i</i> 2.92381	+0.08876847	+0.36011456
<i>P</i>	4.95	<i>H</i> 12.6	<i>G</i> 0.15	<i>U</i> 1

Residuals in seconds of arc

811124 688	(0.4+	2.5-)	900914 675	0.8+	0.9-	920102 801	0.3+	0.3+
811124 688	0.1+	0.8-	900914 675	1.1-	0.5+	920102 801	0.3+	0.0
811202 688	(4.2+	2.8-)	900915 675	0.1-	0.5-	940415 689	1.2-	0.6-
811202 688	0.3+	0.6-	900915 675	1.1+	0.1+	950822 801	0.0	0.2-
880310 552	0.9+	1.5-	900918 675	1.7+	0.3+	950822 801	0.4+	0.0
880310 552	0.4-	0.4-	900918 675	(1.2+	2.1-)	950825 801	0.0	0.2+
900727 675	0.6-	0.4-	911205 801	0.2+	0.3+	950825 801	0.1-	0.1+
900727 675	1.0-	0.6-	911205 801	0.6+	0.9-	951023 801	0.4+	0.0
900730 675	0.7-	0.2+	911205 399	0.8-	0.7+	951024 801	0.9+	0.6+
900730 675	0.1-	0.9-	911205 399	1.5-	0.2-			

(6629)* 1982 UP = 1969 RS₁

Discovered 1982 Oct. 17 by E. Bowell at the Anderson Mesa Station of the Lowell Observatory.

Id. C. M. Bardwell (*MPC* 10040), W. Landgraf (*ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Bardwell

<i>M</i>	19.94584	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.30654330	ω 161.97819	+0.96883681	-0.24690651
<i>a</i>	2.1784194	Ω 212.33698	+0.22245939	+0.90249745
<i>e</i>	0.1383387	<i>i</i> 2.12239	+0.10893603	+0.35289592
<i>P</i>	3.22	<i>H</i> 14.6	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

690913 095	1.9+	1.6+	850822 688	(3.0+	1.1-)	950928 327	0.4+	0.7-
820920 095	1.9-	0.8+	850822 688	1.5+	1.0-	950928 327	0.9+	0.5-

820922 095	1.8-	0.5+	850912 688	(0.2-	3.4-)	950928 327	0.9+	0.2-
820926 095	1.2-	2.0+	921225 801	0.1+	0.7+	950929 327	0.1+	0.8-
821017 688	0.8-	1.2-	921225 801	0.6-	0.5-	950929 327	0.1+	0.2-
821017 688	0.2-	0.4-	921228 801	0.2+	0.4-	950929 327	0.1+	0.7-
821024 688	0.6-	1.6-	940504 691	0.8-	1.0-	950929 327	0.0	0.7-
821024 688	0.5-	0.7-	940504 691	0.5-	0.5-	951023 801	0.2+	0.2+
821115 688	1.2+	1.2-	940504 691	0.6-	0.7-	951023 801	0.2+	0.1+
821115 688	1.5+	0.4-	940511 691	0.5+	0.6-	951025 411	0.5+	0.8+
850814 688	1.1+	0.1+	940511 691	0.1-	0.7-	951025 411	0.0	0.2-
850814 688	0.3+	0.7+	940511 691	0.2-	0.4-	951027 801	0.1+	0.3+
850820 688	2.2-	0.8-	950928 327	0.5+	0.4-	951027 801	0.1+	0.3+

(6630)* 1982 VA₁ = 1982 XH₁ = 1977 CC₃ = 1985 RN₂

Discovered 1982 Nov. 15 by E. Bowell at the Anderson Mesa station of the Lowell Observatory.

Id. T. Furuta (d, *MPC* 11722), E. Bowell (*MPC* 18283), G. V. Williams (*ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	8.78283	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.29560510	ω 272.87325	+0.89859808	+0.42879436
<i>a</i>	2.2318316	Ω 61.75134	-0.34879748	+0.82673499
<i>e</i>	0.2006610	<i>i</i> 6.06299	-0.26619881	+0.36420413
<i>P</i>	3.33	<i>H</i> 13.6	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

770212 675	1.1-	0.2-	921031 894	0.5-	0.5+	940210 809	0.8+	0.3-
770213 675	1.0-	0.5-	921031 894	1.3-	1.0-	940210 809	0.2-	0.3-
821115 688	1.0-	2.4-	921101 364	1.6+	0.6+	940210 809	0.8-	0.1+
821115 688	(0.8+	4.9-)	921101 364	0.8+	0.4+	940213 809	(0.4-	3.1+)
821213 381	0.5-	0.4-	921119 596	0.6-	0.5+	940213 809	(0.2-	2.9+)
821213 381	1.4+	0.6+	921119 596	0.4+	0.3+	940213 809	(0.6-	2.8+)
821214 381	0.4+	0.0	921119 596	0.4-	1.4-	950605 413	1.6-	0.1+
821214 381	0.2-	0.1+	921129 801	0.2-	0.9+	950605 413	(2.2-	0.2-)
850913 323	1.9+	0.7+	921129 801	0.1+	0.9+	951024 801	1.0-	0.1+
850913 323	0.1-	0.5-	940208 809	(2.6+	0.6+)	951024 801	0.8-	0.6+
921029 801	0.3+	0.5+	940208 809	1.5+	1.4+	951027 801	0.3-	0.6+
921029 801	0.3+	0.7+	940208 809	1.7+	1.1+	951027 801	0.1-	0.1-

(6631)* 1983 RQ₄ = 1987 SR

Discovered 1983 Sept. 4 by L. V. Zhuravleva at the Crimean Astrophysical Observatory.

Id. T. A. Vinogradova (*MPC* 14018)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	355.61476	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.25404007	ω 205.51570	+0.79128347	-0.61088282
<i>a</i>	2.4690766	Ω 192.24480	+0.58010865	+0.76363270
<i>e</i>	0.1482003	<i>i</i> 7.12827	+0.19324706	+0.20901502
<i>P</i>	3.88	<i>H</i> 13.1	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

491130 675	1.0+	0.4-	870926 688	2.2+	0.6+	940611 801	0.3-	0.3-
491130 675	0.8-	0.3+	870926 688	1.0+	1.2-	940611 801	0.6+	0.7-
830904 095	0.1+	1.4+	910910 675	0.2-	0.2+	950829 801	0.7+	0.6-
830906 095	1.3-	0.5+	910910 675	0.1-	0.2-	950829 801	0.7+	0.5-
830909 095	1.9-	2.0+	910916 675	0.3-	0.2+	950830 801	0.3+	0.2-
830911 095	0.4-	0.5+	910916 675	0.2-	0.3-	950830 801	0.8+	0.3-

M.P.C. 25942

1995 NOV. 7

830915	095	(2.5–	3.5–)	911002	403	0.0	1.3–	951024	801	0.6–	0.3+
870828	095	1.2+	0.6+	911003	403	0.3–	0.1+	951024	801	0.6–	0.3+
870916	095	0.0	1.1–	911003	403	0.8+	0.8–	951027	801	0.7–	0.6+
870919	688	1.5–	2.3–	911011	801	0.2+	0.6+	951027	801	0.5–	0.5+
870919	688	0.6+	0.1+	911011	801	0.2+	0.7+				

(6632)* 1984 UX₁ = 1976 QB₂

Discovered 1984 Oct. 29 by E. Bowell at the Anderson Mesa station of the Lowell Observatory.

Id. T. Kobayashi (*MPC* 10841)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Williams			
<i>M</i>	307.93981	(2000.0)		P	Q		
<i>n</i>	0.26316202	ω	23.09332	+0.41272720	–0.90711560		
<i>a</i>	2.4116850	Ω	42.65457	+0.81556040	+0.32772303		
<i>e</i>	0.1187686	<i>i</i>	6.98905	+0.40560757	+0.26408125		
<i>P</i>	3.75	<i>H</i>	13.8	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

560316	675	0.4–	0.6–	841031	688	0.4–	1.0–	930323	801	0.3–	0.1–
560316	675	0.9–	0.5–	841031	688	0.9+	0.6–	950829	801	0.3–	0.5–
710416	675	0.7–	0.3+	881209	894	(1.3–	5.4+)	950829	801	0.4–	0.7–
710416	675	0.2–	1.0–	881209	894	1.6–	0.4–	950830	801	1.2+	1.2–
710513	675	0.0	2.0–	881211	894	(3.1+	2.2–)	950830	801	0.8+	1.1–
760820	808	0.3–	1.4–	881211	894	1.1–	0.8–	951023	801	1.0–	1.0+
760823	808	0.3–	0.5–	930121	801	0.6+	0.0	951023	801	0.8–	1.4+
760823	808	1.2+	0.3+	930121	801	0.4+	0.1–	951025	801	0.7–	1.1+
841020	095	1.2+	0.4–	930226	801	1.0+	0.7+	951025	801	0.6–	1.9+
841029	688	2.3+	1.2–	930226	801	0.5+	0.3–				
841029	688	(3.4+	0.6–)	930323	801	0.4–	0.1+				

(6633)* 1986 TR₄ = 1943 VH = 1992 AW₁

Discovered 1986 Oct. 11 by P. Jensen at Brorfelde.

Id. S. Nakano (*MPC* 19861)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>	20.97974	(2000.0)		P	Q		
<i>n</i>	0.22796771	ω	109.49149	+0.92703094	–0.36826829		
<i>a</i>	2.6539159	Ω	272.16881	+0.31205006	+0.86211073		
<i>e</i>	0.1880252	<i>i</i>	4.05451	+0.20793844	+0.34805682		
<i>P</i>	4.32	<i>H</i>	12.8	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

431103	062	1.2+	0.7–	920102	691	0.3–	0.2+	950928	801	0.0	0.3+
431104	062	1.0–	0.2–	920109	691	0.3–	0.4+	950929	801	0.2+	0.2–
860907	095	0.1+	0.5+	920109	691	0.3–	0.1+	951024	801	0.2–	0.0
860911	095	0.4–	0.3–	920112	894	0.3+	0.5+	951024	801	0.4–	0.2–
861005	095	0.0	0.3–	920115	894	0.6+	0.3–	951027	801	0.2–	0.3–
861011	054	0.2–	1.2+	920115	894	0.4+	0.6–	951027	801	0.1–	0.3–
920102	691	0.1+	0.5+	930416	413	(4.4+	3.8–)				
920102	691	0.0	0.4+	950928	801	1.0+	0.1+				

(6634)* 1987 KB = 1951 TR = 1962 WM = 1976 KC₁ = 1982 AO

Discovered 1987 May 23 at Campiñas.

Id. S. Nakano (*MPC* 13606)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>	66.48211	(2000.0)		P	Q		
<i>n</i>	0.26982613	ω	66.21943	+0.62794209	+0.76018202		
<i>a</i>	2.3718108	Ω	243.74086	–0.76445159	+0.56228643		
<i>e</i>	0.2671576	<i>i</i>	10.71711	–0.14595379	+0.32551077		
<i>P</i>	3.65	<i>H</i>	12.8	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc (or two decimals in units of degrees)

511002	094	(0.03–	0.01+)	X	870530	870	1.3–	1.3+	910517	372	(3.0–	2.1–)
621124	760	0.4–	0.5–		870530	870	0.2–	0.1–	910517	372	(7.1–	3.0–)
621124	760	0.7–	0.3–		870530	870	1.6–	0.1+	910710	801	0.1–	0.5–
760526	095	(3.1+	5.0–)		870531	870	0.5+	0.2–	910710	801	0.2–	0.5–
760529	095	2.4+	0.0		870531	870	(0.4–	3.0–)	910713	801	0.1–	0.0
820104	675	0.8+	0.1+		870531	870	1.0+	0.1+	910713	801	0.1+	0.1–
870522	675	(12.1–	20.5+)		870602	870	1.9–	1.2+	910910	026	0.4–	0.4–
870523	870	1.1–	0.8–		870602	870	0.9–	0.3–	910919	026	1.4–	0.4–
870523	870	(2.7+	1.8–)		870603	870	0.3–	0.1–	911002	026	0.4+	0.2+
870523	870	(1.5+	3.5–)		870603	870	0.6–	0.0	911204	801	0.4–	0.7+
870523	870	1.1+	0.0		870603	870	0.4–	0.1–	911204	801	0.3–	0.4+
870523	870	0.2+	0.3+		870603	870	0.7–	0.7–	940409	292	1.5+	1.0–
870523	870	(17.7–	15.4+)		870603	870	0.0	0.2–	940409	292	0.8–	0.1–
870523	675	(20.9+	2.1+)		870603	870	0.4–	0.2+	940424	292	1.1–	1.6+
870524	870	0.0	0.3+		870603	870	0.7–	0.7–	940424	292	0.8–	1.7–
870526	870	1.3–	1.4+		870603	870	1.4+	0.4+	940609	801	0.8+	1.0+
870526	870	0.1+	0.3+		870603	870	1.7+	0.3+	940609	801	0.2–	0.2+
870526	870	0.3+	0.9+		870603	870	(2.5+	0.0)	950824	801	0.4+	0.1+
870526	870	0.6+	1.4+		870603	870	2.1+	0.1–	950824	801	0.6+	0.1+
870526	870	0.2+	1.1+		870605	870	0.8+	0.4+	950830	801	0.2+	0.9+
870526	870	0.4+	0.3+		870605	870	(4.1+	0.5+)	950830	801	0.2–	0.8+
870526	870	(3.2–	1.0+)		870605	870	2.1+	0.8+	951023	801	0.0	0.9+
870526	870	0.9–	1.4–		910510	675	1.4+	0.6+	951023	801	0.0	0.9+
870526	870	1.5–	1.5–		910510	675	2.0+	1.5+	951027	801	0.6+	0.3–
870526	870	0.8–	1.2–		910511	675	0.9+	1.0–	951027	801	0.6+	0.3–
870526	870	0.6–	0.4–		910512	675	1.1+	1.5–				
870526	870	0.2–	0.2+		910512	675	(3.2+	1.1–)				

(6635)* 1987 SH₃ = 1994 GP₁

Discovered 1987 Sept. 26 by C. S. Shoemaker and E. M. Shoemaker at Palomar.

Id. G. V. Williams (*MPC* 23513)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Williams			
<i>M</i>	313.95689	(2000.0)		P	Q		
<i>n</i>	0.37935696	ω	265.80586	–0.08625063	–0.99370964		
<i>a</i>	1.8898936	Ω	190.02220	+0.99617141	–0.08704604		
<i>e</i>	0.1104183	<i>i</i>	24.23226	–0.01425981	–0.07045664		
<i>P</i>	2.60	<i>H</i>	13.9	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

821022	413	0.7–	1.5–		871122	675	0.9–	1.5–	940514	675	0.2–	0.7–
821022	413	0.2+	1.5+		871123	675	0.3+	0.0	940514	675	1.0–	1.3–
870917	095	(1.1+	4.4–)		940411	675	(0.1–	2.1+)	940604	675	0.3+	0.1+
870926	675	0.2–	0.0		940411	675	0.2+	1.1–	940604	675	1.0–	0.0
870926	675	0.2+	0.1–		940413	675	(0.0	2.9+)	940606	675	0.7+	0.1–
870926	095	(3.3+	4.8–)		940413	675	1.8+	0.9+	940606	675	0.2–	0.3+
871017	675	0.4–	1.3+		940504	675	1.6–	0.1–	950928	801	0.4+	0.4–

871018 675	0.5−	0.9+	940504 675	1.0+	1.9−	950928 801	0.2+	0.3−
871019 675	0.4−	0.3−	940509 675	(0.1−	4.2−)	951023 801	0.3−	0.3−
871020 675	0.5+	0.1+	940509 675	(0.8−	3.2−)	951023 801	0.1−	0.4−
871022 413	1.3+	1.8−	940510 675	0.1−	0.2+	951027 801	0.2−	0.6−
871022 413	0.9+	0.1+	940510 675	(0.0	2.4−)	951027 801	0.2−	0.5−

(6636)* 1988 RK₈ = 1971 SU₃ = 1980 GT₁ = 1990 EJ₁₀

Discovered 1988 Sept. 11 by V. Shkodrov at the Bulgarian National Observatory.

Id. S. J. Bus (*MPC* 18114), G. V. Williams (*ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.28795998	ω	214.85893	+0.83231558	−0.55430140		
<i>a</i>	2.2711612	Ω	178.80269	+0.51740648	+0.77636090		
<i>e</i>	0.1175557	<i>i</i>	2.34350	+0.19884997	+0.30002285		
<i>P</i>	3.42	<i>H</i>	14.1	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

710926 805	0.8+	0.5+	900307 809	(3.6+	4.7+)	950928 801	0.5+	0.3+
710927 805	0.5−	0.0	900307 809	(1.9+	2.5+)	950928 114	0.5−	0.0
800408 675	0.1+	1.2−	900307 809	0.2+	0.0	950929 114	0.8+	0.7+
800409 675	0.0	0.9−	921230 033	0.1+	0.7−	951001 114	0.6+	1.1+
880911 675	0.1−	1.4−	921230 033	0.6−	0.8−	951001 114	0.3−	0.8+
880911 675	0.5−	1.0−	930101 033	0.3+	0.2−	951016 114	1.5−	0.0
880911 071	0.0	1.8+	930124 675	0.3−	0.4+	951016 114	0.3+	0.7+
880911 071	0.1+	1.6+	930124 675	1.2−	0.2+	951017 114	0.0	0.8−
880916 675	0.0	0.5−	950921 801	0.2−	0.5+	951018 114	1.3+	0.7+
880916 675	0.5−	0.6−	950921 801	0.3−	0.5+	951019 114	1.1+	0.0
881007 675	0.5−	1.0−	950926 114	1.7−	0.7−	951019 114	1.2+	0.1−
881007 675	0.4−	1.4−	950926 114	0.4+	0.8−	951023 801	0.1+	0.6+
881009 675	1.0+	1.3−	950926 114	1.1−	1.4−	951023 801	0.1+	0.6+
881009 675	0.5+	1.6−	950928 801	0.3+	0.4+			

(6637)* 1988 XZ = 1991 PE₁₈

Discovered 1988 Dec. 3 by K. Endate and K. Watanabe at Kitami.

Id. E. Bowell (*MPC* 20016)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.26424990	ω	220.56887	−0.36960769	−0.92597924		
<i>a</i>	2.4050614	Ω	251.24887	+0.87220400	−0.31711254		
<i>e</i>	0.0540084	<i>i</i>	4.67350	+0.32039091	−0.20494411		
<i>P</i>	3.73	<i>H</i>	13.4	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

881203 400	0.9−	1.6−	910913 691	(3.0+	0.5+)	930120 589	0.5+	1.3+
881203 400	0.5−	0.0	910913 691	0.0	1.2+	950920 400	0.6+	0.9+
881203 400	0.4−	0.5−	910914 675	1.2+	1.0−	950920 400	0.2+	0.1+
881206 400	0.7+	0.2−	910914 675	0.3+	0.4−	950921 400	1.2−	0.3+
881206 400	1.0−	0.8−	921129 801	0.0	0.4−	950921 400	0.3+	0.4+
881206 400	1.6+	1.3−	921129 801	0.1+	0.5−	950928 801	0.2+	0.6+
881216 400	1.5+	1.0−	921225 801	0.6−	0.0	950928 801	0.3+	0.9+
881216 400	1.0−	0.1+	921225 801	0.9−	0.0	950929 801	0.3+	0.8+
881230 400	(3.0+	0.7+)	921227 801	1.3−	0.1−	950929 801	0.2−	0.4+
881230 400	(8.7+	2.9+)	921227 801	0.2+	0.2+	951023 801	0.9−	0.9+
910808 675	0.1+	1.6−	930120 596	0.2−	0.4+	951023 801	1.0−	0.6+

910808 675	0.3−	1.6−	930120 596	0.7+	0.1−	951025 801	0.5−	0.0
910912 675	0.0	0.8+	930120 596	1.0+	0.1−	951025 801	0.4−	0.1−
910912 675	0.5−	0.3−	930120 589	0.7+	1.1+			
910913 691	0.5+	0.2−	930120 589	0.3+	1.2+			

(6638)* 1989 CA = 1980 XV

Discovered 1989 Feb. 2 by M. Arai and H. Mori at Yorii.

Id. T. Kobayashi (*MPC* 14359)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.25920337	ω	219.18483	+0.23854284	−0.97092657		
<i>a</i>	2.4361777	Ω	217.02697	+0.89912438	+0.22858044		
<i>e</i>	0.1618314	<i>i</i>	1.90067	+0.36697774	+0.07108151		
<i>P</i>	3.80	<i>H</i>	13.4	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

801207 330	(0.8+	2.9+)	890210 875	0.1−	1.1+	930218 801	0.3−	0.1−
801210 330	0.6−	0.7−	910808 675	(1.2+	3.1−)	930220 801	0.3+	0.2+
890202 875	(2.4+	0.1−)	910808 675	0.2+	1.3−	930220 801	0.2+	0.3+
890202 875	(2.9+	1.6+)	910904 413	0.8+	0.6−	930322 801	0.6−	0.5+
890202 046	1.5−	0.4−	910904 413	0.7+	0.4+	930322 801	1.0−	0.1−
890202 046	0.8−	1.1−	910905 511	0.2+	1.7−	950925 691	0.6−	0.8+
890203 046	0.9−	1.8−	910906 511	0.4−	0.1−	950925 691	0.8−	0.7+
890203 046	1.5+	1.1−	910907 511	(0.5−	3.2−)	950925 691	0.6−	0.7+
890204 875	0.5+	1.8+	910911 675	0.5+	1.2−	950930 691	0.5−	0.7+
890204 875	0.1+	0.0	910911 675	0.4+	1.5−	950930 691	0.6−	0.7+
890207 046	(1.7+	2.4−)	910917 675	1.6+	0.9−	950930 691	0.6−	0.5+
890207 046	0.7+	2.1−	910917 675	0.1+	0.6−	951024 801	0.4+	0.1+
890210 875	1.3+	0.6−	930218 801	0.1−	0.2+	951024 801	0.9+	1.0+

(6639)* 1989 SO₈ = 1977 LZ

Discovered 1989 Sept. 25 by H. Debehogne at the European Southern Observatory.

Id. S. Nakano (*MPC* 16877), K. Ichikawa (*ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.17561261	ω	211.18905	+0.19137376	+0.98063189		
<i>a</i>	3.1581464	Ω	69.87189	−0.89113321	+0.19139341		
<i>e</i>	0.1415332	<i>i</i>	2.54423	−0.41140939	+0.04158922		
<i>P</i>	5.61	<i>H</i>	12.2	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

770612 675	1.3−	0.5−	890926 809	0.3−	0.4−	930323 691	1.1−	0.4−
770613 675	1.7+	0.1+	890926 809	0.1−	0.4+	930323 691	0.9−	0.5−
890909 095	1.6+	1.7−	890926 809	0.0	0.6+	930323 691	0.9−	0.5−
890909 095	0.3+	1.3+	901113 675	0.3−	1.2−	930416 413	0.2+	0.1−
890923 809	0.6+	0.0	901113 675	0.3+	0.5−	951004 557	0.9+	0.2+
890923 809	0.4−	1.3−	930316 372	0.7−	0.8−	951004 557	0.3+	1.0+
890923 809	0.8+	1.3−	930316 372	2.1+	0.1−	951004 557	0.4+	0.5+
890925 809	0.5−	0.2−	930317 809	0.8−	1.1+	951024 801	0.3−	0.0
890925 809	1.2−	0.0	930318 809	0.6+	0.2+	951024 801	0.2−	0.0
890925 809	1.2−	0.0	930323 809	0.7+	0.2−			

(6640)* 1990 DL = 1991 PU₁₃

Discovered 1990 Feb. 24 at the Osservatorio S. Vittore.

Id. E. Bowell (*MPC* 18819)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	208.28040	(2000.0)	P	Q
<i>n</i>	0.28899675	ω 205.43278	-0.99706666	+0.06887196
<i>a</i>	2.2657261	Ω 338.43760	-0.04489519	-0.87956813
<i>e</i>	0.0680598	<i>i</i> 5.21235	-0.06198795	-0.47076168
<i>P</i>	3.41	<i>H</i> 13.7	<i>G</i> 0.15	<i>U</i> 1

Residuals in seconds of arc

541123 675	0.1-	0.3+	910906 809	0.7+	0.4-	930126 589	0.2+	0.1-
541123 675	0.5+	0.9-	910907 809	(0.5-	3.0-)	930127 801	1.6-	1.6+
900224 552	0.9+	1.2+	910907 809	(0.6+	2.5-)	930127 801	0.4+	0.2+
900224 552	(0.8+	2.8+)	921213 596	0.8-	1.8-	930212 589	0.6+	0.5+
900302 552	0.1+	0.5-	921213 596	(2.5+	5.2+)	930212 589	0.7-	0.4-
900302 552	1.1-	0.2+	921214 596	(2.2+	2.9-)	930212 589	0.5+	0.4-
900303 552	0.1+	1.7-	921214 596	1.1-	0.7+	950921 801	0.0	0.5-
900303 552	0.3-	1.7-	921216 596	1.3+	0.9-	950921 801	0.1+	0.5-
900316 552	0.5-	0.7-	921216 596	1.0+	1.2-	950928 801	0.2-	0.2-
900316 552	(2.2+	0.2+)	921216 596	0.8-	1.6-	950928 801	0.1+	0.3+
900319 552	0.2-	0.6-	921216 596	0.2-	1.9-	951020 552	0.1+	0.1-
900319 552	0.3-	0.4+	921217 596	0.3-	0.3+	951020 552	0.2+	0.1-
910806 675	(0.1+	2.6-)	921217 596	0.4-	0.2+	951020 552	0.1+	0.3-
910806 675	(0.2+	3.1-)	921217 596	1.2+	0.3-	951023 552	0.2+	0.8+
910810 675	(2.2+	2.3-)	921217 596	(6.6+	0.3-)	951023 552	0.1-	0.2+
910810 675	(2.0+	3.6-)	930113 589	0.5-	1.1+	951024 801	0.0	0.3+
910904 809	0.0	0.8+	930113 589	0.8-	1.3+	951024 801	0.1+	0.6+
910904 809	0.5-	0.1+	930113 589	0.1+	1.3+	951024 552	0.3-	0.3-
910904 809	0.0	0.0	930113 589	0.8-	1.0+	951024 552	0.4-	0.4+
910905 809	1.2+	1.0-	930114 589	0.4-	0.4+	951026 552	0.3+	0.0
910905 809	0.4-	1.5-	930120 801	0.5+	0.5+	951026 552	0.1-	0.2+
910905 809	1.5-	1.6-	930120 801	0.3+	0.5+	951026 552	0.1+	0.0
910906 809	1.0+	0.2-	930126 589	1.8+	1.4-	951027 801	0.2+	0.1+
910906 809	0.3+	0.2+	930126 589	0.9-	0.1-	951027 801	0.1+	0.1-

(6641)* 1990 OK₂ = 1981 RY₄ = 1981 SM₆

Discovered 1990 July 29 by H. E. Holt at Palomar.

Id. G. V. Williams (*MPC* 18633)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	0.10610	(2000.0)	P	Q
<i>n</i>	0.21258751	ω 294.10342	+0.95767448	-0.27526478
<i>a</i>	2.7804231	Ω 81.96167	+0.28519264	+0.86764975
<i>e</i>	0.1865567	<i>i</i> 4.87781	+0.03904812	+0.41402079
<i>P</i>	4.64	<i>H</i> 12.6	<i>G</i> 0.15	<i>U</i> 1

Residuals in seconds of arc

560316 675	0.6+	1.1-	900915 675	0.8+	0.5-	950825 801	1.2+	0.3+
560316 675	0.3+	0.4+	930317 809	1.2-	1.1-	950921 801	0.4-	0.7+
810908 095	0.8+	2.1-	930318 809	0.5-	0.3-	950921 801	0.5-	0.7+
810928 095	1.2-	0.7+	930323 809	0.3-	0.1+	950928 801	0.4+	0.2-
900726 675	0.3+	1.4-	930416 413	0.1-	0.4-	950928 801	0.5+	0.1-
900726 675	0.6-	0.0	940603 809	0.9-	1.0+	951023 801	0.2+	0.5+
900729 675	0.3-	1.0-	940603 809	0.3+	0.2+	951023 801	0.1+	0.4+
900729 675	0.0	0.4-	940603 809	0.0	0.3-	951025 801	0.5-	0.0
900730 675	0.0	0.1+	940604 809	0.9+	0.5+	951025 801	0.7-	0.1+
900730 675	0.1-	0.4+	940604 809	0.6+	0.7+			
900915 675	0.7+	0.5-	940604 809	0.4+	1.1+			

(6642)* 1990 UE₃ = 1974 DH₂ = 1975 EN₅ = 1984 UP

Discovered 1990 Oct. 26 by T. Urata at the Nihondaira Observatory.

Id. T. Urata (*MPC* 17458)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	293.96987	(2000.0)	P	Q
<i>n</i>	0.17484830	ω 60.12549	-0.01562671	-0.99913121
<i>a</i>	3.1673430	Ω 30.84232	+0.88941634	-0.03154370
<i>e</i>	0.2442428	<i>i</i> 4.32181	+0.45683081	+0.02723623
<i>P</i>	5.64	<i>H</i> 12.0	<i>G</i> 0.15	<i>U</i> 1

Residuals in seconds of arc

530518 675	0.2-	0.1-	901111 898	2.1+	1.5+	901117 898	0.7-	0.2+
530518 675	1.7-	0.8-	901111 898	0.4+	1.9+	901122 898	2.1-	0.8+
740216 033	1.0+	0.4+	901111 374	(2.7-	0.9+)	901122 898	(2.6-	1.1+)
740216 033	0.3+	0.5-	901111 896	0.5-	2.1-	920323 400	0.4+	2.0-
750315 095	(6.6-	1.7-)	901111 374	1.9-	0.1-	920323 400	1.4+	0.9-
750317 095	1.3+	1.3+	901111 385	0.9-	0.6+	920324 400	0.4-	0.8-
841023 688	(1.9+	2.8-)	901111 385	0.1-	1.5+	920324 400	1.4-	1.3-
841023 688	2.0+	1.7-	901111 877	0.1+	0.1+	920328 400	1.3-	0.6+
841029 688	(3.6+	3.2-)	901111 877	0.3-	0.5+	920328 400	0.4+	1.0+
841029 688	(2.7+	1.8-)	901112 896	0.0	1.1-	950924 816	0.2+	0.1-
901014 033	0.0	1.1-	901112 877	0.9+	0.8-	951017 905	0.1-	0.1+
901015 033	0.3+	0.3+	901112 877	0.3+	0.3+	951017 905	0.2+	0.9+
901015 033	0.6+	0.1-	901114 403	0.3-	0.6-	Y 951020 385	0.2-	0.1+
901018 033	0.9+	1.2-	901114 403	1.4-	0.6+	Y 951020 385	0.4-	0.7+
901018 033	0.2+	1.1-	901115 881	0.0	0.4-	951020 385	0.4+	0.1-
901026 385	(3.8+	5.8-)	901115 881	0.7+	1.0-	951024 801	0.0	1.2-
901026 385	1.4+	1.6+	901115 403	0.4-	1.2-	Y 951024 801	0.0	0.1-
901110 385	0.8-	0.1+	901115 403	0.1+	0.4-	951026 801	0.1+	0.2+
901110 385	(3.1+	4.1+)	901117 898	(4.6-	0.2-)	951026 801	0.2-	0.0

(6643)* 1990 VZ = 1990 UO₁₃ = 1979 VK₃ = 1979 YE₂

Discovered 1990 Nov. 7 by Y. Kushida and O. Muramatsu at the Yatsugatake

South Base Observatory.

Id. S. Nakano (*MPC* 22054), N. S. Chernykh (d, *ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	326.43786	(2000.0)	P	Q
<i>n</i>	0.17967187	ω 0.85288	+0.72433117	-0.68862887
<i>a</i>	3.1103981	Ω 42.73492	+0.63226578	+0.64397632
<i>e</i>	0.2610475	<i>i</i> 2.84519	+0.27492607	+0.33329384
<i>P</i>	5.49	<i>H</i> 12.3	<i>G</i> 0.15	<i>U</i> 1

Residuals in seconds of arc

791114 095	0.6+	1.3+	901114 896	1.6-	0.0	920303 809	0.0	0.0
791223 095	1.2-	1.0+	901115 403	(2.5-	0.4+)	920308 809	0.3-	0.3+
901028 095	(1.4-	2.9+)	901115 403	(3.0-	0.3+)	920309 809	0.1-	0.3+
901029 095	(0.5+	2.4+)	901116 403	(3.3-	0.2-)	920406 809	0.6+	0.2+
901107 896	0.2-	0.2+	901116 403	(3.8-	2.9-)	950822 801	1.9-	0.9+
901107 896	0.2+	0.7+	901121 399	0.6-	0.0	950822 801	0.8-	0.1+
901110 896	0.7-	1.4+	901121 399	1.0-	1.0-	950829 801	0.9-	0.6+
901110 896	1.4+	0.8+	901121 095	0.3+	1.6+	950829 801	0.4+	0.4+
901112 399	1.2-	2.0-	901121 095	(1.5+	3.6+)	950929 801	0.6+	0.5-
901112 399	(0.4+	2.4-)	901123 095	1.9+	2.2+	951025 801	0.6+	0.2-
901112 399	0.5-	1.5-	901123 095	(3.2+	2.7+)	951025 801	0.5+	0.2-
901113 399	0.1-	0.9-	901124 399	0.9+	1.1-	951025 801	0.9+	0.2-

901113 399 0.4- 1.1- 901124 399 0.1+ 0.9- 951026 801 0.7+ 0.0
 901114 896 1.8+ 0.0 920229 809 0.3+ 0.1-

**(6644)* 1991 AA = A909 TE = 1972 TU₁ = 1976 JW₃ = 1984 WV₃
 = 1989 TH₁₄**

Discovered 1991 Jan. 5 by A. Takahashi and K. Watanabe at Kitami.

Id. H. Kaneda (*MPC* 17830)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>	18.55137		(2000.0)	P		Q	
<i>n</i>	0.17151857	ω	323.79953	+0.99722137		+0.05376035	
<i>a</i>	3.2082038	Ω	33.23133	-0.02340534		+0.88329731	
<i>e</i>	0.1330310	<i>i</i>	5.39954	-0.07072286		+0.46572062	
<i>P</i>	5.75	<i>H</i>	11.7	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

091005 000	0.9+	1.3-	891003 809	0.4+	0.1-	950926 114	(4.0+	0.2+)
091005 000	0.3+	1.2-	891004 809	0.4-	0.2-	950928 801	0.3+	0.1+
091006 000	1.6+	1.6-	891004 809	0.5-	0.1-	950928 801	0.2-	0.0
091006 000	1.0+	2.2-	891004 809	0.5-	0.2-	950928 114	1.1+	1.2+
091008 000	(24.6-	20.2-)	910105 400	1.1-	0.9-	950929 114	0.5-	0.1-
551025 675	0.1-	1.4+	910105 400	0.0	1.9-	951001 114	0.0	0.8+
551025 675	0.1-	0.5+	910106 400	0.9-	1.2-	951001 114	0.2+	1.0+
721006 095	0.1+	0.7-	910106 400	0.3+	0.2+	951016 114	0.5+	0.4+
721007 095	1.7-	0.7-	910114 400	1.1+	0.4+	951016 114	1.8+	0.5+
760503 809	0.6+	0.3-	910114 400	1.0-	0.2-	951017 114	(2.4+	0.5+)
841127 010	1.2-	1.5+	920301 809	0.9+	0.6+	951018 114	1.3+	0.1+
841128 010	1.8+	0.7+	920304 809	0.3-	0.1+	951019 114	1.9+	0.1-
891002 809	2.1-	0.5+	920306 809	0.1-	0.2+	951019 114	(2.5+	0.1-)
891002 809	1.6-	0.6+	920404 809	0.3-	1.0-	951023 801	0.2-	0.5+
891002 809	1.2-	0.6+	950921 801	0.5-	0.3+	951023 801	0.3-	0.5+
891003 809	0.1+	0.0	950921 801	0.5-	0.4+	951027 801	0.0	0.3+
891003 809	0.2+	0.1-	950926 114	1.1-	1.0-			

(6645)* 1991 AR₁ = 1978 QJ₁ = 1978 SR₃ = 1984 UC₃

Discovered 1991 Jan. 11 by E. F. Helin at Palomar.

Id. B. G. Marsden (*MPC* 18635)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Marsden			
<i>M</i>	331.41095		(2000.0)	P		Q	
<i>n</i>	0.17739007	ω	31.61894	+0.55075612		-0.83464580	
<i>a</i>	3.1370144	Ω	24.96361	+0.76287771		+0.50053619	
<i>e</i>	0.1944057	<i>i</i>	0.79257	+0.33865216		+0.22984758	
<i>P</i>	5.56	<i>H</i>	12.2	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

780831 095	0.0	0.9+	910111 675	(2.5+	0.6+)	920308 399	0.6-	0.3+
780927 095	0.7-	1.3-	910113 675	0.0	1.2+	950922 608	0.6+	0.7-
841026 688	1.6+	0.5-	910113 675	1.2+	1.7+	950922 608	0.7+	0.7-
841026 688	(0.2+	4.1-)	910214 675	0.6-	0.9-	950928 608	1.5-	1.0+
901217 675	0.4-	1.0-	910214 675	0.5+	0.0	950928 608	1.6-	1.4+
901217 675	0.5-	0.9-	920228 691	0.0	0.4-	951024 801	0.1-	0.1-
901218 675	1.1-	0.3+	920228 691	0.4+	0.7-	951024 801	0.0	0.0
901218 675	1.0-	0.6+	920228 691	0.1-	0.6-	951027 801	0.7+	0.6-
910111 675	1.2+	0.0	920308 399	0.1-	0.2-	951027 801	1.3+	0.5-

(6646)* 1991 CA₃ = 1983 AC₂ = 1983 EU₃

Discovered 1991 Feb. 14 by E. F. Helin at Palomar.

Id. G. V. Williams (*MPC* 18127)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	313.56396		(2000.0)	P		Q	
<i>n</i>	0.36902353	ω	105.76333	+0.04338655		-0.99415643	
<i>a</i>	1.9250116	Ω	340.90574	+0.76125237		+0.09697148	
<i>e</i>	0.1006792	<i>i</i>	17.58789	+0.64700266		-0.04742910	
<i>P</i>	2.67	<i>H</i>	13.7	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

830112 688	0.4+	0.9+	910220 675	1.0+	1.1-	950830 801	0.2+	0.3+
830112 688	0.7+	0.4+	910317 675	0.5-	0.3+	950929 801	0.0	0.1+
830122 688	(6.6+	3.3+)	910317 675	1.9-	0.7+	950929 801	0.1+	0.3-
830122 688	1.8+	1.6+	910319 675	1.5-	0.4-	951004 608	0.5-	0.3-
830315 095	(0.3+	4.5+)	920727 675	(2.8+	2.5-)	951004 608	0.7-	0.6-
910214 675	0.1+	1.7-	920727 675	0.6+	1.0-	951005 608	0.3-	0.2-
910214 675	1.6-	0.9-	950829 801	0.8+	0.3-	951005 608	0.3-	0.4+
910219 675	0.0	1.3-	950829 801	0.6+	0.1+			
910219 675	0.4+	0.1+	950830 801	1.7+	0.4-			

(6647)* 1991 GG₅ = 1969 TG₅ = 1979 VZ₂ = 1982 SH₇ = 1992 UG₁

Discovered 1991 Apr. 8 by E. W. Elst at the European Southern Observatory.

Id. K. Ichikawa (*MPC* 21263)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	351.52875		(2000.0)	P		Q	
<i>n</i>	0.30075625	ω	137.15390	+0.99667150		+0.08059267	
<i>a</i>	2.2062748	Ω	218.22860	-0.07913096		+0.92018675	
<i>e</i>	0.1964314	<i>i</i>	1.13689	-0.01960133		+0.38309421	
<i>P</i>	3.28	<i>H</i>	14.7	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

691014 095	(3.0+	5.2+)	910410 809	0.9+	0.1-	921024 894	1.3-	0.1-
691015 095	(5.5-	1.4+)	910419 809	(3.2-	1.1+)	921024 894	1.3-	1.7-
691017 095	0.0	1.6+	910419 809	(3.3-	1.8+)	921025 894	0.7+	0.7-
791114 095	1.0-	0.9-	910419 809	1.7-	0.2-	921025 894	0.5+	1.8-
820917 095	0.9-	1.5+	910419 809	0.9-	1.5-	921026 400	1.6+	1.2-
910408 809	0.2+	0.4-	910419 809	1.9-	0.5-	921026 400	0.6+	0.2-
910408 809	0.3-	0.4-	910419 809	1.0-	1.4-	950824 801	0.4-	1.1-
910408 809	1.0-	1.5-	910419 675	0.3+	1.0-	950824 801	0.5-	0.9-
910410 809	0.6-	0.1+	910419 675	1.5+	1.2-	950828 801	1.1+	0.8-
910410 809	0.5+	1.2-	921019 400	1.7+	0.4-	950828 801	0.7-	0.7-
910410 809	1.4+	1.6-	921019 400	1.8+	0.6+	951023 801	1.1+	0.0
910410 809	0.7+	1.3+	921022 400	0.3-	0.7-	951024 801	0.7+	0.1+
910410 809	0.9-	1.1+	921022 400	1.2-	0.8-			

(6648)* 1991 PM₁₁ = 1926 SB = 1978 LD = 1987 RR₆ = 1987 SA₂₇

Discovered 1991 Aug. 9 by H. E. Holt at Palomar.

Id. S. Nakano (*MPC* 19031)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	357.27469		(2000.0)	P		Q	
<i>n</i>	0.24237624	ω	33.68291	+0.99857751		-0.02959743	
<i>a</i>	2.5476671	Ω	327.92465	+0.00580811		+0.88721695	
<i>e</i>	0.2414486	<i>i</i>	4.79074	+0.05300210		+0.46040208	
<i>P</i>	4.07	<i>H</i>	12.9	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

260928 012	(4.9- 0.7+)	Y	910910 392	(2.6+ 0.3-)	930131 691	0.4+ 0.3-
260929 012	(2.1- 7.6+)	Y	910910 392	0.5- 1.7+	930131 691	0.1+ 0.4-
260930 012	0.0 0.3-	Y	910913 675	0.4+ 0.7-	930131 691	0.1+ 0.3-
780601 809	0.0 0.2-		910913 675	0.2+ 0.7-	950825 801	0.2- 0.5-
780602 809	0.7+ 0.4+		910915 675	0.2+ 0.4-	950825 801	0.2- 0.6-
870903 095	(3.2+ 3.9+)		910915 675	0.3+ 0.6-	950828 801	0.2- 0.6-
870926 095	0.1- 2.3-		910930 400	0.3- 0.9+	950828 801	0.2- 0.6-
910809 675	0.9- 0.6+		910930 400	0.8+ 1.6+	951023 801	0.3- 0.4+
910810 675	0.9- 0.8-		930124 691	0.4+ 0.0	951023 801	0.2- 0.3+
910907 400	0.7+ 2.1+		930124 691	0.2+ 0.4-	951025 801	0.5- 0.4+
910907 400	1.4+ 0.1-		930124 691	1.6- 1.8+	951025 801	0.5- 0.4+

(6649)* 1991 RN = 1979 WP₄ = 1983 SR = 1987 RB₅

Discovered 1991 Sept. 5 by A. Natori and T. Urata at the JCPM Yakiimo Station.

Id. S. Nakano (*MPC* 19033), T. Urata (*ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Nakano			
<i>M</i>	29.33937	(2000.0)	P	Q	
<i>n</i>	0.24401890	ω	348.97194	+0.70492353	+0.70578105
<i>a</i>	2.5362209	Ω	325.78310	-0.64085783	+0.59124118
<i>e</i>	0.2514317	<i>i</i>	7.19178	-0.30394746	+0.39026526
<i>P</i>	4.04	<i>H</i>	12.7	<i>G</i>	0.15
				<i>U</i>	2

Residuals in seconds of arc

791117 095	2.2- 0.6+	910915 675	0.0 1.0-	950829 801	0.2- 0.2-
830917 095	1.3+ 1.4+	910915 675	0.2+ 0.8-	950829 367	0.4- 0.7-
870903 095	(1.5- 3.3+)	910928 885	0.4+ 0.5+	950829 367	0.2- 0.4-
870923 095	0.7- 1.3+	910928 885	0.8+ 1.0+	950829 367	0.4- 0.0
910905 885	(0.4- 2.8-)	Y 921230 885	1.1- 0.8-	950919 684	0.0 0.8+
910905 885	(0.2+ 2.8-)	930120 385	0.9- 0.2-	950919 684	0.2+ 0.8+
910906 885	0.2- 1.2-	930120 385	1.4+ 1.2-	950919 684	0.1- 0.7+
910906 885	0.1+ 1.0-	940429 385	0.4- 1.1-	950928 801	0.0 0.4+
910910 402	1.6+ 1.1-	940429 385	0.9- 0.4-	950928 801	0.1- 0.5+
910910 402	(2.5+ 1.5-)	940429 385	0.2- 1.1-	950929 816	0.1- 0.3+
910911 885	0.2+ 0.9-	950825 367	0.1- 0.6-	950929 816	0.1- 0.2+
910911 885	0.9- 0.5-	950825 367	0.1+ 0.0	950929 816	0.1- 0.3+
910911 402	1.3+ 1.1-	950825 367	0.1+ 0.5+	950929 816	0.1- 0.3+
910911 402	1.7+ 0.5-	950828 801	0.3- 0.1+	950929 801	0.1- 0.2+
910913 675	0.0 1.0-	950828 801	0.3- 0.2+	950929 801	0.0 0.2+
910913 675	0.2- 1.2-	950829 801	0.2- 0.2-		

(6650)* 1991 RS₁ = 1987 SL₁₄ = 1987 SN₁₄ = 1987 SS₁₆

Discovered 1991 Sept. 7 by K. Endate and K. Watanabe at Kitami.

Id. H. Kaneda (*MPC* 19034)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Nakano			
<i>M</i>	288.34572	(2000.0)	P	Q	
<i>n</i>	0.23561935	ω	91.66598	+0.18105276	-0.98237510
<i>a</i>	2.5961438	Ω	347.60637	+0.79412366	+0.17390233
<i>e</i>	0.1715847	<i>i</i>	12.50326	+0.58016162	+0.06853568
<i>P</i>	4.18	<i>H</i>	12.3	<i>G</i>	0.15
				<i>U</i>	2

Residuals in seconds of arc

870922 095	0.0 1.4-	921225 801	0.3+ 0.5+	950823 400	2.0+ 2.1-
870923 095	(3.2+ 0.5-)	930121 801	1.0+ 0.6-	950823 400	1.1+ 1.5+

870925 095	0.1- 1.6-	930121 801	0.3+ 0.1-	950828 801	0.9- 0.2+
910907 400	(3.0- 0.8+)	930221 400	0.5- 0.6+	950828 801	0.7- 0.0
910907 400	0.4- 0.8+	930221 400	0.9- 0.1-	950829 801	0.8- 0.3+
910913 675	0.0 0.7-	930313 596	1.0+ 0.0	950829 801	0.7- 0.3+
910913 675	0.4- 0.6-	930313 596	0.6+ 0.1+	950903 400	0.9- 0.4-
910913 400	0.6- 1.1+	930313 596	0.1- 0.1+	950903 400	0.6- 0.0
910913 400	0.5+ 1.4+	930314 596	0.5- 1.8+	950920 400	0.6- 0.1+
910915 675	0.1- 0.4-	930314 596	0.9- 0.8+	950920 400	0.3- 0.6-
910915 675	0.4- 0.3-	930320 801	0.2+ 0.5-	951023 801	0.2- 0.3-
910930 400	0.1+ 0.0	930320 801	0.5+ 0.4-	951023 801	0.4- 0.7-
910930 400	0.6+ 1.5+	930327 801	0.3+ 0.4-	951025 801	1.0+ 0.4-
911008 400	0.4- 1.2+	930327 801	0.4+ 0.6-	951025 801	0.1- 0.5-
911008 400	0.8+ 2.0+	950821 400	1.9+ 0.4+	951025 801	0.4- 0.7-
921225 801	0.0 0.4+	950821 400	0.6- 1.0+	951026 801	0.2- 0.3-

(6651)* 1991 RV₉ = 1990 HL₄

Discovered 1991 Sept. 10 by H. E. Holt at Palomar.

Id. G. V. Williams (*MPC* 25530)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	88.14538	(2000.0)	P	Q	
<i>n</i>	0.26896002	ω	294.01827	+0.58616455	+0.81007591
<i>a</i>	2.3768999	Ω	11.89655	-0.71706646	+0.52659553
<i>e</i>	0.0654924	<i>i</i>	3.81518	-0.37712970	+0.25782585
<i>P</i>	3.66	<i>H</i>	13.9	<i>G</i>	0.15
				<i>U</i>	1

Residuals in seconds of arc

511201 675	0.7- 0.3-	910917 675	0.3- 1.4-	951016 596	0.1- 0.1+
511201 675	0.4+ 0.3-	910917 675	0.0 1.2-	951016 596	0.1- 0.1-
540630 675	0.3+ 0.9+	911004 033	0.2+ 0.1+	951021 596	0.1- 0.2+
900422 675	(6.4+ 0.2-)	911004 033	0.1+ 0.7+	951021 596	0.2+ 0.2+
900422 675	0.7- 0.9-	911005 033	0.7+ 0.2+	951021 596	0.2+ 0.2+
910910 033	0.0 0.2+	950918 118	1.1- 0.3+	951026 118	1.0+ 0.3+
910910 033	0.6+ 0.3+	950918 118	1.4- 0.2+	951027 118	0.2- 0.7-
910910 675	0.1- 0.2-	950930 118	0.0 0.1+	951028 118	1.1+ 0.4+
910910 675	0.5- 0.7-	950930 118	0.3+ 0.1+		
910913 033	0.6- 0.2+	951016 596	0.2+ 0.1-		

(6652)* 1991 SJ₁ = 1993 CQ₁

Discovered 1991 Sept. 16 by H. E. Holt at Palomar.

Id. S. Nakano (*MPC* 21943)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Nakano			
<i>M</i>	256.38563	(2000.0)	P	Q	
<i>n</i>	0.22910755	ω	303.14493	-0.36476231	-0.92969209
<i>a</i>	2.6451062	Ω	167.92075	+0.91482005	-0.36807951
<i>e</i>	0.1726512	<i>i</i>	14.16110	+0.17335726	-0.01378727
<i>P</i>	4.30	<i>H</i>	12.4	<i>G</i>	0.15
				<i>U</i>	1

Residuals in seconds of arc

910912 675	0.5+ 0.1+	930318 104	0.7+ 0.9-	940616 104	1.0- 0.2-
910912 675	0.2- 0.3+	930318 104	0.9+ 1.1+	940616 104	(3.0+ 0.8-)
910914 675	0.2+ 0.4+	930322 104	1.9- 1.4+	940617 104	1.2+ 1.2+
910914 675	0.6- 0.1+	930322 104	(3.6+ 2.6-)	940617 104	0.6+ 0.9+
910916 675	0.2+ 1.4-	930322 104	1.1+ 0.8+	940617 104	1.3+ 0.7+
910916 675	0.5+ 1.6-	930328 104	0.6+ 0.7-	940617 104	0.3+ 0.4+
930215 885	0.3+ 0.6+	930328 104	0.3- 0.7-	940711 104	1.7- 1.4-

930215 885	1.3+	0.9-	930328 104	0.7-	0.4+	940711 104	0.9-	2.2-
930215 399	0.1-	0.1-	930328 104	0.0	1.6+	940711 104	(0.9-	2.8-)
930215 399	0.6-	0.2+	930329 104	0.2+	0.3-	940711 104	(2.6+	3.9-)
930219 511	(2.2-	2.7-)	930329 104	0.1+	1.2+	940712 104	0.0	0.4+
930219 511	0.4-	2.0-	930329 104	0.6+	0.2+	940712 104	0.6-	0.1-
930221 511	1.0-	1.0+	930417 104	1.0-	0.3-	940712 104	1.4-	0.6-
930221 511	(4.4-	1.5-)	930417 104	1.1+	0.8+	940712 104	1.6-	0.8-
930221 399	0.3-	0.5+	930418 104	0.0	0.9-	940727 104	0.3-	0.7-
930221 399	0.0	0.3-	930419 104	0.5-	1.0+	940727 104	0.0	1.0-
930223 885	0.2-	0.6-	930419 104	0.3+	1.1+	940727 104	0.4+	0.7-
930223 885	0.0	0.6-	930420 104	0.4-	0.7-	940727 104	0.7+	0.9-
930225 894	0.0	0.1+	930420 104	0.9+	0.1-	940801 689	0.6+	0.3+
930225 894	0.1-	0.0	940511 801	0.9+	1.0+	940802 689	0.0	0.2-
930311 104	0.5+	2.0-	940511 801	0.5+	0.2+	950828 801	0.0	0.2-
930311 104	0.1-	0.2+	940513 801	0.1-	0.1-	950828 801	0.6+	0.1+
930312 399	0.8-	0.6+	940513 801	0.7+	0.3-	950829 801	0.8+	0.2-
930312 399	0.2-	0.3-	940602 595	0.4+	0.4-	950829 801	0.8+	0.1+
930315 104	(2.6-	0.2-)	940602 595	0.3+	0.6+	951002 691	1.1-	0.1-
930315 104	0.8+	0.4-	940609 801	0.6-	1.9+	951002 691	0.7-	0.1+
930316 104	1.2-	1.8-	940609 801	1.2-	0.3-	951002 691	0.6-	0.1+
930316 104	0.2+	1.3-	940610 801	1.4+	0.5+			

(6653)* 1991 XR₁ = 1971 UA₃ = 1990 RX₉

Discovered 1991 Dec. 10 by F. Börngen at Tautenburg.

Id. S. Nakano (*MPC* 20932)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
<i>M</i>	290.36586		(2000.0)		P		Q	
<i>n</i>	0.19841801	ω	24.11951		+0.55841869		-0.82935724	
<i>a</i>	2.9112667	Ω	31.94292		+0.75537071		+0.49923266	
<i>e</i>	0.0833748	<i>i</i>	1.98294		+0.34290475		+0.25086516	
<i>P</i>	4.97	<i>H</i>	12.9		<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

511201 675	1.2+	0.1-	911208 691	0.8-	0.3-	930421 033	0.8+	0.5+
511201 675	0.8-	0.9-	911210 033	0.1-	0.1-	930423 033	0.6-	0.8-
711028 095	(1.2-	6.3-)	911210 033	1.3+	0.4+	950724 033	0.5-	0.0
900914 675	1.1-	0.7-	911211 033	0.4+	0.4+	950725 033	0.2+	1.3+
900914 675	0.4-	0.1+	911228 033	0.9+	0.7+	950726 033	0.2-	0.8-
900916 675	(2.0+	2.6-)	930324 033	0.4+	0.6-	950822 033	0.4-	0.5-
900916 675	1.1+	1.2-	930326 033	0.8-	0.0	950826 801	0.3+	0.1-
900918 675	(1.2-	8.5+)	930326 033	0.4-	0.2-	950826 801	0.3+	0.4+
900918 675	0.9+	0.4-	930329 033	0.2-	0.6-	950828 801	0.2+	0.4-
911208 691	0.9-	0.5-	930416 033	0.2+	0.1-	950828 801	0.2+	0.3+
911208 691	0.7-	0.4-	930420 033	0.4-	0.7-			

(6654)* 1992 DT₆ = 1990 VW₅

Discovered 1992 Feb. 29 at the European Southern Observatory in the course of the Uppsala-ESO Survey of Asteroids and Comets.

Id. T. Kobayashi (*MPC* 23978)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	308.78388		(2000.0)		P		Q	
<i>n</i>	0.17552986	ω	278.53628		+0.36802385		-0.92837757	
<i>a</i>	3.1591388	Ω	149.70791		+0.88832842		+0.33463309	
<i>e</i>	0.1631516	<i>i</i>	5.88364		+0.27464715		+0.16166563	
<i>P</i>	5.62	<i>H</i>	12.6		<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

901115 809	(3.8-	1.3-)	920303 809	0.4-	0.7+	950928 801	0.3-	1.1+
901115 809	(2.7-	1.7-)	920307 809	0.0	0.1-	950928 801	0.1-	0.3-
901115 809	(3.4-	0.7-)	920406 809	0.1+	0.7-	950929 801	0.6-	0.7-
901115 809	0.1+	0.5-	930520 691	0.2-	0.8-	950929 801	0.4+	1.3+
901115 809	0.5+	1.6-	930520 691	0.2-	1.3-	951023 801	0.1+	0.4+
901115 809	0.1-	1.9-	930520 691	0.5-	1.6-	951023 801	0.4-	0.3-
901117 809	0.3-	0.1+	950826 801	0.1+	0.2-	951025 801	0.2+	0.5+
901117 809	0.9+	0.4+	950826 801	0.5+	1.4-	951025 801	0.3-	0.0
901117 809	0.4-	0.1+	950828 801	0.4+	0.3-			
920229 809	0.2+	0.4+	950828 801	0.1+	0.4-			

(6655)* 1992 EL₁ = 1964 VZ₁ = 1972 JJ = 1981 BF

Discovered 1992 Mar. 8 by A. Sugie at the Dync Astronomical Observatory.

Id. S. Nakano (*MPC* 20035)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	4.05207		(2000.0)		P		Q	
<i>n</i>	0.19018685	ω	334.12475		+0.64237115		-0.74477350	
<i>a</i>	2.9946706	Ω	75.34831		+0.73159448		+0.52564257	
<i>e</i>	0.0828578	<i>i</i>	10.76777		+0.22831737		+0.41111108	
<i>P</i>	5.18	<i>H</i>	11.7		<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

641110 330	1.9-	0.8+	920226 402	0.7-	0.6+	950928 801	0.3-	0.3+
720509 095	1.5+	0.3+	920227 402	1.0+	0.5+	950928 801	1.3-	0.1-
720512 095	(3.7-	1.0-)	920227 402	0.0	0.3+	950929 801	0.5-	0.7+
810129 046	0.4+	0.7-	920308 402	(3.1+	0.9-)	950929 801	0.1-	0.3+
810129 046	0.7+	1.0-	920308 402	(1.3+	2.4+)	951023 801	0.0	0.5+
810130 046	0.5+	0.4-	920310 402	0.5-	0.1+	951023 801	0.0	0.6+
810130 046	0.0	1.6-	920310 402	0.2-	0.8+	951029 801	0.2+	1.2+
810131 046	0.1-	0.1-	930523 809	0.8+	2.0+	951029 801	0.2+	1.2+
810131 046	1.2+	1.9+	930523 809	(0.3+	2.3+)			
920226 402	1.0-	0.4+	930523 809	0.4+	1.3+			

(6656)* 1992 FF = A918 CA = 1979 YJ₇ = 1980 BO₃ = 1989 TJ₁₅

Discovered 1992 Mar. 23 by K. Endate and K. Watanabe at Kitami.

Id. H. Kaneda (*MPC* 20036), W. Landgraf (d, *ibid.*), G. V. Williams (*MPC* 24567)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	254.94941		(2000.0)		P		Q	
<i>n</i>	0.17523637	ω	91.43487		-0.83504763		-0.54949852	
<i>a</i>	3.1626652	Ω	55.23330		+0.49062639		-0.76621965	
<i>e</i>	0.1575121	<i>i</i>	1.90641		+0.24896023		-0.33310482	
<i>P</i>	5.62	<i>H</i>	12.1		<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

180202 024(49.5-	79.2+)	X	891004 809	0.8+	1.0-	920328 400	0.4-	0.0
180203 024(42.5+	59.8-)	X	891004 809	0.9+	0.9-	920330 033	0.8-	0.2+
540630 675	0.2-	0.1-	920323 400	1.7+	1.0-	920331 033	1.5+	0.1+
540630 675	0.6+	0.4-	920323 400	0.7-	1.6-	950921 400	1.1+	1.7-

791218	095	1.3+	1.6-	920324	400	0.5+	0.2+	950921	400	0.1+	1.1+
800122	095	1.6-	0.9+	920324	400	0.6+	2.0-	950922	400	0.4-	0.0
891003	809	0.2-	1.7-	920326	691	1.8-	0.7-	950922	400	0.2+	0.9+
891003	809	0.0	1.8-	920326	691	1.9-	1.1-	951023	801	0.2-	0.1+
891003	809	0.3+	1.4-	920326	691	1.8-	0.6-	951023	801	0.3-	0.1+
891004	809	0.9+	1.0-	920328	400	(0.0	2.8-)				

(6657)* 1992 WY = 1978 TB₁ = 1985 VR₁ = 1991 GW₉

Discovered 1992 Nov. 17 by A. Sugie at the Dynic Astronomical Observatory.

Id. K. Kinoshita (*MPC* 24744)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>		350.49488		(2000.0)			
				P		Q	
<i>n</i>		0.28656147	ω	112.65598	+0.96968857	+0.23370173	
<i>a</i>		2.2785445	Ω	233.90050	-0.24375968	+0.90505578	
<i>e</i>		0.2364540	<i>i</i>	5.06449	-0.01689087	+0.35532738	
<i>P</i>		3.44	<i>H</i>	14.7	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

780930	049	2.1+	0.5-	921117	402	(3.1+	0.6+)	921128	675	0.3-	0.7-
780930	049	0.1+	0.0	921117	402	0.5+	1.6+	921128	675	1.4+	0.7-
781002	095	1.1-	1.6-	921118	402	(2.5+	0.3+)	950829	801	0.6-	0.1-
851107	688	0.1-	2.3-	921118	402	1.3-	0.3-	950829	801	0.6-	0.0
851107	688	(1.7-	5.3-)	921118	399	0.9-	0.4+	950830	801	0.7-	0.0
910408	809	1.1+	1.2-	921118	399	0.0	0.1+	950830	801	0.9-	0.1+
910408	809	0.4+	0.7-	921121	399	(0.8+	3.8+)	950924	801	1.4-	0.6+
910408	809	0.5+	1.7-	921121	399	(0.9+	4.2+)	950928	801	0.3+	1.0+
910415	675	0.2+	1.8-	921125	675	1.1+	0.9-	950928	801	1.0+	0.7-
910415	675	0.3+	1.7+	921125	675	0.8+	1.0-	951023	801	0.1+	0.4-
910419	809	0.9-	0.7-	921127	691	0.5-	0.4+	951023	801	1.8+	0.2-
910419	809	0.5-	1.0-	921127	691	0.4-	0.6+	951026	801	0.9+	0.2+
910419	809	1.9-	0.1-	921127	691	0.2-	0.5+	951026	801	1.0+	0.7+

(6658)* 1992 WT₂ = 1977 KO = 1980 DH₅ = 1994 EO₃

Discovered 1992 Nov. 18 by K. Endate and K. Watanabe at Kitami.

Id. S. Nakano (*MPC* 23341)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>		24.17232		(2000.0)			
				P		Q	
<i>n</i>		0.28434208	ω	217.03363	+0.86440757	+0.49730786	
<i>a</i>		2.2903857	Ω	112.98691	-0.43988310	+0.81934446	
<i>e</i>		0.0751015	<i>i</i>	4.61413	-0.24352087	+0.28523594	
<i>P</i>		3.47	<i>H</i>	13.2	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

770523	095	0.9-	0.1-	940314	400	0.6+	0.9+	950825	367	0.2+	0.6+
800221	095	1.0+	1.5-	940314	400	0.8-	0.9-	950825	367	0.1+	0.6+
921118	400	0.3+	0.5+	940318	400	1.3-	0.4-	950825	367	0.2+	0.1-
921118	400	(0.3-	2.7-)	940318	400	(0.2-	3.0-)	950826	801	0.1-	0.4-
921121	400	0.6+	0.6-	940403	675	0.3-	0.7-	950826	801	0.5+	0.4-
921121	400	(3.4+	0.4-)	940403	675	0.4+	1.1-	950903	400	0.4-	0.2-
921122	376	0.9+	0.1+	Y 950822	397	1.2-	1.2+	950903	400	0.5+	0.2-
921122	376	0.2+	0.7-	Y 950822	397	0.3-	0.4-	950920	400	0.3-	1.0-
921127	400	1.1-	0.4-	950822	397	0.4+	0.1-	950920	400	0.2-	1.4-
921127	400	(3.4-	1.6-)	950824	801	0.4+	0.0	951027	801	1.2+	0.5-
921127	494	2.0-	0.4+	950824	801	0.1-	0.2+	951027	801	1.4+	0.7-

(6659)* 1992 YN = 1977 VH₁ = 1988 UO₁

Discovered 1992 Dec. 24 by T. Urata at the Nihondaira Observatory.

Id. T. Urata (*MPC* 21800)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>		307.88023		(2000.0)			
				P		Q	
<i>n</i>		0.26994429	ω	159.52178	+0.51867136	-0.85030911	
<i>a</i>		2.3711187	Ω	259.13985	+0.77124328	+0.51034605	
<i>e</i>		0.1085822	<i>i</i>	5.21045	+0.36900383	+0.12853531	
<i>P</i>		3.65	<i>H</i>	13.1	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

771109	049	0.5+	0.6-	930102	885	0.3-	0.5-	950829	367	0.1+	0.6+
771109	049	0.0	1.2-	930119	385	0.2-	0.4-	950829	367	0.1-	0.7+
881019	400	1.2+	0.4-	930119	385	0.7+	0.3+	951020	385	0.9-	0.1-
881019	400	0.5+	1.1+	950825	367	0.0	0.1-	951020	385	0.4-	0.0
881019	400	0.5+	1.8-	950825	367	0.3+	0.4+	951020	385	0.9-	0.2-
881104	327	1.7-	0.4+	950825	367	0.5+	0.7+	951023	801	0.3-	0.3-
881104	327	0.0	0.9+	950826	801	0.3+	0.1-	951023	801	0.6-	0.3-
921224	385	0.5+	0.9+	950826	801	0.4+	0.1+	951026	801	0.5-	0.3-
921224	385	1.9+	1.9+	950829	801	0.3+	0.2-	951026	801	0.6-	0.3-
921225	885	1.7-	0.4-	950829	801	0.3+	0.3-				
930102	885	0.6-	0.5-	950829	367	0.3+	0.8+				

(6660)* 1993 BC = 1984 ST₁ = 1991 PK₄

Discovered 1993 Jan. 16 by T. Seki at Geisei.

Id. S. Nakano (*MPC* 22595)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>		317.77409		(2000.0)			
				P		Q	
<i>n</i>		0.26731524	ω	163.08989	+0.41240273	-0.91055768	
<i>a</i>		2.3866399	Ω	262.54679	+0.83247428	+0.38934913	
<i>e</i>		0.1891492	<i>i</i>	1.64347	+0.37001427	+0.13889555	
<i>P</i>		3.69	<i>H</i>	14.3	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

511201	675	0.7-	1.5+	910805	809	(0.5-	2.7+)	940603	809	(0.6-	2.6+)
511201	675	0.2-	1.5+	910805	809	1.2-	2.0+	940603	809	(1.3-	3.1+)
840927	046	2.0+	0.2-	910805	809	(0.6-	3.0+)	940604	809	0.7-	0.1+
840927	046	2.3+	0.8-	930116	372	0.4-	0.8-	940604	809	0.5-	0.3-
840929	046	1.0+	1.4-	930116	372	1.3+	2.0+	940604	809	0.2+	1.0-
840929	046	0.8-	1.9-	930119	372	0.0	0.1+	950831	411	0.9-	0.7+
840930	046	0.0	0.6+	930119	372	1.7+	1.6+	950831	411	0.5-	0.4-
840930	046	2.1-	1.2+	930125	372	0.7+	0.9-	951024	801	0.2-	0.4+
910803	809	0.6-	1.5+	930125	372	(0.8-	2.7+)	951024	801	0.2+	0.5+
910803	809	0.5+	1.1+	930126	372	2.0-	0.5-	951026	801	0.3-	0.7-
910803	809	0.6+	1.1+	930126	372	0.3+	1.4+	951026	801	0.4-	0.6-
910804	809	(2.6-	0.6+)	940603	809	0.5+	2.1+				

(6661)* 1993 BO = 1973 QT₁ = 1975 EY₃ = 1984 RG = 1984 SY₂ = 1991 NK₆

Discovered 1993 Jan. 17 by Y. Mizuno and T. Furuta at Kani.

Id. S. Nakano (*MPC* 21803), F. N. Bowman (d, *ibid.*)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5									
M 336.88908 (2000.0)					Nakano				
					P	Q			
<i>n</i>	0.26920923	ω	199.87299		+0.82281038	-0.56819043			
<i>a</i>	2.3754328	Ω	194.76948		+0.52755126	+0.77143976			
<i>e</i>	0.1708263	<i>i</i>	2.68588		+0.21135927	+0.28642682			
<i>P</i>	3.66	<i>H</i>	13.1		<i>G</i>	0.15	<i>U</i>	1	
Residuals in seconds of arc									
730829 095	0.2+	1.5-	910716 809	0.1+	0.4+	940515 691	0.5-	0.1-	
750315 095	2.4-	1.5+	910716 809	0.5+	0.3+	950828 801	0.4+	0.1+	
840902 046	0.7+	1.7-	910716 809	0.9+	0.5+	950828 801	0.5+	0.4+	
840902 046	(2.0-	4.8-)	930113 399	0.5-	0.4-	950829 801	0.3-	0.0	
840928 688	2.4+	0.1-	930113 399	0.7-	0.4+	950829 801	0.1-	0.2+	
840928 688	(3.2+	0.2-)	930117 403	0.4+	1.0-	950918 684	0.2+	0.1-	
910711 809	0.4-	0.7-	930117 403	1.1+	1.3-	950918 684	0.3-	1.0-	
910711 809	0.3-	0.6-	930120 399	0.3+	0.7-	950918 684	0.2-	0.5-	
910711 809	0.1-	0.9-	930120 399	0.4-	0.8-	950929 691	1.5-	0.9+	
910712 809	0.2+	0.0	930121 403	1.2+	0.7-	950929 691	1.6-	0.7+	
910712 809	0.7+	0.0	930121 403	0.3+	0.3+	950929 691	1.5-	0.8+	
910712 809	1.0+	0.1+	940515 691	0.5-	0.7-				

(6662)* 1993 BP₁₃ = 1982 RW₂ = 1987 VC₂

Discovered 1993 Jan. 22 by S. Ueda and H. Kaneda at Kushiro.

Id. C. M. Bardwell (*MPC* 22059)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5									
M 226.59488 (2000.0)					Bardwell				
					P	Q			
<i>n</i>	0.23526986	ω	235.57722		-0.79356153	-0.56870509			
<i>a</i>	2.5987142	Ω	268.82409		+0.60472696	-0.69759670			
<i>e</i>	0.1049983	<i>i</i>	12.50112		+0.06756779	-0.43581346			
<i>P</i>	4.19	<i>H</i>	11.3		<i>G</i>	0.15	<i>U</i>	2	
Residuals in seconds of arc									
820913 095	(0.4-	3.8-)	930315 104	0.1+	0.8-	940713 801	0.7-	0.3-	
871115 327	0.6+	1.9-	930315 104	0.3+	0.0	950823 801	0.7+	0.6-	
930122 399	1.5+	0.4-	930316 104	0.4-	0.7-	950823 801	0.9+	0.6-	
930122 399	0.2+	0.1-	930316 104	0.3-	0.9+	950825 801	0.7+	0.4-	
930213 399	0.3-	1.0+	930322 399	0.9-	1.7-	950825 801	1.1+	0.5-	
930213 399	1.0-	0.1+	930327 801	0.1+	0.8-	950921 399	0.6-	0.1+	
930215 399	1.2-	1.3+	930327 801	0.3-	1.1-	950921 399	1.7-	0.4-	
930215 399	0.3-	1.1+	930418 801	0.7+	0.2-	950930 399	1.6-	1.0-	
930310 104	0.1+	0.3-	930418 801	0.8+	0.2+	950930 399	0.5-	0.7-	
930310 104	0.2+	0.7-	930424 801	0.6+	0.0	951023 801	0.7+	0.2+	
930311 104	0.6+	1.0-	930424 801	0.7+	0.3-	951023 801	0.7+	0.2+	
930311 104	1.9-	0.4-	940705 801	0.3+	1.6-	951026 801	1.0+	0.4+	
930312 399	0.4-	0.9-	940705 801	0.5+	0.7-	951026 801	1.0+	0.1+	
930312 399	0.5-	1.1-	940713 801	0.1-	1.0-				

(6663)* 1993 CC = 1977 RA₁

Discovered 1993 Feb. 12 by T. Kobayashi at Oizumi.

Id. T. Kobayashi (*MPC* 22595)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5									
M 160.38735 (2000.0)					Nakano				
					P	Q			
<i>n</i>	0.22626305	ω	93.73481		-0.67562920	+0.71563563			
<i>a</i>	2.6672289	Ω	132.07527		-0.73487713	-0.63449366			
<i>e</i>	0.1343536	<i>i</i>	13.80950		-0.05899822	-0.29203327			
<i>P</i>	4.36	<i>H</i>	12.4		<i>G</i>	0.15	<i>U</i>	1	
Residuals in seconds of arc									
510808 675	0.3+	0.1+	930314 411	0.6+	0.3+	940712 801	0.1-	0.3-	
510808 675	0.0	0.3+	930314 411	0.5+	0.5+	940712 801	0.3+	0.1-	
770907 095	0.5-	1.2-	930324 675	0.1-	0.0	940713 801	0.8-	0.3-	
930212 411	0.5+	0.1+	930324 675	0.5-	0.9+	940713 801	0.1-	0.1-	
930212 411	0.6+	0.1-	930329 411	0.1-	0.3-	940714 010	0.2-	2.1+	
930213 411	0.6+	0.4+	930329 411	0.0	0.0	940714 010	0.5+	2.0+	
930213 411	0.2-	0.5+	930329 411	0.3-	0.4+	940714 010	(0.4-	2.4+)	
930213 411	1.2+	0.7-	930409 411	0.4+	0.2-	940714 596	0.5-	2.0+	
930213 896	0.8+	1.8-	930409 411	0.1+	0.1+	940714 596	0.7-	0.5+	
930213 896	1.5-	0.2+	930409 411	0.8-	0.6+	940714 596	1.6-	1.0-	
930214 411	0.2-	0.1-	930410 411	0.1-	0.1+	940716 596	1.3-	1.7-	
930214 411	0.8+	0.5-	930410 411	0.0	0.0	940716 596	0.4-	1.4-	
930214 411	0.2-	0.4-	930410 411	0.2-	0.6-	940716 596	1.6+	1.0-	
930214 365	(2.8-	1.2+)	930522 801	0.3-	0.7+	940807 801	0.5-	0.2+	
930214 896	2.1-	0.5-	930522 801	0.2-	0.0	940807 801	0.6-	0.5+	
930214 365	(2.7-	0.2-)	940506 411	0.1+	0.1+	940809 801	0.8-	0.7+	
930214 896	0.3+	1.1-	940506 411	0.6+	0.1-	940809 801	0.1+	0.0	
930217 411	0.3+	0.3+	940506 411	0.3+	0.2+	940814 411	0.7-	0.1+	
930217 411	0.0	0.4+	940508 411	0.7+	0.1-	940814 411	0.2-	0.2-	
930217 411	0.1+	0.2+	940508 411	0.6+	0.3-	940814 411	0.2+	0.1+	
930223 411	0.2-	0.1+	940508 411	1.3+	0.1-	951002 411	0.4-	0.9+	
930223 411	0.0	0.2-	940704 010	(1.8-	4.7-)	951002 411	0.7+	0.5+	
930223 411	0.2+	0.1-	940704 010	(3.0-	5.2-)	951013 411	0.6-	1.0+	
930228 411	0.1-	0.2-	940704 010	(2.5-	4.1-)	951013 411	0.1+	0.2+	
930228 411	0.7-	0.8+	940705 010	1.0+	1.3-	951014 411	0.1-	0.2-	
930228 411	0.1+	0.8+	940705 010	0.1-	0.7-	951014 411	0.0	0.6+	
930313 411	0.0	0.2-	940705 010	0.4-	0.6-	951029 801	0.0	0.0	
930313 411	0.3-	0.9+	940708 010	1.1+	1.4+	951029 801	0.2+	0.3-	
930313 411	0.6+	0.8+	940708 010	1.1+	0.8+				
930314 411	0.3+	0.2+	940708 010	0.7+	0.4+				

(6664)* 1993 CK = 1982 HP₂

Discovered 1993 Feb. 14 by T. Kobayashi at Oizumi.

Id. T. Kobayashi (*MPC* 22957)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5									
M 234.56978 (2000.0)					Nakano				
					P	Q			
<i>n</i>	0.26853569	ω	140.76014		-0.99837171	+0.01636486			
<i>a</i>	2.3794032	Ω	40.28022		-0.03951016	-0.88935158			
<i>e</i>	0.0756703	<i>i</i>	4.84851		+0.04114453	-0.45693102			
<i>P</i>	3.67	<i>H</i>	12.9		<i>G</i>	0.15	<i>U</i>	1	
Residuals in seconds of arc									
540728 675	0.2-	1.1-	930223 411	0.0	0.5+	930410 411	1.4+	1.3-	
540728 675	0.2+	0.5+	930223 411	0.6-	0.5+	930410 411	1.1-	0.0	
820427 033	0.1-	0.5-	930228 411	0.3-	0.1+	930410 411	1.1-	0.4+	
820427 033	0.0	1.4-	930228 411	0.0	0.4-	940814 411	0.2+	0.1+	
930212 411	0.3-	1.1-	930228 411	1.0+	0.3-	940814 411	0.2-	0.1+	

930212	411	0.0	0.1-	930313	411	0.8-	0.1+	940814	411	0.2+	0.4+
930213	411	1.2-	0.5+	930313	411	1.3+	0.7-	940815	411	0.2-	0.1+
930213	411	0.6+	0.5+	930313	411	0.6+	0.5+	940815	411	0.1+	0.0
930213	411	1.9-	0.2+	930314	411	0.1-	0.4+	940815	411	0.2-	0.4+
930214	411	1.1+	0.3-	930314	411	0.8+	0.3-	951002	411	0.8+	0.1-
930214	411	0.3+	0.5-	930314	411	0.3+	0.5-	951002	411	0.9-	0.4+
930214	411	0.0	0.8+	930324	675	0.0	0.1+	951002	411	0.4-	0.6+
930217	411	0.6+	0.3-	930324	675	0.6-	0.8+	951027	411	0.1+	0.2+
930217	411	0.0	0.0	930329	411	0.4+	1.3+	951027	411	0.6+	0.8-
930217	411	0.2-	0.9+	930329	411	0.7+	0.0				
930223	411	0.6-	0.4+	930329	411	0.1-	0.4-				

(6665)* 1993 CN = 1952 HF₁ = 1956 AN = 1982 BE = 1990 RM₁₂

Discovered 1993 Feb. 14 by T. Urata at the Nihondaira Observatory.

Id. T. Urata (*MPC* 21948)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Nakano			
<i>M</i>		(2000.0)			
<i>n</i>	0.18928522	ω	339.60431	+0.15000258	-0.96939826
<i>a</i>	3.0041729	Ω	101.37550	+0.93236396	+0.07330326
<i>e</i>	0.0693212	<i>i</i>	11.43344	+0.32893264	+0.23429394
<i>P</i>	5.21	<i>H</i>	11.8	<i>G</i>	0.15
				<i>U</i>	1

Residuals in seconds of arc

520428	760	1.3-	0.6+	930217	385	1.2-	1.0-	940408	801	0.5+	0.1-
520428	760	1.4+	0.2-	930228	385	0.1+	0.5+	940408	801	0.6-	0.4-
560114	760	(12.1+	12.5+)	X	930228	385	0.4-	0.5+	940415	801	0.7+
820116	688	(1.4+	3.5-)	930228	385	0.1+	0.2+	940415	801	0.4+	0.2+
820116	688	(1.4+	5.3-)	930313	385	0.5+	0.4-	940507	801	0.1-	0.2+
900915	675	0.1+	0.5-	930313	385	0.2+	0.6-	940507	801	0.3-	0.2+
900915	675	0.3+	0.4+	930313	385	0.1+	0.3-	940511	801	0.2+	0.1-
930214	385	0.7-	0.7-	930321	385	0.1-	0.1+	940511	801	0.2+	0.4+
930214	385	0.5+	1.7-	930321	385	0.2-	0.1-	950826	905	0.0	0.8-
930215	385	0.9-	0.3+	930321	385	0.0	0.1+	950826	905	0.9-	1.3-
930215	385	0.5+	1.0-	930425	905	0.2+	0.1-	951021	385	0.7+	1.1-
930217	385	0.3+	0.9+	930425	905	0.5-	0.8-	951021	385	0.1+	1.5-

(6666)* 1993 FG₂₀ = 1962 WD₂ = 1974 QG = 1991 XG₂

Discovered 1993 Mar. 19 at the European Southern Observatory in the course of the Uppsala-ESO Survey of Asteroids and Comets.

Id. G. V. Williams (*MPC* 23524)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>		(2000.0)			
<i>n</i>	0.23822626	ω	160.65697	+0.84866907	-0.52737836
<i>a</i>	2.5771694	Ω	231.23821	+0.47819510	+0.79767897
<i>e</i>	0.2382655	<i>i</i>	2.97054	+0.22603154	+0.29254116
<i>P</i>	4.14	<i>H</i>	13.7	<i>G</i>	0.15
				<i>U</i>	1

Residuals in seconds of arc

621130	760	0.4-	1.2+	911201	675	1.7+	1.5-	950829	801	0.0	0.2+
621130	760	1.1-	1.6+	911202	675	1.6-	1.1-	950830	801	0.5+	0.6+
621203	760	1.1+	1.1+	911202	675	0.8-	1.0-	950830	801	0.7+	0.5+
621203	760	1.4+	0.4-	911214	691	1.2-	0.4-	951020	411	0.4+	0.4+
740816	808	0.9-	0.6+	911214	691	1.0-	0.5-	951020	411	0.8+	0.2+
740816	808	0.9+	0.6+	911214	691	1.2-	0.2-	951023	801	0.2+	0.3+
740817	808	0.6-	0.5+	930319	809	0.5+	1.8+	951023	801	0.2+	0.4+

740817	808	1.3-	2.3-	930320	809	(0.6-	2.4+)	951027	801	0.1+	0.7+
740818	808	0.4+	0.3+	930324	809	2.0+	1.4+	951027	801	0.1+	0.7+
740818	808	0.4-	0.4+	930417	413	(0.9+	2.0-)				
911201	675	(2.2+	0.9-)	950829	801	0.0	0.1-				

**(6667)* 1994 EK₂ = 1936 FR₁ = 1976 GF₂ = 1980 LW = 1983 CK₃
= 1983 FN = 1983 GG = 1992 UY₁**

Discovered 1994 Mar. 14 by Y. Kushida and O. Muramatsu at the Yatsugatake South Base Observatory.

Id. S. Nakano (*MPC* 23345)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Nakano			
<i>M</i>		(2000.0)			
<i>n</i>	0.27248777	ω	355.64918	-0.97624839	-0.21620634
<i>a</i>	2.3563404	Ω	171.82452	+0.20161445	-0.93012926
<i>e</i>	0.0759971	<i>i</i>	5.61943	+0.07931389	-0.29684065
<i>P</i>	3.62	<i>H</i>	13.2	<i>G</i>	0.15
				<i>U</i>	2

Residuals in seconds of arc

360317	754	(6.3+	2.0+)	921021	402	(3.4-	2.4+)	940405	896	1.4+	1.4+
360317	754	(39.0-	20.9+)	921021	403	0.7+	0.1+	Y	950824	801	0.1+
760401	095	0.3-	1.9+	921022	399	1.8-	0.6+		950824	801	0.3+
760404	095	0.0	1.1+	921022	399	(2.6-	0.2-)		950828	801	0.3-
800610	675	0.7-	1.6+	921026	403	0.1-	0.3+		950828	801	0.0
800611	675	0.0	0.8-	921026	403	0.7+	0.0		950928	801	1.0+
830210	809	0.7-	0.0	940314	896	0.9-	1.3-		950928	801	0.3+
830210	809	0.6+	0.5-	940314	896	0.8-	1.2-		950929	801	0.2+
830210	809	1.7+	1.1-	940315	896	0.8-	1.6-		951022	801	0.9+
830316	095	(2.6+	7.2+)	940315	896	1.6-	1.3-		951023	801	1.0+
830410	688	0.6-	1.1-	940320	896	(2.8-	0.5+)		951027	801	0.4+
830410	688	1.3+	1.0-	940320	896	(3.4-	0.9+)		951027	801	0.5+
921021	402	(2.7+	1.9-)	940331	896	(5.0-	4.5+)				
921021	403	1.5-	1.4-	Y	940331	896	(4.5-	1.8+)			

**(6668)* 1994 GY₈ = 1982 UP₉ = 1985 GQ₁ = 1987 YT₄ = 1989 EQ₁₁
= 1995 QP₂**

Discovered 1994 Apr. 11 by S. Ueda and H. Kaneda at Kushiro.

Id. S. Nakano (*MPC* 25643)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Nakano			
<i>M</i>		(2000.0)			
<i>n</i>	0.21664676	ω	283.45915	+0.10336514	+0.99447002
<i>a</i>	2.7455831	Ω	352.40040	-0.84958610	+0.07856398
<i>e</i>	0.1546669	<i>i</i>	8.07411	-0.51722249	+0.06969276
<i>P</i>	4.55	<i>H</i>	12.1	<i>G</i>	0.15
				<i>U</i>	1

Residuals in seconds of arc

821021	095	1.8+	0.2-	940413	399	1.8-	0.3+	950823	400	0.7-	0.3+
850415	675	0.3-	1.0+	940413	399	(3.4-	0.9+)		950823	400	0.6-
871223	010	1.2-	0.0	940504	675	1.7+	1.3-		950921	399	1.1-
871223	010	0.3+	1.3+	940504	675	1.6+	2.2-		950921	399	0.4-
890303	808	0.8-	0.3+	940506	675	0.8+	0.9-		950930	399	0.7-
890303	808	0.2-	0.1-	940506	675	1.6+	0.3-		950930	399	0.4-
940411	399	1.5-	2.1+	950821	400	2.0+	0.2+				
940411	399	0.6-	1.2+	950821	400	0.8+	1.1+				

(6669)* 1994 JA₁ = A923 WB = 4645 T-1

Discovered 1994 May 5 by K. Endate and K. Watanabe at Kitami.

Id. G. V. Williams (*MPC* 23679)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	86.73783		(2000.0)		P		Q
<i>n</i>	0.30165879	ω	254.65653	+0.56024097			+0.82419453
<i>a</i>	2.2018720	Ω	49.71611	-0.71233768			+0.53031547
<i>e</i>	0.2138601	<i>i</i>	6.22094	-0.42273523			+0.19866775
<i>P</i>	3.27	<i>H</i>	12.5	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

231118	754	(11.5+ 1.9+)	Y	940505	400	0.3+	0.8+	950928	801	0.0	0.2-
491123	675	0.1-	0.8+	940505	400	0.4-	0.4+	950928	801	0.0	0.3-
491123	675	0.7-	0.7+	940507	400	0.4-	0.3+	950929	801	0.4-	0.5-
710513	675	0.3-	0.4-	940507	400	0.6+	0.9-	951022	801	0.2+	0.1-
710514	675	0.6-	0.9-	940712	801	0.2+	0.1+	951022	801	0.0	0.1-
710516	675	0.6+	0.5+	940712	801	0.7-	0.7-	951023	801	0.4+	0.3-
940415	400	0.3+	1.3+	940713	801	0.7+	0.6-				
940415	400	0.2+	0.3-	940713	801	0.2-	0.4+				

(6670)* 1994 LL₁ = 1986 VF = 1988 CE₃ = 1993 BT₆

Discovered 1994 June 4 by C. S. Shoemaker at Palomar.

Id. T. Kobayashi (*MPC* 25644)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	40.97192		(2000.0)		P		Q
<i>n</i>	0.21912048	ω	200.73005	+0.78794966			+0.54352031
<i>a</i>	2.7248802	Ω	122.99386	-0.50513629			+0.83930708
<i>e</i>	0.2906126	<i>i</i>	20.18066	-0.35209751			+0.01221873
<i>P</i>	4.50	<i>H</i>	12.1	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

861106	662	(5.5+ 2.9-)		940604	675	0.0	0.9-	950928	801	0.1-	0.4+
861106	662	1.1+	2.4+	940604	675	1.3-	1.9-	950929	801	0.3-	0.0
861107	662	0.2+	0.2-	940606	675	0.5-	0.1-	950929	801	0.3+	0.1-
861107	662	2.5-	0.4+	940606	675	0.4+	0.8-	951022	801	0.4+	0.9-
880211	809	0.2+	0.3+	940710	675	0.8+	0.9+	951022	801	0.4+	0.8-
930130	372	1.6-	1.5-	940710	675	0.3+	0.5+	951024	801	0.4+	0.7-
930130	372	1.0+	0.3-	940712	675	0.5-	0.5-	951024	801	0.3+	0.7-
930202	372	(0.9+ 3.2+)		940712	675	1.0+	0.4+	951029	801	0.6+	1.1-
930202	372	0.4-	1.5+	950928	801	0.1-	0.1+	951029	801	0.5+	0.8-

(6671)* 1994 NC₁ = 1949 HH = 1954 JF = 1983 EG₁ = 9517 P-L

Discovered 1994 July 5 by E. F. Helin at Palomar.

Id. G. V. Williams (*MPC* 24900)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	104.48923		(2000.0)		P		Q
<i>n</i>	0.20008776	ω	96.38784	+0.12675321			+0.99192584
<i>a</i>	2.8950475	Ω	180.92447	-0.98047584			+0.12466263
<i>e</i>	0.1519660	<i>i</i>	14.69394	-0.15033544			+0.02328845
<i>P</i>	4.93	<i>H</i>	12.0	<i>G</i>	0.15	<i>U</i>	1

Residuals in seconds of arc

490423	024	(2.4+ 4.9-)		940705	675	0.0	0.9+	951019	608	0.7-	0.1+
540506	760	(0.1+ 3.7+)		940705	675	0.5+	0.2+	951019	608	0.1-	0.0
540506	760	0.4-	1.9-	940707	675	1.1-	1.5+	951020	608	0.6+	0.5+
601017	675	0.2-	0.1-	940707	675	0.6-	0.3+	951020	608	0.6+	0.6+
601022	675	0.9-	1.7-	940809	675	1.2+	1.6-	951023	801	0.5-	0.5-
601024	675	1.6+	0.4-	940809	675	0.2+	0.6-	951023	801	0.9-	0.2-

601026	675	0.1+	0.5+	950929	801	0.3+	0.3+	951029	801	0.1-	0.6-
830314	095	0.2+	0.3-	950929	801	0.5+	0.2+	951029	801	0.1-	0.6-

(6672)* 1213 T-1 = 1980 TZ₈ = 1984 YQ₂ = 1991 OP

Discovered 1971 Mar. 24 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Id. G. V. Williams (*MPC* 21600)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	3.45114		(2000.0)		P		Q
<i>n</i>	0.26310944	ω	165.66101	+0.96527235			-0.25801626
<i>a</i>	2.4120063	Ω	209.38973	+0.23071679			+0.91546602
<i>e</i>	0.2137471	<i>i</i>	4.78657	+0.12255228			+0.30878726
<i>P</i>	3.75	<i>H</i>	14.2	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

710324	675	0.1+	1.1-	710514	675	0.4-	0.3+	910914	675	0.5-	0.4-
710325	675	0.4+	0.2-	801013	095	0.2-	1.3+	950921	801	0.0	0.2+
710325	675	0.5-	1.3-	841223	095	0.2-	1.4-	950921	801	0.1-	0.1+
710326	675	0.1-	0.8+	841227	095	(16.0- 3.3-)		950928	801	0.1-	0.1+
710327	675	(0.5- 2.7+)		910716	675	0.0	1.2-	950928	801	0.1+	0.1+
710402	675	1.0-	0.8-	910716	675	0.3+	1.0-	951023	801	0.1+	0.2-
710416	675	(0.0 3.9-)		910718	675	0.5+	0.1+	951023	801	0.0	0.3-
710416	675	1.3+	1.4+	910718	675	0.6+	1.1+	951029	801	0.5+	0.3-
710513	675	0.1-	0.1+	910914	675	0.5-	0.5-	951029	801	0.2-	0.2-

**(6673)* 2246 T-1 = 1942 VL = 1953 PG₁ = 1976 UE₁ = 1982 DG₂
= 1986 EL₃ = 1991 SH**

Discovered 1971 Mar. 25 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Id. D. W. E. Green (*MPC* 19322)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Green

<i>M</i>	35.37127		(2000.0)		P		Q
<i>n</i>	0.26022351	ω	294.72967	+0.89948714			+0.43471611
<i>a</i>	2.4298065	Ω	39.54379	-0.37168807			+0.81430046
<i>e</i>	0.2130533	<i>i</i>	3.97185	-0.22971909			+0.38462535
<i>P</i>	3.79	<i>H</i>	13.2	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

421105	062	0.9+	1.0-	761022	026	0.2-	0.9+	940513	801	0.1+	0.0
421105	062	0.4-	0.4-	761024	026	0.5-	1.3+	940513	801	1.7+	1.1-
530809	094	(2.1- 6.3-)	X	820220	046	(4.6- 11.2+)		940514	801	0.1+	1.3+
710324	675	(2.6+ 4.4-)		820220	046	(1.7- 9.1+)		940514	801	0.1-	0.9+
710325	675	1.6-	0.1-	820221	046	0.1+	1.2+	951002	411	0.7+	0.5+
710325	675	1.8-	0.2-	820221	046	(3.0- 2.4+)		951002	411	0.5+	0.1+
710326	675	0.6-	0.3-	860312	809	1.2-	0.3+	951022	046	0.5+	0.7-
710327	675	0.5-	1.4-	910912	675	0.1-	0.4-	951022	046	0.8+	0.3-
710402	675	1.7+	0.8-	910912	675	0.4+	0.9-	951024	801	0.4+	0.8-
710416	675	1.5+	1.6-	910916	675	0.5+	1.0-	951024	801	0.2+	0.9-
710416	675	(2.7+ 1.2-)		910916	675	0.5+	0.9-	951027	801	1.1-	0.4+
710513	675	0.0	0.5-	910929	413	0.5-	0.3+	951027	801	0.9-	0.5+
710514	675	1.3-	1.3-	910930	413	0.5-	0.0				
710516	675	0.2+	0.3+	910930	413	0.3+	0.2+				

(6674)* 4272 T-1 = 1979 HV₆ = 1991 NO₂ = 1991 PH₃

Discovered 1971 Mar. 26 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Id. G. V. Williams (*MPC* 19523), S. Nakano (d, *MPC* 18998)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	57.09135	(2000.0)	P		Q	
<i>n</i>	0.25565764	ω	177.70665	+0.11126638	+0.99169770	
<i>a</i>	2.4586509	Ω	98.67681	-0.91281988	+0.12763123	
<i>e</i>	0.1498162	<i>i</i>	3.73886	-0.39291177	-0.01568218	
<i>P</i>	3.86	<i>H</i>	13.8	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

501209 675	0.2+	1.3-	910706 809	0.2+	0.3+	910814 809	0.3-	0.3-
501209 675	0.5-	0.9-	910706 809	0.8+	0.1+	910904 809	1.0+	1.4-
710324 675	1.3+	2.2-	910708 809	0.4+	0.6+	910904 809	0.1-	1.0-
710326 675	0.4+	0.4+	910708 809	1.1+	0.3+	910904 809	1.0-	0.5-
710326 675	1.0-	0.6+	910714 675	0.4+	0.9-	910907 809	0.1-	1.4-
710327 675	1.2-	1.8-	910714 675	0.6-	0.1-	910907 809	0.7-	1.2-
710402 675	0.7+	1.5+	910719 675	0.2-	1.2+	910907 809	0.7-	1.4-
710513 675	0.0	0.1+	910802 809	(3.2+	0.9+)	950825 801	0.9-	0.5+
710514 675	0.2-	0.2+	910802 809	(2.6+	0.4+)	950825 801	0.1-	0.2+
710516 675	0.3-	1.3+	910802 809	(2.1+	0.7+)	950829 801	0.1-	1.0+
790430 095	0.3-	0.6-	910807 809	0.7+	0.5+	950829 801	0.0	0.2+
910705 809	0.8-	0.1+	910807 809	0.9+	0.7+	951023 801	0.2+	0.1+
910705 809	0.5-	0.1+	910807 809	1.3+	0.2+	951023 801	0.0	0.0
910705 809	0.6-	0.0	910814 809	0.3+	0.3-	951027 801	0.1-	0.5+
910706 809	0.1-	0.3+	910814 809	0.8-	0.8-	951027 801	0.4-	0.5+

(6675)* 1493 T-2 = 1981 EM₂₁

Discovered 1973 Sept. 29 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Id. S. Nakano (*MPC* 15081)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	290.16817	(2000.0)	P		Q	
<i>n</i>	0.18294366	ω	57.46686	-0.56704657	-0.82329674	
<i>a</i>	3.0732023	Ω	67.09807	+0.74620313	-0.52647457	
<i>e</i>	0.1847378	<i>i</i>	1.57455	+0.34876795	-0.21214855	
<i>P</i>	5.39	<i>H</i>	14.7	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

730924 675	0.2-	2.0-	731005 675	(3.0+	0.2-)	810408 413	0.6+	0.2+
730924 675	1.6-	1.1-	810202 413	0.2+	0.6-	810411 413	(2.7-	0.2+)
730924 675	1.1+	1.2-	810213 413	0.5-	0.9-	810411 413	0.0	0.4-
730925 675	0.8-	0.6-	810302 413	0.8-	0.4+	810426 413	0.5+	1.5-
730925 675	1.6-	0.3+	810302 413	1.2-	0.8-	810502 413	0.4-	0.7-
730925 675	0.5+	0.5+	810303 413	0.9+	1.0-	920405 675	0.3-	0.8-
730929 675	0.6-	1.9-	810303 413	0.4+	0.3-	920405 675	0.3+	0.8+
730929 675	1.0+	0.4-	810307 413	0.3-	0.1+	920429 691	0.5-	1.3-
730930 675	1.2+	1.1-	810311 413	0.7-	0.1-	920429 691	0.6-	0.7-
730930 675	1.8+	0.3+	810311 413	2.0+	0.8-	920429 691	0.0	1.0-
731004 675	0.4-	1.9-	810316 413	1.5-	1.1+	950927 327	0.1+	0.1-
731004 675	(3.3+	2.4+)	810316 413	0.8+	0.0	950927 327	0.2+	0.5-
731004 675	0.5+	1.0-	810329 413	1.1-	0.8+	950927 327	0.2+	0.0
731004 675	(3.7+	0.3+)	810329 413	2.1+	0.9-	950927 327	0.3+	0.3-
731005 675	0.6+	0.1+	810407 413	1.9-	0.0	951026 560	0.2+	0.2+
731005 675	1.0+	2.0+	810407 413	0.2+	1.0-	951026 560	0.6-	0.0
731005 675	1.1+	0.1+	810408 413	1.8-	0.6+	951026 560	0.2-	0.0

(6676)* 2083 T-2 = 1976 GJ₅ = 1981 AL₂ = 1987 EK = 1987 FM

Discovered 1973 Sept. 29 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Id. D. W. E. Green (*MPC* 14964)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Green

<i>M</i>	202.52198	(2000.0)	P		Q	
<i>n</i>	0.17565942	ω	341.24186	-0.83537844	-0.54965880	
<i>a</i>	3.1575853	Ω	165.41221	+0.50645104	-0.77267006	
<i>e</i>	0.1563381	<i>i</i>	0.96686	+0.21365909	-0.31757862	
<i>P</i>	5.61	<i>H</i>	13.0	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

511128 675	1.1-	0.9+	730930 675	0.9+	0.3+	870303 688	(8.8-	1.9-)
511128 675	0.1-	0.7+	731004 675	1.0+	1.2-	870303 688	1.0-	2.4-
730919 675	0.4+	0.4-	731004 675	(0.3-	2.5+)	870321 046	0.5+	0.9-
730919 675	0.6-	1.4-	731004 675	1.0+	0.6-	870321 046	(2.6-	1.1-)
730920 675	0.2-	0.9+	731004 675	0.2-	1.5+	950730 557	0.2+	0.1-
730924 675	0.1-	0.6-	731005 675	(1.5+	1.9-)	950730 557	0.1+	0.4-
730924 675	0.9+	0.3+	731005 675	(1.1-	2.2+)	950731 557	0.2+	0.2+
730925 675	(1.1+	1.9-)	731005 675	0.7+	0.9-	950801 557	0.3-	0.9+
730925 675	0.1-	1.8-	731005 675	(2.2-	1.8+)	950801 557	1.0-	0.4+
730929 675	0.3-	0.3+	760402 095	0.0	0.5+	950920 691	0.5-	0.2+
730929 675	0.1-	0.4-	810108 381	0.2+	0.3+	950920 691	0.5-	0.3+
730930 675	0.8+	0.3-	810108 381	0.4-	0.9+	950920 691	0.4-	0.2+

(6677)* 3045 T-3 = 1989 UT₁

Discovered 1977 Oct. 16 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Id. T. Kobayashi (*MPC* 15572)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	59.21913	(2000.0)	P		Q	
<i>n</i>	0.16799511	ω	303.83214	+0.90536531	+0.40168590	
<i>a</i>	3.2529068	Ω	33.09755	-0.25556762	+0.77442835	
<i>e</i>	0.0874479	<i>i</i>	14.60611	-0.33911479	+0.48878335	
<i>P</i>	5.87	<i>H</i>	11.6	<i>G</i>	0.15	<i>U</i>

Residuals in seconds of arc

570428 675	0.0	0.0	771021 675	0.6-	1.4+	910116 801	0.2-	0.3+
771007 675	(0.6+	2.6-)	771021 675	0.4-	1.5+	910116 801	0.0	0.4+
771011 675	(3.2+	0.4-)	771022 675	1.8-	1.3-	910119 801	0.0	0.1+
771011 675	(2.9+	0.2+)	771022 675	0.2-	0.8-	910119 801	0.1-	0.1-
771012 675	1.0+	1.8-	891029 400	0.6+	0.2-	950928 801	0.5-	0.4-
771012 675	0.4+	0.8-	891029 400	0.4+	1.1+	950928 801	0.3-	0.6-
771016 675	0.1-	0.1+	891030 400	(1.4+	3.3+)	950929 801	0.1+	0.3-
771016 675	0.5-	1.9+	891030 400	0.4-	0.3-	950929 801	0.1-	0.7-
771016 675	0.3+	0.4+	891129 046	1.5+	0.6-	951023 801	0.0	0.1-
771016 675	(0.8+	2.7+)	891129 046	1.9-	0.3-	951023 801	0.2+	0.0
771017 675	0.5-	0.8+	901214 801	0.2+	0.2+	951029 801	0.8+	0.0
771017 675	0.0	0.8+	901214 801	0.0	0.4+	951029 801	0.8+	0.3-
771017 675	0.3+	0.3-	901217 801	0.1+	0.1-			
771017 675	0.5+	0.2+	901217 801	0.2+	0.1-			

(6678)* 3422 T-3 = 1993 CT

Discovered 1977 Oct. 16 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Id. S. Nakano (*MPC* 21809)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	36.97968		(2000.0)	P	Q
<i>n</i>	0.21773411	ω	300.53073	+0.85384475	+0.51245464
<i>a</i>	2.7364346	Ω	28.93611	-0.38901541	+0.74478891
<i>e</i>	0.0290432	<i>i</i>	10.87943	-0.34585567	+0.42741048
<i>P</i>	4.53	<i>H</i>	12.5	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

520131 675	0.9-	0.3+	771012 675	0.5-	1.0-	930214 385	0.7+	1.0-
520131 675	1.6-	0.7+	771016 675	0.6+	0.2+	930214 385	0.1+	0.2+
540902 675	(1.0+	4.0+)	771016 675	0.4-	0.1-	930215 385	0.5+	1.4-
540902 675	(2.0-	2.7+)	771017 675	0.2-	0.2+	950829 801	1.2-	0.5-
771007 675	0.9+	0.1+	771017 675	0.6+	0.7+	950829 801	1.3-	0.5-
771011 675	1.7-	0.5+	771021 675	0.3+	0.9+	950830 801	1.0-	0.3-
771011 675	0.6+	0.2-	771021 675	0.3+	0.7+	950830 801	0.8-	0.3-
771011 675	0.6-	1.4+	771022 675	(2.9+	0.6+)	951023 801	0.5-	0.0
771011 675	1.2+	0.3-	771022 675	2.2+	0.6-	951025 801	0.4-	0.0
771012 675	1.6+	1.4-	911211 033	0.1-	1.2+	951025 801	0.1-	0.2+
771012 675	0.5-	0.1+	911211 033	1.1-	0.2-			
771012 675	1.8+	1.3-	911212 033	0.2+	0.5+			

1977 QU = 1977 UE = 1953 FO = 1984 BS₆ = 1986 RY₇ = 1991 VR₁₁
= 1994 GN₁₀ = 1995 QO₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Kinoshita

<i>M</i>	38.46409		(2000.0)	P	Q
<i>n</i>	0.21807331	ω	165.64637	+0.54705984	+0.83644768
<i>a</i>	2.7335962	Ω	137.50559	-0.77273767	+0.51971343
<i>e</i>	0.1344442	<i>i</i>	2.78954	-0.32187270	+0.17393455
<i>P</i>	4.52	<i>H</i>	13.0	<i>G</i> 0.15	<i>U</i> 1

Residuals in seconds of arc

530316 024	1.2-	1.0-	860907 095	1.2+	1.3-	940414 675	0.8+	0.4-
770819 095	0.2+	1.1-	911108 691	0.0	0.0	940415 675	0.7+	0.6+
770820 095	1.0+	1.5-	911108 691	0.1-	0.1+	940415 675	1.3-	0.0
770822 095	1.5-	1.5+	911108 691	0.0	0.1+	950823 400	0.2-	1.4-
770824 095	0.8+	1.2+	911109 691	0.5-	0.1+	950823 400	1.2+	1.2-
771016 801	(2.1+	4.3-)	911109 691	0.5-	0.1+	950830 400	0.4-	0.5+
840125 675	0.8+	1.5-	911109 691	0.7-	0.4+	950830 400	0.4-	0.6+
840126 675	0.3+	1.1-	940414 675	0.2-	0.4+			

1978 SX₇ = 1995 UE₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Marsden

<i>M</i>	337.07603		(2000.0)	P	Q
<i>n</i>	0.23248090	ω	82.19502	+0.43343868	-0.90084987
<i>a</i>	2.6194565	Ω	342.05749	+0.79230574	+0.39388718
<i>e</i>	0.2890318	<i>i</i>	4.56216	+0.42939787	+0.18254424
<i>P</i>	4.24	<i>H</i>	14.0	<i>G</i> 0.15	<i>U</i> 5

Residuals in seconds of arc

780926 095	0.6+	1.5-	781128 675	0.1-	0.4-	951022 046	0.1-	0.2+
781002 095	0.9+	1.2+	781129 675	0.7+	0.6-	951022 046	0.0	0.1+
781008 095	1.0-	0.0	951022 046	0.1+	0.1+	951022 046	0.2-	0.2+
781027 675	0.1-	0.4-	951022 046	0.1+	0.2+	951022 046	0.0	0.0
781028 675	0.2-	0.1-	951022 046	0.1-	0.1+	951022 046	0.3-	0.1-

781029 675 0.0 0.0 951022 046 0.0 0.1+

781101 095 0.1- 0.4+ 951022 046 0.1- 0.2+

1981 EH₂₅ = 1995 SP₇

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	166.83978		(2000.0)	P	Q
<i>n</i>	0.23566408	ω	10.91476	-0.99340223	+0.11452358
<i>a</i>	2.5958153	Ω	175.64780	-0.11029432	-0.93966604
<i>e</i>	0.1152325	<i>i</i>	4.55759	-0.03141938	-0.32235396
<i>P</i>	4.18	<i>H</i>	16.5	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

810213 413	1.1+	1.5+	810405 413	0.4-	0.2+	950917 691	0.2-	0.2-
810302 413	0.2+	1.6-	810426 413	0.6+	0.3-	950922 691	0.1+	0.1+
810306 413	1.2-	0.5+	810501 413	0.1+	1.0+	950922 691	0.1-	0.2-
810311 413	1.2-	0.2+	950917 691	0.0	0.3-	950922 691	0.1+	0.1+
810315 413	0.9+	1.5-	950917 691	0.4+	0.0			

1982 SO₅ = 1978 WV₁Id. T. Kobayashi (*MPC* 13691)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	18.02041		(2000.0)	P	Q
<i>n</i>	0.23003181	ω	352.98793	+0.99582624	+0.09126455
<i>a</i>	2.6380162	Ω	1.77652	-0.08220180	+0.90130541
<i>e</i>	0.3054576	<i>i</i>	1.73205	-0.03966057	+0.42346114
<i>P</i>	4.28	<i>H</i>	14.6	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

781129 675	0.3-	0.0	951020 411	0.5+	0.1+	951024 046	0.1+	0.1+
781130 675	0.3+	0.0	951021 411	0.5+	0.4-	951024 046	0.2+	0.2+
820916 095	0.3-	0.5+	951021 411	0.2+	0.1-	951024 046	0.1+	0.1+
820919 095	0.5+	0.2-	951022 046	0.2-	0.2-	951024 046	0.2+	0.2+
820921 095	0.2-	0.3-	951022 046	1.8-	0.6-			
951020 411	0.0	0.5+	951024 046	0.1+	0.2+			

1982 UE₂ = 2163 T-1 = 1995 UP₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Marsden

<i>M</i>	11.06170		(2000.0)	P	Q
<i>n</i>	0.30280959	ω	324.44369	+0.99640868	-0.06954435
<i>a</i>	2.1962898	Ω	39.62972	+0.08387080	+0.88900536
<i>e</i>	0.2837881	<i>i</i>	4.34336	-0.01163758	+0.45258486
<i>P</i>	3.25	<i>H</i>	15.0	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

710325 675	1.2-	0.9+	821020 046	0.0	0.6-	951022 046	0.0	0.0
710325 675	0.2+	0.6+	821021 046	0.3-	0.2-	951022 046	1.3-	0.1+
710327 675	1.4+	0.7-	821021 046	1.4-	0.4+	951023 046	0.1+	0.9+
821016 046	0.3+	1.3-	821021 046	0.0	0.9+	951023 046	0.1+	0.9+
821016 046	1.2+	0.5-	821114 095	1.1+	1.0-	951023 046	0.0	0.8+

1984 SK₁ = 1984 QB₁ = 1984 UT₂ = 1995 UJId. F. N. Bowman (d, *MPC* 9414), K. Hurukawa (d, *MPC* 9458), T. Urata

M.P.C. 25954

1995 NOV. 7

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Urata

<i>M</i>	44.37392		(2000.0)	P	Q
<i>n</i>	0.18209741	ω	324.92222	+0.64953991	+0.75987810
<i>a</i>	3.0827161	Ω	345.52538	-0.67149955	+0.55719147
<i>e</i>	0.2954610	<i>i</i>	6.00249	-0.35663183	+0.33484763
<i>P</i>	5.41	<i>H</i>	13.0	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

840827 801	0.4+	0.2-	840930 046	0.4+	0.1-	951016 905	0.6+	0.3+
840927 046	1.1-	1.2+	840930 046	0.4-	0.4-	951017 905	0.8-	0.1+
840927 046	0.4-	0.6+	841026 688	1.8+	1.2-	951017 905	0.0	0.4+
840929 046	1.1-	0.4+	841026 688	1.3+	1.4-			
840929 046	(3.7-	1.5+)	951016 905	0.3-	0.2+			

1984 SS₅ = 1995 SY₅₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	5.72740		(2000.0)	P	Q
<i>n</i>	0.17893754	ω	277.87774	+0.99377726	-0.03034635
<i>a</i>	3.1189021	Ω	83.90675	+0.07160083	+0.91108321
<i>e</i>	0.1617203	<i>i</i>	6.18742	-0.08532342	+0.41110398
<i>P</i>	5.51	<i>H</i>	12.5	<i>G</i> 0.15	<i>U</i> 6

Residuals in seconds of arc

840921 809	0.4-	0.0	840926 809	0.7-	0.7-	840930 809	0.5-	0.4-
840921 809	0.2-	0.1-	840926 809	0.4-	0.5-	840930 809	0.1-	0.2+
840921 809	0.0	0.1-	840926 809	0.6-	0.5-	840930 809	0.4+	0.0
840922 809	0.3-	0.2+	840927 809	0.4+	0.2+	841001 809	0.7-	0.9+
840922 809	0.2-	0.2+	840927 809	0.6+	0.1+	841001 809	0.5-	0.8+
840922 809	0.1+	0.2+	840927 809	0.9+	0.0	841001 809	0.1+	0.8+
840923 809	0.1-	0.3+	840928 809	0.5+	0.0	950920 400	1.1+	0.4+
840923 809	0.1-	0.2+	840928 809	0.7+	0.3-	950920 400	1.4-	0.9+
840923 809	0.1+	0.2+	840928 809	0.8+	0.6-	950921 400	1.7+	0.9-
840924 809	0.3-	0.2-	840929 809	0.3+	0.4-	950921 400	0.2+	0.0
840924 809	0.2-	0.0	840929 809	0.2+	0.3-	950930 400	1.9-	0.2+
840924 809	0.2+	0.1+	840929 809	0.0	0.2-	950930 400	0.3+	0.3-

1984 SE₆ = 1991 NG₈

Id. T. Kobayashi (1995 observations), S. Nakano

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	48.06354		(2000.0)	P	Q
<i>n</i>	0.27366730	ω	317.98810	+0.81338494	+0.58169021
<i>a</i>	2.3495649	Ω	6.45205	-0.51730956	+0.72833402
<i>e</i>	0.2033985	<i>i</i>	3.28441	-0.26607474	+0.36216856
<i>P</i>	3.60	<i>H</i>	13.6	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

840922 809	0.1-	0.4-	840927 809	(0.9-	3.4-)	840930 809	0.5+	0.9+
840922 809	0.1+	0.7-	840928 809	0.0	0.5+	840930 809	0.9+	1.0+
840922 809	0.1+	0.9-	840928 809	0.9+	0.8+	840930 809	0.8-	1.0+
840923 809	1.2-	1.7+	840928 809	1.9+	1.0+	840930 809	0.3-	1.0+
840923 809	0.7-	0.6-	840928 809	0.0	0.0	840930 809	0.1+	0.9+
840923 809	(0.2-	2.9-)	840928 809	0.3+	0.6-	841001 809	0.6+	0.3+
840924 809	1.1-	1.6-	840928 809	0.5+	1.0-	841001 809	0.7+	0.3+
840924 809	1.0-	1.2-	840929 809	2.2-	0.5-	841001 809	1.3+	0.3+
840924 809	0.9-	1.1-	840929 809	1.9-	0.5-	910714 675	0.2+	0.5-
840926 809	0.5+	0.9-	840929 809	1.9-	0.6-	910714 675	0.0	0.0

840926 809	0.4+	0.6-	840929 809	0.9+	0.3+	951020 411	0.5+	0.3-
840926 809	0.4+	0.2-	840929 809	0.6+	0.6+	951020 411	0.5-	0.4-
840927 809	(1.0-	3.1-)	840929 809	0.8+	1.1+	951025 411	0.2+	0.4-
840927 809	(0.9-	3.3-)	840930 809	0.3+	0.7+	951025 411	0.1+	0.0

1986 QA₁ = 1995 SB₄₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	206.51726		(2000.0)	P	Q
<i>n</i>	0.22742630	ω	115.15062	-0.97182517	-0.23127641
<i>a</i>	2.6581262	Ω	51.51023	+0.18988918	-0.88250023
<i>e</i>	0.0329216	<i>i</i>	3.32996	+0.13963504	-0.40951747
<i>P</i>	4.33	<i>H</i>	13.5	<i>G</i> 0.15	<i>U</i> 6

Residuals in seconds of arc

860826 809	1.5-	0.0	860904 809	0.5+	0.1-	860907 809	0.3-	0.1-
860826 809	1.3-	0.0	860904 809	0.8+	0.3-	860907 809	0.2-	0.1-
860826 809	1.1-	0.1+	860904 809	0.8+	0.5-	860907 809	0.2-	0.1-
860827 809	0.4-	0.3+	860905 809	0.4+	0.1-	860911 809	0.9-	1.0+
860827 809	0.4-	0.4+	860905 809	0.4+	0.1-	860911 809	0.6-	0.9+
860827 809	0.2-	0.6+	860905 809	0.2+	0.1-	860911 809	0.3-	0.8+
860829 809	0.1-	0.5-	860906 809	0.7+	0.5-	950925 691	0.2-	0.9+
860829 809	0.3+	0.5-	860906 809	0.5+	0.5-	950925 691	0.2+	0.7+
860829 809	0.2+	0.4-	860906 809	0.9+	0.6-	950925 691	0.0	0.9+
860902 809	0.6+	0.0	860907 809	0.1-	0.0	950930 691	0.1-	0.8-
860902 809	0.7+	0.0	860907 809	0.2-	0.1+	950930 691	0.1-	0.7-
860902 809	0.8+	0.1+	860907 809	0.1-	0.2+	950930 691	0.1+	0.9-

1987 DO₆ = 1950 HJ₁ = 1981 AA₃ = 1995 SV₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Kobayashi

<i>M</i>	352.43345		(2000.0)	P	Q
<i>n</i>	0.18342693	ω	50.27270	+0.94390887	-0.32222579
<i>a</i>	3.0678019	Ω	328.33226	+0.24496729	+0.82985603
<i>e</i>	0.0905347	<i>i</i>	7.89993	+0.22142060	+0.45553212
<i>P</i>	5.37	<i>H</i>	11.6	<i>G</i> 0.15	<i>U</i> 1

Residuals in seconds of arc

500426 839	0.9-	0.9+	870226 809	0.5-	0.5+	870304 809	0.4+	0.6-
500426 839	1.8+	0.7+	870226 809	0.3-	0.4+	870305 809	0.7+	0.4-
810108 381	0.4-	0.6+	870227 809	0.2-	0.6+	870305 809	0.7+	0.5-
810108 381	1.5+	0.3-	870227 809	0.6-	0.6+	870305 809	0.6+	0.7-
810108 381	1.1-	0.7-	870227 809	0.7-	0.6+	870306 809	0.1-	0.7-
810108 381	0.2-	0.3+	870301 809	0.9-	0.1-	870306 809	0.4+	0.7-
870223 809	0.3-	0.4-	870301 809	0.2-	0.2+	870306 809	0.8+	0.6-
870223 809	0.0	0.1-	870301 809	1.1-	0.3+	870307 809	0.5+	0.8-
870223 809	0.5+	0.2-	870302 809	0.4-	1.0+	870307 809	0.4+	0.9-
870224 809	0.6+	0.7+	870302 809	0.3-	0.7+	870307 809	0.6+	0.9-
870224 809	0.6+	0.5+	870302 809	0.1-	0.7+	950920 400	0.0	0.1-
870224 809	0.6+	0.6+	870303 809	0.1-	0.2+	950920 400	1.2-	0.1+
870225 809	0.5-	0.4+	870303 809	0.1-	0.3+	950921 400	0.7+	1.8+
870225 809	0.7-	0.3+	870303 809	0.2+	0.3+	950921 400	0.7-	0.6+
870225 809	0.4-	0.7+	870304 809	0.5+	0.8-			
870226 809	0.5-	1.0+	870304 809	0.3+	0.7-			

1988 BC₄ = 1995 UR₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Kobayashi

<i>M</i>	342.84178	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.23173273	ω 255.07949	+0.37413031	-0.92736055
<i>a</i>	2.6250916	Ω 172.94291	+0.86679187	+0.34762115
<i>e</i>	0.1489844	<i>i</i> 2.50906	+0.32969436	+0.13842670
<i>P</i>	4.25	<i>H</i> 13.3	<i>G</i> 0.15	<i>U</i> 6

Residuals in seconds of arc

880119 809	0.7+	0.0	880124 809	0.4-	0.6+	880128 809	1.4+	0.1+
880119 809	1.5+	0.3-	880124 809	0.5-	0.1+	880130 809	(3.5+	0.3-)
880121 809	0.8-	0.5-	880124 809	0.1-	0.1+	951025 411	1.0-	0.7+
880121 809	0.2-	0.0	880126 809	0.0	0.5-	951025 411	0.3+	0.6-
880123 809	1.4-	0.5+	880126 809	0.0	0.3+	951026 411	0.3+	0.1+
880123 809	1.0-	0.1-	880128 809	0.8+	0.4-	951026 411	0.5+	0.2-

1988 RN₃ = 1995 SW₁₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	3.49394	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.28003154	ω 180.50325	+0.99885707	+0.04763494
<i>a</i>	2.3138298	Ω 176.75858	-0.04360632	+0.94188355
<i>e</i>	0.1456969	<i>i</i> 3.98861	-0.01957154	+0.33254517
<i>P</i>	3.52	<i>H</i> 16.5	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

880908 033	0.1+	0.2+	881004 807	0.7+	0.2+	950918 691	0.8-	0.7+
880909 033	0.8+	1.3-	881005 807	1.3+	0.1-	950918 691	0.8-	0.9+
880909 033	0.3-	0.1-	881008 807	(0.5+	2.9-)	950918 691	0.7-	0.6+
880910 033	0.8-	0.7-	881104 807	(4.5-	0.3-)	950922 691	0.8+	0.6+
880910 033	0.3-	1.4-	881105 807	(3.6-	0.0)	950922 691	0.3+	0.4+
880911 033	0.5+	0.0	881106 807	0.3-	0.1+	950922 691	0.0	0.3+
880918 807	0.1-	1.0-	881107 807	0.2-	0.7+			

1988 TZ = 1964 WL = 1995 UN₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	333.96054	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.28667758	ω 52.08995	+0.33912982	-0.94051012
<i>a</i>	2.2779292	Ω 18.11956	+0.84078964	+0.29311799
<i>e</i>	0.1323462	<i>i</i> 3.83057	+0.42197600	+0.17182127
<i>P</i>	3.44	<i>H</i> 14.2	<i>G</i> 0.15	<i>U</i> 5

Residuals in seconds of arc

641127 330	0.8-	1.4+	881013 399	1.5-	0.7-	881016 046	(8.2+	2.6+)
880908 033	0.8-	0.4-	881013 399	1.7+	0.3+	881019 399	0.6+	1.4+
880908 033	0.6-	0.4-	881013 399	2.6+	1.1+	881019 399	2.2+	1.2-
880909 033	0.7-	0.2-	881014 046	(3.6+	0.2+)	951017 358	0.6+	0.6-
880910 033	0.4-	0.1-	881014 046	(5.8+	0.5+)	951017 358	0.4+	1.5-
880911 033	0.8-	0.4+	881016 399	2.2-	0.6-	951019 358	1.8-	0.0
881011 046	(4.8+	2.1+)	881016 399	0.5-	0.7+	951019 358	1.1+	0.2+
881012 046	(5.8+	2.1+)	881016 046	(4.5+	1.6+)			

1988 TL₁ = 1995 UN₇

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	3.34332	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.28600474	ω 175.99505	+0.86050423	-0.50715784
<i>a</i>	2.2815005	Ω 214.61560	+0.46501612	+0.82058166
<i>e</i>	0.1395034	<i>i</i> 4.86749	+0.20806843	+0.26350837
<i>P</i>	3.45	<i>H</i> 13.7	<i>G</i> 0.15	<i>U</i> 5

Residuals in seconds of arc

881013 399	0.7+	1.8-	881031 399	0.6+	2.1+	881104 033	0.2+	0.1-
881013 399	0.9-	0.2+	881031 399	1.9+	1.6+	881106 399	1.8-	0.5-
881016 399	1.9-	0.6-	881031 399	2.5+	0.0	881106 399	0.5-	0.4+
881016 399	2.6-	0.9-	881102 399	0.0	1.0-	951027 365	0.6+	0.1+
881016 399	0.5+	1.0+	881102 399	0.1+	0.4-	951027 365	0.3+	0.3+
881019 399	1.2+	1.0+	881102 399	0.8-	2.9-	951030 365	0.6-	0.1-
881019 399	1.2+	0.9+	881103 033	0.3-	0.6+	951030 365	0.3-	0.4-
881019 399	0.4+	0.2-	881103 033	0.7-	0.8+			

1989 CD = 1955 SX = 1973 UM₃ = 1991 RX₇Id. E. Bowell (*MPC* 19302), G. V. Williams

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	348.07536	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.27388186	ω 343.18468	+0.13510211	-0.99033071
<i>a</i>	2.3483376	Ω 99.04239	+0.91270172	+0.11201071
<i>e</i>	0.1623015	<i>i</i> 1.82807	+0.38564620	+0.08184550
<i>P</i>	3.60	<i>H</i> 13.5	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

550918 760	0.8-	1.9+	890204 071	(5.0-	2.6+)	911005 691	1.0-	0.8+
550918 760	(4.7-	5.5+)	890205 071	(2.5-	3.0+)	911005 691	0.9-	1.1+
731029 095	0.5-	1.1+	890205 875	1.0+	1.1+	911005 691	0.8-	1.0+
890130 046	(10.8-	3.5+)	890205 875	1.0+	1.7+	911109 675	1.1-	0.1+
890130 046	1.2+	1.0-	890205 220	(3.6+	6.6-)	911109 675	0.5+	0.1-
890131 046	1.4-	1.4-	890205 220	(4.0+	7.8-)	911110 675	0.2+	0.2-
890131 046	0.0	1.6-	890210 875	0.2+	0.4-	911110 675	1.4+	0.9-
890202 875	(2.4+	1.7+)	890210 875	1.4-	1.5+	930418 413	(9.2-	5.7+)
890202 875	(2.2+	3.3+)	910912 675	1.0+	0.8-	951023 801	0.4+	0.2+
890202 046	0.9-	1.3-	910912 675	0.7+	1.1-	951023 801	0.3+	0.2+
890202 046	(3.3-	0.1+)	910914 675	0.9+	2.1-	951029 801	0.4-	0.4+
890204 220	(0.8+	7.9-)	910914 675	1.1+	2.1-	951029 801	0.3-	0.1+

1989 SO = 1987 KY₄

Id. T. Kobayashi (1995 observations), S. Nakano

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	3.75567	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.17313570	ω 152.93262	+0.67792665	-0.73055509
<i>a</i>	3.1881956	Ω 254.26167	+0.65813412	+0.65277211
<i>e</i>	0.1647129	<i>i</i> 4.88015	+0.32752854	+0.20044411
<i>P</i>	5.69	<i>H</i> 12.0	<i>G</i> 0.15	<i>U</i> 5

Residuals in seconds of arc

870530 413	0.6-	0.9-	890930 400	0.1-	1.0-	891009 400	2.0+	1.6-
870530 413	0.5+	0.1+	890930 400	1.6-	0.5+	951026 411	0.1+	0.3-
890929 400	1.1-	0.2+	891002 400	(0.8+	3.3+)	951026 411	0.1-	0.2+
890929 400	1.6-	1.0+	891002 400	0.4+	0.9-	951027 411	0.1+	0.4-

890929 400 2.0+ 0.4+ 891002 400 0.6- 2.5+ 951027 411 0.0 0.1-
 890930 400 0.5- 0.5- 891009 400 1.0+ 0.6-

1989 YE₆ = 1995 SQ₅

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	267.24999	ω	194.06296	-0.00524457	-0.99218880		
<i>a</i>	2.2553538	Ω	256.34927	+0.92942056	+0.04115324		
<i>e</i>	0.0781576	<i>i</i>	7.36894	+0.36898499	-0.11776163		
<i>P</i>	3.39	<i>H</i>	14.5	<i>G</i>	0.15	<i>U</i>	6

Residuals in seconds of arc

891229 511 1.0+ 1.0+ 900104 511 1.4+ 0.0 950924 327 0.2+ 0.1+
 891229 511 0.6- 0.0 900124 033 0.4- 0.0 950924 327 0.1- 0.6+
 891231 511 0.9- 0.5- 900124 033 0.6+ 0.1+ 950924 327 0.4+ 0.6+
 891231 511 1.1- 0.7+ 950923 327 0.7- 0.2- 950927 327 0.3- 0.1-
 900102 511 0.4- 1.1- 950923 327 0.1- 0.6- 950927 327 0.4+ 0.1-
 900102 511 1.6+ 1.7- 950923 327 0.1+ 0.2- 950927 327 0.0 0.4-
 900104 511 1.3- 1.5+ 950923 327 0.2+ 0.3+

1990 QE₉ = 1995 SX₁₆

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	312.93085	ω	58.66244	+0.62025678	-0.78439026		
<i>a</i>	2.8688004	Ω	352.99923	+0.70906630	+0.56268070		
<i>e</i>	0.0595418	<i>i</i>	1.72368	+0.33541989	+0.26100259		
<i>P</i>	4.86	<i>H</i>	13.5	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

900816 809 0.3+ 1.3+ 900829 675 0.3+ 0.7- 900920 372 (4.2- 1.4-)
 900816 809 0.2- 0.2+ 900829 675 0.3+ 1.4- 950918 691 0.4- 0.2+
 900816 809 0.6- 0.1- 900911 809 0.2+ 1.1+ 950918 691 0.6- 0.1+
 900818 809 0.7+ 0.7+ 900911 809 0.6+ 0.8+ 950918 691 0.5- 0.1-
 900818 809 0.3- 0.8+ 900911 809 1.0+ 0.6+ 950923 691 0.9- 0.4+
 900818 809 0.4- 0.7+ 900912 809 1.3- 0.0 950923 691 0.8- 0.2+
 900824 809 1.0+ 0.8- 900912 809 1.0- 0.1- 950923 691 0.7- 0.1+
 900824 809 0.7+ 0.4- 900912 809 0.8- 0.0 950928 327 0.5+ 0.1+
 900824 809 0.3+ 0.9- 900913 809 0.7- 0.6+ 950928 327 0.9+ 0.2-
 900826 809 0.2+ 1.4- 900913 809 0.5- 0.5+ 950929 327 0.7+ 0.1-
 900826 809 0.4+ 0.6- 900913 809 0.3- 0.5+ 950929 327 1.2+ 0.5-
 900826 809 0.5+ 0.1+ 900920 372 0.6- 1.4- 950929 327 0.6+ 0.3-

1990 RD = 1992 BY₅ = 1993 FD₃₅Id. G. V. Williams (*MPC* 23515)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	350.43248	ω	206.36958	+0.91777100	-0.39704610		
<i>a</i>	2.8746577	Ω	176.99683	+0.38413175	+0.88308329		
<i>e</i>	0.2257110	<i>i</i>	7.81757	+0.10069354	+0.25003660		
<i>P</i>	4.87	<i>H</i>	13.0	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

900914 675 1.5+ 1.7- 900925 809 0.9- 0.2- 920128 691 0.6- 0.0
 900914 675 (1.5+ 2.8-) 900925 809 0.5- 0.0 930319 809 0.8+ 0.3-
 900915 675 0.2+ 0.0 900925 809 0.1- 0.0 930320 809 0.2- 0.3+
 900915 675 0.3+ 0.3+ 900926 809 0.0 0.6+ 930324 809 0.5- 0.5+
 900919 675 (1.2+ 2.1-) 900926 809 0.1+ 0.4+ 950927 684 0.9- 0.6+

900919 675 (1.1+ 3.2-) 900926 809 0.2+ 0.2+ 950927 684 1.0- 0.9+
 900920 675 0.2- 0.5- 920128 691 0.1+ 0.3- 951001 684 1.4+ 0.3-
 900920 675 0.3- 0.2- 920128 691 0.5+ 0.2- 951001 684 0.2+ 0.1+

1990 RK₅ = 1995 UT₅

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	32.33740	ω	119.31579	+0.84303233	+0.53646633		
<i>a</i>	0.20309566	Ω	208.29348	-0.51747355	+0.78932821		
<i>e</i>	2.8663922	<i>i</i>	4.68746	-0.14668882	+0.29860483		
<i>P</i>	4.85	<i>H</i>	13.2	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

900829 095 1.0+ 1.2+ 900918 095 1.0+ 1.5+ 951021 399 0.3- 1.0+
 900829 095 1.0- 1.4- 900918 095 1.9+ 2.3+ 951021 399 0.1- 1.1-
 900915 675 0.2- 0.4- 900920 675 0.1- 0.3- 951027 399 0.9- 0.3-
 900915 675 0.2- 0.7- 900920 675 0.3- 0.3+ 951027 399 1.3+ 0.5+
 900916 675 0.2- 0.4+ 900922 095 0.4- 2.6-
 900916 675 0.6- 0.0 900922 095 1.0- 0.4-

1990 SY₂ = 1990 SD₂₉ = 1976 YK₄ = 1995 UD₆Id. S. Nakano (d, *MPC* 20913; unpublished), T. Urata (k)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	350.90745	ω	295.17432	+0.74530058	-0.66453608		
<i>a</i>	0.20521461	Ω	106.52214	+0.63020614	+0.67570612		
<i>e</i>	2.8466268	<i>i</i>	3.23051	+0.21764022	+0.31908156		
<i>P</i>	4.80	<i>H</i>	12.4	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

761218 095 0.1+ 0.3- 900920 675 0.8- 0.0 951026 905 1.5+ 0.5+
 900918 675 0.9- 1.4- 900929 095 1.8+ 0.5+ 951026 905 0.5- 0.3-
 900918 675 0.0 1.1+ 951025 905 0.8- 0.6+
 900920 675 0.1- 0.5- 951025 905 0.4- 0.4-

1990 SE₁₁ = 1995 UY₆

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	67.58420	ω	0.90891	+0.69023783	+0.71576265		
<i>a</i>	0.21213612	Ω	312.74970	-0.66478233	+0.56939785		
<i>e</i>	2.7843659	<i>i</i>	8.30692	-0.28572049	+0.40431413		
<i>P</i>	0.1474120	<i>H</i>	13.0	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

900917 675 0.0 0.0 900920 675 1.1+ 0.1+ 951025 905 0.3- 0.0
 900917 675 0.1- 0.0 900920 675 0.6- 0.5+ 951025 905 0.7+ 0.5+
 900918 675 0.3- 0.1- 901012 413 0.9- 0.5- 951027 905 1.2- 0.4-
 900918 675 0.1- 0.4- 901012 413 0.8+ 0.4+ 951027 905 0.8+ 0.0

1990 TS₁ = 1995 SN₂

Id. T. Kobayashi

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	324.88682	ω	52.25575	+0.78060591	-0.62459239		
<i>a</i>	0.18623011	Ω	346.34517	+0.53806728	+0.69043642		
<i>e</i>	3.0369393	<i>i</i>	5.64258	+0.31802203	+0.36494095		
<i>P</i>	0.1905903	<i>H</i>	13.5	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

901010 033	0.2−	0.4+	901014 033	0.4−	0.2+	950925 691	0.3−	0.2−
901011 033	0.3+	0.1−	950917 905	0.3−	0.3−	950925 691	0.4−	0.2+
901011 033	0.7+	0.1−	950917 905	0.2+	0.2+	950925 691	0.6−	0.2+
901012 033	0.6−	0.5−	950924 905	0.8+	0.1+			
901013 033	0.2+	0.0	950924 905	0.6+	0.2−			

1990 TO₃ = 1995 TN₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i> 130.47885 (2000.0)			Williams		
	<i>P</i>	<i>Q</i>			
<i>n</i>	0.20576419	ω	53.36566	+0.00347310	+0.99990845
<i>a</i>	2.8415558	Ω	216.83989	−0.92429805	−0.00178121
<i>e</i>	0.0269924	<i>i</i>	1.24977	−0.38165567	+0.01341301
<i>P</i>	4.79	<i>H</i>	13.5	<i>G</i>	0.15
				<i>U</i>	6

Residuals in seconds of arc

901011 033	0.7−	0.2−	901014 033	0.7−	0.3−	951014 327	0.2+	0.2−
901012 033	0.4+	0.4+	901018 033	0.1+	0.1−	951015 327	0.1+	0.3−
901012 033	0.4−	0.2−	951014 327	0.2−	1.2+	951015 327	0.4−	0.3−
901013 033	1.3+	0.4+	951014 327	0.3+	0.2−	951015 327	0.1+	0.2−

1990 TP₇ = 1987 GF₁Id. R. Nagata (*MPC* 17642)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i> 313.74010 (2000.0)			Williams		
	<i>P</i>	<i>Q</i>			
<i>n</i>	0.18928717	ω	63.54361	+0.28328265	−0.95902663
<i>a</i>	3.0041522	Ω	10.00307	+0.87075442	+0.25530508
<i>e</i>	0.1032751	<i>i</i>	1.43280	+0.40191750	+0.12283014
<i>P</i>	5.21	<i>H</i>	13.5	<i>G</i>	0.15
				<i>U</i>	5

Residuals in seconds of arc

870401 675	0.6−	1.2+	950922 691	1.1−	0.7−	951013 817	0.7+	0.9+
870401 675	0.7+	0.7+	950922 691	1.0−	0.7−	951013 817	0.8+	0.4+
870403 675	(5.3−	1.5+)	950927 691	0.7−	0.5−	951013 817	0.6+	0.7+
870403 675	0.3+	1.0−	950927 691	0.7−	0.4−	951013 817	1.0+	1.1+
901013 033	0.1−	0.1+	950927 691	0.8−	0.4−	951014 817	0.3+	0.1+
901013 033	0.5+	0.4−	951012 817	0.1+	0.0	951014 817	0.0	0.3+
901014 033	0.4+	0.0	951012 817	0.2+	0.4+	951014 817	0.1+	0.4+
901018 033	0.3−	1.3−	951012 817	0.1+	0.4+	951014 817	0.2+	0.3+
950922 691	0.8−	0.6−	951012 817	0.1−	0.5+			

1990 UG = 1975 VP₄ = 1980 TM₁₂ = 1995 UL₅

Id. G. V. Williams, S. Nakano

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i> 317.44081 (2000.0)			Nakano		
	<i>P</i>	<i>Q</i>			
<i>n</i>	0.19576890	ω	222.48904	+0.37540693	−0.92272363
<i>a</i>	2.9374709	Ω	205.83136	+0.89516401	+0.38541919
<i>e</i>	0.0371376	<i>i</i>	11.58040	+0.24031444	+0.00575688
<i>P</i>	5.03	<i>H</i>	12.2	<i>G</i>	0.15
				<i>U</i>	4

Residuals in seconds of arc

751102 095	0.1+	2.8−	901111 372	(3.1+	12.6−)	951021 399	0.7+	0.2−
801010 095	0.1+	1.6+	901111 372	1.1+	1.2+	951021 399	0.3+	1.1−
901015 372	2.4+	1.5+	901113 372	2.6−	0.6+	951027 399	0.8−	1.1+
901016 372	0.2+	0.8+	901113 372	1.3−	0.3+	951027 399	1.9−	0.5−
901017 372	0.9−	2.2+	951017 114	0.1+	1.9−			
901019 372	0.1+	1.4−	951018 114	2.1+	1.4−			

1990 UP₁₁ = 1990 VV₁₄ = 1990 WH₁₄ = 1974 VL₃ = 1979 ST₇**= 1981 AE₃ = 1995 SA₃₀**Id. S. Nakano (d, *MPC* 20913; unpublished)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i> 346.90630 (2000.0)			Nakano		
	<i>P</i>	<i>Q</i>			
<i>n</i>	0.18551729	ω	333.30350	+0.83994447	−0.53865865
<i>a</i>	3.0447136	Ω	59.44234	+0.51056448	+0.74326507
<i>e</i>	0.1180440	<i>i</i>	4.38770	+0.18389452	+0.39674160
<i>P</i>	5.31	<i>H</i>	12.0	<i>G</i>	0.15
				<i>U</i>	2

Residuals in seconds of arc

741115 095	(1.8−	8.6+)	901115 095	0.3−	0.2+	950920 894	1.1−	0.7+
741117 095	0.2+	0.6−	901117 399	(4.2−	0.7+)	950922 400	0.6+	1.1−
790923 095	(3.8+	3.6−)	901117 399	(5.0−	0.8+)	950922 400	1.0+	0.1+
810108 381	0.0	0.4+	901121 095	0.7+	1.1+	950930 400	0.7+	0.7+
810108 381	0.1+	0.2−	901121 095	1.1+	0.4−	950930 400	1.7+	0.6−
901017 095	0.3−	0.2+	950917 894	1.4−	0.7+	951002 894	1.3+	0.2+
901017 095	1.4−	0.7−	950917 894	1.9−	0.4+	951002 894	0.3−	0.5−
901115 095	(6.4+	0.2+)	950920 894	0.9−	0.4−			

1990 WJ₄ = 1984 BT₅ = 1992 GD₈

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i> 348.07299 (2000.0)			Kinoshita		
	<i>P</i>	<i>Q</i>			
<i>n</i>	0.26403525	ω	67.79050	−0.96925901	+0.22764181
<i>a</i>	2.4063647	Ω	125.24872	−0.24588687	−0.90970233
<i>e</i>	0.0565969	<i>i</i>	6.56444	+0.00875308	−0.34730515
<i>P</i>	3.73	<i>H</i>	14.7	<i>G</i>	0.15
				<i>U</i>	4

Residuals in seconds of arc

840125 675	0.1+	0.3+	901121 809	0.1−	0.1+	920402 033	0.9−	0.5+
840126 675	0.2−	0.4−	901121 809	0.6−	0.6−	920404 033	0.2+	0.8+
901116 809	0.8−	1.9−	901122 809	0.4+	0.7+	920404 033	0.7+	1.3−
901117 809	1.4+	0.1+	901122 809	0.9−	0.5+			
901121 809	1.4+	0.8+	901122 809	0.9−	0.3+			

1991 AK₂ = 1995 SF₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i> 311.57825 (2000.0)			Williams		
	<i>P</i>	<i>Q</i>			
<i>n</i>	0.17158071	ω	206.42982	+0.46409859	−0.85883642
<i>a</i>	3.2074291	Ω	217.07374	+0.86298729	+0.49357526
<i>e</i>	0.0646395	<i>i</i>	21.07987	+0.19966330	−0.13705275
<i>P</i>	5.74	<i>H</i>	13.0	<i>G</i>	0.15
				<i>U</i>	4

Residuals in seconds of arc

901120 413	0.5−	0.2+	950921 966	0.1−	1.9−	950927 966	0.9−	0.8+
910107 413	1.7+	0.0	950922 966	0.9+	1.1+	950927 966	0.3−	1.9+
910108 413	0.8+	0.4−	950922 966	0.2−	0.5−	951019 966	0.6−	0.5−
910112 413	2.0−	0.3+	950924 966	0.3−	0.6−	951019 966	1.3+	0.1−
950920 966	0.6+	0.5−	950924 966	0.5−	0.2+			

1991 LB

Id. T. Kobayashi (1995 observations)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	35.02535	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.29672205	ω 121.49112	+0.94007260	+0.33685765
<i>a</i>	2.2262273	Ω 218.89408	-0.33437193	+0.88040011
<i>e</i>	0.1944920	<i>i</i> 4.82607	-0.06677515	+0.33380020
<i>P</i>	3.32	<i>H</i> 14.5	<i>G</i> 0.15	<i>U</i> 5

Residuals in seconds of arc

910605 691	0.1+	0.5+	910607 691	0.1+	0.7-	951020 411	0.2+	0.3+
910605 691	0.1-	0.3+	910607 691	0.2+	0.6-	951020 411	0.2-	0.0
910605 691	0.1-	0.5+	910607 691	0.2-	0.7-	951025 411	0.1+	0.1-
910606 691	0.1+	0.0	910610 691	0.1-	0.3+	951025 411	0.1-	0.2-
910606 691	0.1-	0.0	910610 691	0.3+	0.4+			
910606 691	0.2-	0.2-	910610 691	0.0	0.3+			

1991 PX₈ = 1991 OM = 1958 AJ = 1995 TQ₂Id. S. Nakano (d, *MPC* 18999; unpublished), G. V. Williams

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	340.26875	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.28324493	ω 167.01947	+0.51970590	-0.85153658
<i>a</i>	2.2962964	Ω 251.62992	+0.77718561	+0.50486202
<i>e</i>	0.0774883	<i>i</i> 4.18261	+0.35480741	+0.14142063
<i>P</i>	3.48	<i>H</i> 13.5	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

580112 760	0.0	0.0	910808 675	0.0	0.3-	951014 358	0.6+	0.6-
910718 675	0.7+	0.4+	910913 675	0.3-	0.4-	951017 358	0.6-	0.8+
910718 675	0.0	0.1+	910913 675	0.4-	0.1-	951017 358	1.0+	0.1+
910805 675	0.2-	0.2-	910914 675	0.3+	0.4+	951028 358	0.5+	0.8+
910805 675	0.1-	0.7-	910914 675	1.3+	0.5+	951028 358	0.6+	1.6-
910808 675	1.1-	0.4+	951014 358	2.3-	0.5+			

1991 PT₁₄ = 1991 RQ₁₂ = 1995 SE₂₂Id. S. Nakano (d, *MPC* 19822), G. V. Williams

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	175.74137	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.26969139	ω 51.31249	-0.97321749	+0.22785774
<i>a</i>	2.3726007	Ω 141.83084	-0.22324950	-0.90515975
<i>e</i>	0.0485336	<i>i</i> 2.82636	-0.05483957	-0.35884075
<i>P</i>	3.65	<i>H</i> 14.5	<i>G</i> 0.15	<i>U</i> 6

Residuals in seconds of arc

910806 675	0.7-	1.6+	910906 809	0.6-	0.7-	950919 691	0.5-	0.1+
910806 675	0.7-	0.1+	910906 809	0.8+	0.7-	950919 691	0.3-	0.1+
910808 675	0.7+	0.4-	910906 809	1.2+	1.2-	950924 691	0.1+	0.2+
910808 675	1.2+	0.0	910907 809	1.8-	0.3+	950924 691	0.7+	0.1-
910904 809	1.0-	0.3+	910907 809	0.4+	0.9-	950924 691	0.2+	0.1-
910904 809	0.3-	1.1+	910907 809	0.8-	1.1-			
910904 809	1.7+	1.2+	950919 691	0.4-	0.1+			

1991 PG₁₅ = 1995 UL₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Marsden

<i>M</i>	22.84810	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.26004600	ω 246.94723	+0.98301858	+0.18129285
<i>a</i>	2.4309122	Ω 102.59826	-0.15590310	+0.90675300
<i>e</i>	0.2031108	<i>i</i> 1.66842	-0.09679200	+0.38069923
<i>P</i>	3.79	<i>H</i> 14.5	<i>G</i> 0.15	<i>U</i> 5

Residuals in seconds of arc

910807 675	0.1-	0.3-	910914 675	0.0	1.0-	951022 046	1.5+	0.2+
910807 675	0.4+	0.4-	910914 675	0.2-	0.6-	951023 046	0.8-	0.3-
910810 675	0.3-	0.1+	910916 675	0.2-	0.9+	951023 046	0.2-	0.5-
910910 675	0.3+	1.3+	910916 675	0.1-	0.8+	951023 046	0.1+	0.6-
910910 675	0.1+	0.9-	951022 046	0.5-	1.0+			

1991 TE₅ = 1969 EY₁ = 1975 WF = 1979 WN₂ = 1995 UF

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	63.82399	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.24274509	ω 295.50452	+0.64774348	+0.75914490
<i>a</i>	2.5450857	Ω 15.40459	-0.58285644	+0.54809246
<i>e</i>	0.0907963	<i>i</i> 13.99607	-0.49061874	+0.35113200
<i>P</i>	4.06	<i>H</i> 12.5	<i>G</i> 0.15	<i>U</i> 3

Residuals in seconds of arc

690314 095	0.1-	0.2-	911006 033	0.2+	0.5+	951016 905	0.5+	0.6-
751127 095	1.5-	0.2+	911006 033	0.1+	0.1-	951016 905	0.3-	0.8+
751127 095	0.9+	1.8-	911009 033	0.8-	0.3+	951017 905	0.4+	0.2-
791116 095	0.8+	2.0+	911009 033	0.9-	0.4+	951017 905	0.8+	1.6-
911005 033	0.0	0.3-	911010 033	0.0	0.4+			

1991 UZ = 1954 RF = 1995 SY₅₃

Id. S. Otomo (k), S. Nakano

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	357.30435	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.24089698	ω 212.15102	+0.93458873	-0.35521218
<i>a</i>	2.5580860	Ω 168.60696	+0.34347397	+0.88703777
<i>e</i>	0.2149635	<i>i</i> 5.57449	+0.09257175	+0.29493781
<i>P</i>	4.09	<i>H</i> 12.9	<i>G</i> 0.15	<i>U</i> 3

Residuals in seconds of arc

540905 760	0.1+	1.0-	911028 894	0.1+	0.5-	950920 894	0.4-	0.3+
540905 760	0.1-	1.0+	911104 894	0.3+	0.1+	950920 894	0.5+	0.2+
911018 894	0.3+	0.2+	911104 894	0.2-	0.3+	951002 894	0.3+	0.7+
911018 894	0.2+	0.3-	911130 894	0.1-	0.1+	951002 894	0.4-	0.1-
911019 894	0.3-	0.0	950917 894	0.4+	0.9-			
911028 894	0.3-	0.2-	950917 894	0.5-	0.1-			

1991 VD₁ = 1979 WW₂ = 1987 VP₁

Id. T. Kobayashi (1995 observations), S. Nakano

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	356.40499	(2000.0)	<i>P</i>	<i>Q</i>
<i>n</i>	0.24471222	ω 4.22985	+0.80331708	-0.57680298
<i>a</i>	2.5314282	Ω 32.47000	+0.53798602	+0.59604815
<i>e</i>	0.0928396	<i>i</i> 16.03091	+0.25544608	+0.55859191
<i>P</i>	4.03	<i>H</i> 13.2	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

791116 095	1.7+	1.3-	911105 399	0.1+	0.5+	951020 411	1.0+	0.1+
871113 327	0.2+	0.5-	911105 399	0.1-	0.2+	951021 411	0.2+	0.0
871113 327	1.4-	0.6+	911111 399	0.7-	0.2-	951021 411	1.4+	0.5-
911104 399	0.1-	1.8+	911111 399	1.6-	0.5-			
911104 399	0.6-	0.4+	951020 411	0.0	0.7-			

M.P.C. 25959

1991 VJ₁ = 1995 TV

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.23954567	ω	275.41135	+0.91757845	−0.39550360		
<i>a</i>	2.5676973	Ω	107.89106	+0.37947264	+0.84107681		
<i>e</i>	0.3147575	<i>i</i>	2.42902	+0.11853395	+0.36900773		
<i>P</i>	4.11	<i>H</i>	15.0	<i>G</i>	0.15	<i>U</i>	4

Residuals in seconds of arc

911015 894	0.9+	0.0	911111 894	0.3+	0.0	951016 046	0.2−	0.2−
911015 894	0.4−	1.0−	951015 046	0.1+	0.1+	951016 046	0.0	0.1−
911104 894	1.0−	0.5+	951015 046	0.0	0.3+	951016 046	0.0	0.3−
911104 894	0.6−	0.0	951015 046	0.1−	0.2+	951016 046	0.1−	0.3−
911105 894	0.2+	0.9+	951015 046	0.0	0.2+	951016 046	0.0	0.0
911105 894	0.9+	0.4−	951015 046	0.0	0.1+			
911111 894	0.1−	0.2−	951015 046	0.0	0.4+			

1991 VE₂

Id. T. Kobayashi (1995 observations)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.24209380	ω	210.99676	+0.19617252	−0.96201449		
<i>a</i>	2.5496483	Ω	228.42608	+0.94361531	+0.23785958		
<i>e</i>	0.0997488	<i>i</i>	14.70138	+0.26665799	−0.13398112		
<i>P</i>	4.07	<i>H</i>	12.9	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

911109 399	0.7+	0.0	911113 399	0.2+	1.4−	911207 399	1.0+	0.3+
911109 399	0.4−	2.0−	911113 399	0.9−	1.0−	951027 411	0.0	0.1−
911111 399	0.5−	1.9+	911115 894	0.5+	0.2−	951027 411	0.1+	0.3+
911111 399	0.0	1.6+	911115 894	0.5−	0.2+	951030 411	0.0	0.3−
911112 894	0.9+	0.1−	911205 399	0.8−	0.4−	951030 411	0.1−	0.0
911112 894	0.4+	1.2+	911205 399	0.5−	0.0			

1991 VE₃ = 1995 UO₇

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.24295865	ω	296.95791	+0.56384190	−0.82297086		
<i>a</i>	2.5435941	Ω	118.55075	+0.78295023	+0.50594789		
<i>e</i>	0.2884859	<i>i</i>	4.52442	+0.26281411	+0.25833254		
<i>P</i>	4.06	<i>H</i>	14.2	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

911113 877	1.8+	1.2+	911114 877	0.9+	0.9+	911213 894	0.6+	0.9−
911113 894	1.5−	0.5−	911203 691	0.1+	0.6+	911213 894	2.1+	1.1+
911113 877	0.5+	0.1+	911203 691	0.2+	0.4+	951027 399	0.1+	0.5+
911113 894	1.3−	0.8−	911203 691	0.5+	0.7+	951027 399	0.1+	0.3−
911114 894	1.3−	0.1+	911212 894	2.2−	0.1−	951028 399	0.2−	1.1−
911114 877 (2.9−	0.1−)		911212 894	0.6−	2.2−	951028 399	0.2+	0.2+

1992 EK₇ = 1995 ST₅

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.18215118	ω	136.05374	−0.99673555	−0.01664740		
<i>a</i>	3.0821095	Ω	43.18116	−0.02272210	−0.88111625		
<i>e</i>	0.1428292	<i>i</i>	6.62936	+0.07747220	−0.47260661		
<i>P</i>	5.41	<i>H</i>	14.0	<i>G</i>	0.15	<i>U</i>	5

1995 NOV. 7

Residuals in seconds of arc

920227 691	0.3−	0.5−	920309 809	0.4+	0.7+	950927 327	0.4−	0.6+
920227 691	0.6−	0.2−	920404 809	0.3−	0.3−	950927 327	0.1−	0.4+
920227 691	0.5−	0.5−	950925 327	0.3−	0.8−	950927 327	0.5+	0.2+
920301 809	0.7+	0.2+	950925 327	0.1−	0.8−	950927 327	0.2−	0.5+
920304 809	0.5+	0.4+	950925 327	0.6+	0.1−			

1992 EY₁₁ = 1995 SE₄₈

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.17235633	ω	70.85206	−0.78198434	−0.62189737		
<i>a</i>	3.1977994	Ω	70.67092	+0.55394613	−0.72413009		
<i>e</i>	0.1261528	<i>i</i>	2.53661	+0.28573445	−0.29812628		
<i>P</i>	5.72	<i>H</i>	13.0	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

920306 809	0.1−	0.8−	950926 691	0.2+	0.1+	951001 691	0.2−	0.0
920308 809	0.0	0.1−	950926 691	0.1+	0.1+	951001 691	0.1−	0.0
920309 809	0.0	0.3+	950926 691	0.2+	0.1+			
920406 809	0.2+	0.8+	951001 691	0.3−	0.1−			

1992 QN

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.75837674	ω	202.11564	−0.94951648	+0.31351267		
<i>a</i>	1.1909112	Ω	356.10231	−0.25706874	−0.79824501		
<i>e</i>	0.3593034	<i>i</i>	9.59044	−0.17981689	−0.51430993		
<i>P</i>	1.30	<i>H</i>	16.5	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

920829 675	0.2−	0.6+	920906 413	0.1+	0.2+	951026 104	0.1−	0.2+
920829 675	1.6−	1.1−	920906 413	0.0	0.4+	951026 104	0.1−	0.2+
920831 675	0.2+	1.4−	920906 413	0.1+	0.0	951026 104	0.4+	0.3+
920831 675	1.3+	0.5−	920906 413	0.0	0.1+	951027 104	0.4+	0.5+
920901 675	0.1−	0.7+	920906 413	0.1+	0.1+	951027 104	0.2+	0.4+
920902 675	0.7+	0.5−	920922 675	1.4−	1.1−	951027 104	0.6+	1.0+
920902 675	0.4+	0.4+	920922 675 (5.6+	3.5−)		951027 104	0.3+	0.5+
920905 413	0.2−	0.4+	921006 413	0.5+	0.6−	951027 587	0.7+	0.6−
920905 413	0.3−	0.4+	921006 413	0.7+	0.5−	951027 587	0.5+	0.7+
920905 413	0.0	0.5+	921012 413	0.4+	0.1+	951027 587	0.4+	0.1−
920905 413	0.1+	0.4+	921012 413	0.4+	0.2−	951027 587	0.6+	0.4−
920906 413	0.2−	0.2+	921014 413	0.3−	0.1−	951031 658	1.1−	0.4−
920906 413	0.0	0.3+	921014 413	0.3−	0.0	951031 658	1.1−	0.5−
920906 413	0.2−	0.0	950920 691 (2.8−	4.2−)		951031 658	1.0−	0.6−
920906 413	0.2−	0.3+	950920 691 (2.8−	4.2−)				
920906 413	0.1+	0.2+	951026 104	0.4−	0.6−			

1993 BF = 1981 RJ = 1995 UM₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

<i>M</i>		(2000.0)		P		Q	
<i>n</i>	0.29041348	ω	39.70546	+0.97621571	+0.17573298		
<i>a</i>	2.2583515	Ω	309.70053	−0.21574589	+0.84516024		
<i>e</i>	0.1568864	<i>i</i>	9.49858	+0.02136800	+0.50479905		
<i>P</i>	3.39	<i>H</i>	12.5	<i>G</i>	0.15	<i>U</i>	4

M.P.C. 25960

1995 NOV. 7

Residuals in seconds of arc

810904	688	0.0	1.1−	930131	885	0.8−	0.4+	930327	801	0.8−	0.7+
810904	688	1.1+	1.2−	930131	885	1.1−	0.2+	930327	801	0.7−	0.5+
930120	385	0.2−	0.4+	930214	385	0.0	0.4−	951020	385	0.0	0.3+
930120	385	0.3+	0.0	930214	385	0.4−	0.0	951020	385	0.0	0.2+
930121	385	0.0	0.3+	930215	385	0.5−	1.3−	951020	385	0.0	0.2+
930121	385	0.2+	1.6−	930215	385	1.6+	0.2+	951021	385	0.1−	0.3+
930128	385	2.1+	1.2−	930321	801	0.2−	0.6−	951021	385	0.1−	0.2+
930128	385	0.3−	0.4−	930321	801	1.0−	0.2−	951021	385	0.0	0.1+

1993 BJ = 1950 TA₁ = 1974 QG₂ = 1995 UJ₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Urata			
			P		Q	
			(2000.0)			
<i>M</i>	30.24798					
<i>n</i>	0.28546411	<i>ω</i>	22.59875	+0.98001742	+0.19157924	
<i>a</i>	2.2843801	<i>Ω</i>	326.21717	−0.19402602	+0.86145112	
<i>e</i>	0.1861050	<i>i</i>	5.52223	−0.04381513	+0.47031836	
<i>P</i>	3.45	<i>H</i>	13.0	<i>G</i>	0.15	<i>U</i> 2

Residuals in seconds of arc

501013	024	0.9+	1.8−	930128	385	0.6−	1.5−	951017	905	0.1−	0.3+
740826	095	0.0	0.1−	930128	385	0.3−	1.8+	951017	905	0.2−	0.3+
930120	385	1.7+	0.3−	930214	385	0.3+	0.1+	951020	905	0.2−	0.8+
930120	385	0.9−	0.2+	930214	385	0.5−	0.3+	951020	905	0.1−	0.7+
930121	385	0.5−	0.2−	930215	385	0.1+	1.5−				
930121	385	0.4+	0.4−	930215	385	0.1−	0.5+				

1993 BN₄ = 1995 SM₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Nakano			
			P		Q	
			(2000.0)			
<i>M</i>	348.27279					
<i>n</i>	0.26922402	<i>ω</i>	267.61142	+0.89863730	−0.43596032	
<i>a</i>	2.3753458	<i>Ω</i>	118.23140	+0.42131688	+0.82661964	
<i>e</i>	0.2208814	<i>i</i>	3.18061	+0.12224194	+0.35586313	
<i>P</i>	3.66	<i>H</i>	14.4	<i>G</i>	0.15	<i>U</i>
						5

Residuals in seconds of arc

930127	010	0.5−	0.2−	930128	010	0.9+	0.1+	950920	400	1.3−	0.2+
930127	010	0.6−	0.8−	930129	691	0.2−	0.1−	950921	400	0.0	0.2−
930127	010	1.0−	0.2−	930129	691	0.1−	0.0	950921	400	0.7+	0.3+
930128	010	1.5+	1.0+	930129	691	0.2−	0.0	950930	400	0.6+	0.1−
930128	010	0.2+	0.1+	950920	400	0.5+	0.1−	950930	400	0.5−	0.0

1993 DD₂ = 1995 UH

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Urata			
				P		Q	
				(2000.0)			
<i>M</i>	310.66113						
<i>n</i>	0.23743053	<i>ω</i>	66.25833	+0.17327656	−0.98286773		
<i>a</i>	2.5829243	<i>Ω</i>	14.19865	+0.78437882	+0.09914845		
<i>e</i>	0.0678873	<i>i</i>	14.83923	+0.59558803	+0.15537249		
<i>P</i>	4.15	<i>H</i>	12.5	<i>G</i>	0.15	<i>U</i>	4

Residuals in seconds of arc

930222	385	0.3+	1.0+	930321	885	0.5+	0.9−	951016	905	0.9−	0.1−
930222	385	0.4−	0.1−	930321	885	0.8−	0.4−	951016	905	0.8−	0.3+
930223	385	0.9+	0.5+	930329	885	0.7−	1.2+	951017	905	1.1+	0.4−
930223	385	0.6−	1.2−	930329	885	0.9+	0.0	951017	905	0.6+	0.2+

1993 EP = 1995 UG₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Urata			
				P		Q	
				(2000.0)			
<i>M</i>	233.96071						
<i>n</i>	0.23659195	<i>ω</i>	178.94950	−0.96235931	−0.26584699		
<i>a</i>	2.5890240	<i>Ω</i>	345.25575	+0.24770725	−0.77246093		
<i>e</i>	0.1259155	<i>i</i>	12.82177	+0.11182874	−0.57674041		
<i>P</i>	4.17	<i>H</i>	12.5	<i>G</i>	0.15	<i>U</i>	4

Residuals in seconds of arc

930313	898	0.7+	1.2−	930410	411	0.1−	0.6+	951020	385	0.0	0.6−
930313	898	0.8+	0.7−	930410	411	0.1−	1.3−	951020	385	0.2−	0.1−
930320	385	0.8+	0.2+	930427	385	0.3−	0.4−	951021	385	0.3+	0.5+
930320	385	0.8+	0.5+	930427	385	1.7−	0.6+	951021	385	0.2−	0.1−
930320	385	0.4+	0.5+	930427	385	1.2−	0.4+	951021	385	0.4+	0.1+
930410	411	0.9−	0.5+	951020	385	0.0	0.4−				

1993 FQ₂ = 1993 HL₇ = 1995 SW₁₇Id. G. V. Williams (d, *MPC* 23654; unpublished)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Williams			
				P		Q	
				(2000.0)			
<i>M</i>	211.00170						
<i>n</i>	0.21479080	<i>ω</i>	141.87766	−0.97252615	−0.22052080		
<i>a</i>	2.7613763	<i>Ω</i>	25.68140	+0.14777337	−0.83237162		
<i>e</i>	0.1737074	<i>i</i>	9.91077	+0.17987749	−0.50845655		
<i>P</i>	4.59	<i>H</i>	12.5	<i>G</i>	0.15	<i>U</i>	4

Residuals in seconds of arc

930315	400	(3.0+	0.8+)	930329	400	0.3+	0.4−	930520	675	1.8+	0.0
930315	400	1.8+	1.1+	930416	400	(3.3+	2.6−)	950918	691	0.3−	0.3+
930317	809	0.5−	0.3+	930416	400	1.4−	0.0	950918	691	0.2−	0.2+
930318	809	0.6+	0.3−	930416	413	1.5+	0.3+	950918	691	0.1−	0.1+
930320	400	0.4−	1.1−	930518	675	1.4−	0.9−	950924	691	0.4+	0.1+
930320	400	(2.8+	0.4−)	930518	675	0.3+	0.6+	950924	691	0.3−	0.1+
930329	400	1.3−	0.5+	930520	675	0.8−	0.7+	950924	691	0.1−	0.2+

1993 FZ₄ = 1995 TE

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

M	37.64007		(2000.0)	$\mathbf{P}$	$\mathbf{Q}$
n	0.17096185	ω	194.82001	+0.73874298	+0.67291536
a	3.2151648	Ω	122.82313	−0.61367976	+0.69488067
e	0.1406057	i	2.59152	−0.27866820	+0.25362526
P	5.77	H	13.0	G 0.15	U 4

Residuals in seconds of arc

930317	809	0.9−	0.0	951003	046	0.5+	0.1+	951004	046	0.2−	0.9+
930318	809	0.7+	0.8−	951003	046	0.0	0.6−	951004	046	0.6−	0.1+
930323	809	0.1+	0.7+	951003	046	0.4+	0.0	951004	046	0.2−	0.8+
930416	413	0.0	0.0	951003	046	0.1−	0.7−	951004	046	0.2+	0.0
951003	046	0.3+	0.7−	951003	046	0.2−	0.0				

1993 FG₂₄ = 1977 FX₁ = 1988 HB₁ = 1995 SS₂₉

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
				P		Q	
				(2000.0)			
M	85.69082						
n	0.18598201	ω	92.03992	+0.28625530	+0.95713634		
a	3.0396396	Ω	194.82334	−0.93331869	+0.26812032		
e	0.0981372	i	9.93388	−0.21673515	+0.10955142		
P	5.30	H	11.8	G	0.15	U	1

Residuals in seconds of arc

770326	095	0.1+	0.1+	930421	413	0.3-	0.6-	951017	114	0.7+	0.3-
880423	808	0.2-	0.4-	950926	114	0.6-	2.3-	951018	114	0.9+	0.2+
880423	808	0.1-	0.6-	950926	114	0.6-	0.1-	951019	114	0.6+	1.2-
930321	809	0.6+	0.7+	950926	114	0.6+	1.1-	951019	114	0.4-	1.4-
930322	809	1.2+	0.4-	950928	114	0.0	0.8-	951021	399	0.7+	1.6+
930326	809	1.1+	2.3-	950929	114	0.5-	1.1-	951021	399	0.0	0.7+
930417	691	1.1-	0.1-	951001	114	0.6-	1.1-	951027	399	0.4-	2.0+
930417	691	1.1-	0.0	951016	114	1.4-	0.2-	951027	399	1.1+	0.9+
930417	691	1.0-	0.1-	951016	114	0.6+	0.5+				

1993 FZ₃₅

Id. P. Sicoli (1995 observations)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Sicoli

<i>M</i>	40.8792		(2000.0)	P	Q
<i>n</i>	0.1771294	ω	212.00147	+0.85279472	+0.52061393
<i>a</i>	3.140090	Ω	116.57088	-0.46890190	+0.79807773
<i>e</i>	0.136530	<i>i</i>	2.64407	-0.22993952	+0.30336953
<i>P</i>	5.5	<i>H</i>	12.5	<i>G</i>	0.15

Residuals in seconds of arc

930319	809	0.4+	0.5+	950923	589	0.5+	0.4+	951024	587	0.2+	0.1+
930320	809	0.1-	0.6-	950923	589	0.4-	0.1-	951026	587	0.3-	0.2+
930324	809	0.0	0.2+	950923	589	0.4-	0.4-	951026	587	0.4+	0.0
930418	413	0.3-	0.1-	951024	587	0.1-	0.2-				

1993 FO₄₈ = 1995 SJ₅₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	105.38946		(2000.0)	P	Q
<i>n</i>	2.0057219	ω	2.59452	+0.13959069	+0.99020322
<i>a</i>	2.8903842	Ω	275.42966	-0.90856197	+0.12668757
<i>e</i>	0.1093379	<i>i</i>	0.19957	-0.39373797	+0.05871836
<i>P</i>	4.91	<i>H</i>	13.5	<i>G</i>	0.15
				<i>U</i>	6

Residuals in seconds of arc

930319	809	0.2-	0.3-	950928	327	0.2+	0.2-	950929	327	0.2-	0.2+
930320	809	0.2-	0.5+	950928	327	0.1+	0.3+	950929	327	0.2+	0.4-
930324	809	0.4+	0.5-	950928	327	0.0	0.2-	950929	327	0.2-	0.2+
930417	413	0.0	0.4+	950928	327	0.2-	0.2+				

1993 FF₈₂ = 1993 HY₇ = 1986 WN₁₀Id. G. V. Williams (*MPC* 24744; d, unpublished)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	182.68314		(2000.0)	P	Q
<i>n</i>	0.20949585	ω	169.68852	-0.95116359	+0.30621796
<i>a</i>	2.8077112	Ω	28.23814	-0.28875587	-0.83800713
<i>e</i>	0.0124312	<i>i</i>	4.72409	-0.10912317	-0.45163548
<i>P</i>	4.70	<i>H</i>	13.0	<i>G</i>	0.15
				<i>U</i>	4

Residuals in seconds of arc

861130	381	1.8+	0.1+	930323	809	(1.6+	2.5+)	950922	691	0.1-	0.2-
861130	381	1.3-	0.6+	930324	691	0.5+	0.6+	950922	691	0.1+	0.1-
861201	381	0.2-	0.5-	930324	691	0.7+	0.6+	950922	691	0.0	0.2-
861201	381	0.2-	0.3-	930324	691	0.8+	0.6+	950927	691	0.1+	0.1-
930319	809	1.5-	0.1-	930416	413	(4.2-	11.9+)	950927	691	0.1-	0.1+
930320	809	0.0	1.0-	930417	413	0.8-	1.1-	950927	691	0.2+	0.1+

1993 HL₅ = 1962 PM = 1995 SL₂₉

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	41.21324		(2000.0)	P	Q
<i>n</i>	0.18169705	ω	283.42818	+0.83785081	+0.54575354
<i>a</i>	3.0872428	Ω	43.49748	-0.49349607	+0.76709759
<i>e</i>	0.1554069	<i>i</i>	1.04996	-0.23338303	+0.33721560
<i>P</i>	5.42	<i>H</i>	11.9	<i>G</i>	0.15
				<i>U</i>	5

Residuals in seconds of arc

620803	760	0.1+	0.2-	930423	474	0.8-	0.2+	951017	114	0.4+	0.3-
620803	760	0.0	0.1-	930423	474	1.4-	0.5-	951018	114	1.5+	0.1-
930319	809	0.0	0.6+	930427	474	1.8+	0.1+	951019	114	1.2+	1.2+
930320	809	1.0+	0.2+	930427	474	2.1+	1.1-	951019	114	1.0+	0.1+
930320	809	(3.2+	0.2+)	950926	114	1.3-	0.4-	951021	399	(3.0-	2.1+)
930324	809	0.7+	0.7-	950926	114	0.0	0.4-	951021	399	(3.7-	1.5+)
930417	413	0.3+	0.9+	950928	114	0.3+	0.4-	951027	399	1.3-	0.4+
930418	691	1.6-	0.6-	950929	114	0.7-	0.8-	951027	399	(3.2-	0.9+)
930418	691	1.7-	0.9-	951001	114	0.6+	0.5-				
930418	691	1.5-	0.9-	951016	114	0.8-	1.1-				

1994 GF = 1995 TO₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	164.06858		(2000.0)	P	Q
<i>n</i>	0.30436529	ω	100.36136	-0.88550417	+0.46063472
<i>a</i>	2.1887994	Ω	107.08919	-0.44730038	-0.80972849
<i>e</i>	0.0581695	<i>i</i>	3.64764	-0.12571691	-0.36353188
<i>P</i>	3.24	<i>H</i>	14.5	<i>G</i>	0.15
				<i>U</i>	5

Residuals in seconds of arc

940403	411	0.5-	0.9+	951015	104	1.1+	1.5+	951023	104	1.1+	0.7-
940403	411	0.1-	0.2-	951015	104	0.6+	1.7+	951023	104	0.5+	0.4+
940405	411	0.7-	0.8-	951015	104	0.2+	1.3+	951023	104	0.1-	0.2+
940405	411	0.5-	0.4+	951015	104	0.1-	0.7+	951024	104	0.9+	1.6-
940405	411	0.6-	0.2-	951015	104	0.6-	0.9+	951024	104	0.2+	1.4-
940414	675	1.8-	0.3+	951016	104	0.2-	0.3-	951024	104	0.7-	1.3-
940414	675	2.0-	1.2+	951016	104	0.2+	0.9-	951025	104	0.2-	0.3-
940414	411	1.8+	0.0	951016	104	0.4-	0.5-	951025	104	0.1+	0.5-
940414	411	1.1+	0.3-	951017	104	0.9+	0.2-	951025	104	0.4+	0.6-
940414	411	0.8+	0.7-	951017	104	0.3+	0.6-	951026	104	1.1-	1.6+
940415	675	1.4-	0.0	951017	104	0.0	0.1-	951026	104	1.3-	1.1+
940415	675	1.6-	1.2-	951018	104	0.6+	0.9-	951026	104	1.0-	0.9+
940417	411	2.0+	0.0	951018	104	0.0	0.4-	951026	104	1.0-	0.7+
940417	411	1.4+	0.4-	951018	104	0.5-	0.4+				
940417	411	1.7+	0.5+	951023	104	0.3+	1.9-				

1994 JD

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	296.56310		(2000.0)	P	Q
<i>n</i>	0.36637734	ω	14.93534	-0.34155914	-0.85190898
<i>a</i>	1.9342695	Ω	96.34176	+0.81616919	-0.47829699
<i>e</i>	0.0774401	<i>i</i>	23.54182	+0.46605279	+0.21326763
<i>P</i>	2.69	<i>H</i>	14.5	<i>G</i>	0.15
				<i>U</i>	4

Residuals in seconds of arc

940504	693	0.2-	0.5+	940603	675	0.6+	0.1+	940827	413	0.4+	0.3+
940504	693	0.4+	0.1+	940603	675	0.9-	0.2+	940827	413	0.5+	0.2+

M.P.C. 25962

940505	693	0.5-	0.9+	940623	657	0.1-	1.4+	951023	801	0.1-	0.2-
940505	693	0.1-	0.6+	940623	657	0.4+	1.2+	951023	801	0.3-	0.4-
940508	693	0.4+	1.1-	940623	657	0.3-	0.8-	951027	801	0.2+	0.1-
940508	693	0.3+	0.4-	940704	658	0.8-	0.1-	951027	801	0.2+	0.9+
940601	693	1.8+	0.6-	940704	658	0.7-	0.3-				
940601	693	0.4-	1.4-	940704	658	0.6-	0.3-				

1994 LA₁ = 1988 JZ₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5											
<i>M</i> 88.19957				(2000.0)				P		Q	
<i>n</i>	0.17638479	ω	109.00740	-0.28017373	+0.91960361						
<i>a</i>	3.1489224	Ω	141.09732	-0.95927479	-0.27896177						
<i>e</i>	0.2575091	<i>i</i>	26.00803	+0.03598007	-0.27660357						
<i>P</i>	5.59	<i>H</i>	14.0	<i>G</i> 0.15	<i>U</i> 3						
Residuals in seconds of arc											
880512	033	0.3-	0.4+	940606	693	0.9-	1.8+	950830	608	0.7-	0.6+
880512	033	0.3+	0.9+	940606	693	1.1+	0.3+	950830	608	0.2-	0.1+
940602	675	0.6+	1.1-	940708	693	0.6+	0.9+	951014	695	0.9-	1.2+
940602	675	0.7+	0.2-	940708	693	0.7+	1.0+	951014	695	0.8+	1.0+
940604	675	0.1+	0.2-	940709	693	0.4-	0.3+	951014	695	0.3-	0.1+
940604	675	0.4-	0.7-	940709	693	(0.1+	2.5+)	951015	695	(2.9-	1.8-)
940605	693	(0.6-	2.4-)	940827	413	1.0-	0.9-	951015	695	1.2+	1.7-
940605	693	0.7-	1.3-	940827	413	1.2-	0.5-				

1994 NB

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5											
<i>M</i> 145.82695				(2000.0)				P		Q	
<i>n</i>	0.27081723	ω	94.80392	-0.67666861	+0.66231382						
<i>a</i>	2.3660206	Ω	127.10797	-0.72588221	-0.67326733						
<i>e</i>	0.2749393	<i>i</i>	23.78623	+0.12334754	-0.32871189						
<i>P</i>	3.64	<i>H</i>	13.5	<i>G</i> 0.15	<i>U</i> 4						
Residuals in seconds of arc											
940607	675	0.7-	0.5+	940810	413	1.4-	1.2+	940903	413	0.8-	0.7+
940607	675	0.7-	0.4-	940813	413	0.4+	0.7-	940904	413	0.6+	0.6-
940703	675	1.7+	0.4-	940813	413	1.7-	0.4+	940904	413	1.0-	0.7+
940703	675	0.6+	0.6-	940815	413	0.4-	0.6-	951004	608	0.5-	0.4+
940704	675	0.8+	1.3+	940815	413	0.3-	0.6-	951004	608	0.4-	0.2+
940706	675	1.4+	0.7+	940816	413	0.0	1.1-	951006	608	0.4+	0.3+
940706	675	0.1-	1.2+	940816	413	0.1-	1.1-	951006	608	0.3+	0.1+
940810	413	0.7+	0.8-	940903	413	0.0	0.3+				

1994 OC

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5											
<i>M</i> 25.10081				(2000.0)				P		Q	
<i>n</i>	0.18593519	ω	62.74257	+0.88960556	-0.43927998						
<i>a</i>	3.0401499	Ω	322.93299	+0.31000830	+0.78180494						
<i>e</i>	0.1369877	<i>i</i>	11.97295	+0.33540543	+0.44250890						
<i>P</i>	5.30	<i>H</i>	11.5	<i>G</i> 0.15	<i>U</i> 4						
Residuals in seconds of arc											
940731	905	0.5+	0.5-	940910	905	0.8-	0.2+	950929	801	0.8-	0.1-
940731	905	0.5-	0.2-	941004	801	0.2+	0.6-	950929	801	0.5-	0.3-
940803	905	0.0	0.1-	941004	801	0.9-	0.8+	951023	801	0.6+	0.4-
940803	905	0.9-	0.3-	941008	801	0.5-	0.1-	951023	801	0.8+	0.4-
940828	905	0.2-	0.1-	941008	801	0.3-	1.4-	951027	801	0.4-	0.3+

1995 NOV. 7

940828	905	1.2+	0.1+	941022	385	0.9+	0.6+	951027	801	0.0	0.4+
940901	905	2.0+	0.0	941022	385	0.1+	0.6+				
940910	905	0.2-	0.2+	941022	385	0.7-	1.0+				

1994 PB = 1989 TD₁₁

Id. A. Boattini (1995 observations), G. V. Williams											
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5											
<i>M</i> 344.14175				(2000.0)				P		Q	
<i>n</i>	0.18314686	ω	207.38835	+0.17135189	-0.98002234						
<i>a</i>	3.0709287	Ω	232.91681	+0.92549221	+0.19525610						
<i>e</i>	0.1785782	<i>i</i>	7.27117	+0.33779091	-0.03783204						
<i>P</i>	5.38	<i>H</i>	12.5	<i>G</i> 0.15	<i>U</i> 4						
Residuals in seconds of arc											
891004	494	0.0	0.6+	940804	104	0.3-	0.2+	940828	104	(0.4+	2.5+)
891004	494	0.5-	0.7+	940804	104	0.6-	0.3+	940828	104	0.9+	1.2+
940803	104	0.4+	0.4-	940805	104	0.9+	0.3+	951007	104	0.1+	0.5+
940803	104	0.7+	1.7-	940805	104	2.0-	1.6-	951008	104	0.5+	0.4+
940803	104	0.8-	0.4-	940805	104	(3.1-	2.6-)	951008	104	0.6+	0.3+
940803	104	0.5+	0.4-	940806	104	0.3+	0.3+	951008	104	0.6-	0.1-
940803	104	1.2-	1.0+	940806	104	1.3+	0.5-	951027	104	0.2-	1.2-
940803	104	0.5-	0.9+	940806	104	1.8+	0.3-	951027	104	0.2-	0.6-
940803	104	1.0-	0.6+	940810	104	0.9+	1.3-	951027	104	0.3-	0.2-
940803	104	0.4+	1.5-	940810	104	0.2-	0.2-	951027	104	0.1-	0.3+
940804	104	1.0-	1.2+	940810	104	0.5-	0.1-	951027	104	0.1+	0.3-
940804	104	0.5-	0.3-	940810	104	0.5-	0.4-				
940804	104	0.3+	0.1-	940828	104	1.0+	1.9+				

1994 VR₆

Id. D. D. Balam (1995 observations), A. Boattini (1995 observations)											
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5											
<i>M</i> 102.54506				(2000.0)				P		Q	
<i>n</i>	0.21749092	ω	280.89282	+0.78310794	+0.47856969						
<i>a</i>	2.7384741	Ω	51.83467	-0.14687136	+0.76285217						
<i>e</i>	0.4256401	<i>i</i>	30.33847	-0.60429361	+0.43477307						
<i>P</i>	4.53	<i>H</i>	14.0	<i>G</i> 0.15	<i>U</i> 3						
Residuals in seconds of arc											
941031	675	0.4+	1.2-	941201	540	0.1+	0.4+	941231	658	0.4-	0.8-
941031	675	0.2-	0.5+	941201	540	0.1-	0.5+	941231	658	0.3-	0.5-
941104	675	0.3-	0.9-	941203	691	1.0-	0.0	950101	897	0.4-	0.4+
941104	675	0.4-	0.6-	941203	691	1.1-	0.2-	950101	897	0.2+	0.1-
941106	675	0.0	0.4-	941203	675	(2.0+	0.0)	950101	897	0.7+	0.2+
941106	675	0.8-	0.8-	941204	410	0.2-	0.5-	950101	897	0.5+	0.4-
941109	675	1.3-	0.4-	941204	410	0.3-	0.6-	950127	540	1.1+	0.2+
941124	670	1.2+	1.5+	941204	410	0.6-	1.0-	950127	540	0.0	0.5+
941124	670	0.6+	1.0+	941206	587	0.2+	0.1-	950127	540	0.9-	1.0-
941124	670	1.0+	0.7+	941206	587	0.0	0.3-	950131	540	0.3-	0.4-
941124	670	0.8+	1.6+	941209	657	0.5-	0.8+	950131	540	1.9+	1.3+
941124	360	1.0+	1.1+	941209	657	1.9-	0.5+	950220	587	0.6-	0.6-
941124	360	1.0+	1.0+	941209	657	0.0	1.3+	950220	587	0.3+	0.3+
941125	411	0.9+	0.7+	941218	413	0.1-	0.2+	950220	587	0.6-	0.5+
941125	411	1.2+	0.4+	941218	413	0.0	0.0	950224	360	0.4-	0.3+
941125	411	1.4+	0.3+	941218	540	0.4+	1.3+	950224	360	1.0-	0.1-
941125	587	0.0	1.0-	941218	540	0.4+	0.1-	950227	587	0.7+	0.4+

941125	587	0.9+	0.7+	941218	540	0.5+	0.9−	950227	587	1.2+	0.4−
941127	104	0.8−	0.2−	941220	608	0.7+	0.1+	950227	587	0.4+	0.0
941127	104	0.1−	0.6−	941220	608	0.8+	0.3+	950322	587	0.2−	0.4−
941128	675	0.3+	1.5−	941220	608	0.6+	0.2+	950322	587	0.8−	0.9−
941128	675	(1.7+	2.4−)	941220	413	0.1+	0.1−	951027	104	0.7+	0.2+
941128	104	0.6−	0.1+	941220	413	0.2+	0.0	951027	104	0.3+	0.2−
941128	104	0.3−	0.1−	941221	413	0.1−	0.2+	951027	104	0.7+	0.0
941128	104	0.4−	0.1+	941221	413	0.0	0.0	951027	104	0.9+	0.2+
941128	587	1.8−	1.7+	941221	587	1.3−	1.2−	951027	104	0.1+	0.3+
941128	587	0.5−	0.3+	941221	587	0.8−	1.6−	951028	658	0.6−	0.0
941128	587	0.3−	0.2+	941224	897	0.1+	0.0	951028	658	0.3−	0.2−
941130	675	0.3+	1.0−	941224	897	0.5+	0.8−	951029	658	0.1−	0.3−
941130	104	0.3−	0.1−	941224	897	1.3+	0.4+	951029	658	0.7−	0.5+
941130	104	0.5−	0.0	941231	658	0.4−	0.5−	951029	658	0.2−	0.1−
941130	104	0.1−	0.0	941231	658	0.6−	0.6−	951029	658	0.3−	0.3+
941201	540	0.3+	0.1+	941231	658	0.3−	0.7−				

1995 BC₁₆ = 1984 BJ₄ = 1989 NL

Id. K. Kinoshita

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	236.02760	(2000.0)	P	Q	
<i>n</i>	0.27034893	ω 6.77485	+0.78197420	+0.61771443	
<i>a</i>	2.3687521	Ω 314.72004	−0.57723922	+0.66722552	
<i>e</i>	0.1234226	<i>i</i> 6.73551	−0.23518339	+0.41621988	
<i>P</i>	3.65	<i>H</i> 14.0	<i>G</i> 0.15	<i>U</i> 4	

Residuals in seconds of arc

840125	675	0.4−	0.2−	890704	675	0.0	0.7−	950203	033	0.1−	0.1+
840126	675	0.3+	0.2−	890704	675	0.7+	1.6−	950222	033	0.1+	0.0
890702	675	1.0−	1.0+	950130	033	0.5+	0.2+	950222	033	0.5−	0.1−
890702	675	0.3+	1.2+	950131	033	0.1+	0.0				

**1995 FG₁ = 1953 TJ₁ = 1953 UG₁ = 1977 RB₉ = 1978 WX₇ = 1980 FZ₉
= 1982 SG₅**

Id. A. Lowe, T. Kobayashi

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	344.54538	(2000.0)	P	Q	
<i>n</i>	0.20157452	ω 300.97806	−0.41316288	+0.91055575	
<i>a</i>	2.8807946	Ω 304.61221	−0.82977957	−0.38257491	
<i>e</i>	0.0212994	<i>i</i> 0.94608	−0.37518303	−0.15660355	
<i>P</i>	4.89	<i>H</i> 12.5	<i>G</i> 0.15	<i>U</i> 1	

Residuals in seconds of arc

531008	760	0.7+	0.9+	781130	675	0.1+	0.3+	950404	399	0.6+	0.5+
531008	760	2.2−	1.8+	800316	095	1.8+	1.0+	950404	399	1.2+	0.6+
531031	675	0.7−	0.0	820916	095	0.6−	1.1+	950406	691	0.7−	0.3+
531031	675	0.3+	0.1−	950328	399	0.5−	0.2+	950406	691	0.7−	0.4+
770908	675	0.5+	0.7+	950328	399	0.2−	0.5+	950406	691	0.8−	0.4+
770909	675	0.0	0.7+	950331	399	0.8+	0.0				
781129	675	0.2−	0.7−	950331	399	0.6+	0.8+				

1995 LC

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	73.99246	(2000.0)	P	Q	
<i>n</i>	0.37139938	ω 145.94796	−0.69116701	+0.60145604	
<i>a</i>	1.9167932	Ω 76.35712	−0.72015067	−0.52671024	
<i>e</i>	0.0276551	<i>i</i> 24.34979	−0.06059019	−0.60068874	
<i>P</i>	2.65	<i>H</i> 16.5	<i>G</i> 0.15	<i>U</i> 4	

From 19 observations 1995 May 31–Sept. 29, mean residual 0″.50.

1995 MB

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	22.00836	(2000.0)	P	Q	
<i>n</i>	0.26303173	ω 10.78314	+0.33727380	+0.83445765	
<i>a</i>	2.4124813	Ω 280.09017	−0.89331765	+0.13762111	
<i>e</i>	0.2210864	<i>i</i> 26.27323	−0.29703528	+0.53361116	
<i>P</i>	3.75	<i>H</i> 14.0	<i>G</i> 0.15	<i>U</i> 4	

From 22 observations 1995 June 21–Oct. 22, mean residual 0″.71.

1995 OA

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	286.15673	(2000.0)	P	Q	
<i>n</i>	0.27775759	ω 150.76629	+0.40688063	−0.90721302	
<i>a</i>	2.3264412	Ω 275.04857	+0.81588992	+0.41351296	
<i>e</i>	0.0859169	<i>i</i> 6.15660	+0.41081843	+0.07727588	
<i>P</i>	3.55	<i>H</i> 14.5	<i>G</i> 0.15	<i>U</i> 5	

From 30 observations 1995 July 19–Oct. 19, mean residual 0″.54.

1995 OD

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	27.95145	(2000.0)	P	Q	
<i>n</i>	0.28341982	ω 340.14706	+0.55144758	+0.83410055	
<i>a</i>	2.2953517	Ω 323.31577	−0.76229069	+0.49727428	
<i>e</i>	0.0526212	<i>i</i> 1.29342	−0.33884874	+0.23873535	
<i>P</i>	3.48	<i>H</i> 15.0	<i>G</i> 0.15	<i>U</i> 5	

From 36 observations 1995 July 19–Oct. 15, mean residual 0″.59.

1995 OG

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	329.89752	(2000.0)	P	Q	
<i>n</i>	0.19178271	ω 54.22307	+0.98310372	−0.12973192	
<i>a</i>	2.9780347	Ω 312.84399	+0.04812660	+0.86385080	
<i>e</i>	0.1149019	<i>i</i> 10.14430	+0.17660948	+0.48675602	
<i>P</i>	5.14	<i>H</i> 14.5	<i>G</i> 0.15	<i>U</i> 5	

From 30 observations 1995 July 19–Oct. 17, mean residual 0″.75.

1995 OB₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

		Williams			
<i>M</i>	19.77800	(2000.0)	P	Q	
<i>n</i>	0.22822882	ω 30.78371	+0.71682361	+0.68900177	
<i>a</i>	2.6518914	Ω 285.25984	−0.66016762	+0.62129906	
<i>e</i>	0.1972470	<i>i</i> 6.36542	−0.22437161	+0.37318096	
<i>P</i>	4.32	<i>H</i> 15.5	<i>G</i> 0.15	<i>U</i> 4	

From 21 observations 1995 July 29–Oct. 14, mean residual 0″.53.

1995 OE₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	303.35448	(2000.0)		P	Q
<i>n</i>	0.20362973	ω 255.56425	+0.65027486	−0.75945714	
<i>a</i>	2.8613782	Ω 153.84296	+0.71268931	+0.60110381	
<i>e</i>	0.0632119	<i>i</i> 2.49222	+0.26309040	+0.24879520	
<i>P</i>	4.84	<i>H</i> 15.0	<i>G</i> 0.15	<i>U</i> 5	

From 23 observations 1995 July 30–Oct. 22, mean residual 0''.36.

1995 OF₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	219.21491	(2000.0)		P	Q
<i>n</i>	0.29637820	ω 152.28946	−0.69517144	−0.71876957	
<i>a</i>	2.2279488	Ω 341.74509	+0.65326865	−0.62568627	
<i>e</i>	0.0966552	<i>i</i> 1.89216	+0.29996122	−0.30312867	
<i>P</i>	3.33	<i>H</i> 16.0	<i>G</i> 0.15	<i>U</i> 4	

From 22 observations 1995 July 31–Oct. 21, mean residual 0''.34.

1995 OX₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Nakano	
<i>M</i>	11.46835	(2000.0)		P	Q
<i>n</i>	0.27486671	ω 249.90888	+0.76130633	+0.64084681	
<i>a</i>	2.3427248	Ω 70.10301	−0.54879784	+0.71787878	
<i>e</i>	0.2207715	<i>i</i> 6.02096	−0.34530221	+0.27196585	
<i>P</i>	3.59	<i>H</i> 14.1	<i>G</i> 0.15	<i>U</i> 6	

From 9 observations 1995 July 26–Oct. 21, mean residual 0''.48.

1995 PA

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	336.03444	(2000.0)		P	Q
<i>n</i>	0.27552523	ω 316.30725	+0.95900359	−0.27840380	
<i>a</i>	2.3389906	Ω 59.92766	+0.27391299	+0.86267617	
<i>e</i>	0.2042062	<i>i</i> 3.50773	+0.07268973	+0.42223351	
<i>P</i>	3.58	<i>H</i> 16.5	<i>G</i> 0.15	<i>U</i> 5	

From 37 observations 1995 Aug. 1–Oct. 15, mean residual 0''.60.

1995 PG

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	267.53385	(2000.0)		P	Q
<i>n</i>	0.24212784	ω 124.48195	−0.13463734	−0.98409119	
<i>a</i>	2.5494093	Ω 332.55023	+0.80655997	−0.04088150	
<i>e</i>	0.1386893	<i>i</i> 14.56440	+0.57561602	−0.17289657	
<i>P</i>	4.07	<i>H</i> 15.5	<i>G</i> 0.15	<i>U</i> 5	

From 19 observations 1995 Aug. 5–Oct. 22, mean residual 0''.41.

1995 PQ

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Nakano	
<i>M</i>	347.02740	(2000.0)		P	Q
<i>n</i>	0.21644636	ω 255.80050	+0.92216672	−0.31982649	
<i>a</i>	2.7472775	Ω 122.42951	+0.37028906	+0.89250218	
<i>e</i>	0.3711047	<i>i</i> 14.93493	−0.11177902	+0.31804227	
<i>P</i>	4.55	<i>H</i> 14.3	<i>G</i> 0.15	<i>U</i> 5	

From 15 observations 1995 Aug. 2–Oct. 21, mean residual 0''.74.

1995 PV

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	28.33387	(2000.0)		P	Q
<i>n</i>	0.28543497	ω 322.07219	+0.57701852	+0.81576808	
<i>a</i>	2.2845356	Ω 343.05219	−0.71214327	+0.47876576	
<i>e</i>	0.1738028	<i>i</i> 7.81746	−0.39987697	+0.32450852	
<i>P</i>	3.45	<i>H</i> 13.5	<i>G</i> 0.15	<i>U</i> 4	

From 14 observations 1995 Aug. 2–Oct. 27, mean residual 0''.37.

1995 QG

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	327.58047	(2000.0)		P	Q
<i>n</i>	0.22898754	ω 103.70984	+0.37123155	−0.91835318	
<i>a</i>	2.6460303	Ω 323.53346	+0.73752669	+0.38137692	
<i>e</i>	0.1597921	<i>i</i> 13.34313	+0.56412899	+0.10573116	
<i>P</i>	4.30	<i>H</i> 15.5	<i>G</i> 0.15	<i>U</i> 5	

From 21 observations 1995 Aug. 20–Oct. 31, mean residual 0''.57.

1995 QJ = 1988 XL₅ = 1994 JM₉

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	307.20764	(2000.0)		P	Q
<i>n</i>	0.26796965	ω 271.58970	+0.50628418	−0.86196931	
<i>a</i>	2.3827527	Ω 147.95075	+0.80952631	+0.46458107	
<i>e</i>	0.1720853	<i>i</i> 2.82756	+0.29722630	+0.20291215	
<i>P</i>	3.68	<i>H</i> 16.0	<i>G</i> 0.15	<i>U</i> 4	

Residuals in seconds of arc

881201 888	1.0+	0.4−	950821 557	0.2+	0.2−	950917 557	0.1+	0.1−
881201 888	0.7−	0.8−	950821 557	0.2+	0.1+	950917 557	0.1−	0.7−
940515 691	0.3−	0.5−	950822 557	0.2+	0.0	950917 557	0.7+	0.2−
940515 691	0.3−	0.4−	950826 557	0.6+	0.2−	951021 557	1.1−	0.4+
940515 691	0.0	0.7−	950826 557	0.6+	0.2−	951021 557	0.3−	0.2−
950820 557	0.2−	0.0	950826 557	0.5+	0.0	951021 557	0.1−	0.2−
950820 557	0.3−	0.4+	950905 557	0.8+	0.3+	951024 557	0.2−	0.4−
950820 557	0.0	0.5+	950905 557	1.7−	0.0	951024 557	0.2−	1.0−
950820 557	0.3+	0.5+	950905 557	0.1+	0.3+	951024 557	0.5−	0.6+

1995 QN₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Williams	
<i>M</i>	29.02122	(2000.0)		P	Q
<i>n</i>	0.16445654	ω 62.83870	−0.36642827	+0.93008161	
<i>a</i>	3.2994024	Ω 185.85109	−0.91822505	−0.36599617	
<i>e</i>	0.6448645	<i>i</i> 14.80438	−0.15030994	−0.03154381	
<i>P</i>	5.99	<i>H</i> 17.0	<i>G</i> 0.15	<i>U</i> 5	

From 52 observations 1995 Aug. 31–Oct. 19, mean residual 0''.63.

1995 QS₃ = 1984 SD₅ = 1992 AZ₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5				Nakano	
<i>M</i>	340.06906	(2000.0)		P	Q
<i>n</i>	0.17440326	ω 67.45090	+0.95653593	−0.23356592	
<i>a</i>	3.1727291	Ω 305.62782	+0.11717941	+0.85613149	
<i>e</i>	0.1175617	<i>i</i> 12.40445	+0.26703557	+0.46096186	
<i>P</i>	5.65	<i>H</i> 12.6	<i>G</i> 0.15	<i>U</i> 4	

M.P.C. 25965

Residuals in seconds of arc

840927 675	0.2−	2.0+	950831 358	0.1+	0.9+	950928 358	0.8+	0.2+
840928 675	0.2+	2.1−	950831 358	0.5−	1.2−	950928 358	0.8+	0.1+
920111 303	1.5+	1.1+	950901 358	0.2−	0.2−			
920112 303	1.3−	0.9−	950901 358	1.1−	0.4+			

1995 QX₀

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	8.26480		(2000.0)	P	Q
<i>n</i>	0.23827155	ω	229.50906	+0.91156586	+0.38727748
<i>a</i>	2.5768428	Ω	107.30014	−0.31973276	+0.87883797
<i>e</i>	0.4373583	<i>i</i>	8.31494	−0.25849303	+0.27867537
<i>P</i>	4.14	<i>H</i>	17.5	<i>G</i> 0.15	<i>U</i> 5

From 9 observations 1995 Aug. 18–Oct. 19, mean residual 0^u.47.**1995 RJ = 1978 NT**

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	35.90500		(2000.0)	P	Q
<i>n</i>	0.23729757	ω	215.59074	+0.75084751	+0.64175331
<i>a</i>	2.5838890	Ω	103.71487	−0.56265784	+0.74532355
<i>e</i>	0.2327860	<i>i</i>	9.24903	−0.34589618	+0.18068063
<i>P</i>	4.15	<i>H</i>	15.0	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

780707 675	0.5+	0.6+	950914 697	0.1−	0.1+	951017 697	0.0	0.2−
780709 675	0.3+	0.7+	950915 697	1.1+	0.3+	951017 697	0.0	0.0
780710 675	0.8−	1.3−	951016 697	0.3−	0.0	951017 697	0.1−	0.1−
950912 697	0.4−	0.3−	951016 697	0.4+	0.0	951017 697	0.0	0.1−
950912 697	0.4−	0.0	951016 697	0.1−	0.1+			
950913 697	0.1−	0.1+	951016 697	0.1+	0.0			

1995 SA

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	57.45017		(2000.0)	P	Q
<i>n</i>	0.25843318	ω	50.92110	−0.72547284	+0.68654167
<i>a</i>	2.4410155	Ω	172.00426	−0.68824169	−0.72329943
<i>e</i>	0.6476590	<i>i</i>	20.39446	−0.00354033	−0.07415167
<i>P</i>	3.81	<i>H</i>	17.5	<i>G</i> 0.15	<i>U</i> 7

From 17 observations 1995 Sept. 17–Oct. 19, mean residual 0^u.42.**1995 SD₁**

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	1.40340		(2000.0)	P	Q
<i>n</i>	0.21186078	ω	189.72233	+0.98964193	−0.14349497
<i>a</i>	2.7867778	Ω	178.50790	+0.14022122	+0.95987586
<i>e</i>	0.5678119	<i>i</i>	9.38745	+0.03077101	+0.24093056
<i>P</i>	4.65	<i>H</i>	20.5	<i>G</i> 0.15	<i>U</i> 5

From 44 observations 1995 Sept. 23–Oct. 26, mean residual 0^u.54.**1995 SR₁ = 1933 OF**

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	134.41962		(2000.0)	P	Q
<i>n</i>	0.17644744	ω	271.54357	−0.65108178	+0.68599100
<i>a</i>	3.1481770	Ω	311.92859	−0.39612738	−0.67216009
<i>e</i>	0.0854577	<i>i</i>	25.88718	−0.64743773	−0.27859857
<i>P</i>	5.59	<i>H</i>	11.5	<i>G</i> 0.15	<i>U</i> 5

1995 NOV. 7

Residuals in seconds of arc

330724 024	0.8−	0.2+	950924 693	0.2+	0.4−	950930 816	0.2−	0.3+
330727 024	0.8+	0.2−	950930 816	0.2−	0.1+	951011 695	0.0	0.3−
950921 693	0.9+	0.5+	950930 816	0.2−	0.2+	951011 695	0.2+	0.3−
950924 693	0.6−	0.4−	950930 816	0.3−	0.3+			

1995 SD₂ = 1981 SS₃ = 1986 TV₁₅ = 1986 UJ = 1988 CG₆

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	327.53746		(2000.0)	P	Q
<i>n</i>	0.21264923	ω	126.63053	+0.73022542	−0.67882086
<i>a</i>	2.7798851	Ω	276.26129	+0.59939119	+0.69081758
<i>e</i>	0.1182943	<i>i</i>	4.45922	+0.32787351	+0.24894440
<i>P</i>	4.63	<i>H</i>	13.0	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

810925 095	0.2−	0.3+	880215 809	0.3−	0.0	950929 552	0.3−	0.4−
861007 095	1.0+	1.4−	950923 552	0.3+	0.4+	951017 552	0.1−	0.1+
861030 887	0.6+	1.4+	950923 552	0.3+	0.4−	951017 552	0.3+	0.5−
861030 887	1.7−	0.7+	950925 552	0.8+	0.7−	951023 552	0.6−	0.1−
880215 809	0.8−	0.6−	950926 552	0.9+	0.3+	951023 552	0.8−	0.1+
880215 809	0.6+	0.5−	950929 552	0.2−	0.5−			

1995 SY₂ = 1979 SG₅ = 1992 VA

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	355.52210		(2000.0)	P	Q
<i>n</i>	0.30833084	ω	281.56344	+0.98025856	−0.19733528
<i>a</i>	2.1699917	Ω	89.81863	+0.18586932	+0.89845506
<i>e</i>	0.1403552	<i>i</i>	0.70626	+0.06742211	+0.39222098
<i>P</i>	3.20	<i>H</i>	14.5	<i>G</i> 0.15	<i>U</i> 4

Residuals in seconds of arc

790923 095	0.3−	0.8+	921102 399	2.1−	0.3−	950921 399	0.4+	0.6+
921028 400	1.1+	0.6−	921102 399	0.8+	1.9+	950930 399	0.9+	1.3−
921028 400	2.2−	1.1+	950920 399	0.1−	0.2+	950930 399	0.5−	0.5−
921028 399	0.5+	1.1−	950920 399	0.7+	0.1+			
921028 399	1.8+	0.9−	950921 399	1.0−	0.0			

1995 SA₃ = 1958 XN = 1975 VP₈ = 1978 RD₁ = 1985 TU₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Kobayashi

<i>M</i>	355.02752		(2000.0)	P	Q
<i>n</i>	0.29030328	ω	106.88017	+0.99405096	−0.00444273
<i>a</i>	2.2589230	Ω	253.47747	−0.03586647	+0.93008551
<i>e</i>	0.2255135	<i>i</i>	6.51783	+0.10284105	+0.36731622
<i>P</i>	3.40	<i>H</i>	13.7	<i>G</i> 0.15	<i>U</i> 2

Residuals in seconds of arc

581204 330	0.5+	0.6−	851013 675	0.3+	0.4+	950921 399	0.6+	1.4−
751107 095	0.1+	0.4+	921217 399	1.1−	0.1−	950928 399	1.2+	0.7−
780903 095	1.3−	0.9+	921217 399	0.8+	0.5+	950928 399	0.9+	0.3+
780907 095	0.3−	1.7+	950920 399	0.4+	1.1−			
851011 675	0.8−	0.3+	950920 399	0.7−	0.2−			

1995 SM₃ = 1993 DE

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	266.46456	(2000.0)	P		Q	
<i>n</i>	0.26094233	ω 139.97764	−0.58900073	−0.80740586		
<i>a</i>	2.4253422	Ω 345.99741	+0.70050275	−0.48895624		
<i>e</i>	0.1669080	<i>i</i> 8.14048	+0.40295662	−0.33017811		
<i>P</i>	3.78	<i>H</i> 14.5	<i>G</i> 0.15	<i>U</i> 5		

Residuals in seconds of arc

930217 372	1.3−	0.1+	950928 587	0.2+	0.2−	951016 587	0.0	0.5+
930217 372	1.8+	0.3−	950928 587	0.6+	0.5+	951016 587	0.2+	0.1+
930219 372	0.2−	0.4+	950929 587	0.1−	0.6−	951017 587	0.1−	0.3−
930219 372	0.4−	0.2−	950929 587	0.9+	0.2+	951017 587	0.2−	0.2−
950926 587	0.8−	0.1+	950930 587	0.0	0.8−			
950927 587	0.2−	0.4+	951001 587	0.5−	0.3+			

1995 SO₃ = 1975 PH = 1980 PV₃ = 1982 YO

Id. K. Kinoshita

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	53.88509	(2000.0)	P		Q	
<i>n</i>	0.19806735	ω 324.35842	−0.11256224	+0.97686879		
<i>a</i>	2.9147018	Ω 298.53902	−0.85693927	−0.18805972		
<i>e</i>	0.1803976	<i>i</i> 11.94449	−0.50297598	+0.10178860		
<i>P</i>	4.98	<i>H</i> 13.4	<i>G</i> 0.15	<i>U</i> 3		

Residuals in seconds of arc

750814 805	0.1+	1.2+	821222 511	0.5+	0.5+	950920 400	0.2−	0.5+
750815 805	1.4+	0.7−	821223 511	0.4−	0.3−	950921 400	0.7−	0.3−
750816 805	1.3−	0.1−	950830 400	0.8+	0.2+	950921 400	0.3−	0.3−
800803 675	0.4−	0.3+	950830 400	0.5+	0.2+			
800805 675	0.2−	0.1−	950920 400	0.1+	0.8−			

1995 SP₃ = 1982 QZ₁

Id. S. Nakano, T. Kobayashi

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	34.42881	(2000.0)	P		Q	
<i>n</i>	0.30356717	ω 67.07310	+0.74425144	+0.66194465		
<i>a</i>	2.1926342	Ω 251.35371	−0.64203258	+0.67232809		
<i>e</i>	0.2002229	<i>i</i> 5.38910	−0.18407593	+0.33136719		
<i>P</i>	3.25	<i>H</i> 14.4	<i>G</i> 0.15	<i>U</i> 6		

Residuals in seconds of arc

820823 561	0.3+	0.3−	820825 561	0.5+	0.3−	950921 400	0.5+	0.1+
820823 561	0.7−	0.5+	820825 561	0.1+	0.0	950921 400	1.4+	0.7+
820824 561	0.1−	0.5−	820826 561	0.7−	0.1+	950930 400	0.4+	0.4−
820824 561	0.5+	0.4+	950920 400	1.2−	1.1+	950930 400	0.6−	0.1+
820825 561	0.2+	0.0	950920 400	0.6−	1.5−			

1995 SD₄ = 1979 OW₁₀

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	7.65911	(2000.0)	P		Q	
<i>n</i>	0.31198797	ω 142.49093	+0.99877267	−0.02439870		
<i>a</i>	2.1530006	Ω 218.97438	+0.00788469	+0.93747550		
<i>e</i>	0.2257373	<i>i</i> 3.92950	+0.04889773	+0.34719503		
<i>P</i>	3.16	<i>H</i> 15.5	<i>G</i> 0.15	<i>U</i> 4		

Residuals in seconds of arc

790724 413	1.0−	0.4−	950929 966	0.3−	1.3−	951019 966	1.1−	0.2−
790726 675	1.7+	1.0+	950929 966	0.5−	0.3+	951019 966	0.6+	0.8−
790728 413	0.7−	0.7−	950929 966	0.2−	0.4−	951021 966	0.1+	1.2+
950927 966	0.8+	0.8+	951004 966	0.5−	0.6+	951021 966	0.5+	0.5−
950928 966	0.2+	1.0+	951004 966	0.2−	1.3−			
950928 966	0.3+	0.5+	951004 966	0.2+	0.1+			

1995 SE₄ = 1991 VN₅

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	350.61437	(2000.0)	P		Q	
<i>n</i>	0.22851105	ω 110.70398	+0.90704305	−0.34849400		
<i>a</i>	2.6497073	Ω 270.30437	+0.24087628	+0.88977169		
<i>e</i>	0.1157864	<i>i</i> 13.66686	+0.34532813	+0.29471729		
<i>P</i>	4.31	<i>H</i> 13.0	<i>G</i> 0.15	<i>U</i> 5		

Residuals in seconds of arc

911102 675	0.2−	0.8+	950929 966	0.0	0.4−	951019 966	0.3−	0.1+
911102 675	0.1+	0.2+	950929 966	0.3+	0.2−	951019 966	0.4−	0.0
911105 675	0.0	0.8−	950929 966	0.2+	0.2−	951021 966	0.8−	0.4+
911105 675	0.2+	0.3−	950929 966	0.7−	0.4−	951021 966	1.5+	0.1−
950928 966	0.5+	0.2−	951004 966	1.2−	0.8+	951021 966	(3.8−	0.1−)
950928 966	0.3+	0.4−	951004 966	0.1+	0.2+			
950928 966	0.2+	0.1−	951019 966	0.2+	0.3+			

1995 ST₄ = 1955 SY = 1992 YW

Id. S. Nakano, T. Kobayashi

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	0.27478	(2000.0)	P		Q	
<i>n</i>	0.27079129	ω 214.01686	+0.99009815	−0.12951058		
<i>a</i>	2.3661717	Ω 153.26778	+0.13979197	+0.94483004		
<i>e</i>	0.1495740	<i>i</i> 6.91463	−0.01280107	+0.30087073		
<i>P</i>	3.64	<i>H</i> 13.3	<i>G</i> 0.15	<i>U</i> 5		

Residuals in seconds of arc

550918 760	0.2+	0.3−	921223 372	0.1+	0.6−	950921 400	0.7−	0.2−
550918 760	0.0	0.4−	921225 372	0.2+	0.3+	950930 400	0.0	0.3−
921221 372	0.2−	2.0+	950920 400	0.6−	0.8+	950930 400	0.2−	0.1−
921221 372	1.2+	0.0	950920 400	0.9+	0.1+			
921223 372	1.3−	1.6−	950921 400	0.5+	0.5+			

1995 SL₅ = 1976 SB₄ = 1991 PF₁₇

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	39.24132	(2000.0)	P		Q	
<i>n</i>	0.25951386	ω 132.43378	+0.72121394	+0.69270411		
<i>a</i>	2.4342341	Ω 183.72641	−0.64987535	+0.67491291		
<i>e</i>	0.1936408	<i>i</i> 2.98836	−0.23981762	+0.25427070		
<i>P</i>	3.80	<i>H</i> 15.0	<i>G</i> 0.15	<i>U</i> 4		

Residuals in seconds of arc

760924 095	0.0	0.1−	951003 817	0.0	0.4+	951014 817	0.1−	0.5−
910807 675	0.1−	0.0	951004 817	0.6−	0.4−	951014 817	0.1−	0.4−
910807 675	0.7+	0.9−	951004 817	0.7+	1.5+	951014 327	0.1+	0.2−
910810 675	0.2−	0.5+	951004 817	0.8+	1.8+	951014 327	0.2+	0.1−
910810 675	0.3−	0.4+	951004 817	(2.5+	1.8+)	951014 327	0.1+	0.2−
950929 707	(3.7−	0.2+)	951010 817	0.3−	0.4+	951015 327	0.2+	0.2−
950929 707	0.3−	1.9−	951010 817	0.5−	0.1+	951015 327	0.1−	0.3+

950929 707 (0.2+ 3.9-) 951010 817 0.1- 0.0 951015 327 0.0 0.1+
 951003 817 0.1+ 0.2+ 951010 817 0.4- 0.5-
 951003 817 0.1+ 0.3+ 951014 817 0.0 0.6-

1995 SB₁₃ = 1951 CD = 1981 RE₄ = 1981 SR₃ = 1986 UU₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	6.37656		(2000.0)		P		Q
<i>n</i>	0.21233644	ω	176.88288	+0.98895885		+0.14800839	
<i>a</i>	2.7826144	Ω	174.58903	-0.13759058		+0.93549344	
<i>e</i>	0.0802930	<i>i</i>	4.46544	-0.05503835		+0.32085129	
<i>P</i>	4.64	<i>H</i>	12.5	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

510210 760	0.5+	1.8+	861104 095	0.8-	3.0+	950922 691	0.3-	0.4+
810905 095	0.7-	1.1+	950918 691	0.3-	0.6+	950927 691	0.0	0.5+
810925 095	1.2+	2.8-	950918 691	0.4-	0.6+	950927 691	0.0	0.5+
861027 010	0.5-	2.4-	950918 691	0.5-	0.6+	950927 691	0.0	0.3+
861027 010	1.0+	1.1-	950922 691	0.4+	0.6+			
861027 010	0.8+	1.3-	950922 691	0.2-	0.4+			

1995 SN₂₉ = 1978 VS₁₅ = 1978 XM₁

Id. G. V. Williams

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	351.31011		(2000.0)		P		Q
<i>n</i>	0.17272391	ω	251.12507	+0.82099046		-0.57066712	
<i>a</i>	3.1932609	Ω	143.66572	+0.53443724		+0.75721381	
<i>e</i>	0.1893377	<i>i</i>	1.71303	+0.20087683		+0.31775194	
<i>P</i>	5.71	<i>H</i>	12.4	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

781101 095	1.3+	0.8+	951001 114	1.3-	0.6-	951019 114	1.0+	0.2-
781205 033	0.6-	0.9-	951001 114	0.8-	0.0	951019 114	0.3-	0.4-
781205 033	0.6-	0.6-	951016 114	0.3-	0.1-	951021 399	0.0	1.6+
950926 114	0.9-	1.8-	951016 114	0.1+	0.4+	951021 399	1.5+	2.2+
950926 114	0.4+	1.3-	951017 114	0.7+	1.8-	951027 399	0.3-	1.5+
950928 114	0.2+	0.2-	951017 114	0.6+	0.2-	951027 399	1.5-	0.0
950929 114	0.3-	0.4+	951018 114	1.0+	0.8+			

1995 SO₂₉ = 1973 UQ₁ = 1992 EL₁₁

Id. G. V. Williams (k), S. Nakano

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	1.70572		(2000.0)		P		Q
<i>n</i>	0.17906976	ω	239.22751	+0.94561110		-0.32448465	
<i>a</i>	3.1173666	Ω	139.69416	+0.30929246		+0.87491597	
<i>e</i>	0.2067282	<i>i</i>	2.03832	+0.10078598		+0.35948818	
<i>P</i>	5.50	<i>H</i>	12.9	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

731026 095	0.2+	0.7-	950926 114	1.1+	1.2-	951018 114	1.5-	0.1-
920306 809	0.7+	0.2+	950928 114	0.3-	0.5-	951019 114	1.6-	0.9-
920306 691	0.7-	0.3-	950929 114	0.6+	0.1-	951019 114	1.3+	0.1+
920306 691	0.6-	0.3-	951001 114	1.8-	0.7-	951021 399	0.1+	0.9+
920306 691	0.6-	0.0	951001 114	0.4+	1.1+	951021 399	1.9+	2.5+
920308 809	0.8+	0.4-	951016 114	0.6-	0.1+	951027 399	1.8-	0.1+
920309 809	0.2+	0.1+	951016 114	0.6+	0.4+	951027 399	0.3+	2.2+
950926 114	0.4-	1.4-	951017 114	0.7-	1.9-			
950926 114	0.5+	0.6-	951017 114	1.7+	0.5+			

1995 SB₃₁ = 1974 HS

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	90.09788		(2000.0)		P		Q
<i>n</i>	0.29265221	ω	253.33130	-0.33820051		+0.94105950	
<i>a</i>	2.2468195	Ω	356.88666	-0.82250248		-0.29828825	
<i>e</i>	0.1091305	<i>i</i>	5.53367	-0.45728556		-0.15947141	
<i>P</i>	3.37	<i>H</i>	15.5	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

740422 805	0.4-	0.2-	950920 691	0.2-	0.1-	950925 691	0.4-	0.5+
740424 805	0.5+	0.4-	950920 691	0.1-	0.3-	950925 691	0.3-	0.1+
740425 805	0.2-	0.6+	950920 691	0.1-	0.1-	950925 691	0.2-	0.1+
950920 691	0.5+	0.4+	950920 691	0.1-	0.2-	951001 691	0.0	0.2-
950920 691	0.3+	0.0	950920 691	0.1-	0.2-	951001 691	0.1+	0.1-
950920 691	0.2+	0.2+	950920 691	0.0	0.1-	951001 691	0.4+	0.2-

1995 SU₃₂ = 1993 FE₉

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	96.30437		(2000.0)		P		Q
<i>n</i>	0.16771608	ω	82.93578	-0.37143161		+0.92627614	
<i>a</i>	3.2565137	Ω	164.77981	-0.91845215		-0.35652518	
<i>e</i>	0.0280160	<i>i</i>	14.03071	-0.13595667		-0.12207502	
<i>P</i>	5.88	<i>H</i>	14.0	<i>G</i>	0.15	<i>U</i>	3

Residuals in seconds of arc

930317 809	1.3-	0.2-	950726 691	0.0	0.1-	950926 691	0.0	0.1+
930318 809	1.5+	0.2+	950921 691	0.2+	0.1-	950926 691	0.1+	0.1-
930323 809	0.2-	0.1+	950921 691	0.4-	0.1+	951001 691	0.0	0.0
950726 691	0.1-	0.1-	950921 691	0.2-	0.2+	951001 691	0.1+	0.1-
950726 691	0.2+	0.1+	950926 691	0.3-	0.0	951001 691	0.3+	0.0

1995 SW₅₂ = 1978 WR₁₇

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	39.29699		(2000.0)		P		Q
<i>n</i>	0.28582397	ω	73.74129	+0.78348563		+0.61673046	
<i>a</i>	2.2824623	Ω	248.11719	-0.59685983		+0.71277577	
<i>e</i>	0.1648697	<i>i</i>	4.70511	-0.17294110		+0.33405724	
<i>P</i>	3.45	<i>H</i>	13.6	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

781130 675	0.3-	0.1+	950922 400	0.0	0.0	951010 400	0.0	0.5+
781201 675	0.3+	0.1-	950930 400	1.0+	0.6+	951010 400	0.1-	0.2-
950922 400	0.1-	0.4+	950930 400	0.8-	1.4-			

1995 TS = 1976 SN₄ = 1991 RU₂₃ = 1993 DB₃

Id. T. Kobayashi, S. Nakano

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Nakano

<i>M</i>	20.08658		(2000.0)		P		Q
<i>n</i>	0.26075491	ω	1.07838	+0.99953052		+0.03063449	
<i>a</i>	2.4265042	Ω	357.16596	-0.02818939		+0.91278770	
<i>e</i>	0.1850700	<i>i</i>	0.60686	-0.01200434		+0.40728387	
<i>P</i>	3.78	<i>H</i>	14.3	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

760924 095	1.6-	0.2-	930220 010	(1.0+ 3.2-)	951020 411	0.1-	0.8+	
760929 095	2.0+	0.7-	930222 010	0.6-	0.8-	951020 411	0.2-	0.4+
910911 675	1.4+	1.6-	930223 010	0.5-	2.5-	951020 411	1.0+	0.0
910911 675	0.8+	1.5-	951002 411	0.7-	0.1+	951027 399	0.4-	0.2+

910916 675	0.3+	1.9-	951002 411	0.4+	0.6+	951027 399	0.7-	0.2-
910916 675	0.3+	1.6-	951014 411	1.2+	0.5+	951028 399	1.1-	0.4+
930220 010	0.5-	1.7-	951014 411	0.3-	0.3-	951028 399	0.7-	0.1-
930220 010	0.7-	2.2-	951014 411	0.3+	1.5+			

1995 TU = 1976 UR₉ = 1981 UO₃ = 1990 RO₃

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Marsden					
<i>M</i>	73.21788		(2000.0)	P		Q		
<i>n</i>	0.20660128	ω	277.21232	+0.51674632		+0.85599099		
<i>a</i>	2.8338752	Ω	23.92262	-0.76921168		+0.47235063		
<i>e</i>	0.0459443	<i>i</i>	2.24654	-0.37588116		+0.21015306		
<i>P</i>	4.77	<i>H</i>	13.5	<i>G</i>	0.15	<i>U</i>	3	
Residuals in seconds of arc								
761022 381	0.4+	0.1-	900918 675	0.6+	0.5-	951014 817	0.2+	0.6+
761022 381	0.5+	0.1+	900918 675	0.8+	1.0-	951014 817	0.2+	0.3+
761024 381	0.8-	0.0	950918 691	0.9-	0.2+	951016 817	0.7-	0.2+
811030 381	0.2+	1.0-	950918 691	0.8-	0.2+	951016 817	0.2+	0.4+
811030 381	0.5+	1.5-	950918 691	1.9-	0.0	951016 817	0.1-	0.1+
900914 675	0.2+	0.4-	951014 817	0.3+	0.6+	951023 817	0.4+	1.0+
900914 675	0.2-	1.1-	951014 817	0.5+	0.4+	951023 817	0.3+	1.0+

1995 UB

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Marsden					
<i>M</i>	25.09713		(2000.0)	P		Q		
<i>n</i>	0.59931420	ω	111.59536	+0.71384275		+0.69739758		
<i>a</i>	1.3932627	Ω	204.33191	-0.68604424		+0.67812056		
<i>e</i>	0.4112677	<i>i</i>	8.90204	-0.14061234		+0.23192483		
<i>P</i>	1.64	<i>H</i>	27.5	<i>G</i>	0.15	<i>U</i>	7	

From 24 observations 1995 Oct. 18–26, mean residual 0".77.

1995 UP₃ = 1977 RP₆ = 1991 NC₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Kobayashi					
<i>M</i>	39.44699		(2000.0)	P		Q		
<i>n</i>	0.27568467	ω	330.33624	+0.92918065		+0.36947179		
<i>a</i>	2.3380887	Ω	8.00267	-0.32224144		+0.82387057		
<i>e</i>	0.1567824	<i>i</i>	4.39683	-0.18106291		+0.42979980		
<i>P</i>	3.58	<i>H</i>	14.0	<i>G</i>	0.15	<i>U</i>	3	
Residuals in seconds of arc								
770911 095	0.2+	0.2-	910716 675	1.4+	0.3+	951025 411	0.0	0.9+
770918 095	0.1-	0.1+	951020 411	0.0	0.1-	951025 411	0.2+	0.0
910713 675	1.0-	2.4-	951020 411	0.1+	0.1-	951027 411	0.1-	0.2-
910713 675	0.6-	1.5+	951021 411	0.1+	0.3-	951027 411	0.5-	0.1+
910716 675	0.2+	0.8+	951021 411	0.1+	0.2-			

1995 UR₃ = 1988 XR₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Kobayashi					
<i>M</i>	337.86265		(2000.0)	P		Q		
<i>n</i>	0.27810869	ω	191.72385	+0.52492233		-0.84805770		
<i>a</i>	2.3244828	Ω	226.66266	+0.78874949		+0.51667958		
<i>e</i>	0.0973421	<i>i</i>	5.71990	+0.31989185		+0.11764496		
<i>P</i>	3.54	<i>H</i>	14.1	<i>G</i>	0.15	<i>U</i>	5	
Residuals in seconds of arc								
881201 054	0.1+	0.6-	951020 411	0.3+	0.3+	951025 411	0.1+	0.0
881207 054	0.2-	1.1+	951021 411	0.9-	0.3-	951027 411	0.3-	0.9+

881207 054	0.1+	0.6-	951021 411	1.1+	0.3-	951027 411	0.2+	0.5-
951020 411	0.8-	0.2-	951025 411	0.2+	0.2+			

1995 UT₃ = 1964 TW = 1982 DD₄ = 1993 HS₆

Id. T. Kobayashi (k), S. Nakano								
Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Nakano					
<i>M</i>	26.21928		(2000.0)	P		Q		
<i>n</i>	0.19191344	ω	346.59236	+0.99986591		-0.00060509		
<i>a</i>	2.9766821	Ω	13.47437	+0.00805724		+0.88816373		
<i>e</i>	0.1350234	<i>i</i>	4.02722	-0.01425627		+0.45952673		
<i>P</i>	5.14	<i>H</i>	12.4	<i>G</i>	0.15	<i>U</i>	2	
Residuals in seconds of arc								
641008 330	0.3-	0.6-	930425 809	0.2+	0.8+	951020 411	0.0	0.2+
641101 330	0.6+	0.0	930425 809	0.2+	0.6+	951021 411	1.5-	1.6+
820220 033	0.7+	0.3-	930425 809	0.7+	0.8+	951021 411	0.2+	0.2-
820220 033	1.1-	0.3+	930426 809	(7.2-	5.1+)	951025 411	0.2+	0.4+
820220 033	0.6+	0.3-	930426 809	(7.1-	5.5+)	951025 411	0.3+	0.1+
820221 033	0.8-	0.1-	930426 809	(7.0-	5.8+)	951027 411	0.3-	0.2-
820221 033	0.1+	0.3-	951020 411	0.0	0.4+	951027 411	0.0	0.0

1995 UY₃ = 1991 RW₁₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Kobayashi					
<i>M</i>	337.71434		(2000.0)	P		Q		
<i>n</i>	0.25980784	ω	204.23648	+0.44751579		-0.89404019		
<i>a</i>	2.4323975	Ω	219.18789	+0.82569804		+0.42190826		
<i>e</i>	0.1800766	<i>i</i>	1.86253	+0.34344193		+0.15061725		
<i>P</i>	3.79	<i>H</i>	13.9	<i>G</i>	0.15	<i>U</i>	6	
Residuals in seconds of arc								
910913 675	0.2-	0.7+	910915 675	1.4+	0.7-	951025 411	0.4+	0.0
910913 675	0.3-	0.4+	910915 675	0.0	0.5+	951025 411	0.2-	0.0
910915 675	0.0	0.3+	951020 411	0.1-	0.2+	951027 411	0.2+	0.5-
910915 675	0.8-	1.2-	951020 411	0.0	0.6+	951027 411	0.3-	0.2-

1995 UH₅ = 1991 RO₂₀

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Nakano					
<i>M</i>	38.31111		(2000.0)	P		Q		
<i>n</i>	0.25697553	ω	288.05420	+0.89667959		+0.43715487		
<i>a</i>	2.4502376	Ω	46.09006	-0.36067885		+0.81278094		
<i>e</i>	0.1221844	<i>i</i>	5.55378	-0.25666414		+0.38507502		
<i>P</i>	3.84	<i>H</i>	13.6	<i>G</i>	0.15	<i>U</i>	7	
Residuals in seconds of arc								
910914 675	0.1+	0.3-	951016 114	1.6-	2.1-	951019 114	0.7-	0.3-
910914 675	0.1-	0.4-	951017 114	(4.0-	2.1-)	951021 399	0.4+	0.4+
910916 675	0.1-	0.3+	951017 114	0.7+	0.6+	951021 399	0.4+	0.7+
910916 675	0.0	0.4+	951018 114	0.2+	0.2+	951027 399	2.0-	1.4+
951016 114	1.6+	0.4+	951019 114	0.8+	0.1+	951027 399	0.2+	1.6-

2072 P-L = 1995 SW₃₇

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5								
			Williams					
<i>M</i>	267.78617		(2000.0)	P		Q		
<i>n</i>	0.28068078	ω	115.97475	-0.33026689		-0.94379003		
<i>a</i>	2.3102604	Ω	353.26723	+0.81932786		-0.27951523		
<i>e</i>	0.1470007	<i>i</i>	6.64710	+0.46864233		-0.17644156		
<i>P</i>	3.51	<i>H</i>	16.0	<i>G</i>	0.15	<i>U</i>	5	

M.P.C. 25969

Residuals in seconds of arc

600924	675	0.2−	1.0+	601025	675	0.5+	0.6+	950929	691	0.2+	0.2+
600926	675	0.4−	0.6−	601026	675	0.2−	0.7−	950929	691	0.2+	0.1+
600928	675	0.4−	0.2−	950924	691	0.5−	0.0	950929	691	0.1+	0.1+
600929	675	1.3+	0.4−	950924	691	0.0	0.1−				
601022	675	0.6−	0.2+	950924	691	0.0	0.3−				

2655 P-L = 1995 SR₄₉

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

						Williams			
<i>M</i>	352.05846		(2000.0)	<i>P</i>		<i>Q</i>			
<i>n</i>	0.17083011	<i>ω</i>	18.37562	+0.86809671		−0.49411770			
<i>a</i>	3.2168176	<i>Ω</i>	11.59268	+0.42063631		+0.68142998			
<i>e</i>	0.1967020	<i>i</i>	13.67123	+0.26357769		+0.53990821			
<i>P</i>	5.77	<i>H</i>	15.0	<i>G</i>	0.15	<i>U</i>	4		

Residuals in seconds of arc

600924	675	0.3−	0.5−	601026	675	0.4−	0.1+	950924	691	0.2+	0.0
600926	675	0.1−	0.4−	950918	691	0.0	0.2−	950930	691	0.2+	0.1+
600928	675	0.2+	0.5+	950918	691	0.2−	0.0	950930	691	0.3+	0.1+
601017	675	0.5+	0.4+	950918	691	1.3−	0.1+	950930	691	0.2+	0.1−
601022	675	0.2+	0.3−	950924	691	0.3+	0.2+				

2665 P-L = 1995 SM₁₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

						Williams			
<i>M</i>	19.20839		(2000.0)	<i>P</i>		<i>Q</i>			
<i>n</i>	0.25311123	<i>ω</i>	160.18385	+0.87773699		+0.47902571			
<i>a</i>	2.4751134	<i>Ω</i>	171.17190	−0.44838535		+0.82898313			
<i>e</i>	0.2579591	<i>i</i>	3.95662	−0.16890337		+0.28865437			
<i>P</i>	3.89	<i>H</i>	16.5	<i>G</i>	0.15	<i>U</i>	5		

Residuals in seconds of arc

600924	675	0.2−	0.6−	601026	675	0.2−	1.7+	950922	691	0.3+	0.0
600926	675	0.5−	1.5−	950918	691	0.2−	0.9+	950922	691	0.3+	0.0
600928	675	0.2−	0.9−	950918	691	0.2−	0.3+	950927	691	0.4−	0.4+
600929	675	1.9+	1.3−	950918	691	0.1−	0.2+	950927	691	0.6−	0.1+
601022	675	0.2−	0.8+	950922	691	0.3+	0.0	950927	691	0.1−	0.2+

2771 P-L

Id. T. Kobayashi (1995 observations)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

						Nakano			
<i>M</i>	348.20632		(2000.0)	<i>P</i>		<i>Q</i>			
<i>n</i>	0.17219894	<i>ω</i>	28.93859	+0.36939947		−0.92777172			
<i>a</i>	3.1997477	<i>Ω</i>	39.44827	+0.83580935		+0.30689569			
<i>e</i>	0.0715218	<i>i</i>	4.76319	+0.40616101		+0.21226088			
<i>P</i>	5.72	<i>H</i>	12.3	<i>G</i>	0.15	<i>U</i>	5		

Residuals in seconds of arc

600924	675	1.0+	0.3+	600929	675	0.5−	0.3−	951026	411	0.2+	0.1−
600926	675	0.3−	0.1−	601026	675	0.1+	0.0	951027	411	0.2−	0.5+
600928	675	0.3−	0.0	951026	411	0.4−	0.7−	951027	411	0.4+	0.3+

1995 NOV. 7

2806 P-L = 1995 SD₁₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Williams			
<i>M</i>	23.55879		(2000.0)	<i>P</i>		<i>Q</i>	
<i>n</i>	0.25364059	<i>ω</i>	332.62936	+0.95910876		+0.28189174	
<i>a</i>	2.4716684	<i>Ω</i>	11.08714	−0.22941612		+0.82690807	
<i>e</i>	0.1815905	<i>i</i>	7.60344	−0.16576676		+0.48658000	
<i>P</i>	3.89	<i>H</i>	17.0	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

600924	675	0.1+	0.7−	601022	675	0.0	1.2−	950917	691	0.0	0.1+
600926	675	0.0	0.3−	601026	675	0.3+	0.3+	950922	691	0.0	0.1+
600928	675	0.0	0.4+	950917	691	0.0	0.1−	950922	691	0.2−	0.2+
601017	675	0.0	0.9+	950917	691	0.1−	0.2+	950922	691	0.0	0.1+

4640 P-L = 1995 TY

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Williams			
<i>M</i>	44.69446		(2000.0)	<i>P</i>		<i>Q</i>	
<i>n</i>	0.17035963	<i>ω</i>	164.73605	+0.90321122		+0.42846830	
<i>a</i>	3.2227375	<i>Ω</i>	169.78527	−0.40706239		+0.87363435	
<i>e</i>	0.0915328	<i>i</i>	8.10040	−0.13605039		+0.23060342	
<i>P</i>	5.79	<i>H</i>	14.5	<i>G</i>	0.15	<i>U</i>	5

Residuals in seconds of arc

600924	675	0.1−	0.0	601025	675	0.8−	0.7−	951016	046	0.1−	1.3−
600926	675	0.3+	0.1+	601026	675	0.4−	0.1−	951016	046	0.3−	0.4−
600927	675	0.7+	0.7+	951015	046	0.5−	0.7+	951016	046	0.6+	0.9−
600928	675	0.6+	0.2+	951015	046	0.1−	0.9+	951017	046	0.1+	0.3+
601017	675	0.3+	0.3−	951015	046	0.6+	0.2+	951017	046	0.1−	0.5+
601022	675	0.7−	0.1−	951015	046	0.2−	0.0				

7603 P-L = 1981 KO = 1982 UN₁₀ = 1995 SC₃₀

Id. S. Nakano, H. Oishi

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Nakano			
<i>M</i>	41.27058		(2000.0)	<i>P</i>		<i>Q</i>	
<i>n</i>	0.22622430	<i>ω</i>	304.72139	+0.82922055		+0.55163467	
<i>a</i>	2.6675335	<i>Ω</i>	22.22303	−0.40264450		+0.70120736	
<i>e</i>	0.1889666	<i>i</i>	13.75972	−0.38764763		+0.45167182	
<i>P</i>	4.36	<i>H</i>	13.3	<i>G</i>	0.15	<i>U</i>	2

Residuals in seconds of arc

601017	675	0.3+	0.1+	810528	809	0.5−	1.0−	951002	358	0.2−	0.6−
601022	675	0.1−	0.3−	821024	095	1.5+	1.7−	951003	358	0.3+	1.5−
601025	675	0.3+	0.5+	950930	358	1.1−	1.7+	951003	358	0.1−	0.7+
601026	675	1.0−	0.1+	951002	358	0.4+	0.3+				

9565 P-L = 1988 SZ₃ = 1995 SV₄

Id. S. Nakano, T. Kobayashi

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

				Kobayashi			
<i>M</i>	16.19841		(2000.0)	<i>P</i>		<i>Q</i>	
<i>n</i>	0.28182351	<i>ω</i>	207.34616	+0.97083400		+0.23441374	
<i>a</i>	2.3040111	<i>Ω</i>	138.99561	−0.20356918		+0.91682080	
<i>e</i>	0.1425383	<i>i</i>	4.39805	−0.12665277		+0.32324886	
<i>P</i>	3.50	<i>H</i>	14.1	<i>G</i>	0.15	<i>U</i>	4

Residuals in seconds of arc

601017	675	0.3−	0.0	880916	095	(2.0−	6.0−)	950921	400	0.3−	0.3+
601022	675	1.0−	0.3−	880916	095	1.2+	0.9−	950921	400	1.3−	0.6−

M.P.C. 25970

601024	675	0.8+	0.2−	950920	400	0.2+	0.5+	950930	400	0.6+	0.9+
601026	675	0.5+	0.1−	950920	400	0.6−	0.1−	950930	400	0.2+	0.4+

1251 T-1 = 1995 UZ₆

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	8.77801		(2000.0)		P		Q
<i>n</i>	0.18473039	ω	37.59654	+0.88462211			−0.46549991
<i>a</i>	3.0533540	Ω	350.03372	+0.38002379			+0.75379811
<i>e</i>	0.1037090	<i>i</i>	9.12634	+0.27023255			+0.46378685
<i>P</i>	5.34	<i>H</i>	12.5	<i>G</i>	0.15		<i>U</i> 5

Residuals in seconds of arc

710324	675	2.3+	2.2−	710402	675	0.4−	0.5+	951025	905	0.2+	0.2+
710325	675	0.7+	0.1+	710416	675	0.2−	0.0	951025	905	0.4+	0.6+
710325	675	0.7−	0.5+	710416	675	1.0+	0.3−	951027	905	0.5−	0.1+
710326	675	1.4−	1.1+	710513	675	0.6−	0.1−	951027	905	0.2−	0.9−
710327	675	1.2−	0.4+	710514	675	0.5+	0.0				

4177 T-1 = 1982 SS₆ = 1995 UY₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Marsden

<i>M</i>	342.21077		(2000.0)		P		Q
<i>n</i>	0.30503274	ω	21.80019	+0.67501391			−0.73696197
<i>a</i>	2.1856054	Ω	25.78585	+0.66438539			+0.58636510
<i>e</i>	0.1295845	<i>i</i>	4.64927	+0.32085552			+0.33624845
<i>P</i>	3.23	<i>H</i>	14.5	<i>G</i>	0.15		<i>U</i> 4

Residuals in seconds of arc

710324	675	0.1+	1.0+	710416	675	1.1+	0.1−	951022	046	1.0−	0.1−
710326	675	0.7−	0.4+	710513	675	0.4+	0.4−	951026	046	0.1−	0.2−
710326	675	0.2−	0.7−	710514	675	0.0	0.7−	951026	046	0.5+	0.1+
710327	675	0.3−	1.0−	710516	675	0.9−	0.8+	951026	046	0.3+	0.1+
710402	675	0.3+	1.1+	820916	095	0.1−	0.2+	951026	046	0.2−	0.0
710416	675	0.4+	0.3−	951022	046	0.6+	0.0				

1003 T-2 = 1995 ST₂₆

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	275.53672		(2000.0)		P		Q
<i>n</i>	0.18169928	ω	263.76641	−0.53373247			−0.84561842
<i>a</i>	3.0872176	Ω	218.49478	+0.78067529			−0.48920563
<i>e</i>	0.1601084	<i>i</i>	0.70788	+0.32507807			−0.21355873
<i>P</i>	5.42	<i>H</i>	14.0	<i>G</i>	0.15		<i>U</i> 6

Residuals in seconds of arc

730919	675	0.8+	1.1+	730929	675	0.7+	0.6+	731005	675	0.5−	0.2+
730919	675	1.4−	0.6−	730929	675	0.9+	1.0−	950919	691	0.0	0.1+
730920	675	1.2−	1.6+	730930	675	0.1−	0.2+	950919	691	0.1−	0.3+
730924	675	1.1+	1.2−	730930	675	0.7−	1.1−	950919	691	0.0	0.3+
730924	675	1.2+	0.8−	731004	675	1.0+	0.7−	950930	691	0.1−	0.2−
730925	675	1.2−	0.3+	731004	675	1.1+	1.1−	950930	691	0.0	0.1−
730925	675	0.0	0.9+	731005	675	1.6−	1.3+	950930	691	0.1+	0.2−

1995 NOV. 7

1052 T-2 = 1995 SG₁₇

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	59.98451		(2000.0)		P		Q
<i>n</i>	0.17848369	ω	280.74231	+0.23139495			+0.97285973
<i>a</i>	3.1241870	Ω	2.63711	−0.88762691			+0.21136413
<i>e</i>	0.1503654	<i>i</i>	0.71599	−0.39821457			+0.09417621
<i>P</i>	5.52	<i>H</i>	14.5	<i>G</i>	0.15		<i>U</i> 6

Residuals in seconds of arc

730919	675	0.7+	1.2−	730929	675	0.2−	0.4+	731005	675	1.2+	1.7+
730919	675	1.3+	0.8−	730929	675	0.4+	0.8+	950918	691	0.0	0.4+
730920	675	0.4−	0.0	730930	675	0.1+	1.9+	950918	691	0.1−	0.6+
730924	675	0.3−	1.6−	730930	675	0.4+	0.7+	950918	691	0.3+	0.6+
730924	675	1.1−	0.2−	731004	675	0.0	1.7−	950929	691	0.1+	0.4−
730925	675	0.5−	0.6+	731004	675	0.4−	1.6−	950929	691	0.0	0.5−
730925	675	0.8−	0.4+	731005	675	0.1−	0.5+	950929	691	0.4−	0.5−

1084 T-2 = 1995 TP₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	30.57941		(2000.0)		P		Q
<i>n</i>	0.26922200	ω	101.58813	+0.81026193			+0.58588070
<i>a</i>	2.3753577	Ω	222.54895	−0.54588195			+0.74526432
<i>e</i>	0.2254695	<i>i</i>	1.25516	−0.21328033			+0.31831572
<i>P</i>	3.66	<i>H</i>	17.0	<i>G</i>	0.15		<i>U</i> 6

Residuals in seconds of arc

730920	675	0.6+	0.2−	730930	675	0.1+	1.5+	951014	327	0.3+	0.4−
730924	675	1.3+	0.6−	730930	675	0.7−	0.9+	951014	327	0.4−	0.3+
730924	675	0.0	0.8−	731004	675	0.9+	0.3−	951014	327	0.3−	0.9+
730925	675	2.3−	1.1+	731004	675	0.5+	0.0	951015	327	0.4+	0.0
730929	675	1.1+	0.7−	731005	675	0.7−	0.4−	951015	327	0.0	0.2+
730929	675	0.4−	0.9−	731005	675	0.5−	0.8+	951015	327	0.1+	1.4−

2256 T-2 = 1995 UX₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	288.39973		(2000.0)		P		Q
<i>n</i>	0.18047306	ω	330.52859	−0.28967287			−0.95708218
<i>a</i>	3.1011858	Ω	136.30801	+0.88071163			−0.27026845
<i>e</i>	0.1489590	<i>i</i>	0.75719	+0.37474879			−0.10463588
<i>P</i>	5.46	<i>H</i>	13.0	<i>G</i>	0.15		<i>U</i> 7

Residuals in seconds of arc

730919	675	0.3−	0.1+	730929	675	0.8+	0.5+	731005	675	0.6+	1.5−
730919	675	1.7−	1.0+	730929	675	0.0	1.0+	951024	587	0.4−	0.3+
730920	675	0.5−	0.3−	730930	675	0.8+	0.5+	951024	587	0.6+	1.0+
730924	675	0.7+	1.0+	730930	675	0.8+	1.0−	951026	587	0.7−	1.3−
730924	675	1.0−	0.7+	731004	675	0.9−	1.0+	951026	587	0.4+	0.2+
730925	675	1.5+	2.0−	731004	675	1.0−	0.4+				
730925	675	0.5+	1.6−	731005	675	0.3−	0.1+				

2275 T-2 = 1995 SL₃₈

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

Williams

<i>M</i>	235.30822		(2000.0)		P		Q
<i>n</i>	0.17740785	ω	328.23702	−0.78171021			−0.62361166
<i>a</i>	3.1368048	Ω	173.17275	+0.58244381			−0.73355111
<i>e</i>	0.2316475	<i>i</i>	2.95836	+0.22290883			−0.27020596
<i>P</i>	5.56	<i>H</i>	13.5	<i>G</i>	0.15		<i>U</i> 6

Residuals in seconds of arc

730919 675	0.8+	1.5-	730929 675	0.4-	0.1+	731005 675	0.1+	0.7-
730919 675	2.3-	0.3-	730929 675	1.0-	0.2+	950924 691	0.3+	0.3+
730920 675	1.1+	0.8-	730930 675	0.2+	0.9-	950924 691	0.0	0.4+
730924 675	1.2-	1.9+	730930 675	0.2-	0.0	950924 691	0.1-	0.2+
730924 675	0.3-	0.9+	731004 675	0.4+	0.2+	950929 691	0.1+	0.4-
730925 675	1.5+	0.4+	731004 675	1.1+	2.0+	950929 691	0.0	0.4-
730925 675	1.9+	0.8-	731005 675	1.5-	0.9-	950929 691	0.3-	0.1-

3160 T-2 = 1993 FQ₁₈Id. K. Ichikawa (*MPC* 24404)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Williams					
<i>M</i>			(2000.0)			<i>P</i>		
						<i>Q</i>		
<i>n</i>	0.17799936	ω	216.79585	+0.94685271	-0.31596653			
<i>a</i>	3.1298516	Ω	161.34626	+0.32125816	+0.91943569			
<i>e</i>	0.1009969	<i>i</i>	10.86535	+0.01622182	+0.23410075			
<i>P</i>	5.54	<i>H</i>	13.5	<i>G</i>	0.15	<i>U</i>	1	

Residuals in seconds of arc

730919 675	1.4+	0.4+	730930 675	0.9-	1.3-	930323 809	0.2+	0.7-
730919 675	0.2-	1.0-	731004 675	0.1+	1.4+	950921 691	0.2+	0.3+
730920 675	0.1+	0.6-	731004 675	0.7-	0.5+	950921 691	0.1-	0.4+
730924 675	0.5-	0.1-	731005 675	0.8+	0.6+	950921 691	0.2-	0.2+
730924 675	0.4-	0.8-	731005 675	0.0	0.0	950925 691	0.4-	0.5+
730925 675	0.4+	1.8-	920128 691	0.1-	0.4+	950925 691	0.2-	0.3+
730925 675	0.9+	1.5-	920128 691	0.1+	0.3+	950925 691	0.1+	0.0
730929 675	0.6-	0.4-	920128 691	0.1+	0.0	951001 691	0.0	1.0+
730929 675	0.1+	1.2+	930317 809	0.7-	0.8-	951001 691	0.0	0.5+
730930 675	0.4+	1.2-	930318 809	0.0	0.4-	951001 691	0.2-	0.7+

3198 T-2 = 1995 SV₂₄

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Williams					
<i>M</i>			(2000.0)			<i>P</i>		
						<i>Q</i>		
<i>n</i>	0.18037497	ω	69.74904	-0.24892314	-0.96689688			
<i>a</i>	3.1023100	Ω	34.81817	+0.84789848	-0.24555149			
<i>e</i>	0.1537052	<i>i</i>	5.63902	+0.46808701	-0.06938939			
<i>P</i>	5.46	<i>H</i>	14.0	<i>G</i>	0.15	<i>U</i>	6	

Residuals in seconds of arc

730919 675	0.7+	2.2+	730929 675	0.3-	0.2-	950919 691	0.0	0.5-
730919 675	1.3+	0.5+	730930 675	0.9-	0.3-	950919 691	0.2+	0.4-
730920 675	0.2+	0.2-	730930 675	1.6-	0.8-	950925 691	0.3-	0.1-
730924 675	1.5-	0.3+	731004 675	2.1+	1.0-	950925 691	0.3-	0.1-
730924 675	1.3-	0.0	731004 675	0.5+	1.0-	950925 691	0.1+	0.1-
730925 675	1.1-	0.6-	731005 675	0.7-	1.3+	950930 691	0.2+	0.6+
730925 675	1.9+	0.3-	731005 675	0.6+	0.5+	950930 691	0.1+	0.6+
730929 675	0.2+	0.5-	950919 691	0.0	0.5-	950930 691	0.0	0.6+

5187 T-2 = 1989 ER₂ = 1990 EMId. H. Kaneda (*MPC* 16883)

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Williams					
<i>M</i>			(2000.0)			<i>P</i>		
						<i>Q</i>		
<i>n</i>	0.08493214	ω	232.53222	-0.37781594	-0.91675080			
<i>a</i>	5.1257178	Ω	240.14612	+0.88968430	-0.32067911			
<i>e</i>	0.0306105	<i>i</i>	8.60081	+0.25635318	-0.23818664			
<i>P</i>	11.60	<i>H</i>	11.5	<i>G</i>	0.15	<i>U</i>	2	

Residuals in seconds of arc

730924 675	1.9+	0.9-	890302 809	1.0+	1.4+	900302 809	0.7-	2.2-
730924 675	2.4+	1.6-	890302 809	0.2+	0.2+	900304 809	(2.2-	2.7-)
730925 675	1.0-	1.1-	890302 809	0.7-	0.1+	900304 809	(3.3-	3.0-)
730925 675	1.0-	0.1+	890303 809	1.2+	1.1+	900304 809	(2.3-	3.4-)
730929 675	0.9+	1.0-	890303 809	0.2+	1.7+	951017 608	1.0-	1.6+
730929 675	0.8-	0.1-	890303 809	0.0	1.3+	951017 608	0.8-	1.6+
730930 675	0.1-	0.5-	900302 809	(0.5-	3.3-)	951018 608	0.1-	1.4+
730930 675	0.4-	0.8-	900302 809	1.0-	2.4-	951018 608	0.4-	1.6+

2164 T-3 = 1995 SF₂

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Williams					
<i>M</i>			(2000.0)			<i>P</i>		
						<i>Q</i>		
<i>n</i>	0.21712988	ω	225.38845	+0.22857780	-0.97096724			
<i>a</i>	2.7415088	Ω	211.59792	+0.92697354	+0.23921155			
<i>e</i>	0.1791836	<i>i</i>	7.73637	+0.29744284	+0.00066829			
<i>P</i>	4.54	<i>H</i>	14.5	<i>G</i>	0.15	<i>U</i>	5	

Residuals in seconds of arc

771007 675	1.7+	0.8-	771017 675	0.7-	0.3+	950929 552	0.6+	0.6+
771011 675	0.7+	0.0	771017 675	0.1-	0.7+	951018 552	0.3-	0.0
771011 675	0.8+	0.2+	950923 552	0.2-	0.8-	951018 552	0.9+	1.6-
771012 675	0.5-	2.1+	950923 552	0.5-	0.3+	951018 552	0.5+	0.2-
771012 675	0.4-	0.7+	950926 552	0.1-	0.1+	951019 552	0.1-	0.8+
771016 675	1.2-	2.1-	950926 552	0.6-	0.7-	951019 552	0.6-	0.4+
771016 675	0.3-	1.1-	950929 552	0.3+	1.0+			

2174 T-3 = 1995 UN

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Williams					
<i>M</i>			(2000.0)			<i>P</i>		
						<i>Q</i>		
<i>n</i>	0.21947363	ω	84.89168	-0.09260344	-0.99484546			
<i>a</i>	2.7219563	Ω	10.68889	+0.80231154	-0.09912778			
<i>e</i>	0.1606403	<i>i</i>	12.87137	+0.58967855	-0.02135866			
<i>P</i>	4.49	<i>H</i>	14.0	<i>G</i>	0.15	<i>U</i>	5	

Residuals in seconds of arc

771007 675	0.4+	0.2-	771017 675	0.9-	0.9+	951018 587	0.5-	0.1+
771011 675	0.2-	0.6+	771017 675	0.6-	0.1+	951019 587	0.5+	0.3-
771011 675	0.0	0.1+	771021 675	1.3+	0.3-	951019 587	0.7+	0.6+
771012 675	0.8-	0.5+	771021 675	0.6+	1.2-	951020 587	1.3+	0.3-
771012 675	0.5+	0.4-	771022 675	0.5+	0.9+	951020 587	0.3+	0.6+
771016 675	0.5-	1.0-	771022 675	1.1-	1.9+	951023 587	1.7-	0.8-
771016 675	0.7+	1.8-	951018 587	0.3-	1.3+	951023 587	0.3-	1.2-

2191 T-3 = 1995 SV₁₁

Epoch 1995 Oct. 10.0 TT = JDT 2450000.5

			Williams					
<i>M</i>			(2000.0)			<i>P</i>		
						<i>Q</i>		
<i>n</i>	0.21584239	ω	114.89061	-0.13818905	-0.99020266			
<i>a</i>	2.7524000	Ω	343.01626	+0.88209744	-0.11384108			
<i>e</i>	0.1084198	<i>i</i>	3.93830	+0.45034198	-0.08086352			
<i>P</i>	4.57	<i>H</i>	15.5	<i>G</i>	0.15	<i>U</i>	6	

Residuals in seconds of arc

771007 675	0.0	1.2-	771016 675	0.2-	1.9-	950918 691	0.1-	0.1+
771011 675	1.2+	0.8-	771016 675	0.9+	1.7-	950918 691	0.0	0.2+
771011 675	0.1-	0.5+	771017 675	0.7+	1.9+	950922 691	0.3-	0.4-
771012 675	1.1-	0.9+	771017 675	0.8-	0.4+	950922 691	0.2+	0.2-
771012 675	0.6-	1.8+	950918 691	0.2-	0.2+	950922 691	0.4+	0.0

Object	<i>H</i>	Epoch	<i>M</i>	ω	Ω	<i>i</i>	<i>e</i>	<i>a</i>	Obs.	Opp.	& Arc	rms	Perts	<i>U</i>	Computer	<i>MPC</i>	Object
1934 RB	12.5	951010	93.47534	129.49293	163.66240	5.98901	0.1858746	2.2447864	30	5	1934–1995	0.66	M-v	2	Williams	25733	1934 RB
1953 GN	14.0	951010	183.72947	38.29794	165.37003	5.80890	0.1311148	2.2592218	23	4	1953–1995	0.65	M-v	2	Williams	23787	1953 GN
1955 UN ₁	13.5	951010	53.58631	328.15365	21.06867	10.84015	0.2621134	2.3526236	12	3	1955–1995	0.69	M-v	4	Williams	22072	1955 UN ₁
1968 OH	13.5	951010	27.90837	56.47910	267.46342	11.34276	0.1686090	2.7078177	25	4	1968–1995	0.75	M-v	3	Williams	25733	1968 OH
1969 UP ₁	14.0	951010	297.66373	60.90086	39.95010	5.52700	0.0336081	2.1894648	21	5	1969–1995	0.82	M-v	2	Williams	21963	1969 UP ₁
1970 WD	13.5	951010	35.80074	125.69843	257.28279	7.31548	0.1221927	2.3215988	27	6	1949–1995	0.77	M-v	1	Williams	25438	1970 WD
1972 RU ₃	14.0	951010	26.70343	301.95763	42.46956	4.78096	0.1452068	2.2048210	22	5	1971–1995	0.98	M-v	2	Williams	23534	1972 RU ₃
1973 ST ₃	14.5	951010	354.02552	50.42646	359.17002	5.90292	0.2310711	2.3630940	30	5	1953–1995	0.88	M-v	2	Williams	22491	1973 ST ₃
1973 UR ₅	15.0	951010	347.16226	15.11176	30.09932	2.82639	0.1955753	2.3753115	17	3	1973–1995	0.66	M-v	4	Williams	21963	1973 UR ₅
1975 SB ₁	13.0	951010	126.09955	60.80725	32.94195	9.60284	0.0463111	3.1694547	17	2	1975–1995	0.85	M-v	5	Williams	25635	1975 SB ₁
1975 YD	13.0	951010	331.02991	205.11615	218.07881	12.27510	0.2555283	2.5626797	40	4	1975–1995	0.83	M-v	3	Williams	22072	1975 YD
1976 DJ ₁	12.0	951010	108.13108	95.99426	114.02726	5.97635	0.1361733	3.9840440	21	5	1976–1995	0.71	M-v	1	Williams	23868	1976 DJ ₁
1976 GQ ₂	11.5	951010	295.15855	71.22222	34.87008	14.59080	0.0946173	3.0881394	10	4	1973–1995	0.50	M-v	2	Williams	25210	1976 GQ ₂
1977 OX	15.0	951010	6.46337	226.22657	101.20513	16.22182	0.4970402	3.3361355	27	3	1977–1995	0.67	M-v	2	Williams	25733	1977 OX
1977 UM ₄	13.5	951010	356.38709	314.36137	20.09918	2.57226	0.2214473	2.3811823	17	3	1977–1995	0.71	M-v	4	Williams	25060	1977 UM ₄
1978 EU ₉	12.0	951010	137.35472	77.37171	157.22379	2.43482	0.0050481	2.9042875	17	4	1978–1995	0.63	M-v	3	Williams	25733	1978 EU ₉
1978 PX ₃	15.0	951010	46.46886	30.86865	309.62752	5.30490	0.2184013	2.2292222	9	4	1955–1995	0.73	M-v	4	Williams	24383	1978 PX ₃
1978 QG ₂	14.0	951010	93.90443	92.01508	189.35303	3.72297	0.1742697	2.2323259	45	4	1978–1995	0.81	M-v	1	Williams	23682	1978 QG ₂
1978 SB ₈	14.5	951010	357.24157	354.15980	14.85926	5.35533	0.1775284	2.2682061	21	3	1977–1995	0.66	M-v	3	Williams	25728	1978 SB ₈
1978 UF ₆	14.0	951010	73.64152	280.29381	3.49130	6.48870	0.1324311	2.2670503	19	4	1954–1995	0.60	M-v	2	Williams	25536	1978 UF ₆
1978 VX ₃	14.5	951010	192.75055	303.77812	253.60303	3.63445	0.1865740	2.6783115	22	5	1971–1995	0.73	M-v	2	Williams	22073	1978 VX ₃
1978 VC ₆	14.5	951010	35.03057	89.74191	243.91955	9.56156	0.3370516	2.6369508	17	4	1978–1995	0.56	M-v	3	Williams	22073	1978 VC ₆
1978 VG ₁₁	14.5	951010	5.65516	311.18303	64.34322	6.75866	0.2189807	2.6474547	17	3	1978–1995	0.82	M-v	4	Williams	21965	1978 VG ₁₁
1979 HH	12.5	951010	83.94452	150.07213	141.35138	2.77119	0.0331262	2.8457729	13	6	1971–1995	0.59	M-v	1	Williams	25060	1979 HH
1979 QC ₂	12.5	951010	349.38147	255.51848	161.26157	2.37501	0.1029197	2.9479172	28	7	1955–1995	0.69	M-v	1	Williams	25647	1979 QC ₂
1980 FN ₁	14.5	951010	350.26039	312.34322	80.25959	0.53701	0.0204222	2.2592652	38	7	1951–1995	0.66	M-v	2	Williams	25536	1980 FN ₁
1980 FZ ₃	14.0	951010	299.03267	86.29635	350.31411	7.55414	0.1742087	2.2506885	37	5	1980–1995	0.52	M-v	1	Williams	25647	1980 FZ ₃
1980 KD	11.5	951010	278.69514	65.79249	135.38332	8.79229	0.2026428	3.2049734	51	6	1954–1995	0.63	M-v	1	Williams	25536	1980 KD
1980 KM	13.5	951010	101.17630	46.13751	228.56927	5.74229	0.1015424	2.7537533	48	5	1980–1995	0.69	M-v	2	Williams	23787	1980 KM
1980 PZ	13.5	951010	358.60035	353.31321	322.96888	10.08197	0.1907967	2.4441971	34	4	1980–1995	0.97	M-v	2	Williams	25078	1980 PZ
1980 TA ₄	13.5	951010	287.49769	87.26976	18.13308	6.30800	0.0504373	2.3965778	15	4	1954–1995	0.65	M-v	4	Williams	22482	1980 TA ₄
1981 EH ₁	12.0	951010	238.59570	355.98189	152.63447	6.91020	0.1710082	3.1236964	49	4	1981–1995	0.54	M-v	1	Williams	25647	1981 EH ₁
1981 EW ₂	14.5	951010	69.41961	299.16385	320.15382	13.16403	0.1122045	2.6451661	28	2	1981–1995	0.78	M-v	4	Williams	25728	1981 EW ₂
1981 EP ₆	14.0	951010	202.73547	217.96317	335.05967	17.18918	0.1239937	3.1707524	25	3	1981–1994	0.98	M-v	3	Williams	25647	1981 EP ₆
1981 EF ₈	13.5	951010	299.96963	211.69618	214.44454	7.43844	0.1594510	3.1706198	34	2	1981–1995	0.77	M-v	4	Williams	25728	1981 EF ₈
1981 ER ₁₇	13.0	951010	354.93875	191.67895	207.93621	4.82106	0.1664932	3.1108724	30	4	1978–1995	0.97	M-v	2	Williams	21967	1981 ER ₁₇
1981 EF ₂₁	16.0	951010	191.29165	13.57282	169.73788	9.31644	0.0979014	2.5635486	15	3	1981–1995	0.84	M-v	4	Williams	22429	1981 EF ₂₁
1981 ER ₂₁	13.5	951010	337.26940	220.53190	156.00118	5.70695	0.1253003	3.2304926	28	6	1981–1995	1.02	M-v	2	Williams	21967	1981 ER ₂₁
1981 ED ₂₂	15.5	951010	127.57650	41.64994	174.83268	2.32945	0.0689287	2.6106409	23	4	1981–1995	0.86	M-v	2	Williams	23535	1981 ED ₂₂
1981 EC ₂₅	14.5	951010	45.04220	331.22963	7.53504	3.70108	0.1745436	2.1719253	27	6	1955–1995	0.83	M-v	2	Williams	22492	1981 EC ₂₅
1981 EZ ₂₅	12.0	951010	339.42604	32.32799	354.65943	20.51282	0.1951794	3.1966753	32	4	1955–1995	0.84	M-v	2	Williams	25647	1981 EZ ₂₅
1981 EF ₂₆	12.5	951010	229.22110	317.77258	175.04484	6.94568	0.1021441	3.2133924	38	6	1981–1995	0.74	M-v	1	Williams	22271	1981 EF ₂₆
1981 EZ ₃₃	14.0	951010	325.32404	156.43759	262.33147	4.02855	0.1336113	3.1458120	15	4	1978–1995	0.89	M-v	2	Williams	25728	1981 EZ ₃₃
1981 SY ₁	13.5	951010	98.69716	332.83670	319.58717	3.75995	0.1533687	2.2603933	46	5	1981–1995	0.91	M-v	2	Williams	23682	1981 SY ₁
1981 TJ	13.5	951010	10.90269	126.31838	231.65485	4.33846	0.1062322	2.7936199	33	4	1981–1995	0.89	M-v	2	Williams	25734	1981 TJ
1981 UA	15.5	951010	337.10005	21.43108	17.61625	26.99136	0.3297389	2.3285087	15	3	1981–1995	0.80	M-v	3	Williams	15706	1981 UA
1981 UU ₁₁	13.0	951010	332.03534	217.02178	199.26542	8.73925	0.1322371	2.8071917	15	3	1981–1995	0.53	M-v	4	Williams	22075	1981 UU ₁₁
1981 VL	14.0	951010	342.14056	4.59541	24.37692	3.76227	0.1559720	2.3262978	16	3	1981–1995	0.97	M-v	4	Williams	25728	1981 VL
1982 CE	14.5	951010	287.10587	15.24618	158.70659	3.38324	0.1251471	2.3255688	17	4	1954–1995	1.05	M-v	4	Williams	25636	1982 CE
1982 FX ₃	12.0	951010	101.87157	226.31554	12.46207	5.36064	0.1138025	3.1690703	27	4	1951–1995	0.63	M-v	1	Williams	22588	1982 FX ₃
1982 UT ₅	14.0	951010	295.42796	202.94022	224.27389	3.38308	0.0904668	2.2251286	29	6	1972–1995	0.87	M-v	2	Williams	25647	1982 UT ₅

1982 UY ₆	13.5	951010	61.10859	297.01879	33.90765	6.61533	0.2505655	2.6336354	12	5	1969–1995	0.89	M-v	2	Williams	21969	1982 UY ₆
1983 TE ₁	13.0	951010	27.09479	174.42750	210.23068	5.84415	0.1517041	2.4737709	38	5	1979–1995	0.86	M-v	3	Williams	25734	1983 TE ₁
1984 DN	13.0	951010	299.88736	2.67005	151.95121	7.53477	0.2165249	2.5550702	84	4	1984–1995	0.45	M-v	3	Williams	22076	1984 DN
1984 DX	14.0	951010	338.72452	291.15501	144.35850	3.91549	0.2450828	2.5765010	51	5	1951–1995	0.87	M-v	2	Williams	25225	1984 DX
1984 YN ₁	14.0	951010	329.01069	359.08854	26.37514	3.11532	0.1885991	2.4567954	13	4	1980–1995	0.77	M-v	2	Williams	25636	1984 YN ₁
1985 CJ ₁	13.5	951010	329.38910	53.78169	59.33390	3.90193	0.1256122	2.4158428	37	7	1950–1995	1.05	M-v	1	Williams	24581	1985 CJ ₁
1985 GK	13.0	951010	178.80303	318.17217	203.50980	12.44756	0.1137608	2.6782865	22	4	1985–1995	0.57	M-v	2	Williams	23788	1985 GK
1985 HL	14.0	951010	214.43092	14.67065	172.81159	6.87921	0.2513185	2.5597884	23	5	1985–1995	0.70	M-v	2	Marsden	23990	1985 HL
1985 RP ₄	15.0	951010	243.79860	206.65851	137.19511	3.74796	0.2467056	2.4180085	24	2	1985–1995	0.63	M-v	4	Williams	25637	1985 RP ₄
1986 ED	13.5	951010	197.25876	173.08545	45.13870	3.75880	0.2011120	2.3662072	17	4	1986–1995	1.01	M-v	4	Williams	25729	1986 ED
1986 EZ ₄	13.5	951010	281.59331	128.67979	4.09772	0.84807	0.1851793	2.3250440	36	6	1954–1995	0.87	M-v	2	Williams	24581	1986 EZ ₄
1986 PF	12.0	951010	61.25090	68.23104	245.79577	5.53649	0.0518180	2.6399258	26	5	1978–1995	0.76	M-v	1	Williams	23868	1986 PF
1986 PD ₁	13.0	951010	2.57898	267.15245	139.49547	15.74009	0.2046547	2.6068737	45	4	1986–1995	0.90	M-v	2	Williams	22683	1986 PD ₁
1986 RC ₁	13.0	951010	68.32614	295.12215	5.32140	1.74259	0.1897869	2.6783467	14	6	1982–1995	0.61	M-v	2	Williams	25079	1986 RC ₁
1986 SZ ₁	11.0	951010	333.91736	197.95757	257.11672	12.58205	0.1514520	2.5797745	20	6	1941–1995	0.93	M-v	2	Williams	24117	1986 SZ ₁
1986 TR ₂	13.0	951010	319.42014	347.88641	66.96416	9.82479	0.2426835	2.7761547	17	4	1986–1995	0.65	M-v	2	Williams	25648	1986 TR ₂
1987 HM ₁	12.0	951010	104.21709	248.16804	35.59070	11.57930	0.0693975	3.2250948	30	6	1981–1995	0.65	M-v	1	Williams	25734	1987 HM ₁
1987 QW ₇	14.0	951010	10.69753	143.82516	225.81017	2.02398	0.1851366	2.4375513	39	4	1980–1995	1.00	M-v	2	Williams	22078	1987 QW ₇
1987 SL ₁	13.5	951010	1.50740	53.25829	359.24567	2.48049	0.1669119	2.4406103	35	5	1976–1995	0.80	M-v	1	Williams	23536	1987 SL ₁
1987 SQ ₁₀	13.5	951010	142.48952	15.59254	125.57337	5.23854	0.0469663	2.7570465	29	5	1980–1995	1.04	M-v	2	Williams	23971	1987 SQ ₁₀
1987 VB ₁	15.0	951010	341.85400	15.27796	18.16907	5.64752	0.2685548	2.5649395	24	4	1954–1995	0.58	M-v	2	Williams	25734	1987 VB ₁
1987 WO ₁	13.0	951010	348.34991	158.31579	234.60624	6.64613	0.0364585	2.5743382	19	4	1987–1995	0.87	M-v	4	Williams	21937	1987 WO ₁
1987 WS ₃	12.5	951010	336.60408	163.77710	243.80720	13.52037	0.2411985	2.5707216	22	4	1987–1995	0.80	M-v	3	Williams	25648	1987 WS ₃
1987 YK	13.0	951010	34.18661	299.36429	66.20991	4.89087	0.2038355	2.5803671	22	7	1952–1995	0.98	M-v	2	Williams	25079	1987 YK
1988 AO ₁	13.5	951010	310.72278	6.28460	91.25642	6.06186	0.0957054	2.6282864	31	6	1950–1995	0.76	M-v	2	Williams	23788	1988 AO ₁
1988 AW ₁	12.5	951010	59.91985	37.88832	311.86563	12.75235	0.1441482	2.5986981	39	5	1986–1995	0.96	M-v	2	Williams	24239	1988 AW ₁
1988 BP ₃	12.5	951010	115.72282	127.94486	161.49375	7.75764	0.1323300	2.6997127	40	5	1988–1995	0.58	M-v	1	Williams	23991	1988 BP ₃
1988 CH	13.5	951010	351.87060	275.42516	166.64828	4.95740	0.2305943	2.5590205	33	5	1978–1995	0.88	M-v	2	Williams	22272	1988 CH
1988 CJ	12.5	951010	168.10296	312.59486	267.28655	3.13286	0.0428120	2.7587225	24	5	1986–1995	0.86	M-v	2	Williams	23536	1988 CJ
1988 CA ₁	15.0	951010	101.81662	58.03360	131.81516	4.88868	0.0582868	2.1807949	27	4	1980–1995	0.87	M-v	2	Williams	25439	1988 CA ₁
1988 DF ₂	13.5	951010	304.78960	93.40672	350.96252	2.95835	0.0660989	2.6781824	22	4	1971–1995	0.69	M-v	1	Williams	24117	1988 DF ₂
1988 RK ₅	14.0	951010	114.62063	84.56585	178.92937	1.64142	0.1149840	2.2220728	30	5	1985–1995	0.64	M-v	2	Williams	23683	1988 RK ₅
1988 RF ₉	15.0	951010	108.47914	148.09821	97.81822	2.52045	0.1666974	2.2501393	30	6	1950–1995	0.81	M-v	2	Williams	23536	1988 RF ₉
1988 TJ	14.0	951010	338.00491	40.41004	354.54247	5.69587	0.1415356	2.3242841	16	2	1988–1995	1.02	M-v	5	Williams	25729	1988 TJ
1988 TC ₁	13.5	951010	332.27216	42.90073	12.44092	4.50768	0.1431582	2.3081788	42	4	1981–1995	0.71	M-v	3	Williams	25734	1988 TC ₁
1988 VD ₃	14.0	951010	336.64249	41.82787	340.38432	1.80575	0.2162739	2.3832669	18	4	1953–1995	0.54	M-v	1	Williams	25648	1988 VD ₃
1988 VZ ₃	14.0	951010	352.31613	150.52054	272.70150	6.18245	0.1785555	2.2867735	27	6	1950–1995	0.84	M-v	2	Williams	22599	1988 VZ ₃
1989 AC ₂	14.5	951010	310.93596	211.84129	249.38037	0.39151	0.1624214	2.3716840	16	3	1989–1995	1.00	M-v	5	Williams	20634	1989 AC ₂
1989 AA ₅	13.0	951010	86.87697	193.47508	116.09479	12.09733	0.1819919	2.4455201	15	4	1979–1995	0.63	M-v	2	Williams	23670	1989 AA ₅
1989 BA	13.0	951010	296.02377	140.21959	342.90645	23.90088	0.2806624	2.3807466	22	4	1975–1995	0.70	M-v	3	Williams	22401	1989 BA
1989 GM	12.5	951010	139.08306	140.31109	115.89828	17.83564	0.1603464	2.6621496	22	5	1989–1995	0.69	M-v	1	Williams	23868	1989 GM
1989 GF ₄	12.5	951010	57.54622	81.37103	218.37139	6.58739	0.2200975	2.8012014	31	5	1981–1995	0.61	M-v	1	Williams	23684	1989 GF ₄
1989 GF ₈	14.0	951010	232.92721	82.64063	72.31071	4.69548	0.1594139	2.5766792	23	6	1954–1995	0.94	M-v	2	Williams	22493	1989 GF ₈
1989 HG	13.0	951010	241.13983	345.38897	191.68552	14.73039	0.1210180	2.5641293	24	4	1989–1995	0.76	M-v	2	Williams	24118	1989 HG
1989 UQ	19.0	951010	138.05293	14.62094	178.75112	1.28113	0.2649097	0.9152315	27	3	1954–1995	0.96	M-v	4	Williams	24761	1989 UQ
1989 UV ₁	13.5	951010	52.22417	318.86184	20.58239	0.74274	0.2181529	3.1143743	25	3	1989–1995	0.74	M-v	4	Williams	23973	1989 UV ₁
1989 VC ₂	12.0	951010	6.27135	349.76297	18.49965	6.40088	0.1358937	3.3507326	29	4	1983–1995	0.81	M-v	3	Williams	25649	1989 VC ₂
1989 WQ ₁	15.0	951010	236.19604	41.45582	69.21215	15.90257	0.1268185	1.6541231	39	4	1978–1995	0.73	M-v	3	Williams	25538	1989 WQ ₁
1990 DM ₁	14.0	951010	234.29254	199.45587	314.50828	1.85119	0.1082308	2.2557984	33	4	1973–1995	0.57	M-v	2	Williams	25734	1990 DM ₁
1990 DS ₁	14.0	951010	129.28640	320.37116	265.16808	0.96349	0.1213551	2.3993458	29	4	1979–1995	0.62	M-v	2	Williams	25734	1990 DS ₁
1990 EM ₁	14.5	951010	21.75806	92.30234	234.39381	5.38778	0.1558408	2.4307483	35	2	1990–1995	0.51	M-v	4	Williams	25729	1990 EM ₁
1990 FL	13.5	951010	165.66894	46.36953	162.01543	24.20244	0.1884055	2.3861561	23	3	1990–1995	0.84	M-v	3	Williams	25734	1990 FL

1990 HH ₁	13.0	951010	56.52302	111.90680	162.02811	12.75245	0.1759257	2.6545149	25	2	1990–1995	0.62	M-v	4	Williams	25729	1990 HH ₁
1990 KM	13.0	951010	170.85905	46.40616	210.01482	19.45479	0.0789980	2.3441043	27	4	1972–1995	0.66	M-v	2	Williams	24118	1990 KM
1990 MC	13.0	951010	8.97994	113.48364	194.24099	13.60218	0.3197560	2.8805051	17	3	1989–1995	0.55	M-v	2	Williams	25734	1990 MC
1990 OE ₂	12.5	951010	69.54885	232.72354	117.94421	14.56314	0.1362817	2.5547988	44	8	1980–1995	0.71	M-v	1	Williams	24240	1990 OE ₂
1990 QS ₁	13.0	951010	199.34536	204.28739	2.26833	3.46273	0.0060844	2.6702535	44	5	1977–1995	0.75	M-v	2	Williams	23537	1990 QS ₁
1990 QZ ₄	12.0	951010	310.49066	235.11519	138.20806	15.19851	0.1956188	3.1386186	19	3	1990–1995	0.54	M-v	2	Williams	25638	1990 QZ ₄
1990 QU ₇	13.5	951010	270.14303	310.02627	148.07970	2.38045	0.1868229	2.9085257	23	2	1990–1995	0.52	M-v	6	Williams	25729	1990 QU ₇
1990 RK ₇	14.0	951010	280.77883	357.02875	105.35312	2.08585	0.1343208	2.8350147	21	5	1952–1995	0.93	M-v	2	Williams	22813	1990 RK ₇
1990 SB ₁	12.5	951010	250.65094	208.86450	346.74392	12.71134	0.1083045	2.5804691	21	4	1955–1995	0.82	M-v	2	Williams	25080	1990 SB ₁
1990 SU ₁₀	12.5	951010	339.75195	126.62347	288.68042	3.28658	0.0611980	2.7899961	27	7	1981–1995	0.75	M-v	1	Williams	24118	1990 SU ₁₀
1990 TF	13.0	951010	36.72522	41.38806	333.37458	12.72873	0.1937327	2.6889278	29	4	1968–1995	0.90	M-v	2	Williams	22431	1990 TF
1990 TU	12.5	951010	344.81000	174.96965	209.46243	12.32401	0.1366837	3.0013741	23	5	1985–1995	0.71	M-v	2	Williams	25734	1990 TU
1990 TK ₈	12.5	951010	164.30012	172.01086	42.99728	10.83683	0.0676975	3.0233286	14	3	1990–1995	0.55	M-v	4	Williams	22494	1990 TK ₈
1990 TU ₁₀	13.0	951010	53.00118	98.39844	233.90643	6.35790	0.2374883	2.8095779	22	5	1971–1995	0.84	M-v	1	Williams	23789	1990 TU ₁₀
1990 TR ₁₂	12.5	951010	64.36264	83.91663	240.46161	9.47792	0.0986870	2.9892452	33	4	1985–1995	0.80	M-v	3	Williams	24118	1990 TR ₁₂
1990 TT ₁₂	12.5	951010	83.44803	322.13048	1.12987	1.55715	0.0614881	2.9139748	27	5	1954–1995	0.64	M-v	1	Williams	24240	1990 TT ₁₂
1990 UL ₁₁	12.5	951010	37.84304	314.99490	76.72232	3.22744	0.0807508	2.7586163	24	4	1990–1995	0.74	M-v	1	Williams	25649	1990 UL ₁₁
1990 UN ₁₃	12.0	951010	38.82255	324.01766	62.54896	5.11461	0.1135098	2.7934444	16	5	1962–1995	0.67	M-v	2	Williams	23975	1990 UN ₁₃
1990 VP ₂	12.0	951010	311.76011	13.05173	50.62878	14.86538	0.1466412	3.0949894	25	5	1941–1995	0.89	M-v	2	Williams	22083	1990 VP ₂
1990 VY ₆	12.5	951010	42.22755	272.44879	56.29987	17.03821	0.2103147	2.9306001	39	6	1980–1995	0.87	M-v	1	Williams	23789	1990 VY ₆
1990 VA ₇	11.0	951010	210.42534	123.66339	46.56050	20.09552	0.1023302	3.1840968	22	8	1967–1995	0.83	M-v	1	Williams	22083	1990 VA ₇
1991 AN ₂	12.5	951010	157.27841	173.25423	147.34712	17.72922	0.1786663	2.5587641	16	3	1991–1995	0.55	M-v	3	Williams	25649	1991 AN ₂
1991 BB	16.0	951010	126.00770	322.80844	295.04890	38.48317	0.2724676	1.1862837	77	3	1991–1995	0.68	M-v	2	Williams	25440	1991 BB
1991 CL ₃	11.5	951010	333.60763	77.87966	23.64290	17.76059	0.1445822	3.1954661	21	7	1954–1995	0.83	M-v	1	Williams	25440	1991 CL ₃
1991 CX ₅	12.0	951010	316.66088	21.79020	104.44079	9.59796	0.1518605	3.0521035	22	6	1959–1995	0.70	M-v	1	Williams	21942	1991 CX ₅
1991 DS	12.0	951010	326.62257	4.63542	116.80332	2.33652	0.1301906	3.1403663	18	5	1978–1995	0.72	M-v	1	Williams	25440	1991 DS
1991 LF ₁	14.5	951010	10.07444	268.43891	88.26114	4.53675	0.1722953	2.2709007	19	3	1991–1995	0.56	M-v	3	Williams	25734	1991 LF ₁
1991 NS ₁	14.0	951010	46.42513	126.55536	173.15908	6.62780	0.1744785	2.4322221	28	3	1991–1995	0.68	M-v	3	Williams	23349	1991 NS ₁
1991 NB ₄	14.0	951010	311.82147	157.27199	271.36304	3.72774	0.0893811	2.2856196	20	3	1991–1995	0.64	M-v	5	Williams	21578	1991 NB ₄
1991 OM ₁	13.5	951010	72.87019	333.18895	295.87683	1.53733	0.2021679	2.3914786	21	4	1969–1995	0.59	M-v	1	Williams	25639	1991 OM ₁
1991 PS	13.5	951010	336.80190	146.30592	277.94362	4.30338	0.0941836	2.2870493	41	4	1986–1995	0.80	M-v	1	Williams	23790	1991 PS
1991 PT ₁	14.5	951010	140.40870	38.04987	191.41968	3.33594	0.1453273	2.3100911	26	3	1987–1995	0.84	M-v	3	Williams	20821	1991 PT ₁
1991 PJ ₃	14.5	951010	289.66057	107.43636	349.68492	4.79949	0.0977719	2.3120599	25	5	1981–1995	0.89	M-v	2	Williams	21794	1991 PJ ₃
1991 PC ₆	15.0	951010	340.29570	278.89932	125.86995	7.43779	0.1268713	2.3745019	23	4	1982–1995	0.90	M-v	1	Williams	22083	1991 PC ₆
1991 PT ₁₀	15.0	951010	2.25316	68.62101	282.22475	3.09322	0.2631803	2.5410593	15	3	1987–1995	0.63	M-v	3	Williams	25649	1991 PT ₁₀
1991 PY ₁₄	13.0	951010	313.81307	76.27403	304.27547	10.06091	0.1786480	2.6321763	24	4	1987–1995	0.66	M-v	2	Williams	25649	1991 PY ₁₄
1991 PH ₁₅	14.0	951010	95.24740	99.34204	176.17815	0.68396	0.1844627	2.3530764	33	6	1976–1995	0.79	M-v	1	Williams	23684	1991 PH ₁₅
1991 RA ₁	14.0	951010	349.09656	49.35691	323.53511	11.81570	0.2049902	2.5494864	19	4	1975–1995	0.74	M-v	3	Williams	25734	1991 RA ₁
1991 RD ₄	14.5	951010	99.52941	64.28539	214.19422	4.34981	0.2035317	2.3945064	20	3	1990–1995	0.71	M-v	3	Williams	20338	1991 RD ₄
1991 RW ₁₉	14.5	951010	84.02934	44.92834	247.34865	2.39949	0.2000801	2.3730776	18	4	1969–1995	0.56	M-v	2	Williams	23782	1991 RW ₁₉
1991 RD ₂₄	13.5	951010	102.43459	138.13379	121.44245	5.61048	0.1057624	2.4187397	22	5	1982–1995	0.68	M-v	1	Williams	23685	1991 RD ₂₄
1991 RB ₂₅	13.0	951010	25.80287	274.02044	61.19169	9.87367	0.0823534	2.5709754	24	6	1954–1995	0.73	M-v	2	Williams	23685	1991 RB ₂₅
1991 TL ₁	13.5	951010	354.85033	240.08384	196.27668	19.87872	0.2798978	2.4202757	30	3	1989–1995	0.87	M-v	3	Williams	25734	1991 TL ₁
1991 TV ₁	14.0	951010	355.64474	329.73079	52.35316	8.40216	0.3083626	2.5434840	23	3	1987–1995	0.76	M-v	3	Williams	19509	1991 TV ₁
1991 UV ₂	13.5	951010	345.71550	318.69847	59.52169	13.08677	0.2832770	2.6436787	27	3	1978–1995	1.00	M-v	2	Williams	19513	1991 UV ₂
1991 UD ₃	14.0	951010	325.24730	226.69196	209.50328	7.13408	0.2387046	2.5547027	24	4	1983–1995	0.83	M-v	3	Williams	22273	1991 UD ₃
1991 VV ₂	12.5	951010	316.37216	69.14053	16.75245	13.99644	0.1739885	2.5974523	30	4	1972–1995	0.62	M-v	2	Williams	22273	1991 VV ₂
1991 VU ₄	14.0	951010	350.61694	252.48575	129.44897	3.77100	0.2309620	2.6206281	17	4	1974–1995	0.49	M-v	1	Williams	25734	1991 VU ₄
1991 XH	13.0	951010	14.16406	238.22387	134.17665	13.88789	0.1625258	2.6106212	17	4	1984–1995	0.57	M-v	2	Williams	25734	1991 XH
1992 AB	14.0	951010	211.62462	55.67415	88.90352	40.75783	0.5525473	3.2849168	32	4	1992–1995	0.74	M-v	2	Williams	23992	1992 AB
1992 AE ₁	12.5	951010	299.15155	27.33520	97.70722	10.67858	0.1943224	2.7344865	15	4	1954–1995	0.63	M-v	3	Williams	22815	1992 AE ₁
1992 AM ₃	13.5	951010	317.09833	138.10880	294.11955	14.79038	0.2084341	2.8008703	22	2	1992–1995	0.50	M-v	4	Williams	25730	1992 AM ₃

1992 BH	12.0	951010	211.31280	21.10371	140.53812	18.26127	0.1551841	3.1203446	48	4	1991–1995	0.64	M-v	1	Williams	23790	1992 BH
1992 BK	13.0	951010	329.26146	105.14221	353.52763	4.17888	0.2301140	2.6385765	26	6	1948–1995	0.92	M-v	2	Williams	22084	1992 BK
1992 EF	12.0	951010	226.25295	273.39475	272.01453	9.17144	0.0434533	3.0174666	22	5	1976–1995	0.68	M-v	1	Williams	23992	1992 EF
1992 EJ ₉	12.5	951010	338.01306	2.12106	37.05040	5.90638	0.1542798	3.1406239	14	3	1992–1995	0.50	M-v	4	Williams	25730	1992 EJ ₉
1992 EE ₁₃	13.0	951010	254.22667	299.91403	183.41888	8.07892	0.1533640	3.2087928	15	3	1990–1994	0.63	M-v	4	Williams	25650	1992 EE ₁₃
1992 EQ ₁₅	12.0	951010	84.74038	168.85567	176.90108	3.95241	0.1772604	2.8824429	18	7	1955–1994	0.84	M-v	1	Williams	25735	1992 EQ ₁₅
1992 EQ ₂₇	13.5	951010	126.47750	130.64130	166.83402	1.87837	0.0705159	2.9242734	16	2	1989–1992	0.65	M-v	5	Williams	25730	1992 EQ ₂₇
1992 FB	11.0	951010	68.38823	310.69598	58.61371	11.36339	0.1151158	2.9965681	20	6	1950–1995	0.77	M-v	2	Williams	22085	1992 FB
1992 JN ₄	12.5	951010	58.42792	238.13249	215.54371	14.03717	0.0717795	2.6140455	16	4	1985–1994	0.71	M-v	1	Williams	25640	1992 JN ₄
1992 LC	15.5	951010	316.83346	89.64173	61.96528	17.84265	0.7047435	2.5184170	60	2	1992–1995	0.82	M-v	3	Williams	25735	1992 LC
1992 OG	14.0	951010	21.73919	251.24266	147.00118	24.90443	0.1131475	1.9272404	25	4	1989–1995	0.70	M-v	2	Williams	23685	1992 OG
1992 SK	17.5	951010	156.22028	233.49897	9.05803	15.32025	0.3248558	1.2485260	27	4	1953–1995	0.64	M-v	3	Williams	21797	1992 SK
1992 SQ	14.5	951010	334.29587	108.97473	269.57097	3.09301	0.1303985	2.1961894	17	3	1976–1995	0.87	M-v	3	Williams	25735	1992 SQ
1992 TB	17.5	951010	132.74465	5.91870	185.72060	28.30775	0.4622534	1.3417905	86	3	1992–1995	0.54	M-v	2	Williams	25735	1992 TB
1992 UH ₃	14.0	951010	309.09064	41.76523	13.01989	5.98703	0.1107617	2.1866424	17	3	1979–1995	0.63	M-v	4	Williams	25735	1992 UH ₃
1992 UP ₄	13.5	951010	250.50234	352.37903	127.29850	6.38241	0.0965262	2.2245645	18	3	1992–1995	0.68	M-v	2	Williams	25650	1992 UP ₄
1992 UX ₅	13.5	951010	239.19281	320.35013	160.31669	5.36545	0.0791960	2.2831328	21	4	1987–1995	0.67	M-v	1	Williams	25735	1992 UX ₅
1992 WM ₃	13.5	951010	326.80694	357.73563	75.22481	2.90411	0.0794719	2.1586247	31	5	1979–1995	0.58	M-v	2	Williams	23685	1992 WM ₃
1992 WP ₅	13.0	951010	128.99438	144.87838	104.52344	3.43516	0.0691521	2.2121227	23	3	1989–1995	0.86	M-v	5	Williams	22274	1992 WP ₅
1992 WH ₈	15.0	951010	36.05965	328.88367	2.39336	1.00576	0.1101387	2.1632361	21	4	1976–1995	0.98	M-v	3	Marsden	25730	1992 WH ₈
1992 YE	14.0	951010	329.92308	99.47178	300.63598	6.81642	0.1121463	2.2932204	27	4	1953–1995	0.44	M-v	2	Williams	25735	1992 YE
1992 YJ ₂	14.0	951010	333.65265	288.95604	90.36759	7.55749	0.1315198	2.3892218	20	2	1992–1995	0.66	M-v	4	Williams	25642	1992 YJ ₂
1992 YV ₂	12.0	951010	264.08432	146.62817	264.99473	11.81398	0.1365159	2.7351008	12	4	1951–1994	0.77	M-v	3	Williams	21599	1992 YV ₂
1993 BW ₂	17.5	951010	313.13642	287.41813	121.18110	21.91718	0.3061376	1.3351866	88	2	1993–1995	0.63	M-v	3	Williams	25650	1993 BW ₂
1993 EF	14.0	951010	289.12128	57.13706	63.56903	3.09975	0.1682952	2.4012453	30	6	1952–1995	0.60	M-v	1	Williams	25539	1993 EF
1993 ER	13.0	951010	309.00290	66.84121	53.42549	0.81379	0.1255631	2.3279445	23	5	1977–1995	0.76	M-v	1	Williams	25539	1993 ER
1993 FD ₁	14.0	951010	318.28065	4.88757	99.36537	0.47831	0.1603069	2.3385924	19	6	1975–1995	0.93	M-v	2	Williams	23539	1993 FD ₁
1993 FT ₄	12.0	951010	123.83896	111.68122	123.39932	2.64704	0.1453590	3.1576445	19	4	1981–1995	0.64	M-v	1	Williams	24241	1993 FT ₄
1993 FG ₆	12.5	951010	3.72645	319.93529	38.86665	2.06763	0.2054529	2.9844815	14	3	1990–1995	0.67	M-v	4	Williams	25651	1993 FG ₆
1993 FZ ₁₂	12.5	951010	83.93904	193.36854	134.25075	5.05169	0.1220589	2.6414805	18	5	1954–1995	0.79	M-v	2	Williams	24583	1993 FZ ₁₂
1993 FM ₁₉	12.0	951010	303.81036	290.74222	120.58113	7.17783	0.2227574	2.9282454	22	5	1982–1995	0.79	M-v	1	Williams	25651	1993 FM ₁₉
1993 FJ ₂₂	12.5	951010	190.99570	154.67955	11.37608	0.87805	0.1137018	3.0866166	15	5	1933–1995	1.01	M-v	1	Williams	25428	1993 FJ ₂₂
1993 FS ₂₃	14.0	951010	46.44458	18.93075	330.01110	2.31618	0.0852550	2.7901362	13	3	1990–1995	0.43	M-v	4	Williams	23525	1993 FS ₂₃
1993 FH ₂₄	13.0	951010	87.76005	103.66375	205.18942	5.03059	0.0588371	2.7396838	26	5	1976–1995	0.61	M-v	1	Williams	23992	1993 FH ₂₄
1993 FW ₃₁	11.0	951010	21.69063	306.00557	32.39549	10.94359	0.0888149	3.1755392	12	2	1993–1995	0.57	M-v	4	Williams	25731	1993 FW ₃₁
1993 FU ₃₃	12.5	951010	240.50863	88.84051	55.11433	4.63815	0.0906215	2.7535047	14	4	1970–1995	0.51	M-v	1	Williams	24241	1993 FU ₃₃
1993 FW ₃₄	12.5	951010	64.42930	166.57975	136.13261	2.68874	0.1497595	3.2095629	14	3	1989–1995	0.49	M-v	3	Williams	23526	1993 FW ₃₄
1993 FU ₃₈	12.5	951010	34.58935	240.36648	82.65925	2.46737	0.1261017	3.2262254	22	5	1972–1995	0.74	M-v	1	Williams	23527	1993 FU ₃₈
1993 FR ₅₈	14.0	951010	298.48064	190.78036	237.04962	1.01236	0.0894712	2.8322749	34	3	1986–1995	0.70	M-v	4	Williams	25735	1993 FR ₅₈
1993 GY	13.0	951010	246.59779	89.72726	64.32283	14.77940	0.1111232	2.5627976	22	4	1954–1995	0.74	M-v	2	Williams	25651	1993 GY
1993 HV ₁	14.5	951010	65.14360	258.74774	34.71234	25.83401	0.1302446	3.1755717	29	3	1993–1995	0.40	M-v	3	Williams	25735	1993 HV ₁
1993 KM	13.0	951010	151.87281	80.00706	175.08729	20.17741	0.3490641	3.1380440	55	4	1988–1995	0.74	M-v	2	Williams	25539	1993 KM
1993 OZ ₂	14.5	951010	136.94442	247.59548	117.52268	21.75517	0.4342789	2.9931262	38	2	1993–1995	0.71	M-v	3	Williams	24913	1993 OZ ₂
1993 PB	16.5	951010	195.41791	212.22085	316.03258	40.87043	0.6066976	1.4237497	58	2	1993–1995	0.59	M-v	4	Williams	25735	1993 PB
1993 PE	14.0	951010	192.34354	77.18680	267.11028	3.92799	0.0998142	2.3807601	56	4	1955–1995	0.64	M-v	2	Williams	25651	1993 PE
1993 QA	18.5	951010	308.82074	323.13305	146.78363	12.59113	0.3157093	1.4766977	35	2	1993–1995	0.50	M-v	4	Williams	25642	1993 QA
1993 SC	7.0	951010	35.81883	316.76085	354.63566	5.15361	0.1898282	39.6657163	41	3	1993–1995	0.55	M-v	4	Williams	25735	1993 SC
1993 WD	16.5	951010	205.20253	132.30358	56.59226	63.46423	0.2666562	1.0066472	154	4	1991–1995	0.65	M-v	3	Williams	25083	1993 WD
1994 AE ₂	13.5	951010	93.99475	114.46246	109.79215	9.58946	0.4310819	2.6091013	81	3	1982–1995	0.62	M-v	2	Williams	25735	1994 AE ₂
1994 EH	13.5	951010	59.37162	287.05655	352.22849	28.84429	0.3219848	2.6422368	55	3	1982–1995	0.38	M-v	1	Williams	25735	1994 EH
1994 EE ₁	13.5	951010	16.55962	271.37121	67.76027	4.59115	0.2183944	2.2663953	27	6	1954–1995	0.69	M-v	3	Williams	25735	1994 EE ₁
1994 EZ ₁	13.0	951010	110.91678	156.02585	47.88007	9.88125	0.0937568	2.7852456	30	3	1991–1995	0.80	M-v	3	Williams	25532	1994 EZ ₁

1335 T-2	13.5	951010	273.44855	283.90701	177.87024	0.65400	0.1489086	3.1228163	29	4	1973–1995	1.13	M-v	2	Williams	25652	1335 T-2
4240 T-2	14.5	951010	328.08342	319.44786	85.45238	3.47928	0.1883180	2.3831833	30	4	1973–1995	0.83	M-v	2	Williams	22088	4240 T-2

NEW NAMES OF MINOR PLANETS

(3398) Stättmayer = 1978 PC

Discovered 1978 Aug. 10 by H.-E. Schuster at the European Southern Observatory.

Named in honor of Peter Stättmayer, director of the Munich Public Observatory, on the occasion of his 50th birthday, 1995 Nov. 3. He has been a very active amateur astronomer all his lifetime and is well known for his great ability to communicate with the public. His excellent astrophotographic observations, mostly made from his well-equipped private observatory in Herrsching at the Ammersee, are unsurpassed among amateurs in Germany and beyond. Proposed by the discoverer and R. M. West, as well as his amateur friends in Munich.

(3490) Šolc = 1984 SV

Discovered 1984 Sept. 20 by A. Mrkos at Kleť.

Named in honor of Ivan Šolc, well-known Czech inventor of birefringent polarizing filters for research on solar prominences and surface activity.

(3571) Milanštefánik = 1982 EJ

Discovered 1982 Mar. 15 by A. Mrkos at Kleť.

Named in memory of Milan Rastislav Štefánik (1880–1919), astronomer and meteorologist. He worked at Meudon Observatory during 1905–1907 and proposed to build a new observatory on the island of Tahiti. He received the Janssen award in 1907 and the Wilde award in 1911.

(3630) Lubomír = 1984 QN

Discovered 1984 Aug. 28 by A. Mrkos at Kleť.

A well-known old Slavic name, widespread in southern Bohemia.

(3715) Štohl = 1980 DS

Discovered 1980 Feb. 19 by A. Mrkos at Kleť.

Named in memory of Ján Štohl (1932–1993), well known for his work on the dynamics of meteors, director of the Astronomical Institute at Tatranská Lomnica and president of IAU Commission 22 (Meteors and Interplanetary Dust) during 1991–1993. Name proposed by the discoverer, following a suggestion by astronomers at Tatranská Lomnica.

(3716) Petzval = 1980 TG

Discovered 1980 Oct. 2 by A. Mrkos at Kleť.

Named in memory of József Miska Petzval (1807–1891), mathematician, professor and inventor at the University of Vienna. He proposed the Petzval lens, and many minor planets were discovered by means of this portrait design at the end of the nineteenth century. Name proposed by the discoverer, following a suggestion by astronomers of the Astronomical Institute at Tatranská Lomnica.

(3755) Lecointe = 1950 SJ

Discovered 1950 Sept. 19 by S. Arend at Uccle.

Named in honor of Georges Lecointe (1869–1929), director of the Royal Observatory of Belgium from 1900 to 1925. Under his leadership, the observatory obtained several instruments and deployed great scientific activity. Proposed by P. Páquet and N. Arend.

(3920) Aubignan = 1948 WF

Discovered 1948 Nov. 28 by S. Arend at Uccle.

Named for the small village in the French Provence, at the foot of the Mont Ventoux, where the discoverer regularly spent his holidays in the home of his youngest son Noel, who proposed this name. Name endorsed by P. Páquet.

(3980) Hviezdoslav = 1983 XU

Discovered 1983 Dec. 4 by A. Mrkos at Kleť.

Named in memory P. O. Hviezdoslav (1849–1921) the best known Slovak poet. Name proposed by the discoverer following a suggestion by astronomers of the Astronomical Institute at Tatranská Lomnica.

(3981) Stodola = 1984 BL

Discovered 1984 Jan. 26 by A. Mrkos at Kleť.

Named in memory A. Stodola (1859–1942), professor at ETH Zurich who taught on the construction and design of various devices, such as the artificial hand he designed in 1915. Name proposed by the discoverer following a suggestion by astronomers of the Astronomical Institute at Tatranská Lomnica.

(3983) Sakiko = 1984 SX

Discovered 1984 Sept. 20 by A. Mrkos at Kleť.

Named in honor of Sakiko Nakano, sister of orbit computer Syuichi Nakano, in remembrance of the discoverer's meeting her during the IAU General Assembly in New Delhi in 1985.

(3993) Šorm = 1988 VV₅

Discovered 1988 Nov. 4 by A. Mrkos at Kleť.

Named in memory of František Šorm (1913–1980), president of the Czechoslovak Academy of Sciences during the International Geophysical Year, founder and long-time director of the Institute for Macromolecular Chemistry in Prague.

(4018) Bratislava = 1980 YM

Discovered 1980 Dec. 30 by A. Mrkos at Kleť.

Named for the capital of Slovakia.

(4442) Garcia = 1985 RB₁

Discovered 1985 Sept. 14 by Spacewatch at Kitt Peak.

Named in memory of Jerry Garcia (1942–1995), lead guitarist for the “Grateful Dead”. He was also a superb banjo player and steel pedal guitar player. His recorded works embrace many styles, among them rock-and-roll, bluegrass and country, and experimental electronic music. Garcia and the Grateful Dead have also sought to preserve endangered and underappreciated music. Garcia was best known for his consummate musicianship and for live performance and improvisations. Those embracing Garcia's music have now spanned several generations, attesting to the quality and timelessness of his music. Name proposed by T. Gehrels, following a suggestion by S. Radford. Citation prepared by E. Olszewski and S. Radford.

(5500) Twilley = 1981 WR

Discovered 1981 Nov. 24 by E. Bowell at the Anderson Mesa Station of the Lowell Observatory.

Named in honor of Royston C. Twilley (*b.* 1914), primary school teacher of the discoverer in Tooting, London, during 1954–1955. Twilley was the most inspiring of teachers, leading his pupils not only through the required curriculum, but also into areas of academic discipline not usually encountered by pre-teenagers. Especially noteworthy was a thorough exploration of the past and contemporaneous River Wandle, a short river nowadays flowing mostly underground through south London that in the eighteenth century sported a wide variety of industrial mills, a few of which were still in operation in the 1950s. During 1959 to 1977, Twilley was headmaster of two London schools, and after retiring he served as a School Governor of a Dorset primary school (1993–1994). Citation material provided by B. Twilley. Name endorsed by M. C. Bradley, S. J. Duffell and A. J. Sissons.

(5502) Brashear = 1984 EC

Discovered 1984 Mar. 1 by E. Bowell at the Anderson Mesa Station of the Lowell Observatory.

Named in memory of John A. Brashear (1840–1920), maker of astronomical telescopes and scientific instruments, popularizer of astronomy and university administrator. Brashear contributed much to the siting, design and fundraising for the Allegheny Observatory, and his firm constructed its 0.76-m refractor and 0.79-m Keeler reflector. He figured the 0.4-m photographic doublet with which Max Wolf discovered many minor planets. He also had connections with the Lowell Observatory, notably in the design and construction of a fast spectrograph that was ultimately used to record the first recessional velocities of galaxies, and through the provision of a 0.13-m objective used in Lowell's first search for a transneptunian planet. Citation provided by T. P. Kohman and H. L. Giclas following a suggestion by Kohman on behalf of the Amateur Astronomers Association of Pittsburgh.

(5557) Chimikeppuko = 1989 CM₁

Discovered 1989 Feb. 7 by K. Endate and K. Watanabe at Kitami.

Named for the small lake in Tsubetsu, a town in the eastern part of Hokkaido. Some 12 km in circumference, the lake is surrounded by a deep green virgin forest. The lake is the nesting place for many wild birds and famous as a bird-watching spot.

(5580) Sharidake = 1988 RP₁

Discovered 1988 Sept. 10 by K. Endate and K. Watanabe at Kitami.

Named for a mountain in eastern Hokkaido, 1545 meters high and known as “Japan's Matterhorn”. It is in the Shiretoko range, part of the Chishima volcanic belt.

(5585) Parks = 1990 MJ

Discovered 1990 June 28 by E. F. Helin at Palomar.

Named in honor of Robert J. Parks, a leader in the exploration of the solar system. Early in his career at the Caltech Jet Propulsion Laboratory, he developed radio control and telemetry for the first guided missiles. As these techniques matured to become the basis for the control of and communication with interplanetary spacecraft, Parks was assigned overall responsibility for the first missions to Mercury, Venus and Mars, as well as for the first U.S. lunar lander, “Surveyor” and the “Voyager” missions to Jupiter, Saturn, Uranus and Neptune. His final position at the Jet Propulsion Laboratory was deputy director, but throughout all his assignments his task was the same: to make sure the flight missions worked. Because of his expertise and dedication, they did.

(5603) Rausudake = 1992 CE

Discovered 1992 Feb. 5 by K. Endate and K. Watanabe at Kitami.

Named for the mountain in the Shiretoko range in Hokkaido. Known as the “Shiretoko Fuji”, this 1661-meter mountain is in the Shiretoko peninsula that juts into the Sea of Okhotsk.

(5631) Sekihokutouge = 1993 FE₁

Discovered 1993 Mar. 20 by K. Endate and K. Watanabe at Kitami.

Named for a pass in central Hokkaido. At an altitude of 1050 meters, the pass connects the Taisetsu mountain range, Hokkaido's highest peak, with the city of Kitami.

(5658) Clausbaader = 1950 DO

Discovered 1950 Feb. 17 by K. Reinmuth at Heidelberg.

Named in memory of Claus Baader (1924–1995), German manufacturer of planetaria, domes and telescopes, and well-known mentor of amateur astronomers in the German-speaking countries. A design engineer by profession and self-taught in astronomy, Baader constructed a new type of a small desktop planetarium that is in use in schools in many countries throughout the world. In his later years Baader, together with his son and successor Thomas, was deeply concerned with the construction and development of observatory domes, astronomical telescopes and their auxiliary instrumentation for amateur and professional astronomers alike. Name proposed and citation prepared by L. D. Schmadel.

(5679) Atsukadou = 1989 VR

Discovered 1989 Nov. 2 by K. Endate and K. Watanabe at Kitami.

Named for one of Japan's largest stalactite caves, located in Iwate prefecture.

(5696) Ibsen = 4582 P-L

Discovered 1960 Sept. 24 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Named in memory of the famous Norwegian writer Henrik Ibsen (1828–1906), whose most important tragedies are *Peer Gynt*, *Nora*, *Ghosts*, and *Hedda Gabler*. Ibsen lived in Germany for 20 years, before returning to Norway in 1891. His influence on the modern theater was very great.

(5697) Arrhenius = 6766 P-L

Discovered 1960 Sept. 24 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Named in memory of the Swedish physicochemist Svante August Arrhenius (1859–1927). A professor in Stockholm, he received the Nobel Prize for chemistry in 1903. He was the first to explain, in 1900, the formation of the tails of comets as a result of radiation pressure.

(5698) Nolde = 4121 T-1

Discovered 1971 Mar. 26 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Named in memory of the German expressionist painter Emil Nolde (1867–1957, real name Emil Hansen). He was a member of a group of artists called ‘Die Brücke’ and after 1926 lived in Seebüll together with his Danish wife. In 1937 his work was declared to be ‘Entartete Kunst’, and many of his paintings were therefore confiscated. In 1941 the government even forbade him to paint, although he secretly created his so-called ‘unpainted paintings’.

(5699) Munch = 2141 T-3

Discovered 1977 Oct. 16 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Named in memory of Edvard Munch (1863–1944), a Norwegian expressionist painter. In his paintings the artist expresses his loneliness and anxiety. Some of his most famous paintings are ‘The Cry’, ‘Jealousy’, and ‘The Girls on the Bridge’.

(5837) Hedin = 2548 P-L

Discovered 1960 Sept. 24 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Named in memory of Sven Hedin (1865–1952), famous Swedish explorer of Central Asia. In his days there were still many unexplored spots on the map of our planet. Hedin made many expeditions and discovered, *inter alia*, the old Silk route through Asia, the Takla Makan and Gobi deserts, Lake Lop Nor and the Tarim river, as well as the sources of the Brahmaputra and Indus rivers. He was renowned, not only for his scientific papers, but also for writing articles that were interesting for laymen to read.

(5838) Hamsun = 2170 T-2

Discovered 1973 Sept. 29 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Named in memory of Knut Hamsun, pseudonym of Knut Pedersen (1859–1952), the Norwegian novelist, dramatist, poet and winner of the Nobel Prize for literature in 1920. He achieved his greatest success with his book *Sult (Hunger)* in 1890. Among his other best known works are *Growth of the Soil*, *Pan*, *Mysteries* and *Victoria*. Name suggested by N. Arend.

(5930) Zhiganov = 1975 VW₂

Discovered 1975 Nov. 2 by T. M. Smirnova at the Crimean Astrophysical Observatory.

Named in memory of Nazib Gayazovich Zhiganov (1911–1988), outstanding Soviet Tatar composer and public figure, founder of the Tatarian professional musical school. Zhiganov was the organizer and chairman of the Composers Union of Tatarstan during 1939–1976, as well as of the Kazan State Conservatory from 1945 until his death. His most significant musical compositions are the opera *Dzhalil*, the ballet *Two legends*, and his Second, Seventh and Ninth symphonies, in which he combined classical musical traditions with Tatar folk melodies. Name suggested by the Institute of Theoretical Astronomy.

(6072) Hooghoudt = 1280 T-1

Discovered 1971 Mar. 25 by C. J. van Houten and I. van Houten-Groeneveld on Palomar Schmidt plates taken by T. Gehrels.

Named in memory of Bernard G. Hooghoudt (1924–1995), key engineer for Dutch radio telescopes, having designed the Dwingeloo telescope (1956) and the Synthesis Radio Telescope at Westerbork (1970). As a private consulting engineer he designed and led the construction of some of the world’s larger telescopes, not only for radio wavelengths, but also for millimeter and optical wavelengths. Name suggested and citation prepared by R. LePoole.

(6153) Hershey = 1990 OB

Discovered 1990 July 19 by E. F. Helin at Palomar.

Named in memory of Wesley Lamar Hershey (1913–1989), director of the Caltech “Y” at the California Institute of Technology for 30 years. Always ready to help students with sympathy and understanding, he developed the Y into a major factor of campus life. He provided an environment where exploration of ideas and concerns, controversial or not, was not only acceptable but encouraged. He encouraged students to face the issues of values in their own lives and for society as a whole.

(6200) Hachinohe = 1993 HL

Discovered 1993 Apr. 16 by K. Endate and K. Watanabe at Kitami.

Named for the amateur astronomer Akio Hachinohe (*b.* 1958), who has contributed much to amateur astronomy in Hokkaido. He is also active in sky sports such as hot-air ballooning and hang-gliding.

(6241) Galante = 1989 TG

Discovered 1989 Oct. 4 at the Osservatorio San Vittore.

Named in honor of Maria Pia Galante (*b.* 1916) wife of Ciro Vacchi, proprietor and director of Osservatorio San Vittore.

(6282) Edwelda = 1980 TS₄

Discovered 1980 Oct. 9 by C. S. Shoemaker at Palomar.

Named in honor of Edwin L. Aguirre and Imelda B. Joson, who have popularized astronomy in the Philippines for more than 15 years. Their 1985 book about Comet Halley, *The Second Coming*, is the first and only astronomical book ever written by Filipino authors. They designed two astronomical stamps issued by the Philippine Postal Service, and in 1990 the Philippine Department of Science and Technology commissioned them to construct a 0.44-m reflector, the largest operational telescope in the country, for a public observatory in Manila. That same year, the couple obtained the approval of then-president Corazon Aquino for an executive proclamation declaring an annual National Astronomy Week. Citation prepared by S. J. O’Meara and D. H. Levy.

(6310) Jankonke = 1990 KK

Discovered 1990 May 21 by E. F. Helin at Palomar.

Named in honor of Janis L. Konke, space advocate and good friend of the discoverer. Born in Wisconsin and educated in Minnesota and Illinois, she has pursued a career in psychology, studying human capabilities and desires. Inspired by a friend and the starry skies of Palomar Mountain, she developed an interest in space travel and exploration, believing that humankind’s greatest adventure is in the heavens. Thus began her enthusiastic support for the discoverer’s Deep Solar System Survey.

(6332) Vorarlberg = 1992 FP₃

Discovered 1992 Mar. 30 by F. Börngen at Tautenburg.

Named for the westernmost Austrian province, until 1918 part of the state of Tirol. Its capital is Bregenz (Brigantium), on Lake Constance. Vorarlberg is a mountainous region and an important center for cattle-breeding and dairy-farming.

(6333) Helenejacq = 1992 LG

Discovered 1992 June 3 by G. J. Leonard at Palomar.

Named in honor of the discoverer’s mother Helene Jacquelin, whose love and inspiration have enabled her son to discover new worlds both without and within.

(6334) Robleonard = 1992 MM

Discovered 1992 June 27 by G. J. Leonard at Palomar.

Named in honor of the discoverer’s father Robert David Leonard Sr., who has been a ceaseless source of support, inspiration and laughter.

(6354) Vangelis = 1934 GA

Discovered 1934 Apr. 3 by E. Delporte at Uccle.

Named in honor of the Greek composer and multi-instrumentalist Vangelis Papathanassiou (*b.* 1948). Vangelis learned to play the piano at age four and later developed his unique musical style of multi-layered keyboard melodies, heavily influenced by both contemporary Western and Greek ethnic music. In addition to numerous

studio albums and scores for theater and ballet, Vangelis has also composed numerous film soundtracks, including *1492—Conquest of Paradise* (1993), *The Bounty* (1984), *Bladerunner* (1983) and *Chariots of Fire* (1981), the last of which won him an Oscar for Best Original Score. Name proposed by G. V. Williams, who made the identification involving this object.

(6375) Fredharris = 1986 TB₅

Discovered 1986 Oct. 1 at Caussols.

Named in honor of Frederick Harlan Harris, CCD guru. Harris worked at Caltech for the Palomar Observatory for many years before moving to the U.S. Naval Observatory, where he is involved in the Sloan Digital Sky Survey. Harris is a good friend of Caussols astronomer Alain Maury, and his patient help has been essential in the development of the CCD cameras for the Schmidt telescope with which this minor planet was discovered. Citation endorsed by M. Carr.

(6404) Vanavara = 1991 PS₆

Discovered 1991 Aug. 6 by E. W. Elst at the European Southern Observatory.

Named for the town near the Podkammenaya (stony) Tunguska river in Siberia. On 1908 June 30 a large bolide, probably an asteroidal fragment, exploded in the atmosphere, about 70 km north of Vanavara. Almost 2000 square kilometers of the taiga forest were suddenly flattened. Tungus reindeer herders, living in the forests, were thrown to the ground, and many of them lost their herds and tepees. Several houses in Vanavara were damaged. On the occasion of the 37th expedition to Tunguska, the discoverer was very warmly received by the people of Vanavara.

(6426) Vanýsek = 1995 ED

Discovered 1995 Mar. 2 by M. Tichý at Kleť.

Named in honor of Vladimír Vanýsek (b. 1926), Czech astronomer, professor emeritus of astrophysics at Charles University in Prague. His works deal with physics and chemistry of comets, interstellar matter, and also with cosmology. From 1972 to 1986 he headed the Department of Astronomy and Astrophysics of Charles University, after which he moved to Bamberg for a three-year visiting professorship at the University of Erlangen-Nürnberg. He was president of IAU Commission 15 during 1970–1973. During the latest passage of Halley's Comet he was a member of the International Halley Watch Steering Group and a discipline specialist for the Photometry and Polarimetry Network. Name proposed by the discoverer, endorsed by J. Tichá and Z. Moravec.

(6436) Coco = 1985 JX₁

Discovered 1985 May 13 by C. S. Shoemaker and E. M. Shoemaker at Palomar.

Named in honor of Mark and Colleen Coco and their children Kymberly, Jennifer, Lisa and Travis. An author of astronomical articles and an active observer, Mark has written about his many interests, including astrophotography, the Green Flash, and the relation between astronomy and religion. During his five years as manager of customer relations for Celestron International that began in 1988, Mark helped thousands of new telescope users find their way to enjoy the sky. The discoverers wish to honor the Coco family for their courage and love in dealing with Mark's long illness. Name proposed and citation prepared by D. H. Levy.

(6439) Tirol = 1988 CV

Discovered 1988 Feb. 13 by F. Börngen at Tautenburg.

Named for the Austrian province, the capital of which is Innsbruck. The North Tirolian Limestone Alps, Ötztaler, Stubai and Zillertal Alps are popular tourist

attractions. The beauty of the region is immortalized in the song "The dear God must be a Tiroler!"

(6442) Salzburg = 1988 RU₃

Discovered 1988 Sept. 8 by F. Börngen at Tautenburg.

Named for the Austrian province and its capital on the river Salzach. Visitors flock to the province's high mountains and the celebrated festivals in the capital, well-known as the birthplace of Mozart and Doppler. On 1818 December 24, the curate Joseph Mohr and his organist Franz Gruber created the well-known Christmas carol *Stille Nacht, Heilige Nacht* near the town of Hallein.

(6451) Kärnten = 1991 GP₁₀

Discovered 1991 Apr. 9 by F. Börngen at Tautenburg.

Named for the southernmost Austrian province. The capital Klagenfurt is situated on a plain beside the Wörther Lake. The name is derived from the Celtic people of the Karner. The region was part of the Roman province of Noricum.

(6479) Leoconnolly = 1988 LC

Discovered 1988 June 15 by E. F. Helin at Palomar.

Named in honor of Leo P. Connolly, astronomer and teacher at California State University, San Bernardino, and director (1985–1995) of the Summer Science Program, held for six weeks each summer at the Thacher School in Ojai. In this tranquil setting, and with a rigorous curriculum requiring high-school students to take photographic plates of minor planets and learn how to determine their orbits, Leo and his wife Jackie have nurtured the minds and spirits of nearly 400 bright and motivated young men and women. Name proposed by the staff and students of SSP '95. Citation prepared at the request of the discoverer, who has lectured over the years to the summer science students at Thacher.

(6482) Steiermark = 1989 AF₇

Discovered 1989 Jan. 10 by F. Börngen at Tautenburg.

Named for the Austrian province, also known as Styria, and the capital of which is Graz. The territory was colonized by the Illyrians and then by the Celts. Later it was part of the Roman provinces of Noricum and Pannonia. The writer Peter Rosegger (1843–1918) and the conductor Karl Böhm (1894–1981) were born in Styria. The white Lippizaner horses of the Spanish Court riding school in Vienna are bred in this region.

(6488) Drebach = 1991 GU₉

Discovered 1991 Apr. 10 by F. Börngen at Tautenburg.

Named for the German village in the Erzgebirge mountains, 20 km south of the Saxon town of Chemnitz. It is noted for its crocuses, blooming over an area of seven hectares. The Volkssternwarte Drebach, originally established as the school observatory in 1969, is widely known, especially after the completion of a planetarium and, in 1986, of a new main building. This minor planet was numbered as a result of observations made at Drebach in April–May 1995.

(6519) Giono = 1991 CX₂

Discovered 1991 Feb. 12 by E. W. Elst at Haute Provence.

Named in memory of the Provençal writer Jean Giono (1895–1970). Born in Manosque, he left this small town only to make short trips around Provence and to Italy. His natural writing style makes his work easy to read, showing remarkable strength and a sense of humor. The wealth of poetic images, inspired by the splendid and at the same time rough nature of the Provence, evokes his personal ideas on the irreplaceable things of life. In *Refus d'obéissance* (1937) rural anarchism and

courageous pacifism is proclaimed, an attitude that led to difficulties with the authorities, who imprisoned him. Giono's well-known writings include the *Trilogy of Pan* and *Que ma joie demeure*. Citation prepared by C. Leterme at the request of the discoverer.

(6532) Scarfe = 1995 AC

Discovered 1995 Jan. 4 by D. D. Balam at Climenhaga Observatory, University of Victoria.

Named in honor of Colin D. Scarfe (*b.* 1940), professor of astronomy at the University of Victoria since 1965. President of Commission 30 (Radial Velocities) and of Division IX (Optical Techniques) of the IAU since 1994, Scarfe is an authority on spectroscopic and eclipsing binary stars and has made fundamental contributions to the very difficult problem of interpreting the radial-velocity curves of triple systems, as well as to the determination of the orbits of systems that are simultaneously spectroscopic and eclipsing binary stars or spectroscopic and visual binary stars. This has led to the determination of stellar masses with unprecedented precision. Citation prepared by J. B. Tatum at the request of the discoverer.

(6543) Senna = 1985 TP₃

Discovered 1985 Oct. 11 by C. S. Shoemaker and E. M. Shoemaker at Palomar.

Named in memory of Ayrton Senna Da Silva (1960–1994), Brazilian race-car driver. One of the greatest race-car drivers of all time, he competed in the top category of motor sport, Formula One. His career highlights in this top echelon include 65 pole positions, 19 fastest laps, 41 victories and three championships. He was tragically killed while competing in his 161st race. Name suggested by the Astronomical Society of South Australia and the Ayrton Senna Fan Club of Australia, the 1993 Australian Grand Prix having been his last victory.

EPHEMERIDES

1995 QX ₉		$a, e, i = 2.58, 0.44, 8$				Elements <i>MPC</i> 25965		
Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		23 10.08	−23 39.9	0.765	1.537	121.4	33.5	19.3
1995 11 09		23 25.94	−20 31.7	0.851	1.570	116.7	34.3	19.6
1995 11 19		23 42.52	−17 16.0	0.948	1.606	112.1	34.8	19.8
1995 11 29		23 59.61	−13 58.1	1.054	1.646	107.5	34.9	20.1
1995 12 09		00 17.08	−10 42.1	1.170	1.689	102.9	34.7	20.4
1995 12 19		00 34.80	−07 31.0	1.294	1.734	98.2	34.2	20.7
1995 12 29		00 52.74	−04 26.4	1.426	1.781	93.5	33.4	20.9
1996 01 08		01 10.86	−01 29.9	1.565	1.830	88.7	32.5	21.2

1995 UX ₁		$a, e, i = 2.66, 0.45, 15$				Elements <i>MPC</i> 25936		
Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		00 30.31	+15 12.8	0.511	1.471	154.5	16.9	17.1
1995 11 09		00 25.70	+18 52.5	0.551	1.474	144.5	23.0	17.5
1995 11 19		00 26.57	+22 01.4	0.604	1.482	135.9	27.7	17.9
1995 11 29		00 32.90	+24 43.6	0.668	1.497	128.5	31.1	18.2
1995 12 09		00 44.08	+27 05.2	0.743	1.517	122.2	33.3	18.6
1995 12 19		00 59.30	+29 10.2	0.826	1.542	116.6	34.8	18.9
1995 12 29		01 17.86	+31 01.3	0.917	1.572	111.6	35.6	19.2
1996 01 08		01 39.09	+32 40.1	1.016	1.606	106.9	35.9	19.4
1996 01 18		02 02.39	+34 06.4	1.122	1.644	102.5	35.7	19.7
1996 01 28		02 27.31	+35 20.0	1.234	1.685	98.2	35.3	19.9
1996 02 07		02 53.39	+36 20.4	1.353	1.729	94.0	34.7	20.2

1996 02 17	03 20.26	+37 06.7	1.479	1.775	89.8	33.8	20.4
1996 02 27	03 47.61	+37 38.9	1.610	1.823	85.6	32.8	20.6
1996 03 08	04 15.12	+37 56.6	1.745	1.873	81.3	31.6	20.8

1995 SD ₁		$a, e, i = 2.79, 0.57, 9$				Elements <i>MPC</i> 25965		
Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		01 38.67	−15 22.9	0.282	1.244	149.7	23.8	19.3
1995 11 09		02 00.19	−14 42.8	0.331	1.278	145.8	25.8	19.8
1995 11 19		02 17.66	−12 56.8	0.392	1.321	142.5	27.1	20.3
1995 11 29		02 32.71	−10 29.8	0.464	1.371	139.0	28.2	20.8
1995 12 09		02 46.66	−07 41.6	0.548	1.427	135.1	29.1	21.2

1995 UO ₅		$a, e, i = 1.57, 0.65, 37$				Elements <i>MPC</i> 25936		
Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		02 08.85	+06 15.8	1.269	2.257	172.5	3.3	19.7
1995 11 09		01 46.22	+06 22.2	1.251	2.209	160.3	8.7	19.9
1995 11 19		01 24.93	+06 38.7	1.267	2.157	145.8	14.9	20.2
1995 11 29		01 07.05	+07 08.6	1.311	2.101	131.8	20.5	20.4
1995 12 09		00 53.70	+07 53.5	1.375	2.042	118.9	25.0	20.6
1995 12 19		00 45.09	+08 53.6	1.451	1.978	107.1	28.4	20.8
1995 12 29		00 40.92	+10 08.6	1.531	1.911	96.5	30.7	20.9
1996 01 08		00 40.65	+11 37.6	1.608	1.839	86.9	32.3	21.0
1996 01 18		00 43.70	+13 19.8	1.679	1.763	78.2	33.1	21.0

1995 UB ₄		$a, e, i = 2.61, 0.41, 9$				Elements <i>MPC</i> 25936		
Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		02 38.08	+18 08.0	0.559	1.550	172.9	4.6	16.2
1995 11 09		02 29.90	+20 19.0	0.555	1.543	173.1	4.4	16.1
1995 11 19		02 22.63	+22 18.2	0.569	1.541	162.7	11.0	16.5
1995 11 29		02 18.46	+24 03.0	0.601	1.545	152.4	17.2	16.9
1995 12 09		02 18.83	+25 35.3	0.649	1.553	143.0	22.4	17.3
1995 12 19		02 24.04	+26 58.2	0.710	1.566	134.6	26.6	17.7
1995 12 29		02 33.85	+28 14.2	0.783	1.584	127.1	29.7	18.0
1996 01 08		02 47.66	+29 24.4	0.866	1.607	120.5	31.8	18.4
1996 01 18		03 04.71	+30 28.1	0.958	1.633	114.4	33.3	18.7
1996 01 28		03 24.37	+31 24.3	1.059	1.663	108.9	34.1	18.9
1996 02 07		03 46.04	+32 11.3	1.167	1.696	103.6	34.4	19.2
1996 02 17		04 09.16	+32 47.5	1.282	1.732	98.6	34.3	19.5
1996 02 27		04 33.33	+33 11.8	1.403	1.771	93.8	33.9	19.7
1996 03 08		04 58.13	+33 23.2	1.530	1.812	89.2	33.2	19.9
1996 03 18		05 23.22	+33 21.2	1.662	1.854	84.6	32.3	20.1
1996 03 28		05 48.34	+33 05.9	1.797	1.898	80.0	31.2	20.3
1996 04 07		06 13.23	+32 37.7	1.935	1.943	75.5	29.9	20.5
1996 04 17		06 37.71	+31 57.1	2.075	1.990	71.0	28.5	20.6

1992 QN		$a, e, i = 1.19, 0.36, 10$				Elements <i>MPC</i> 25959		
Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		07 13.83	+40 28.6	0.691	1.394	110.4	41.9	18.1
1995 11 09		07 41.18	+42 54.8	0.592	1.349	114.6	41.9	17.6
1995 11 19		08 11.67	+45 46.0	0.499	1.301	118.2	42.0	17.2
1995 11 29		08 47.75	+49 06.8	0.414	1.249	120.6	42.8	16.7
1995 12 09		09 34.61	+52 52.5	0.338	1.194	120.9	45.0	16.2
1995 12 19		10 42.49	+56 28.7	0.271	1.136	117.9	49.9	15.8
1995 12 29		12 25.28	+57 41.5	0.216	1.077	110.1	59.1	15.4

1996 01 08	14 33.49	+51 19.1	0.176	1.016	95.7	74.4	15.4
1996 01 18	16 19.77	+34 06.9	0.159	0.956	75.3	95.4	15.8
1996 01 28	17 30.07	+12 24.0	0.174	0.899	55.9	114.9	16.9
1996 02 07	18 19.25	-04 57.8	0.219	0.847	45.6	123.8	18.0
1996 02 17	18 59.55	-15 56.7	0.287	0.805	43.7	122.1	18.3
1996 02 27	19 36.96	-22 07.0	0.371	0.776	45.4	114.7	18.3

1992 DC		$a, e, i = 2.48, 0.46, 10$				Elements <i>MPC</i> 20153	
Date	TT	α_{2000}	δ_{2000}	Δ	r	Variation	V
1995 10 30	09 22.84	+27 51.0	1.288	1.512	-2.64	+19.5	20.5
1995 11 09	09 55.51	+25 33.2	1.193	1.470	-2.66	+23.4	20.4
1995 11 19	10 27.64	+22 47.6	1.106	1.433	-2.66	+27.3	20.2
1995 11 29	10 58.90	+19 36.5	1.028	1.400	-2.64	+30.9	20.0
1995 12 09	11 28.98	+16 03.2	0.958	1.374	-2.62	+34.1	19.8
1995 12 19	11 57.65	+12 11.9	0.896	1.354	-2.61	+36.6	19.7
1995 12 29	12 24.58	+08 08.0	0.841	1.342	-2.62	+38.4	19.5
1996 01 08	12 49.49	+03 56.4	0.792	1.337	-2.67	+39.4	19.4
1996 01 18	13 12.04	-00 17.7	0.748	1.339	-2.77	+39.5	19.3
1996 01 28	13 31.73	-04 29.6	0.709	1.349	-2.93	+38.9	19.1
1996 02 07	13 48.03	-08 35.6	0.674	1.366	-3.17	+37.7	19.0
1996 02 17	14 00.25	-12 31.9	0.643	1.390	-3.49	+36.1	18.8
1996 02 27	14 07.59	-16 14.2	0.618	1.421	-3.89	+34.3	18.7
1996 03 08	14 09.43	-19 36.2	0.600	1.456	-4.35	+32.9	18.5
1996 03 18	14 05.55	-22 29.0	0.591	1.497	-4.80	+32.2	18.4
1996 03 28	13 56.55	-24 41.5	0.595	1.541	-5.13	+32.5	18.3
1996 04 07	13 44.32	-26 05.4	0.615	1.589	-5.23	+33.3	18.2
1996 04 17	13 31.46	-26 40.7	0.652	1.640	-5.05	+33.8	18.3
1996 04 27	13 20.57	-26 37.2	0.708	1.692	-4.64	+33.3	18.6
1996 05 07	13 13.41	-26 11.7	0.782	1.746	-4.12	+31.4	19.0
1996 05 17	13 10.48	-25 39.3	0.873	1.802	-3.60	+28.7	19.4
1996 05 27	13 11.62	-25 10.8	0.980	1.858	-3.12	+25.5	19.9
1996 06 06	13 16.24	-24 52.1	1.100	1.915	-2.71	+22.2	20.2
1996 06 16	13 23.69	-24 45.1	1.232	1.971	-2.37	+19.2	20.6
1996 06 26	13 33.40	-24 49.5	1.374	2.028	-2.09	+16.5	20.9

1992 FL ₁		$a, e, i = 2.53, 0.42, 5$				Elements <i>MPC</i> 20823	
Date	TT	α_{2000}	δ_{2000}	Δ	r	Variation	V
1995 10 30	09 33.90	+16 56.5	1.998	2.002	-1.45	+9.4	20.8
1995 11 09	09 53.02	+15 08.0	1.846	1.953	-1.57	+10.8	20.6
1995 11 19	10 11.79	+13 11.8	1.697	1.904	-1.70	+12.4	20.4
1995 11 29	10 30.11	+11 08.5	1.551	1.856	-1.86	+14.1	20.2
1995 12 09	10 47.89	+08 58.7	1.410	1.809	-2.05	+16.1	19.9
1995 12 19	11 05.02	+06 43.0	1.275	1.764	-2.27	+18.2	19.6
1995 12 29	11 21.30	+04 22.3	1.147	1.720	-2.55	+20.7	19.4
1996 01 08	11 36.52	+01 57.1	1.027	1.678	-2.88	+23.3	19.1
1996 01 18	11 50.38	-00 31.5	0.916	1.639	-3.29	+26.3	18.7
1996 01 28	12 02.45	-03 02.2	0.816	1.603	-3.78	+29.6	18.4
1996 02 07	12 12.31	-05 33.4	0.727	1.571	-4.36	+33.2	18.0
1996 02 17	12 19.45	-08 02.2	0.650	1.542	-5.03	+37.2	17.6
1996 02 27	12 23.39	-10 23.8	0.587	1.518	-5.75	+41.6	17.3
1996 03 08	12 24.09	-12 32.2	0.538	1.499	-6.46	+46.2	16.9
1996 03 18	12 21.93	-14 19.8	0.504	1.485	-7.03	+50.7	16.6
1996 03 28	12 18.15	-15 40.1	0.486	1.476	-7.34	+54.5	16.4

1996 04 07	12 14.64	-16 32.0	0.484	1.473	-7.33	+56.4	16.4
1996 04 17	12 13.24	-16 59.9	0.497	1.475	-7.01	+56.1	16.7
1996 04 27	12 15.33	-17 13.5	0.524	1.484	-6.50	+53.3	16.9
1996 05 07	12 21.47	-17 23.1	0.564	1.497	-5.90	+48.8	17.3
1996 05 17	12 31.39	-17 36.0	0.615	1.516	-5.32	+43.4	17.6
1996 05 27	12 44.62	-17 56.5	0.678	1.540	-4.78	+37.7	17.9
1996 06 06	13 00.45	-18 26.1	0.751	1.568	-4.30	+32.3	18.2
1996 06 16	13 18.21	-19 03.5	0.833	1.601	-3.88	+27.2	18.5
1996 06 26	13 37.42	-19 47.3	0.926	1.636	-3.51	+22.7	18.8
1996 07 06	13 57.66	-20 35.2	1.027	1.675	-3.19	+18.7	19.1
1996 07 16	14 18.60	-21 24.7	1.137	1.717	-2.90	+15.3	19.4
1996 07 26	14 40.05	-22 13.9	1.256	1.760	-2.65	+12.3	19.7
1996 08 05	15 01.84	-23 00.8	1.381	1.806	-2.42	+9.7	19.9
1996 08 15	15 23.85	-23 43.7	1.514	1.853	-2.22	+7.5	20.1
1996 08 25	15 46.00	-24 21.2	1.652	1.900	-2.04	+5.6	20.3

1994 VR ₆		$a, e, i = 2.74, 0.43, 30$				Elements <i>MPC</i> 25962	
Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ
1995 10 30	09 42.56	+43 15.4	3.388	3.432	84.1	16.7	20.2
1995 11 09	09 51.71	+44 13.5	3.284	3.460	91.8	16.6	20.2
1995 11 19	09 59.03	+45 24.7	3.182	3.487	99.7	16.2	20.1
1995 11 29	10 04.17	+46 49.1	3.085	3.513	107.7	15.5	20.0
1995 12 09	10 06.77	+48 25.1	2.998	3.538	115.7	14.5	19.9
1995 12 19	10 06.44	+50 09.5	2.925	3.563	123.4	13.3	19.9
1995 12 29	10 02.83	+51 57.1	2.869	3.586	130.5	12.0	19.8
1996 01 08	09 55.80	+53 40.1	2.834	3.609	136.3	10.8	19.7
1996 01 18	09 45.54	+55 10.2	2.822	3.631	140.0	10.0	19.7
1996 01 28	09 32.72	+56 18.5	2.836	3.652	140.8	9.8	19.7
1996 02 07	09 18.58	+56 59.0	2.874	3.672	138.6	10.2	19.8
1996 02 17	09 04.63	+57 09.3	2.937	3.692	133.9	11.1	19.9
1996 02 27	08 52.36	+56 50.9	3.022	3.710	127.6	12.2	20.0
1996 03 08	08 42.85	+56 08.8	3.125	3.728	120.5	13.3	20.1
1996 03 18	08 36.59	+55 08.9	3.243	3.744	112.9	14.2	20.2
1996 03 28	08 33.64	+53 56.7	3.372	3.760	105.3	14.8	20.3
1996 04 07	08 33.74	+52 37.1	3.509	3.775	97.7	15.2	20.5
1996 04 17	08 36.49	+51 13.4	3.650	3.790	90.2	15.4	20.6
1996 04 27	08 41.45	+49 47.5	3.792	3.803	83.0	15.2	20.6
1996 05 07	08 48.22	+48 21.1	3.932	3.816	76.0	14.9	20.7
1996 05 17	08 56.43	+46 54.7	4.067	3.827	69.3	14.3	20.8
1996 05 27	09 05.77	+45 28.8	4.195	3.838	62.7	13.6	20.8

1992 WR ₄		$a, e, i = 1.96, 0.34, 5$				Elements <i>MPC</i> 23520	
Date	TT	α_{2000}	δ_{2000}	Δ	r	Variation	V
1995 10 30	10 10.58	+06 32.4	1.503	1.391	-1.53	+8.5	20.2
1995 11 09	10 34.87	+03 43.1	1.472	1.423	-1.48	+8.2	20.2
1995 11 19	10 57.35	+00 58.5	1.438	1.457	-1.45	+7.7	20.2
1995 11 29	11 17.96	-01 38.1	1.398	1.495	-1.43	+7.3	20.2
1995 12 09	11 36.59	-04 04.0	1.354	1.534	-1.44	+6.9	20.1
1995 12 19	11 53.07	-06 16.9	1.305	1.575	-1.47	+6.5	20.1
1995 12 29	12 07.11	-08 13.9	1.252	1.618	-1.53	+6.3	20.0
1996 01 08	12 18.35	-09 52.6	1.196	1.661	-1.62	+6.2	20.0
1996 01 18	12 26.38	-11 09.8	1.139	1.705	-1.74	+6.3	19.8
1996 01 28	12 30.68	-12 01.9	1.084	1.749	-1.90	+6.8	19.7

M.P.C. 25982

1995 NOV. 7

1996 02 07	12 30.91	-12 24.8	1.034	1.792	-2.08	+7.6	19.5
1996 02 17	12 26.91	-12 14.6	0.993	1.836	-2.28	+8.8	19.4
1996 02 27	12 19.00	-11 29.1	0.966	1.879	-2.45	+10.2	19.2
1996 03 08	12 08.25	-10 10.9	0.959	1.922	-2.56	+11.6	19.0
1996 03 18	11 56.27	-08 28.8	0.975	1.964	-2.57	+12.6	18.8
1996 03 28	11 44.94	-06 36.8	1.016	2.004	-2.49	+12.9	19.0
1996 04 07	11 35.87	-04 50.3	1.082	2.044	-2.32	+12.5	19.4
1996 04 17	11 29.92	-03 20.7	1.170	2.083	-2.12	+11.6	19.8
1996 04 27	11 27.40	-02 14.1	1.278	2.121	-1.91	+10.6	20.1
1996 05 07	11 28.11	-01 32.0	1.400	2.158	-1.70	+9.4	20.5
1996 05 17	11 31.63	-01 12.8	1.534	2.193	-1.52	+8.4	20.8
1996 05 27	11 37.53	-01 14.0	1.677	2.227	-1.37	+7.5	21.0

1996 03 08	10 23.45	+10 03.1	44.243	45.208	166.2	0.3	23.6
1996 03 18	10 22.77	+10 07.1	44.296	45.208	156.1	0.5	23.6
1996 03 28	10 22.16	+10 10.7	44.377	45.208	146.0	0.7	23.7
1996 04 07	10 21.62	+10 13.9	44.483	45.208	136.0	0.9	23.7
1996 04 17	10 21.19	+10 16.4	44.609	45.208	126.1	1.0	23.7
1996 04 27	10 20.88	+10 18.3	44.754	45.208	116.2	1.1	23.7
1996 05 07	10 20.69	+10 19.5	44.911	45.208	106.5	1.2	23.7
1996 05 17	10 20.64	+10 19.8	45.077	45.208	96.8	1.3	23.8
1996 05 27	10 20.73	+10 19.4	45.246	45.208	87.2	1.3	23.8
1996 06 06	10 20.95	+10 18.2	45.413	45.208	77.7	1.3	23.8
1996 06 16	10 21.31	+10 16.2	45.575	45.208	68.2	1.2	23.8

1994 CN₂ $a, e, i = 1.57, 0.40, 1$ Elements *MPC* 23686

Date	TT	α_{2000}	δ_{2000}	Δ	r	Variation		V
1995 10 30		10 15.41	+11 21.8	2.037	1.843	-0.80	+4.1	20.6
1995 11 09		10 30.40	+10 02.5	1.964	1.883	-0.80	+4.3	20.6
1995 11 19		10 43.74	+08 50.5	1.881	1.921	-0.82	+4.6	20.6
1995 11 29		10 55.23	+07 48.6	1.791	1.957	-0.85	+4.9	20.5
1995 12 09		11 04.60	+06 59.3	1.696	1.990	-0.90	+5.3	20.4
1995 12 19		11 11.53	+06 25.5	1.597	2.020	-0.96	+5.8	20.3
1995 12 29		11 15.59	+06 10.5	1.499	2.048	-1.05	+6.5	20.1
1996 01 08		11 16.32	+06 17.4	1.405	2.074	-1.17	+7.2	20.0
1996 01 18		11 13.32	+06 48.5	1.319	2.097	-1.30	+8.1	19.7
1996 01 28		11 06.34	+07 44.3	1.248	2.118	-1.44	+8.9	19.5
1996 02 07		10 55.61	+09 01.5	1.198	2.136	-1.58	+9.5	19.2
1996 02 17		10 41.97	+10 32.3	1.173	2.151	-1.68	+9.7	18.9
1996 02 27		10 26.94	+12 05.1	1.176	2.165	-1.71	+9.5	18.8
1996 03 08		10 12.46	+13 27.6	1.209	2.176	-1.68	+8.8	19.2
1996 03 18		10 00.24	+14 31.3	1.268	2.184	-1.59	+8.0	19.5
1996 03 28		09 51.44	+15 12.4	1.350	2.190	-1.46	+7.0	19.8
1996 04 07		09 46.49	+15 31.4	1.449	2.194	-1.32	+6.2	20.1
1996 04 17		09 45.25	+15 30.8	1.560	2.195	-1.19	+5.6	20.3
1996 04 27		09 47.35	+15 13.3	1.679	2.193	-1.08	+5.1	20.5
1996 05 07		09 52.28	+14 41.5	1.801	2.190	-0.98	+4.7	20.7
1996 05 17		09 59.53	+13 57.4	1.923	2.183	-0.90	+4.4	20.8
1996 05 27		10 08.70	+13 02.4	2.043	2.175	-0.83	+4.3	21.0

1995 DC₂ $a, e, i = 45.21, 0.00, 2$ Elements *MPC* 25184

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		10 27.14	+09 40.8	45.678	45.208	61.2	1.1	23.8
1995 11 09		10 27.59	+09 38.3	45.519	45.208	71.1	1.2	23.8
1995 11 19		10 27.90	+09 36.6	45.350	45.208	81.1	1.2	23.8
1995 11 29		10 28.07	+09 35.7	45.177	45.208	91.1	1.3	23.8
1995 12 09		10 28.10	+09 35.6	45.005	45.208	101.3	1.2	23.7
1995 12 19		10 27.98	+09 36.3	44.838	45.208	111.5	1.2	23.7
1995 12 29		10 27.72	+09 37.9	44.683	45.208	121.7	1.1	23.7
1996 01 08		10 27.34	+09 40.2	44.543	45.208	132.0	0.9	23.7
1996 01 18		10 26.85	+09 43.1	44.425	45.208	142.4	0.8	23.7
1996 01 28		10 26.26	+09 46.6	44.330	45.208	152.7	0.6	23.6
1996 02 07		10 25.60	+09 50.5	44.264	45.208	163.0	0.4	23.6
1996 02 17		10 24.89	+09 54.7	44.226	45.208	173.3	0.1	23.6
1996 02 27		10 24.17	+09 59.0	44.219	45.208	176.4	0.1	23.5

(6053) 1993 BW₃ $a, e, i = 2.15, 0.53, 22$ Elements *MPC* 25412

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 10 30		10 47.58	+51 39.5	0.589	1.055	79.2	67.6	15.9
1995 11 09		11 00.34	+47 30.4	0.609	1.096	82.8	63.7	16.0
1995 11 19		11 07.54	+43 53.8	0.618	1.146	87.9	59.5	16.0
1995 11 29		11 09.23	+40 48.8	0.616	1.205	94.7	54.7	15.9
1995 12 09		11 04.83	+38 11.5	0.607	1.269	103.2	49.1	15.9
1995 12 19		10 53.52	+35 54.9	0.595	1.338	113.6	42.4	15.8
1995 12 29		10 34.63	+33 47.1	0.585	1.409	126.0	34.4	15.6
1996 01 08		10 08.97	+31 30.9	0.585	1.481	140.2	25.2	15.4
1996 01 18		09 39.43	+28 54.1	0.605	1.554	155.4	15.3	15.3
1996 01 28		09 10.52	+25 58.3	0.649	1.627	169.5	6.3	15.2
1996 02 07		08 46.46	+22 59.9	0.721	1.700	169.2	6.3	15.5
1996 02 17		08 29.21	+20 17.0	0.819	1.771	157.0	12.6	16.2
1996 02 27		08 18.82	+17 58.2	0.941	1.842	145.0	17.9	16.7
1996 03 08		08 14.31	+16 03.3	1.080	1.911	134.3	21.8	17.2
1996 03 18		08 14.40	+14 27.5	1.235	1.978	124.7	24.5	17.7
1996 03 28		08 18.02	+13 05.1	1.400	2.044	115.9	26.1	18.1
1996 04 07		08 24.29	+11 51.2	1.573	2.108	107.9	26.9	18.4
1996 04 17		08 32.51	+10 41.9	1.752	2.170	100.3	27.1	18.7
1996 04 27		08 42.21	+09 34.3	1.934	2.231	93.3	26.8	19.0
1996 05 07		08 52.97	+08 26.4	2.117	2.289	86.6	26.1	19.2
1996 05 17		09 04.52	+07 16.9	2.298	2.346	80.1	25.1	19.4
1996 05 27		09 16.66	+06 05.0	2.477	2.401	73.8	23.9	19.6
1996 06 06		09 29.20	+04 50.1	2.651	2.454	67.8	22.5	19.7
1996 06 16		09 42.03	+03 31.9	2.820	2.506	61.8	20.9	19.9

(5836) 1993 MF

 $a, e, i = 2.44, 0.53, 8$ Elements *MPC* 22945

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 11 09		10 44.61	+00 01.6	3.973	3.646	63.8	14.1	20.5
1995 11 19		10 51.17	-00 57.3	3.814	3.630	71.9	15.0	20.4
1995 11 29		10 56.65	-01 52.3	3.647	3.614	80.3	15.6	20.4
1995 12 09		11 00.88	-02 42.1	3.475	3.596	89.0	15.9	20.2
1995 12 19		11 03.64	-03 25.0	3.301	3.577	98.2	15.8	20.1
1995 12 29		11 04.73	-03 59.3	3.131	3.556	107.8	15.3	20.0
1996 01 08		11 03.96	-04 23.1	2.968	3.535	117.8	14.2	19.8
1996 01 18		11 01.22	-04 34.3	2.817	3.512	128.3	12.7	19.6
1996 01 28		10 56.45	-04 31.1	2.684	3.489	139.1	10.6	19.4
1996 02 07		10 49.81	-04 12.4	2.573	3.464	150.2	8.1	19.2
1996 02 17		10 41.66	-03 38.4	2.488	3.437	160.9	5.4	19.0
1996 02 27		10 32.54	-02 50.7	2.434	3.410	168.4	3.3	18.8

M.P.C. 25983

1995 NOV. 7

1996 03 08	10 23.22	−01 52.9	2.411	3.381	165.4	4.2	18.8
1996 03 18	10 14.46	−00 49.7	2.419	3.351	155.6	7.0	19.0
1996 03 28	10 06.98	+00 13.6	2.456	3.320	144.6	10.0	19.1
1996 04 07	10 01.31	+01 12.2	2.517	3.288	133.6	12.7	19.2
1996 04 17	09 57.73	+02 02.5	2.597	3.254	123.0	15.0	19.4
1996 04 27	09 56.37	+02 42.3	2.691	3.219	112.9	16.7	19.5
1996 05 07	09 57.15	+03 10.2	2.794	3.183	103.4	18.0	19.6
1996 05 17	09 59.92	+03 26.0	2.902	3.145	94.4	18.7	19.7
1996 05 27	10 04.49	+03 29.9	3.009	3.106	85.9	19.0	19.7
1996 06 06	10 10.66	+03 22.4	3.114	3.066	77.9	18.9	19.8
1996 06 16	10 18.22	+03 04.1	3.212	3.024	70.3	18.4	19.8
1996 06 26	10 27.00	+02 35.8	3.302	2.981	63.0	17.7	19.8

1994 ES₂ $a, e, i = 45.96, 0.13, 1$ Elements *MPC* 25341

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 11 09		10 50.49	+07 28.9	46.049	45.640	65.0	1.1	24.3
1995 11 19		10 50.88	+07 26.6	45.882	45.636	75.0	1.2	24.3
1995 11 29		10 51.13	+07 25.1	45.707	45.633	85.0	1.2	24.3
1995 12 09		10 51.24	+07 24.5	45.530	45.629	95.2	1.2	24.3
1995 12 19		10 51.21	+07 24.7	45.356	45.626	105.3	1.2	24.3
1995 12 29		10 51.04	+07 25.8	45.190	45.623	115.6	1.1	24.2
1996 01 08		10 50.74	+07 27.7	45.037	45.619	125.8	1.0	24.2
1996 01 18		10 50.32	+07 30.3	44.901	45.616	136.1	0.9	24.2
1996 01 28		10 49.80	+07 33.6	44.788	45.612	146.5	0.7	24.2
1996 02 07		10 49.19	+07 37.4	44.701	45.609	156.8	0.5	24.1
1996 02 17		10 48.52	+07 41.5	44.642	45.606	167.1	0.3	24.1
1996 02 27		10 47.82	+07 45.8	44.613	45.602	177.3	0.1	24.1
1996 03 08		10 47.11	+07 50.1	44.615	45.599	172.5	0.2	24.1
1996 03 18		10 46.42	+07 54.3	44.646	45.595	162.3	0.4	24.1
1996 03 28		10 45.78	+07 58.3	44.707	45.592	152.2	0.6	24.2
1996 04 07		10 45.20	+08 01.8	44.794	45.589	142.2	0.8	24.2
1996 04 17		10 44.71	+08 04.7	44.904	45.585	132.3	0.9	24.2
1996 04 27		10 44.33	+08 07.1	45.035	45.582	122.4	1.1	24.2
1996 05 07		10 44.06	+08 08.7	45.181	45.579	112.6	1.2	24.2
1996 05 17		10 43.93	+08 09.5	45.338	45.575	102.9	1.2	24.3
1996 05 27		10 43.92	+08 09.5	45.502	45.572	93.3	1.3	24.3
1996 06 06		10 44.06	+08 08.8	45.667	45.568	83.8	1.3	24.3
1996 06 16		10 44.32	+08 07.2	45.830	45.565	74.3	1.2	24.3
1996 06 26		10 44.71	+08 04.8	45.984	45.562	64.8	1.2	24.3

1995 GJ

 $a, e, i = 42.91, 0.09, 23$ Elements *MPC* 25185

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 11 09		10 50.53	+06 52.0	39.418	39.007	64.8	1.3	23.2
1995 11 19		10 50.96	+06 48.1	39.255	39.007	74.7	1.4	23.2
1995 11 29		10 51.23	+06 45.3	39.084	39.007	84.8	1.4	23.1
1995 12 09		10 51.34	+06 43.4	38.911	39.007	94.9	1.4	23.1
1995 12 19		10 51.29	+06 42.5	38.740	39.007	105.0	1.4	23.1
1995 12 29		10 51.07	+06 42.6	38.577	39.007	115.3	1.3	23.1
1996 01 08		10 50.70	+06 43.6	38.427	39.007	125.6	1.2	23.1
1996 01 18		10 50.18	+06 45.6	38.295	39.007	135.9	1.0	23.1
1996 01 28		10 49.55	+06 48.2	38.185	39.007	146.2	0.8	23.0
1996 02 07		10 48.82	+06 51.5	38.101	39.007	156.6	0.6	23.0
1996 02 17		10 48.01	+06 55.3	38.044	39.007	166.9	0.3	22.9

1996 02 27	10 47.17	+06 59.3	38.018	39.007	177.1	0.1	22.9
1996 03 08	10 46.32	+07 03.3	38.023	39.007	172.5	0.2	22.9
1996 03 18	10 45.49	+07 07.3	38.058	39.007	162.4	0.4	23.0
1996 03 28	10 44.72	+07 11.0	38.121	39.008	152.3	0.7	23.0
1996 04 07	10 44.03	+07 14.2	38.212	39.008	142.2	0.9	23.0
1996 04 17	10 43.44	+07 16.8	38.325	39.008	132.3	1.1	23.1
1996 04 27	10 42.97	+07 18.7	38.459	39.008	122.4	1.2	23.1
1996 05 07	10 42.65	+07 19.7	38.609	39.008	112.6	1.4	23.1
1996 05 17	10 42.48	+07 19.9	38.769	39.008	102.9	1.4	23.1
1996 05 27	10 42.46	+07 19.2	38.937	39.008	93.3	1.5	23.1
1996 06 06	10 42.60	+07 17.5	39.105	39.008	83.8	1.5	23.2
1996 06 16	10 42.90	+07 14.9	39.271	39.008	74.3	1.4	23.2
1996 06 26	10 43.34	+07 11.4	39.429	39.008	64.9	1.4	23.2

(6172) Prokofeana

 $a, e, i = 2.58, 0.43, 16$ Elements *MPC* 24375

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1995 11 19		11 22.50	−09 57.8	2.544	2.249	61.6	22.7	20.2
1995 11 29		11 34.92	−11 41.7	2.480	2.300	68.0	23.4	20.2
1995 12 09		11 45.80	−13 17.9	2.407	2.350	74.8	23.9	20.2
1995 12 19		11 54.94	−14 45.0	2.328	2.399	82.1	24.0	20.2
1995 12 29		12 02.10	−16 00.9	2.244	2.448	89.9	23.7	20.1
1996 01 08		12 07.01	−17 03.4	2.158	2.496	98.2	23.0	20.0
1996 01 18		12 09.45	−17 49.8	2.073	2.543	107.1	21.7	20.0
1996 01 28		12 09.19	−18 16.9	1.993	2.590	116.7	19.9	19.9
1996 02 07		12 06.20	−18 21.3	1.923	2.635	126.8	17.4	19.7
1996 02 17		12 00.65	−18 00.1	1.868	2.680	137.4	14.4	19.6
1996 02 27		11 52.99	−17 12.0	1.832	2.724	148.1	11.1	19.5
1996 03 08		11 44.04	−15 58.6	1.821	2.767	158.0	7.7	19.4
1996 03 18		11 34.76	−14 25.2	1.838	2.809	164.1	5.6	19.3
1996 03 28		11 26.18	−12 39.9	1.884	2.850	161.9	6.2	19.4
1996 04 07		11 19.15	−10 52.3	1.958	2.890	153.7	8.8	19.7
1996 04 17		11 14.19	−09 11.1	2.059	2.929	143.7	11.7	19.9
1996 04 27		11 11.53	−07 42.4	2.181	2.967	133.6	14.2	20.2
1996 05 07		11 11.16	−06 30.0	2.322	3.004	123.9	16.2	20.4
1996 05 17		11 12.90	−05 35.0	2.477	3.040	114.6	17.6	20.6
1996 05 27		11 16.52	−04 57.3	2.642	3.075	105.7	18.5	20.8
1996 06 06		11 21.73	−04 35.4	2.813	3.110	97.3	18.9	21.0

65P/Gunn

Elements *MPC* 22032

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	m_2
1995 11 29		14 13.38	−07 09.9	3.609	2.836	33.2	11.0	15.7
1995 12 09		14 28.74	−08 35.5	3.503	2.809	39.2	12.8	15.7
1995 12 19		14 44.09	−09 56.2	3.387	2.783	45.2	14.5	15.7
1995 12 29		14 59.34	−11 11.6	3.262	2.758	51.4	16.2	15.6
1996 01 08		15 14.39	−12 21.2	3.129	2.733	57.7	17.7	15.6
1996 01 18		15 29.11	−13 24.9	2.991	2.709	64.1	19.1	15.5
1996 01 28		15 43.34	−14 22.6	2.847	2.686	70.6	20.2	15.4
1996 02 07		15 56.91	−15 14.4	2.700	2.663	77.3	21.2	15.3
1996 02 17		16 09.62	−16 00.7	2.551	2.642	84.2	21.8	15.2
1996 02 27		16 21.21	−16 42.0	2.403	2.621	91.4	22.2	15.1
1996 03 08		16 31.42	−17 19.4	2.256	2.601	98.9	22.1	14.9
1996 03 18		16 39.95	−17 53.7	2.114	2.583	106.7	21.7	14.7
1996 03 28		16 46.46	−18 26.4	1.978	2.566	115.0	20.6	14.5

M.P.C. 25984

1995 NOV. 7

1996 04 07	16 50.65	-18 58.5	1.853	2.549	123.8	19.0	14.3
1996 04 17	16 52.26	-19 31.3	1.739	2.534	133.2	16.8	14.1
1996 04 27	16 51.09	-20 05.5	1.642	2.521	143.2	13.8	13.9
1996 05 07	16 47.25	-20 41.1	1.564	2.508	153.7	10.3	13.6
1996 05 17	16 41.06	-21 17.5	1.508	2.498	164.7	6.1	13.4
1996 05 27	16 33.27	-21 53.6	1.476	2.488	176.1	1.6	13.0
1996 06 06	16 24.92	-22 28.6	1.470	2.480	172.5	3.1	13.1
1996 06 16	16 17.14	-23 02.2	1.490	2.473	161.2	7.6	13.4
1996 06 26	16 11.03	-23 35.0	1.533	2.468	150.3	11.8	13.6
1996 07 06	16 07.33	-24 08.0	1.597	2.465	140.1	15.4	13.8
1996 07 16	16 06.46	-24 42.3	1.678	2.462	130.5	18.3	14.0
1996 07 26	16 08.54	-25 18.4	1.774	2.462	121.5	20.6	14.2
1996 08 05	16 13.46	-25 56.1	1.881	2.463	113.2	22.3	14.4
1996 08 15	16 20.99	-26 34.7	1.996	2.466	105.4	23.3	14.6
1996 08 25	16 30.88	-27 13.1	2.116	2.470	98.1	23.9	14.7
1996 09 04	16 42.84	-27 49.9	2.241	2.475	91.1	24.0	14.8
1996 09 14	16 56.61	-28 23.6	2.367	2.482	84.5	23.8	15.0
1996 09 24	17 11.93	-28 52.8	2.494	2.491	78.2	23.2	15.1
1996 10 04	17 28.57	-29 16.2	2.620	2.501	72.1	22.4	15.2
1996 10 14	17 46.31	-29 32.3	2.744	2.512	66.2	21.3	15.2
1996 10 24	18 04.95	-29 40.4	2.864	2.525	60.4	20.0	15.3
1996 11 03	18 24.27	-29 39.6	2.981	2.539	54.7	18.6	15.3
1996 11 13	18 44.11	-29 29.4	3.092	2.555	49.0	17.0	15.4
1996 11 23	19 04.27	-29 09.5	3.197	2.571	43.4	15.3	15.4
1996 12 03	19 24.60	-28 39.9	3.295	2.589	37.9	13.5	15.4
1996 12 13	19 44.95	-28 01.0	3.384	2.608	32.4	11.7	15.4

C/1995 Q1 (Bradfield)

Date	TT	α_{2000}	δ_{2000}	Δ	r	Elements	MPC	25932
						ϵ	ϕ	m_1
1995 12 19	02 54.0	+73 17.5	1.444	2.164	125.0	21.9	12.6	
1995 12 29	02 09.25	+65 35.9	1.640	2.309	121.3	21.3	13.2	
1996 01 08	01 55.63	+59 15.4	1.876	2.451	114.4	21.4	13.8	
1996 01 18	01 52.98	+54 24.3	2.138	2.590	106.1	21.4	14.3	
1996 01 28	01 55.37	+50 47.2	2.417	2.726	97.5	21.0	14.8	
1996 02 07	02 00.45	+48 07.5	2.702	2.859	88.9	20.2	15.2	
1996 02 17	02 07.11	+46 11.5	2.990	2.990	80.5	19.0	15.6	
1996 02 27	02 14.78	+44 48.8	3.272	3.118	72.4	17.6	16.0	
1996 03 08	02 23.08	+43 51.8	3.547	3.245	64.5	16.0	16.4	
1996 03 18	02 31.77	+43 14.4	3.809	3.369	56.8	14.3	16.7	
1996 03 28	02 40.70	+42 52.6	4.055	3.491	49.6	12.6	17.0	
1996 04 07	02 49.71	+42 43.1	4.283	3.611	42.7	10.8	17.2	
1996 04 17	02 58.72	+42 43.3	4.491	3.730	36.3	9.2	17.5	
1996 04 27	03 07.61	+42 51.4	4.677	3.847	30.8	7.7	17.7	

P/1991 R2 (Spacewatch)

Date	TT	α_{2000}	δ_{2000}	Δ	r	Elements	MPC	22032
						Variation	m_2	
1995 12 19	11 20.06	+02 40.9	2.102	2.425	-1.29	+4.8	20.2	
1995 12 29	11 30.06	+02 06.4	1.921	2.368	-1.44	+5.4	19.9	
1996 01 08	11 38.79	+01 46.1	1.747	2.310	-1.61	+6.2	19.6	
1996 01 18	11 45.95	+01 43.9	1.581	2.253	-1.82	+7.0	19.3	
1996 01 28	11 51.16	+02 03.9	1.427	2.196	-2.05	+8.0	19.0	
1996 02 07	11 54.10	+02 50.1	1.287	2.139	-2.31	+9.0	18.6	
1996 02 17	11 54.47	+04 05.2	1.165	2.082	-2.59	+10.0	18.2	

1996 02 27	11 52.14	+05 49.4	1.064	2.027	-2.86	+10.7	17.8
1996 03 08	11 47.42	+07 57.6	0.985	1.972	-3.11	+11.0	17.3
1996 03 18	11 41.03	+10 18.8	0.931	1.919	-3.28	+10.4	17.2
1996 03 28	11 34.23	+12 36.9	0.900	1.867	-3.36	+9.2	17.3
1996 04 07	11 28.57	+14 35.0	0.890	1.818	-3.34	+7.4	17.4
1996 04 17	11 25.42	+16 00.9	0.898	1.771	-3.24	+5.6	17.6
1996 04 27	11 25.77	+16 47.9	0.920	1.727	-3.09	+4.1	17.7
1996 05 07	11 30.03	+16 55.6	0.950	1.687	-2.93	+3.1	17.9
1996 05 17	11 38.12	+16 26.4	0.986	1.650	-2.79	+2.8	18.0
1996 05 27	11 49.75	+15 23.8	1.026	1.618	-2.66	+2.9	18.1
1996 06 06	12 04.47	+13 52.0	1.068	1.591	-2.56	+3.3	18.2
1996 06 16	12 21.78	+11 54.7	1.112	1.569	-2.47	+4.1	18.3
1996 06 26	12 41.31	+09 35.9	1.158	1.553	-2.41	+4.9	18.4
1996 07 06	13 02.68	+06 59.9	1.206	1.543	-2.36	+5.8	18.5
1996 07 16	13 25.57	+04 11.0	1.257	1.539	-2.31	+6.6	18.5
1996 07 26	13 49.77	+01 14.2	1.312	1.542	-2.28	+7.2	18.6
1996 08 05	14 15.06	-01 45.3	1.373	1.550	-2.24	+7.6	18.7
1996 08 15	14 41.28	-04 42.2	1.441	1.566	-2.20	+7.6	18.8
1996 08 25	15 08.27	-07 31.4	1.515	1.586	-2.15	+7.4	18.9
1996 09 04	15 35.84	-10 08.2	1.597	1.613	-2.10	+6.9	19.0
1996 09 14	16 03.86	-12 28.8	1.687	1.644	-2.04	+6.2	19.2
1996 09 24	16 32.14	-14 30.1	1.785	1.680	-1.97	+5.3	19.3
1996 10 04	17 00.47	-16 10.1	1.890	1.720	-1.89	+4.3	19.4
1996 10 14	17 28.68	-17 27.8	2.002	1.763	-1.80	+3.3	19.5
1996 10 24	17 56.59	-18 23.1	2.120	1.810	-1.71	+2.3	19.7
1996 11 03	18 24.00	-18 56.8	2.242	1.859	-1.61	+1.3	19.8
1996 11 13	18 50.79	-19 10.1	2.368	1.910	-1.50	+0.5	19.9
1996 11 23	19 16.84	-19 04.8	2.495	1.963	-1.40	-0.2	20.0
1996 12 03	19 42.04	-18 42.7	2.622	2.017	-1.30	-0.8	20.1
1996 12 13	20 06.36	-18 06.1	2.748	2.073	-1.20	-1.2	20.2
1996 12 23	20 29.77	-17 16.9	2.871	2.129	-1.11	-1.6	20.3

117P/Helin-Roman-Alu 1

Date	TT	α_{2000}	δ_{2000}	Δ	r	Elements	MPC	24711
						ϵ	ϕ	m_1
1995 12 19	15 22.33	-14 18.2	4.831	4.064	34.9	8.0	19.5	
1995 12 29	15 33.05	-15 02.6	4.722	4.051	42.4	9.4	19.4	
1996 01 08	15 43.39	-15 42.5	4.600	4.038	49.9	10.7	19.4	
1996 01 18	15 53.21	-16 18.1	4.465	4.025	57.7	11.9	19.3	
1996 01 28	16 02.36	-16 49.2	4.319	4.013	65.6	12.9	19.2	
1996 02 07	16 10.68	-17 16.0	4.165	4.000	73.6	13.7	19.1	
1996 02 17	16 18.02	-17 38.8	4.005	3.988	81.9	14.2	19.0	
1996 02 27	16 24.18	-17 57.8	3.842	3.976	90.5	14.4	18.9	
1996 03 08	16 28.99	-18 13.4	3.681	3.965	99.3	14.3	18.8	
1996 03 18	16 32.28	-18 26.0	3.523	3.953	108.5	13.8	18.7	
1996 03 28	16 33.89	-18 35.9	3.373	3.942	118.0	12.9	18.6	
1996 04 07	16 33.74	-18 43.5	3.236	3.930	127.8	11.6	18.5	
1996 04 17	16 31.81	-18 49.2	3.115	3.919	138.1	9.9	18.4	
1996 04 27	16 28.19	-18 53.0	3.014	3.909	148.6	7.7	18.3	
1996 05 07	16 23.13	-18 55.4	2.937	3.898	159.5	5.2	18.2	
1996 05 17	16 17.00	-18 56.8	2.887	3.888	170.4	2.5	18.2	
1996 05 27	16 10.32	-18 57.7	2.865	3.877	177.2	0.7	18.2	
1996 06 06	16 03.67	-18 59.2	2.872	3.868	166.9	3.4	18.2	
1996 06 16	15 57.61	-19 02.3	2.908	3.858	156.0	6.1	18.2	

M.P.C. 25985

1995 NOV. 7

1996 06 26	15 52.65	-19 08.0	2.969	3.849	145.4	8.6	18.2
1996 07 06	15 49.15	-19 17.3	3.052	3.840	135.1	10.8	18.3
1996 07 16	15 47.33	-19 30.9	3.154	3.831	125.2	12.5	18.3
1996 07 26	15 47.29	-19 48.8	3.271	3.822	115.7	13.9	18.4
1996 08 05	15 49.03	-20 11.1	3.398	3.814	106.6	14.8	18.5
1996 08 15	15 52.48	-20 37.2	3.532	3.806	97.9	15.3	18.5
1996 08 25	15 57.52	-21 06.4	3.670	3.798	89.5	15.4	18.6
1996 09 04	16 04.03	-21 38.0	3.808	3.791	81.4	15.3	18.7
1996 09 14	16 11.87	-22 11.0	3.943	3.784	73.6	14.8	18.8
1996 09 24	16 20.91	-22 44.7	4.072	3.777	66.0	14.0	18.8
1996 10 04	16 31.01	-23 18.0	4.194	3.771	58.6	13.1	18.9
1996 10 14	16 42.06	-23 50.2	4.307	3.765	51.3	11.9	18.9
1996 10 24	16 53.94	-24 20.4	4.409	3.759	44.1	10.6	19.0
1996 11 03	17 06.54	-24 48.1	4.497	3.753	37.0	9.2	19.0
1996 11 13	17 19.74	-25 12.4	4.572	3.748	30.0	7.6	19.0

77P/Longmore

Elements MPC 20123

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	m_2
1995 12 29		16 05.30	-32 47.3	3.219	2.455	33.1	12.6	17.7
1996 01 08		16 26.53	-34 36.7	3.163	2.469	38.4	14.3	17.8
1996 01 18		16 47.92	-36 18.6	3.099	2.485	43.9	15.9	17.8
1996 01 28		17 09.32	-37 53.4	3.028	2.502	49.4	17.4	17.8
1996 02 07		17 30.57	-39 21.5	2.952	2.521	55.1	18.7	17.8
1996 02 17		17 51.49	-40 44.1	2.871	2.541	60.9	19.9	17.8
1996 02 27		18 11.84	-42 02.2	2.785	2.562	66.8	20.8	17.8
1996 03 08		18 31.37	-43 17.4	2.697	2.584	72.8	21.5	17.8
1996 03 18		18 49.84	-44 31.6	2.607	2.608	79.0	22.0	17.7
1996 03 28		19 06.94	-45 46.7	2.516	2.632	85.4	22.2	17.7
1996 04 07		19 22.33	-47 04.6	2.427	2.658	92.0	22.1	17.6
1996 04 17		19 35.66	-48 26.9	2.340	2.684	98.8	21.7	17.5
1996 04 27		19 46.50	-49 54.7	2.259	2.711	105.8	20.9	17.5
1996 05 07		19 54.38	-51 27.8	2.184	2.739	112.8	19.8	17.4
1996 05 17		19 58.83	-53 04.6	2.120	2.767	119.9	18.5	17.3
1996 05 27		19 59.35	-54 41.4	2.068	2.797	126.9	16.8	17.2
1996 06 06		19 55.68	-56 11.9	2.032	2.826	133.3	15.1	17.1
1996 06 16		19 47.87	-57 28.5	2.013	2.857	138.8	13.6	17.1
1996 06 26		19 36.61	-58 22.2	2.014	2.887	142.4	12.4	17.1
1996 07 06		19 23.30	-58 46.4	2.036	2.919	143.7	11.9	17.1
1996 07 16		19 09.80	-58 38.3	2.080	2.950	142.2	12.2	17.2
1996 07 26		18 58.00	-57 59.6	2.145	2.982	138.4	13.1	17.3
1996 08 05		18 49.28	-56 56.4	2.230	3.014	133.0	14.3	17.4
1996 08 15		18 44.25	-55 36.0	2.333	3.046	126.5	15.5	17.6
1996 08 25		18 42.97	-54 05.3	2.451	3.079	119.6	16.6	17.8
1996 09 04		18 45.10	-52 29.8	2.583	3.112	112.5	17.4	17.9
1996 09 14		18 50.14	-50 53.0	2.725	3.144	105.3	18.0	18.1
1996 09 24		18 57.61	-49 16.8	2.875	3.177	98.2	18.2	18.2
1996 10 04		19 07.01	-47 42.4	3.031	3.210	91.1	18.2	18.4
1996 10 14		19 17.94	-46 09.8	3.189	3.243	84.2	17.8	18.5
1996 10 24		19 30.04	-44 38.8	3.348	3.276	77.3	17.2	18.6
1996 11 03		19 43.03	-43 09.1	3.504	3.309	70.5	16.4	18.7

82P/Gehrels 3

Elements MPC 16381

Date	TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	m_2
1995 12 29		16 12.36	-21 13.3	5.102	4.298	31.8	6.9	18.2
1996 01 08		16 22.88	-21 38.0	5.022	4.309	39.5	8.3	18.3
1996 01 18		16 32.88	-21 58.9	4.925	4.320	47.3	9.6	18.3
1996 01 28		16 42.24	-22 16.3	4.814	4.330	55.3	10.8	18.3
1996 02 07		16 50.79	-22 30.2	4.690	4.341	63.5	11.7	18.3
1996 02 17		16 58.42	-22 41.0	4.557	4.351	71.8	12.5	18.2
1996 02 27		17 04.93	-22 48.9	4.416	4.361	80.4	12.9	18.2
1996 03 08		17 10.20	-22 54.2	4.271	4.372	89.2	13.1	18.1
1996 03 18		17 14.07	-22 57.3	4.126	4.381	98.3	13.0	18.0
1996 03 28		17 16.39	-22 58.4	3.984	4.391	107.7	12.5	18.0
1996 04 07		17 17.09	-22 57.5	3.850	4.401	117.4	11.7	17.9
1996 04 17		17 16.12	-22 54.9	3.728	4.410	127.4	10.4	17.7
1996 04 27		17 13.51	-22 50.4	3.622	4.420	137.8	8.8	17.6
1996 05 07		17 09.41	-22 44.0	3.538	4.429	148.4	6.9	17.5
1996 05 17		17 04.08	-22 35.5	3.477	4.438	159.3	4.6	17.3
1996 05 27		16 57.89	-22 25.1	3.445	4.447	170.4	2.2	17.2
1996 06 06		16 51.32	-22 13.4	3.441	4.455	178.5	0.3	17.0
1996 06 16		16 44.85	-22 00.9	3.467	4.464	167.4	2.8	17.2
1996 06 26		16 38.98	-21 48.8	3.522	4.472	156.5	5.2	17.4
1996 07 06		16 34.11	-21 38.1	3.603	4.481	145.8	7.3	17.6
1996 07 16		16 30.53	-21 29.8	3.707	4.489	135.5	9.1	17.7
1996 07 26		16 28.43	-21 24.6	3.831	4.496	125.4	10.6	17.9
1996 08 05		16 27.88	-21 22.9	3.970	4.504	115.7	11.7	18.0
1996 08 15		16 28.87	-21 24.7	4.120	4.512	106.4	12.4	18.1
1996 08 25		16 31.35	-21 29.7	4.277	4.519	97.3	12.8	18.2
1996 09 04		16 35.21	-21 37.4	4.437	4.526	88.6	12.9	18.3
1996 09 14		16 40.34	-21 47.2	4.597	4.533	80.1	12.6	18.3
1996 09 24		16 46.60	-21 58.4	4.753	4.540	71.8	12.1	18.4
1996 10 04		16 53.87	-22 10.3	4.901	4.546	63.6	11.4	18.4
1996 10 14		17 02.02	-22 22.1	5.041	4.553	55.6	10.4	18.5
1996 10 24		17 10.94	-22 33.2	5.167	4.559	47.8	9.3	18.5
1996 11 03		17 20.50	-22 43.0	5.280	4.565	40.0	8.0	18.5

P/1983 M1 (IRAS)

Elements MPC 22033

Date	TT	α_{2000}	δ_{2000}	Δ	r	Variation		m_2
1995 12 29		16 22.72	-57 19.1	4.097	3.417	-0.92	+2.0	19.9
1996 01 08		16 48.30	-58 36.3	3.976	3.348	-1.04	+1.4	19.8
1996 01 18		17 15.63	-59 49.2	3.848	3.278	-1.18	+0.6	19.8
1996 01 28		17 44.74	-60 55.9	3.713	3.209	-1.31	-0.4	19.7
1996 02 07		18 15.56	-61 54.5	3.573	3.139	-1.44	-1.5	19.6
1996 02 17		18 47.99	-62 43.3	3.429	3.069	-1.55	-2.9	19.5
1996 02 27		19 21.73	-63 20.9	3.283	2.998	-1.64	-4.5	19.4
1996 03 08		19 56.39	-63 46.1	3.136	2.928	-1.69	-6.3	19.3
1996 03 18		20 31.50	-63 58.4	2.989	2.857	-1.68	-8.2	19.1
1996 03 28		21 06.46	-63 58.5	2.843	2.787	-1.63	-10.3	19.0
1996 04 07		21 40.70	-63 47.2	2.700	2.717	-1.53	-12.4	18.9
1996 04 17		22 13.71	-63 26.7	2.559	2.646	-1.38	-14.5	18.7
1996 04 27		22 45.01	-62 59.8	2.422	2.577	-1.21	-16.6	18.6
1996 05 07		23 14.23	-62 29.5	2.287	2.508	-1.03	-18.7	18.4
1996 05 17		23 41.11	-61 59.6	2.157	2.439	-0.84	-20.7	18.2
1996 05 27		00 05.32	-61 33.6	2.029	2.372	-0.66	-22.8	18.1

1996 06 06	00 26.57	-61 15.0	1.905	2.305	-0.50	-24.9	17.9
1996 06 16	00 44.45	-61 07.4	1.784	2.240	-0.37	-27.0	17.7
1996 06 26	00 58.31	-61 13.4	1.666	2.177	-0.29	-29.3	17.5
1996 07 06	01 07.27	-61 34.4	1.551	2.116	-0.28	-31.6	17.3
1996 07 16	01 09.99	-62 09.7	1.441	2.057	-0.37	-34.0	17.1
1996 07 26	01 04.52	-62 53.6	1.335	2.001	-0.62	-36.4	16.9
1996 08 05	00 48.68	-63 32.0	1.236	1.949	-1.09	-38.5	16.6
1996 08 15	00 20.82	-63 38.0	1.147	1.900	-1.80	-39.8	16.4
1996 08 25	23 42.59	-62 29.7	1.072	1.855	-2.55	-39.9	16.2
1996 09 04	23 00.91	-59 26.2	1.014	1.815	-2.97	-39.3	16.0
1996 09 14	22 24.59	-54 12.1	0.980	1.781	-2.91	-39.2	15.9
1996 09 24	21 58.62	-47 10.3	0.972	1.752	-2.54	-40.3	15.9
1996 10 04	21 43.07	-39 08.5	0.994	1.730	-2.09	-41.9	16.0
1996 10 14	21 35.83	-30 55.8	1.044	1.714	-1.69	-43.0	16.1
1996 10 24	21 34.74	-23 07.2	1.119	1.705	-1.35	-42.9	16.3
1996 11 03	21 38.08	-16 00.2	1.213	1.703	-1.09	-41.7	16.5
1996 11 13	21 44.63	-09 38.1	1.322	1.708	-0.90	-39.7	16.7
1996 11 23	21 53.61	-03 56.9	1.441	1.720	-0.75	-37.3	16.9
1996 12 03	22 04.44	+01 10.1	1.566	1.739	-0.64	-34.8	17.1
1996 12 13	22 16.78	+05 50.0	1.694	1.765	-0.56	-32.3	17.3
1996 12 23	22 30.39	+10 09.2	1.824	1.796	-0.51	-30.0	17.4
1997 01 02	22 45.07	+14 12.3	1.953	1.833	-0.48	-27.8	17.6
1997 01 12	23 00.75	+18 03.1	2.081	1.875	-0.47	-25.8	17.7
1997 01 22	23 17.38	+21 44.4	2.206	1.922	-0.47	-23.9	17.8
1997 02 01	23 34.91	+25 17.6	2.329	1.973	-0.49	-22.2	18.0
1997 02 11	23 53.36	+28 43.9	2.448	2.027	-0.52	-20.6	18.1
1997 02 21	00 12.77	+32 03.4	2.564	2.084	-0.56	-19.1	18.2
1997 03 03	00 33.16	+35 15.9	2.677	2.144	-0.61	-17.6	18.3
1997 03 13	00 54.61	+38 20.8	2.787	2.207	-0.66	-16.2	18.4
1997 03 23	01 17.19	+41 17.2	2.893	2.271	-0.73	-14.8	18.5
1997 04 02	01 40.96	+44 03.6	2.996	2.336	-0.79	-13.4	18.6
1997 04 12	02 05.99	+46 38.9	3.096	2.403	-0.87	-12.0	18.7
1997 04 22	02 32.31	+49 01.5	3.191	2.471	-0.94	-10.6	18.8
1997 05 02	02 59.91	+51 10.0	3.283	2.540	-1.01	-9.1	18.9
1997 05 12	03 28.72	+53 03.0	3.371	2.609	-1.07	-7.7	19.0

OPPOSITION DATA

Planet	Opposition	α_{2000}	δ_{2000}	V	$\dot{\alpha}$	$\dot{\delta}$	ϕ_{MIN}	MPC
1981 EH ₁	95 10 07.2	00 50.04	-01 17.8	16.9	-0.71	- 5.6	1.8/05.0	25972
(6052)	95 10 07.5	00 50.93	-06 59.0	15.5	-0.64	- 9.3	3.4/02.8	23776
1981 EQ ₁₈	95 10 07.6	00 51.63	+03 10.8	16.3	-0.74	- 5.3	0.8/06.9	23787
1991 PT ₇	95 10 07.7	00 51.61	+05 45.1	17.1	-0.98	- 5.1	0.1/07.8	24583
1993 GE	95 10 07.7	00 51.83	-25 12.5	16.8	-0.86	- 0.6	7.3/28.3	25735
(6645)	95 10 07.8	00 52.07	+05 18.9	15.4	-0.77	- 4.5	0.1/07.7	25945
5161 T-2	95 10 07.8	00 52.11	+20 16.3	16.8	-1.05	- 0.1	5.9/11.7	16038
1994 GF	95 10 07.8	00 52.21	-01 20.8	17.2	-0.99	- 6.2	2.8/05.7	25961
1991 PJ ₃	95 10 08.0	00 52.71	+09 40.2	17.0	-1.03	- 3.8	1.7/09.2	25974
1989 FG	95 10 08.2	00 53.51	+01 23.3	16.4	-0.92	- 4.5	1.5/06.9	22493
1993 FX ₁₄	95 10 08.3	00 54.16	-05 18.0	16.4	-0.70	- 7.5	3.6/04.4	23783
(6604)	95 10 08.3	00 54.18	-02 48.6	16.5	-0.79	- 6.1	2.8/05.5	25724
3308 T-1	95 10 08.4	00 54.39	+04 52.6	17.9	-0.74	- 4.9	0.3/08.1	23533
1993 FE ₄₈	95 10 08.4	00 54.46	+05 55.0	16.8	-0.75	- 5.1	0.0/08.5	23790

3287 T-1	95 10 08.5	00 54.74	+06 14.4	17.8	-0.76	- 4.9	0.1/08.7	24120
1981 DX	95 10 08.6	00 55.04	+16 19.4	17.1	-0.74	- 5.1	3.0/12.2	24406
1981 EB ₉	95 10 08.6	00 55.13	+19 05.1	16.9	-1.07	- 1.7	4.9/12.4	22823
1063 T-2	95 10 08.6	00 55.17	+06 06.2	16.7	-0.93	- 6.9	0.1/08.7	22827
1992 WH ₈	95 10 08.8	00 55.82	+06 27.4	16.5	-1.00	- 5.4	0.2/09.0	25975
1990 GE	95 10 08.9	00 56.18	+09 45.7	18.5	-1.02	- 4.1	1.3/10.0	17963
(5963)	95 10 09.0	00 56.41	+06 45.8	15.8	-0.83	- 4.5	0.2/09.2	23505
1981 EK ₁₈	95 10 09.0	00 56.42	+06 45.2	16.5	-0.74	- 4.9	0.2/09.3	23787
1991 RD ₂₄	95 10 09.0	00 56.68	-03 32.6	16.7	-0.90	- 6.0	3.5/06.0	25974
1987 DW ₆	95 10 09.2	00 57.13	+05 49.6	17.1	-0.73	- 4.2	0.1/09.1	22599
1991 TV ₁	95 10 09.3	00 57.75	-06 59.0	15.2	-0.89	+ 3.1	7.1/06.1	25974
(6179)	95 10 09.7	00 59.00	-16 03.1	18.1	-0.84	- 9.2	6.7/01.6	24377
1988 BC	95 10 09.7	00 59.16	-13 25.6	16.8	-0.90	- 3.8	6.1/03.4	22272
(6481)	95 10 09.7	00 59.25	+16 02.2	16.1	-1.08	- 4.7	3.9/12.7	25416
1984 DE ₁	95 10 09.9	00 59.72	+08 19.0	18.4	-0.61	- 3.6	0.4/10.6	24759
4134 T-3	95 10 09.9	00 59.81	+00 25.9	16.9	-0.85	- 4.0	2.4/08.1	12802
1994 FZ	95 10 10.1	01 00.69	-03 18.0	17.6	-0.95	- 5.3	3.4/07.2	25976
6833 P-L	95 10 10.1	01 00.74	+07 41.3	18.2	-0.80	- 4.5	0.4/10.6	23532
1990 VY ₁₃	95 10 10.3	01 01.43	+02 18.9	16.0	-0.78	- 4.0	1.3/09.0	22826
1989 VC ₂	95 10 10.5	01 01.85	+06 15.5	15.7	-0.79	- 2.5	0.1/10.4	25973
1989 GF ₈	95 10 10.5	01 02.00	+00 02.9	17.9	-0.89	- 4.7	2.1/08.5	25973
(6015)	95 10 10.6	01 02.26	+05 11.6	16.2	-0.86	- 8.9	0.5/10.1	23664
1994 LS	95 10 10.8	01 02.93	-28 37.4	19.0	-0.94	- 5.2	10.8/28.1	25532
1993 BL ₁₂	95 10 11.0	01 03.73	-00 08.9	17.0	-0.98	- 4.8	2.9/08.9	22086
2655 P-L	95 10 11.1	01 04.13	+09 34.5	18.2	-0.94	+ 0.6	1.0/11.8	25969
1993 FU ₃₃	95 10 11.2	01 04.40	+02 02.5	16.4	-0.86	- 4.0	1.5/09.7	25975
(6599)	95 10 11.3	01 04.92	+12 01.9	14.8	-0.80	-10.0	2.5/13.2	25723
(6638)	95 10 11.3	01 04.96	+08 09.4	15.6	-0.89	- 6.6	0.5/11.7	25943
1989 BA	95 10 11.4	01 05.38	+37 58.0	16.2	-1.60	+ 5.6	12.9/17.0	25973
1990 UP ₁₁	95 10 11.4	01 05.53	+01 50.0	15.5	-0.80	- 3.5	1.8/09.9	25957
2806 P-L	95 10 11.5	01 05.55	+08 55.9	18.9	-1.04	- 0.7	0.9/12.0	25969
(5978)	95 10 11.7	01 06.53	-01 33.7	15.4	-1.06	- 3.4	3.5/09.4	23508
1993 FS ₁	95 10 11.8	01 06.90	-05 23.5	16.6	-0.71	- 6.2	3.5/07.6	23870
1995 QG	95 10 11.9	01 07.09	+28 49.0	18.6	-1.07	- 0.5	8.7/18.0	25964
1991 UZ	95 10 11.9	01 07.27	+01 25.6	14.7	-0.72	- 8.4	2.6/09.9	25958
1990 TP ₇	95 10 12.0	01 07.52	+07 31.5	17.1	-0.80	- 4.4	0.1/12.1	25957
1993 FB ₅	95 10 12.2	01 08.28	+07 20.2	17.4	-0.87	- 3.6	0.0/12.3	23521
1194 T-3	95 10 12.2	01 08.32	+18 44.4	17.0	-1.02	- 4.6	4.9/15.8	21978
(6585)	95 10 12.2	01 08.39	+30 41.0	14.9	-1.97	+25.5	14.3/11.1	25719
1990 DM ₁	95 10 12.6	01 10.02	+10 31.5	16.8	-1.01	- 5.7	1.2/13.6	25973
(6641)	95 10 12.7	01 10.07	-01 05.3	15.2	-0.83	- 3.5	3.5/10.2	25944
2256 T-2	95 10 12.8	01 10.50	+06 23.6	17.0	-0.77	- 4.8	0.3/12.5	25970
1993 HV ₁	95 10 12.9	01 11.10	-06 57.0	18.9	-1.02	+ 1.8	4.5/09.6	25975
2168 T-1	95 10 13.0	01 11.23	+01 07.7	16.7	-0.75	-12.4	2.7/10.6	21951
1988 TC ₁	95 10 13.2	01 12.15	+08 51.9	15.2	-1.03	- 2.6	0.6/13.6	25973
(6613)	95 10 13.4	01 12.57	+07 55.9	15.9	-0.69	-11.8	0.1/13.5	25726
1990 QB ₈	95 10 13.5	01 13.29	-00 16.0	17.3	-0.79	- 6.3	2.6/11.0	23515
1987 WO ₁	95 10 13.8	01 14.12	+14 24.3	16.1	-0.85	- 7.6	2.4/16.0	25973
1003 T-2	95 10 13.8	01 14.20	+08 12.4	18.1	-0.77	- 4.9	0.1/14.0	25970
1986 PF	95 10 13.9	01 14.39	+14 39.2	15.3	-0.85	- 6.8	2.4/16.1	25973
(6581)	95 10 13.9	01 14.69	+14 19.3	15.5	-1.07	- 2.5	2.9/15.7	25718

1991 PT ₁	95 10 13.9	01 14.73	+07 01.9	17.7	-0.94	- 7.0	0.3/13.7	25974
1995 RJ	95 10 14.1	01 15.23	-10 18.2	17.7	-0.88	- 2.9	7.8/08.9	25965
1974 XW	95 10 14.1	01 15.24	+00 29.2	16.5	-0.91	- 4.5	2.7/11.9	22072
1995 TU	95 10 14.1	01 15.47	+07 44.7	17.1	-0.84	- 4.3	0.1/14.1	25968
(6124)	95 10 14.3	01 16.24	-01 13.9	16.5	-0.61	- 6.0	2.8/11.1	24093
(6597)	95 10 14.4	01 16.56	+04 18.2	16.4	-0.92	- 3.4	1.8/13.4	25722
(6048)	95 10 14.4	01 16.61	+05 26.8	15.7	-0.82	- 7.8	0.9/13.6	23775
1979 HH	95 10 14.8	01 17.98	+04 17.6	16.3	-0.80	- 5.3	1.3/13.6	25972
2174 T-3	95 10 14.9	01 18.15	+12 53.3	17.2	-1.05	- 0.3	1.7/16.1	25971
1990 VU ₁₄	95 10 15.2	01 19.37	-02 49.9	15.7	-0.80	- 3.5	3.5/11.8	19867
1981 UU ₁₁	95 10 15.3	01 19.72	+07 48.7	15.9	-0.75	- 8.8	0.2/15.1	25972
1990 VA ₇	95 10 15.5	01 20.41	-06 38.6	16.1	-0.85	- 0.8	4.1/11.4	25974
1972 HL	95 10 15.5	01 20.68	+13 26.5	16.9	-0.74	- 8.8	1.4/17.3	23787
1993 FF ₈₂	95 10 15.7	01 21.21	+07 39.8	16.7	-0.87	- 3.5	0.3/15.5	25961
(6639)	95 10 15.9	01 21.98	+05 38.3	16.5	-0.77	- 4.1	0.9/15.0	25943
2232 T-2	95 10 16.0	01 22.23	+05 11.1	16.7	-0.88	- 7.5	1.5/14.9	23686
(6593)	95 10 16.1	01 22.58	+13 33.5	16.1	-0.90	- 3.7	1.7/17.5	25721
1989 GF ₄	95 10 16.1	01 22.64	+11 45.3	15.8	-0.82	- 7.7	1.1/17.1	25973
1991 PG ₁₇	95 10 16.3	01 23.70	+29 44.6	17.1	-1.13	- 4.6	7.5/23.0	23673
1355 T-2	95 10 16.4	01 23.70	+08 27.7	17.5	-0.76	- 4.5	0.1/16.3	25652
1990 FL	95 10 16.8	01 25.51	-14 50.9	17.7	-0.86	- 9.5	7.4/08.4	25973
(5966)	95 10 16.9	01 25.58	+05 51.2	16.2	-0.81	- 3.6	1.0/16.0	23506
1988 LH	95 10 16.9	01 25.75	+13 46.1	18.5	-0.74	- 5.2	1.2/18.5	22825
1992 ON	95 10 16.9	01 26.04	+48 34.0	19.5	-2.09	+ 3.0	16.8/28.3	21267
(6672)	95 10 17.0	01 26.03	+10 09.6	15.5	-0.75	- 9.1	0.5/17.4	25951
1990 TE ₇	95 10 17.0	01 26.11	+11 07.8	17.6	-0.74	- 8.0	0.7/17.8	18823
(6644)	95 10 17.1	01 26.35	+07 27.0	15.4	-0.81	- 2.7	0.5/16.7	25945
1993 HL ₅	95 10 17.3	01 27.02	+08 31.3	15.4	-0.80	- 4.3	0.2/17.1	25961
1972 RU ₃	95 10 17.3	01 27.22	+05 35.5	15.5	-1.06	- 2.0	1.7/16.4	25972
1981 EA ₁₉	95 10 17.4	01 27.41	+10 38.3	16.6	-0.93	- 3.7	0.6/17.8	20329
1991 UD ₃	95 10 17.4	01 27.44	+10 36.3	16.0	-0.79	- 9.8	0.6/17.9	25974
3024 T-2	95 10 17.4	01 27.78	+21 58.6	18.6	-1.23	+ 2.1	4.6/20.3	23988
1993 FZ ₃₅	95 10 17.5	01 28.06	+04 52.2	16.3	-0.77	- 4.5	1.4/16.2	25961
1988 DF ₂	95 10 17.5	01 28.17	+12 06.0	16.7	-0.90	- 4.1	1.0/18.4	25973
1990 RK ₅	95 10 17.7	01 28.94	+09 57.8	15.7	-0.79	- 7.4	0.3/18.0	25956
4274 P-L	95 10 17.9	01 29.26	+13 08.7	18.8	-0.99	- 6.0	1.4/19.0	22701
1988 BG ₄	95 10 17.9	01 29.59	+34 12.0	15.8	-0.95	- 3.4	10.4/26.2	19501
1979 KO ₁	95 10 17.9	01 29.59	+20 38.5	17.9	-0.99	- 7.2	4.0/22.0	22429
1981 EB ₂₁	95 10 18.0	01 29.63	+13 00.8	18.9	-0.80	- 4.5	1.2/19.1	21967
(6636)	95 10 18.1	01 30.05	+07 18.0	15.8	-0.91	- 7.0	1.0/17.4	25943
1990 UG	95 10 18.1	01 30.44	+09 55.1	15.9	-0.74	- 8.4	0.1/18.4	25957
1978 RU ₈	95 10 18.2	01 30.38	-02 17.0	16.9	-0.68	- 7.7	4.1/14.1	24406
1990 TK ₈	95 10 18.2	01 30.49	+03 37.4	17.0	-0.84	- 2.2	1.7/16.6	25974
1978 SX ₇	95 10 18.2	01 30.68	+16 22.3	15.7	-0.92	- 1.7	3.3/20.1	25953
1995 SN ₂₉	95 10 18.3	01 31.04	+06 55.5	15.6	-0.75	- 4.8	0.9/17.6	25967
1994 JD ₁	95 10 18.4	01 31.22	-00 49.4	17.8	-0.98	- 6.1	3.8/15.4	25735
1995 SO ₂₉	95 10 18.4	01 31.26	+06 14.5	15.9	-0.75	- 4.8	1.2/17.4	25967
6588 P-L	95 10 18.4	01 31.35	+08 33.2	17.1	-0.76	- 4.4	0.3/18.1	19876
1990 DD ₂	95 10 18.4	01 31.49	+07 25.6	17.9	-0.95	- 6.6	0.7/17.8	23684
1993 EP	95 10 18.9	01 33.01	+24 27.8	16.5	-1.06	- 2.0	4.9/22.9	25960
1991 PC ₆	95 10 18.9	01 33.21	-04 59.9	17.3	-0.88	- 5.7	6.4/14.3	25974

1981 EP ₆	95 10 19.0	01 33.64	+31 07.6	19.3	-0.91	- 1.9	5.5/25.4	25972
4261 T-2	95 10 19.0	01 33.76	+06 04.7	17.2	-0.91	- 3.3	1.4/18.1	24120
4517 P-L	95 10 19.1	01 34.14	+13 54.2	15.3	-1.12	- 1.3	1.9/20.2	13863
1989 CP	95 10 19.1	01 34.18	+12 22.2	16.2	-0.98	- 4.5	1.0/19.9	25537
2041 P-L	95 10 19.1	01 34.20	+21 37.8	18.2	-1.08	- 0.7	4.1/22.2	22432
1980 FN ₁	95 10 19.2	01 34.26	+08 58.4	16.7	-1.00	- 5.6	0.4/19.0	25972
1991 TE ₅	95 10 19.3	01 34.52	+14 49.8	15.5	-1.13	+ 0.1	1.9/20.5	25958
1981 GQ	95 10 19.3	01 34.56	+14 21.2	17.6	-0.84	- 2.2	1.1/20.6	21968
1993 DD ₂	95 10 19.3	01 34.96	+15 52.6	15.6	-1.13	+ 0.7	2.3/20.8	25960
1990 WN ₅	95 10 19.5	01 35.50	-00 08.8	16.1	-0.84	- 2.1	3.0/16.8	22231
(6600)	95 10 19.6	01 36.04	+16 46.5	15.2	-0.89	- 4.4	3.5/21.7	25723
1984 SK ₁	95 10 19.6	01 36.06	+16 55.3	16.5	-0.91	- 3.4	2.4/22.0	25953
(6601)	95 10 19.8	01 36.48	+06 20.6	14.9	-0.92	- 3.5	1.8/18.8	25723
1995 UH ₅	95 10 19.9	01 37.16	+06 18.6	16.0	-1.00	- 2.5	1.6/19.0	25968
1991 PL ₁₇	95 10 19.9	01 37.17	+28 41.7	16.2	-0.93	- 3.2	9.2/25.9	21578
1993 FG ₂₄	95 10 20.0	01 37.20	+07 09.9	15.9	-0.73	- 7.1	0.9/19.0	25960
1993 FW ₃₄	95 10 20.4	01 38.83	+06 16.8	16.7	-0.75	- 4.5	1.2/19.2	25975
1978 VX ₃	95 10 20.8	01 40.55	+14 29.6	18.9	-0.85	- 5.4	1.2/22.1	25972
1976 UG ₂	95 10 21.1	01 41.39	+14 37.6	16.3	-0.94	- 4.5	1.9/22.3	23787
(6656)	95 10 21.1	01 41.55	+09 09.1	16.7	-0.77	- 4.0	0.4/20.8	25947
1981 EJ ₄₂	95 10 21.3	01 42.19	+04 18.3	20.2	-0.70	- 6.3	1.7/19.3	24100
1993 FK ₂₃	95 10 21.4	01 42.57	+16 09.4	16.8	-0.87	- 2.6	1.7/23.0	23524
4210 T-2	95 10 21.5	01 42.93	+03 36.3	17.6	-0.84	- 5.5	2.2/19.4	23988
1980 FH ₄	95 10 21.5	01 42.97	+09 50.7	18.1	-1.00	- 6.0	0.3/21.3	23969
(6079)	95 10 21.6	01 43.36	+31 13.5	16.3	-0.89	- 2.4	5.4/27.8	23961
7603 P-L	95 10 21.6	01 43.61	+13 31.7	16.0	-1.13	+ 1.1	1.1/22.3	25969
(5965)	95 10 21.7	01 43.58	+12 23.5	15.3	-0.84	- 6.1	0.6/22.2	23506
2579 P-L	95 10 21.8	01 44.30	+11 02.9	17.7	-1.09	- 3.0	9.2/11.0	18130
1990 SP ₇	95 10 21.9	01 44.51	+07 56.7	16.7	-0.85	- 4.0	0.9/21.1	23537
1987 JG	95 10 21.9	01 44.55	+17 08.4	17.0	-0.97	- 7.6	2.4/23.9	23788
1991 VV ₂	95 10 21.9	01 44.61	+16 40.3	15.2	-1.17	+ 1.7	2.4/23.2	25974
4180 T-2	95 10 22.0	01 44.86	+06 46.2	15.7	-0.85	- 4.1	2.1/20.9	22088
2043 P-L	95 10 22.1	01 45.27	+17 05.5	18.5	-1.08	- 3.9	2.4/23.8	23984
1989 GS ₄	95 10 22.2	01 45.49	+08 53.7	17.4	-0.85	- 5.4	0.6/21.6	17961
1987 XC	95 10 22.3	01 46.04	-07 00.7	15.7	-1.20	+ 7.1	8.7/19.8	25734
(6578)	95 10 22.3	01 46.21	+03 54.7	15.7	-0.84	- 5.7	3.3/20.3	25718
1988 CW ₂	95 10 22.4	01 46.20	+08 56.0	17.3	-0.89	- 4.8	0.8/21.8	25339
(6051)	95 10 22.4	01 46.37	-13 58.3	17.5	-0.72	- 4.2	6.5/14.5	23776
1979 VS ₂	95 10 22.6	01 47.33	-15 35.9	15.6	-1.70	+13.5	14.5/20.9	23132
1980 KM	95 10 22.7	01 47.46	+14 09.7	17.3	-0.84	- 6.5	1.0/23.7	25972
1981 UH ₂₈	95 10 22.7	01 47.49	+14 33.7	17.4	-0.90	- 3.7	1.2/23.7	25078
(5846)	95 10 22.7	01 47.66	+09 40.6	17.3	-0.98	- 4.8	0.6/22.4	23117
(6056)	95 10 22.8	01 47.81	+12 24.4	17.5	-0.84	- 5.4	0.4/23.2	23777
1992 WP ₅	95 10 22.8	01 47.92	+04 52.4	15.7	-1.03	- 5.2	2.5/21.1	25975
1992 EN ₂₅	95 10 23.0	01 48.90	+09 11.3	18.2	-0.77	- 4.0	0.7/22.5	24106
4886 T-1	95 10 23.1	01 48.95	+10 53.9	16.5	-1.06	- 1.9	0.1/23.0	24403
4177 T-1	95 10 23.4	01 50.13	+12 02.5	15.8	-1.09	- 1.8	0.4/23.6	25970
1994 PS ₃₇	95 10 23.4	01 50.27	+10 22.0	17.3	-0.76	- 4.4	0.3/23.2	25220
1986 EK ₁	95 10 23.4	01 50.41	+33 47.2	15.7	-1.71	+ 8.1	10.3/26.2	21934
2037 P-L	95 10 23.5	01 50.61	+25 37.7	18.7	-0.91	- 1.2	3.7/27.4	22086
1991 PG ₁₅	95 10 23.5	01 50.77	+08 01.0	16.3	-0.91	- 4.5	1.6/22.6	25958

1992 QA	95 10 23.5	01 50.86	-15 52.1	17.6	-1.68	+	6.9	12.5/19.8	22600
(6646)	95 10 24.0	01 52.34	+44 52.1	15.6	-1.80	+	6.4	17.4/30.1	25945
1980 TA ₄	95 10 24.4	01 54.13	+14 19.9	16.2	-1.06	-	2.5	1.1/25.1	25972
1987 QW ₇	95 10 24.5	01 54.35	+12 49.4	15.6	-0.87	-	6.4	0.5/24.9	25973
(6157)	95 10 24.5	01 54.48	+18 18.1	17.1	-0.98	-	5.7	2.5/26.4	24225
(6640)	95 10 24.6	01 54.64	+19 25.2	16.7	-1.09	-	4.2	3.0/26.6	25943
(6008)	95 10 24.6	01 54.88	+05 41.3	15.7	-1.05	-	4.1	2.6/23.1	23663
1981 ES ₁₄	95 10 24.7	01 55.06	+18 47.3	18.3	-0.94	-	5.1	2.3/26.7	22270
1988 CJ	95 10 24.7	01 55.35	+16 01.0	16.4	-0.86	-	5.2	1.4/26.0	25973
1986 WO ₉	95 10 24.8	01 55.39	+10 18.1	16.0	-0.83	-	5.8	0.5/24.4	23868
1980 RL ₂	95 10 25.0	01 56.50	+15 18.2	16.2	-1.01	-	5.4	1.5/26.0	21966
1953 GN	95 10 25.1	01 56.84	+04 50.3	17.3	-0.97	-	6.9	2.6/23.1	25972
1981 EN ₂	95 10 25.4	01 57.73	+22 13.5	19.1	-0.80	-	6.0	3.2/28.6	22429
1981 EO ₉	95 10 25.5	01 58.03	+28 23.9	16.6	-0.90	-	3.0	5.3/30.3	25647
1081 T-1	95 10 25.5	01 58.23	+14 12.9	18.0	-0.79	-	4.5	0.6/26.2	19877
1101 T-1	95 10 25.6	01 58.44	+17 33.3	17.6	-0.90	-	5.2	1.9/27.2	23533
1978 VG ₁₁	95 10 25.6	01 58.70	+04 24.0	16.6	-0.93	-	0.4	3.5/23.8	25972
1994 NB	95 10 25.7	01 58.85	-24 02.8	18.2	-0.96	-	3.4	10.8/14.8	25962
4640 P-L	95 10 25.7	01 58.85	+03 50.0	18.8	-0.72	-	5.7	2.5/23.2	25969
(6030)	95 10 26.1	02 00.34	+07 01.4	16.2	-0.74	-	5.3	1.6/24.5	23771
1987 DP ₆	95 10 26.1	02 00.67	+03 13.3	17.5	-0.79	-	5.0	2.9/23.5	22078
1994 GR	95 10 26.1	02 00.70	+03 17.0	16.4	-1.00	-	4.4	3.3/23.8	25735
1973 UR ₅	95 10 26.1	02 00.74	+12 32.6	16.3	-0.96	-	2.5	0.1/26.3	25972
1984 MR	95 10 26.5	02 02.15	-01 21.6	15.7	-0.91	-	6.3	6.1/22.6	18809
1990 RO ₁	95 10 26.7	02 02.74	+06 30.3	16.3	-0.82	-	5.6	2.1/25.0	22494
1985 HL	95 10 26.9	02 03.71	+05 49.1	18.3	-0.87	-	6.0	2.0/25.0	25973
1324 T-2	95 10 27.1	02 04.27	+14 39.9	17.0	-1.06	-	3.5	0.8/27.6	21978
1990 VJ ₃	95 10 27.2	02 04.72	+23 31.5	15.9	-0.82	-	6.0	3.6/30.6	25734
1983 CA ₁	95 10 27.2	02 04.95	+22 47.9	16.7	-0.95	-	3.3	3.2/30.0	22492
1994 NW ₁	95 10 27.3	02 04.98	+02 40.4	17.5	-0.87	-	4.8	2.9/24.5	23984
2202 T-1	95 10 27.4	02 05.33	+07 52.5	19.1	-0.72	-	4.1	1.1/26.0	24764
(6673)	95 10 27.4	02 05.54	+11 52.0	15.1	-1.03	-	2.5	0.4/27.2	25951
1977 EO ₁	95 10 27.5	02 05.74	+11 21.1	17.2	-0.79	-	3.6	0.4/27.1	22598
1995 TS	95 10 27.8	02 06.91	+13 36.0	16.0	-0.94	-	4.6	0.3/28.0	25967
1981 EJ ₇	95 10 28.0	02 07.83	+24 59.6	17.0	-0.83	-	3.9	3.6/31.5	23787
1968 OZ	95 10 28.0	02 07.83	-16 31.3	17.5	-1.09	+	1.5	9.2/21.3	23990
4822 P-L	95 10 28.0	02 07.97	+08 36.2	18.9	-0.82	-	4.5	1.4/26.9	20515
1986 RC ₁	95 10 28.1	02 08.31	+14 25.5	16.3	-0.94	-	4.3	0.5/28.6	25973
1988 RK ₅	95 10 28.3	02 08.81	+11 16.8	16.7	-1.04	-	6.1	0.7/27.8	25973
1976 GQ ₂	95 10 28.4	02 09.33	+12 55.5	15.4	-0.94	-	0.2	0.0/28.4	25972
(5988)	95 10 28.4	02 09.38	+01 17.1	16.9	-0.82	-	7.4	3.8/24.9	23658
(6061)	95 10 28.4	02 09.63	+15 06.5	15.0	-1.08	-	2.6	1.0/29.0	23853
1982 UE ₂	95 10 28.6	02 10.16	+12 05.5	15.2	-0.95	+	1.8	0.6/28.4	25953
1981 EM ₁₂	95 10 28.6	02 10.28	+33 19.7	20.5	-0.94	-	1.9	5.5/03.3	11045
1991 OW	95 10 28.7	02 10.78	+22 24.5	17.8	-1.07	-	6.3	3.3/31.4	23684
1987 QF ₃	95 10 28.9	02 11.45	+03 42.8	17.1	-0.93	-	5.0	3.7/26.4	25537
2103 P-L	95 10 29.1	02 11.86	+13 31.8	18.0	-0.87	-	5.4	0.1/29.2	21977
1990 OT ₄	95 10 29.5	02 13.64	-03 16.5	18.0	-0.84	-	5.6	5.6/24.8	25538
1986 QJ ₁	95 10 29.5	02 13.82	-07 22.6	17.1	-0.82	-	5.2	8.2/23.6	23236
1991 PH ₁₅	95 10 29.6	02 14.19	+12 42.6	17.0	-1.02	-	5.4	0.3/29.5	25974
1990 QR ₂	95 10 29.8	02 14.89	+19 58.0	16.2	-0.92	-	3.8	2.2/31.6	22813

4651 P-L	95 10 29.9	02 15.17	+13 26.9	17.9	-0.75	-	3.9	0.0/29.9	24402
1990 SU ₁₀	95 10 29.9	02 15.30	+18 52.5	15.9	-0.89	-	4.8	1.9/31.4	25974
1984 SV ₅	95 10 30.1	02 16.18	+22 23.0	17.5	-0.92	-	2.0	2.9/01.4	20331
1981 EM ₂₆	95 10 30.2	02 16.44	+19 09.3	18.0	-0.84	-	2.6	1.6/31.7	23788
(6204)	95 10 30.3	02 16.85	+10 45.8	17.4	-1.11	-	3.3	1.1/29.7	24554
1977 RL	95 10 30.5	02 17.31	-00 24.6	15.3	-1.66	+	10.9	7.2/29.2	22270
1993 BM ₁₂	95 10 30.5	02 17.74	+16 40.6	17.0	-0.99	-	4.8	1.0/31.4	22086
1992 BF ₄	95 10 30.6	02 18.04	+13 38.2	18.1	-0.87	-	3.6	0.1/30.6	20340
1992 DB ₁₀	95 10 30.8	02 18.48	+10 00.9	18.5	-0.74	-	5.1	1.1/29.7	23861
1993 EF	95 10 30.8	02 18.78	+11 13.8	16.5	-1.03	-	3.8	1.1/30.2	25975
4304 T-3	95 10 30.9	02 18.91	+06 28.7	17.7	-0.87	-	4.1	2.5/29.0	23534
1993 FH ₂₂	95 10 30.9	02 19.04	+13 34.5	17.1	-0.80	-	4.2	0.1/30.9	23524
2740 P-L	95 10 31.1	02 19.70	+06 20.4	18.4	-0.84	-	6.0	3.0/29.0	22700
1990 SY ₂	95 10 31.1	02 19.74	+08 47.7	15.8	-0.86	-	3.8	1.8/29.8	25956
(6573)	95 10 31.1	02 19.89	+10 59.2	15.8	-0.89	-	5.3	1.2/30.4	25717
4606 P-L	95 10 31.2	02 20.20	+13 02.5	17.4	-1.05	-	4.3	0.4/31.0	18830
1995 UP ₃	95 10 31.3	02 20.44	+18 25.0	16.1	-1.09	-	2.9	2.0/01.4	25968
(6610)	95 10 31.3	02 20.58	+06 47.7	14.3	-1.08	+	1.3	3.6/29.9	25725
1993 GY	95 10 31.5	02 21.22	+01 47.5	16.7	-1.04	-	0.3	4.4/28.9	25975
1992 AH ₁	95 10 31.5	02 21.25	+28 09.9	17.2	-1.06	-	2.3	5.0/03.9	22084
1982 SO ₅	95 10 31.6	02 21.76	+16 18.8	16.1	-0.90	-	3.4	1.1/01.2	25953
2506 P-L	95 10 31.6	02 22.06	+25 41.9	17.7	-1.14	-	0.6	4.5/03.3	22086
(6552)	95 10 31.7	02 22.11	-03 57.3	17.1	-0.84	-	4.4	5.5/26.8	25630
1991 VD ₁	95 10 31.8	02 22.42	+17 24.8	15.8	-1.22	+	3.1	1.4/01.4	25958
1990 WM ₁	95 10 31.9	02 22.98	+02 53.9	18.0	-0.79	-	4.5	4.0/28.8	23860
(6675)	95 11 01.0	02 23.31	+13 00.9	18.6	-0.84	-	3.7	0.4/31.7	25952
1990 VK ₆	95 11 01.1	02 23.90	+06 09.1	16.6	-0.75	-	8.0	2.8/29.7	23516
1981 ER ₁₇	95 11 01.1	02 23.93	+12 50.5	16.2	-0.77	-	6.0	0.5/31.8	25972
1981 EQ ₉	95 11 01.2	02 24.32	+13 13.2	17.7	-0.76	-	4.8	0.3/32.0	25647
1987 HM ₁	95 11 01.7	02 25.92	+15 32.4	16.5	-0.86	-	1.3	0.3/02.0	25973
1995 UR ₃	95 11 01.7	02 26.25	+15 58.5	16.1	-0.93	-	8.5	0.7/02.2	25968
1991 NP ₂	95 11 01.9	02 26.71	+27 09.6	16.8	-1.13	-	4.9	5.1/05.3	21976
1990 SO ₇	95 11 01.9	02 26.92	+02 55.3	18.4	-0.82	-	5.1	4.2/29.8	24738
1251 T-2	95 11 01.9	02 26.96	+12 41.1	17.2	-0.82	-	4.2	0.6/01.5	22701
1990 VY ₆	95 11 01.9	02 26.96	+04 45.5	16.0	-1.04	+	2.2	3.6/31.2	25974
1993 FO ₄₈	95 11 01.9	02 27.09	+14 48.6	17.5	-0.85	-	4.2	0.1/02.1	25961
(6663)	95 11 02.0	02 27.15	-06 46.9	16.9	-0.85	-	3.8	6.5/27.3	25949
1995 UT ₃	95 11 02.0	02 27.42	+17 35.7	15.8	-0.89	-	2.8	1.1/02.8	25968
1993 BJ	95 11 02.1	02 27.65	+25 49.0	14.9	-1.10	-	4.2	5.3/05.1	25960
1986 EZ ₄	95 11 02.2	02 28.31	+15 34.3	15.9	-1.06	-	4.7	0.4/02.5	25973
1994 PE ₁₀	95 11 02.3	02 28.52	+11 52.7	16.4	-0.79	-	4.0	0.8/01.6	25218
1994 JN	95 11 02.4	02 28.74	+08 03.4	16.5	-0.87	-	8.9	2.3/31.5	25539
(6609)	95 11 02.6	02 29.59	-03 59.2	15.3	-0.81	-	2.7	6.5/28.8	25725
1981 ES ₉	95 11 02.6	02 29.78	+10 29.4	18.1	-0.74	-	5.8	1.2/01.5	25647
1992 EK ₇	95 11 02.7	02 30.00	+14 11.6	18.6	-0.83	-	2.5	0.2/02.6	25959
1992 DK	95 11 02.8	02 30.41	+14 03.7	13.8	-1.06	+	3.3	0.3/02.7	22600
1984 SE ₆	95 11 02.9	02 30.91	+18 28.6	15.8	-1.09	-	3.6	1.6/03.8	25954
1995 UY ₃	95 11 02.9	02 30.99	+14 48.2	15.5	-0.90	-	5.8	0.0/03.0	25968
(6017)	95 11 03.1	02 31.44	+14 10.8	16.3	-1.00	-	6.6	0.3/02.9	23665
1162 T-1	95 11 03.1	02 31.74	+28 22.8	18.4	-0.91	-	2.4	3.7/06.6	24909
1990 SE ₁₁	95 11 03.3	02 32.16	+28 39.9	16.8	-0.98	-	4.3	4.7/07.0	25956

1993 FM ₄₀	95 11 03.3	02 32.41	+11 34.0	18.5	-0.80	- 3.9	1.0/02.5	23527
(6666)	95 11 03.3	02 32.52	+16 08.6	15.2	-0.81	- 6.5	0.5/03.7	25950
1991 LB	95 11 03.5	02 33.05	+14 43.0	15.9	-0.97	- 8.7	0.1/03.4	25957
1980 GB	95 11 03.6	02 33.81	+01 56.4	17.2	-1.04	- 3.2	5.0/31.6	25423
1993 GR	95 11 03.7	02 34.00	+15 13.5	17.1	-0.89	- 3.1	0.0/03.8	22432
3109 T-1	95 11 03.7	02 34.15	+17 15.8	18.8	-0.99	- 5.8	0.8/04.3	24115
2066 T-1	95 11 04.1	02 35.43	+08 50.9	15.7	-0.98	- 4.7	3.2/02.6	21807
1993 FS ₃₉	95 11 04.1	02 35.59	+12 57.5	16.3	-0.84	- 4.4	0.7/03.6	23870
1197 T-2	95 11 04.2	02 35.78	+14 52.7	18.3	-1.03	- 5.6	0.1/04.1	24236
(6631)	95 11 04.3	02 36.08	+08 34.1	15.3	-0.84	- 8.3	2.9/02.4	25941
1981 EA ₄₁	95 11 04.3	02 36.13	+09 30.0	18.9	-0.76	- 5.0	1.7/02.7	22271
(6168)	95 11 04.3	02 36.19	+11 29.6	17.3	-0.77	- 3.7	1.0/03.4	24374
1251 T-1	95 11 04.3	02 36.23	+27 24.0	16.3	-0.95	- 1.9	4.2/07.2	25970
1993 FT ₂₃	95 11 04.3	02 36.27	+16 41.1	16.7	-0.83	- 4.0	0.4/04.7	23525
(6595)	95 11 04.4	02 36.83	+26 17.4	16.1	-1.02	- 3.9	5.0/07.2	25722
1992 EB ₂	95 11 04.5	02 37.05	+07 35.7	19.6	-0.73	- 3.9	2.0/02.5	24762
1991 PX ₁₄	95 11 04.5	02 37.06	+21 45.4	17.0	-1.01	- 7.4	2.7/06.3	20822
1978 QG ₂	95 11 04.7	02 37.83	+11 50.9	16.8	-1.05	- 6.3	1.4/03.8	25972
1976 UD ₄	95 11 05.0	02 39.11	+11 30.3	15.8	-0.89	- 5.4	1.9/04.0	21964
1988 RL ₉	95 11 05.6	02 41.73	+26 06.3	15.5	-1.12	- 3.7	4.9/08.2	17442
1990 VN ₂	95 11 05.9	02 42.49	-08 45.5	16.3	-0.79	- 4.6	9.6/29.6	20150
5491 T-2	95 11 05.9	02 42.79	+33 46.4	18.2	-0.95	- 2.7	5.3/10.5	25652
1969 UP ₁	95 11 06.3	02 44.29	+16 35.3	16.1	-1.17	- 1.7	0.3/06.5	25972
2113 P-L	95 11 06.4	02 44.56	+15 48.3	17.8	-0.89	- 5.8	0.0/06.4	23539
1986 EF ₅	95 11 06.5	02 45.22	+15 43.4	16.2	-1.01	- 4.6	0.1/06.5	20013
1990 TA ₁₃	95 11 06.7	02 45.69	+17 38.4	16.2	-0.93	- 0.9	0.5/07.1	20507
1981 UZ ₂₄	95 11 06.7	02 45.77	+15 31.8	16.8	-1.17	- 0.5	0.2/06.6	20630
1994 GM ₁	95 11 06.7	02 46.01	+09 28.4	16.5	-1.06	- 2.7	2.8/05.4	23678
1972 RX ₁	95 11 06.8	02 46.03	+10 10.5	15.8	-0.87	- 6.1	2.7/05.3	21963
(6011)	95 11 06.9	02 46.78	+14 10.4	16.4	-0.90	- 4.9	0.7/06.5	23663
4837 P-L	95 11 07.0	02 46.87	+16 24.5	18.4	-0.78	- 3.4	0.1/07.1	23866
1990 YE	95 11 07.0	02 47.21	+13 44.4	16.1	-0.84	- 3.3	0.8/06.5	22083
1981 EU ₂₆	95 11 07.1	02 47.65	+09 42.3	17.6	-0.78	- 4.8	2.2/05.5	23857
1991 PX ₈	95 11 07.2	02 47.80	+19 51.1	15.6	-1.00	- 6.9	1.6/08.2	25958
4521 P-L	95 11 07.3	02 48.19	+18 06.0	16.6	-0.88	- 3.8	0.6/07.8	23686
1990 TR ₁₂	95 11 07.4	02 48.63	+20 10.2	16.4	-0.83	- 6.7	1.3/08.5	25974
1114 T-1	95 11 07.4	02 48.74	+13 39.0	16.7	-0.97	- 6.5	1.0/06.8	21978
1991 RX ₁₀	95 11 07.5	02 49.10	+33 11.8	17.5	-1.26	0.0	7.0/11.0	22494
(5956)	95 11 07.5	02 49.13	+05 46.2	14.3	-0.72	- 8.6	4.9/04.5	23504
(6671)	95 11 07.5	02 49.25	+01 23.1	16.5	-0.79	- 6.1	4.5/03.6	25951
1985 RD ₃	95 11 07.6	02 49.25	+11 17.0	16.6	-1.02	- 3.8	2.5/06.5	11743
1994 PC ₁₉	95 11 07.7	02 49.60	+15 51.4	17.3	-0.79	- 3.5	0.1/07.6	24749
1992 CU	95 11 07.7	02 49.78	+06 16.0	16.2	-0.85	- 1.8	3.0/05.5	19873
(6080)	95 11 07.8	02 50.02	+23 17.8	16.8	-0.83	- 3.0	1.9/09.5	23962
1992 WM ₃	95 11 08.0	02 50.81	+13 20.1	15.2	-1.10	- 2.9	1.5/07.4	25975
1991 VL ₆	95 11 08.0	02 51.13	+08 17.4	16.3	-0.79	-11.9	3.4/05.5	25330
1991 PS	95 11 08.0	02 51.27	+23 09.2	15.6	-1.03	- 6.2	3.0/09.8	25974
1991 AJ	95 11 08.1	02 51.60	+01 12.1	16.6	-0.81	- 2.3	4.9/04.6	25063
1981 EQ	95 11 08.2	02 51.82	+25 21.0	18.3	-0.87	- 1.8	2.3/10.3	24116
1994 PB ₂₆	95 11 08.3	02 51.99	+11 05.4	17.8	-0.81	- 3.2	1.7/07.0	25219
6242 P-L	95 11 08.3	02 52.01	+15 45.2	17.5	-0.96	- 6.7	0.3/08.1	22087

(6576)	95 11 08.4	02 52.54	+13 14.0	15.7	-0.84	- 2.9	1.2/07.7	25717
1989 AS ₆	95 11 08.4	02 52.84	+10 42.6	17.8	-1.01	- 4.2	2.4/07.2	23670
1991 RZ ₁	95 11 08.6	02 53.50	-07 03.0	16.8	-0.94	- 9.1	8.2/02.0	23790
1989 AC ₂	95 11 08.6	02 53.67	+16 54.0	16.4	-1.01	- 4.6	0.1/08.8	25973
1991 XH	95 11 08.7	02 54.03	-08 58.0	16.0	-0.87	- 2.1	10.7/02.8	25974
(6009)	95 11 08.9	02 54.65	+08 41.0	15.5	-0.93	-12.9	2.9/06.5	23663
1981 EJ ₅	95 11 09.1	02 55.25	+24 36.9	17.1	-1.18	- 6.5	3.3/11.1	22074
1266 T-2	95 11 09.1	02 55.27	+26 07.7	17.4	-1.14	- 2.8	3.8/11.1	21978
1991 RW ₁₉	95 11 09.1	02 55.54	+18 12.4	17.5	-1.05	- 5.5	0.6/09.5	25974
(6114)	95 11 09.2	02 55.86	+16 26.2	16.4	-1.08	- 5.4	0.1/09.2	24090
1990 OE ₄	95 11 09.3	02 56.33	+13 24.6	16.9	-0.91	- 7.2	1.3/08.5	21974
1991 RD ₄	95 11 09.3	02 56.37	+15 15.6	17.8	-1.01	- 5.9	0.6/09.0	25974
1994 GX	95 11 09.5	02 57.20	-15 11.6	18.1	-1.03	-10.7	14.0/30.5	23785
1981 EF ₃₅	95 11 09.6	02 57.36	+11 26.6	18.3	-0.94	- 4.9	2.2/08.3	22271
1988 TL ₁	95 11 09.9	02 58.71	+14 47.8	15.3	-0.94	- 7.9	1.0/09.4	25955
1988 TZ	95 11 09.9	02 58.73	+20 52.1	15.9	-1.10	- 1.8	1.9/10.7	25955
9544 P-L	95 11 10.0	02 58.87	+09 23.5	18.0	-0.95	- 5.0	3.0/08.2	20516
2649 P-L	95 11 10.0	02 58.97	+07 10.7	17.7	-0.86	- 6.3	3.1/07.5	23680
2592 P-L	95 11 10.2	02 59.78	+10 22.6	18.0	-0.95	- 5.2	2.4/08.7	21805
(5953)	95 11 10.2	02 59.90	-24 13.4	17.0	-1.00	- 0.7	16.0/01.2	23503
1994 FX	95 11 10.3	03 00.25	+08 15.5	16.5	-1.03	- 5.2	3.5/08.4	25976
2025 P-L	95 11 10.6	03 01.42	+27 33.0	16.9	-0.85	- 2.2	2.6/13.0	23866
1260 T-2	95 11 10.7	03 01.79	+07 26.6	17.9	-0.88	- 6.1	3.6/08.3	15078
(5932)	95 11 10.8	03 02.53	+14 04.1	17.2	-0.93	- 3.6	1.1/10.2	23498
1993 BF	95 11 10.9	03 02.46	+35 46.7	14.8	-1.20	- 5.7	8.4/15.7	25959
1993 FW ₃₇	95 11 11.0	03 03.31	+04 33.0	17.4	-0.87	- 6.5	4.2/07.8	23527
1021 T-2	95 11 11.1	03 03.32	+13 58.9	18.0	-0.99	- 5.3	1.5/10.4	23681
(6021)	95 11 11.1	03 03.44	+05 40.7	16.5	-0.98	- 3.9	4.4/08.6	23665
1981 ET ₄₃	95 11 11.2	03 03.69	-06 02.0	20.0	-0.74	- 7.9	6.4/04.3	22271
1989 TA ₃	95 11 11.3	03 04.47	+09 05.2	18.5	-0.77	- 3.4	2.2/09.5	24912
(5985)	95 11 11.3	03 04.53	+27 39.6	14.8	-1.11	- 7.8	5.0/14.1	23658
1991 VE ₂	95 11 11.4	03 04.72	+17 17.3	15.4	-0.89	-11.6	0.0/11.4	25959
(6203)	95 11 11.5	03 05.22	+17 35.8	16.9	-0.81	- 3.6	0.1/11.6	24553
1993 CP ₁	95 11 11.7	03 05.73	-00 31.1	17.2	-0.88	- 5.1	5.8/07.4	24119
1988 AO ₁	95 11 12.1	03 07.34	+10 19.2	16.6	-0.97	- 1.8	2.8/10.7	25973
(6677)	95 11 12.1	03 07.75	+24 21.9	16.0	-0.95	+ 0.2	2.1/13.5	25952
1978 RC ₉	95 11 12.2	03 07.86	+24 39.0	17.6	-1.19	- 4.1	3.0/13.7	22073
1989 TR ₃	95 11 12.2	03 07.95	+05 36.0	18.2	-0.76	- 4.2	3.4/09.4	25062
1994 LF ₁	95 11 12.3	03 08.14	+19 50.0	18.5	-0.97	-13.3	0.7/13.0	24395
(6670)	95 11 12.3	03 08.15	-16 41.7	15.6	-0.96	+ 2.0	13.5/07.2	25951
1991 VW ₅	95 11 12.3	03 08.18	+05 13.6	17.3	-0.98	- 1.7	4.3/09.9	23790
1991 PV ₁₇	95 11 12.4	03 08.75	+14 53.4	16.0	-0.99	- 1.5	1.4/11.9	20025
(6651)	95 11 12.5	03 08.99	+21 50.8	16.8	-1.10	- 2.9	1.7/13.4	25946
1990 TO ₃	95 11 12.5	03 09.00	+17 13.4	17.3	-0.89	- 4.0	0.1/12.4	25957
1991 VE ₃	95 11 12.7	03 10.02	+08 03.1	15.5	-0.81	- 1.4	5.1/10.8	25959
1990 XB	95 11 12.8	03 10.30	+11 53.5	15.5	-0.91	- 0.3	1.9/11.7	20150
1989 SA ₃	95 11 12.9	03 10.92	+15 12.9	16.5	-0.88	- 0.7	0.9/12.5	24582
1993 FS ₂₃	95 11 13.1	03 11.62	+21 36.5	17.4	-0.94	- 3.5	1.4/14.0	25975
(6076)	95 11 13.3	03 12.32	+05 33.0	17.4	-0.89	- 3.6	3.8/10.6	23961
1988 BW	95 11 13.3	03 12.63	+39 05.6	16.3	-1.14	- 2.8	8.3/18.0	22400
1991 RR ₁₂	95 11 13.4	03 12.90	+21 26.8	16.3	-0.99	- 0.6	1.9/14.1	24105

1990 DL ₃	95 11 13.4	03 13.01	+28 19.4	16.4	-1.19	- 3.1	3.9/16.0	23684	1607 T-2	95 11 18.0	03 31.83	+32 51.6	17.3	-1.19	- 2.1	6.3/20.6	21978
1981 EZ ₃₇	95 11 13.5	03 13.16	+10 45.3	19.1	-0.78	- 4.9	2.3/11.8	22271	1994 JU	95 11 18.0	03 31.89	+13 53.3	18.5	-1.03	- 5.5	1.9/17.0	23791
1976 YG ₁	95 11 13.6	03 13.55	+17 12.8	16.1	-1.08	- 1.3	0.3/13.5	22049	1991 SE ₂	95 11 18.1	03 32.06	+15 09.6	17.2	-1.09	- 4.1	1.6/17.4	23517
1991 AJ ₃	95 11 13.7	03 13.88	+35 48.0	16.3	-0.91	- 4.9	5.1/18.2	22273	1981 EP ₁₈	95 11 18.3	03 32.95	+10 03.1	19.0	-0.77	- 3.9	2.5/16.4	15703
1993 ES	95 11 13.7	03 14.20	+31 28.0	17.1	-1.07	- 1.8	4.0/16.5	23539	1978 VA ₆	95 11 18.4	03 33.23	+18 52.2	18.4	-0.81	- 2.4	0.1/18.4	25647
2287 T-3	95 11 13.9	03 14.83	+22 59.2	17.5	-0.97	- 4.1	1.6/15.0	17654	1984 CM	95 11 18.4	03 33.67	+27 53.7	15.5	-1.14	+ 0.6	3.5/19.8	22589
5162 T-2	95 11 13.9	03 14.93	+31 08.1	16.6	-0.93	- 3.5	4.0/16.9	22701	1058 T-2	95 11 18.6	03 34.43	+15 11.4	17.8	-0.83	- 4.2	1.3/17.8	24578
(5970)	95 11 14.0	03 15.35	+10 40.8	16.4	-1.11	- 3.4	3.0/12.6	23507	1989 GN ₄	95 11 18.7	03 34.65	+20 27.1	17.9	-0.97	- 4.1	0.4/19.0	23972
1990 RD ₅	95 11 14.1	03 15.62	+19 21.5	16.2	-0.91	- 5.3	0.5/14.4	23974	1980 FV ₂	95 11 19.0	03 35.87	+36 01.1	17.7	-1.15	- 1.7	5.4/22.2	21965
1993 FH ₂₄	95 11 14.2	03 16.01	+14 36.1	16.6	-0.89	- 5.1	1.2/13.4	25975	1973 ST ₃	95 11 19.0	03 35.96	+30 34.7	15.9	-1.07	- 0.1	6.0/21.0	25972
1981 DO ₃	95 11 14.5	03 17.45	+25 49.1	17.6	-0.85	- 4.0	2.2/16.3	25647	1990 EO	95 11 19.0	03 36.15	+20 41.8	16.4	-1.08	- 6.2	0.5/19.4	21974
6035 P-L	95 11 14.6	03 17.63	+33 02.1	17.9	-1.15	- 1.8	5.1/17.6	22495	2086 T-2	95 11 19.4	03 37.46	+27 43.9	17.3	-0.97	- 2.2	2.6/20.9	22087
2092 T-2	95 11 14.7	03 18.01	+11 41.1	17.6	-0.91	- 4.8	2.3/13.3	15082	1990 OD	95 11 19.4	03 37.70	+18 00.1	16.8	-0.96	- 6.9	0.5/19.2	23869
1981 EV ₄₆	95 11 14.7	03 18.05	+20 40.3	17.8	-1.18	- 4.5	1.1/15.2	22599	(6629)	95 11 19.5	03 37.79	+17 36.2	16.1	-1.07	- 5.2	0.9/19.2	25941
1978 VC ₆	95 11 14.8	03 18.33	+21 51.9	16.8	-1.00	- 9.8	1.5/16.0	25972	1984 DX	95 11 19.6	03 38.37	+11 23.9	15.8	-0.88	- 3.0	3.9/18.1	25973
1981 EC ₁₈	95 11 14.8	03 18.42	+10 57.8	19.2	-0.78	- 3.8	2.1/13.2	24557	(6018)	95 11 19.7	03 39.09	+09 18.7	16.4	-1.06	- 3.2	3.8/18.0	23665
2514 P-L	95 11 14.8	03 18.47	+32 41.0	19.6	-1.19	- 0.6	5.5/17.5	22700	1989 HG	95 11 19.8	03 39.25	+03 08.5	16.8	-0.90	- 6.8	5.7/16.1	25973
1981 EL ₃₄	95 11 14.9	03 19.16	+18 29.2	17.9	-0.84	- 3.6	0.1/15.0	24116	2712 P-L	95 11 19.9	03 39.57	+15 36.2	17.7	-0.96	- 2.6	1.4/19.2	23531
4060 P-L	95 11 15.1	03 19.65	+18 47.0	17.9	-0.95	- 4.2	0.2/15.2	22086	1981 EF ₃₇	95 11 19.9	03 39.59	+40 27.7	16.9	-1.30	- 0.5	7.4/23.5	20810
4004 P-L	95 11 15.1	03 19.71	+26 38.8	17.6	-1.03	- 3.0	3.0/16.8	23539	1988 RV ₁₀	95 11 20.0	03 40.00	+15 24.1	17.7	-0.81	- 2.7	1.2/19.2	22969
(6608)	95 11 15.2	03 20.38	+14 28.9	14.3	-0.83	-12.2	1.8/14.1	25725	1988 LK	95 11 20.1	03 40.29	+02 46.0	17.2	-0.81	- 2.6	5.0/16.9	24912
1992 CG ₁	95 11 15.3	03 20.81	+14 04.3	16.9	-0.81	- 2.7	1.2/14.5	25650	1981 SY ₁	95 11 20.1	03 40.77	+26 01.7	16.5	-1.18	- 4.1	2.5/21.4	25972
1991 RM ₁₅	95 11 15.4	03 20.98	+22 03.9	17.2	-1.11	- 4.5	1.5/16.2	22084	2563 P-L	95 11 20.2	03 40.80	+17 09.7	17.5	-0.80	- 2.7	0.7/19.8	25652
1977 EL	95 11 15.5	03 21.45	+08 10.6	17.3	-1.07	- 3.4	3.9/13.6	25438	1991 PJ ₁₅	95 11 20.2	03 40.81	+15 00.4	17.8	-1.09	- 2.9	1.8/19.5	20508
1981 EC ₂₅	95 11 15.7	03 22.28	+23 55.6	16.4	-1.22	- 2.7	2.6/16.8	25972	1986 ED	95 11 20.2	03 40.94	+20 54.0	17.1	-1.10	- 2.4	0.4/20.5	25973
1988 RA ₁₁	95 11 15.7	03 22.36	+14 12.7	18.0	-0.79	- 2.6	1.3/14.9	22825	4821 P-L	95 11 20.4	03 41.58	+13 55.0	18.9	-0.95	- 2.8	2.3/19.4	22086
3058 T-1	95 11 15.7	03 22.38	+30 10.1	16.3	-1.23	- 2.1	5.8/18.0	19322	1989 GM	95 11 20.5	03 42.18	-04 07.9	17.1	-0.93	- 0.1	7.4/16.9	25973
2594 P-L	95 11 15.8	03 22.51	+14 39.7	18.5	-0.87	- 3.3	1.3/15.0	23791	1978 UN ₄	95 11 20.7	03 43.13	+11 35.2	16.8	-0.78	- 5.5	2.3/19.0	24893
2702 P-L	95 11 15.8	03 22.85	+18 57.4	18.3	-0.82	- 2.8	6.5/27.0	22971	1993 DW	95 11 20.9	03 43.91	+18 32.3	15.9	-1.04	- 5.6	0.6/20.7	24108
1979 QC ₂	95 11 15.9	03 22.85	+14 50.3	15.9	-0.86	- 3.5	1.3/15.1	25972	1981 ES ₃₃	95 11 21.0	03 44.17	+30 44.7	18.2	-1.11	- 4.0	4.3/23.2	22697
1990 QS ₁	95 11 15.9	03 23.17	+23 00.5	16.5	-1.00	- 2.8	1.6/16.8	25974	(6634)	95 11 21.0	03 44.26	+21 30.2	15.6	-1.11	- 8.5	0.7/21.4	25942
1993 FT ₃₃	95 11 16.0	03 23.46	+19 23.7	16.7	-0.96	- 2.0	0.3/16.2	23526	1989 BV ₁	95 11 21.0	03 44.31	+23 04.2	16.4	-1.10	- 3.3	1.3/21.6	23537
1992 DL ₆	95 11 16.1	03 23.79	+15 24.3	19.8	-0.82	- 2.8	0.9/15.5	24742	4801 P-L	95 11 21.0	03 44.46	+17 46.9	19.8	-0.82	- 2.3	0.6/20.7	23791
2395 T-3	95 11 16.1	03 24.14	+21 44.6	17.9	-0.82	- 3.4	0.9/16.9	24757	1976 QP	95 11 21.0	03 44.52	+19 09.8	17.8	-1.09	- 4.2	0.2/21.0	23535
1992 FJ ₁	95 11 16.2	03 24.08	+47 11.8	16.9	-1.07	- 2.6	7.2/22.8	24408	1978 NC	95 11 21.1	03 44.78	-19 45.3	17.6	-1.07	+ 4.3	14.0/17.7	23778
1990 SO ₂₈	95 11 16.4	03 25.03	+28 42.1	15.9	-1.10	- 0.1	3.8/18.1	23684	1981 EL ₁₈	95 11 21.1	03 44.88	+17 23.5	18.9	-0.98	- 4.0	0.8/20.7	24557
1992 EF	95 11 16.5	03 25.75	+27 05.5	16.4	-0.89	- 5.0	2.6/18.5	25975	1988 BC ₄	95 11 21.2	03 44.85	+15 38.6	15.8	-0.94	- 3.7	1.8/20.4	25955
(6075)	95 11 16.7	03 26.18	+16 55.7	16.9	-0.83	- 3.2	0.5/16.3	25626	1978 RU	95 11 21.3	03 45.39	+24 35.1	18.0	-1.07	- 2.6	1.6/22.1	21964
2058 P-L	95 11 16.7	03 26.21	+21 10.9	17.0	-0.97	- 4.1	0.9/17.2	25435	1981 TM ₃	95 11 21.3	03 45.64	+27 39.6	16.3	-1.23	- 1.6	3.0/22.6	22075
1979 MM ₈	95 11 16.7	03 26.41	+13 28.9	17.2	-0.99	- 4.5	2.1/15.7	22073	1994 JL	95 11 21.3	03 45.72	+14 44.7	16.8	-1.14	- 1.3	1.9/20.6	23791
(6620)	95 11 16.8	03 27.04	+26 44.5	15.9	-1.09	+ 1.0	3.8/18.2	25939	9570 P-L	95 11 21.5	03 46.19	+16 19.7	17.5	-0.98	- 2.0	1.3/20.9	23540
1979 QW ₃	95 11 16.9	03 27.44	+17 26.8	18.1	-1.02	- 3.8	0.5/16.7	20328	(6107)	95 11 21.6	03 46.87	-23 02.2	17.1	-1.42	+ 6.7	19.7/17.6	24089
1994 PO ₁	95 11 17.0	03 27.51	+10 49.4	17.9	-0.98	+ 2.3	2.3/16.0	24763	(6664)	95 11 21.8	03 47.46	+22 40.7	15.9	-1.13	- 1.4	1.1/22.2	25949
(6227)	95 11 17.1	03 27.90	+18 30.7	17.8	-0.80	- 3.0	0.1/17.1	24725	1988 VN ₇	95 11 21.8	03 47.50	+18 56.4	16.9	-1.18	+ 3.3	0.5/21.7	20503
1982 TQ ₂	95 11 17.1	03 28.07	+28 32.7	16.5	-1.21	- 4.7	4.5/19.1	23535	1934 RB	95 11 22.0	03 48.56	+10 04.2	15.6	-1.09	- 3.7	3.9/20.4	25972
1988 AX ₁	95 11 17.2	03 28.26	+40 33.6	16.6	-1.15	- 4.5	8.8/22.0	21971	1993 DT ₁	95 11 22.0	03 48.70	+17 02.5	19.4	-0.95	- 3.5	0.9/21.6	22060
1986 QZ ₂	95 11 17.4	03 29.41	+29 36.8	17.2	-1.10	- 1.6	3.5/19.4	25648	4255 T-1	95 11 22.2	03 49.29	+15 01.9	19.6	-1.03	- 3.6	1.8/21.4	19327
1992 AE ₁	95 11 17.5	03 29.54	+06 02.7	15.8	-0.98	- 0.3	5.0/15.3	25974	(5967)	95 11 22.2	03 49.32	-22 38.9	16.7	-1.25	+ 3.7	18.9/17.0	23506
1992 EE ₁₁	95 11 17.7	03 30.59	+17 18.6	17.6	-0.82	- 2.6	0.5/17.4	24391	1993 LD ₁	95 11 22.3	03 49.88	+36 38.2	18.6	-1.02	- 2.4	5.0/25.5	23981
1981 US ₂₂	95 11 17.9	03 31.10	+14 09.5	16.2	-1.13	+ 0.7	2.3/17.2	20629	3453 T-3	95 11 22.6	03 50.74	+11 37.0	18.5	-1.03	- 4.6	3.1/21.1	21978
1990 HL ₁	95 11 18.0	03 31.75	+21 56.1	18.6	-1.03	- 9.0	0.9/18.7	23858	1991 BG ₂	95 11 22.6	03 50.87	+19 51.3	15.5	-0.90	- 1.7	0.1/22.6	21575

1981 EK ₅	95 11 22.6	03 51.06	+27 51.7	19.1	-0.86	- 3.3	2.1/24.1	22270
(6036)	95 11 22.7	03 51.51	+02 56.4	15.8	-0.88	- 5.7	6.4/19.4	23772
1990 VK ₁	95 11 22.8	03 51.56	+23 10.9	16.2	-0.97	- 1.9	1.1/23.3	21975
1981 EG ₃₉	95 11 22.8	03 52.04	+27 26.8	18.1	-0.93	- 2.2	2.4/24.1	23788
1994 GS	95 11 23.0	03 52.50	+17 51.1	16.7	-1.19	- 0.5	0.9/22.7	23677
(6248)	95 11 23.1	03 53.24	+20 50.6	16.5	-0.89	- 2.5	0.2/23.3	24730
1991 YE	95 11 23.3	03 53.88	+14 24.0	16.9	-0.99	- 1.8	2.2/22.4	23992
1981 EW ₂₀	95 11 23.4	03 54.10	+21 14.7	17.4	-0.86	- 2.4	0.3/23.6	25647
1994 PP ₃₄	95 11 23.4	03 54.21	+22 24.7	17.6	-0.93	- 3.1	0.7/23.8	24570
1988 US	95 11 23.4	03 54.36	+24 57.2	15.5	-1.12	- 5.4	2.1/24.3	24581
(6014)	95 11 23.6	03 55.08	+12 56.0	16.0	-1.03	- 5.4	3.1/22.3	23664
1991 RO ₂	95 11 23.7	03 55.51	+14 26.1	17.3	-1.06	- 5.5	2.6/22.7	22273
(5987)	95 11 23.8	03 55.80	+11 33.3	17.2	-1.02	- 3.3	3.4/22.4	23658
1992 CO	95 11 23.9	03 56.25	+07 22.4	16.6	-0.86	- 0.6	4.0/22.0	22431
(6635)	95 11 23.9	03 56.34	-20 24.6	15.8	-0.98	-15.2	20.2/08.4	25942
3163 T-3	95 11 23.9	03 56.42	+36 44.1	18.5	-1.06	+ 1.1	4.6/26.1	25437
1991 PQ ₅	95 11 23.9	03 56.45	+08 54.2	18.0	-1.08	- 2.4	4.7/22.3	25529
1993 BH ₂	95 11 23.9	03 56.72	+15 40.7	16.8	-1.03	- 2.4	1.6/23.3	21947
1991 BX	95 11 24.0	03 56.66	+20 58.9	16.1	-0.86	- 4.0	0.2/24.1	24913
1994 PC ₃₉	95 11 24.0	03 56.66	+21 32.4	17.1	-1.00	- 3.6	0.4/24.2	24571
1981 EK ₂₆	95 11 24.0	03 56.67	+15 59.2	19.2	-0.99	- 3.1	1.5/23.3	15880
1977 DU	95 11 24.1	03 57.23	+31 11.4	16.7	-1.15	- 2.4	4.3/25.8	22270
1940 ED	95 11 24.3	03 57.94	+15 02.1	17.6	-1.05	- 3.8	2.0/23.4	22049
(6043)	95 11 24.3	03 58.25	+07 36.3	16.0	-1.02	- 2.0	5.8/22.5	24373
1994 PK ₃₈	95 11 24.3	03 58.31	+16 43.0	18.4	-0.90	- 2.7	1.3/23.8	24571
1983 XE	95 11 24.4	03 58.40	+19 39.2	15.8	-0.93	- 7.3	0.4/24.2	22599
1990 TU ₁₀	95 11 24.5	03 59.24	+19 08.2	16.3	-0.96	- 5.2	0.5/24.3	25974
1976 YE ₁	95 11 24.7	03 59.82	+25 40.9	16.2	-1.07	- 4.9	2.1/25.7	22270
1993 HF	95 11 25.0	04 00.90	+20 11.0	16.7	-1.00	- 6.1	0.2/24.9	22241
2559 P-L	95 11 25.1	04 01.35	+19 36.1	16.6	-1.14	- 1.9	0.4/25.0	21977
1980 PV ₁	95 11 25.1	04 01.52	+27 29.4	17.6	-0.96	- 3.6	2.0/26.3	21966
1979 QP	95 11 25.1	04 01.74	+22 09.8	17.5	-0.92	- 2.7	0.5/25.4	24758
3016 P-L	95 11 25.1	04 01.79	+17 53.0	16.9	-0.94	- 7.8	1.1/24.6	22086
1981 EE ₂₂	95 11 25.1	04 01.79	+26 15.2	19.0	-0.92	- 1.6	1.7/26.0	22271
1990 TT ₁₂	95 11 25.2	04 02.20	+22 47.4	16.4	-0.94	- 2.4	0.7/25.6	25974
1042 T-2	95 11 25.3	04 02.21	+19 12.3	17.0	-0.98	- 3.5	0.6/25.1	23533
1992 ER ₉	95 11 25.3	04 02.44	+19 19.7	16.6	-0.85	- 2.3	0.4/25.1	25650
6048 P-L	95 11 25.3	04 02.62	+29 11.6	15.6	-1.12	- 2.5	3.7/26.7	23540
1981 ED ₁₂	95 11 25.5	04 03.48	+08 35.5	17.5	-0.95	- 6.1	4.5/23.3	23511
1984 SU	95 11 25.6	04 03.44	+24 50.4	16.3	-1.06	- 3.9	2.1/26.3	20012
1991 UY ₃	95 11 25.6	04 03.90	+17 02.2	16.5	-0.92	- 5.0	1.9/25.0	25650
1992 FP	95 11 25.7	04 04.32	+21 15.5	17.6	-0.83	- 1.9	6.1/06.0	24240
1989 SV ₁	95 11 25.8	04 04.32	+16 44.2	16.1	-0.86	- 1.7	1.6/25.2	25226
9508 P-L	95 11 25.8	04 04.75	+18 55.0	17.4	-0.85	- 1.9	0.5/25.6	24585
(6582)	95 11 26.0	04 05.21	+10 18.4	14.7	-0.76	- 7.8	5.0/23.7	25719
1993 HM ₁	95 11 26.1	04 05.74	-01 39.4	17.4	-0.92	- 0.8	7.2/22.9	25441
1994 NO ₁	95 11 26.1	04 05.84	+23 16.2	17.9	-1.13	- 4.7	0.9/26.6	23984
1304 T-2	95 11 26.1	04 05.88	+20 24.4	16.5	-0.89	- 2.8	0.2/26.1	22087
1994 JD	95 11 26.1	04 06.00	-09 22.4	16.5	-1.50	+12.4	15.7/26.3	25961
1980 UW ₁	95 11 26.2	04 06.07	+23 41.1	17.3	-1.12	- 3.5	1.2/26.7	21966
1981 EX ₉	95 11 26.3	04 06.43	+33 22.5	18.2	-0.97	- 3.0	4.0/28.4	24557

2771 P-L	95 11 26.4	04 06.90	+23 56.0	16.3	-0.90	- 1.0	1.0/26.8	25969
1993 FZ ₃₆	95 11 26.5	04 07.43	+23 12.2	15.2	-1.08	- 0.9	1.1/26.8	25539
1990 VZ ₄	95 11 26.5	04 07.66	+08 54.0	17.7	-0.84	- 3.7	3.7/24.6	18434
4096 T-2	95 11 26.6	04 07.81	+06 02.0	18.6	-0.82	- 2.9	5.0/24.3	23867
1989 SO	95 11 26.6	04 07.94	+22 19.9	15.4	-0.86	- 4.2	0.5/26.9	25955
1993 FX ₄₀	95 11 26.6	04 08.04	+02 49.2	18.2	-0.89	- 4.1	5.9/23.6	24408
1992 ED ₈	95 11 26.7	04 08.16	+23 09.9	17.5	-0.93	- 2.4	0.7/27.1	25650
1989 UV ₁	95 11 27.2	04 10.70	+21 51.6	17.3	-0.92	- 2.2	0.3/27.4	25973
1980 GL	95 11 27.3	04 10.85	+35 02.0	18.3	-1.15	- 0.4	4.5/29.1	24116
3395 T-3	95 11 27.4	04 11.42	+13 38.0	17.2	-1.06	- 3.8	3.1/26.3	22601
1989 CB ₆	95 11 27.6	04 12.41	+17 58.3	17.2	-1.07	- 1.9	1.4/27.3	23514
1978 PX ₃	95 11 27.7	04 12.35	+30 17.5	17.2	-1.26	- 5.1	4.2/29.3	25972
1989 CJ ₈	95 11 27.7	04 12.38	+07 48.5	17.3	-0.99	- 2.2	4.5/25.8	21938
1991 SF ₁	95 11 27.8	04 13.17	+09 26.7	16.6	-1.04	- 5.5	4.4/26.0	23685
1979 MP ₁	95 11 28.2	04 14.49	+18 24.1	17.8	-1.06	- 2.8	1.1/27.8	22696
1980 TE ₇	95 11 28.3	04 15.04	+10 00.4	17.1	-1.04	- 4.1	4.5/26.7	22074
1993 FD ₁	95 11 28.4	04 15.55	+20 44.7	15.7	-1.08	- 2.4	0.3/28.4	25975
1988 BY ₂	95 11 28.4	04 15.59	+37 21.8	17.4	-1.14	- 2.6	5.7/30.8	24760
9509 P-L	95 11 28.4	04 15.62	+06 55.6	19.0	-0.95	- 3.8	5.0/26.3	16036
1984 SZ ₅	95 11 28.5	04 15.92	+31 58.1	18.1	-1.28	- 1.4	3.9/29.9	21969
(6655)	95 11 28.5	04 16.14	+18 22.1	15.3	-0.97	+ 1.5	1.0/28.3	25947
1157 T-2	95 11 28.5	04 16.20	+18 24.4	18.6	-1.09	- 3.6	1.1/28.2	22087
1981 EW ₃₉	95 11 28.6	04 16.43	+34 58.9	20.5	-0.98	- 1.2	3.9/30.6	21967
1987 YS ₁	95 11 28.8	04 17.07	-01 34.3	16.6	-0.93	- 1.4	9.6/25.5	22272
1990 QE ₆	95 11 28.9	04 17.67	+49 35.0	18.6	-1.44	- 1.1	9.3/03.5	17963
4065 P-L	95 11 29.1	04 18.77	+25 24.4	18.8	-1.19	- 3.7	1.6/29.8	25075
(6103)	95 11 29.2	04 19.11	+03 38.5	16.8	-0.76	- 3.0	5.1/26.6	23966
1986 GC	95 11 29.2	04 19.19	+23 45.6	17.1	-1.17	+ 0.1	0.9/29.5	22077
1981 EM ₅	95 11 29.2	04 19.22	+26 45.1	18.5	-0.91	- 4.4	1.7/30.2	22429
1986 RE ₂	95 11 29.3	04 19.31	+47 51.0	15.6	-1.30	- 7.9	9.9/05.2	23868
1993 FO ₃₆	95 11 29.4	04 19.64	+08 11.5	17.3	-0.89	- 3.0	4.3/27.5	23870
1989 RW	95 11 29.4	04 19.85	+14 06.4	17.1	-0.87	- 4.1	2.2/28.3	24118
1993 FC ₁	95 11 29.4	04 19.90	+09 54.3	16.5	-0.93	- 5.6	3.9/27.5	24119
1990 QR	95 11 29.4	04 20.12	+01 22.4	16.7	-0.92	- 2.6	6.7/26.7	24895
(6572)	95 11 29.5	04 20.13	+17 08.9	15.1	-1.08	- 2.0	1.7/29.0	25716
1988 UV	95 11 29.5	04 20.21	+13 21.6	15.8	-1.03	- 6.8	3.8/28.1	17207
1969 OX	95 11 29.5	04 20.37	-00 18.7	15.4	-0.97	+ 1.0	8.6/27.6	25077
6193 P-L	95 11 29.6	04 20.72	+05 22.3	19.3	-0.92	- 4.4	5.8/27.2	22701
1981 EA ₄₀	95 11 29.6	04 20.94	+17 48.6	19.2	-0.85	- 1.7	1.1/29.2	23788
1989 OM	95 11 29.7	04 21.29	+39 03.3	18.0	-1.21	+ 0.6	5.5/01.9	24240
1987 EQ	95 11 29.8	04 21.47	+25 42.3	17.5	-1.23	- 3.0	1.8/30.4	21786
1991 RA ₁₀	95 11 29.8	04 21.59	+24 13.5	17.0	-1.12	- 5.0	1.1/30.3	20152
1977 DD ₁	95 11 29.8	04 21.80	+10 12.2	16.0	-1.08	- 1.1	5.5/28.6	23787
1992 BK	95 11 29.9	04 21.79	+29 14.9	15.2	-1.04	- 1.2	3.6/30.8	25975
1993 KM	95 11 29.9	04 22.04	-03 20.2	19.2	-0.73	- 2.2	5.6/26.3	25975
3109 T-3	95 11 29.9	04 22.17	+21 56.6	18.2	-0.84	- 1.9	0.1/30.0	25443
1989 GJ	95 11 30.1	04 23.11	+01 08.2	16.5	-0.91	- 0.8	6.5/27.8	25537
1991 RG	95 11 30.2	04 23.34	+19 23.8	17.3	-1.13	- 4.3	0.9/29.9	23991
4764 P-L	95 11 30.3	04 23.79	+18 11.5	18.0	-0.91	- 2.1	1.1/29.9	24757
1980 UL	95 11 30.3	04 23.82	-20 01.3	16.4	-0.98	+ 2.6	18.2/27.9	23535
1981 EM ₁₇	95 11 30.4	04 24.32	+11 55.0	16.2	-0.99	- 4.5	4.2/29.1	23787

1977 QY	95 11 30.4	04 24.46	+43 20.6	15.3	-1.26	- 2.2	8.6/03.8	25733
1988 VN ₃	95 11 30.6	04 24.81	+18 15.0	16.2	-1.04	- 5.9	1.6/30.1	23537
1978 TP ₆	95 11 30.6	04 25.06	+29 00.8	15.8	-0.95	- 2.1	2.8/01.6	24406
3092 P-L	95 11 30.7	04 25.44	+29 45.9	19.1	-1.07	- 3.8	2.6/02.0	17974
1994 PW ₅	95 11 30.7	04 25.50	+21 53.9	17.4	-0.93	- 2.4	7.8/11.0	24747
1993 GO	95 11 30.8	04 26.11	+25 40.4	17.3	-1.17	+ 1.8	1.4/31.0	23135
1994 NP	95 11 30.9	04 26.19	+25 20.7	16.2	-1.04	- 6.5	1.3/01.5	23993
1980 RC	95 11 30.9	04 26.31	-00 46.0	16.7	-0.84	- 2.9	11.8/27.7	14781
4092 T-3	95 11 30.9	04 26.47	+02 47.1	17.4	-0.90	- 3.8	6.6/28.1	24915
2239 T-3	95 12 01.0	04 26.62	+29 32.4	17.4	-1.07	- 2.6	2.9/02.0	24405
1991 RG ₇	95 12 01.0	04 26.71	+23 28.5	16.3	-1.01	- 5.0	0.8/01.3	25426
(6669)	95 12 01.0	04 27.03	+25 13.8	15.3	-1.29	- 0.3	1.4/01.4	25950
1994 PA ₁₀	95 12 01.3	04 28.09	+09 52.5	19.2	-0.88	- 1.7	3.5/29.9	24748
1078 T-1	95 12 01.3	04 28.11	+36 24.7	16.3	-1.05	- 1.9	5.2/03.3	25645
1979 QR ₁	95 12 01.3	04 28.15	+24 03.6	18.2	-0.94	- 2.0	0.7/01.7	24580
(6633)	95 12 01.4	04 28.29	+24 37.2	15.3	-1.01	- 4.4	1.2/01.8	25942
1979 OA	95 12 01.4	04 28.59	+47 07.7	19.1	-1.20	- 4.5	6.4/06.0	25527
1975 EA ₃	95 12 01.5	04 28.72	+25 31.7	16.8	-1.16	- 1.4	1.4/01.9	25646
1988 BP ₃	95 12 01.5	04 28.72	+10 02.2	16.7	-0.92	- 2.0	3.9/30.1	25973
1986 GF	95 12 01.6	04 29.24	-05 22.0	16.6	-1.03	-11.3	11.0/25.1	22430
1993 FX ₃₇	95 12 01.7	04 29.57	+23 46.4	16.1	-1.02	- 1.3	0.7/01.9	23527
1994 PT ₁₄	95 12 01.8	04 30.34	+15 02.3	17.5	-0.98	- 2.3	2.4/01.0	25219
4019 T-3	95 12 01.8	04 30.37	+14 04.7	17.5	-0.96	- 2.2	2.9/31.0	23792
1993 FB ₁	95 12 01.8	04 30.45	+22 37.3	16.3	-1.07	+ 0.3	0.3/02.0	24230
2547 P-L	95 12 01.9	04 30.78	+21 29.8	18.2	-0.90	- 1.2	0.1/01.9	22700
1981 WE ₁	95 12 02.1	04 31.59	+07 08.2	15.5	-0.85	- 5.9	6.8/29.8	25078
(5986)	95 12 02.1	04 31.74	+18 31.3	15.7	-1.07	- 5.6	1.4/01.7	23658
1993 FU ₁₁	95 12 02.2	04 31.87	+16 46.5	17.2	-0.99	- 1.3	1.8/01.7	23523
1990 HG	95 12 02.3	04 32.26	+37 42.6	16.5	-1.60	+ 7.0	6.4/02.6	20506
1994 OC	95 12 02.3	04 32.47	+39 48.0	15.4	-1.08	- 3.3	6.3/05.1	25962
1990 QW ₉	95 12 02.4	04 33.06	+05 55.4	18.2	-0.92	- 2.2	4.8/30.6	24895
1990 OO ₂	95 12 02.6	04 33.78	+45 19.0	16.2	-1.32	- 3.2	8.3/06.2	24118
1994 PC ₁₄	95 12 02.7	04 33.90	+23 06.9	17.3	-0.95	- 2.1	0.4/02.9	25651
1989 GL ₄	95 12 02.8	04 34.45	+07 21.4	17.5	-0.95	- 4.9	5.0/30.7	23514
1994 PH ₃₀	95 12 02.8	04 34.71	+09 01.7	17.2	-0.90	- 3.5	4.7/01.1	24901
4661 P-L	95 12 02.9	04 35.02	+23 10.9	17.6	-0.97	- 1.0	0.4/03.1	25652
1980 FF ₃	95 12 03.1	04 35.69	+32 05.5	19.3	-1.09	- 1.6	3.2/04.3	25078
(6035)	95 12 03.4	04 36.99	-13 06.1	18.0	-0.99	- 2.5	11.5/28.8	23772
1993 FJ ₃₂	95 12 03.4	04 37.03	+26 05.4	18.3	-1.06	- 3.1	1.4/03.9	24568
5447 T-2	95 12 03.4	04 37.06	+33 53.3	18.5	-1.25	- 3.6	4.2/05.0	16589
1985 TB ₃	95 12 03.5	04 37.64	+14 46.8	16.3	-1.12	- 2.6	3.5/02.8	17436
1988 CX ₄	95 12 03.8	04 38.61	+10 20.5	18.5	-0.93	- 3.5	4.3/02.3	15889
1964 YJ	95 12 03.8	04 38.64	+09 37.5	16.0	-0.88	+ 0.5	4.0/02.7	13480
1993 BJ ₃	95 12 03.9	04 39.43	+19 56.0	16.4	-1.12	- 2.4	1.0/03.7	24567
1993 KB ₂	95 12 03.9	04 39.46	-01 59.3	16.3	-0.77	- 2.1	6.5/01.0	23790
1966 BB	95 12 04.0	04 39.78	+11 49.5	16.6	-1.13	- 0.5	4.5/03.1	22270
1981 EW ₃₁	95 12 04.2	04 40.82	+07 10.6	18.1	-0.83	- 1.8	5.1/02.6	24759
1989 AA ₅	95 12 04.3	04 41.11	+08 09.4	16.6	-1.07	+ 1.6	5.3/03.5	25973
1980 FH ₅	95 12 04.3	04 41.24	+46 16.4	15.8	-1.32	+ 0.2	10.5/06.8	21965
(6060)	95 12 04.3	04 41.24	+06 47.5	16.8	-0.95	- 1.3	5.4/02.9	23853
6614 P-L	95 12 04.5	04 41.65	+19 04.1	17.6	-1.00	- 1.2	1.1/04.2	23532

1993 FV ₃	95 12 04.5	04 41.69	+19 17.4	16.3	-1.09	- 2.5	1.2/04.2	24567
1994 PP ₂₆	95 12 04.6	04 42.17	+25 31.9	17.7	-1.11	- 1.4	1.2/04.9	24901
1994 PB	95 12 04.8	04 43.22	+18 19.7	15.7	-0.87	- 4.8	1.5/04.3	25962
4253 T-2	95 12 04.9	04 43.59	+11 37.4	18.7	-1.10	- 0.8	4.6/04.1	21978
(6206)	95 12 04.9	04 43.59	+21 51.6	15.9	-0.96	- 2.1	0.2/04.9	24554
1990 TT ₁₀	95 12 04.9	04 43.83	+28 37.5	18.4	-1.06	- 1.7	2.3/06.0	24389
1993 GK ₁	95 12 05.0	04 43.82	+25 25.5	17.4	-1.15	- 2.2	1.3/05.3	24394
1991 RT ₅	95 12 05.1	04 44.52	+30 42.3	16.7	-1.26	+ 0.6	3.6/06.0	25538
1989 UN ₃	95 12 05.2	04 44.77	+18 51.3	16.9	-0.88	- 1.4	1.2/04.9	23869
(6231)	95 12 05.2	04 44.81	+07 12.9	17.1	-1.00	- 2.0	5.6/03.6	24726
1981 EK ₇	95 12 05.5	04 46.24	+19 13.3	17.8	-0.84	- 2.3	0.9/05.2	24238
(6626)	95 12 05.6	04 46.71	+24 33.7	16.4	-0.83	+ 0.1	1.1/06.0	25940
1994 PC ₁₅	95 12 05.6	04 46.71	+02 01.4	18.7	-0.94	- 1.4	6.7/03.6	25219
1994 PN ₂₅	95 12 05.6	04 46.89	+20 40.2	18.3	-1.10	- 1.2	0.6/05.5	24901
4181 T-3	95 12 05.6	04 46.90	+19 54.2	18.4	-1.18	- 0.6	1.1/06.0	21978
4150 T-1	95 12 05.8	04 47.40	-00 03.0	16.4	-0.97	- 3.3	9.7/03.0	23791
1991 VY	95 12 05.8	04 47.50	+23 16.7	15.3	-1.12	+ 1.5	0.4/05.9	23518
3045 P-L	95 12 05.8	04 47.61	+41 28.6	17.1	-1.23	- 2.7	6.4/08.2	22086
1982 UY ₆	95 12 05.9	04 47.75	+29 16.6	16.9	-1.16	- 0.2	2.6/06.5	25973
1992 CT	95 12 05.9	04 48.25	+22 52.0	16.0	-0.98	- 0.5	8.7/26.0	19873
1989 SU ₃	95 12 06.0	04 48.19	+09 12.5	17.0	-0.83	- 2.4	4.1/04.5	24582
1981 DL ₁	95 12 06.1	04 48.80	+41 41.2	18.4	-1.09	- 3.1	6.2/08.7	24556
1987 YK	95 12 06.2	04 49.06	+23 34.1	15.5	-1.10	+ 0.7	0.5/06.3	25973
1986 PD ₁	95 12 06.2	04 49.39	-04 31.6	15.7	-0.93	+ 3.6	12.2/05.3	25973
1978 RX ₁	95 12 06.3	04 49.69	+15 28.1	16.9	-1.15	- 0.2	3.4/05.8	22429
1994 PW ₁₇	95 12 06.4	04 50.12	+21 26.8	18.5	-0.89	- 1.4	0.3/06.3	25651
(6046)	95 12 06.5	04 50.59	+13 25.5	17.2	-1.08	- 3.3	3.5/05.6	25518
1984 UD ₃	95 12 06.8	04 52.02	+13 56.4	16.2	-1.04	- 4.3	3.9/05.9	22492
1983 AA ₃	95 12 06.9	04 52.20	+35 15.2	16.1	-1.18	+ 1.5	5.2/07.7	22075
1989 CH ₄	95 12 07.0	04 52.58	+25 44.5	16.8	-1.14	- 2.0	1.2/07.3	24912
2104 T-1	95 12 07.1	04 53.38	+25 46.6	18.3	-1.14	- 1.2	1.2/07.4	25076
1985 QP	95 12 07.2	04 53.64	+28 32.9	17.0	-1.27	- 1.8	2.9/07.8	19295
1985 RA ₄	95 12 07.2	04 53.88	+33 28.4	18.2	-1.08	- 1.4	3.6/08.3	24911
1993 FB ₂₂	95 12 07.3	04 54.10	+24 42.5	17.3	-1.08	- 1.3	1.0/07.5	23524
(6012)	95 12 07.5	04 54.86	+28 53.1	17.1	-1.26	+ 3.2	2.2/07.8	23663
2192 T-3	95 12 07.6	04 55.51	+23 13.0	17.6	-1.13	- 2.7	0.3/07.7	22088
1991 UC ₂	95 12 07.6	04 55.58	+21 52.6	16.0	-1.05	- 2.6	0.3/07.6	23518
1994 RM ₁	95 12 07.7	04 55.75	+03 29.4	16.5	-0.77	- 3.0	5.3/05.6	24396
4206 T-1	95 12 07.9	04 56.66	+18 21.7	17.9	-1.12	- 1.3	1.8/07.6	19326
1990 EQ ₂	95 12 07.9	04 56.82	+22 33.8	15.9	-1.16	- 4.3	0.0/08.0	21790
1978 SD ₇	95 12 07.9	04 56.93	+18 42.6	16.8	-1.18	- 3.0	1.6/07.6	13854
1990 KT	95 12 08.0	04 57.09	-03 00.1	17.7	-0.99	- 5.0	8.6/04.8	24102
(6069)	95 12 08.1	04 57.71	+16 15.3	16.6	-1.12	- 2.8	2.8/07.6	23855
1991 RM ₆	95 12 08.2	04 57.99	+11 53.1	15.5	-1.03	+ 0.8	5.2/07.6	21976
1991 FN	95 12 08.2	04 58.14	+59 19.4	16.1	-2.25	+ 4.5	17.4/08.9	21576
1993 HK	95 12 08.4	04 58.82	+17 49.7	16.5	-1.09	- 0.7	2.0/08.1	22596
1994 PV ₁₆	95 12 08.4	04 58.83	+27 34.1	17.5	-1.03	- 1.4	1.7/08.8	25219
1987 QT ₁	95 12 08.4	04 58.85	+30 51.9	18.1	-1.22	- 2.1	2.8/09.2	23536
1991 PF ₁₅	95 12 08.5	04 59.24	+23 28.3	16.4	-1.19	- 3.1	0.3/08.6	23869
1991 VF ₄	95 12 08.5	04 59.43	+20 00.6	15.7	-1.13	+ 1.9	1.1/08.4	22084
1987 SL ₁	95 12 08.5	04 59.56	+27 22.2	15.5	-1.10	- 1.2	2.2/09.0	25973